

GENERAL INDEX TO VOLUME 56 (1999)

- Adiantum capillus-veneris* L., 432
Aegilops (*Poaceae*) species and populations in Iran, 405
Aeschynanthus (*Gesneriaceae*), 265
 sect. *Haplotrichium*
 argentii Mendum, 265
 pseudohybridus Mendum, 268
 sect. *Polytrichium*
 batakiorum Mendum & Madulid, 269
Agrostis brachiata Munro ex Hook.f., 388
 himalayana Bor, 390
 megathyrsa Keng ex P.C. Keng, 388
 micrantha Steud., 390
 myriantha Hook.f., 390
 var. *khasiana* Hook.f., 390
 var. *sikkimensis* Hook.f., 390
 nagensis Bor, 386
 petelotii (Hitc.) Noltie, 386
 platyphylla Mez, 390
 pleiophylla Mez, 390
 ushae Noltie, 388
 zenkeri Trin., 386
AKHANI, H., Studies on the flora and vegetation of the Golestan National Park, NE Iran. III. Three new species, one new subspecies and fifteen new records for Iran, 1
AL-SHEHBAZ, I.A. & O'KANE JR, S.L., *Ianhedea* (*Brassicaceae*), a new generic name replacing the illegitimate *Microsisymbrium*, 321
AL-TURKI, T.A., See GHAFOR
Alectra alba (Hepper) B.L. Burtt, 460
Allium vavilovii Popov & Vved., 3
ALPINAR, K., See T HART
Alyssum alyssoides (L.) L., 12
Andropogon hookeri Hack., 400
 yunnanensis Hack., 400
Anisachne gracilis Keng, 386
Anogramma leptophylla (L.) Link, 432
Anthemis (*Asteraceae*) from Saudi Arabia, 55
Anthemis sheilae, A. Ghafoor & T.A. Al-Turki, 55
Anthistiria imberbis
 var. *roylei* Hook.f., 402
Aphyllorchis sanguinea N. Pearce & P.J. Cribb, 273
Arabis sp., 325
Arundinella dagana Noltie, 396
Aspidopterys hypoglaucata H. Lév., 37
Asplenium adiantum-nigrum L., 432
 ceterach L., 433
 obovatum Viv., 434
 onopteris L., 435
 trichomanes L.
 subsp. *quadrivalens* D.E. Mey, 435
Aster linosyris (L.) Bernh., 11
ATKINSON, R., Book review, 153
Atraphaxis seravschanica Pavlov, 18
BATEMAN, R., Book review, 158, 461
BAZOS, I. & YANNITSAROS, A., Pteridophytic flora of Lesvos (East Aegean Islands, Greece), 421
Berberidaceae, 308
Berberis gautamae Laferr. (pro *gautamai*), 308
 keikoeae Laferr. (pro. *keikoe*), 308
 mairei Ahrendt, 308
 tsailunii Laferr., 308
BIGAZZI, M., See SELVI
BIGAZZI, M., SELVI, F. & FIORINI, G., A reappraisal of the generic status of *Gastrocotyle*, *Hormuzakia* and *Phyllocara* (*Boraginaceae*) in the light of micromorphological and karyological evidence, 229
Boea hygrometrica, 372
 wallichii R.Br., 372
Boletus angustisporus T.-H. Li & Watling, 144
 obscureorubeus T.-H. Li & Watling, 144
BOOK REVIEWS
 Anatomie der Hymenomyceten. Eine Einführung in die Cytologie und Plectologie der Krustenpilze, Porlinge, Keulenpilz, Leistlinge, Blätterpilze und Rohrlinge, by H. Cléménçon, 155
 The Biodiversity of African Plants: Proceedings of XIVth AETFAT Congress, edited by L.J.G. van der Maesen, X.M. van der Berg & J.M. van Medenbach de Rooy, 311

- Evolution and Speciation of Island Plants, edited by T.F. Stuessy & M. Ono, 461
- Exercises in Plant Disease Epidemiology, edited by L.J. Francl & D.A. Neher, 313
- The Ferns of Britain and Ireland, by C.N. Page, 153
- A Fragile Eden: portraits of the endemic flowering plants of the granitic Seychelles, by R. Wise, 310
- The Genus *Cypridium*, by P.J. Cribb, 158
- The Genus *Inga*: Botany, by T.D. Pennington, 151
- Glossary of Plant Pathological Terms, by M.C. Shurtleff & C.W. Averre III, 314
- John Lindley, 1799–1865, Gardener-Botanist and Pioneer Orchidologist, edited by W.T. Stearn, 464
- The Journals of Hipólito Ruiz, Spanish Botanist in Peru and Chile 1777–1788, transcribed by J. Jaramillo-Arango, translated by R. Evans Schultes & M.J. Nemry von Thenen de Jaramillo-Arango, 318
- Microfungi on Land Plants: an identification handbook, by M.B. Ellis & J.P. Ellis, 463
- Molecular Tools for Screening Biodiversity, edited by A. Karp, P.G. Isaac & D.S. Ingram, 157
- Native American Ethnobotany, by D.E. Moerman, 317
- 1997 IUCN Red List of Threatened Plants, edited by K.S. Walter & H.J. Gillett, 309
- Plant Crib 1998, by T.C.G. Rich & A.C. Jermy, 315
- Psilocybin Mushrooms of the World: an identification guide, by P. Stamets, 466
- Supplement to Illustrations on the Flora of the Palni Hills, South India, by K.M. Matthew, 156
- BRACH, A.R., See MA JIN-SHUANG
- BRIDGEWATER, S., See LENTHALL
- BRUYNS, P.V., The systematic position of *Rhytidocaulon* (*Apocynaceae-Asclepiadoideae*), 211
- BURTT, B.L., Old World *Gesneriaceae*: VI. Six miscellaneous notes, 371
- BURTT, B.L., The transfer of *Harveya alba* to *Alectra* (*Scrophulariaceae*), 459
- Calamagrostis zenkeri* (Trin.) Davidse, 386
- Campanula* L. (*Campanulaceae*) from SW Turkey, 355
- Campanula koyuncui* H. Duman, 357
- valtirikii* H. Duman, 355
- Carex pseudocyperus* L., 12
- Caulanthus lasiophyllus* (Hook. & Arn.) Payson, 325
- Centaurea goletanica* Akhani & Wagenitz, 6
- Cephalanthera damasonium* (Miller) Druce, 283
- Ceratophyllum submersum* L., 6
- Chaerophyllum aksekiense* A. Duran & Duman, 47
- Chamaegastrodia asraoa* (J. Joseph & N.R. Abbareddy) Seidenfaden & A.N. Rao, 283
- Cheilanthes acrostica* (Balbis) Tod., 436
- maranthe* (L.) Domin, 438
- persica* (Bory) Mett. ex Kuhn, 436
- Cheirostylis sherriffii* N. Pearce & P. Cribb, 275
- tabiyahanensis* (Hayata) N. Pearce & P.J. Cribb, 278
- Chrysocoma linosyris* L., 11
- Clypeola alyssoides* L., 12
- Colchicum* in Turkey. I. New species, 85
- Colchicum* in Turkey. II. Revision of the large-leaved autumnal species, 103
- Colchicum balansae* Planchon, 131
- sensu Hayek, 129
- var. *hirtiflorum* (Boiss.) Parsa, 104
- var. *macrophyllum* Siehe ex Hayek, 126
- bornmuelleri* Freyn, 115
- brevistylum* Feinbrun, 112
- byzantinum*
- auct., non Ker-Gawler, 120
- candidum* Schott & Kotschy ex Boiss., 131
- sensu Nábělek, 104
- var. *hirtiflorum* Boiss., 104
- cilicicum* (Boiss.) Dammer, 120
- sensu Brickell, 92
- sensu C.D. Brickell, 115
- sensu Hayek & Siehe, 120

- davisii* C.D. Brickell, 123
descaisnei Boiss., 111
 auct., non Boiss., 104
 sensu Lynch, 120
dolichantherum K. Persson, 126
giganteum hort. Leichtlin ex S. Arnott, 115
haussknechtii
 sensu Bornm., 104
heldreichii K. Persson, 98
hiemale Siehe, 90
imperatoris-friderici Siehe ex K. Persson, 129
inundatum K. Persson, 99, 114
issicum Siehe, 90
kotschyi Boiss., 104
 sensu C.D. Brickell, 129
laetum
 auct., non Steven, 112
 sensu Baker, 104, 131
latifolium
 auct., non Sibth. & Sm., 134
 var. *longistylum* Pampanini, 134
lenkoranicum (Misc.) Grossh., 115
macrophyllum B.L. Burtt, 134
micaceum K. Persson, 95
minutum K. Persson, 90
munzurensense K. Persson, 86
obtusifolium Siehe ex Hayek, 104
paschei K. Persson, 110
polyphyllum Boiss. & Heldr., 120
psaridis
 sensu Brickell, 90
sanguicolle K. Persson, 92, 115
speciosum Steven, 115
 sensu Rech. f., 124
 sensu Stefanov, 105, 120, 126, 129, 131
 var. *lenkoranicum* Micsz., 115
troodi
 sensu C.D. Brickell, 112
 COLEMAN, M., Book review, 309
 COLLENETTE, S., See MEVE
 Conservation of Britain's biodiversity IV:
 Filago pyramidata (Asteraceae), broad-leaved cudweed, 61
Coronanthera australiana C.T. White, 372
 CRIBB, P., See PEARCE
Crinitaria linosyris (L.) Less., 11
 CRONK, Q.C.B., Book review, 310
Crucihimalya axillare (Hook.f. & Thomson) Al-Shehbaz, O'Kane & Price, 325
 lasiocarpa (Hook.f. & Thomson) Al-Shehbaz, O'Kane & Price, 325
 wallichii (Hook.f. & Thomson) Al-Shehbaz, O'Kane & Price, 325
Cymbidium goeringii (Rchb.f.) Rchb.f., 283
Cymbopogon bhutanicus Noltie, 398
 hookeri (Hack.) Stapf ex Bor, 400
 munroi (C.B. Clarke) Noltie, 400
 tibeticus Bor, 400
Cyrtandra kalimantana B.L. Burtt, 374
 oblongifolia
 sensu Kraenzlin, 373, 374
 suffruticosa, 375
Cystopteris fragilis (L.) Bernh., 436
Danthonia cachemyriana
 sensu Hook.f., 392
 var. *minor* Hook.f., 392
cumminsii Hook.f., 392
jacquemontii Bor, 392
 var. *minor* [Hook.f.] Bor, 392
 schneideri Pilg., 392
 var. *minor* (Hook.f.) Conert, 392
Deschampsia cespitosa (L.) P. Beauv.
 subsp. *sikkimensis* Noltie, 382
 var. *colorata*
 sensu Hook.f., 382
Deyeuxia abnormis Hook.f., 386
 nagensis (Bor) Veldkamp, 386
Didymocarpus helicteroides Wall., 372
 pteronema B.L. Burtt, 376
Dryopteris filix-mas (L.) Schott, 438
 villarii (Bellardi) Schinz & Thell.
 subsp. *pallida* (Bory) Heywood, 437
 DUMAN, H., Two new species of *Campanula* L. (*Campanulaceae*) from SW Turkey, 355
 See DURAN
 DUMAN, H. & MILL, R.R., Two new species of *Potentilla* L. (*Rosaceae*) from SW Turkey, 349
 DUMAN, H. & WATSON, M.F., *Ekimia*, a new genus of *Umbelliferae*, and two new taxa of *Prangos* Lindl. (*Umbelliferae*) from southern Turkey, 199
 DURAN, A. & DUMAN, H., Two new species of *Umbelliferae* from Southern Turkey, 47

- Dussia atropurpurea* (*Leguminosae-Papilionoideae*), a new species from Central America and notes on sarcotesta coloration in *Dussia* systematics, 175
- Dussia atropurpurea* N. Zamora, R.T. Penn. & C.H. Stirt., 176
- Ekimia*, a new genus of *Umbelliferae*, and two new taxa of *Prangos* Lindl. (*Umbelliferae*) from southern Turkey, 199
- Ekimia* H. Duman & M.F. Watson, 200
bornmuelleri (Hub.-Mor. & Reese) H. Duman & M.F. Watson, 200
- Embelia frondosa* (King ex Gamble) D.G. Long, 307
gamblei Kurz ex C.B. Clarke, 307
- Equisetum arvense* L., 423
fluviatile L., 423
ramosissimum Desf., 424
ramosum DC., 424
telmateia Ehrh., 425
- Eria barbata* (Lindl.) Rchb.f., 283
ferruginea Lindl., 284
- Eriace* sp. Griff., 283
- Eriocyclus ghaffooriana* Akhiani, 21
- Eriodea* sp. Griff., 283
- Eriodes barbata* (Lindl.) Rolfe, 283
- Euphorbia humilis* C.A. Mey ex Lebed., 14
- Evrardia asraoa* J. Joseph & N.R. Abbareddy, 283
- Fieldia*, 371
australiana (C.T. White) B.L. Burt, 372
- Filago pyramidata* (*Asteraceae*), broad-leaved cudweed, 61
- FIORINI, G., See BIGAZZI
- FRANCIS, B., See PIGOTT
- FURLEY, P.A., See LENTHALL
- Gagea glacialis* K. Koch, 16
- Gastrocotyle*, *Hormuzakia* and *Phyllocara* (*Boraginaceae*) in the light of micromorphological and karyological evidence, 229
- Gastrotylophilus* T.-H. Li & Watling, 144
brunneus T.-H. Li & Watling, 144, 145
- The genus *Colchicum* in Turkey. I. New species, 85
- The genus *Colchicum* in Turkey. II. Revision of the large-leaved autumnal species, 103
- Geoffraea bredermeyerii* Kunth., 337
- Geoffroea* (*Leguminosae-Papilionoideae*), 329
- Geoffroea* Jacq., 330
decorticans (Gillies ex Hook. & Arn.) Burkart, 331
var. *subtropicalis* (Lillo) Burkart, 331
spinosa Jacq., 337
striata (Willd.) J.F. Macbr., 337
striata (Willd.) Morong, 337
- Geoffroya spinosa* (Molina) M. de Moussy, 331
var. *superba* Humb. & Bonpl., 337
- Gesneriaceae*: VI. Six miscellaneous notes, 371
- GHAFOOR, A. & AL-TURKI, T.A., A new *Anthemis* (*Asteraceae*) from Saudi Arabia, 55
- Gourliea* Gillies ex Hook. & Arn., 330
chilensis Clos, 331
decorticans Gillies ex Hook. & Arn., 330, 331
var. *subtropicalis* Lillo, 331
decorticata Walp., 331
spinosa (Molina) Skeels, 331
- Gramineae* I, tribe *Stipeae*, 285
- Gramineae* II, 381
- Gyroporus caespitosus* (Cleland) Cleland, 148
- HARRIS, D., Book review, 311
- Harveya alba* to *Alectra* (*Scrophulariaceae*), 459
- Harveya alba* Hepper, 460
- HELPER, S., Book review, 313, 314, 463
- Hetaeria pelota* N. Pearce & P.J. Cribb, 278
- HOLLINGSWORTH, P.M., Book review, 157
- Hormuzakia* and *Phyllocara* (*Boraginaceae*) in the light of micromorphological and karyological evidence, 229
- HUGHES, C.E., Book review, 151

- Ianhedea* (*Brassicaceae*), a new generic name replacing the illegitimate *Microsisymbrium*, 321
- Ianhedea* Al-Shehbaz & O'Kane, 322
- minutiflora* (Hook.f. & Thomson) Al-Shehbaz & O'Kane, 322, 326
- subsp. *brevipedicellata* (Hedge) Al-Shehbaz & O'Kane, 324, 326
- subsp. *minutiflora*, 323
- IRELAND, H. & PENNINGTON, R.T., A revision of *Geoffroea* (*Leguminosae-Papilionoideae*), 329
- Isoetes* sp., 427
- duriei* Bory, 425
- histris* Bory, 425
- Karyotype and seed protein analyses of *Lycium* (*Solanaceae*) in Iran, 253
- KHATAMSAZ, M., See SHEIDAI
- KURASHIGE, Y., *Rhododendron chilanshanense* (*Ericaceae*), a new species from Taiwan, 75
- Lactuca georgica* Grossh., 10
- LAFERRIÈRE, J.E., Triplicate publication in *Berberidaceae*, 308
- Lalldhwojia acronemifolia* (H. Wolff) M.F. Watson, 307
- staintonii* Farille, 307
- Lecanorchis sikkimensis* N. Pearce & P. Cribb, 280
- Lenbrassia*, 371
- australiana* (C.T. White) G.W. Gillett, 372
- LENTHALL, J.C., BRIDGEWATER, S. & FURLEY, P.A., A phytogeographic analysis of the woody elements of New World savannas, 293
- LI, T.-H. & WATLING, R., New taxa and combinations of Australian boletes, 143
- Linosyris vulgaris* Cass. ex Less., 11
- LONG, D.G., Three new combinations and a lectotypification for East Himalayan plants, 307
- Lucuma spinosa* Molina, 331
- Lycium* (*Solanaceae*) in Iran, 253
- Mahonia mairei* Takeda, 308
- sikkimense* Takeda, 308
- McKEAN, D.R., Book review, 315
- Meiorganum olivaceoflavidus* (Cooke & Masee) T.-H. Li & Watling, 147
- Meiotic studies of some *Aegilops* (*Poaceae*) species and populations in Iran, 405
- MENDUM, M., Three new species of *Aeschynanthus* (*Gesneriaceae*), 265
- Merendera quadrifolia* Stapf., 104
- MEVE, U. & COLLENETTE, S., Subdivision of *Rhytidocaulon macrolobum* (*Asclepiadaceae*), 79
- Microrhamnus franchetiana* H. Lév., 39
- Microsisymbrium angustifolium* Jafri, 325
- axillare* (Hook.f. & Thomson) O.E. Schulz, 325
- bracteosum* Jafri, 325
- duthiei* O.E. Schulz, 325
- flaccidum* O.E. Schulz, 325
- griffithianum* (Boiss) O.E. Schulz, 325
- lasiophyllum* (Hook. & Arn.) O.E. Schulz, 325
- minutiflorum* (Hook.f. & Thomson) O.E. Schulz, 325
- var *dasycarpum* O.E. Schulz, 322
- murgabicum* Ikonn., 324, 326
- pulchellum* Rech.f. & Koeie, 326
- qinghuiheense* Ma & Z.Y. Zhu, 326
- taxkorganicum* Z.X. An, 326
- yechengnicum* C.Z. An, 326
- MILL, R.R., See DUMAN
- MILLIKEN, W., Book review, 317
- MILLIKEN, W. & PROCTOR, J., Montane forest in the Dumoga Bone National Park, North Sulawesi, 449
- Montane forest in the Dumoga Bone National Park, North Sulawesi, 449
- Myosotis alpestris* F.W. Schmidt, 3
- arvensis* (L.) Hill, 5
- minutiflora* Boiss. & Reuter, 5
- NARENGI, Z., See SHEIDAI
- Neotorularia aculeolata* (Boiss.) Hedge & J. Léonard, 326
- qingshuiheense* (Ma & Z.Y. Zhu) Al-Shehbaz, O'Kane & G. Yang, 326
- A new *Anthemis* (*Asteraceae*) from Saudi Arabia, 55

- A new name for a ginger endemic to São Tomé, 149
- A new record for Bhutan and Sikkim:
Yushania yadongensis (Poaceae: Bambusoideae), 149
- New taxa and combinations of Australian boletes, 143
- NOLTIE, H.J.
Book review, 464
Notes relating to the Flora of Bhutan: XXXVIII. Gramineae I, tribe Stipeae, 285
Notes relating to the flora of Bhutan: XXXIX. Gramineae II, 381
- Nonea pallens* (Boraginaceae), a new addition to the flora of Turkey, 361
- Nonea pallens* Petrović, 362
- Northolaena marantae* (L.) Desv., 438
- Notes relating to the Flora of Bhutan: XXXVII. New species and records of Orchidaceae from Bhutan and India (Sikkim), 273
- Notes relating to the Flora of Bhutan: XXXVIII. Gramineae I, tribe Stipeae, 285
- Notes relating to the flora of Bhutan: XXXIX. Gramineae II, 381
- O'KANE JR, S.L., See AL-SHEHBAZ
- Old World Gesneriaceae: VI. Six miscellaneous notes, 371
- Ophioglossum vulgatum* L., 429
- Orchidaceae from Bhutan and India (Sikkim), 273
- Osmunda regalis* L., 430
- Passiflora formosa* sp. nov., a hitherto misunderstood taxon in *Passiflora* subgenus *Tacsonia* (Passifloraceae) from Colombia, 195
- Passiflora formosa* T. Ulmer, 196
- Paxillus olivaceoflavidus (Cooke & Masee) D.A. Reid, 147
- PEARCE, N. & CRIBB, P., Notes relating to the Flora of Bhutan: XXXVII. New species and records of Orchidaceae from Bhutan and India (Sikkim), 273
- PENDRY, C., Book review, 156
- PENNINGTON, R.T.
Book review, 318
See IRELAND, ZAMORA
- Pentace esquirolii* H. Lév., 37
virginis H. Lév., 37
- PERSSON, K.
The genus *Colchicum* in Turkey. I. New species, 85
The genus *Colchicum* in Turkey. II. Revision of the large-leaved autumnal species, 103
- Phlebopus xanthopus* T.-H. Li & Watling, 145
- Phyllocara* (Boraginaceae) in the light of micromorphological and karyological evidence, 229
- A phytogeographic analysis of the woody elements of New World savannas, 293
- PIGOTT, C.D. & FRANCIS, B., The taxonomic status of *Tilia dasystyla* in Crimea, Ukraine, 161
- Pitularia minuta* Durieu, 428
- Pinalia ferruginea* (Lindl.) Kuntze, 284
- Plantago podlechii* Akhani, 16
- Polypodium cambricum* L.
 subsp. *australe* (Fée) Greuter & Burdet, 438
 vulgare L., 439
- Polystichum setiferum* (Forsskål) Woynar, 440
- Potamogeton natans* L., 20
- Potentilla* L. (Rosaceae) from SW Turkey, 349
- Potentilla davisii* R.R. Mill & H. Duman, 351
 nerimaniae H. Duman, 349
- Prangos heyniae* H. Duman & M.F. Watson, 203
 platychloenae Boiss. ex Tchih. subsp. *engizekensis* H. Duman & M.F. Watson, 203
- Primula involucrata* Wall. ex Duby subsp. *yargongensis* (Petitm.) W.W.Sm. & Forrest, 307
 munroi Lindl. subsp. *yargongensis* (Petitm.) D.G. Long, 307
- PROCTOR, J., See MILLIKEN
- Pseudoarabidopsis pumia* (Stephan) Al-Shehbaz, O'Kane & Price, 325
- Pteridium aquilinum* (L.) Kuhn, 441

- Pteridophytic flora of Lesvos (East Aegean Islands, Greece), 421
- QUAN-RU LIU, See MA JIN-SHUANG
- A reappraisal of the generic status of *Gastrocotyle*, *Hormuzakia* and *Phyllocara* (*Boraginaceae*) in the light of micromorphological and karyological evidence, 229
- Renealmia grandiflora* Baker, 149
sancti-thomae I.M. Turner, 149
- A revision of *Geoffroea* (*Leguminosae-Papilionoideae*), 329
- A revision of the genus *Tripterygium* (*Celastraceae*), 33
- Rhododendron chilanshanense* (*Ericaceae*), a new species from Taiwan, 75
- Rhododendron chilanshanense* Kurashige, 75
- Rhytidocaulon* (*Apocynaceae-Asclepiadoideae*), 211
- Rhytidocaulon macrolobum* (*Asclepiadaceae*), 79
- Rhytidocaulon* P.R.O. Bally, 219
fulleri Lavranos & Mortimer, 221
macrolobum Lavranos, 79, 221
 subsp. *macrolobum*, 80
 subsp. *minimum* Meve & Colletette, 80, 224
paradoxum P.R.O. Bally, 224
piliferum Lavranos, 226
richardianum Lavranos, 226
sheilae D.V. Field, 227
subscandens Bally, 219
subscandens P.R.O. Bally, 227
tortum (N.E. Br.) M.G. Gilbert, 227
- RICH, T.C.G., Conservation of Britain's biodiversity IV: *Filago pyramidata* (*Asteraceae*), broad-leaved cudweed, 61
- Robinia striata* Willd., 337
- Rubinoboletus ballouii*
 var. *viscidus* T.-H. Li & Watling, 145
caespitosus (Cleland) T.H. Li & Watling, 148
phaseolisporus T.-H. Li, Hilton & Watling, 146
- Rumex aschabadensis* Los., 20
 caucasicus Rech. f., 20
- RUTTER, G., Book review, 466
- SAEED, A. M., See SHEIDAI
- Sedum ince* (*Crassulaceae*), a new species from Southern Anatolia, 181
- Sedum*
 ser. *Elegans* 't Hart & Alpinar, 193
 ince 't Hart & Alpinar, 182, 193
- Selaginella denticulata* (L.) Spring, 441
- SELVI, F., See BIGAZZI
- SELVI, F. & BIGAZZI, M., *Nonea pallens* (*Boraginaceae*), a new addition to the flora of Turkey, 361
- Seseli tortuosum* L.
 subsp. *kiabii* Akhani, 26
- SHEIDAI, M., NARENGI, Z. & KHATAMSAZ, M. Karyotype and seed protein analyses of *Lycium* (*Solanaceae*) in Iran, 253
- SHEIDAI, M., SAEED, A.M. & ZEHZAD, B., Meiotic studies of some *Aegilops* (*Poaceae*) species and populations in Iran, 405
- Sisymbriopsis mollipila* (Maxim.) Botsch., 326
 yechengnica (C.Z. An) Al-Shehbaz, Z.X. An & G. Yang, 326
- STAPLETON, C.M.A., A new record for Bhutan and Sikkim: *Yushania yadongensis* (*Poaceae: Bambusoideae*), 149
- Stipa bhutanica* Noltie, 289
 jacquemontii Jaub. & Spach
 subsp. *chuzomica* Noltie, 290
 milleri Noltie, 288
 rohmoiana Noltie, 287
- STIRTON, C.S., See ZAMORA
- Streptocarpus huamboensis* Hilliard & Burt, 378
- Studies on the flora and vegetation of the Golestan National Park, NE Iran. III. Three new species, one new subspecies and fifteen new records for Iran, 1
- Subdivision of *Rhytidocaulon macrolobum* (*Asclepiadaceae*), 79
- The systematic position of *Rhytidocaulon* (*Apocynaceae-Asclepiadoideae*), 211

- T HART, H. & ALPINAR, K., *Sedum ince* (*Crassulaceae*), a new species from Southern Anatolia, 181
- Tainia barbata* Lindl., 283
- The taxonomic status of *Tilia dasystyla* in Crimea, Ukraine, 161
- Themeda forskalii*
var. *laxa* (Andersson) Hackel, 402
triandra Forsk.
var. *laxa* (Andersson) Noltie, 402
var. *roylei* (Hook.f.) Domin, 402
- Three new combinations and a lectotypification for East Himalayan plants, 307
- Three new species of *Aeschynanthus* (*Gesneriaceae*), 265
- Tilia dasystyla* in Crimea, Ukraine, 161
- Tilia begonifolia* Steven, 171
caucasica Rupr., 171
dasystyla Steven, 171
subsp. *caucasica* (V. Engl.) Pigott, 171
subsp. *dasystyla*, 171
platyphyllos Scop.
subsp. *caucasica* (V. Engl.) Loria, 171
- Tordylium ketenoglui* Duman & A. Duran, 51
- The transfer of *Harveya alba* to *Alectra* (*Scrophulariaceae*), 459
- Triplicate publication in *Berberidaceae*, 308
- Tripogon trifidus* Munro ex Stapf, 394
- Tripterygium* (*Celastraceae*), 33
- Tripterygium* Hook.f., 37
bullockii Hance, 37
doianum Ohwi, 39
forrestii Loes., 37
hypoglaucum (H. Lév.) Hutch., 37
regelii Sprague & Takeda, 37
var. *doianum* (Ohwi) Masam., 39
var. *occidentale* T. Yamazaki, 39
wilfordii Hook.f., 37
var. *bullockii* (Hance) Matsuda, 37
var. *exesum* Sprague & Takeda, 37
var. *regelii* (Sprague & Takeda) Makino, 37
- TURNER, I.M., A new name for a ginger endemic to São Tomé, 149
- Two new species of *Campanula* L. (*Campanulaceae*) from SW Turkey, 355
- Two new species of *Potentilla* L. (*Rosaceae*) from SW Turkey, 349
- Two new species of *Umbelliferae* from Southern Turkey, 47
- Tylophilus cyanescens* T.-H. Li & Watling, 146
cyanogranulifer T.-H. Li, Watling & N.M. Gregory, 146
olivaceoporus T.-H. Li, Watling & N.M. Gregory, 146
olivaceoporus Watling & N.M. Gregory, 146
parachromapes T.-H. Li & Watling, 147
subvinaceipallidus T.-H. Li & Watling, 147
- ULMER, T., *Passiflora formosa* sp. nov., a hitherto misunderstood taxon in *Passiflora* subgenus *Tacsonia* (*Passifloraceae*) from Colombia, 195
- Umbelliferae* from Southern Turkey, 47
- Urochloa supervacua* (C.B. Clarke) Noltie, 394
villosa (Lam.) T.Q. Nguyen
var. *barbata* (Bor) Noltie, 395
- Vicia cassubica* L., 16
- WATLING, R.
Book review, 155
See LI
- WATSON, M.F., See DUMAN
- YANNITSAROS, A., See BAZOS
- Yushania longissima* K.F. Huang, 150
longissima T.P. Yi, 150
yadongensis T.P. Yi, 150
- Yushania yadongensis* (*Poaceae*: *Bambusoideae*), 149
- ZAMORA, N., PENNINGTON, R.T. & STIRTON, C.S., *Dussia atropurpurea* (*Leguminosae-Papilionoideae*), a new species from Central America and notes on sarcotesta coloration in *Dussia* systematics, 175
- ZEHZAD, B., See SHEIDAI