

BRIAN LAURENCE BURTT

‘Bill’ Burtt of the Royal Botanic Garden Edinburgh died on 30 May 2008. Obituaries and appreciations of his work have already been published in several British newspapers, including *The Independent*, *The Times* and *The Scotsman*, and in international botanical newsletters and journals such as *PlantNetwork*, *Gesneriads* and *Taxon*. Much of his prolific output was published in *Edinburgh Journal of Botany* and its predecessor *Notes from the Royal Botanic Garden Edinburgh*, so it seems only right that we should add our own appreciation. A *festschrift* to celebrate Bill’s ninetieth birthday was published in *Edinburgh Journal of Botany* in 2004. The *festschrift* included papers on subjects across the wide range of his interests. The papers in this current issue of *Edinburgh Journal of Botany* are those that would have been published in the normal course of events, but, nevertheless, we would like to dedicate the issue to his memory.



Below follow three contributions relating to Bill’s work: an obituary written by Ian Hedge, a colleague of his for many years at the Royal Botanic Garden Edinburgh; an eponymy of taxa named in his honour, compiled by A. Weber & D. J. Middleton; and a complete list of his publications, compiled by A. Weber, S. Sontag, the late M. Mendum, O. M. Hilliard & H. J. Noltie. Drafts of the last two were prepared for the aforementioned *festschrift*, but, characteristically, Bill objected to their inclusion on the grounds that he was still alive and that these were items that should only come out when he was no longer with us! Sadly, these can now be published, but it should be noted that, though compiled only four years ago, these have had to be updated in the meanwhile.

D. J. MIDDLETON

A celebration of longevity and productivity

Brian Laurence Burtt was born at Claygate, in the south of London, on 27 August 1913. He joined the staff of the herbarium at the Royal Botanic Gardens, Kew in September 1930 as a Temporary Technical Assistant with a weekly wage of

twenty-three shillings. After a classical, non-botanical, background at school, Dulwich College, his botanical education started with Fritsch & Salisbury (*An introduction to the study of plants*) and work with Dr John Hutchinson on naming the backlog of tropical African collections. The *Flora of West Tropical Africa* project was under way and Hutchinson, with his huge knowledge, was spearheading the routine naming with emphasis on a good eye and a 8× hand lens; there was less emphasis on original research. In the *Bulletin of Miscellaneous Information Kew* of 1932, B. L. Burtt is listed as Assistant Botanist to the Director, Sir Arthur Hill, and to the Assistant Director, John S. L. Gilmour. In that year he published, jointly with Hutchinson, his first botanical paper – on *Compositae*; in 1934 a paper on *Gaultheria*, and in 1936 his first contribution to *Gesneriaceae* and his beloved *Streptocarpus*. While working during the day with his not unimportant mentors at Kew, in the evenings he studied botany at the Chelsea Polytechnic College and in 1936 graduated with an external BSc from London University. This was the only university degree he took, or was awarded (he was always Mr Burtt), and throughout his life he took the view that the best training for a plant taxonomist was handling a wide range of specimens, field observations and collecting, without over-specialisation. Director Hill was an important influence in his life in many ways, and in stimulating his interest in all aspects of living plants. One of Hill's many interests was the unequal development of cotyledons in *Streptocarpus* and Bill once reminisced that he demonstrated on this topic at an exhibition held at the Royal Society in London to H. G. Wells and D'Arcy Thomson.

The Second World War interrupted his association with Kew from 1940 to 1946. In the early years of the war, scientists with a degree were offered direct commissions in the army and Bill took advantage of this, being commissioned into the Royal Ordnance Corps in April 1942 and assigned to work on radar development. He was later re-assigned into the fledgling Royal Electrical and Mechanical Engineers (REME); most of this time was spent on radar networks over southern England, but in 1944 he was in Nigeria testing radar equipment in tropical conditions. He was de-mobbed in early 1946 as Captain Burtt. When the war ended he returned to Kew and, despite his earlier experience of tropical floras with Hutchinson, was put in charge of the Europe/Orient section, succeeding W. B. Turrill who had become Keeper of the herbarium. In summer 1951, he left Kew for good, moved north to Edinburgh and was appointed to the senior post of Principal Scientific Officer on 2 July 1951. Bill's arrival in Edinburgh was in the reign of the formidable Sir William Wright Smith (1875–1956), the last holder of the joint posts of Regius Professor of Botany at Edinburgh University and Regius Keeper of the Royal Botanic Garden Edinburgh. Wright Smith gave Mr Burtt the task of modernising the herbarium and library, and guiding the scientific work into new channels; he was told that any research he did would have to be done in his own time! He also had close contact with the horticultural staff, especially with the recently appointed and innovative Curator of the Garden, Edward Kemp. Bill gave him much advice on updating the presentation of living plants in the garden, especially the 'demonstration garden',

for which the Curator always expressed his sincere gratitude and respect. In the early 1950s, a time of storm and stress, when everything about the Garden (and the university botany department, then also housed in the same building) was in dire need of revivification, there were also new appointments to the junior scientific staff: Peter Green, Andrew Grierson, Ian Hedge, Douglas Henderson and Rosemary Smith. At that time the main task of the botanists was to make all the collections more readily accessible and to get them into good curatorial order. For all staff, curation, in which everyone participated, was a main priority and took clear precedence over the publishing of research papers. The herbarium collections at that time were housed in dusty wooden cabinets in seven separate locations throughout the Garden, many in basic wooden huts of First World War vintage. The library collections were separate again, and likewise inadequately housed on the upper floor of what is now called the Balfour Building. In the early 1950s, the library grant for books and journals was just £150. Botanical life in Edinburgh was certainly not smooth sailing for the Kew appointee and difficulties of all kinds abounded – accommodation, administration, personnel – though alleviated in summer by some cricket (I remember him knocking up 50 for the Garden team when he was over 50), golf and tennis; classical music, and some Gilbert and Sullivan.

In the 1950s, the 9th International Botanical Congress at Montreal had decided that the next Congress would be held in Europe with, possibly surprisingly, Edinburgh as the agreed venue. The certainty of that major forthcoming event was one of the powerful reasons in successfully persuading Treasury sources (the Garden was then administered as a government department by the Ministry of Public Buildings and Works) to fund a new herbarium and library building – the one, *pro parte*, that we all know today. Mr Burtt was, with the then Regius Keeper Dr Harold Fletcher (appointed in 1956), much involved in working with the architects in the planning and structure of the up-to-date new building, which was completed, filled with specimens and ready for use in time for the 10th Congress held in summer 1964. The existing user-friendly and spacious layout of the herbarium, much better than most herbaria throughout the world, owes much to Mr Burtt's influence and practical experience. At Congress time he had the onerous task of acting as Chairman of the Publications Committee. In the Preface to the eventual publication of Abstracts, he wrote, *inter alia*, 'one fact has been carved deep in my mind: that the general standard of abstract writing is depressingly low; [some] were so full of verbal padding that when this was excised there was scarcely enough fact left to make an abstract at all'. He always had an enviable ability to express his thoughts in unequivocal writing and, likewise, was orally forthright – though his mien was always that of a gentle and private man.

From the late 1950s onwards, he was able to travel abroad quite widely, both as a botanical consultant and as a collector. In 1958 he was in Pakistan, advising on the setting up of a National Herbarium. In 1962 he was in Sarawak, collecting with P. J. B. Woods. It was on this expedition that his interest in the *Zingiberaceae* was stimulated, if not initiated. Over later years numerous important papers on the

family were published, often with Rosemary Smith, and the Garden's living research collections multiplied to become of major importance. The first of his c.19 collecting trips to southern Africa took place in 1964 and this was the start of another immensely productive part of his life. His partnership with Prof. Olive Hilliard of Pietermaritzburg University resulted in a huge range of papers, monographs and core works on the plants of southern Africa (including the long series 'Notes on some plants of southern Africa chiefly from Natal', the beautiful monograph of *Dierama*, and their *Streptocarpus – an African Plant Study*). In addition to adding vastly to our southern African herbarium collections with excellent, well-annotated specimens, many of their new introductions enriched horticulture. One example is found in *Diascia* (*Scrophulariaceae*), a herbaceous genus of c.50 species, attractive and pink-flowered. In *The European Garden Flora* 6: 304 (2000), 8 of the 16 species treated were described by Hilliard & Burtt. A visitor to the Royal Botanic Garden Edinburgh or, especially, to its specialist garden at Logan in SW Scotland, will see many examples of these fine garden plants.

Other than some part-botanical, part-archaeological holiday trips to Turkey with Olive Hilliard in his later years, Bill's last serious field-trip was to Mt Kinabalu in 1998 at the age of 85. There he saw, for the first time in the field, plants that he had described many years previously – especially of the family *Gesneriaceae*.

Another part of Bill's multi-faceted botanical life was his involvement in various Floras, including three that are still ongoing: *Flora of [West] Pakistan*, *Flora of Bangladesh* and *Flora of Thailand*. He had considerable influence in their genesis and structure and, later on, together with colleagues in Edinburgh, vetted and improved innumerable submitted accounts.

During a publishing span of an amazing 76 years (1932–2008), his productivity was, by any standard, enormous; as was the consistent high quality. The long list of his publications, as sole or co-author, gives ample evidence of this. But it is the diversity of subjects that is also remarkable: taxonomy, nomenclature, anatomy (especially the use of sclereids as a taxonomic character), biogeography, numerical taxonomy, recurrent evolutionary parallelism, resupinate flowers, functional evolution, spirally twisted fruits, subterranean ovaries, seedling behaviour, cryptocotylar germination, Tournefort's travels, etc. Although *Gesneriaceae* and *Zingiberaceae* are the plant families with which he will always be most closely associated, he also published important papers on *Compositae*, *Ericaceae*, *Geraniaceae*, *Iridaceae*, *Scrophulariaceae* and *Umbelliferae*; he contributed numerous accounts over a very long period to Hooker's *Icones Plantarum* and the *Botanical Magazine*. His book reviews, over 50 of them, are models of their kind.

Bill was always the colleague everyone in the herbarium, staff and visitors, would turn to for advice and guidance on nomenclature and literature. Many of us, at least in Edinburgh, will have experienced difficulties in tracing background publications for some project or investigation. On consultation with our mentor, he would come up with, for example: 'well, if you look in a paper by Manfred Oppenheimer in *Beihefte Botanisches Centralblatt* of, I think, 1924 you might find the answer'. And

you would! His knowledge of botanical literature was vast. In his nineties he would still keep up-to-date with recent papers and publications in the library racks – on all topics.

He had tremendous determination and strength of character. A small example of this was when, at the age of 91, he had a bad fall tripping on the pavement outside the Garden; he lived nearby, at 5 Bangholm Terrace, and walked daily to his work room which he shared with Olive Hilliard. Alarmed bystanders summoned an ambulance that took him to the nearby Western General Hospital. There, amazingly with nothing broken, he was patched up and sent home. The following day he was back at his desk looking as if he'd been in the ring with Muhammad Ali: his face and nose were swollen blue and yellow, blending with two black eyes. Rather stupidly, I asked if he'd got a bad shock when he fell on his face: the reply was 'not at all – now, about that nomenclatural question you asked about yesterday, I think...'.

In 1978, together with the ex-Director of Kew, Sir George Taylor, he was the guiding influence in establishing the independent charitable trust fund now known as the Sibbald Trust. The Trust continues to play an important role in supporting various aspects of the botanical and horticultural work and interests of the Garden. Bill Burtt was a trustee for 30 years, with very clear views on its functions. The Sibbald Trust was always high on his list of priorities.

Various honours came his way – he was a Fellow of the Royal Society of Edinburgh; he was awarded the Veitch Memorial Medal of the Royal Horticultural Society in 1978; the Patrick Neill prize of the Royal Caledonian Horticultural Society in 1979; and the Linnean [Botany] Medal of the Linnean Society in 1981. The last award was the first time that this honour had come to Edinburgh since the time of Sir Isaac Bayley Balfour, Regius Keeper from 1888 to 1922. A few years later, this prestigious medal was also awarded to Prof. Peter H. Davis, of Edinburgh University's then Botany Department and mainly based at the Garden, for his work on the monumental *Flora of Turkey* (1965–1988). Bill Burtt and Peter Davis, colleagues over a long time, were major figures in influencing the interests and research activities of the Garden from the 1950s to the present day, and in raising Edinburgh's global reputation.

In October 1942 he married Joyce Daughtry; two sons from that marriage, Anthony and Julian, survive him as does his second wife Olive Hilliard whom he married in 2006. He died at the end of May 2008 in a nursing home at Loanhead outside Edinburgh after a few months of debilitating illness.

Bill Burtt will always be remembered as an outstanding and much respected international botanist. Some obituaries classified him as a botanist of the 'old school' and there is truth in this: his 8× hand lens was always an essential tool in naming plants; all his manuscripts were hand-written before being sent for typing; he never used a computer; neither car nor television were part of his life-style. But, exceedingly few botanists of the present generation will ever match his achievements, or contribute so much to our knowledge of plants.

I. HEDGE

Plants named in honour of B. L. Burtt

B. L. Burtt's enormous contribution to botany is reflected in the fact that 29 species have been named in his honour. The wide range of families (*Apiaceae*, *Araceae*, *Asteraceae*, *Begoniaceae*, *Colchicaceae*, *Cyperaceae*, *Fabaceae*, *Gesneriaceae*, *Scrophulariaceae*, *Rubiaceae*, *Rutaceae*, *Winteraceae* and *Zingiberaceae*), and the wide geographical distribution of the plants described (from the Aegean Islands to South Africa, and as far east as the Solomon Islands), are a true reflection of his broad interests in plant diversity and biogeography.

Species named in honour of B. L. Burtt (in alphabetical order, with publication, family position, and distribution) are as follows:

- Aegopodium burttii* Nasir, *Fl. W. Pakistan* 20: 68 (1972), *Apiaceae*, Pakistan.
- Aeschynanthus burttii* Mendum, *Edinburgh J. Bot.* 60(3): 326 (2004 ['2003']), *Gesneriaceae*, Thailand.
- Amomum burttii* R.M.Smith, *Notes Roy. Bot. Gard. Edinburgh* 42(2): 301 (1985), *Zingiberaceae*, Borneo (Sarawak).
- Argostemma burttii* B.Bremer, *Ann. Missouri Bot. Gard.* 76(1): 22 (1989), *Rubiaceae*, Borneo (Sarawak).
- Aridarum burttii* J.Bogner & D.H.Nicolson, *Aroideana* 2(4): 116 (1979), as '*burttii*', *Araceae*, Borneo (Sarawak).
- Begonia burttii* Kiew & S.Julia, *Gard. Bull. Singapore* 58(2): 207 (2007), *Begoniaceae*, Borneo (Sarawak).
- Belliolum burttianum* A.C.Smith, *J. Arnold Arbor.* 23: 439 (1942), *Winteraceae* (originally described in *Magnoliaceae*), Solomon Islands (Bougainville).
- Boesenbergia burttiana* R.M.Smith, *Bot. J. Linn. Soc.* 85(1): 43 (1982), *Zingiberaceae*, Borneo (Sarawak).
- Carex burttii* H.J.Noltie, *Edinburgh J. Bot.* 50(2): 186 (1993), *Cyperaceae*, India (Sikkim), Bhutan, SW China (Xizang).
- Caulokaempferia burttii* K.Larsen & Jenjitt., *Edinburgh J. Bot.* 60(3): 509 (2004 ['2003']), *Zingiberaceae*, Laos.
- Colchicum burttii* R.D.Meikle, *Curtis's Bot. Mag.* 181(3): 134 (1977), *Colchicaceae* (originally described in *Liliaceae*), E Aegean Islands, Turkey.
- Curcuma burttii* K.Larsen & R.M.Smith, *Notes Roy. Bot. Gard. Edinburgh* 36(2): 271 (1978), *Zingiberaceae*, Thailand.
- Cyrtandra burttii* N.P.Balakrishnan, *Notes Roy. Bot. Gard. Edinburgh* 35(1): 115 (1976), *Gesneriaceae*, Nicobar Islands.
- Elettariopsis burttiana* Y.K.Kam, *Notes Roy. Bot. Gard. Edinburgh* 40(1): 144 (1982), *Zingiberaceae*, Peninsular Malaysia.
- Ericinella hillburttii* E.G.H.Oliv., *Bothalia* 16(1): 46 (1986), *Ericaceae*, S Africa.
- Etilingera burttii* A.D.Poulsen, *Etilingera Borneo*: 84 (2006), *Zingiberaceae*, Borneo (Sabah, Sarawak).

- Lotus burttii* Borsos, *Canad. J. Bot.* 50(9): 1868 (1972), *Fabaceae* (*Leguminosae*), Pakistan.
- Loxonia burttiana* A.Weber, *Pl. Syst. Evol.* 127(2–3): 209 (1977), *Gesneriaceae*, Borneo (Sarawak, Sabah, W Kalimantan).
- Melicope burttiana* Stone, *Madroño* 16: 165 (1962), *Rutaceae*, Solomon Islands (Bougainville).
- Monophyllaea burttiana* Kiew, *Gard. Bull. Singapore* 54(2): 244 (2002), *Gesneriaceae*, Borneo (Sabah).
- Opithandra burttii* W.T.Wang in Weitzmann *et al.*, *Novon* 7: 430 (1998), *Gesneriaceae*, China (Jiangxi).
- Osteospermum burttianum* B.Nord., *Edinburgh J. Bot.* 60(3): 262 (2004 [‘2003’]), *Asteraceae*, S Africa.
- Othonna burttii* B.Nord., *Bot. Not.* 133(4): 555 (1980), *Asteraceae* (*Compositae*), S Africa (Natal, Lesotho).
- Paraboea burttii* Z.R.Xu, *Acta Phytotax. Sin.* 32(4): 359 (1994), *Gesneriaceae*, Thailand.
- Schoenoxiphium burttii* Kukkonen, *Notes Roy. Bot. Gard. Edinburgh* 43(3): 365 (1986), *Cyperaceae*, S Africa (Natal).
- Streptocarpus burttianus* Pócs, *Fragm. Flor. Geobot.* 35(1–2): 40 (1991), *Gesneriaceae*, Tanzania.
- Streptocarpus hillburttianus* T.J.Edwards, *Novon* 13(2): 186 (2003), as ‘*hilburttianus*’, *Gesneriaceae*, S Africa.
- Torenia burttiana* R.R.Mill, *Edinburgh J. Bot.* 50(2): 211 (1993), *Scrophulariaceae*, Bhutan.
- Wurmbea burttii* B.Nord., *Notes Roy. Bot. Gard. Edinburgh* 36(2): 227 (1978), *Colchicaceae* (originally described in *Liliaceae*), S Africa (Natal, Lesotho).

[The genus *Burttia* (*Connaraceae*), described by Baker & Exell in 1931 (*J. Bot.* 69: 249, 1931), and some of the African species with the epithet *burttii* are named after Bernard Dearman Burtt (1902–1938) rather than Brian Laurence Burtt. They were not related. Species dedicated to B. D. Burtt have been described in the genera *Acacia*, *Agrostis*, *Antheophora*, *Apochiton*, *Baphia*, *Brachystegia*, *Bulbophyllum*, *Canthium*, *Cassia*, *Cleome*, *Combretum*, *Craibia*, *Crotalaria*, *Dombeya*, *Eriocaulon*, *Erythrina*, *Grewia*, *Habenaria*, *Indigofera*, *Lobelia*, *Margelliantha*, *Nesaea*, *Nymphaea*, *Otiophora*, *Pachystigma*, *Pavetta*, *Ruellia*, *Smithia*, *Tarenna*, *Tephrosia* and *Tessmannia*. All are from East and (less frequently) West Africa and most of them were described between 1929 and 1940. B. D. Burtt made extensive collections in Africa, firstly in West Africa, in the area then known as Belgian Congo, and later in East Africa, especially in the area then known as the Tanganyika Territory. He died in an aeroplane accident in 1938.]

A. WEBER & D. J. MIDDLETON

Botanical publications of B. L. Burtt

This compilation is based on a notebook entitled ‘Chronological List of Botanical Publications by B. L. Burtt’, in which Burtt recorded his publications, starting in 1932. This list, however, proved to be far from complete with regard to book reviews, semi-popular works (including one edited book) and articles in the *Botanical Magazine*. These have been added by the authors in the same form as in the notebook, so that solo and co-authored publications, and both books and papers, appear in a single chronological sequence. A small number of articles in Burtt’s series ‘Studies in the Gesneriaceae of the Old World’ (1954–1990) and ‘Old World Gesneriaceae’ (1990–2006) were written by Edinburgh botanists but not co-authored by B. L. Burtt; these are omitted from the list.

- HUTCHINSON, J. & BURTT, B. L. (1932). New Compositae from Central Africa in the Congo Museum. *Rev. Zool. Bot. Africaines* 23, fasc. 1: 36–42.
- HUTCHINSON, J. & BURTT, B. L. (1933). *Erlangea guarrei*. *Hook. Icon. Pl.* 33: t. 3217.
- HUTCHINSON, J. & BURTT, B. L. (1933). *Pulicaria attenuata*. *Bull. Misc. Inform. Kew* 1933: 149.
- BURTT, B. L. (1934). *Gaultheria microphylla* (Forst. fil.) Hook. fil. *Bull. Misc. Inform. Kew* 1934: 401.
- BURTT, B. L. & HILL, A. W. (1935). The genera *Gaultheria* and *Pernettya* in New Zealand, Tasmania and Australia. *J. Linn. Soc., Bot.* 49: 611–644.
- BURTT, B. L. (1935). Notes on the genus *Royena* Linn. *Bull. Misc. Inform. Kew* 1935: 286–292.
- BURTT, B. L. (1935). Melanesian Plants. I. *Bull. Misc. Inform. Kew* 1935: 298–306.
- BURTT, B. L. (1935). *Myrtus obcordata*. *Bot. Mag.* 158: t. 9417.
- BURTT, B. L. (1936). *Erlangea pulchra*. *Gard. Chron.*, ser. 3, 99: 89.
- BURTT, B. L. (1936). Melanesian Plants. II. *Bull. Misc. Inform. Kew* 1936: 459–466.
- BURTT, B. L. (1936). A note on the Himalayan *Daphnes*. *Bull. Misc. Inform. Kew* 1936: 433–441.
- BURTT, B. L. (1936). *Streptocarpus pumilus*. *Bull. Misc. Inform. Kew* 1936: 491.
- BURTT, B. L. (1936). *Streptocarpus untaliensis*. *Bull. Misc. Inform. Kew* 1936: 492.
- BURTT, B. L. (1936). *Pothos brassii*. *Bull. Misc. Inform. Kew* 1936: 495.
- BURTT, B. L. (1936). *Hymenanthera crassifolia*. *Bot. Mag.* 159: t. 9426.
- BURTT, B. L. (1936). *Herpetospermum pedunculatum*. *Bot. Mag.* 159: t. 9463.
- BURTT, B. L. (1936). *Bubbia haplopus*. *Hook. Icon. Pl.* 34: t. 3315.
- BURTT, B. L. (1936). *Saurauia purgans*. *Hook. Icon. Pl.* 34: t. 3316.
- HUTCHINSON, J. & BURTT, B. L. (1936). *Pycneus* Beauv. [Cyperaceae]. In: HUTCHINSON, J. & DALZIEL, J. M., *Flora of West Tropical Africa* 2(2): 489–490. London: Crown Agents for the Colonies.
- BURTT, B. L. (1936). *Gaultheria nubigena* (Phil.) B.L.Burtt & Sleumer, comb. nov. In: SLEUMER, H., *Ericaceae Americanae novae vel minus cognitae III. Notizbl. Bot. Gart. Berlin* 13: 207.
- BURTT, B. L. (1937). *Erica melanthera* and *E. canaliculata*. *Gard. Chron.*, ser. 3, 101: 221.
- HILL, A. W. [& BURTT, B. L.] (1937). The method of germination of seeds enclosed in a stony endocarp. *Ann. Bot.* 1(2) (n.s.): 239–256. [Includes description of *Choerospondias* B.L.Burtt & A.W.Hill, and the new combinations *C. axillaris* (Roxb.) B.L.Burtt & A.W.Hill and *Antrocaryon amazonicum* (Ducke) B.L.Burtt & A.W.Hill].
- HILL, A. W. & BURTT, B. L. (1937). Notes on *Poupartia* and allied genera. *Bull. Misc. Inform. Kew* 1937: 406–408.

-
- BURTT, B. L. (1937). A new species of *Streptocarpus* [*S. gracilis*]. *Bull. Misc. Inform. Kew* 1937: 514–515.
- BURTT, B. L. (1937). *Erlangea inyangana* (N.E.Br.), comb. nov. *Bull. Misc. Inform. Kew* 1937: 423.
- BURTT, B. L. (1937). *Volkensia* O. Hoffm. *Bull. Misc. Inform. Kew* 1937: 424–425.
- BURTT, B. L. (1937). *Carmichaelia odorata*. *Bot. Mag.* 160: t. 9479.
- BURTT, B. L. (1938). Meerburgh's *Impatiens capensis*. *Bull. Misc. Inform. Kew* 1938: 161–163.
- BURTT, B. L. (1938). The taxonomic position of *Tetralthalamus*. *Bull. Misc. Inform. Kew* 1938: 458–460.
- BURTT, B. L. (1938). *Scabiosa tenuis*. *Hook. Icon. Pl.* 34: t. 3355.
- BURTT, B. L. (1938). *Crocus laevigatus*. *Bot. Mag.* 161: t. 9515.
- BURTT, B. L. (1938). *Notospartium glabrescens*. *Bot. Mag.* 161: t. 9530.
- BURTT, B. L. (1938). *Canarina eminii*. *Bot. Mag.* 161: t. 9531.
- BURTT, B. L. (1938). *Moraea carsoni*. *Bot. Mag.* 161: t. 9544.
- HILL, A. W. & BURTT, B. L. (1939). *Malvastrum nubigena*. *Lilloa* 4: 277–281.
- BURTT, B. L. (1939). Notes on *Streptocarpus*. *Bull. Misc. Inform. Kew* 1939: 68–84.
- BURTT, B. L. (1939). *Cayratia eurynema*. *Bull. Misc. Inform. Kew* 1939: 179–180.
- BURTT, B. L. (1939). *Dryandra ashbyi*. *Bull. Misc. Inform. Kew* 1939: 183–184.
- AIRY-SHAW, H. K. & BURTT, B. L. (1939). Proposed additions and amendments to the International Rules of Botanical Nomenclature, nos. 1 (Art. 5), 11 (Art. 35) and 20 (Rec. XXXIV). *Bull. Misc. Inform. Kew* 1939: 317, 322, 324.
- BURTT, B. L. (1939). Proposed additions and amendments to the International Rules of Botanical Nomenclature, no 26 (Generic names proposed for conservation). *Bull. Misc. Inform. Kew* 1939: 326–328.
- BURTT, B. L. (1939). Leaf-colour forms in *Myrica gale*. *J. Bot.* 77: 91.
- BURTT, B. L. (1939). *Buddleja fallowiana*. *Bot. Mag.* 162: t. 9564.
- BURTT, B. L. (1939). *Jasminum dispernum*. *Bot. Mag.* 162: t. 9567.
- BURTT, B. L. (1939). *Genista januensis*. *Bot. Mag.* 162: t. 9574.
- BURTT, B. L. (1939). *Leptospermum scoparium* var. *eximium*. *Bot. Mag.* 162: t. 9582.
- BURTT, B. L. (1939). *Crocus sieheanus*. *Bot. Mag.* 162: t. 9583.
- BURTT, B. L. (1940). *Dryandra fraseri*. *Hook. Icon. Pl.* 35: t. 3410.
- BURTT, B. L. (1940). *Oxalis tacorensis*. *Hook. Icon. Pl.* 35: t. 3425.
- BURTT, B. L. (1940). *Aeschynanthus mimetes*. *Bot. Mag.* 162: t. 9595.
- BURTT, B. L. (1940). *Petrocosmea nervosa*. *Bot. Mag.* 163: t. 9610.
- HILL, A. W. & BURTT, B. L. (1940). Ericales. In: WILLIAMS, R. O. *et al.*, *Flora of Trinidad and Tobago* 2(2): 110–115. Port-of-Spain: Dept. of Agriculture, Trinidad and Tobago.
- BURTT, B. L. (1941). *Paraboea glabrisepala*. *Bull. Misc. Inform. Kew* 1941: 21.
- BURTT, B. L. (1941). *Whytockia* and *Oshimella*. *Bull. Misc. Inform. Kew* 1941: 31.
- BURTT, B. L. (1941). A new combination in *Hakea*. *Bull. Misc. Inform. Kew* 1941: 33.
- BURTT, B. L. (1941). *Richea scoparia*. *Bot. Mag.* 163: t. 9632.
- BURTT, B. L. (1941). New combinations in *Trachymene*. *J. Bot.* 1941: 44.
- BURTT, B. L. (1942). *Plectranthus fruticosus*. *Bot. Mag.* 163: t. 9616.
- BURTT, B. L. (1943). *Hakea scoparia*. *Hook. Icon. Pl.* 35: t. 3437.
- BURTT, B. L. (1943). *Hakea invaginata*. *Hook. Icon. Pl.* 35: t. 3438.
- BURTT, B. L. & SEALY, J. R. (1946). *Streptocarpus polackii*. *Bot. Mag.* 164: t. 9668.
- BURTT, B. L. (1947). Species of *Saintpaulia*. *Gard. Chron.*, ser. 3, 122: 22.
- BURTT, B. L. (1947). *Corallodiscus* and *Didissandra*. *Gard. Chron.*, ser. 3, 122: 204, 212.
- BURTT, B. L. (1948). *Corallodiscus kingianus*. *Bot. Mag.* 165: t. 6.
- BURTT, B. L. (1948). *Saintpaulia tongwensis*. *Bot. Mag.* 165: t. 11.

- BURTT, B. L. (1948). *Kochia odontoptera* and *K. iranica*. *Kew Bull.* 1948: 43–45.
- BURTT, B. L. (1948). A note on *Paraboea*. *Kew Bull.* 1948: 55–56.
- BURTT, B. L. (1948). *Didelta* and *Cuspidia*. *Kew Bull.* 1948: 69–73.
- BURTT, B. L. (1948). The correct names of the Australian Bluebell Creepers. *Kew Bull.* 1948: 74–76.
- BURTT, B. L. & HILL, A. W. (1948). New species of *Nototriche*. *Kew Bull.* 1948: 125–137.
- BURTT, B. L. (1948). *Saxifraga pasumensis*. *Bot. Mag.* 165: t. 32.
- BURTT, B. L. (1948). *Crocus kotschyanus* var. *leucopharynx*. *Gard. Chron.*, ser. 3, 124: 118.
- BURTT, B. L. (1948). *Crocus niveus*. *Gard. Chron.*, ser. 3, 124: 134.
- BURTT, B. L. (1948). *Farsetia socotrana*. *Kew Bull.* 1948: 162.
- BURTT, B. L. (1948). *Ranunculus calandrinioides*. *Bot. Mag.* 165: t. 38.
- [BURTT, B. L.] (1948). A living fossil [*Metasequoia*]. *Discovery* 1948: 297–298.
- BURTT, B. L. (1949). *Crocus sieberi*. *J. Roy. Hort. Soc.* 74: 12–14.
- BURTT, B. L. (1949). *Oreocharis primuloides*. *Bot. Mag.* 166: t. 47.
- BURTT, B. L. (1949). *Chionodoxa sardensis*. *Bot. Mag.* 166: t. 50.
- BURTT, B. L. (1949). *Streptocarpus michelmoriei*. *Bot. Mag.* 166: t. 54.
- BURTT, B. L. (1949). On *Erigeron bonariensis*. *Kew Bull.* 1948: 369–372.
- BURTT, B. L. (1949). The taxonomic position of *Wittsteinia*. *Kew Bull.* 1948: 493–495.
- BURTT, B. L. (1949). On *Farsetia hamiltonii* Royle. *Kew Bull.* 1948: 495–498.
- BURTT, B. L. (1949). *Thymus membranaceus*. *Bot. Mag.* 166: t. 58.
- BURTT, B. L. (1949). *Pernettya buxifolia*. *Bot. Mag.* 166: t. 66.
- BURTT, B. L. (1949). *Origanum bevani*. *Kew Bull.* 1949: 40.
- BURTT, B. L. & DAVIS, P. H. (1949). On the flora of the Nearer East. XXIII. New species and records. *Kew Bull.* 1949: 97–115.
- BURTT, B. L. (1949). *Heliotropium persicum* and *H. undulatum*. *Kew Bull.* 1949: 137–138.
- BURTT, B. L. & DAVIS, P. H. (1949). *Glaucosciadium*: a new Mediterranean genus of Umbelliferae. *Kew Bull.* 1949: 225–230.
- BURTT, B. L. (1949). *Crocus*. In: RECHINGER, K. H., *Florae Aegaeae Supplementum. Phytion* 1: 223–225.
- BURTT, B. L. & LEWIS, P. (1949). On the flora of Kuwait. I. *Kew Bull.* 1949: 273–308.
- BURTT, B. L. (1950). *Dewildemania* O. Hoffm. *Kew Bull.* 1949: 495–496.
- BURTT, B. L. & LEWIS, P. (1950). *Vicia monantha* Retzius. *Kew Bull.* 1949: 497–515.
- BURTT, B. L. (1950). Cyprus trees and shrubs [review of CHAPMAN, E.F. (1949). *Cyprus Trees and Shrubs*. Nicosia: Cyprus Government Printing office]. *Kew Bull.* 1950: 33–34.
- BURTT, B. L. (1950). *Koenigia islandica* in Britain. *Kew Bull.* 1950: 266.
- BURTT, B. L. (1950). *Centaurea hypoleuca*. *Bot. Mag.* 167: t. 95.
- BURTT, B. L. (1950). *Crocus ancylensis*. *Bot. Mag.* 167: t. 99.
- BURTT, B. L. (1950). *Helleborus vesicarius*. *Bot. Mag.* 167: t. 116.
- BURTT, B. L. (1950). *Pernettya prostrata* subsp. *pentlandii*. *Bot. Mag.* 167: t. 127.
- BURTT, B. L. (1950). *Ursinia speciosa*. *Bot. Mag.* 167: t. 128.
- BURTT, B. L. (1950). [Review of NORTH, F.J., CAMPBELL, B. & SCOTT, R. (1949). *Snowdonia, the National Park of Wales*. London: Collins]. *J. Roy. Hort. Soc.* 75: 420.
- BURTT, B. L. (1950). *Lapsana intermedia* in Britain. *Watsonia* 1: 234–237.
- BURTT, B. L. (1951). Two new species of *Colchicum*. *Kew Bull.* 1950: 431–434.
- BURTT, B. L. (1951). Dealing with the raw materials (Plants), in FRITSCH, F. E. (ed.) (1949). *Lectures in the Practice of Botanical and Zoological Classification*, pp. 1–15. London: Linnean Society in conjunction with the Systematics Association.
- BURTT, B. L. (1951). The genus *Ricotia*. *Kew Bull.* 1951: 123–132.
- BURTT, B. L. (1951). A note on Lamarck's *Encyclopédie*. *Kew Bull.* 1951: 148.
- BURTT, B. L. (1951). *Crocus niveus*. *Bot. Mag.* 168: t. 146.

-
- BURTT, B. L. (1951). *Cassiope wardii*. *Bot. Mag.* 168: t. 151.
- BURTT, B. L. (1951). *Hydrangea integerrima*. *Bot. Mag.* 168: t. 153.
- BURTT, B. L. (1951). *Crocus nudiflorus*. *Bot. Mag.* 168: t. 169.
- BURTT, B. L. (1951). *Hypericum trichocaulon*. *Hook. Icon. Pl.* 35: t. 3499.
- BURTT, B. L. (1951). *Scabiosa leptopoda*. *Hook. Icon. Pl.* 35: t. 3500.
- [BURTT, B. L.] (1951). *Streptocarpus*. In: CHITTENDEN, F. J. (ed.) *The Royal Horticultural Society Dictionary of Gardening* 4: 2043–2045. Oxford: Clarendon Press.
- BURTT, B. L. (1951). *Cistus palhinhaei*. *Bot. Mag.* 168: t. 157.
- BURTT, B. L. & LEWIS, P. (1952). On the flora of Kuwait. II. *Kew Bull.* 1952: 333–352.
- BURTT, B. L. (1952). *Crocus chrysanthus* var. *citrinus*. *Bot. Mag.* 169: t. 182.
- BURTT, B. L. (1952). *Delphinium orientale*. *Bot. Mag.* 169: t. 186.
- BURTT, B. L. (1952). *Gaultheria semi-infera*. *Bot. Mag.* 169: t. 197.
- BURTT, B. L. (1952). Biological races in flowering plants. *Proc. Linn. Soc. London* 163: 40–44.
- BURTT, B. L. (1952). *Crocus vernus*, the name and its history. In: BOWLES, E. A., *A handbook of Crocus and Colchicum*, ed. 2, pp. 141–152. London: The Bodley Head.
- BURTT, B. L. & GRIERSON, A. J. C. (1953). The name *Incarvillea arguta*. *Notes Roy. Bot. Gard. Edinburgh* 21(3): 155–156.
- BURTT, B. L. (1953). Bentley and Trimen's medicinal plants. *Notes Roy. Bot. Gard. Edinburgh* 21(3): 157–162.
- BURTT, B. L. (1953). A note on typification. *Notes Roy. Bot. Gard. Edinburgh* 21(3): 163–164.
- BURTT, B. L. (1954). Studies in the Gesneriaceae of the Old World. I. General introduction. *Notes Roy. Bot. Gard. Edinburgh* 21(4): 185–192.
- DAVIDSON, R. & BURTT, B. L. (1954). Studies in the Gesneriaceae of the Old World. II. Types and Lectotypes of certain genera and groups of lower rank. *Notes Roy. Bot. Gard. Edinburgh* 21(4): 193–208.
- BURTT, B. L. (1954). Studies in the Gesneriaceae of the Old World. III. The status of the genus *Ceratosephyus*. *Notes Roy. Bot. Gard. Edinburgh* 21(4): 209–212.
- DAVIDSON, R. & BURTT, B. L. (1954). Studies in the Gesneriaceae of the Old World. IV. A new Burmese species of *Didymocarpus*. *Notes Roy. Bot. Gard. Edinburgh* 21(4): 213–214.
- DAVIDSON, R. & BURTT, B. L. (1954). Studies in the Gesneriaceae of the Old World. V. Notes on *Ancylostemon*. *Notes Roy. Bot. Gard. Edinburgh* 21(4): 215–218.
- BURTT, B. L. (1954). Gesneriaceae. In: BRENAN, J. P. M., *Plants collected by the Vernay Nyasaland Expedition of 1946. Mem. New York Bot. Gard.* 9(1): 17–18.
- BURTT, B. L. (1954). *Crocus nubigena*. *Bot. Mag.* 170: t. 235.
- BURTT, B. L. & LEWIS, P. (1954). On the flora of Kuwait. III. *Kew Bull.* 1954: 377–410.
- BURTT, B. L. (1954). Notes on the flora of Cyprus. *Kew Bull.* 1954: 67–71.
- BURTT, B. L. & DAVIDSON, R. (1955). Studies in the Gesneriaceae of the Old World. VI. Notes on *Aeschynanthus*. *Notes Roy. Bot. Gard. Edinburgh* 21(5): 229–232.
- BURTT, B. L. & DAVIDSON, R. (1955). Studies in the Gesneriaceae of the Old World. VII. A second species of the genus *Anna*. *Notes Roy. Bot. Gard. Edinburgh* 21(5): 232–234.
- BURTT, B. L. (1955). Studies in the Gesneriaceae of the Old World. VIII. *Briggsia muscicola* and a new allied species. *Notes Roy. Bot. Gard. Edinburgh* 21(5): 234–238.
- BURTT, B. L. (1955). Studies in the Gesneriaceae of the Old World. IX. Two new species from Africa. *Notes Roy. Bot. Gard. Edinburgh* 21(5): 238–240.
- BURTT, B. L. (1955). *Phlomis russeliana*. *Notes Roy. Bot. Gard. Edinburgh* 21(5): 293–295.
- BURTT, B. L. (1955). Notes in *Colchicum*. *Notes Roy. Bot. Gard. Edinburgh* 21(5): 296–300.
- BURTT, B. L. (1955). Studies in the Gesneriaceae of the Old World. X. The genus *Beccarinda*. *Notes Roy. Bot. Gard. Edinburgh* 22(1): 61–64.
- BURTT, B. L. (1955). *Gaultheria eriophylla*. *Bot. Mag.* 170: t. 254.

- BURTT, B. L. (1956). *Episcia lilacina*. *Bot. Mag.* 171: t. 265.
- BURTT, B. L. (1956). *Sinningia eumorpha*. *Bot. Mag.* 171: t. 278.
- BURTT, B. L. & KEENAN, J. (1956). *Arctostaphylos andersonii*. *Bot. Mag.* 171: t. 280.
- BURTT, B. L. (1956). *Blepharis ciliaris*. *Notes Roy. Bot. Gard. Edinburgh* 22(2): 94.
- BURTT, B. L. (1956). An independent genus for *Oreocharis primuloides*. *Baileya* 4: 161–162.
- BURTT, B. L. (1956). A confusion in African violets. *Baileya* 4: 163–164.
- BURTT, B. L. (ed.) [?1956]. *British Flowers in Colour*. London: Odhams Press Ltd.
[Introduction, p. 8; Some common and widespread plants, pp. 11–24; Ornamental trees and shrubs, pp. 128–140; The flower garden, pp. 157–171 are by B.L.B.].
- BURTT, B. L. (1957). *Crocus byzantinus* and *C. banaticus*. *Notes Roy. Bot. Gard. Edinburgh* 22(3): 217–220.
- BURTT, B. L. (1957). The double confusion of *Scabiosa papposa*. *Notes Roy. Bot. Gard. Edinburgh* 22(3): 279–283.
- BURTT, B. L. & MUIRHEAD, C. W. (1957). *Cassiope lycopodioides*. *Bot. Mag.* 171: t. 298.
- BURTT, B. L. (1957). *Columnnea × banksii*. *Bot. Mag.* 171: t. 300.
- BURTT, B. L. (1958). Studies in the Gesneriaceae of the Old World. XI. The genus *Ornithoboea*. *Notes Roy. Bot. Gard. Edinburgh* 22(4): 287–299.
- BURTT, B. L. (1958). Studies in the Gesneriaceae of the Old World. XII. *Opithandra*, a genus with sterile anticous stamens. *Notes Roy. Bot. Gard. Edinburgh* 22(4): 300–303.
- BURTT, B. L. (1958). Illustrations of common French flowers [review of FOURCROY, M. (1956). *Atlas pour la reconnaissance directe des plantes les plus communes*. Paris: N. Boubée & Cie]. *Notes Roy. Bot. Gard. Edinburgh* 22(4): 304.
- BURTT, B. L. (1958). Studies in the Gesneriaceae of the Old World. XIII. Miscellaneous transfers and reductions. *Notes Roy. Bot. Gard. Edinburgh* 22(4): 305–314.
- BURTT, B. L. & WOODS, P. J. B. (1958). Studies in the Gesneriaceae of the Old World. XIV. The seedling stages of *Aeschynanthus*. *Notes Roy. Bot. Gard. Edinburgh* 22(4): 315–317.
- BURTT, B. L. (1958). A compendium of the European flora [review of HERMANN, F. (1956). *Flora von Nord- und Mitteleuropa*. Stuttgart: G. Fischer]. *Notes Roy. Bot. Gard. Edinburgh* 22(4): 317–318.
- BURTT, B. L. & WOODS, P. J. B. (1958). Notes on cultivated Acanthaceae. I. *Notes Roy. Bot. Gard. Edinburgh* 22(4): 319–321.
- BURTT, B. L. (1958). *Camellia* paintings [review of URQUHART, B.L. (1956). *The Camellia*. Sharpthorne, Sussex: L.V. Press]. *Notes Roy. Bot. Gard. Edinburgh* 22(4): 321–322.
- BURTT, B. L. (1958). Guides to garden herbs and trees [review of MAKINS, F.K. (1957). *Herbaceous Garden Flora*. London: Dent & Sons]. *Notes Roy. Bot. Gard. Edinburgh* 22(5): 434–436.
- BURTT, B. L. (1958). Mesembryanthea [review of SCHWANTES, G. (1957). *Flowering Stones and Mid-day Flowers: a book for plant and nature lovers on Mesembryanthemaceae*. Translated by V. Higgins. London: E. Benn]. *Notes Roy. Bot. Gard. Edinburgh* 22(5): 545–546.
- BURTT, B. L. (1958). Studies in the Gesneriaceae of the Old World. XV. The genus *Saintpaulia*. *Notes Roy. Bot. Gard. Edinburgh* 22(6): 547–568.
- BURTT, B. L. (1958). Studies in the Gesneriaceae of the Old World. XVI. Some tropical African *Streptocarpus*. *Notes Roy. Bot. Gard. Edinburgh* 22(6): 569–579.
- BURTT, B. L. (1958). Studies in the Gesneriaceae of the Old World. XVII. A new species of *Linnaeopsis*. *Notes Roy. Bot. Gard. Edinburgh* 22(6): 581–582.
- BURTT, B. L. (1958). A herbalist's encyclopaedia [review of STEINMETZ, E.F. (1957). *Codex Vegetabilis*. Amsterdam: the author]. *Notes Roy. Bot. Gard. Edinburgh* 22(6): 592.

- BURTT, B. L. (1958). African violets and their kin [review of MOORE, H.E. (1957). *African Violets, Gloxinias and their Relatives: a guide to the cultivated Gesneriads*. New York & London: MacMillan Company]. *Kew Bull.* 1958: 96.
- BURTT, B. L. (1959). *Crocus*. *J. Scottish Rock Garden Club* 6(4): 385–386.
- BURTT, B. L. (1959). Flora of the Italian alps [review of PITSCHMANN, H. & REISIGL, H. (1959). *Bilderflora der Südalpen vom Gardasee zum Comersee*. Stuttgart: Fischer]. *Notes Roy. Bot. Gard. Edinburgh* 23(1): 22.
- BURTT, B. L. (1959). Facsimile of Linnaeus, Species Plantarum [review of STEARN, W.T. (ed.) (1957–1959). *Species Plantarum by C. Linnaeus; a facsimile of the first edition, 1753*. 2 vols. London: Ray Society]. *Notes Roy. Bot. Gard. Edinburgh* 23(1): 22.
- BURTT, B. L. (1959). The Arctic flora [review of POLUNIN, N. (1959). *Circumpolar Arctic Flora*. Oxford: Clarendon Press]. *Notes Roy. Bot. Gard. Edinburgh* 23(1): 88.
- BURTT, B. L. (1959). *Streptocarpus vandeleurii*. *Bot. Mag.* 172: t. 341.
- BURTT, B. L. (1960). A new *Chirita* from Thailand. *J. Roy. Hort. Soc.* 25(1): 27–28.
- BURTT, B. L. (1960). Studies in the Gesneriaceae of the Old World. XVIII. The controversy on *Phylloboea*. *Notes Roy. Bot. Gard. Edinburgh* 23(2): 89–90.
- BURTT, B. L. (1960). Studies in the Gesneriaceae of the Old World. XIX. The genus *Isometrum*. *Notes Roy. Bot. Gard. Edinburgh* 23(2): 91–93.
- BURTT, B. L. (1960). Studies in the Gesneriaceae of the Old World. XX. Miscellaneous notes. [1. Confusion between *Staurogyne* (Acanthaceae) and Gesneriaceae; 2. The taxonomic position of *Siphobaea*; 3. Notes on *Chirita*; 4. Notes on *Didymocarpus*; 5. Notes on *Didissandra*; 6. Species described under the generic name *Roettlera*; 7. A new northern outlier of *Streptocarpus*]. *Notes Roy. Bot. Gard. Edinburgh* 23(2): 94–102.
- BURTT, B. L. (1960). The orchids [review of WITHNER, C.L. (ed.) (1959). *The Orchids*. New York: Ronald Press Co.]. *Notes Roy. Bot. Gard. Edinburgh* 23(2): 166.
- BURTT, B. L. (1960). Drawings of British plants [review of ROSS-CRAIG, S. (1959). *Drawings of British Plants. XIII. Umbelliferae (2), Araliaceae, Cornaceae*. London: Bell & Sons]. *Notes Roy. Bot. Gard. Edinburgh* 23(2): 166.
- BURTT, B. L. (1960). Nineteenth century biological thought [review of EISELEY, L. (1959). *Darwin's Century*. London: Gollancz]. *Notes Roy. Bot. Gard. Edinburgh* 23(2): 172.
- BURTT, B. L. (1960). Great French naturalists [review of BERTIN, L. *et al.* (1952). *Buffon*. Paris: Muséum d'Histoire Naturelle, and BECKER, G. *et al.* (1957). *Tournefort*. Paris: Muséum d'Histoire Naturelle]. *Notes Roy. Bot. Gard. Edinburgh* 23(2): 172.
- BURTT, B. L. (1960). Kew's bicentenary essays [review of TURRILL, W.B. (ed.) (1959). *Vistas in Botany: a volume in honour of the bicentenary of the Royal Botanic Garden, Kew*. London: Pergamon Press]. *Notes Roy. Bot. Gard. Edinburgh* 23(2): 202–203.
- BURTT, B. L. (1960). A new edition of Hutchinson's families [review of HUTCHINSON, J. (1959). *The Families of Flowering Plants*, ed. 2, 2 vols. Oxford: Clarendon Press]. *Notes Roy. Bot. Gard. Edinburgh* 23(2): 203–204.
- BURTT, B. L. (1960). *Colchicum hungaricum*. *Bot. Mag.* 173: t. 373.
- BURTT, B. L. (1960). Ferns, mosses, shrubs and trees [review of TAYLOR, P. (1960). *British Ferns and Mosses*. London: Eyre & Spottiswoode, and HARRISON, S.G. (1960). *Garden Shrubs and Trees*. London: Eyre & Spottiswoode]. *Nature* 188: 817.
- BURTT, B. L. (1961). Great French naturalists [review of BROWN, A.W. *et al.* (1959). *Jacquemont*. Paris: Muséum National d'Histoire Naturelle]. *Notes Roy. Bot. Gard. Edinburgh* 23(3): 385.
- BURTT, B. L. (1961). Plant morphogenesis [review of SINNOTT, E.W. (1960). *Plant Morphogenesis*. New York: McGraw-Hill]. *Notes Roy. Bot. Gard. Edinburgh* 23(3): 386.
- BURTT, B. L. (1961). Interpretive morphology [review of EAMES, A.J. (1961). *Morphology of Angiosperms*. New York: McGraw-Hill]. *Notes Roy. Bot. Gard. Edinburgh* 23(4): 569–572.

- BURTT, B. L. (1961). Compositae and the study of functional evolution. *Trans. Bot. Soc. Edinburgh* 39: 216–232.
- BURTT, B. L. (1961). *Pyrola chlorantha* a Scottish species? *Trans. Bot. Soc. Edinburgh* 39: 238.
- BURTT, B. L. (1961). Tubiflorae. In: GRAY, P. (ed.) *The Encyclopedia of the Biological Sciences*, pp. 1030–1031. New York: Reinhold.
- BURTT, B. L. (1961). *Colchicum* (Lily Group Discussion). *Roy. Hort. Soc. Lily Yearbook* 1962: 103–109.
- BURTT, B. L. (1962). Studies in the Gesneriaceae of the Old World. XXI. *Rhynchotechum* and *Isanthera*. *Notes Roy. Bot. Gard. Edinburgh* 24(1): 35–39.
- BURTT, B. L. (1962). Studies in the Gesneriaceae of the Old World. XXII. Miscellaneous transfers and new species. *Notes Roy. Bot. Gard. Edinburgh* 24(1): 41–49.
- BURTT, B. L. (1962). Studies in the Gesneriaceae of the Old World. XXIII. *Rhynchoglossum* and *Klugia*. *Notes Roy. Bot. Gard. Edinburgh* 24(2): 167–171.
- RECHINGER, K. H. & BURTT, B. L. (1962). Revision einiger Typen von Velenovsky's *Plantae Arabicae Musiliana*. *Bot. Not.* 115: 35–48.
- BURTT, B. L. (1962). *Colchicum parnassicum*. *Bot. Mag.* 174: t. 403.
- BURTT, B. L. (1962). Gesneriad hunting expedition [letter to Paul Arnold]. *The Gloxinian* 12(4): 77–79.
- BURTT, B. L. (1963). Studies in the Gesneriaceae of the Old World. XXIV. Tentative keys to the tribes and genera. *Notes Roy. Bot. Gard. Edinburgh* 24(3): 205–220.
- BURTT, B. L. (1963). Woody plants of N. Rhodesia [review of WHITE, F. (1962). *Forest Flora of Northern Rhodesia*. Oxford: University Press]. *Notes Roy. Bot. Gard. Edinburgh* 24(3): 230.
- BURTT, B. L. (1963). 156. Gesneriaceae. In: HUTCHINSON, J. & DALZIEL, J., *Flora of West Tropical Africa*, ed. 2 (ed. F. N. HEPPER) 2: 381–383. London: Crown Agents for Overseas Governments and Administrations.
- BURTT, B. L. (1963). *Crocus vallicola*. *Bot. Mag.* 174: t. 424.
- BURTT, B. L. (1963). *Senecio tamoides*. *Bot. Mag.* 174: t. 434.
- BURTT, B. L. (1963). *Crocus nevadensis*. *Bot. Mag.* 174: t. 439.
- BURTT, B. L. (1964). Studies in the Gesneriaceae of the Old World. XXV. Additional notes on *Saintpaulia*. *Notes Roy. Bot. Gard. Edinburgh* 25(3): 191–195.
- BURTT, B. L. (1964). [Review of LI, H.-L. (1963). *Woody flora of Taiwan*. Philadelphia: The Morris Arboretum and Livingston Publishing Company]. *New Phytol.* 63: 262–263.
- BURTT, B. L. (1964). [Review of HEYN, C.C. (1963). *The annual species of Medicago*. Jerusalem: Magnes Press & London: Oxford University Press]. *New Phytol.* 63: 263–264.
- BURTT, B. L. (1964). A great English botanist [review of TURRILL, W.B. (1963). *Joseph Dalton Hooker. Botanist, Explorer and Administrator*. London: Nelson & Sons]. *Nature* 203: 221.
- BURTT, B. L. & SMITH, R. M. (1964). A new species of Zingiberaceae from Sarawak. *Trans. Bot. Soc. Edinburgh* 39: 502–511.
- BURTT, B. L. (1964). *Holboellia coriacea*. *Bot. Mag.* 175: t. 447.
- [BURTT, B. L.] (1964). Royal Botanic Garden Edinburgh. New herbarium, library and offices. *Nature* 203: 694–695.
- BURTT, B. L. (ed.) (1964). *Tenth International Botanical Congress: Abstracts of Papers*, pp. xii + 518. Edinburgh.
- BURTT, B. L. (1964). Classification of Gesneriaceae at different levels, with particular reference to Old World members. *Tenth Int. Bot. Congr. Abstracts*, p. 95. Edinburgh.
- BURTT, B. L. (1964). Angiosperm taxonomy in practice. In: HEYWOOD, V. H. & MCNEILL, J. (eds) *Phenetic and Phylogenetic Classification*, pp. 5–16. London: Systematics Association.

-
- BURTT, B. L. (1964). The neglect of Michel Adanson [review of LAWRENCE, G.H.M. (ed.) (1963). *Adanson. The Bicentennial of Michel Adanson's 'Familles des Plantes'. Part 1*. Pittsburgh: The Hunt Botanical Library]. *Notes Roy. Bot. Gard. Edinburgh* 26(1): 26.
- BURTT, B. L. (1964). A new tropical flora [review of BACKER, C.A. & BAKHUIZEN VAN DEN BRINK, R.C. (1963). *Flora of Java. Vol. 1*. Groningen: Noordhoff]. *Notes Roy. Bot. Gard. Edinburgh* 26(1): 66.
- BURTT, B. L. (1964). Beccari's ascent of Gunong Poi, Sarawak. *Fl. Malesiana Bull.* 19: 1131–1132.
- BURTT, B. L. (1964). [Contribution to discussion]. In: Results of the Royal Society Expedition to North Borneo, 1961. *Proc. Roy. Soc. (B)* 161: 82.
- [BURTT, B. L.] (1964). Plant family relationships. In: *The Royal Botanic Garden Edinburgh. The Garden Companion*, pp. 73–80. Edinburgh: HMSO [A guide to the Demonstration Garden; ed. 2, pp. 77–83, 1970].
- BURTT, B. L. (1965). Studies in the Gesneriaceae of the Old World. XXVI. A contribution to the study of *Chirita*. *Notes Roy. Bot. Gard. Edinburgh* 26(3): 261–268.
- BURTT, B. L. (1965 [‘1964’]). Flora of Delhi [review of MAHESHWARI, J.K. (1963). *Flora of Delhi*. New Delhi: Council of Scientific and Industrial Research]. *New Phytol.* 63: 439–440.
- BURTT, B. L. (1965 [‘1964’]). [Review of TURRILL, W.B. (ed.) (1964). *Vistas in Botany, Vol. 4. Recent Researches in Plant Taxonomy*]. *New Phytol.* 63: 440–441.
- BURTT, B. L. (1965). Notes, chiefly nomenclatural, on Gentianaceae of Pakistan and India. *Notes Roy. Bot. Gard. Edinburgh* 26(3): 269–278.
- BURTT, B. L. & SMITH, R. M. (1965). A new genus of Acanthaceae from Sarawak. *Notes Roy. Bot. Gard. Edinburgh* 26(3): 325–329.
- BURTT, B. L. (1965). The transfer of *Cyrtandromoea* from Gesneriaceae to Scrophulariaceae, with notes on the classification of that family. *Bull. Bot. Soc. India* 7: 73–88.
- BURTT, B. L. (1965). *Vaccinium nummularia*. *Bot. Mag.* 175: t. 470.
- BURTT, B. L. (1965). *Streptocarpus pusillus*. *Bot. Mag.* 175: t. 478.
- BURTT, B. L. (1965). Syllabus der Pflanzenfamilien [review of MELCHIOR, H. (ed.) (1964). *Engler's Syllabus der Pflanzenfamilien, Aufl. 12*. Berlin: Gebrüder Borntraeger]. *New Phytol.* 64: 511–512.
- BURTT, B. L. (1966). The publication of manuscript names. *Taxon* 15(3): 106–107.
- BURTT, B. L. (1966). Illegitimate tribes and legitimate sections. *Taxon* 15(3): 107–108.
- BURTT, B. L. & LAUENER, L. A. (1966 [‘1965’]). A red-flowered *Caltha* from Tibet. *Notes Roy. Bot. Gard. Edinburgh* 26(4): 349–350.
- BURTT, B. L. (1966 [‘1965’]). Inland occurrences of *Heliotropium curassavicum*. *Notes Roy. Bot. Gard. Edinburgh* 26(4): 357.
- BURTT, B. L. & SMITH, R. M. (1966 [‘1965’]). *Cosmianthemum*: a Bornean genus of Acanthaceae. *Notes Roy. Bot. Gard. Edinburgh* 26(4): 365–381.
- BURTT, B. L. (1966 [‘1965’]). Adanson and modern taxonomy [review of LAWRENCE, G.H.M. (ed.) (1963, 1965). *Adanson. The Bicentennial of Michel Adanson's 'Familles des Plantes'*, 2 vols. Pittsburgh: The Hunt Botanical Library]. *Notes Roy. Bot. Gard. Edinburgh* 26(4): 427–431.
- BURTT, B. L. (1966 [‘1965’]). Plant organisation in an evolutionary background [review of WARDLAW, C.W. (1965). *Organisation and Evolution in Plants*. London: Longmans]. *Notes Roy. Bot. Gard. Edinburgh* 26(4): 347–348.
- BURTT, B. L. (1966). *Cyrtandra* in Oahu, Hawaiian Islands [review of ST JOHN, H. (1966). *Monograph of Cyrtandra (Gesneriaceae) on Oahu, Hawaiian Islands*. Bernice P. Bishop Museum Bulletin 29]. *Science* 152: 936.

- BURTT, B. L. (1966). Proposal to remove an apparent anomaly in the typification of some conserved genera. *Taxon* 15(8): 307.
- BURTT, B. L. (1966). [Review of TAYLOR, G. (ed.) (1966). *Index Kewensis Plantarum Phanerogamarum, supplementum XIII*. Oxford: Clarendon Press]. *New Phytol.* 65: 557–558.
- BURTT, B. L. (1966). [Review of LAKELA, O. (1966). *A Flora of Northeastern Minnesota*. Minnesota University Press & London: Oxford University Press]. *New Phytol.* 65: 558–559.
- BURTT, B. L. (1967). Latin as a living language [review of STEARN, W.T. (1966). *Botanical Latin*. London: Nelson & Sons]. *Notes Roy. Bot. Gard. Edinburgh* 27(2): 148.
- BURTT, B. L. (1967). An Indian local flora [review of CHAVAN, A.R. & OZA, G.M. (1966). *The Flora of Pavagadh (Gujarat State, India)*. Baroda: The Maharaja Sayajirao University of Baroda]. *Notes Roy. Bot. Gard. Edinburgh* 27(2): 174.
- BURTT, B. L. (1967). Flora of Java [review of BACKER, C.A. & BAKHUIZEN VAN DEN BRINK, R.C. (1966). *Flora of Java. Vol. 2*. Groningen: Noordhoff]. *Notes Roy. Bot. Gard. Edinburgh* 27(2): 218.
- BURTT, B. L. (1967). Mapping the plants of the Pacific [review of VAN STEENIS, C.G.G.J. & VAN BALGOOY, M.M.J. (eds) (1966). *Pacific Plant Areas. Vol. 2*. Leiden: Rijksherbarium]. *Notes Roy. Bot. Gard. Edinburgh* 27(2): 219.
- BURTT, B. L. (1967). Strabo's Hortulus [review of LAWRENCE, G.H.M. (ed.) (1966). *Hortulus by Walahfrid Strabo*, translated by R. Payne. Pittsburgh: The Hunt Botanical Library XII]. *Notes Roy. Bot. Gard. Edinburgh* 27(3): 343–344.
- BURTT, B. L. (1967). Flora of Karachi [review of JAFRI, S.M.H. (1966). *The Flora of Karachi (Coastal West Pakistan)*. Karachi: The Book Corporation]. *Notes Roy. Bot. Gard. Edinburgh* 28(1): 64.
- BURTT, B. L. (1967). Willis re-modelled [review of WILLIS, J.C. (1966). *A Dictionary of the Flowering Plants and Ferns*. Cambridge: Cambridge University Press]. *Notes Roy. Bot. Gard. Edinburgh* 28(1): 87–88.
- BURTT, B. L. (1967). Gesneriads as a family. In: *Handbook on Gesneriads*, pp. 54–57. Being *Plants and Gardens (Brooklyn Botanic Garden Record)* vol. 23(1).
- BURTT, B. L. (1967). *Romulea longituba* var. *alticola*. *Bot. Mag.* 176: t. 515.
- BURTT, B. L. (1967). *Phyllodoce aleutica*. *Bot. Mag.* 176: t. 496.
- BURTT, B. L. (1967). *Hypocyrtia nummularia*. *Bot. Mag.* 176: t. 497.
- BURTT, B. L. (1967). *Colchicum* and *Merendera*, a Lily group discussion. *Roy. Hort. Soc. Lily Yearbook* 1968: 90–93, 104–105.
- BURTT, B. L. (1968). Plate 11 *Nematanthus fluminensis* (Vellozo) K. Fritsch. In: MEE, M., *Flowers of the Brazilian Forests*. London: The Tryon Gallery in association with George Rainbird.
- BURTT, B. L. (1968). The typification of the epithet *caerulea* in *Anagallis*. [Appendix to KOLLMANN, F. & FEINBRUN, N., A cytotaxonomic study in Palestinian *Anagallis arvensis*]. *Notes Roy. Bot. Gard. Edinburgh* 28(2): 185–186.
- HILLIARD, O. M. & BURTT, B. L. (1968). Studies in the Gesneriaceae of the Old World. XXVII. New species and subspecies of *Streptocarpus*. *Notes Roy. Bot. Gard. Edinburgh* 28(3): 209–215.
- BURTT, B. L. (1968). Studies in the Gesneriaceae of the Old World. XXVIII. The acquisition of *Cyrtandroidea*. *Notes Roy. Bot. Gard. Edinburgh* 28(3): 217–218.
- BURTT, B. L. (1968). Studies in the Gesneriaceae of the Old World. XXIX. A reconsideration of generic limits in tribe Trichosporeae. *Notes Roy. Bot. Gard. Edinburgh* 28(3): 219–225.
- BURTT, B. L. & SMITH, R. M. (1968). *Mantisia wardii*: a new Burmese species of Zingiberaceae. *Notes Roy. Bot. Gard. Edinburgh* 28(3): 287–290.

-
- BURTT, B. L. (1968). Identification of flowering plant families [review of HUTCHINSON, J. (1967). *Key to the Families of Flowering Plants of the World*. Oxford: Oxford University Press]. *Notes Roy. Bot. Gard. Edinburgh* 28(3): 326–328.
- BURTT, B. L. (1968). Flora Iranica [review of RIEDL, H. (1967). *Boraginaceae*, being no 48 of RECHINGER, K.H. (ed.) (1967). *Flora Iranica*. Graz: Akademische Druck- u. Verlagsanstalt]. *Notes Roy. Bot. Gard. Edinburgh* 28(3): 332–334.
- BURTT, B. L. & SMITH, R. M. (1968). Proposal to conserve *Amomum* Roxb. *Taxon* 17: 730–731.
- BURTT, B. L. (1968). Proposal on the citation of nomenclaturally invalid material. *Taxon* 17: 740–741.
- BURTT, B. L. (1968). *Columnnea lepidocaula*. *Bot. Mag.* 176: t. 519.
- BURTT, B. L. (1968). *Colchicum kotschyi*. *Bot. Mag.* 176: t. 520.
- ROSSER, E. M. & BURTT, B. L. (1969). Studies in the Gesneriaceae of the Old World. XXX. Anatomical characters in the tribe Trichosporeae. *Notes Roy. Bot. Gard. Edinburgh* 29(1): 39–58.
- BURTT, B. L. (1969). Aids to the use of taxonomic literature [reviews of STAFLEU, F. (1967). *Taxonomic literature. A selective guide to botanical publications with dates, commentaries and types*, being vol. 52 of *Regnum Vegetabile*. Utrecht: Int. Bureau of Plant Taxonomy and Nomenclature, & Zug: Inter-Documentation Company AG, and LAWRENCE, G.H.M., BUCHHEIM, A.F.G., DANIELS, G.S. & DOLEZAL, H. (1968). *B-P-H. Botanico-Periodicum-Huntianum*. Pittsburgh: The Hunt Botanical Library]. *Notes Roy. Bot. Gard. Edinburgh* 29(1): 139–140.
- BURTT, B. L. (1969). Sarawak plants. I. *Notes Roy. Bot. Gard. Edinburgh* 29(2): 141–155.
- BURTT, B. L. (1969). Form in plants [review of WARDLAW, C.W. (1968). *Essays on Form in Plants*. Manchester: University Press]. *Notes Roy. Bot. Gard. Edinburgh* 29(2): 196.
- BURTT, B. L. (1969). Herbaceous plants of Malawi [review of BINNS, B. (1968). *A First Check List of the Herbaceous Flora of Malawi*. Zomba: Government Printer]. *Notes Roy. Bot. Gard. Edinburgh* 29(2): 224.
- BURTT, B. L. (1969). *Streptocarpus eylesii*. *Bot. Mag.* 177: t. 541.
- BURTT, B. L. (1969). [Contribution, on Gesneriaceae, to ‘Discussion’ on Royal Society Expedition to the British Solomon Islands]. *Phil. Trans. Roy. Soc. (B)* 255: 614–615.
- BURTT, B. L. (1969). Revised Supplement to R.H.S. Dictionary [review of *The Royal Horticultural Society. Supplement to the Dictionary of Gardening*, ed. 2. Oxford: Clarendon Press]. *Notes Roy. Bot. Gard. Edinburgh* 29(3): 324.
- BURTT, B. L. (1969). Flora of Java, vol. 3 [review of BACKER, C.A. & BAKHUIZEN VAN DEN BRINK, R.C. (1968). *Flora of Java. Vol. 3*. Groningen: Noordhoff]. *Notes Roy. Bot. Gard. Edinburgh* 29(3): 372.
- BURTT, B. L. (1969). Reconstructing Angiosperm history [review of TAKHTAJAN, A. (1969). *Flowering Plants: origin and dispersal*. Edinburgh: Oliver & Boyd]. *Notes Roy. Bot. Gard. Edinburgh* 29(3): 406–407.
- BURTT, B. L. (1969). Wild flowers of North Carolina [review of JUSTICE, W.S. & BELL, C.R. (1968). *Wild Flowers of North Carolina*. North Carolina University Press & London: Oxford University Press]. *New Phytol.* 68: 569–570.
- BURTT, B. L. (1969). [Review of TAKHTAJAN, A. (1969). *Flowering Plants: origin and dispersal*. Edinburgh: Oliver & Boyd]. *Biologist* 16(4): 177.
- BURTT, B. L. (1970). Studies in the Gesneriaceae of the Old World. XXXI. Some aspects of functional evolution. *Notes Roy. Bot. Gard. Edinburgh* 30(1): 1–10.
- BOKHARI, M. H. & BURTT, B. L. (1970). Studies in the Gesneriaceae of the Old World. XXXII. Foliar sclereids in *Cyrtandra*. *Notes Roy. Bot. Gard. Edinburgh* 30(1): 11–21.

- BURTT, B. L. (1970). Studies in the Gesneriaceae of the Old World. XXXIII. Some species of *Cyrtandra*, chiefly Bornean. *Notes Roy. Bot. Gard. Edinburgh* 30(1): 23–42.
- HILLIARD, O. M. & BURTT, B. L. (1970). Notes on some plants of southern Africa chiefly from Natal. *Notes Roy. Bot. Gard. Edinburgh* 30(1): 109–128.
- BURTT, B. L., HEDGE, I. C. & STEVENS, P. (1970). A taxonomic critique of recent numerical studies in Ericales and *Salvia*. *Notes Roy. Bot. Gard. Edinburgh* 30(1): 141–158.
- BURTT, B. L. (1970). [Review of LOWE-McCONNELL, R.H. (ed.) (1969). *Speciation in Tropical Environments*. London: Academic Press]. *New Phytol.* 69: 887–888.
- BURTT, B. L. (1970). [Review of MORLEY, T. (1969). *Spring Flora of Minnesota, Including Common Cultivated Plants*. Minneapolis: Minnesota University Press & London: Oxford University Press]. *New Phytol.* 69: 891.
- BURTT, B. L. (1970). The evolution and taxonomic significance of a subterranean ovary in certain monocotyledons. *Israel J. Bot.* 19: 77–90.
- BURTT, B. L. (1970). Intraspecific categories in flowering plants. *Biol. J. Linn. Soc.* 2: 233–238.
- BURTT, B. L. (1970). Plant families for Malayan students [review of KENG, H. (1969). *Orders and Families of Malayan Seed Plants*. Kuala Lumpur & Singapore: University of Malaya Press]. *Notes Roy. Bot. Gard. Edinburgh* 30(2): 390.
- HILLIARD, O. M. & BURTT, B. L. (1971). Notes on some plants of southern Africa chiefly from Natal. II. *Notes Roy. Bot. Gard. Edinburgh* 31(1): 1–3.
- BURTT, B. L. (1971). Studies in the Gesneriaceae of the Old World. XXXIV. A miscellany from South Eastern Asia. *Notes Roy. Bot. Gard. Edinburgh* 31(1): 35–52.
- BURTT, B. L. & CHERMSIRIVATHANA, C. (1971). A second species of *Afgekia* (Leguminosae). *Notes Roy. Bot. Gard. Edinburgh* 31(1): 131–133.
- BURTT, B. L. (1971). From the South: an African view of the floras of western Asia. In: DAVIS, P. H., HARPER, P. C. & HEDGE, I. C. (eds) *Plant life of South West Asia*, pp. 135–149. Aberdeen: University Press.
- HUMBERT, H., BURTT, B. L. & KERAUDREN-AYMONIN, M. (1971). Gesneriacées. In: HUMBERT, H. & LEROY, J.-F., *Flore de Madagascar et des Comores, 180ième. Famille*, pp. 47–163. Paris: Muséum National d'Histoire Naturelle.
- HILLIARD, O. M. & BURTT, B. L. (1971). *Streptocarpus: an African Plant Study*. 410 pp., 16 plates. Pietermaritzburg: Natal University Press.
- BURTT, B. L. (1972). General introduction to papers on Zingiberaceae. *Notes Roy. Bot. Gard. Edinburgh* 31(2): 155–165.
- BURTT, B. L. & OLATUNJI, O. A. (1972). The limits of the tribe Zingiberaceae. *Notes Roy. Bot. Gard. Edinburgh* 31(2): 167–169.
- BURTT, B. L. & SMITH, R. M. (1972). Tentative keys to the subfamilies, tribes and genera of Zingiberaceae. *Notes Roy. Bot. Gard. Edinburgh* 31(2): 171–176.
- BURTT, B. L. & SMITH, R. M. (1972). Key species in the taxonomic history of Zingiberaceae. *Notes Roy. Bot. Gard. Edinburgh* 31(2): 177–227.
- BURTT, B. L. & SMITH, R. M. (1972). Notes on Malesian Zingiberaceae. *Notes Roy. Bot. Gard. Edinburgh* 31(2): 307–316.
- BURTT, B. L. & GRAU, J. (1972). An extension to the genus *Macowania* (Compositae). *Notes Roy. Bot. Gard. Edinburgh* 31(3): 373–376.
- BURTT, B. L. (1972). A new phytogeographical study [review of VAN BALGOOY, M.M.J. (1971). *Plant Geography of the Pacific* (being *Blumea*, *Suppl.* 6). Leiden: Rijksherbarium]. *Notes Roy. Bot. Gard. Edinburgh* 31(3): 394.
- BURTT, B. L. & SMITH, R. M. (1972). Monoecism in *Alpinia* (Zingiberaceae). *Notes Roy. Bot. Gard. Edinburgh* 32(1): 29–43.

-
- BURTT, B. L. (1972). A journal for Rhodesian succulents [review of *Excelsa*, no. 1, published by the Aloe, Cactus and Succulent Society of Rhodesia]. *Notes Roy. Bot. Gard. Edinburgh* 32(1): 44.
- BURTT, B. L. (1972). Plumular protection and some related aspects of seedling behaviour. *Trans. Bot. Soc. Edinburgh* 41: 393–400.
- BURTT, B. L. (1972). The compleat naturalist [review of BLUNT, W., with assistance of STEARN, W.T. (1971). *The Compleat Naturalist. A life of Linnaeus*. London: Collins]. *Hortic. Res.* 12: 81–82.
- BURTT, B. L. & SMITH, R. M. (1972). Nomina conservanda proposita (nos. 344–346). *Taxon* 21: 709–710.
- BURTT, B. L. (1973). The name *Begonia sinuata*. *Notes Roy. Bot. Gard. Edinburgh* 32(2): 273–274.
- BURTT, B. L. (1973). Early plant-hunting in Britain [review of GILMOUR, J.S.L. (1972). *Thomas Johnson. Botanical journeys in Kent and Hampstead. A facsimile reprint with introduction and translation of his Iter plantarum 1629, Descriptio itineris plantarum 1632*. Pittsburgh: The Hunt Botanical Library]. *Notes Roy. Bot. Gard. Edinburgh* 32(2): 272.
- BURTT, B. L. & SUNDING, P. (1973). *Helichrysum monogynum*, a new species from Lanzarote, Canary Islands. *Bot. Not.* 126: 340–344.
- HILLIARD, O. M. & BURTT, B. L. (1973). Notes on some plants of southern Africa chiefly from Natal. III. *Notes Roy. Bot. Gard. Edinburgh* 32(3): 303–384.
- BURTT, B. L. (1973). Medley Wood's grandchild [review of ROSS, J.H. (1972). *The Flora of Natal*. Pretoria: Dept. of Agricultural Technical Services]. *Notes Roy. Bot. Gard. Edinburgh* 32(3): 388.
- BURTT, B. L. & BOKHARI, M. H. (1973). Studies in the Gesneriaceae of the Old World. XXXVI. Foliar sclereids in New Guinea and Pacific *Cyrtandra*. *Notes Roy. Bot. Gard. Edinburgh* 32(3): 397–402.
- BURTT, B. L. (1973). *Polygala arvensis*, *chinensis* and *glomerata*. *Notes Roy. Bot. Gard. Edinburgh* 32(3): 403–404.
- BURTT, B. L. (1974). Studies in the Gesneriaceae of the Old World. XXXVII. *Schizoboea*, the erstwhile African *Didymocarpus*. *Notes Roy. Bot. Gard. Edinburgh* 33(2): 265–267.
- BURTT, B. L. (1974). Patterns of structural change in the Flowering Plants. *Trans. Bot. Soc. Edinburgh* 42: 133–142.
- BURTT, B. L. & DICKISON, W. C. (1975). The morphology and relationships of *Seemannaralia* (Araliaceae). *Notes Roy. Bot. Gard. Edinburgh* 33(3): 449–464.
- BURTT, B. L. (1975). *Excelsa* [review of *Excelsa. Journal of the Aloe, Cactus and Succulent Society of Rhodesia*, no. 3]. *Notes Roy. Bot. Gard. Edinburgh* 33(3): 465.
- BURTT, B. L. (1975). Shedding plant parts [review of KOZŁOWSKI, T.T. (ed.) (1974). *Shedding of Plant Parts*. New York & London: Academic Press]. *Notes Roy. Bot. Gard. Edinburgh* 33(3): 465–466.
- HILLIARD, O. M. & BURTT, B. L. (1975). Studies in the Gesneriaceae of the Old World. XXXVIII. A new species of *Streptocarpus* from East Africa. *Notes Roy. Bot. Gard. Edinburgh* 33(3): 467–469.
- BURTT, B. L. & WOODS, P. J. B. (1975). Studies in the Gesneriaceae of the Old World. XXXIX. Towards a revision of *Aeschynanthus*. *Notes Roy. Bot. Gard. Edinburgh* 33(3): 471–489.
- HILLIARD, O. M. & BURTT, B. L. (1975). Notes on some plants of southern Africa chiefly from Natal. IV. *Notes Roy. Bot. Gard. Edinburgh* 34(1): 73–100.
- BURTT, B. L. (1975). Studies in the Gesneriaceae of the Old World. XL. The genus *Loxostigma*. *Notes Roy. Bot. Gard. Edinburgh* 34(1): 101–105.

- BURTT, B. L. & SMITH, R. M. (1975). The rediscovery of *Cenopholon rubrum*. *Notes Roy. Bot. Gard. Edinburgh* 34(1): 107–111.
- BURTT, B. L. (1975). *Streptocarpus stomandrus*. *Bot. Mag.* 180: t. 690.
- JONG, K. & BURTT, B. L. (1975). The evolution of morphological novelty exemplified in the growth patterns of some Gesneriaceae. *New Phytol.* 75: 297–311.
- HILLIARD, O. M. & BURTT, B. L. (1976). Notes on some plants of southern Africa chiefly from Natal. V. *Notes Roy. Bot. Gard. Edinburgh* 34(2): 253–256.
- BURTT, B. L. & SMITH, R. M. (1976). Notes on the collection of Zingiberaceae. *Fl. Malesiana Bull.* 29: 2599–2601.
- BURTT, B. L. (1976). Pacific and Malesian plant maps [review of VAN BALGOOY, M.M.J. (1975). *Pacific Plant Areas. Vol. 3*. Leiden: Rijksherbarium]. *Notes Roy. Bot. Gard. Edinburgh* 34(3): 448.
- BURTT, B. L. (1976). *Saintpaulia orbicularis* var. *purpurea*. *Bot. Mag.* 181: t. 722.
- BURTT, B. L. (1976). *Saintpaulia rupicola*. *Fl. Pl. Africa* 43: t. 1720.
- BURTT, B. L. (1976). Plants of Malawi [review of MORIARTY, A. (1975). *Wild Flowers of Malawi*. Cape Town: Purnell, and MORRIS, B. (1970). *Epiphytic Orchids of Malawi*. The Society of Malawi]. *Notes Roy. Bot. Gard. Edinburgh* 35(1): 60.
- HILLIARD, O. M. & BURTT, B. L. (1977). Notes on some plants of southern Africa chiefly from Natal. VI. *Notes Roy. Bot. Gard. Edinburgh* 35(2): 155–177.
- BURTT, B. L. (1977). The nomenclature of turmeric and other Ceylon Zingiberaceae. *Notes Roy. Bot. Gard. Edinburgh* 35(2): 209–215.
- BURTT, B. L. (1977). [Review of CORNER, E.J.H. (1976). *The Seeds of the Dicotyledons*. 2 vols. Cambridge: Cambridge University Press]. *Watsonia* 11(3): 260–261.
- BURTT, B. L. (1977 [1976]). Notes on rain forest herbs. *Gard. Bull. Singapore* 29: 73–80.
- BURTT, B. L. (1977). *Curcuma zedoaria*. *Gard. Bull. Singapore* 30: 59–62.
- BURTT, B. L. (1977). Classification above the genus, as exemplified by Gesneriaceae, with parallels from other groups. *Pl. Syst. Evol.*, Suppl. 1: 97–109.
- BURTT, B. L. (1977). Studies in the Gesneriaceae of the Old World. XLI. Notes on *Boeica* and *Didissandra*. *Notes Roy. Bot. Gard. Edinburgh* 35(3): 369–374.
- BURTT, B. L. (1977). Aspects of diversification in the capitulum. In: HEYWOOD, V. H., HARBORNE, J. B. & TURNER, B. L. (eds) *The Biology and Chemistry of the Compositae*, pp. 41–59. London: Academic Press.
- HILLIARD, O. M. & BURTT, B. L. (1978). Notes on some plants of Southern Africa chiefly from Natal. VII. *Notes Roy. Bot. Gard. Edinburgh* 36(1): 43–76.
- BURTT, B. L. (1978). Studies in the Gesneriaceae of the Old World. XLIII. Notes on Malesian *Didymocarpus*. *Notes Roy. Bot. Gard. Edinburgh* 36(1): 151–155.
- BURTT, B. L. (1978). Studies in the Gesneriaceae of the Old World. XLIV. New and little-known species of *Cyrtandra*, chiefly from Sarawak. *Notes Roy. Bot. Gard. Edinburgh* 36(1): 157–179.
- BURTT, B. L. (1978). Studies in the Gesneriaceae of the Old World. XLV. A preliminary revision of *Monophyllaea*. *Notes Roy. Bot. Gard. Edinburgh* 37(1): 1–59.
- BALAKRISHNAN, N. P. & BURTT, B. L. (1978). Studies in the Gesneriaceae of the Old World. XLVI. A second *Cyrtandra* on the Nicobar Islands. *Notes Roy. Bot. Gard. Edinburgh* 37(1): 153–156.
- BURTT, B. L. (1978). Notes on the evolution of Compositae. *Compositae Newsletter* 9: 6–9.
- HILLIARD, O. M. & BURTT, B. L. (1979). Notes on some plants of Southern Africa chiefly from Natal. VIII. *Notes Roy. Bot. Gard. Edinburgh* 37(2): 285–325.
- HILLIARD, O. M. & BURTT, B. L. (1980). *Helichrysum fruticosum*: its correct name and taxonomic status. *Notes Roy. Bot. Gard. Edinburgh* 38(1): 145–148.

-
- HILLIARD, O. M. & BURTT, B. L. (1980). Proposal to conserve *Petalacte* D. Don (1826) against *Billya* Cassini (1825) (Compositae). *Taxon* 29: 507.
- BURTT, B. L. (1980). Cardamoms and other Zingiberaceae in Hortus Malabaricus. In: MANILAL, K. S. (ed.) *Botany and History of Hortus Malabaricus*, pp. 139–148. New Delhi: Oxford & IBH Publishing Co.
- LAUENER, L. A. & BURTT, B. L. (1980). Gesneriaceae. In: LAUENER, L. A., Catalogue of the names published by Hector Lévillé. XIII. *Notes Roy. Bot. Gard. Edinburgh* 38(3): 463–473.
- HILLIARD, O. M. & BURTT, B. L. (1981). Some generic concepts in Compositae-Gnaphaliinae. *Bot. J. Linn. Soc.* 82: 181–232.
- HILLIARD, O. M. & BURTT, B. L. (1981). Names in *Gnaphalium*, *Xeranthemum* and *Helichrysum* published between 1736 and 1800. *Bot. J. Linn. Soc.* 82: 233–265.
- BURTT, B. L. (1981). The name of the Spanish *Merendera*. *Taxon* 30(1): 299.
- BURTT, B. L. (1981). Proposal to conserve *Curcuma* Roxb. (1810) against *Curcuma* L. (1753). *Taxon* 30(1): 358–361.
- BURTT, B. L. (1982). New Gesneriaceae from tropical West Africa. *Bull. Mus. Nat. Hist. Natl. Paris* 4ième sér., 3, 1981, sect. B, *Adansonia* no. 4: 415–417.
- BURTT, B. L. (1982). New species and combinations in Gesneriaceae. In: JERMY, A. C. & KAVANAGH, K. P. (eds) *Notulae et Novitates Muluenses. 2.* *Bot. J. Linn. Soc.* 85: 17–30.
- HILLIARD, O. M. & BURTT, B. L. (1982). Notes on some plants of southern Africa chiefly from Natal. IX. *Notes Roy. Bot. Gard. Edinburgh* 40(2): 247–298.
- BURTT, B. L. (1982). *Cienkowskiella* and *Siphonochilus*. *Notes Roy. Bot. Gard. Edinburgh* 40(2): 369–373.
- BURTT, B. L. (1982). The strange history of *Hermas pillansii*. *Bol. Soc. Brot.* 53: 1233–1240.
- BURTT, B. L. (1982). [Review of VAN STEENIS, C.G.G.J. (1981). *Rheophytes of the world. An account of the flood-resistant flowering plants and ferns and the theory of autonomous evolution.* Alphen aan den Rijn: Sijthoff & Noordhoff]. *New Phytol.* 92(2): 330–331.
- BURTT, B. L. & SMITH, R. M. (1983). Zingiberaceae. In: DASSANAYAKE, M. D. & FOSBERG, F. R. (eds) *A Revised Handbook to the Flora of Ceylon* 4: 488–532. New Delhi: Amerind Publishing Co. for the Smithsonian Institution.
- WEBER, A. & BURTT, B. L. (1983). *Didymocarpus corchorifolius* and its allies (Gesneriaceae). *Blumea* 28(2): 291–309.
- HILLIARD, O. M. & BURTT, B. L. (1983). *Zaluzianskya* (Scrophulariaceae) in south eastern Africa and the correct application of the names *Z. capensis* and *Z. maritima*. *Notes Roy. Bot. Gard. Edinburgh* 41(1): 1–43.
- HILLIARD, O. M. & BURTT, B. L. (1983). Notes on some plants of southern Africa from Natal. X. *Notes Roy. Bot. Gard. Edinburgh* 41(2): 299–319.
- BURTT, B. L. (1984). The first species of *Stauranthera* (Gesneriaceae) from New Guinea, with general notes on the genus. *J. Arnold Arbor.* 65: 129–133.
- BURTT, B. L. (1984). Studies in the Gesneriaceae of the Old World. XLVII. Revised generic concepts for *Boea* and its allies. *Notes Roy. Bot. Gard. Edinburgh* 41(3): 401–452.
- BURTT, B. L. & TAN, K. (1984). Studies in the Gesneriaceae of the Old World. XLVIII. Calcium accumulation and excretion in *Paraboea*. *Notes Roy. Bot. Gard. Edinburgh* 41(3): 453–456.
- HILLIARD, O. M. & BURTT, B. L. (1984). A revision of *Diascia* section *Racemosae*. *J. S. African Bot.* 50(3): 269–340.
- BURTT, B. L. (1984). Keys to the Bornean genera of Gesneriaceae and to the species found within Gunung Mulu National Park. In: JERMY, A. C. (ed.) *Studies on the Flora of Gunung Mulu National Park, Sarawak*, pp. 97–104. Kuching: Forest Department.

- BURTT, B. L. (1984). Gesneriaceae. In: SATABIE, B. N. (ed.) *Flore du Cameroun* 27: 3–25. Yaoundé: MESRES.
- HILLIARD, O. M. & BURTT, B. L. (1985). A revision of *Geranium* in Africa south of the Limpopo. *Notes Roy. Bot. Gard. Edinburgh* 42(2): 171–225.
- HILLIARD, O. M. & BURTT, B. L. (1985). Notes on some plants of southern Africa chiefly from Natal. XI. *Notes Roy. Bot. Gard. Edinburgh* 42(2): 227–260.
- HILLIARD, O. M. & BURTT, B. L. (1985). *Conium* (Umbelliferae) in southern Africa. *J. S. African Bot.* 51: 465–474.
- BURTT, B. L. (1985). Gesnériacees. In: LEROY, J.-F. (ed.) *Flore du Gabon* 27: 3–18. Paris: Muséum National d'Histoire Naturelle.
- WEBER, A. & BURTT, B. L. (1985). Supplementary notes on *Didymocarpus corchorifolius* and its allies (Gesneriaceae). *Blumea* 31: 155–159.
- HILLIARD, O. M. & BURTT, B. L. (1986). Notes on some plants of southern Africa chiefly from Natal. XII. *Notes Roy. Bot. Gard. Edinburgh* 43(2): 189–228.
- HILLIARD, O. M. & BURTT, B. L. (1986). Studies in the Gesneriaceae of the Old World. XLIX. Additions and amendments to *Streptocarpus*. *Notes Roy. Bot. Gard. Edinburgh* 43(2): 229–232.
- BURTT, B. L. (1986). A new species of *Helichrysum* (Compositae) from Malawi. *Notes Roy. Bot. Gard. Edinburgh* 43(2): 233.
- BURTT, B. L. & SMITH, R. M. (1986). *Etilingera*: the inclusive name for *Achasma*, *Geanthus* and *Nicolaia* (Zingiberaceae). *Notes Roy. Bot. Gard. Edinburgh* 43(2): 235–241.
- BURTT, B. L. (1986). The Cape Flora [review of BOND, P. & GOLDBLATT, P. (1984). *The Cape Flora. Plants of the Cape flora: a descriptive catalogue*, being *J. S. African Bot.*, suppl. vol., 13. Kirstenbosch: National Botanic Gardens]. *Notes Roy. Bot. Gard. Edinburgh* 43(2): 335–336.
- BURTT, B. L. (1986). T.A. Sprague. *The Golden Bough* no. 8: 1–3.
- HILLIARD, O. M. & BURTT, B. L. (1986). Notes on some plants of southern Africa chiefly from Natal. XIII. *Notes Roy. Bot. Gard. Edinburgh* 43(3): 345–405.
- HILLIARD, O. M. & BURTT, B. L. (1986). *Hesperantha* (Iridaceae) in Natal and nearby. *Notes Roy. Bot. Gard. Edinburgh* 43(3): 407–438.
- HILLIARD, O. M. & BURTT, B. L. (1987). *Helichrysum petiolare*. *The Garden* 112(6): 276–277.
- HILLIARD, O. M. & BURTT, B. L. (1987). *The Botany of the Southern Natal Drakensberg* (being *Ann. Kirstenbosch Bot. Gard.*, vol. 15), 253 pp., 35 plates. Cape Town: National Botanic Gardens.
- HILLIARD, O. M. & BURTT, B. L. (1988). Notes on some plants of southern Africa chiefly from Natal. XIV. *Notes Roy. Bot. Gard. Edinburgh* 45(1): 77–94.
- HILLIARD, O. M. & BURTT, B. L. (1988). A revision of *Galtonia* (Liliaceae). *Notes Roy. Bot. Gard. Edinburgh* 45(1): 95–104.
- BURTT, B. L. (1988). [Review of VAN STEENIS, C.G.G.J. (ed.) (1986). *Flora Malesiana*, Series I – Spermatophyta (Flowering Plants), vol. 10, part 2. Dordrecht: Martinus Nijhoff]. *J. S. African Bot.* 54: 187.
- HILLIARD, O. M. & BURTT, B. L. (1988). Gesneriaceae. In: EXELL, A. W., LAUNERT, E. & POPE, G. V. (eds) *Flora Zambesiaca* 8(3): 43–60. London: Crown Agents & Nat. Hist. Mus. Publ.
- HILLIARD, O. M. & BURTT, B. L. (1988). Galtonias at home. *The Garden* 113(7): 331–334.
- HILLIARD, O. M. & BURTT, B. L. (1989). Notes on some plants of southern Africa chiefly from Natal. XV. *Notes Roy. Bot. Gard. Edinburgh* 45(2): 179–223.
- BURTT, B. L., SRIVASTAVA, S. K. & MEHROTRA, B. N. (1989). A new species of *Chirita* from NE India. *Notes Roy. Bot. Gard. Edinburgh* 45(3): 469–470.

-
- BURTT, B. L. (1989). A new shrubby genus of African Umbelliferae. *Notes Roy. Bot. Gard. Edinburgh* 45(3): 493–501.
- BURTT, B. L. (1989). Willis's third offspring [review of MABBERLEY, D.J. (1987). *The Plant-book. A Portable Dictionary of the Higher Plants*. Cambridge: Cambridge University Press]. *Notes Roy. Bot. Gard. Edinburgh* 45(2): 405.
- BURTT, B. L. (1989). Studies in the Gesneriaceae of the Old World. L. Notes on *Hexatheca*. *Notes Roy. Bot. Gard. Edinburgh* 46(1): 53–57.
- HILLIARD, O. M. & BURTT, B. L. (1990). Studies in the Gesneriaceae of the Old World. LI. A new *Streptocarpus* from Mozambique. *Notes Roy. Bot. Gard. Edinburgh* 46(3): 321–322.
- BURTT, B. L. (1990). Studies in the Gesneriaceae of the Old World. LII. Index to the series. *Notes Roy. Bot. Gard. Edinburgh* 46(3): 323–335.
- HILLIARD, O. M. & BURTT, B. L. (1990). Reduction of *Ornithogalum hygrophilum* and *O. baurii*. *Notes Roy. Bot. Gard. Edinburgh* 46(3): 343.
- BURTT, B. L. (1990). Some Iridaceae of Southern Africa [review of GOLDBLATT, P. (1986). *The Moraeas of Southern Africa*, being *Ann. Kirstenbosch Bot. Gard.*, vol. 14. Cape Town: National Botanic Gardens, and GOLDBLATT, P. (1989). *The Genus Watsonia*, *ibid.*, vol. 19]. *Notes Roy. Bot. Gard. Edinburgh* 46(3): 423–425.
- HILLIARD, O. M. & BURTT, B. L. (1990). *Dierama*: a neglected genus of Iridaceae. *The Plantsman* 12(2): 106–112.
- BURTT, B. L. (1990). Gesneriaceae of the Old World. I. New and little known species of *Cyrtandra* from Malesia. *Edinburgh J. Bot.* 47(3): 201–233.
- BURTT, B. L. (1990). Gesneriaceae of the Old World. II. A new *Didymocarpus* from Sumatra. *Edinburgh J. Bot.* 47(3): 235–237.
- BURTT, B. L. (1990). The adoption of *Stoibrax* for *Tragiopsis* and *Brachyapium* (Umbelliferae) and its N-S African disjunction. In: TAN, K. (ed.) *The Davis and Hedge Festschrift. Plant taxonomy, Phytogeography, and Related Subjects*, pp. 143–147. Edinburgh: Edinburgh University Press.
- BURTT, B. L. (1990). Corrections to 'Distribution of Gesneriaceae in the eastern Himalayas with special reference to Darjeeling district'. *J. Bengal Nat. Hist. Soc.* 9(2) (n.s.): 86–88.
- BURTT, B. L. (1991). The structural biology of palms [review of TOMLINSON, P.B. (1990). *The Structural Biology of Palms*. Oxford: Clarendon Press]. *New Phytol.* 117(3): 511–512.
- XU, Z. & BURTT, B. L. (1991). Towards a revision of *Paraboea* (Gesneriaceae). *Edinburgh J. Bot.* 48(1): 1–18.
- HILLIARD, O. M. & BURTT, B. L. (1991). *Dierama: the Hairbells of Africa*. 152 pp., 44 plates (by Auriol Batten). Johannesburg: Acorn Press.
- BURTT, B. L. (1991). Umbelliferae in southern Africa: an introduction and annotated checklist. *Edinburgh J. Bot.* 48(2): 133–282.
- BURTT, B. L. (1991). On cryptocotylar germination in dicotyledons. *Bot. Jahrb. Syst.* 113(2/3): 429–442.
- BURTT, B. L. (1991). Comments on *Torenia* (Scrophulariaceae), with a new species from Sarawak. *Rheedea* 1(1–2): 1–10.
- BURTT, B. L. (1992). Old World Gesneriaceae. III. New species and varieties from Borneo, chiefly from Mt. Kinabalu. *Edinburgh J. Bot.* 49(3): 285–296.
- BURTT, B. L. (1992). Introduction, to WANG, W. T., PAN, K. Y. & LI, Z. Y., Keys to the Gesneriaceae of China [translated from *Flora of China*, vol. 69]. *Edinburgh J. Bot.* 49(1): 5–74.
- BURTT, B. L. (1994). [Review of DRESSLER, R.L. (1993). *Phylogeny and Classification of the Orchid Family*. Cambridge: Cambridge University Press]. *Watsonia* 20: 76–77.

- BURTT, B. L. (1994). [Review of KUBITZKI, K., ROHWER, J.G. & BITTRICH, V. (1993). *The families and genera of vascular plants. II: Magnoliid, Hamamelid and Caryophyllid families*. Berlin: Springer Verlag]. *Ann. Bot.* 73: 345–346.
- BURTT, B. L. (1994). A commentary on some recurrent forms and changes of form in angiosperms. In: INGRAM, D. S. & HUDSON, A. (eds) *Shape and Form in Plants and Fungi*. Linnean Soc. Symp. Series 16: 143–152.
- HILLIARD, O. M. & BURTT, B. L. (1995). Old World Gesneriaceae. IV. Notes on *Didymocarpus* and *Lysionotus*. *Edinburgh J. Bot.* 52(2): 215–224.
- BURTT, B. L. & WIEHLER, H. (1995). Classification of the family Gesneriaceae. *Gesneriana* 1: 1–4.
- BURTT, B. L. (1996). Gesneriaceae. In: COODE, M. J. E. *et al.*, *A Checklist of the Flowering Plants and Gymnosperms of Brunei Darussalam*, pp. 131–136 (determinations), pp. 436–438 (new species and combinations). Brunei Darussalam: Ministry of Industry & Primary Resources.
- BURTT, B. L. (1997). Old World Gesneriaceae. V. Suprageneric names. *Edinburgh J. Bot.* 54(1): 85–90.
- HILLIARD, O. M. & BURTT, B. L. (1997). New names in *Epithema* (Gesneriaceae). *Edinburgh J. Bot.* 54(1): 111–113.
- BURTT, B. L. (1997). *Pseuderanthemum roseum* again. *Edinburgh J. Bot.* 54(2): 253–254.
- BURTT, B. L. (1998). A new species of *Petrocosmea* [*P. formosa*]. *The Gloxinian* 48(1): 14–15.
- BURTT, B. L. (1998). Return to *Pseudogaltonia* (Liliaceae). *Edinburgh J. Bot.* 55(3): 485–486.
- BURTT, B. L. (1998). The disposal of two unnecessary names in *Aeschynanthus*. *Edinburgh J. Bot.* 55(3): 481–487.
- WEBER, A. & BURTT, B. L. (1998 [‘1997’]). General introduction to ‘Taxonomic studies in South East Asian Gesneriaceae’. *Beitr. Biol. Pflanzen* 70(2–3): 149–152.
- WEBER, A. & BURTT, B. L. (1998 [‘1997’]). *Didissandra*: redefinition and partition of an artificial genus of Gesneriaceae. *Beitr. Biol. Pflanzen* 70(2–3): 153–177.
- WEBER, A. & BURTT, B. L. (1998 [‘1997’]). Revision of the genus *Didissandra* (Gesneriaceae). *Beitr. Biol. Pflanzen* 70(2–3): 191–225.
- WEBER, A. & BURTT, B. L. (1998 [‘1997’]). Revision of the genus *Ridleyandra* (Gesneriaceae). *Beitr. Biol. Pflanzen* 70(2–3): 225–273.
- VITEK, E., WEBER, A. & BURTT, B. L. (1998 [‘1997’]). Generic position of the species hitherto referred to *Didissandra* (Gesneriaceae). *Beitr. Biol. Pflanzen* 70(2–3): 275–291.
- WEBER, A. & BURTT, B. L. (1998 [‘1997’]). Remodelling of *Didymocarpus* and associated genera (Gesneriaceae). *Beitr. Biol. Pflanzen* 70(2–3): 293–363.
- BURTT, B. L. (1998 [‘1997’]). Taxonomic history of *Didymocarpus* and *Henckelia* (Gesneriaceae). *Beitr. Biol. Pflanzen* 70(2–3): 365–375.
- BURTT, B. L. (1998 [‘1997’]). New species of phylogeographical interest in *Beccarinda* and *Henckelia* (Gesneriaceae). *Beitr. Biol. Pflanzen* 70(2–3): 377–382.
- KIEW, R., WEBER, A. & BURTT, B. L. (1998 [‘1997’]). Three new genera of Gesneriaceae from limestone of Peninsular Malaysia. *Beitr. Biol. Pflanzen* 70(2–3): 377–382.
- BURTT, B. L. (1998). Gesneriaceae. In: CABLE, S. & CHEEK, M., *The Plants of Mount Cameroun*, p. 57. London: Royal Botanic Gardens, Kew.
- BURTT, B. L. (1998). Climatic accommodation and phylogeography of the Gesneriaceae of the Old World. In: MATHEW, P. & SIVADASAN, M. (eds) *Diversity and Taxonomy of Tropical Flowering Plants*, pp. 1–27. Calicut: Mentor Books.
- BURTT, B. L. (1999). Letter [on *Streptocarpus*]. *The Gloxinian* 49(3): 15–17.
- BURTT, B. L. (1999). The importance of some Far-Eastern species of Dipsacaceae in the history of the family. In: TANDON, R. K. & PRITHIPALSINGH (eds) *Biodiversity, Taxonomy and Ecology*, pp. 131–139. Jodhpur: Scientific Publishers.

- BURTT, B. L. (1999). Old World Gesneriaceae. VI. Six miscellaneous notes [I. Reduction of *Lenbrassia* to *Fieldia*; II. On *Boea wallichii* R.Br.; III. The identity of *Cyrtandra oblongifolia* sensu Kraenzlin; IV. *Cyrtandra suffruticosa* on the Natuna Islands; V. A new, and anomalous, *Didymocarpus* from Burma; VI. A new *Streptocarpus* from Angola]. *Edinburgh J. Bot.* 56(3): 371–379.
- BURTT, B. L. (1999). The transfer of *Harveya alba* to *Alectra* (Scrophulariaceae). *Edinburgh J. Bot.* 56(3): 459–460.
- HILLIARD, O. M. & BURTT, B. L. (1999). Towards a revision of *Agalmyla* (Gesneriaceae). *Blumea* 44: 381–389.
- BURTT, B. L. (1999). A new *Chirita* from Vietnam [*C. tamiana*]. *The Gloxinian* 49(4): 20.
- BURTT, B. L. (2000). *Sanniella* and its relation to other South African genera of Hypoxidaceae. *Edinburgh J. Bot.* 57: 63–70.
- WEBER, A. & BURTT, B. L. (2000). Redefined, revived and new genera of South East Asian Gesneriaceae. Introduction. *The Gloxinian* 50(3): 14–16.
- WEBER, A. & BURTT, B. L. (2000). Redefined, revived and new genera of South East Asian Gesneriaceae. The restricted genus *Didymocarpus*. *The Gloxinian* 50(3): 17–23.
- WEBER, A. & BURTT, B. L. (2000). Redefined, revived and new genera of South East Asian Gesneriaceae. The re-established and expanded genus *Henckelia*. *The Gloxinian* 50(4): 33–41.
- WEBER, A. & BURTT, B. L. (2000). Redefined, revived and new genera of South East Asian Gesneriaceae. The new genus *Hovanella*. *The Gloxinian* 50(4): 42.
- WEBER, A., BURTT, B. L. & VITEK, E. (2000). Materials for a revision of *Didymocarpus* (Gesneriaceae). *Ann. Naturhist. Mus. Wien* 102B: 441–475.
- VITEK, E., WEBER, A. & BURTT, B. L. (2000). Names, types and current placement of the species hitherto referred to *Didymocarpus*, *Loxocarpus*, *Codonoboea*, *Platyadenia* and *Henckelia* (Gesneriaceae). *Ann. Naturhist. Mus. Wien* 102B: 477–530.
- WEBER, A. & BURTT, B. L. (2001). Redefined, revived and new genera of South East Asian Gesneriaceae. The restricted genus *Didissandra*. *The Gloxinian* 51(1): 17–18.
- WEBER, A. & BURTT, B. L. (2001). Redefined, revived and new genera of South East Asian Gesneriaceae. The new genus *Ridleyandra*. *The Gloxinian* 51(1): 19–22.
- WEBER, A. & BURTT, B. L. (2001). Redefined, revived and new genera of South East Asian Gesneriaceae. The revived and ill-known genus *Raphiocarpus*. *The Gloxinian* 51(2): 48–49.
- WEBER, A. & BURTT, B. L. (2001). Redefined, revived and new genera of South East Asian Gesneriaceae. The new Malayan genera *Emarhendia*, *Senyumia* and *Spelaeanthus*. *The Gloxinian* 51(2): 50–51.
- WEBER, A. & BURTT, B. L. (2001). New genera and generic concepts in Malesian Gesneriaceae. In: SAW, L. G., CHUA, L. S. L. & KHOO, K. C. (eds) *Taxonomy: the Cornerstone of Biodiversity* [being the Proceedings of the Fourth International Flora Malesiana Symposium 1998], pp. 187–195. Kuala Lumpur: Forest Research Institute Malaysia.
- BURTT, B. L. (2001). Flora of Thailand: annotated checklist of Gesneriaceae. *Thai Forest Bull., Bot.* 29: 81–109.
- BURTT, B. L. (2001). *Kaisupeea*: a new genus of Gesneriaceae centred in Thailand. *Nordic J. Bot.* 21(2): 115–119.
- BURTT, B. L. (2001). Tournefort in Turkey (1701–1702). Part 1. *Karaga Arbor. Mag.* 6(2): 45–62. [Includes translation into Turkish by Adil Güner].
- BURTT, B. L. (2001). A survey of the genus *Cyrtandra* (Gesneriaceae). *Phytomorphology* 51(3/4): 393–404.
- BURTT, B. L. (2001). Gesneriaceae. In: BEAMAN, J. H., ANDERSON, C. & BEAMAN, R. S., *The Plants of Mount Kinabalu. 4. Dicotyledon families Acanthaceae to Lythraceae*,

- pp. 363–377. Borneo: Natural History Publications, in association with the Royal Botanic Gardens, Kew.
- HILLIARD, O. M. & BURTT, B. L. (2002). The genus *Agalmyla* (Gesneriaceae-Cyrtandroideae). *Edinburgh J. Bot.* 59(1): 1–210.
- HILLIARD, O. M. & BURTT, B. L. (2002). A new species of *Agalmyla* (Gesneriaceae) from Sulawesi. *Edinburgh J. Bot.* 59(2): 323–324.
- HILLIARD, O. M., BURTT, B. L. & BOKHARI, M. H. (2003). *Pleuroschisma*, a new section of *Cyrtandra* (Gesneriaceae) from Borneo. *Gard. Bull. Singapore* 55: 35–60.
- BURTT, B. L. & HILLIARD, O. M. (2004). Bornean species of *Cyrtandra* (Gesneriaceae) closely allied to *C. chrysea* and *C. eximia*. *Kew Bull.* 59(2): 251–259.
- HILLIARD, O. M. & BURTT, B. L. (2005 [‘2004’]). Old World Gesneriaceae. VII: *Cyrtandra schizostyla*, *C. velutina* and their respective allies in Borneo. *Edinburgh J. Bot.* 61(2–3): 131–145.
- BURTT, B. L. (2005 [‘2004’]). Old World Gesneriaceae. VIII: Miscellaneous Bornean species of *Cyrtandra*. *Edinburgh J. Bot.* 61(2–3): 147–157.
- HILLIARD, O. M. & BURTT, B. L. (2005 [‘2004’]). Old World Gesneriaceae. X: Bornean species of *Cyrtandra* allied to *C. phoenicolasia*. *Edinburgh J. Bot.* 61(2–3): 173–183.
- HILLIARD, O. M. & BURTT, B. L. (2006 [‘2005’]). Old World Gesneriaceae. XI: More miscellaneous species of *Cyrtandra* in Borneo. *Edinburgh J. Bot.* 62(3): 145–163.
- HILLIARD, O. M. & BURTT, B. L. (2006). Old World Gesneriaceae. XII: Further miscellaneous species of *Cyrtandra* in Borneo. *Edinburgh J. Bot.* 63(2–3): 209–229.
- XU, Z. R., BURTT, B. L., SKOG, L. E. & MIDDLETON, D. J. (2008). A revision of *Paraboea* (Gesneriaceae). *Edinburgh J. Bot.* 65(2): 161–347.
- A. WEBER, S. SONTAG, M. MENDUM†,
O.M. HILLIARD & H.J. NOLTIE