

## GENERAL INDEX TO VOLUME 66 (2009)

*Note:* Main entries are **emboldened**; \* signifies the page range of keywords; pages with illustrations (Fig.), maps and reviews (Rev.) are indicated; tables are not annotated separately.

- Abacopteris*
- rubicunda* (Alderw.) Holttum, 359
- triphylla* (Sw.) Ching
- var. *parishii* (Bedd.) Ching, 360
- Acacia*, 7, 268, 271, 279
- asak* (Forssk.) Willd., 266, 268–269, 274–276
- ehrenbergiana* Hayne, 268
- glomerosa* Benth., 336
- johnwoodii* Boulos, 268–269, 271–272, 278–279
- mellifera* (Vahl) Benth., 271
- torilis* (Forssk.) Hayne, 268
- Acalypha*, 268, 336
- fruticosa* Forssk., 269–271, 276
- Acanthaceae*, 333
- Acanthocoleus* R.M.Schust., 182
- Acantholejeunea* (R.M.Schust.) R.M.Schust., 182
- Achariaceae*, 28
- ACHARYA*, N., 51–64
- Achyranthes*
- aspera* L., 270
- Acianthera*
- ochreata* (Lindl.) Pridgeon & M.W.Chase, 337, 341
- Acisanthera*, 337
- Acrobolbaceae** E.A.Hodgs., **189**
- Acrobolbus* Nees, 189
- Acrochila* R.M.Schust., 166, 186
- Acrolejeunea* (Spruce) Schiffn., 182
- Acrophozia* R.M.Schust., 191
- Acromastigum* A.Evans, 184–185, 187, 189
- Acrosypella* N.Kitag. & Grolle, 188
- Acrostichum*
- exsculptum* Baker, 359
- Adelanthaceae** Grolle, **186**
- Adelanthus* Mitt., 186
- Adenium*
- arabicum* Balf.f., 97–98
- chrysostephana* (Deflers) A.Berger, Stapel. & Klein, 100
- obesum** (Forssk.) Roem. & Schult., **97–98**, 271
- somalense* Balf.f., 98
- Adiantaceae*, 358
- Aegopodium*
- burtii* Nasir, 6
- Aeschynanthus** Jack, 391–446\* [**393**]
- sect. *Microtrichium* C.B.Clarke, 419
- sect. *Polytrichium* Benth., 396, 410, 421
- acuminatissimus** W.T.Wang, 395–399 [397 & Map]
- acuminatus** Wall. ex A.DC., 392, 394, 397, 399–400 & Map, 405, 433, 435
- var. *chinensis* (Gardner & Champ.) C.B.Clarke, 399
- andamanensis* Goel, Vasudeva Rao & Mehrotra, 426, 429
- angustifolius* (Blume) Steud., 393
- angustioblongus* auct. non W.T.Wang, 423
- austroyunnanensis* W.T.Wang, 423, 425
- var. *guangxiensis* (Chun ex W.T.Wang & K.Y.Pan) W.T.Wang, 423
- beccarii* C.B.Clarke, 438
- boschianus* de Vriese, 437
- bracteatus* auct. non Wall. ex A.DC., 399, 440
- bracteatus** Wall. ex A.DC., 392, 394, 397, 401–405 [**402**, 403 Fig., 404 Map]
- var. *peelii* (Hook.f. & Thomson) C.B.Clarke, 402
- burtii* Mendum, 6
- buxifolius* Hemsl., 394, 396, 399, **406–407** [406 Map], 419
- cambodiensis** D.J.Middleton, 391–392, 394, 396, 404 Map, **408–410** [409 Fig.], 421, 437
- chinensis* Gardner & Champ., 399
- chiritooides** C.B.Clarke, 394, 396, 410–413 [411 Fig., 412 Map]
- consobrinus* Kraenzl., 431
- deleiensis* C.E.C.Fisch., 425, 428
- denticuliger* W.T.Wang, 410, 413
- dischidioides* (Ridl.) D.J.Middleton, 393
- dolicanthus* W.T.Wang, 426, 428
- evrardii* Pellegr., 414
- fulgens** Wall. ex R.Br., 392, 395–396, 412 Map, **414**, 428–429

- garrettii* auct. non Craib, 397, 431  
*garrettii* Craib, 398–399, 407  
*gracilis* Parish ex C.B.Clarke, 413  
*grandiflorus* Spreng., 425  
 var. *parasiticus* (Roxb.) C.B.Clarke, 425  
*guangxiensis* Chun ex W.T.Wang & K.Y.Pan, 423, 425  
*hookeri* C.B.Clarke, 392  
*hosseusii* auct. non Pellegr., 402, 431  
*hosseusii* Pellegr., 392, 405, 441  
**humilis** Hemsl., 395–396, 412 Map, 416  
*javanicus* Rollinson ex Hook., 437  
**jouyi** D.J.Middleton, 391–392, 395–396, 406 Map, 417–419 [418 Fig.]  
*lampongus* Miq., 438  
 var. *parvifolius* Ridl., 438  
*lanceolatus* Ridl., 438  
*lineatus* auct. non Craib, 431  
*lobbianus* Hook., 437  
*longicalyx* H.W.Li, 423  
*longicaulis* auct. non Wall. ex R.Br., 420  
*longicaulis* Wall. ex R.Br., 392  
*longiflorus* Wall., 440  
*macranthus* auct. non (Merr.) Pellegr., 414  
*macranthus* (Merr.) Pellegr., 425, 427–428  
*maculatus* Lindl., 429  
 var. *sikkimensis* C.B.Clarke, 431  
 var. *stenophyllum* C.B.Clarke, 431  
**membranifolius** (Costantin) D.J.Middleton, 392, 395–396, 406 Map, 419, 421, 437  
**mendumiae** D.J.Middleton, 392, 394, 396, 408, 410, 421–423 [422 Map], 437  
**micranthus** C.B.Clarke, 395–396, 422 Map, 423, 425  
*mimetes* B.L.Burtt, 426, 428  
*moningerae* (Merr.) Chun, 435  
*neesii* Zoll. & Moritzi, 437  
*oxychlamys* Mendum, 393  
*pachytrichus* W.T.Wang, 426, 428  
*papuanus* (Schltr.) B.L.Burtt, 393  
*parasiticus* (Roxb.) Wall., 392, 395–396, 425–429 [426 Map]  
*parviflorus* (D.Don) Spreng., 392–393, 395–396, 428–433 [429, 430 Fig., 431 Map]  
*parvifolius* R.Br., 437  
*paxtonii* Lindl., 402  
**pedunculatus** D.J.Middleton, 391–392, 395, 397, 401, 426 Map, 433, 435 & Fig.  
*peelii* Hook.f. & Thomson, 402, 406  
*persimilis* auct. non Craib, 416  
**poilanei** Pellegr., 392, 394, 396, 431 Map, 436  
**pulcher** (Blume) G.Don, 392, 395–396, 437–438 & Map, 440  
*pusillus* Prain, 410, 413  
*ramosissimus* Wall., 429  
*rhododendron* Ridl., 417, 419  
*sikkimensis* (C.B.Clarke) Stapf, 431, 433  
*sinolongicalyx* W.T.Wang, 410, 423  
*stenosiphonius* W.T.Wang, 414  
**superbus** C.B.Clarke, 392, 394, 397, 438 Map, 440  
*tubulosus* J.Anthony, 407  
*volubilis* Jack, 393  
*zollingeri* C.B.Clarke, 438  
 Africa, 27–49\*  
   Atlantic Central, 115–132  
   new national records, 115–132  
*Aglaia* Lour., 347  
 var. *breviracemosa* (Kosterm.) Kosterm., 309  
*Agrostis*, 7  
*Aitchisoniella* Kashyap, 175  
**AL-ABBASI**, T.M., 263–281  
**ALEJANDRO**, G.J., 447–457  
**AL-FARHAN**, A., 263–281  
*Algae*, 483–484 Rev.  
**AL-KHULAIIDI**, A.W., 263–281  
*Allisonia* Herzog, 177  
**Allisoniaceae** Schljakov, 177  
*Allisoniella* E.A.Hodgs., 187  
*Allobiellopsis* R.M.Schust., 187  
*Allophyllus*  
 var. *rufifolius* (Hochst.) Engl., 273, 275  
*Alobiella* (Spruce) Schiffn., 187  
**AL-QADASI**, A.H., 263–281  
*Alstroemeria*  
 var. *longistaminea* Mart., 333, 341  
*Alstroemeriaceae*, 333, 341, 344  
*Alternanthera*  
 var. *brasiliiana* (L.) Kuntze, 333, 342  
**ALVES**, M., 329–346  
*Amaranthaceae*, 333, 342  
*Amaryllidaceae*, 333, 343  
*Amazoopsis* J.J Engel & G.L.S.Merr., 185  
*Amblyolejeunea* Ast., 182  
*Amomum*  
 var. *burrillii* R.M.Smith, 6  
*Amphicephalozia* R.M.Schust., 187

- Amphijubula* R.M.Schust., 181  
*Amphilejeunea* R.M.Schust., 182  
*Amphilophocolea* R.M.Schust., 185  
*Amphineuron*  
  *immersum* (Blume) Holttum, 359  
*Anacardiaceae*, 273, 333  
*Anacardium*  
  *occidentale* L., 333  
*Anastrepta* (Lindb.) Schiffn., 187  
*Anastrophyllum* (Spruce) Steph., 168, 187  
*Ancistrorhynchus*  
  *schumannii* (Kraenzl.) Summerh., 117  
  *tenuicaulis* Summerh., 117, 118 Map  
*Andreaea*, 155  
*Andrewsianthus* R.M.Schust., 187  
*Andropogon*  
  *selloanus* (Hack.) Hack., 338  
*Androsiphonia* Stapf, 27, 29–30  
*Aneilema*, 269  
  *woodii* Faden, 273, 275–277  
*Aneura* Dumort., 162, 180  
**Aneuraceae** H.Klinggr., 160, 180  
*Angolluma*  
  *chrysostephana* (Deflers) Plowes, 100  
*Angraecum*  
  *angustum* (Rolfe) Summerh., 118 Map,  
  120, 121 Fig.  
  *eichlerianum* Kraenzl.  
  var. *curvicalcaratum* Szlach. &  
  Olszewski, 118 Map, 120, 121 Fig.  
  var. *eichlerianum*, 120  
*Aniseia*  
  *heterantha* (Nees & Mart.) Choisy, 150  
*Anisotachis* R.M.Schust., 188  
*Anisotes*  
  *trisulcus* (Forssk.) Nees, 271, 276  
*Annona*  
  *squamosa* L., 268–271, 274–276  
*Annonaceae*, 365–370  
*Anomocaulis* (R.M.Schust.) Grolle, 187  
*Anomoclada* Spruce, 185, 187  
*Anomomarsupella* R.M.Schust., 190  
*Anoplolejeunea* (Spruce) Schiffn., 182  
*Anthelia* (Dumort.) Dumort., 191  
**Antheliaceae** R.M.Schust., 191  
*Anthephora*, 7  
*Anthurium*  
  *affine* Schott, 333  
*Antiaris*  
  *toxicaria* Lesch., 266, 270–275, 277  
*Antrophytum*  
  *winitii* Tagawa & K.Iwats., 357–358  
*Aphanamixis*, 350  
  *polystachya* (Wall.) R.N.Parker, 350  
*Aphanolejeunea* A.Evans, 163, 182  
*Aphanotropis* Herzog, 182  
*Apiaceae*, 6  
*Apinagia*  
  *goejei* Went, 478  
  *multibranchiata* (Matthiesen) P.Royen,  
  478, 480  
  *riedelii* (Bong.) Tul., 469–470, 475–477,  
  479  
*Apochiton*, 7  
*Apocynaceae*, 97–101\*, 273, 333, 340–341,  
  447–457  
  subfam. *Asclepiadoideae*, 447–457  
  subfam. *Periplocoideae*, 449  
  tribe *Marsdenieae*, 447–457\*  
*Apomarsupella* R.M.Schust., 191  
*Apometzgeria* Kuwah., 161–162, 180  
*Apotomanthus* (Spruce) Schiffn., 166–167,  
  190  
*Apotreubia* S.Hatt. & Mizut., 158, 171  
*Arabia*  
  Flora of, 97–101\*  
  Southwest, 263–281\*  
*Arabian Peninsula*, 97–101\*  
*Araceae*, 6, 333  
*Arachniopsis* Spruce, 185  
*Archeochaete* R.M.Schust., 184  
*Archeophylla* R.M.Schust., 184  
*Archilejeunea* (Spruce) Schiffn., 182  
*Arctoscaphus* Hässel, 190  
*ARDI*, W.H., 103–114, 229–238  
*Arecaceae*, 333  
*Argostemma* Wall., 239  
  *burttii* B.Bremer, 6  
*Aridarum*  
  *burttii* J.Bogner & D.H.Nicolson, 6  
*Aristolochia*  
  *bracteata* Retz., 269  
*Arnellia* Lindb., 189  
**Arnelliaceae** Nakai, 168–169, 189  
*Ascodiota* C.Massal., 180  
*Asclepiadaceae*, 199–201 Rev.  
*Asclepias*  
  *laniflora* Forssk., 99  
*Aspidium*  
  *crassifolium* Blume, 359

- immersum* Blume, 359  
*Asteraceae*, 6–7, 333, 339–340, 343  
*see also Compositae*  
*Asterella* P.Beauv., 174  
*Astraea*  
*lobata* (L.) Klotzsch, 336  
*Athalamia* Falconer, 174  
 Atlantic Central Africa, 115–132  
*Atriplex*  
*halimus* L., 70  
*Aureolejeunea* R.M.Schust., 182  
*AUSTIN*, D.F., 133–153  
*Astrofossombronia* R.M.Schust., 161, 178  
*Austrolejeunea* (R.M.Schust.) R.M.Schust., 182  
*Austrolembidium* Hässel, 185  
*Austrolophozia* R.M.Schust., 189  
*Astrometzeria* Kuwah., 161, 180  
*saccata*, 162  
*Astroscyphus* R.M.Schust., 188  
*Axonopus*, 338  
*aureus* P.Beauv., 338  
**Atyoniaceae** Cavers, 174  
 Azaleas, evergreen, 81–95
- Bakeridesia*  
*andrade-limae* Monteiro, 337  
**BALACHANDRAN**, I., 77–80  
**Balantiopsidaceae** H.Buch., 188  
*Balantiopsis* Mitt., 188  
*Bambusa*  
*bambos* (L.) Voss, 79  
**BANKA**, R.A., 239–261  
*Baphia*, 7  
*Barbilophozia* Loeske, 188  
*Barteria* Hook.f., 27, 29–30  
*Bauhinia*  
*tomentosa* L., 273  
*Baynesia*, 201–203 Rev.  
*Bazzania* Gray, 184–191  
*Becium*  
*filamentosum* (Forssk.) Chiov., 270  
*Begonia* L., 103–114, 205–211\*, 229–238\*, 239  
*sect. Baryandra* A.DC., 109  
*sect. Diploclinium* (Lindl.) A.DC., 109  
*sect. Parvibegonia* A.DC., 109  
*sect. Petermannia* (Klotzsch) A.DC., 103–114\*, 205–211, 229–230, 234, 236–237  
*sect. Platycentrum* (Klotzsch) A.DC., 104  
*sect. Sphenanthera* (Hassk.) Warb., 103–104, 229  
**androtruba** C.Coyle, 205–209 [206, 207 Map, 208 Fig.]  
*aptera* Blume, 104  
*bonthainensis* Hemsl., 104  
*brachybotrys* Merr. & L.M.Perry, 236  
*burtii* Kiew & S.Julia, 6  
*calcicola* Merr., 109  
*capituliformis* Irmsch., 104  
*carnosa* (Teijsm. & Binn.) Teijsm. & Binn., 104  
*celebica* Irmsch., 104  
*chiasmogyna* M.Hughes, 104, 237  
*cladotricha* M.Hughes, 109  
*cuneatifolia* Irmsch., 104  
**didyma** D.C.Thomas & Ardi, 229–234 [230, 231 Fig., 233 Map], 237  
*flacca* Irmsch., 104  
*gemella* Warb. ex L.B.Sm. & Wassh., 104, 230, 234  
**georgei** C.Coyle, 205–210 [207 Map, 208 Fig., 209]  
*grandipetala* Irmsch., 104, 237  
**guttapila** D.C.Thomas & Ardi, 229, 232–237 [232 Fig., 233 Map, 234]  
**hekensis** D.C.Thomas, 103–104, 107 Fig., 108 Map, 110, 113  
*heteroclinis* Miq. ex Koord., 104  
*hispidiissima* Zipp. ex Koord., 104, 110, 113  
*humilicaulis* Irmsch., 104  
*imperfecta* Irmsch., 104  
*insularum* Irmsch., 104  
*koordersii* Warb. ex L.B.Sm. & Wassh., 104, 236  
*longifolia* Blume, 103–104  
*longistipula* Merr., 210  
*macintyreana* M.Hughes, 104, 237  
*masarangensis* Irmsch., 104, 113  
*mendumiae* M.Hughes, 104, 110  
*oxysperma* A.DC., 109  
**ozotothrix** D.C.Thomas, 103–111 [105, 106 Fig., 108 Map, 110–111 Figs], 236–237  
**palawanensis** Merr., 205–211 [207 Map, 208 Fig., 210]  
*peekelii* Irmsch., 236  
*picta* Sm., 109  
*pseudolateralis* Warb., 104, 236

- rachmatii* Tebbitt, 104  
*ramosii* Merr., 209  
*renifolia* Irmsch., 104  
*rieckei* Warb., 103–104, 236  
*robusta* Blume, 104  
*sarasinorum* Irmsch., 104  
*saxicola* A.DC., 334, 341  
*siccacaudata* J.Door., 104, 110, 236  
*sinuata* Wall. ex Meisn., 109  
*sphenocarpa* Irmsch., 104  
*stevei* M.Hughes, 104, 237  
*strachwitzii* Warb. ex Irmsch., 104  
*strictipetiolaris* Irmsch., 104, 236  
*varipeltata* D.C.Thomas, 104, 237
- Begoniaceae**, 6, 103–114, 205–211, 229–239, 334, 341, 344
- Bellevalia* Lapeyr., 65–75\*  
 sect. *Bellevalia*, 70  
 subsect. *Romana* Feinbrun, 70–71, 73  
*dolichophylla* Brullo & Minissale, 65–66, 69 Map, 70, 72–73  
*dubia* (Guss.) Rchb.  
 subsp. *dubia*, 65  
*galitensis* Bocchieri & Mossa, 65, 69 Map, 70–73  
*mauritanica* Pomel, 71–73  
*pelagica* C.Brullo, Brullo & Pasta, 65–75 [66, 67–69 Figs, 69 Map, 71 Fig.]  
*romana* (L.) Sweet, 65, 71–73
- Bellolum*  
*burtianum* A.C.Smith, 6
- Berchemia*  
*discolor* (Klotzsch) Hemsl., 264, 266, 269, 275
- Bersama*  
*abyssinica* Fresen., 273, 276
- Bidens*  
*pilosa* L., 333
- Bignoniaceae**, 273, 334
- Bikinia*  
*letestui* (Pellegr.) Wieringa, 129
- Bixaceae**, 334
- Blasia* L., 155, 172
- Blasiaceae** H.Klinggr., 172
- Blasiales** Stotler & Crand.-Stotl., 156, 172
- Blepharidophyllaceae** R.M.Schust., 167, 169, 189
- Blepharidophyllum* Ångstr., 167, 189
- Blepharodon*  
*manicatum* (Decne.) Fontella, 333, 341
- Blepharolejeunea* S.W.Arnell, 182  
*Blepharostoma* (Dumort.) Dumort., 164–165, 184
- Blepharostomataceae**, 164
- Bletia*  
*purpurea*, 199–201 Rev.
- Boehmeria* Jacq., 51–64\* [58 Fig.]
- nepalensis* Wedd., 57  
*nervosa* Madden, 60  
*pilosiuscula* (Blume) Hassk., 52  
*polystachya* Wedd., 63  
*rugulosa* Wedd., 51, 53, 55–57, 60
- Boerhavia*  
*repens* L., 269
- Boesenbergia*  
*burtiana* R.M.Smith, 6
- Bomarea*  
*edulis* (Tussac) Herb., 333, 341
- Bonamia* Thouars, 133, 136
- ferruginea* (Choisy) Hallier f., 150
- maripoidea* Hallier f., 150
- media* (R.Br.) Hallier f., 135
- peruviana* Ooststr., 136–138, 142–143
- semidigyna*, 133
- umbellata* (Choisy) Hallier f., 150
- BOOK REVIEWS:**
- Blüte und Frucht. Morphologie, Entwicklungsgeschichte, Phylogenie, Funktion, Ökologie* (P. Leins & C. Erbar), 363–364
- British Alpine Hawkweeds: A Monograph of British Hieracium section Alpina* (D.J. Tennant & T.C.G. Rich), 487–488
- Franz Bauer: The Painted Record of Nature* (H.W. Lack), 199–201
- Fruit: Edible, Inedible, Incredible* (W. Stuppy & R. Kesseler), 485–486
- Phycology* (R.E. Lee), 483–484
- Stapeliads of Southern Africa and Madagascar* (P.V. Bruyns), 201–203
- Boraginaceae**, 334
- Borneo*, 365–370, 447–457\*
- Boucerosia*  
*adenensis* Deflers, 98
- Brachiolejeunea* (Spruce) Schiffn., 182
- Brachystegia*, 7
- Bragginsella* R.M.Schust., 190
- Brassavola*  
*tuberculata* Hook., 337

- Brassicaceae*, 334  
*Brazil*, 329–346\* [332 Map]  
*Breonadia*  
  *salicina* (Vahl) Hepper & J.R.I.Wood,  
    264, 270–271, 274, 277  
*BRETELER*, F.J., 27–49  
*Brevianthaceae* J.J.Engel & R.M.Schust.,  
  186  
*Brevianthus* J.J.Engel & R.M.Schust., 186  
*Breweria*  
  *mexicana* Hemsl., 146  
    var. *floribunda* Villada, 146, 150  
*Bridelia*  
  *scleroneura* Müll.Arg., 273, 276  
*Bromelia*, 334  
*Bromeliaceae*, 329, 333–334, 340–341  
*Bromeliophila* R.M.Schust., 182  
*Brucea*  
  *antidysenterica* J.F.Mill., 270, 273  
*BRULLO*, C., 65–75  
*BRULLO*, S., 65–75  
*BRUYNS*, P.V., 97–101  
*Bryopteris* (Nees) Lindenb., 181–182  
*Bucegia* Radian, 174  
*Buddlejaceae*, 273  
*Buelowia* Schumach. & Thonn., 29, 40  
  *illustris* Schumach. & Thonn., 40, 44, 48  
  *insignis* Schumach. & Thonn., 44  
*Bulbophyllum*, 7  
  *coriscense* Rchb.f., 118 Map, **122**  
  *renkinianum* (Laurent) De Wild., 118  
    Map, **123**  
  *vanum* J.J.Verm., 118 Map, 121 Fig., **123**  
*Bulbostylis*  
  *scabra* (J.Presl & C.Presl) C.B.Clarke, 335  
*Bursera*, 148  
*BURTT*, B.L.  
  botanical publications of, 8–26  
  dedication, 1  
  obituary, 1–5  
  plants names in honour of, 6–7  
*Burretia* Baker & Exell, 7  
*Buxanthus*  
  *hildebrandtii* (Baill.) Tiegh., 279  
  
*Caatinga* vegetation, 329–346\* [332 Map]  
*Cactaceae*, 334, 339, 341  
*Calatholejeunea* K.I.Goebel, 182  
*Callisia*  
  *repens* (Jacq.) L., 334  
  
*Calobryales* Hamlin, 158, **172**  
*Calycobolus* Willd. ex Roem. & Schult.,  
  133–153\* [138, 140 Figs, 149 Map]  
  *amazonicus* (Choisy) House, 140  
  *emarginatus* Willd. ex Roem. & Schult.,  
    138, 144  
  *ferrugineus* (Choisy) House, 150  
  *glaber* (Kunth) House, 134–136, **140** &  
    Figs, 142–143, 146, 149 Map  
  *lanulosus* D.F.Austin, 134, 136, 139–140  
    & Figs, **143**–144, 149 Map, 150  
  *nutans* (Moç. & Sessé ex Choisy)  
    D.F.Austin, 133–135, 146  
  *pringlei* House, 146  
  *pulchellus* Willd. ex Roem. & Schult., 140  
  *sericeus* (Kunth) House, 134, 136, 138,  
    140 & Figs, 144–145, 149 Map, 153  
  *spectabilis* (Choisy) House, 150  
  *umbellatus* (Choisy) House, 150  
  *velutinus* (M.Martens & Galeotti) House,  
    146  
*Calycularia* Mitt., 177  
*Calyculariaceae* He-Nygrén *et al.*, **177**  
*Calypogeia* Raddi, 161, 169, 188–190  
*Calypogeiaceae* Arnell, **189**  
*Calyptrocolea* R.M.Schust., 186  
*Cambodia*, 391–446\*  
*Cameraria*  
  *obesum* (Forssk.) Spreng., 97  
*Cameroon*, 27–49, 115–132  
*Campanocolea* R.M.Schust., 165, 186  
*Campanulales*, 364 Rev.  
*Campomanesia*  
  *aromatica* (Aubl.) Griseb., 337  
*Canavalia*  
  *brasiliensis* Mart. ex Benth., 336  
*Canthium*, 7  
*Capillolejeunea* S.W.Arnell, 182  
*Caralluma*, 201–203 Rev.  
  *adenensis* (Deflers) A.Berger, 97–**98**  
  *hexagona* Lavranos, 98  
    var. *septentrionalis* Lavranos &  
      L.E.Newton, 97–98  
*Carex*  
  *burttii* H.J.Noltie, 6  
*Carissa*  
  *edulis* (Forssk.) Vahl, 266, 279  
  *spinarum* L., 266, 269, 271, 276, 279  
*Carpophyllum* Miq., 283, 291  
  *macropodum* Miq., 291, 310

- Casearia*  
*sylvestris* Sw., 339
- Cassia*, 7
- Cassytha*  
*americana* Nees, 337  
*filiformis* L., 268, 271
- Castanoclobus* J.J Engel & Glenny, 165, 184
- Castanopsis*, 461
- Caudalejeunea* (Steph.) Schiffn., 182
- Caulokaempferia*  
*burtii* K.Larsen & Jenjitt., 6
- Cavicularia* Steph., 172
- Cecropia*  
*pachystachya* Trécul, 339
- Ceiba*, 148
- Celastraceae*, 334
- Celtis*  
*toka* (Forssk.) Hepper & J.R.I.Wood, 264
- Cephalantholejeunea* (R.M.Schust. & Kachroo) R.M.Schust., 182
- Cephalojonesia* Grolle, 187
- Cephalolejeunea* Mizut., 182
- Cephalolobus* R.M.Schust., 187
- Cephalomitrium* R.M.Schust., 187
- Cephalozia* (Dumort.) Dumort., 187
- Cephaloziaceae* Mig., 166–167, **187**
- Cephaloziella* (Spruce) Schiffn., 167, 187
- Cephaloziellaceae* Douin, 167, 169,  
 186, **187**
- Cephaloziopsis* (Spruce) Schiffn., 187
- Ceratolejeunea* (Spruce) J.B.Jack & Steph., 182
- Cereus*  
*jamacaru* DC., 334
- Ceterach*  
*pedunculatum* Hook. & Grev., 356
- Chaetocolea* Spruce, 184
- Chaetophyllopsidaceae* R.M.Schust., 164, 187
- Chaetophyllopsis* R.M.Schust., 164, 168, 188
- Chamaecrista*  
*flexuosa* (L.) Greene, 336
- Chandonanthus* Mitt., 188
- Cheilolejeunea* (Spruce) Schiffn., 163, 182  
*aneogyna* (Spruce) A.Evans, 163
- Chiastocalon* Carl., 186
- Chiloscyphus* Corda, 165, 185  
 subgen. *Conati*, 166  
 subgen. *Notholophocolea*, 165
- latifolius* (Nees) J.J.Engel & R.M.Schust., 165
- polyanthos* (L.) Corda, 165
- Chiococca*  
*alba* (L.) Hitchc., 338
- Chloranthelia* R.M.Schust., 185
- Chlorophyta*, 484 Rev.
- Chondriolejeunea* (Benedix) Kis & Pócs, 182
- Chonecolea* Grolle, 186
- Chonecoleaceae* R.M.Schust. ex Grolle, **186**
- Chromosome numbers  
 in *Bellevalia*, 65, 70–71 & Figs, 73  
 in *Clemensiella*, 447–457\*
- CHRTEK, J., 487–488 Rev.
- Chrysobalanaceae*, 334
- Cipura*  
*paludosa* Aubl., 337
- Cissus*  
*erosa* Rich., 339  
*quadrangularis* L., 271  
*rotundifolia* (Forssk.) Vahl, 268, 271
- Cladolejeunea* Zwick., 182
- Cladopodiella* H.Buch, 187
- Clandarium* (Grolle) R.M.Schust., 189
- Clappertonia*  
*polyandra* Bech., 130
- Clasmatocolea* Spruce, 165, 185
- Classification scheme  
 of Marchantiophyta, 155–198\*
- Clemensia* Merr., 449
- Clemensia* Schltr., 449  
*mariae* Schltr., 449–450
- Clemensiella* Schltr., 447–457\* [**449**, 451  
 Map]  
*dischidioides* Elmer, 450, 454  
*mariae* (Schltr.) Schltr., 447–454 [**450**, 451  
 Map, 452–453 Figs], 456  
*omlori* Livsh. & Meve, 447–448, 450–451  
 & Map, 454–456 [**454**, 455 Fig.]
- Cleome*, 7  
*lanceolata* (Mart. & Zucc.) Iltis, 334
- Cleveaceae* Cavers, 159, **174**
- Clusia*  
*intermedia* G.Mariz, 334, 340  
*nemorosa* G.Mey., 334, 340–341
- Clusiaceae*, 334, 340–341
- Cnidoscolus*  
*urens* (L.) Arthur, 336
- Cochlospermum*  
*insigne* A.St.-Hil., 334

- Colchicaceae*, 6–7  
*Colchicum*  
*burtii* R.D.Meikle, 6  
*Cololejeunea* (Spruce) Schiffn., 156, 163,  
  181–182  
*Colura* (Dumort.) Dumort., 182  
*Colygon* C.Presl, 355–361\*  
  *macrophylla* (Blume) C.Presl  
    var. *pedunculata* (Hook. & Grev.)  
      S.Linds., **356**  
*pedunculata* (Hook. & Grev.) Ching,  
  355–356  
*Combretum*, 7  
  *molle* R.Br. ex G.Don, 263–264, 266,  
  268–269, 271, 274–275, 278–279  
*Commelina*, 269, 272  
  *obliqua* Vahl, 334  
*Commelinaceae*, 273, 334, 340  
*Commiphora*, 271, 279  
  *kataf* (Forssk.) Engl., 266  
  *myrrha* (Nees) Engl., 271  
*Compositae*, 2, 4, 7  
  *see also* *Asteraceae*  
*Coniogramme*, 358  
*Connaraceae*, 7  
*Conocephalaceae* Müll.Frib. ex Grolle, **174**  
*Conocephalum* Hill, 174  
*Conocliniopsis*  
  *prasiifolia* (DC.) R.M.King & H.Rob.,  
  333  
*Conoscyphus* Mitt., 185  
*Conservation*  
  in Arabia, 263–281\*  
*Convolvulaceae*, 133–153, 334, 341–342, 344  
  tribe *Poraneae*, 134  
*Cordia*, 148  
  *abyssinica* R.Br., 279  
  *africana* Lam., 279  
  *ovalis* R.Br. ex A.DC., 271, 274, 279  
  *verbenacea* DC., 334  
*Corsinia* Raddi, 160, 175  
*Corsiniaceae* Engl., **175**  
*Coutarea*  
  *hexandra* (Jacq.) K.Schum., 338  
*Coylea*, C., 205–211  
*Craibia*, 7  
*CRANDALL-STOTLER*, B., 155–198  
*Crenias*  
  *weddelliana*, 478  
*Crenulluma*  
  *adenensis* (Deflers) Plowes, 98  
*Cronisia* Berk., 175  
*Croomia* Torr., 213–228\*  
  *heterosepala* (Baker) Okuyama, 214  
  *pauciflora* Torr., 214  
*Croomiaceae*, 214  
*Crossotolejeunea* (Spruce) Schiffn., 182  
*Crotalaria*, 7  
  *lanceolata* E.Mey., 336  
*Croton* L., 340  
  *adamantinus* Müll.Arg., 336  
  *glandulosus* L., 336  
  *grewioides* Baill., 336  
  *heliotropifolius* Kunth, 336  
  *hirtus* L'Hér., 336  
  *jacobinensis* Baill., 336  
  *macrostachyus* Hochst. ex Delile, 273, 275  
  *pulegioides* Müll.Arg., 336  
  *urticifolius* Lam., 336  
*Crypsinus* C.Presl, 356  
  *cruciformis* (Ching) Tagawa, 356  
  *ebenipes* (Hook.) Copel., 356  
  *griffithianus* (Hook.) Copel., 356  
  *hastatum*  
    var. *oxylobum* (Wall. ex Kuntze)  
      C.B.Clarke, 357  
  *hirsutus* Tagawa & K.Iwats., 356  
  *oxylobus* (Wall. ex Kuntze) Sledge, 357  
  *rhynchophyllus* (Hook.) Copel., 357  
  *trisectus* (Baker) Tagawa, 357  
*Cryptochila* R.M.Schust., 187  
*Cryptocolea* R.M.Schust., 190  
*Cryptocoleopsis* Amak., 190  
*Cryptogramma* R.Br., 358  
*Cryptogrammaceae* Pic.Serm., 358  
*Cryptogynolejeunea* R.M.Schust., 182  
*Cryptolepis*  
  *intricata* (Balf.f.) Venter, 97–**98**  
  *volubilis* (Balf.f.) O.Schwartz, 97, **99**  
*Cryptomitrium* Austin ex Underw., 174  
*Cryptostipula* R.M.Schust., 190  
*Cryptothallus* Malmb., 162, 180  
*Cupania*  
  *revoluta* Rolfe, 339, 340–341  
*Cuphea*, 337  
*Curcuma*  
  *burtii* K.Larsen & R.M.Smith, 6  
*Curroria*  
  *decidua*  
    var. *volubilis* (Balf.f.) Bullock, 99

- Cuspidatula* Steph., 187  
*Cyanolophocolea* R.M.Schust., 185  
**Cyathodiaceae** Stotler & Crand.-Stotl., 174  
*Cyathodium* Kunze, 175  
*Cyclolejeunea* A.Evans, 182  
*Cyclosorus* Link, 355–361\*  
  **canus** (Baker) S.Linds., 359  
  **crassifolius** (Blume) S.Linds., 359  
  **exsculptus** (Baker) S.Linds., 359  
  **immersus** (Blume) S.Linds., 359  
  **rubicundus** (Alderw.) S.Linds., 359  
  **triphyllus** (Sw.) Tardieu  
    var. **parishii** (Bedd.) S.Linds., 360  
*Cylindrocolea* R.M.Schust., 187  
*Cynanchum*  
  **arboreum** Forssk., 99  
  **boveanum** Decne., 99  
  **pyrotechnicum** Forssk., 99  
*Cyperaceae*, 6–7, 329, 332, 335, 339–340,  
  344  
*Cyperus*, 335  
  **alternifolius**  
    subsp. **flabelliformis** Kük., 335  
  **betafensis** Cherm., 335  
  **eragrostis** Lam., 335  
  **laxus** Lam., 335  
  **odoratus** L., 335  
  **rotundus** L., 335  
  **surinamensis** Rottb., 335  
  **uncinulatus** Schrad. ex Nees, 335  
*Cyrtandra*  
  **burtii** N.P.Balakrishnan, 6  
*Cyrtolejeunea* A.Evans, 182  
*Cyrtopodium*  
  **polyphyllum** (Vell.) Pabst ex F.Barros,  
  337  
*Cyrtorchis*  
  **brownii** (Rolfe) Schltr.  
    var. **brownii**, 124  
    var. **guillaumetii** Pérez-Vera, 118 Map,  
    124  
*Cystolejeunea* A.Evans, 163, 182  
  
*Dactyloctenium*  
  **aegyptium** (L.) Willd., 271, 276  
  **scindicum** Boiss., 269  
*Dactylolejeunea* R.M.Schust., 182  
*Dactylophorella* R.M.Schust., 182  
*Dalechampia*, 336  
DE Vos, J.M., 27–49  
  
*Delavayella* Steph., 169, 190  
**Delavayellaceae** R.M.Schust., 167, 169, 190  
*Delilia*  
  **biflora** (L.) Kuntze, 333  
*Dendrobazzania* R.M.Schust. &  
  W.B.Schofield, 185  
*Dendrolejeunea* (Spruce) Lacout., 182  
*Dendromastigophora* R.M.Schust., 184  
*Denotarisia* Grolle, 187  
*Descriptions*  
  in *Myrsine*, 459–467  
*Desmidorchis*  
  **adenensis** (Deflers) Meve & Liede, 98  
*DESSEIN*, S., 371–390  
*Diascia*, 4  
*Dichorisandra*  
  **hexandra** (Aubl.) Standl., 334  
*Dicladolejeunea* R.M.Schust., 182  
*Dicranolejeunea* (Spruce) Schiffn., 182  
*Dicranostyles* Benth., 134  
*Didymocarpus* Wall., 240–241  
  sect. *Loxocarpus* (R.Br.) Benth., 240, 247  
  sect. *Orthoboea* Benth., 240  
  **caeruleus** Ridl., 240, 251  
  **incanus** (R.Br.) C.B.Clarke, 250  
  **semitortus** C.B.Clarke, 240, 255  
*Dierama*, 4  
*Digitaria*, 338  
*Dinckleria* Trevis., 166, 186  
*Diodella*  
  **radula** (Willd. & Hoffmanns. ex Roem. &  
  Schult.) Delprete, 339  
*Dioscorea*  
  **coronata** Hauman, 335  
*Dioscoreaceae*, 335  
*Diospyros*  
  **crumenata** Thwaites, 79  
  **mespiliformis** Hochst. ex A.DC., 269–271,  
  273–274, 279  
*Diplasiolejeunea* (Spruce) Schiffn., 182  
*Diplocolea* Amak., 190  
*Diplophyllaceae* Potemk., 167, 187  
*Diplophyllum* (Dumort.) Dumort., 167, 188  
*Dipterocarpus*, 408  
*Dipteropeltis* Hallier f., 133–134  
  **poranoides** Hallier f., 134–135  
*Dischidia* R.Br., 447–449  
  **acutifolia** Hook.f., 449  
*Ditassa*  
  **oxyphylla** Turcz., 333

- Dithecous leaf  
in *Podostemon*, 469–481\*
- Dolichostegia* Schltr., 447
- Dombeya*, 7
- Douinia* (C.N.Jensen) H.Buch, 167, 188
- Drepanolejeunea* (Spruce) Schiffn., 182
- DROISSART*, V., 115–132
- Drucella* E.A.Hodgs., 185
- Dryopteris*  
*cana* (Baker) Kuntze, 359  
*crassifolia* (Blume) Kuntze, 359  
*exsculpta* (Baker) Copel., 359  
*immersa* (Blume) Kuntze, 359
- Dryptes*  
*oblongifolia* (Bedd.) Airy Shaw, 79
- Dufourea* Kunth, 133–153\*  
*aurea* Splitg. ex de Vriese, 150  
*glabra* Kunth, 140, 142  
*heterantha* Nees & Mart., 150  
*sericea* Kunth, 144–145  
*velutina* M.Martens & Galeotti, 146
- Dumortiera* Nees, 160, 176
- Dumortieraceae** D.G.Long, 159, **176**
- DUYFJES*, B.E.E., 213–228
- Dyschoriste*  
*maranthonis* Kuntze, 333  
*Dysoxylum* Blume, 347–353\*  
*annaee* Mabb., 347  
*bordianum* Mabb., 352–353  
**middletonianum** Takeuchi, 347–353 [348  
& Fig., 349 Fig., 351 Map]  
*phaeotrichum* Harms, 348, 350, 352–353  
*sparsiflorum* Mabb., 352
- Ebenaceae*, 79
- Echinoclea* R.M.Schust., 182
- Echinolaena*  
*inflexa* (Poir.) Chase, 338, 342
- Echinolejeunea* R.M.Schust., 182
- Ectadiopsis*  
*volubilis* Balf.f., 99
- Ehretia*  
*abyssinica* R.Br. ex Fresen., 279  
*cymosa* Thonn., 279  
*obtusifolia* Hochst. ex A.DC., 279
- Eleocharis*  
*flavescens* (Poir.) Urb., 335  
*interstincta* (Vahl) Roem. & Schult., 335
- Elettariopsis*  
*burtiana* Y.K.Kam, 6
- Encholirium*  
*spectabile* Mart. ex Schult. & Schult.f.,  
334, 341
- Encyclia*, 337  
*oncidiooides* (Lindl.) Schltr., 337
- Endospermum* Benth., 303
- Endostemon*  
*gracilis* (Benth.) M.Ashby, 273, 275
- Enigmella* G.A.M.Scott & K.G.Beckm., 189
- Eocalypogeia* (R.M.Schust.) R.M.Schust.,  
189–190
- Eoisotachis* R.M.Schust., 188
- Eopleurozia* R.M.Schust., 179
- Eotrichocolea* R.M.Schust., 184
- Epidendrum*  
*cinnabarinum* Salzm. ex Lindl., 337  
*secundum* Jacq., 337
- Equatorial Guinea, 115–132
- Eremonotus* Lindb. & Kaal. ex Pearson,  
168–169, 190
- Erica*, 199–201 Rev.
- Ericaceae*, 4, 81–95  
subfam. *Ericoideae*, 81–95  
tribe *Rhodoreae*, 81–95
- Ericinella*  
*hillburttii* E.G.H.Oliv., 6
- Eriocaulaceae*, 335, 340
- Eriocaulon*, 7
- Erythrina*, 7
- Erythroxylaceae*, 336, 344
- Erythroxylum*, 336  
*flaccidum* Salzm. ex Peyr., 336  
*ochranthum* Mart., 336  
*revolutum* Mart., 336  
*suberosum* A.St.-Hil., 336  
*vacciniifolium* Mart., 336
- Etlingera*  
*burttii* A.D.Poulsen, 6
- Euclea*  
*racemosa* Murr., 270
- Euphorbia*  
*comosa* Vell., 336  
*insulana* Vell., 336  
*thymifolia* L., 336
- Euphorbiaceae*, 79, 273, 303, 329, 332–333,  
336, 340, 343
- Euthamnus* Schltr., 393  
*papuanus* Schltr., 393
- Evansianthus* R.M.Schust. & J.J Engel, 185
- Evansiolajeunea* Vanden Berghe, 182

- Evolvulus*  
  *filipes* Mart., 334
- Exallage* Bremek., 373, 385
- Exomorthecaceae** Müll.Frib. ex Grolle, **175**
- Exormotheca* Mitt., 160, 175
- Fabaceae*, 6–7, 333, 336, 342–343
- Family diagnoses  
  of Marchantiophyta, 155–198\*
- Ferns  
  of Thailand, 355–361\*
- Ficus*, 264  
  *ingens* (Miq.) Miq., 266, 268–269, 271, 274  
  *populifolia* Vahl, 264  
  *sycomorus* L., 266, 268, 271, 274–275, 279  
  *vasta* Forssk., 271, 275
- Fimbristylis*  
  *dichotoma* (L.) Vahl, 335
- Finlaysonia* Wall., 449
- Firmiana* Marsili, 283, 289  
  *boreensis* Merr., 310, 313  
  *malayana* Kosterm., 289
- Flacourtiaceae*, 28
- Flora of Arabia, 97–101\*
- Floristics  
  of Brazilian inselbergs, 329–346  
    [332 Map]
- Fossombronia* Raddi, 161, 178
- Fossombroniaceae** Hazsl., 160–161, **177**
- Fossombroniales** Schljakov, 160, **176**  
  subord. **Calyculariineae** He-Nygrén *et al.*, **177**  
  subord. **Fossombroniineae** R.M.Schust. ex Stotler & Crand.-Stotl., **177**  
  subord. **Makinoiineae** He-Nygrén *et al.*, **177**
- Friesodielsia* Steenis, 365–370\*  
  *boreensis* (Miq.) Steenis, 369
- grandifolia* (Merr.) I.M.Turner, **369**
- formosa* I.M.Turner, 365–368 [**366**, 367 Fig., 368 Map]
- latifolia* (Hook.f. & Thomson) Steenis, 365, 369–370
- FRIIS**, I., 51–64
- Fruit characters  
  of *Hedyotis*, 371–390  
  of *Kohautia*, 371–390  
  of *Oldenlandia*, 371–390  
  of *Pouzolzia*, 51–64\*
- Frullania* Raddi, 180–191
- Frullaniaceae** Lorch, 163, **181**
- Frullanoides* Raddi, 182
- Fuirena*  
  *umbellata* Rottb., 335
- Fulfodianthus* Gradst., 182
- Fuscocephaloziopsis* Fulford, 187
- Gackstroemia* Trevis., 181
- Gaultheria*, 2
- Gentianaceae*, 336, 340
- Gentianales*, 87
- Genyorchis*  
  *sanfordii* Szlach. & Olszewski, 118 Map, **125**
- Geocalycaceae** H.Klinggr., 164, 169, **190**
- Geocalyx* Nees, 191
- Geothallus* Campb., 173
- Geraniaceae*, 4
- Gerhildiella* Grolle, 188
- Gesneriaceae*, 2, 4, 6–7, 239–261\*, 336, 341, 391–446\*
- GILBERT**, M.G., 201–203 Rev.
- Glossonema*  
  *boveanum* (Decne.) Decne., 97, **99**
- Gochnatia*  
  *lucida* (Baker) Cabrera, 333
- Goebeliella* Steph., 180–181
- Goebeliellaceae** Verd., **180**
- Goebelobryum* Grolle, 189
- GOMES*, P., 329–346
- Gongylanthus* Nees, 189
- Gonotheca* Blume ex A.DC., 386
- Gonotheca* Raf., 386
- Gottschea* Nees ex Mont., 183
- Gottschelia* Grolle, 168, 187–188
- Greeneothallus* Hässel, 179
- Grewia*, 7, 266, 276  
  *schweinfurthii* Burret, 269, 271  
  *villosa* Willd., 271
- Grollea* R.M.Schust., 184
- Grolleaceae** Solari ex R.M.Schust., **184**
- Guettarda*  
  *angelica* Mart. ex Müll.Arg., 339
- Gymnema*  
  *sylvestre* (Retz.) R.Br. ex Schult., 273, 275
- Gymnocolea* (Dumort.) Dumort., 167, 188
- Gymnocoleopsis* (R.M.Schust.) R.M.Schust., 167, 187
- Gymnomitriaceae** H.Klinggr., 168–170, **191**

- Gymnomitrion* Corda, 167, 169, 191  
*Gyrothyra* M.Howe, 191  
**Gyrothyraceae** R.M.Schust., 191
- Habenaria*, 7  
  *obtusa* Lindl., 337  
  *phantasma* La Croix, 118 Map, 121 Fig., 125  
  *trifida* Kunth, 338
- Habranethus*  
  *itaobinus* Ravenna, 333
- Haematoxylum*, 148
- Haesselia* Grolle & Gradst., 187
- HALL*, M., 263–281
- Hamatostrepta* Váňa & D.G.Long, 188
- Haplolejeunea* Grolle, 182
- Haplomitriaceae** Dědeček, 158, 172
- Haplomitriales**, 156
- Haplomitriopsida** Stotler & Crand.-Stotl., 157–159 [158], 171  
  subclass **Haplomitriidae** Stotler & Crand.-Stotl., 158, 172  
  subclass **Treubiidae** Stotler & Crand.-Stotl., 171
- Haplomitrium* Nees, 156, 158, 171–172  
  subgen. *Calobryum*, 158, 171  
  subgen. *Haplomitrium*, 158  
  sect. *Archibryum*, 158  
  sect. *Haplomitrium*, 158  
  *mnioides* (Lindb.) R.M.Schust., 158
- Haplopterus*, 355–361\*  
  *winitii* (Tagawa & K.Iwats.) S.Linds., 357–358
- Harpalejeunea* (Spruce) Schiffn., 182
- Harpanthus* Nees, 190–191
- HARTUTININGSIH*, 229–238
- Hattoria* R.M.Schust., 188
- Hattorianthus* R.M.Schust. & Inoue, 161, 178
- Hattoriella* (Inoue) Inoue, 190
- Hattoriolejeunea* Mizut., 182
- HEDGE*, I., 1–5
- Hedyotis* L., 371–390\*  
  subgen. *Edrisia* (Raf.) Lewis, 373  
  subgen. *Hedyotis*, 385  
  subgen. *Oldenlandia* (L.) Torrey & A.Gray, 373  
  sect. *Euhedyotis* Wight & Arn., 385  
  sect. *Scleromitrium* Wight & Arn., 386  
  *auricularia* L., 372–373, 384
- biflora* (L.) Lam., 384  
*brachypoda* (DC.) Sivar. & Biju, 384  
*corymbosa* (L.) Lam., 384  
*diffusa* Willd., 384  
*erecta* Manilal & Sivar., 384  
*fruticosa* L., 372–373, 381, 383, 385  
*herbacea* L., 372  
*lineata* Roxb., 384  
*ovatifolia* Cav., 384  
*pinifolia* Wall. ex G.Don, 384  
*scandens* Roxb., 375–377, 379–382 & Figs, 385  
*verticillata* (L.) Lam., 384
- Heliotropium*  
  *angiospermum* Murray, 334
- Henckelia* Spreng., 239–261\*  
  sect. *Boeopsis* Ridl., 241–242, 259  
  sect. *Heteroboaea* (Benth.) A.Weber & B.L.Burtt, 241
- sect. **Loxocarpus** (R.Br.) A.Weber & B.L.Burtt, 239–261\* [247]
- sect. *Salicini*, 242
- anthonyssamyi* Banka, 239, 241–242 [242 Fig.], 244, 246 Fig., 249–250, 255, 257
- argentea*, 241
- atrosanguinea* (Ridl.) A.Weber, 241
- browniana* A.Weber, 241–242 [242 Fig.], 244–247 [246 Fig.], 249–251 [250], 254
- caerulea* (Ridl.) A.Weber, 241–243 [242 Fig.], 244–249 [246 Fig.], 251
- caulescens*, 241
- concapsularis*, 241
- coodei* B.L.Burtt, 240–241
- curtisii* (Ridl.) A.Weber, 241
- diffusa* B.L.Burtt, 240–241
- ericii* A.Weber, 241–248 [242 Fig.], 246 Fig., 252
- gardneri* B.L.Burtt, 240–241
- heterophylla*, 259
- longipetiolata*, 241, 247, 253
- meijeri*, 241
- minima* (Ridl.) A.Weber, 241, 244–247 [246 Fig.], 249–251, 253–255
- papillosa* (M.R.Hend.) A.Weber, 241, 259
- petiolaris*, 241
- procumbens* B.L.Burtt, 241
- rufescens*, 241
- sekayuenensis* Banka & Kiew, 239, 241–242 [242 Fig.], 244–246 [246 Fig.], 249–250, 254–255

- semitorta** (C.B.Clarke) A.Weber, 241–248 [242 Fig., 246 Fig.], 253, 255, 257  
*sericea* (Ridl.) A.Weber, 241, 258  
**sericiflava** Kiew & Banka, 239, 241–242 [242 Fig.], 244–246 [246 Fig.], 249–250, 255–257 [256]  
*stapfi*, 241  
**stenophylla** A.Weber, 241–242 [242 Fig.], 244–245, 248, 257, 259  
*taeniophylla* B.L.Burtt, 240–241  
**tunkui** (Kiew) A.Weber, 241–246 [242 Fig., 246 Fig.], 248–250, 254–256, 258  
*verbeniflos*, 241  
**Hepaticae**, 156  
*Hepatostolonophora* J.J.Engel & R.M.Schust., 185  
**Herbertaceae** Müll.Frib. ex Fulford & Hatcher, 184  
*Herbertus* Gray, 184  
**Herzogianthaceae** Stotler & Crand.-Stotl., 163, 183  
*Herzogianthus* R.M.Schust., 163–164, 182–183  
*Herzogiaria* Fulford ex Hässel, 184  
*Herzogobryum* Grolle, 169, 191  
*teres* (Carrington & Pearson) Grolle, 169  
*Heteroscyphus* Schiffn., 166, 185  
*Hibiscus*  
*deflersii* Schweinf. ex Cufod., 269–270  
*Hieracium*, 487–488 Rev.  
*sect. Alpina*, 487–488 Rev.  
*alpinum*, 488 Rev.  
*nigrescens*, 488 Rev.  
*pentaploideum*, 487 Rev.  
*Hildegardia* Schott & Endl., 283  
**HILLIARD**, O.M., 8–26  
*Hippeastrum*  
*stylosum* Herb., 333  
*Hippocratea*  
*volubilis* L., 334  
*Hirtella*  
*racemosa* Lam., 334  
*Horikawaella* S.Hatt. & Amak., 190  
*Houstonia* L., 372–373, 381  
*caerulea* L., 372  
*purpurea* L., 372  
*Hoya* R.Br., 448–449, 453–454, 456  
*membranifolia* Costantin, 419  
*viracensis* Kloppenb. & Siar, 447–457\*  
*HUGHES*, M., 103–114, 205–211, 229–238  
*Hyacinthaceae*, 65–75\*  
*Hyalolepidozia* S.W.Arnell ex Grolle, 185  
*Hybanthus*  
*calceolaria* (L.) Oken, 339  
*Hydrolea*  
*spinosa* L., 337, 341  
*Hydroleaceae*, 337, 341  
*Hygrobiella* Spruce, 187  
*Hygrolembidium* R.M.Schust., 185  
**Hymenophytaceae** R.M.Schust., 178  
*Hymenophyton* Dumort., 176, 179  
*Hypericaceae*, 337  
*Hypoisotachis* (R.M.Schust.) J.J.Engel & G.L.S.Merr., 188  
*Hypoxidaceae*, 337  
*Hypoxis*  
*decumbens* L., 337  
*Hyptis*  
*fruticosa* Salzm. ex Benth., 337  
*Incarvillea*  
*parasitica* Roxb., 425, 428  
*Indigofera*, 7  
**Indonesia**, 103–114, 229–238, 365–370\*  
**Inflorescence**  
*of Begonia*, 103–114\*  
*Inselbergs*, 329–346\*  
*INTHACHUB*, P., 213–228  
*Invisocaulis* R.M.Schust., 165, 186  
*Ipomoea* L., 133, 148, 272  
*bahiensis* Willd. ex Roem. & Schult., 334  
*cairica* (L.) Sweet, 271, 276  
*nutans* Moç. & Sessé ex Choisy, 134, 146  
*Iridaceae*, 4, 337  
*Isolembidium* R.M.Schust., 185  
*Isopaches* H.Buch, 168, 188  
*Isophyllaria* E.A.Hodgs. & Allison, 184  
*Isotachis* Mitt., 188  
*ITS*, 81–95\*  
*ITS2*, 51–64\*  
*Itzaea*  
*sericea* (Standl.) Standl. & Steyermark., 135  
**IUCN Red List**, 205–211\*  
*Iwatsukia* N.Kitag., 187  
*Jacaranda*  
*rugosa* A.H.Gentry, 334  
*Jackiella* Schiffn., 189  
**Jackiellaceae** R.M.Schust., 189

- Jacquemontia* Choisy, 133, 136–137  
*densiflora* (Meisn.) Hallier f., 334, 342  
*heterantha* (Nees & Mart.) Hallier f., 150
- JÄGER-ZÜRN**, I., 469–481
- Jamesoniella* (Spruce) F.Lees, 166, 187
- Jamesoniellaceae** He-Nygrén *et al.*, 166, **186**
- Jasminum*  
*fluminense* Vell., 272
- Jensenia* Lindb., 179
- Jubula* Dumort., 163, 181
- Jubulaceae** H.Klinggr., 163, **181**
- Jubulopsis* R.M.Schust., 181
- Jungermannia* L., 155, 164, 167–169, 190  
 subgen. *Jungermannia*, 169  
 subgen. *Liochlaena* (Nees) S.W.Arnell,  
 169  
 subgen. *Plectocolea* (Mitt.) Amakawa,  
 169  
 subgen. *Solenostoma* (Mitt.) Amakawa,  
 169
- Jungermanniaceae** Rchb., 155, 164, 166,  
 168–169, **190**  
 subfam. *Jamesonielloideae* Inoue, 164,  
 166, 168  
 subfam. *Jungermannioideae*, 169  
 subfam. *Lophozioideae*, 164, 166–168
- Jungermanniales** H.Klinggr., 156, 162, 164,  
 168, 170, 180, **183**  
 subord. *Cephaloziineae* R.M.Schust., 186  
 subord. *Cephaloziineae* Schljakov, 164,  
 166, 168, **186**  
 subord. *Geocalycineae* R.M.Schust., 184  
 subord. **Jungermanniineae** R.M.Schust.  
 ex Stotler & Crand.-Stotl., 164, 168,  
**188**  
 subord. *Lophocoleineae* Schljakov, 157,  
 164, **184**  
 subord. *Myliineae* J.J.Engel & Braggin,  
 167–168  
 subord. *Personiellineae* R.M.Schust., 164,  
**183**
- Jungermanniopsida**, 157, 159–170 [**160**], **176**  
 subclass **Jungermanniidae** Engl., 156–158,  
 160–162, 170, **180**  
 subclass **Metzgeriidae** Barthol.-Began,  
 156–157, 160–162, **179**  
 subclass **Pelliidae** He-Nygrén *et al.*, 156–  
 157, 160–161, **176**
- Kadua* Cham. & Schltdl., 386
- Kanahia*  
*laniflora* (Forssk.) R.Br., 97, **99**
- Kerala, South India, 77–80\*
- KIEW**, R., 239–261
- Kohautia* Cham. & Schltdl., 371–390\*  
 subgen. *Kohautia*, 386  
 subgen. *Pachystigma*, 387  
*coccinea* Royle, 375–377, 379 & Figs,  
 381–382 & Fig., 386  
*gracilis* (Wall.) DC., 375–377, 379 & Figs,  
 381–382, 386  
*senegalensis* Cham. & Schltdl., 373
- KRAVTSOVA**, T.I., 51–64
- KRON**, K.A., 81–95
- Krunodiplophyllum* Grolle, 167–168, 188  
*squarrosum* (Steph.) Grolle, 167
- Kurzia* G.Martens, 165, 185
- Kyllinga*  
*brevifolia* Rottb., 335  
*odorata* Vahl, 335  
*squamulata* Vahl, 335
- Kymatocalyx* Herzog, 167, 187
- Kymatolejeunea* Grolle, 182
- Labiatae*, 273
- Lamellocolea* J.J.Engel, 185
- Lamiaceae*, 337, 342
- Lampione*, Sicily, 65–75
- Laos*, 391–446\*
- Larryleachia*, 201–203 Rev.
- Lastrea*  
*immersa* (Blume) T.Moore, 359
- Lauraceae*, 337
- LAURENTI**, O., 447–457
- Lavatera*  
*arborea* L., 70
- Lavrania*, 201–203 Rev.
- Leaf sheath  
 in *Podostemon*, 469–481\*
- Lectotypification  
 in *Apocynaceae*, 97–101\*  
 in *Clemensiella*, 447–457\*
- Leguminosae*, 7, 273  
 subfam. *Caesalpinoideae*, 124–129
- Leiocolea* (Müll.Frib.) H.Buch, 168–169,  
 190  
*heterocolpos* (Thed.) H.Buch, 190
- Leiolejeunea* A.Evans, 182
- Leiomitra* Lindb., 184
- Leiomylia* J.J.Engel & Braggin, 168, 188

- Lejeunea* Lib., 163, 180–183, 190  
*Lejeuneaceae* Casares-Gil, 163  
**Lejeuneaceae** Cavers, 162–163, **181**  
*Lejeuneaceae* Rostovzev, 163  
*Lembidium* Mitt., 185  
*Lentibulariaceae*, 337, 340  
**LEONG-ŠKORNIČKOVÁ**, J., 485–486 Rev.  
*Lepicolea* Dumort., 185  
**Lepicoleaceae** R.M.Schust., **185**  
*Lepidogyna* R.M.Schust., 181  
*Lepidolaena* Dumort., 181  
**Lepidolaenaceae** Nakai, 162, **181**  
*Lepidojeunea* R.M.Schust., 182  
*Lepidozia* (Dumort.) Dumort., 185  
**Lepidoziaceae** Limpr., 165, **185**  
*Leptadenia*  
  *arborea* (Forssk.) Schweinf., 97, **99**  
  *pyrotechnica* (Forssk.) Decne., 97, **99**  
*Leptochilus* Kaulf., 355  
  *exsculptus* (Baker) C.Chr., 359  
  *macrophyllus*  
    var. *pedunculatus* (Hook. & Grev.) Noot., 355–356  
*Leptolejeunea* (Spruce) Schiffn., 182  
*Leptophyllospis* R.M.Schust., 185  
*Leptoscyphopsis* R.M.Schust., 185  
*Leptoscyphus* Mitt., 165, 186  
*Lethocolea* Mitt., 189  
*Leucolejeunea* A.Evans, 163, 182  
*Liliaceae*, 6–7  
*Lindigianthus* Kruyt & Gradst., 182  
*LINDSAY*, S., 355–361  
*Lioclhaena* Nees, 164, 169, 190  
*Lipocarpha*  
  *micrantha* (Vahl) G.C.Tucker, 335  
  *salzmanniana* Steud., 335  
*Liverworts*, 155–198\*  
*LIVSHULTZ*, T., 447–457  
*Loasaceae*, 363 Rev.  
*Lobatiriccardia* (Mizut. & S.Hatt.) Furuki, 180  
*Lobelia*, 7  
*LONG*, D.G., 155–198  
*Lophochaete* R.M.Schust., 184  
*Lophocolea* (Dumort.) Dumort., 165, 186  
  *bidentata* (L.) Dumort., 165  
  *fragmentissima* R.M.Schust., 165  
**Lophocoleaceae** Vanden Berghen, 164–165, **185**  
*Lopholejeunea* (Spruce) Schiffn., 182
- Lophonardia* R.M.Schust., 191  
*Lophozia* (Dumort.) Dumort., 164, 168, 188  
*Lophoziacae* Cavers, 166–167, 187  
*Loranthaceae*, 337  
*Lotus*  
  *burtii* Borsos, 7  
*Loxocarpus* R.Br., 239–261\*  
  *alatus* A.DC., 250  
  *angustifolius* Ridl., 240–241, 257  
  *argenteus* B.L.Burtt, 240  
  *caeruleus* (Ridl.) Ridl., 240, 251  
  *caulescens* B.L.Burtt, 240  
  *concapsularis* (C.B.Clarke) B.L.Burtt, 240  
  *holttumii* M.R.Hend., 240–241, 252  
  *icanus* R.Br., 240–241, 250  
  *longipetiolatus* B.L.Burtt, 240  
  *meijeri* B.L.Burtt, 240  
  *minimus* Ridl., 240, 253  
  *papillosum* M.R.Hend., 240, 259  
  *petiolaris* (C.B.Clarke) B.L.Burtt, 240  
  *repens*, 241  
  *rufescens* (C.B.Clarke) B.L.Burtt, 240  
  *semitortus* (C.B.Clarke) Ridl., 240, 255  
  *sericeoflava* Hend., 257  
  *sericeus* (Ridl.) B.L.Burtt, 240, 258  
  *stapfii* (Kraenzl.) B.L.Burtt, 240  
  *tunkui* Kiew, 240, 257–258  
  *verbeniflos* (C.B.Clarke) B.L.Burtt, 240  
*Loxonia*  
  *burtiana* A.Weber, 7  
*Lunularia* Adans., 160, 173  
**Lunulariaceae** H.Klinggr., **173**  
**Lunulariales** D.G.Long, 159, **173**  
*Luteolejeunea* Piippo, 182  
*Lythraceae*, 337
- Macrocolura* R.M.Schust., 182  
*Macrodiplophyllum* (H.Buch) Perss., 167, 188  
  *microdontum* (Mitt.) Perss., 167  
  *plicatum* (Lindb.) Perss., 167  
*Macrolejeunea* (Spruce) Schiffn., 163, 182  
*Macrothelypteris* (H.Ito) Ching, 358  
*Macvicaria* W.E.Nicholson, 162, 180  
*Magnoliaceae*, 6  
*Makinoa* Miyake, 177  
**Makinoaceae** Nakai, 160, **177**  
*Malaysia*, 239–261, 365–370\*  
*Malesherbiaceae*, 28

- Malesia, 283–328\*, 347–353  
*East*, 459–467
- Malpighiaceae*, 337
- Malpighiales*, 28
- Malva*  
*veneta* (Mill.) Soldano, Banfi & Galasso, 70
- Malvaceae*, 283–328\*, 337, 342  
 subfam. *Sterculioideae*, 283–328\*
- Malvales*, 283
- Mandevilla*  
*dardanoi* M.F.Sales, Kin.-Gouv. &  
 A.O.Simões, 333  
*scabra* (Hoffmanns. ex Roem. & Schult.)  
 K.Schum., 333  
*tenuifolia* (J.C.Mikan) Woodson, 333
- Mannia* Opiz, 174
- Maranta*  
*arundinacea* L., 337, 341
- Marantaceae*, 337, 341
- Marathrum*  
*foeniculaceum* Humb. & Bonpl., 478  
*utile* Tul., 478
- Marcgraviaceae*, 337, 340–341
- Marchantia* L., 155, 174
- Marchantiaceae** Lindl., 159–160, **174**
- Marchiales** Limpr., 157, 159, 172–**173**
- Marchantiatae, 172
- Marchantiophyta** Stotler & Crand.-Stotl., 155–198 [**171**]
- Marchantiopsida** Cronquist, Takht. & W.Zimm., 156–157, 159–160 [**159**], **172**  
 subclass **Blasiidae** He-Nygrén *et al.*, 159, **172**  
 subclass **Marchantiidae** Engl., 156–157, 159, **172**
- Marchesinia* Gray, 182
- Margelliantha*, 7
- Maripa*  
*spectabilis* Choisy, 150
- Marsdenia* R.Br., 448–449  
*gonoloboides* Schltr., 448  
*loniceroides* (Hook.) E.Fourn., 333, 340  
*robusta* Balf.f., 97, **100**  
*tinctoria* R.Br., 448
- Marsupella* Dumort., 169–170, 191
- Marsupidium* Mitt., 189
- Marsypianthes*  
*chamaedrys* (Vahl) Kuntze, 337, 342
- Massula*, 177
- Mastigolejeunea* (Spruce) Schiffn., 182
- Mastigopelma* Mitt., 185
- Mastigophora* Nees, 184
- Mastigophoraceae** R.M.Schust., **184**
- matK*, 81–95\*
- Maytenus*, 266, 269–270
- Megalembidium* R.M.Schust., 185
- Meineckia*  
*phyllanthoides* Baill., 273, 275
- Melastomataceae*, 239, 337, 340
- Meliaceae*, 347–353\*, 449
- Melianthaceae*, 273
- Melicope*  
*burttiana* Stone, 7
- Melocactus*  
*bahiensis* (Britton & Rose) Luetzelb., 334, 341
- MENDUM**, M., 8–26
- Meniscium*  
*parishii* Bedd., 360  
*triphyllum* Sw.  
 var. *parishii* (Bedd.) Bedd., 360
- Menispermaceae*, 77–80\*
- Menziesia* J.E.Smith, 81, 83–85, 88, 90  
*ciliocalyx* (Miq.) Maxim., 85, 87, 89–91  
*ferruginea* J.E.Smith, 85, 89–91  
*lasiophylla* Nakai, 85, 89–91  
*pilosa* (Michx.) Juss., 85, 89–91  
*purpurea* Maxim., 85, 89–91
- Merremia* Dennst. ex Endl., 133  
*cissoides* (Lam.) Hallier f., 334, 341  
*dissecta* (Jacq.) Hallier f., 334  
*macrocalyx* (Ruiz & Pav.) O'Donell, 334, 342
- Mesoneuron*  
*crassifolium* (Blume) Ching, 359
- Mesophlebion*  
*crassifolium* (Blume) Holttum, 359
- Mesoptychia* (Lindb.) A.Evans, 168, 190
- Mesoptychiaceae* Inoue & Steere, 168–169, 190
- Metacalypogeia* (S.Hatt.) Inoue, 190
- Metahygrobiella* R.M.Schust., 187
- Metalejeunea* Grolle, 182
- Metzgeria* Raddi, 156, 161–162, 180  
*francana*, 162
- Metzgeriaceae** H.Klinggr., 161–162, **179**
- Metzgeriales** Chalaud, 161, **179**
- Metzgeriopsis* K.I.Goebel, 182

- MEVE, U., 447–457  
*Micraeschynanthus* Ridl., 393  
  *dischidioides* Ridl., 393  
*Microcoelia*  
  **bulbocalcarata** L.Jonss., 118 Map, **125**  
*Microcos*  
  *longipetiolata* Kosterm., 307  
*Microlejeunea* Steph., 182  
*Microlepidozia*, 184–185  
*Microlooma*  
  *pyrotechnicum* (Forssk.) Spreng., 100  
*Micropterygium* Lindenb., Nees & Gottsche,  
  185  
*Microstachys*, 336  
  *corniculata* (Vahl) Griseb., 336  
MIDDLETON, D.J., 1, 6–7, 355–361, 391–446  
MILLER, A.G., 97–101, 263–281  
*Mimusops*, 267, 279  
  *laurifolia* (Forssk.) Friis, 264, 266, 269,  
  271–276, 278–279  
  *schimperi* A.Rich., 279  
*Mitolepis*  
  *intricata* Balf.f., 98  
*Mizutania* Furuki & Z.Iwats., 161, 180  
**Mizutaniaceae** Furuki & Z.Iwats., **180**  
*Mnioloma* Herzog, 189–190  
*Moerckia* Gotsche, 161, 178  
  *hibernica* (Hook.) Gotsche, 178  
**Moerckiaceae** Stotler & Crand.-Stotl., 160,  
  178  
Molecular systematics  
  of *Rhododendron*, 81–95  
*Molluginaceae*, 337, 342  
*Mollugo*  
  *verticillata* L., 337, 342  
**Monocarpaceae** D.J.Carr ex Schelpe, **175**  
*Monocarpus* D.J.Carr, 175  
*Monoclea* Hook., 156, 160, 176  
**Monocleaceae** A.B.Frank, 159, **176**  
Monocleales, 159  
*Monodactylopsis* (R.M.Schust.)  
  R.M.Schust., 185  
*Monogramma*, 358  
*Monophyllaea*  
  *burtiana* Kiew, 7  
**Monosoleniaceae** Inoue, 159, **174**  
*Monosolenium* Griff., 160, 174  
*Moraceae*, 273  
Morphology  
  of *Hedyotis*, 371–390\*
- of *Kohautia*, 371–390\*  
of *Oldenlandia*, 371–390\*  
MOTLEY, T.J., 371–390  
*Muscari*  
  *comosum* L., 65  
*Mylia* Gray, 168, 188  
  *anomala* (Hook.) Gray, 168  
  *taylorii* (Hook.) Gray, 168  
**Myliaceae** Schljakov, 167–168, **188**  
*Myrcia*, 337  
*Myriocolea* Spruce, 182  
*Myriocoleopsis* Schiffn., 182  
*Myrsinaceae*, 459–467\*  
*Myrsine* L., 459–467\*  
  *acrosticta* (Mez) Pipoly, **461**  
*arfakensis* (Kaneh. & Hatus.) Pipoly, **461**  
*augustae* (Mez) Pipoly, **461**  
*cacuminum* (Mez) Pipoly, **461**  
*clemensiae* (Sleumer) Pipoly, **461**  
*coriifolia* (Sleumer) Pipoly, **461**, 466  
*densiflora* Scheff., 466  
*dicksonii* (P.Royen) Pipoly, **461**  
*gomphostigma* (Mez) Pipoly, **461**  
*inaequalis* (Kaneh. & Hatus.) Pipoly, **461**  
*involutrata* (Mez) Pipoly, **461**  
*lamii* (Sleumer) Pipoly, **462**  
*leucantha* (K.Schum.) Pipoly, **462**  
*minutifolia* (Knoester, Wijn & Sleumer)  
  Pipoly, **462**  
*revoluta* (Kaneh. & Hatus.) Pipoly, **462**  
*rhombata* (P.Royen) Pipoly, **462**  
*tempampan* (P.Royen) Pipoly, **462**  
*velutina* (Knoester, Wijn & Sleumer)  
  Pipoly, **462**  
*warrae* W.N.Takeuchi & Pipoly, 459–467  
  [**462**, 463–464 Figs, 465 Map]  
*womersleyi* (Sleumer) Pipoly, **462**  
*Myrtaceae*, 337, 339  
*Mytilopsis* Spruce, 185  
*Nanomarsupella* (R.M.Schust.)  
  R.M.Schust., 191  
*Nardia* Gray, 166–167, 169, 184, 190  
  subgen. *Apotomanthus*, 167  
  *assamica* (Mitt.) Amak., 166  
  *compressa* (Hook.) Gray, 167  
  *scalaris* Gray, 167  
  *succulenta* (A.Rich. ex Lehm. &  
  Lindenb.) Spruce, 167  
*ndhF*, 81–95

- Neanotis* W.H.Lewis, 372  
*Neesioscyphus* Grolle, 188  
*Neogrollea* E.A.Hodgs., 185  
*Neohattoria* Kamim., 181  
*Neohodgsonia* Perss., 159–160, 173  
**Neohodgsoniaceae** D.G.Long, 173  
**Neohodgsoniales** D.G.Long, 159, 173  
*Neomarica*  
  *gracilis* (Herb.) Sprague, 337  
*Neopotamolejeunea* E.Reiner, 163, 182  
*Neoprasanthus* S.Winkl., 189  
*Neotrichocolea* S.Hatt., 163, 182–183  
**Neotrichocoleaceae** Inoue, 163, 183  
*Neotropics*, 133–153\*, 469–481  
*Neotypes*  
  in *Apocynaceae*, 97–101\*  
*Nepal*, 371–390  
*Nephelolejeunea* Grolle, 182  
*Nephrangis*  
  *bertiaxiana* Szlach. & Olszewski, 119  
  Map, 121 Fig., **126**  
*Nephrodium*  
  *canum* Baker, 359  
*Nerium*  
  *obesum* Forssk., 97  
*Nesaea*, 7  
*NEUPANE*, S., 371–390  
*Neurolejeunea* (Spruce) Schiffn., 182  
*New combinations*  
  in *Friesodielsia*, 365–370  
  in *Pteridophyta*, 355–361  
*New Guinea*, 459–467\*  
*New records*  
  in *Orchidaceae*, 115–132  
*New species*  
  in *Begonia*, 103–114\*, 205–211\*,  
  229–238\*  
  in *Bellevalia*, 65–75\*  
  in *Dysoxylum*, 347–353  
  in *Friesodielsia*, 365–370  
  in *Myrsine*, 459–467  
  in *Paropsiopsis* Engl., 27–49\*  
  in *Smeathmannia* R.Br., 27–49\*  
  in *Tinospora*, 77–80\*  
*Nigeria*, 115–132  
*Nipponolejeunea* S.Hatt., 163, 181  
*NOLTIE*, H.J., 8–26, 199–201 Rev.  
*Nomenclatural transfers*  
  in *Myrsine*, 459–467  
*Norantea*
- brasiliensis* Choisy, 337, 340–341  
*Noteroclada* Taylor ex Hook. & Wilson, 176  
*Nothogymnomitrium* R.M.Schust., 191  
*Nothostrepta* R.M.Schust., 187  
*Notoscyphus* Mitt., 169, 191  
*Novel structure*  
  in *Podostemon*, 469–481\*  
*Nowellia* Mitt., 187  
*nrITS*, 81–95  
*Nuxia*  
  *dentata* R.Br. ex Benth., 279  
  *oppositifolia* (Hochst.) Benth., 266,  
  272–273, 275, 279  
*Nymphaea*, 7
- Odontanthera*  
  *boveana* (Decne.) Mabb., 99  
*Odontolejeunea* (Spruce) Schiffn., 182  
*Odontoschisma* (Dumort.) Dumort., 187  
*Odontoseris* Fulford, 185  
*Oldenlandia* L., 371–390\*  
  subgen. *Exallage* (Bremek.) Terrell &  
  H.Rob., 385  
  *auricularia* (L.) K.Schum., 375–377,  
  379–385 & Figs, 387  
  *biflora* L., 372, 375–377, 379–384 & Figs,  
  386–387  
  *brachypoda* DC., 375–377, 379–384 &  
  Figs, 386  
  *corymbosa* L., 372, 380–381, 384, 386  
  *diffusa* (Willd.) Roxb., 375–377, 379–384  
  & Figs, 386  
  *erecta* (Manilal & Sivar.) R.R.Mill,  
  375–377, 379–384 & Figs, 386  
  *lineata* (Roxb.) Kuntze, 375–377, 379–382  
  & Figs, 384–385, 387  
  *ovatifolia* (Cav.) DC., 375–377, 380–384  
  & Figs, 386–387  
  *pinifolia* (Wall. ex G.Don) Kuntze, 375,  
  380–384 & Figs, 386  
  *umbellata* L., 372  
  *uniflora* L., 372  
  *verticillata* L., 375–377, 380–384 & Figs,  
  386  
*Olgantha* R.M.Schust., 184  
*Omphalanthus* Lindenb. & Nees, 182  
*Oncoba*  
  *spinosa* Forssk., 269–270  
*Opithandra*  
  *burttii* W.T.Wang, 7

- Opuntia*  
*dillenii* (Ker-Gawl.) Haw., 268–269, 274,  
 277
- Orbea*, 201–203 Rev.
- chrysostephana* (Deflers) Bruyns, 97, **100**
- Orchadocarpa* Ridl., 240
- Orchidaceae*, 115–132, 199–201 Rev., 329,  
 333, 337, 339, 341
- Oreocnide*, 57
- Orestias*  
*micrantha* Summerh., 119 Map, **126**
- Orthophytum*  
*disjunctum* L.B.Sm., 334
- Oryzolejeunea* (R.M.Schust.) R.M.Schust.,  
 182
- Osteospermum*  
*burtianum* B.Nord., 7
- Othonna*  
*burtii* B.Nord., 7
- Otiophora*, 7
- Otolejeunea* Grolle & Tixier, 182
- Oxalidaceae*, 338, 343
- Oxalis*  
*frutescens* L.  
 var. *frutescens*, 338
- Oxychlamys* Schltr., 393  
*pullei* Schltr., 393
- Oxymitra* Bisch. ex Lindenb., 175
- Oxymitra* (Blume) Hook.f. & Thomson,  
 365–370\*  
*grandifolia* Merr., 365, 369  
*latifolia* Hook.f. & Thomson, 369–370
- Oxymitraceae** Müll.Frib. ex Grolle, **175**
- Ozoroa*  
*insignis* (Delile) Kuntze, 273, 275–276
- Pachycymbium*  
*chrysostephanum* (Deflers) M.G.Gilbert,  
 100
- Pachyglossa* Herzog & Grolle, 165, 185–186
- Pachysistochila* R.M.Schust. & J.J.Engel,  
 183
- Pachystigma*, 7
- Paepalanthus*  
*bifidus* (Schrad. ex Schult.) Kunth, 335  
*parvus* Ruhland, 335
- Palawan, Philippines, 205–211\*
- Paliavana*  
*tenuiflora* Mansf., 336
- Pallavicinia* Gray, 179
- Pallaviciniaceae** Mig., **179**
- Pallaviciniales** W.Frey & M.Stech., 160, **178**  
 subord. **Pallaviciniineae** R.M.Schust.,  
 160, **178**  
 subord. **Phyllothalliineae** R.M.Schust.,  
 160, **178**
- Palynology  
 of *Hedyotis*, 371–390\*  
 of *Kohautia*, 371–390\*  
 of *Oldenlandia*, 371–390\*
- Pandanus*  
*odoriferus* (Forssk.) Chiov., 271, 274
- Panicum*, 338  
*trichoides* Sw., 338
- Papua New Guinea, 347–353\*, 459–467
- Paraboea*  
*burtii* Z.R.Xu, 7
- Paracromastigum* Fulford & J.Taylor, 185
- Paramomitrium* R.M.Schust., 191
- Paraschistochila* R.M.Schust., 183
- Parathelypteris*  
*immersa* (Blume) Ching, 359
- Paropsia* Noronha ex Thouars, 27–30, 39  
 sect. *Diploparsopia* Baill., 28, 34  
 sect. *Euparopsia* Baill., 39  
 sect. *Smeathmannia* (R.Br.) Baill., 39–40  
*decandra* Gilg, 36, 39  
*laevigata* (Sol. ex R.Br.) Warb., 41  
*pubesens* (Sol. ex R.Br.) Warb., 43  
*vareciformis* (Griff.) Mast., 27
- Paropsiopsis* Engl., 27–49\* [31 Fig., **32**]  
*africana* Engl., 28, 34, 36, 39  
 var. *leucantha* (Gilg) Pellegr., 36  
*atrichogyna* J.M.de Vos & Breteler, 27,  
 31–35 [31 & 33 Figs, **34**, 36 Map], 39  
*bipindensis* Gilg, 37, 39  
*decandra* (Baill.) Sleumer, 27–28, 31–32  
 & Fig., 34–36 [**35**, 36 Map], 39–40  
*ferruginea* Exell, 28, 32, 37  
*jollyana* Gilg, 37  
*leucantha* Gilg, 32, 36, 39  
*pusilla* Gilg, 37, 39  
*zenkeri* Gilg, 37, 39
- Paspalum*  
*conjugatum* P.J.Bergius, 338  
*oligostachyum* Salzm. ex Steud., 338  
*parviflorum* Rhode ex Flüggé, 338
- Passiflora*  
*alata* Curtis, 338  
*cincinnata* Mast., 338

- foetida* L., 338  
*galbana* Mast., 338  
**Passifloraceae**, 27–49\*, 338, 343  
  tribe *Paropsieae*, 27–49\*  
**PASTA**, S., 65–75  
*Pavetta*, 7  
*Pavonia*  
  *cancelata* (L.) Cav., 337  
**Pedinophyllopsis** R.M.Schust. & Inoue, 186  
**Pedinophyllum** (Lindb.) Lindb., 166, 186  
  *interruptum* (Nees) Kaal., 166  
  *truncatum* (Steph.) Inoue, 166, 171  
**Pelagian Archipelago, Sicily**, 65–75\*  
*Pellia* Raddi, 176  
**Pelliaceae** H.Klinggr., 160, **176**  
**Pelliales** He-Nygrén *et al.*, 157, **176**  
*Peltolepis* Lindb., 159, 174  
**Peninsular Malaysia**, 239–261\*  
*Pentastemonina* Steenis, 213–215  
**Pentastemonaceae**, 213, 215  
*Perdusenia* Hässel, 186  
**Perianth**  
  of *Pouzolzia*, 51–64\*  
**Pericarp**  
  of *Pouzolzia*, 51–64\*  
*Personiella* Herzog, 183  
**Perssoniellaceae** R.M.Schust. ex Groll, **183**  
**Petalophyllaceae** Stotler & Crand.-Stotl.,  
  **177**  
*Petalophyllum* Nees & Gottsche ex Lehm.,  
  177  
*Phaeolejeunea* Mizut., 182  
*Phegopteris*  
  *rubicunda* Alderw., 359  
**Philippines**, 205–211, 447–457\*  
*Philodendron*, 333  
*Phoenix*  
  *caespitosa* Chiov., 266, 269–271, 274–276  
  *reclinata* Jacq., 279  
*Hycolepidiozia* R.M.Schust., 185  
**Hycolepidioziaceae** R.M.Schust., **185**  
*Phyllanthaceae*, 338, 343  
*Phyllanthus*, 338  
*Phyllothallia* E.A.Hodgs., 178  
**Phyllothalliaceae** E.A.Hodgs., 160, **178**  
**Phylogeny**  
  of Marchantiophyta, 155–198  
  of *Pouzolzia*, 51–64\*  
  of *Rhododendron*, 81–95\*  
*Phymatodes*  
*cruciformis* (Ching) Ching, 356  
*ebenipes* (Hook.) Ching, 356  
*griffithiana* (Hook.) Ching, 356  
*oxyloba* (Wall. ex Kuntze) C.Presl ex  
  Ching, 357  
*rhynchophylla* (Hook.) Ching, 357  
**Phymatopsis**  
*cruciformis* (Ching) Ching, 356  
*ebenipes* (Hook.) J.Sm., 356  
*griffithiana* (Hook.) J.Sm., 356  
*oxyloba* (Wall. ex Kuntze) Ching, 357  
*rhynchophylla* (Hook.) J.Sm., 357  
*trisepta* (Baker) Ching, 357  
**Phymatopteris**  
*cruciformis* (Ching) Pic.Serm., 356  
*ebenipes* (Ching) Pic.Serm., 356  
*griffithiana* (Ching) Pic.Serm., 356  
*oxyloba* (Ching) Pic.Serm., 357  
*rhynchophylla* (Hook.) Pic.Serm., 357  
*trisepta* (Baker) Pic.Serm., 357  
*Physalis*  
  *neesiana* Sendtn., 339, 341  
*Physanthonolejeunea* R.M.Schust., 182  
*Physotheca* J.J.Engel & Gradst., 186  
*Pictolejeunea* Grolle, 182  
*Pigafetta* C.Massal., 186  
*Pilea*  
  *hyalina* Fenzl, 339  
*Piliostigma*  
  *thonningii* (Schumach.) Milne-Redh., 263,  
  273, 275  
*Pilosocereus*  
  *pachycladus* F.Ritter, 334  
*Piper*  
  *nigrum* L., 338  
*Piperaceae*, 338  
*PIPOLY*, J., 459–467  
*Piriqueta*  
  *duarteana* (A.St.-Hil., A.Juss. &  
  Cambess.) Urb., 339  
*Pisanoa* Hässel, 187  
*Pithecoseris*  
  *pacourinoides* Mart. ex DC., 333  
*Plagiochasma* Lehm. & Lindenb., 174  
*Plagiochila* (Dumort.) Dumort., 179,  
  183–187, 189–191  
**Plagiochilaceae** Müll.Frib. & Herzog, 166,  
  **186**  
*Plagiochilidium* Herzog, 186  
*Plagiochilion* S.Hatt., 186

- Plant systematics, 371–390\*
- Platycaulis* R.M.Schust., 186
- Platypodantha*  
*melissifolia* (DC.) R.M.King & H.Rob., 333
- Plectocolea* (Mitt.) Mitt., 190
- Peopeltis*  
*ebenipes* (Hook.) Bedd., 356  
*griffithiana* (Hook.) T.Moore, 356  
*pedunculata* (Hook. & Grev.) Alderw., 356  
*rhynchophylla* (Hook.) T.Moore, 357
- Pleurocladopsis* R.M.Schust., 183
- Pleurocladula* Grolle, 187
- Pleurozia* Dumort., 156–157, 160–161, 179  
*paradoxa* (J.B.Jack) Schiffn., 179
- Pleuroziaceae** Müll.Frib., **179**
- Pleuroziales** Schljakov, 161, **179**
- Plicanthus* R.M.Schust., 188
- Pluvianthus* R.M.Schust. & Schäf.-Verw., 182
- Poaceae*, 79, 329, 332, 338–340, 342, 344
- Podomitrium* Mitt., 176, 179
- Podostemaceae*, 469–481\*  
 subfam. *Podostemoideae*, 469–481  
*Podostemum*, 469–481  
*ceratophyllum* Michx., 480  
*ricciiforme* (Liebm.) P.Royer, 470  
*rutifolium* Warm., 469–481  
 subsp. *ricciiforme* (Liebm.) Novelo & C.T.Philbrick, 469–481 [472–478 Figs]  
*subulatum* Gard., 470, 478  
*weddellianum* (Tul.) C.T.Philbrick, 478
- Poeltia* Grolle, 169, 191
- Pollen characters  
 of *Hedyotis*, 371–390  
 of *Kohautia*, 371–390  
 of *Oldenlandia*, 371–390
- Polygala*  
*paniculata* L., 338
- Polygalaceae*, 338
- Polypodiaceae*, 355–361\*
- Polypodium*  
*cruciforme* Ching, 356  
*ebenipes* Hook., 356  
*griffithianum* Hook., 356  
*oxylobum* Wall. ex Kuntze, 357  
*pedunculatum* (Hook. & Grev.) Salomon, 356  
*rhynchophyllum* Hook., 357
- trisectum* Baker, 357
- Polystachya*  
*batkoi* Szlach. & Olszewski, 119 Map, 121  
 Fig., **126**
- lejolyana* Stévert, 119 Map, 121 Fig., **127**
- moniquetiana* Stévert & Geerinck, 119  
 Map, **127**
- pyramidalis* Lindl., 119 Map, **127**
- saccata* (Finet) Rolfe, 119 Map, **128**
- testuana* Summerh., 119 Map, **128**
- Porana* Burm.f., 133–153\*  
 [145, 149 Map]  
*nutans* (Moç. & Sessé ex Choisy)  
 O'Donell, 134–135, 137, 139, **146**–150  
 [147 Figs, 149 Map]  
*velutina* (M.Martens & Galeotti) Hallier f., 135, 146  
*vulobilis* Burm.f., 134–135
- Porella* L., 162, 180
- Porellaceae** Cavers, 162, **180**
- Porellales** Schljakov, 162, 170, **180**  
 subord. **Jubulineae** Müll.Frib., 157, 162,  
 170, **181**  
 subord. **Porellineae** R.M.Schust., 162,  
**180**  
 subord. **Radulineae** R.M.Schust., 162, **181**
- Portea*  
*leptantha* Harms, 334, 341
- Portulaca*  
*elatior* Mart. ex Rohrb., 338
- Portulacaceae*, 338
- Potamojeunea* (Spruce) Lacout., 182
- Pouzolzia* Gaudich., 51–64\* [58 Fig.]  
*australis* (Endl.) Friis & Wilmot-Dear,  
 58–59
- niveotomentosa* W.T.Wang, 59
- rugulosa* (Wedd.) Acharya & Kravtsova,  
 51–64\* [54 & 56 Figs, **60**, 62 Map]
- sanguinea* (Blume) Merr., 55, 59  
 var. *cinerascens*, 60  
 var. *fulgens* (Wedd.) Hara, 54–57  
 [54 Fig.], 59–61  
 var. *nepalensis* (Wedd.) Hara, 57  
 var. *sanguinea*, 57
- POWELL, E.A., 81–95
- PRADEEP, A.K., 77–80
- Prasanthus* Lindb., 191
- Preissia* Corda, 174
- Premna*  
*resinosa* (Hochst.) Schauer, 269–270

- Prevostea* Choisy, 133–153\*  
*amazonica* Choisy, 140  
*ferruginea* Choisy, 150  
*glabra* (Kunth) Choisy, 140  
var. *amazonica* (Choisy) Meisn., 140  
*heterantha* (Nees & Mart.) G.Don, 150  
*sericea* (Kunth) Choisy, 138, 144  
*spectabilis* (Choisy) Meisn., 150  
*umbellata* Choisy, 150  
*velutina* (M.Martens & Galeotti) Walp., 146  
*Prionolejeunea* (Spruce) Schiffn., 182  
*Pronephrium*  
*exsculptum* (Baker) Holttum, 359  
*parishii* (Bedd.) Holttum, 360  
*rubicundum* (Alderw.) Holttum, 359  
*Proskauera* Heinrichs & J.J.Engel, 166, 186  
*Protocephalozia* (Spruce) K.I.Goebel, 185  
*Protomarsupella* R.M.Schust., 187  
*Protoszygiella* (Inoue) R.M.Schust., 187  
*Pseudocephaloziella* R.M.Schust., 188  
*Pseudocyclosorus* Ching, 359  
*canus* (Baker) Holttum & Jeff.W.Grimes, 359  
*Pseudolepicolea* Fulford & J.Taylor, 184  
**Pseudolepicoleaceae** Fulford & J.Taylor, 164–165, **184**  
*Pseudolophocolea* R.M.Schust. & J.J.Engel, 186  
*Pseudomarsupidium* Herzog, 186  
*Pseudomoddingium*, 148  
*Pseudophegopteris* Ching, 358  
*Psidium*  
*araca* Raddi, 337  
*Psiloclada* Mitt., 185  
*Pteridaceae*, 355–361\*  
subfam. **Cryptogrammoideae** (Pic.Serm.) S.Linds., 355–361\* [**358**]  
*Pterocymbium* R.Br., 283  
*javanicum* R.Br., 322  
*Pterolepis*  
*polygonoides* Triana, 337  
*Pteropsiella* Spruce, 180, 185  
**Ptilidiaceae** H.Klinggr., 164, **183**  
**Ptilidiales** Schljakov, 162–164, **182**  
subord. *Ptilidiineae*, 162  
*Ptilidium* Nees, 163–164, 183  
*Ptychanthus* Nees, 182  
*Pupalia*  
*lappacea* (L.) Juss., 270
- Pycnolejeunea* (Spruce) Schiffn., 182  
*Pycreus*  
*capillifolius* (A.Rich.) C.B.Clarke, 335  
*flavescens* (L.) P.Beauv. ex Rchb., 335  
*piceus* (Liebm.) C.B.Clarke, 335  
*polystachyos* (Rottb.) P.Beauv., 335
- Quisumbingia* Merr., 447
- Radula* Dumort., 162, 181–183  
**Radulaceae** Müll.Frib., **181**  
*Rafflesia* R.Br., 28, 199–201 Rev.  
Ramification  
in *Podostemon*, 469–481\*  
*Rangaeris*  
*trilobata* Summerh., 119 Map, **128**  
*Rapanea* Aubl., 459–467\*  
*acrosticta* Mez, 461  
*arfakensis* Kaneh. & Hatus., 461  
*augustae* Mez, 461  
*cacuminum* Mez, 461  
*clemensiae* Sleumer, 461  
*coriifolia* Sleumer, 461  
*dicksonii* P.Royen, 461  
*gomphostigma* Mez, 461  
*inaequalis* Kaneh. & Hatus., 461  
*involucrata* Mez, 461  
*lamii* Sleumer, 462  
*leucantha* K.Schum., 462  
*minutifolia* Knoester, Wijn & Sleumer, 462  
*revoluta* Kaneh. & Hatus., 462  
*rhombata* P.Royen, 462  
*tempampan* P.Royen, 462  
*velutina* Knoester, Wijn & Sleumer, 462  
*womersleyi* Sleumer, 462  
*Raphidolejeunea* Herzog, 182  
*Raphionacme*  
*namibiana* Venter & Verh., 449  
*Rapona* Baill., 135  
Rare species  
in Arabia, 263–281\*  
*Reboulia* Raddi, 174  
*Rectolejeunea* A.Evans, 182  
*Reinwardtia* Spreng., 138  
*glabra* (Kunth) Spreng., 140  
*sericea* (Kunth) Spreng., 138, 144  
Review  
of *Stichoneuron*, 213–228  
Revisions

- of *Aeschynanthus*, 391–446  
 of *Calycobolus*, 133–153  
 of *Porana*, 133–153  
 of *Scaphium*, 283–328\*
- Rhazya*  
**stricta** Decne., 97, **100**
- Rheitophyllum* Hassk., 393  
*subverticillatum* Hassk., 393
- Rhododendron* L., 81–95\*  
 subgen. *Tsutsusi* (Sweet) Pojarkova, 81–95\*  
 sect. *Brachycalyx* Sweet, 81–84, 86–94  
 sect. *Tsusiopsis*, 82–83  
 sect. *Tsutsusi* Sweet, 81–84, 86–93  
*breviperulatum* Hayata, 84, 86, 89–93  
*daiyunicum*, 82, 94  
*dilatatum* Miq., 84, 89–92, 94  
*eriocarpum* (Hayata) Nakai, 84, 89–91  
*farrerae* Tate ex Sweet, 82, 84, 86, 89–91, 93  
*indicum* (L.) Sweet, 81, 84, 88–93  
*kaempferi* Planch., 84, 89–93  
*kiusianum* Makino, 84, 89–91  
*kiyosumense* (Makino) Makino, 84, 89–91  
*lagopus* Nakai, 89–91  
 var. *lagopus*, 84, 86, 89–91  
*macrosepalum*, 93  
*mariesii* Hemsl. & E.H.Wilson, 82, 84, 86, 89–91, 93  
*mayebarae* Nakai & Hara, 84, 89–92, 94  
*mucronatum* (Blume) G.Don, 89–91  
 var. *ripense* (Makino) E.H.Wilson, 84, 86, 89–91  
*nakaharae* Hayata, 84, 86, 89–93  
*oldhamii* Maxim., 84, 86, 89–93  
*quinquefolium*, 82  
*reticulatum* D.Don ex G.Don, 84, 89–92  
*rubropilosum* Hayata, 85–86, 89–91, 93  
*sanctum* Nakai, 84, 89–91  
*scabrum* G.Don, 85, 89–91  
*schlippenbachii*, 82  
*serpyllifolium* (A.Gray) Miq., 81, 85, 89–92  
*simsii* Planch., 85–86, 89–91  
*stenopetalum* (Hogg) Mabb., 85, 89–91  
*subsessile* Rendle, 85–86, 89–91  
*tashiroi* Maxim., 81–83, 85, 87–94  
*tosaense* Makino, 85, 89–91  
*tschonoskii* Maxim., 81, 85–86, 88–93  
*tsusiophyllum* Sugimoto, 81, 85, 88–93
- viscidostylum* Nakai, 84, 89–92  
*wadanum* Makino, 82, 84, 89–92  
*weyrichii* Maxim., 82, 84, 86, 89–92, 94  
*yedoense* Maxim., 86, 89–91, 93  
 var. *poukhanense* (H.Lév.) Nakai, 85–86, 89–91, 93  
 var. *yedoense*, 93
- Rhodoplagiochila* R.M.Schust., 186
- Rhynchelytrum*  
*repens* (Willd.) C.E.Hubb., 338, 342
- Rhynchospora*  
*cephalotes* (L.) Vahl, 335  
*holoschoenoides* (Rich.) Herter, 335  
*raparia* (Nees) Boeck., 335
- Riccardia* Gray, 161, 180
- Riccia* L., 155–156, 160, 175
- Ricciaceae** Rchb., 159, **175**
- Ricciales*, 159
- Ricciocarpos* Corda, 175
- Ridleyandra* A.Weber & B.L.Burtt, 239
- Riella* Mont., 173  
*bialetta* Trab., 173
- Riellaceae** Engl., **173**
- Rock outcrops, 329–346\*
- Rovivainenia* Perss., 166, 187
- RONSE DE CRAENE*, L., 363–364 Rev.
- rpb2*, 81–95
- Rubiaceae*, 6, 239, 338, 340, 371–390\*  
 tribe *Hedyotideae* Cham. & Schlldl. ex DC., 371–374  
 tribe *Spermacoeeae* Cham. & Schlldl. ex DC., 371–390\*
- Ruellia*, 7  
*patula* Jacq., 269–270
- Ruizanthus* R.M.Schust., 188
- Rutaceae*, 6–7
- Sacciolepis*  
*vilvooides* (Trin.) Chase, 338
- Saccogyna* Dumort., 191
- Saccogynidium* Grolle, 191
- Sacoglossis*  
*gabonensis*, 34
- Salicaceae*, 28, 339
- Sandeothallaceae** R.M.Schust., 160, **178**
- Sandeothallus* R.M.Schust., 178
- Sapindaceae*, 273, 339–341, 344
- Sapium*  
*glandulosum* (L.) Morong, 336
- Sapotaceae*, 273

- Sarcolobus* R.Br., 447–449  
*Sarcostemma*  
  *pyrotechnicum* (Forssk.) Schult., 100  
*Sauteria* Nees, 174  
*Scapania* (Dumort.) Dumort., 167, 188  
**Scapaniaceae** Mig., 164, 166–169, **187**  
*Scapaniella* H.Buch, 188  
*Scaphium* Schott & Endl., 283–328\* [284  
  Map, **291**]  
  *affine* (Mast.) Pierre, 283, 287–289,  
  293–**294**, 297 & Map, 302, 305–306,  
  311, 313, 316, 320  
*beccarianum* Pierre, 295–296  
*borneensis* (Merr.) Kosterm., 286, 310,  
  312, 317  
*burkillfilii* Kosterm., 286–287, 289,  
  291–293, **299**–300 & Map, 309, 319  
*javanicum* Kochummen, 322  
*linearicarpum* (Mast.) Pierre, 286–290,  
  292–294, 296, **300**–301 & Fig., 303 &  
  Map, 305, 311, 316  
*longiflorum* Ridl., 287, 289–290, 292–294,  
  296, 302, **304**–306 & Map, 311, 316  
*longipetiolatum* (Kosterm.) Kosterm.,  
  286–287, 289, 293–294, 299, **307**–310  
  [308 Fig., 310 Map], 319  
*lychnophorum* (Hance) Pierre, 295–296  
*macropodium* (Miq.) Beumée ex K.Heyne,  
  287–289, 291, 293–294, 296–297, 302,  
  305, **310**–313 [312 Map], 316  
*parviflorum* P.Wilkie, 286–287, 289–290,  
  293–294, 296, 302, 305, 311, 313–317  
  [**314**, 315 Fig., 317 Map]  
*scaphigerum* (Wall. ex G.Don) G.Planch.,  
  283, 285–287, 289–291, 293–294, 299,  
  309, **318**–320 & Map  
*velutinosum* Kosterm., 300, 303  
*velutinum* Kosterm., 304  
*wallichii* Schott & Endl., 293, 318  
*Scaphophyllum* Inoue, 190  
*Scaphyglossis*  
  *fusiformis* (Griseb.) R.E.Schult., 338  
*Schiffneria* Steph., 187  
*Schiffnerolejeunea* Verd., 182  
*Schistochila* Dumort., 156, 183  
**Schistochilaceae** H.Buch, 183  
*Schistochilopsis* (N.Kitag.) Konst., 168, 188  
*Schizandraceae*, 364 Rev.  
*Schoenoxiphium*  
  *burtii* Kukkonen, 7  
*Schofieldia* J.D.Godfrey, 187  
*SCHOLTE*, P., 263–281  
*Schultesia*  
  *g u i a n e s i s* (Aubl.) Malme, 336  
*Schusterella* S.Hatt., Sharp & Mizut., 181  
*Schusterolejeunea* Grolle, 182  
*Scleria*  
  *r e t i c u l a r i s* Michx., 335  
  *s e c a n s* (L.) Urb., 335  
*Scrophulariaceae*, 4, 6–7  
*Secamone*, 456  
  *s o c o t r a n a* Balf.f., 97, **100**  
*Securidaca*, 338  
Seed characters  
  of *Hedyotis*, 371–390\*  
  of *Kohautia*, 371–390\*  
  of *Oldenlandia*, 371–390\*  
*Selaginella*  
  *i m b r i c a t a* (Forssk.) Spring, 272  
*Selliguea* Bory, 355–361\*  
  *c r u c i f o r m i s* (Ching) S.Linds., **356**  
  *e b e n i p e s* (Hook.) S.Linds., **356**  
  *g r i f f i t h i a n a* (Hook.) S.Linds., **356**  
  *h i r s u t a* (Tagawa & K.Iwats.) S.Linds.,  
    356  
  *o x y l o b a* (Wall. ex Kuntze) S.Linds., **357**  
  *p e d u n c u l a t a* (Hook. & Grev.) C.Presl, 356  
  *r h y n c o p h y l l a* (Hook.) S.Linds., **357**  
  *t r i s e c t a* (Baker) S.Linds., **357**  
SEM, 51–64\*  
Semi-arid vegetation  
  in Brazil, 329–346  
*Senna*  
  *m a c r a n t h e r a* (DC. ex Collad.) H.S.Irwin  
  & Barneby, 336  
*Seppeltia* Grolle, 179  
*Setaria*  
  *g e n i c u l a t a* (Lam.) P.Beauv., 338, 342  
*Sewardiella* Kashyap, 177  
*Shorea*, 451  
Sicily, 65–75\*  
*Sida*, 337  
*Simaroubaceae*, 273  
SIMO, M., 115–132  
*Sinningia*  
  *n o r d e s t i n a* Chauntens, Baracho &  
    J.A.Siqueira, 337, 341  
*Siphonolejeunea* Herzog, 182  
SLUIMAN, H., 483–484 Rev.  
*Smeathmania* R.Br., 28

- Smeathmannia** R.Br., 27–49\* [31 Fig., **40**]  
*decandra* Baill., 28, 35, 39–40  
*emarginata* Lem., 29, 44, 48  
*illustriis* (Schumach. & Thonn.) Endl. ex Walp., 44  
**laevigata** Sol. ex R.Br., 29, 31 Fig., 40–43 [41, 42 Map]  
var. *nigerica* A.Chev., 29, 41, 43  
**media** Sol. ex R.Br., 29, 44  
**pubescens** Sol. ex R.Br., 29, 31 Fig., 40–41, **43**, 45 Map, 47  
var. *cordifolia* A.Chev., 29, 44  
var. *parvifolia* A.Chev., 44  
*rosea* Lem., 29, 44, 48  
**Smithia**, 7  
**Sobralia**  
*liliastrum* Lindl., 338  
**Solanaceae**, 339, 341–342  
**Solanum**  
*americanum* Mill., 339, 341–342  
**Solenostoma** Mitt., 164, 169, 190  
*caespiticium* (Lindemb.) Steph., 190  
**Solenostomataceae** Stotler & Crand.-Stotl., 155, 167–170, **190**  
**Sonerila** Roxb., 239  
SONKÉ, B., 115–132  
SONTAG, S., 8–26  
South India, 77–80\*  
*Southbya* Spruce, 189  
Southern Fold Mountains, Papua New Guinea, 347–353  
**Sphaerocarpaceae** Heeg, 173  
**Sphaerocarpales** Cavers, 157, 159, **173**  
*Sphaerocarpos* Boehm., 173  
*Sphaerolejeunea* Herzog, 182  
*Sphaerothylax*  
*abyssinica* (Wedd.) Warm., 478  
*Sphenolobopsis* R.M.Schust. & N.Kitag., 188  
*Sphenolobus* (Lindb.) Berggr., 168, 188  
**Sporobolus**  
*pyramidalatus* (Lam.) Hitchc., 338  
*Spruceanthus* Verd., 182  
*Sprucella* Steph., 185  
*Stapelia*  
*chrysostephana* Deflers, 100  
*Stapelianthus*, 201–203 Rev.  
STAPLES, G.W., 133–153  
*Steereea* S.Hatt. & Kamim., 181  
*Steereella* Kuwah., 162, 180  
*Steereochila* Inoue, 186  
*Stemona* Lour., 213–215, 222  
**Stemonaceae**, 213–228\*  
*Stenolejeunea* R.M.Schust., 182  
*Stenorhipis* Herzog, 167, 187  
*Stephaniella* J.B.Jack, 168–169, 189  
Stephaniellaceae, 168  
*Stephaniellidium* S.Winkl. ex Grolle, 168, 189  
*Stephensonella* Kashyap, 175  
*Sterculia* L., 283, 288–289  
subgen. *Scaphium*, 283  
*affinis* Mast., 294, 296  
*beccariana* Pierre, 295–296  
*linearicarpa* Mast., 300  
*lychnophora* Hance, 295  
*scaphigera* Wall. ex G.Don, 293, 296, 318  
**Sterculiaceae**, 283–328  
tribe *Sterculieae*, 283  
*Stereospermum*  
*kunthianum* Cham., 266, 272–275  
STÉVART, T., 115–132  
**Stichoneuron** Hook.f., 213–228\* [**217**]  
*bognerianum* Duyfjes, 213, 217, 218 Map, 219 & Fig., 227  
*calcicola* Inthachub, 213–214, 216–218 [218 Map], **220**–222 [221 Fig.], 227  
*caudatum* auct. non Ridl., 220  
*caudatum* Ridl., 214, 217–220 [218 Map], 222–224 [223 Fig.], 226–227  
*halabalisensis* Inthachub, 213, 217–219 [218 Map], **224**–227 [225 Fig.]  
*membranaceum* auct. non Hook.f., 222  
**membranaceum** Hook.f., 214, 216–217, 219, **226**  
*Stictolejeunea* (Spruce) Schiffn., 182  
*Stigmaphylлон*  
*paralias* A.Juss., 337  
*Stillingia*  
*trapezoidea* Ule, 336  
*Stolonivector* J.J.Engel, 186  
STOTLER, R.E., 155–198  
*Strelitzia*, 199–201 Rev.  
*Streptocarpus*, 2, 4  
*burttianus* Pócs, 7  
*hillburttianus* T.J.Edwards, 7  
*Struthianthus*, 337  
*Stylosanthes*  
*viscosa* (L.) Sw., 336, 342  
Sulawesi, Indonesia, 103–114\*, 229–238\*

- Sulcolluma*  
*hexagona*  
var. *septentrionalis* (Lavranos &  
L.E.Newton) Plowes, 98  
Sumatra, 447–457\*
- Suttonia* A.Rich., 459
- Syagrus*  
*coronata* (Mart.) Becc., 333
- Symbiezidium* Trevis., 182
- Symphyogyna* Nees & Mont., 179
- Symphyogynopsis* Grolle, 179
- Synaptantha* Hook.f., 373
- Systematics  
of *Clemensiella*, 447–457  
of *Hedyotis*, 371–390  
of *Kohautia*, 371–390  
of *Oldenlandia*, 371–390
- Szygiella* Spruce, 166, 187
- Szweykowskia* Gradst. & E.Reiner, 186
- TAKEUCHI, W., 347–353, 459–467
- Tamarindus*  
*indica* L., 264, 266, 268–270, 274–275,  
278–279
- Tarenna*, 7
- Targionia* L., 155, 160, 175
- Targioniaceae** Dumort., **175**
- Taxilejeunea* (Spruce) Schiffn., 163, 182
- Taxonomic revisions  
of *Aeschynanthus*, 391–446\*  
of *Paropsiopsis* Engl., 27–49\*  
of *Smeathmannia* R.Br., 27–49\*
- Taxonomy  
of *Calycobolus*, 133–153\*  
of *Clemensiella*, 447–457\*  
of *Hedyotis*, 371–390\*  
of *Kohautia*, 371–390\*  
of *Oldenlandia*, 371–390\*  
of *Porana*, 133–153\*  
of *Pouzolzia*, 51–64\*
- Teclea*  
*nobilis* Delile, 266, 271
- Telaranea* Spruce ex Schiffn., 165, 185
- Telosma* Coville, 448
- Temnoma* Mitt., 165, 184
- Tephrosia*, 7
- Terminalia*  
*brownii* Fresen., 263, 266, 269–271,  
274–275, 279
- Tessmannia*, 7
- Tetracymbaliella* Grolle, 166, 185
- Tetralophozia* (R.M.Schust.) Schljakov, 188
- Thailand, 355–361\*
- Thecagonum* Babu, 386
- Thelypteridaceae*, 355–361\*
- Thelypteris* Schmidel, 358  
*crassifolia* (Blume) Ching, 359  
*exsculpta* (Baker) K.Iwats., 359  
*immersa* (Blume) Ching, 359  
*repens* (Hope) Ching, 359  
*rubicunda* (Alderw.) K.Iwats., 359  
*triphylla* (Sw.) K.Iwats.  
var. *parishii* (Bedd.) K.Iwats., 360
- THOMAS, D.C., 103–114, 229–238
- Thrissur district, South India,  
77–80
- Thysananthus* Lindenb., 182
- Tibouchina*  
*multiflora* Cogn., 337
- Tiliaceae*, 273
- Tillandsia*  
*polystachia* (L.) L., 334  
*recurvata* (L.) L., 334  
*stricta* Sol. ex Ker-Gawl., 334  
*tenuifolia* L., 334
- Tinospora* Miers, 77–80\*  
*baenzigeri* Forman, 79  
*cordifolia* (Willd.) Hook.f. & Thomson,  
77
- crispa* (L.) Hook.f. & Thomson, 77, 79  
*formanii* Udayan & Pradeep, 77–79  
[78 Fig.]  
*glabra* (Burm.f.) Merr., 77  
*sinensis* (Lour.) Merr., 77, 79  
*smilacina* Benth., 77, 79
- Tocoyena*  
*formosa* (Cham. & Schldl.) K.Schum.,  
339
- Torenia*  
*burtiana* R.R.Mill, 7
- Trabacellula* Fulford, 167–168, 187
- Trachylejeunea* (Spruce) Schiffn., 182
- Trachypogon*  
*spicatus* (L.f.) Kuntze, 338
- Tradescantia*, 334
- Trebouxiophyceae, 484 Rev.
- Treubia* K.I.Goebel, 158, 171
- Treubiaceae** Verd., 158, **171**
- Trebiales** Schljakov, 156, **171**  
subord. *Trebiineae*, 160

- Treubiopsida M.Stech, J.-P.Frahm, Hilger & W.Frey, 171
- Triandrophylum* Fulford & Hatcher, 184
- Trichilia*  
*emetica* Vahl, 264, 266, 268–271, 274–276, 278–279
- Trichocolea* Dumort., 184
- Trichocoleaceae** Nakai, 165, **184**
- Trichocoleopsis* S.Okamura, 163, 182–183
- Trichomes  
in *Begonia*, 103–114\*
- Trichosporum* D.Don, 393  
*acuminatum* (Wall. ex A.DC.) Kuntze, 399  
*beccarii* (C.B.Clarke) Kuntze, 438  
*boschianum* (de Vriese) Kuntze, 437  
*bracteatum* (Wall. ex A.DC.) Kuntze, 402  
*chiritooides* (C.B.Clarke) Kuntze, 410  
*fulgens* (Wall. ex R.Br.) Kuntze, 414  
*grandiflorum* D.Don, 425, 428  
*javanicum* (Hook.) Kuntze, 437  
*lamppongum* (Miq.) Burkill, 438  
*lobbianum* (Hook.) Kuntze, 437  
*macranthum* Merr., 425  
*maculatum* (Lindl.) Kuntze, 429  
*micranthum* (C.B.Clarke) Kuntze, 423  
*parasiticum* (Roxb.) Kuntze, 425  
*parviflorum* D.Don, 393, 429  
*parvifolium* (R.Br.) Kuntze, 437  
*pulchrum* Blume, 437  
*superbum* (C.B.Clarke) Kuntze, 440  
*zollingeri* (C.B.Clarke) Kuntze, 438
- Trichotemnoma* R.M.Schust., 188
- Trichotemnomataceae** R.M.Schust., **188**
- Tridactyle*  
*laurentii* (De Wild.) Schltr.  
var. *kabareensis* Geerinck, 129  
var. *laurentii*, 119 Map, **129**  
*muriculata* (Rendle) Schltr., 119 Map, **129**
- Tridax*  
*procumbens* L., 271, 276
- Trimeniaceae**, 364 Rev.
- Tritomaria* Schiffn. ex Loeske, 188
- Triumfetta*  
*pentandra* A.Rich., 271, 273–275
- trnS-trnG*, 81–95
- Trocholejeunea* Schiffn., 182
- Turbina*  
*mexicana* (Hemsl.) Roberty, 146
- velutina* (M.Martens & Galeotti)  
Roberty, 146
- TURNER, I.M.**, 365–370
- Turnera*  
*blanchetiana* Urb., 339
- Turneraceae**, 28, 339
- Tuyamaella* S.Hatt., 182
- Tuzibeanthus* S.Hatt., 182
- Tylimanthus* Mitt., 188–189
- Tylophora*  
*yemensis* Deflers, 97, **101**
- Tylophoropsis*  
*yemensis* (Deflers) N.E.Br., 101
- Typeification  
of *Friesodielsia*, 365–370\*  
of *Hedyotis*, 371–390\*  
of *Kohautia*, 371–390\*  
of *Oldenlandia*, 371–390\*
- UDAYAN, P.S.**, 77–80
- Ultrabasic environments, 459–467\*
- Umbelliferae*, 4
- Urtica*  
*rugosula* Wall., 60, 63  
*venosa* Wall., 60, 63
- Urticaceae**, 51–64\*, 339  
tribe *Boehmerieiae*, 51
- Utricularia*  
*pusilla* Vahl, 337
- Uvaria*  
*grandifolia*, 370
- VAJRODAYA, S.**, 213–228
- Valley forest  
in Arabia, 263–281\*
- Vanaea* (Inoue & Gradst.) Inoue & Gradst., 166, 187
- Vandiemenia* Hewson, 162, 180
- Vanilla*  
*chalottii* Finet, 119 Map, **130**
- Vegetation  
of Brazilian inselbergs, 329–346 [332 Map]
- Verdoornia* R.M.Schust., 160, 179–180
- Verdoornianthus* Gradst., 182
- Vernonia*  
*chalybaea* Mart. ex DC., 333
- cotoneaster* (Willd. ex Spreng.) Less., 333
- Vetaforma* Fulford & J.Taylor, 184
- Vetaformataceae** Fulford & J.Taylor, **184**

- Vietnam, 391–446\*
- Violaceae*, 339
- Viridivia* J.H.Hemsl. & Verdc., 27, 30–31
- Vismia guianensis* (Aubl.) Pers., 337
- Vitaceae*, 339
- Vitianianthus* R.M.Schust. & Giancotti, 182
- Vitex regnelliana* Moldenke, 337
- Vittaria*, 358
- Vittariaceae*, 358
- Vriesia*, 334
- Wadi Rijaf, Jabal Bura, 263–281
- Waltheria indica* L., 337, 342
- WEBER, A., 6–26
- Western Ghats, South India, 77–80
- Wettsteinia* Schiffn., 186
- Wiesnerella* Schiffn., 160, 175
- Wiesnerellaceae** Inoue, 159, **175**
- WILKIE, P., 283–328
- WILMOT-DEAR, C.M., 51–64
- Winteraceae*, 6
- Wurmbea burttii* B.Nord., 7
- Xenocephalozia* R.M.Schust., 186
- Xenochila* R.M.Schust., 186
- Xenothallus* R.M.Schust., 179
- Xiridaceae*, 339
- Xylolejeunea* X.-L.He & Grolle, 182
- Xyris jupicai* Rich., 339
- Yemen, 263–281\*
- Zeylanidium subulatum* (Gard.) C.Cusset, 470, 478–479
- Zingiberaceae*, 3–4, 6
- Ziziphus mucronata* Willd., 263, 266, 270, 275–276
- Zoopsisidella* R.M.Schust., 185
- Zoopsis* Hook.f. ex Gottsche, Lindenb. & Nees, 165, 185