

GENERAL INDEX TO VOLUME 67 (2010)

Note: Main entries are **boldened**; * signifies the page range of keywords; pages with illustrations (Fig.), maps and appendices (App.) are indicated; tables are not annotated separately.

- Abbotia* Raf., 358
Abutilon
bidentatum Hochst. ex A.Rich., 206 App.
figarianum Webb, 206 App.
fruticosum Guill. & Perr., 193, 206 App.
pannosum (G.Forst.) Schltldl., 194, 206 App.
Acacia Mill., 193–194, 198–199
ehrenbergiana Hayne, 193–194, 196, 198, 205 App.
gerrardii Benth.
var. *najdensis* Chaudhary, 41, 54 App.
tortilis (Forssk.) Hayne, 42, 44–46, 196, 205 App.
subsp. *raddiana* (Savi) Brenan, 55 App.
subsp. *tortilis*, 193
Acalypha
indica L., 205 App.
Acanthaceae, 51 App., 202 App., 231
Acanthonema Hook.f., 177
Achillea L., 247
millefolium L., 241, 246, 253–254
Adelocaryum Brand, 141–154* [145]
anchusoides (Lindl.) Brand, 141–144
capusii (Franch.) Brand, 141, 143
coelestinum (Lindl.) Brand, 141, 143–148 [146], 151–152
coelestinum (Lindl.) R.R.Mill, 141
erythraeum Brand, 141, 144
f. *erythraeum*, 142
f. *subexalata* H.Riedl, 142
flexuosum Brand, 141
lambertianum (C.B.Clarke) R.R.Mill, 141, 144–145, 152
malabaricum (C.B.Clarke) Brand, 141, 143–146, 152
nebulicola R.R.Mill, 141, 145–153 [148, 149–150 Figs]
schlagintweitii Brand, 141
Adiantaceae, 51 App.
Adiantum
capillus-veneris L., 45, 51 App.
Aeluropus
lagopoides (L.) Trin. ex Thwaites, 194, 207 App.
Aerva
javanica (Burm.f.) Juss. ex Schult., 41, 52 App., 194, 202 App.
Aeschynanthus Jack, 176
bracteatus Wall. ex DC., 163, 175
micranthus C.B.Clarke, 163, 175
Aethionema
carneum (Banks & Sol.) B.Fedtsch., 53 App.
Africa
Central, 219–233*
South, 353–398*, 425–430*
Agalmyla Blume, 176
biflora (Elmer) Hilliard & B.L.Burt, 163, 175
clarkei (Elmer) B.L.Burt, 163, 175
Agapetes D.Don ex G.Don, 8, 437
Agaricaceae, 405
Agaricus, 405, 409
ephemeroides DC., 406
Agrocybe
fimicola (Speg.) Singer, 408
neocoprophila Singer, 408
Aidia Lour., 265, 283–284
densiflora (Wall.) Masam., 270–271, 273, 284, 341 App., 342 App.
racemosa (Cav.) Tirveng., 271, 273, 284, 341 App., 342 App.
Aizoaceae, 52 App., 202 App.
Aizoon
canariense L., 52 App.
Ajuga
arabica P.H.Davis, 197, 208 App.
AL-ABBASI, T.M., 25–35, 37–56, 189–208
Alcea
striata (DC.) Alef., 42–43, 47, 55 App.
Alectoris
melanocephala Ruppell, 41
AL-FARHAN, A., 25–35, 37–56
AL-HARBI, R.J., 37–56, 189–208
AL-KHULAI, A.W., 25–35
Alliaceae, 52 App.

- Allium*
dictyoprasum C.A.Mey. ex Kunth, 52
 App.
- Aloe*
vera (L.) Burm.f., 208 App.
- AL-SHAMMARI, K.F., 37–56, 189–208
- AL-WETAID, A.H., 37–56, 189–208
- Alysicarpus*
glumaceus (Vahl) DC., 205 App.
- Amaranthaceae, 52 App., 202 App.
- Amaranthus*
graecizans L., 202 App.
viridis L., 203 App.
- Amaryllidaceae, 203 App.
- Ammannia*
baccifera L., 205 App.
- Ammophila*, 403
- Anacardiaceae, 52 App.
- Anamorphic fungi, 420**
- Anaphaloides* (Benth.) Kirp., 236, 248–249
subrigida (Colenso) Anderb., 241, 246,
 250
- Anaphalis* DC., 248–249, 255
javanica Sch.Bip., 242, 246, 250
margaritacea Benth. & Hook.f., 242, 246,
 250
nubigena DC., 242, 246, 250–252
- Anarrhinum*
forskallii (J.F.Gmel.) Cufod., 56 App.
- Ancyclostemon*
aureus (Franch.) B.L.Burt, 163, 175
convexus Craib, 163, 175
- Andrachne*
aspera Spreng.
 var. *glandulosa* Hochst. ex A.Rich., 206
 App.
- Anellaria*
semiovata (Sowerby) A.Pearson &
 Dennis, 409
- Anisosciadium*
lanatum Boiss., 42, 56 App.
- Anna*
mollifolia (W.T.Wang) W.T.Wang &
 K.Y.Pan, 163, 175
submontana Pellegr., 164, 175
- Anogeissus*
dhofarica A.J.Scott, 151–152
- Antennaria* Gaertn., 236, 248–249,
 252–255
anaphaloides Rydb., 242, 246, 250
carpatica (Wahlenb.) Bluff & Fingerh.,
 242, 246, 250, 252
dioica (L.) Gaertn., 242, 246, 249–252,
 254
luzuloides Torr. & Gray, 242, 246, 252–
 253
- Anticharis*
glandulosa Asch., 208 App.
- Anvillea*
garcinii (Burm.f.) DC., 44, 52 App.
- Aoranthae* Somers, 267, 285
- Apiaceae *see* Umbelliferae
- Apocynaceae, 1–5, 52 App., 203 App.
 subfam. Apocynoideae, 1–5*
 tribe Mesechiteae, 1
- Arabian Peninsula, Important Plant Areas
 (IPAs) in, 25–35*, 37–56*, 189–208
- Arctic, 7–24*
- Arecaceae *see* Palmae
- Argyrobolium*
arabicum (Decne.) Jaub. & Spach, 205
 App.
- Aristida*
adscensionis L., 207 App.
funiculata Trin. & Rupr., 207 App.
- Aristolochia*
bracteolata Lam., 203 App.
- Aristolochiaceae, 203 App.
- Armeria*
macloviana Cham., 403
- Artemisia*, 258
herba-alba Asso, 52 App.
sieberi Besser, 41, 52 App.
- Arthraxon*
inermis Hook.f., 147
purandharensis Bharucha, 147
- Arthrocnemum*
macrostachyum (Moric.) K.Koch, 194,
 196 Fig., 203 App.
- Arundinella*, 448
- Asclepiadaceae, 52 App.
- Ascobolaceae, 412
- Ascobolus**, 412–413
albidus P.Crouan & H.Crouan, **412**
brantophilus Dissing, **412**
degluptus Brumm., **412–413**
furfuraceus Pers., **412**
hawaiiensis Brumm., **412**
immersus Pers., **412**
michaudii Boud., **413**

- stictoides** Speg., 412–413
Ascomycota, 399–423* [411]
Asellia
patrizii DeBeaux, 190
Asia, Southeast, 75–121*
Asparagaceae, 52 App., 203 App.
Asparagus
aphyllus L., 52 App.
flagellaris (Kunth) Baker, 193, 203 App.
Asphodelaceae, 52 App.
Asphodelus
tenuifolius Cav., 42, 46, 52 App.
Asteraceae, 203 App., 235–264*, 400–401
tribe Anthemideae, 246, 248–249, 252–254
tribe Astereae, 246, 248–249, 252–254
tribe Gnaphalieae, 235–264*
see also Compositae
Asteriscus
pygmaeus (DC.) Coss. & Durieu, 44, 52 App.
Astracantha
echinus (DC.) Podlech
subsp. *arabica* Hedge & Podlech, 43, 47, 55 App.
Astragalus L., 208 App.
spinosus (Forssk.) Muschl., 44, 55 App.
Atractocarpus Schltr. & K.Krause, 265–342* [272 Fig.]
crobyi (Burkill) Puttock, 267
heterophyllus (Montrouz.) Guillaumin & Beauvis., 265, 270–272 & Fig., 274, 276, 278, 284, 341 App., 342 App.
tenuiflorus (A.C.Sm.) Puttock, 267
Atractocarpus sensu Puttock, 285
Atractylis
carduus (Forssk.) C.Chr., 52 App.
Atriplex
farinosa Forssk., 203 App.
halimus L., 203 App.
AUSTIN, D.F., 467–468
AUVRAY, G., 451–465
AVERY, T.S., 7–24
Avicennia, 197
marina (Forssk.) Vierh., 192, 197, 202 App.
Baccharis, 401
Balaenoptera
acutorostrata Lacépède, 190
Ballota
undulata (Sieber ex Fresen.) Benth., 42, 54 App.
Barbeya
oleoides, 31
Barbeyaceae, 31
Barleria
hochstetteri Nees ex DC., 202 App.
Basilicum
polystachyon (L.) Moench, 194, 197, 205 App.
Basidiomycota, 399–423* [404]
Begonia, 123–140*
sect. *Diploclinium*, 123–140 [126 Maps]
sect. *Platycentrum*, 124
sect. *Reichenheimia*, 131
acclivis C.Coyle, 123–128 [125, 126 Map, 127 Fig.], 136
acuminatissima Merr., 134
anisoptera Merr., 124, 136
cleopatrae C.Coyle, 123–124, 126 Map, 127 Fig., 128–129, 136
concanensis A.DC., 147
coronensis, 124, 126 Map, 127 Fig., 129–131, 140
gueritziana Gibbs, 124, 138–139
gutierrezii C.Coyle, 123–124, 126 Map, 127 Fig., 131–132
hernandioides Merr., 132
longiscapa Warb., 134
mindorensis Merr., 123, 125–126 Map, 132–134 [133 Fig.]
nigritarum (Kamel) Steud., 123, 135
palawanensis, 131
pinamalayensis Merr., 132, 134
rhombicarpa A.DC., 134–135
rubiteae M.Hughes, 123, 125–126 Map, 133 Fig., 134–135
sordidissima Elmer, 134
suborbiculata Merr., 124–126 Map, 128, 131, 133 Fig., 135
tayabensis Merr., 132
wadei Merr., 124, 126 Map, 131, 133 Fig., 136–137
wilkiei C.Coyle, 123–126 Map, 138–139 Fig.
woodii Merr., 124, 126 Map, 130, 139 & Fig.
Begoniaceae, 123–140
Bhutan, 451–465
Biodiversity, 399–423*

- Biogeography
of *Porterandia*, 265–342*
- Biscutella*
didyma L., 53 App.
- Bistella*
digyna (Retz.) Bullock, 208 App.
- Blechnum*
magellanicum Desv., 403
- Blepharis*
ciliaris (L.) B.L.Burttt, 51 App., 193, 202 App.
- BLÖCH, C., 235–264
- Boea*
hygrometrica (Bunge) R.Br., 164, 175
magellanica Lam., 164, 175
- Boehmeria* Jacq., 431–450*
densiflora Hook. & Arn., 449
erythropoda auct. non Miq., 441
erythropoda Miq., 444
hamiltoniana Wedd., 443, 445
heterophylla Wedd., 440
leptostachya Friis & Wilmot-Dear, 431–450* [441, 442–443 Fig., 444 Map]
listeri Friis & Wilmot-Dear, 431–450* [432, 433 Fig., 434 Map]
macrophylla D.Don
var. *listeri* sensu King, 437
manipurensis Friis & Wilmot-Dear, 431–450* [434 Map, 438, 439 Fig.]
multiflora C.B.Rob., 449
penduliflora Wedd. ex D.G.Long, 436–437, 449
pilosiuscula (Blume) Hassk., 436
subintegra Friis & Wilmot-Dear, 431–450* [444, 446 Fig., 447 Map]
zollingeriana Wedd., 443, 445
- Boeica* C.B.Clarke, 177
ferruginea Drake, 164, 175
porosa C.B.Clarke, 164, 175
- Boerhavia*
diffusa L., 206 App.
- Boesenbergia* Kuntze, 75, 77, 97
anomala (Hallier f.) Schltr., 85
biloba (Ridl.) Schltr., 89
bractescens (Ridl.) Merr., 112
calophylla (Ridl.) Schltr., 89
concinna (Ridl.) Schltr., 95
gracilipes (K.Schum.) R.M.Sm., 97, 118
klossii (Ridl.) Loesen., 98
lancifolia (Ridl.) Schltr., 105
laxiflora (Valeton) Loesen., 112
malaccana (Baker) Govaerts, 105
minor (Baker) Kuntze, 90
oculata (Ridl.) Schltr., 108
reticosa (Ridl.) Merr., 113
scaphochlamys (Ridl.) Schltr., 105
- Bolbitiaceae, 408
- Bolbitius**
boltonii (Pers.) Fr., 408
flavidus (Bolton) Masee, 408
fragilis (L.) Fr., 408
vitellinus Pers., 408
- Bolivia, 69–73*
- Bombardioidea**
stercoris (DC.) N.Lundq., 416
- Boraginaceae, 52 App., 141–154*, 203 App.
tribe Cynoglosseae, 141–154
- Boreal zone, 7–24*
- Borneo, 75–121, 265–342* [330 Map]
- Brachiaria*
ramosa (L.) Stapf, 207 App.
- Brandella* R.R.Mill, 141–154*
erythraea (Brand) R.R.Mill, 141–142, 144
f. **subexaltata** (H.Riedl) R.R.Mill, 141–142
- Brassicaceae *see* Cruciferae
- Brazil, Northeast, 1–5*
- BRETELER, F.J., 343–346
- Briggsia*
longipes (Hemsl. ex Oliv.) Craib, 164, 175
mihieri Craib, 164, 175
muscolola (Diels) Craib, 164, 175
rosthornii (Diels) B.L.Burttt, 164, 175
- Bromus*
fasciculatus C.Presl, 42, 54 App.
- Bungarimba* K.M.Wong, 265–342* [272 Fig.]
kahayanensis K.M.Wong, 271, 284, 341 App., 342 App.
ridsdalei K.M.Wong, 270–272 & Fig., 276 Fig., 281, 284, 341 App., 342 App.
sessiliflora (Ridl.) K.M.Wong, 271, 284, 327, 341 App., 342 App.
- Burbidgea* Hook.f., 65
- Burma, 451–465
- Burseraceae, 203 App.
- Caatinga*, 1–5*
- Cadaba*
farinosa Forssk., 203 App.
glandulosa Forssk., 203 App.

- longifolia* DC., 203 App.
rotundifolia Forssk., 203 App.
Calcareoboea
coccinea C.Y.Wu ex H.W.Li, 164,
 175
Calotropis
procera (Aiton) Aiton f., 203 App.
 Cambodia, 155–160*
 Campanulaceae, 425–430*
Camptandra Ridl., 75
Canis
lupus arabs Pocock, 40
Cannabis, 281
Canscora, 155–160*
alata (Roth) Wall., 160
andrographioides auct., 158
andrographioides Griff. ex C.B.Clarke,
 158, 160
bidoupensis Hul, 155, **158**–160 [159 Fig.]
diffusa (Vahl) R.Br. ex Roem. & Schult.,
 160
 Cape Floristic Region, 353–398*
 Cape Peninsula, 353–398*
 Capparaceae, 52 App., 203 App.
Capparis
aphylla Hayne ex Roth, 203 App.
cartilaginea Decne., 203 App.
decidua (Forssk.) Edgew., 203 App.
spinosa L., 44, 52 App., 194, 204 App.
Capra
ibex nubiana F.Cuvier, 38
Caracal
caracal schmitzi Matschie, 40
Caralluma
acutangula (Decne.) N.E.Br., 203 App.
adscendens (Roxb.) Haw., 203 App.
edulis (Edgew.) Benth. ex Hook.f., 203
 App.
Carpodacus
synoicus Temminck, 41
Carpolobia G.Don, 343–346*
alba G.Don, 343, 346
gabonica Breteler, **343**–346 [344 Fig., 345
 Map]
goetzei Gürke, 343
gossweileri (Exell) E.M.A.Petit, 343, 346
lutea G.Don, 343
 Caryophyllaceae, 52 App., 204 App.
Castroviejoa Galbany, L.Sáez & Benedi,
 248–249, 255
frigida (Labill.) Galbany, L.Sáez &
 Benedi, 242, 246, 250
montelinasana (Em.Schmid) Galbany,
 L.Sáez & Benedi, 243, 246, 250
Cautleya (Royle ex Benth.) Hook.f., 451–
 465* [**454**]
cathcartii Baker, 452, 454, 458, 460
gracilis (Sm.) Dandy, 452–**455**, 460, 464
 var. *gracilior* (K.Schum.) Sanjappa,
 455
 var. ***gracilis***, **455**–456 Map, 464
 var. ***robusta*** (K.Schum.) Sanjappa, 454,
458–460 [459 Fig., 460 Map]
lutea (Royle) Hook.f., 451, 453, 455
 var. *gracilior* K.Schum., 452, 455
 var. *robusta* K.Schum., 452, 454, 458–
 460
petiolata Baker, 452–453, 462–464 [463
 Fig.]
robusta Baker, 452, 454, 462
spicata (Sm.) Baker, 452–455, **460**–462
 [461 Fig., 462 Map], 464
Cavendishia Lindl., 8
Caylusea
hexagyna (Forssk.) M.L.Green, 41, 55
 App.
 Celastraceae, 204 App.
Cenchrus
ciliaris L., 207 App.
pennisetiformis Hochst. & Steud., 54
 App.
setigerus Vahl, 207 App.
Centaurea
eryngioides Lam., 44, 52 App.
pseudosinaica Czerep., 41, 52 App.
sinaica DC., 44, 52 App.
 Central Africa, 219–233*
 Ceratostomataceae, 417
 Cerrado, 69–73*
 Chaetomiaceae, 415
Chaetomium, 415
crispatum (Fuckel) Fuckel, **415**
Chaetosciadium
trichospermum (L.) Boiss., 46–47, 56 App.
Chascanum
marrubiifolium Fenzl ex Walp., 208 App.
Chassalia Comm. ex Poir., 219–233*
corallifera (A.Chev. ex De Wild.) Hepper,
 220, 224
ischnophylla (K.Schum.) Hepper, 224

- kolly* (Schumach.) Hepper, 220, 224
lutescens O.Lachenaud & D.J.Harris,
 219–224 [220, 221 Fig., 222 Map]
subherbacea (Hiern) Hepper, 224
subspicata K.Schum., 224
Chazaliella E.M.A.Petit & Verdc., 219, 228
letouzeyi Robbr., 228
oddonii (De Wild.) E.M.A.Petit & Verdc.
 var. **cameroonensis** Verdc., 220
Cheilymenia, 412
coprinaria (Cooke) Boud., 411
 var. *megaspora* Gamundi, 411
fimicola (de Not. & Bagl.) Dennis, 411
humarioides Gamundi, 412
rariopila (Phill.) Dennis, 411
stercorea (Pers.) Boud., 411
Chelonia
mydas L., 191
 CHEN, W.-H., 161–184
Chenolea
diffusa Thunb., 393
 Chenopodiaceae, 52 App.
Chiliadenus
montanus (Vahl) Brullo, 43, 52 App.
Chiliotrichum
diffusum (G.Forst.) Kuntze, 400
 China, 161–184, 431–450*, 451–465
Chirita Buch.-Ham. ex D.Don, 177
asperifolia (Blume) B.L.Burtt, 164, 175–
 176
caliginosa C.B.Clarke, 164, 175
lavandulacea Stapf, 164, 175
pinnata W.T.Wang, 164, 175
pinnatifida (Hand.-Mazz.) B.L.Burtt, 164,
 175
pumila D.Don, 165, 175
sinensis Lindl., 165, 175
urticifolia Buch.-Ham. ex D.Don, 165,
 175
walkeri Gardner, 165, 175
Chiritopsis
repanda W.T.Wang
 var. *guilinensis* W.T.Wang, 165, 175
Chloris
barbata (L.) Sw., 207 App.
Chrozophora
oblongifolia (Delile) A.Juss. ex Spreng.,
 53 App., 205 App.
Chrysopogon
plumulosus Hochst., 207 App.
Cibirhiza P.Bruyns, 152
Cinchona, 437
 Circumscription
 of *Porterandia*, 265–342
Cissus
quadrangularis L., 193, 208 App.
rotundifolia (Forssk.) Vahl, 208 App.
 Cistaceae, 52 App.
Cistanche
phelypaea (L.) Cout., 46, 55 App.
tubulosa (Schenk) Hook.f., 206 App.
Citrullus
colocynthis (L.) Schrad., 53 App., 204
 App.
Cleistanthus, 231
Cleome
brachycarpa Vahl ex DC., 204 App.
gynandra L., 204 App.
noeana Boiss. & Popov
 subsp. *brachystyla* (Deflers)
 D.F.Chamb. & Lamond, 194, 197,
 204 App.
tenella L.f., 204 App.
Clitocybe
amarecens Harmaja, 404
harmajae Lamoure, 405
metachroa (Fr.) P.Kumm., 404
nitrophila Bon, 405
Clitopilus
hobsonii (Berk. & Broome) P.D.Orton
 var. *chilensis* Singer, 410
passeeckerianus (Pilát) Singer, 410
 Clustering strategies, 7, 13–14, 16–17
Cocculus
pendulus (J.R.Forst. & G.Forst.) Diels,
 206 App.
Coffea L., 273
 subgen. *Baracoffea* (J.-F.Leroy)
 J.-F.Leroy, 273
 subgen. *Coffea*, 273
Commelina
benghalensis L., 204 App.
forsskalii Vahl, 204 App.
 Commelinaceae, 204 App.
Commicarpus
helenae (Roem. & Schult.) Meikle, 206
 App.
Commiphora
erythraea (Ehrenb.) Engl., 194, 197, 200,
 203 App.

- gileadensis* (L.) C.Chr., 193, 203 App.
Compositae, 52 App.
see also Asteraceae
Conandron
ramondioides Siebold & Zucc., 165,
175
Congo Brazzaville, 343–346* [345 Map]
- Coniochaeta**
discospora (Auersw.) Cain, 415
hansenii (Oudem.) Cain, 415
leucoplaca (Berk. & Ravenel) Cain, 415
ligniaria (Grev.) Masee, 415
saccardoii (Marchal) Cain, 415
scatigena (Berk. & Broome) Cain, 415
Coniochaetaceae, 415
- Conocybe**
cryptocystis (Atk.) Singer, 408
cryptocystis auct., 408
digitalina (Velen.) Singer, 408
magnispora (Murrill) Singer, 408
pubescens (Gillet) Kühner, 408
subpubescens P.D.Orton, 408
Conservation
in Arabian Peninsula, 25–35*, 37–56*
of *Paraboea*, 209–217*
in Saudi Arabia, 189–208*
- Convolvulaceae, 53 App., 204 App., 467–
468
Convolvulus
arvensis L., 204 App.
glomeratus Choisy, 204 App.
hystrix Vahl, 53 App.
pilosellifolius Desr., 204 App.
rhyniospermus Hochst. ex Choisy, 204
App.
- Coprinaceae, 405, 407
- Coprinellus**
brevisetulosus (Arnolds) Redhead,
Vilgalys & Moncalvo, 405
curtus (Kalchbr.) Vilgalys, Hopple &
Jacq.Johnson, 405–406
heptemerus (M.Lange & A.H.Sm.)
Vilgalys, Hopple & Jacq.Johnson, 405
pellucidus (P.Karst.) Redhead, Vilgalys &
Moncalvo, 405–406
- Coprinopsis**, 406
cordispora (T.Gibbs) Watling &
M.J.Richardson, 399, 406
ephemeroides (DC.) Watling &
M.J.Richardson, 399, 406
- nivea* (Pers.) Redhead, Vilgalys &
Moncalvo, 406–407
pachysperma (P.D.Orton) Redhead,
Vilgalys & Moncalvo, 407
radiata (Bolton: Fr.) Redhead, Vilgalys &
Moncalvo, 407
stercorea (Fr.) Redhead, Vilgalys &
Moncalvo, 407
vermiculifera (Joss. ex Dennis) Redhead,
Vilgalys & Moncalvo, 407
- Coprinus*, 405, 407
brevisetulosus Arnolds, 405
bulbillosus Pat., 406
comatus (O.F.Müll.) Pers., 405
cordisporus T.Gibbs, 406
curtus Kalchbr., 405
ephemeroides (DC.) Fr., 406
heptemerus M.Lange & A.H.Sm., 405
latisporus P.D.Orton, 406
miser P.Karst., 407
niveus (Pers.) Fr., 406
pachyspermus P.D.Orton, 407
patouillardii Qué!, 406
pellucidus P.Karst., 406
plicatiloides Buller, 405
radiatus (Bolton) Gray, 407
stellatus Sacc., 405
stercorarius (Bull.) Fr., 407
stercoreus Fr., 407
vermiculifer Joss. ex Dennis, 407
- Coprobria**
granulata (Bull.) Boud., 412
Coprophilous fungi, of the Falkland Is-
lands, 399–423 [401 Map]
- Corallodiscus* Batalin, 171, 174, 177
lanuginosus (Wall. ex R.Br.) B.L.Burt, 165,
175
- Corchorus*
depressus (L.) Stocks, 206 App.
olitorius L., 206 App.
trilocularis L., 206 App.
- Cornulaca*
ehrenbergii Asch., 203 App.
- Cortaderia*
pilosa (d'Urv.) Hack., 403
- Cotula*
coronopifolia L., 391
scariosa (Cass.) Franch., 403
- COYLE, C., 123–140
Crassulaceae, 53 App.

- Craterocapsa*, 425
- Cressa*
cretica L., 204 App.
- Crotalaria*
microphylla Vahl, 205 App.
persica (Burm.f.) Merr., 55 App.
- Crucianella*
ciliata Lam., 55 App.
membranacea Boiss., 55 App.
- Cruciferae, 47, 53 App.
- Cucumis*
melo L., 204 App.
 subsp. *agrestis* (Naudin) Pangalo, 204 App.
prophetarum L., 193, 204 App.
 var. *dissectus* (Naudin) C.Jeffrey, 53 App.
- Cucurbitaceae, 53 App., 204 App.
- CUPIDO, C.N., 425–430
- Cupressaceae, 53 App.
- Curcuma*, 79
 sect. *Hitcheniopsis* Baker, 79
 sect. *Mesantha* Horan., 79
kunstleri Baker, 79, 101
 var. *rubra* Ridl., 102
lanceolata Ridl., 109
sylvestris Ridl., 79, 116
- Cuscuta*
planiflora Ten., 204 App.
- Cynogeton* Endl., 358
- Cymbopogon*
schoenanthus (L.) Spreng., 42–43, 54 App.
- Cymodocea*
rotundata Asch. & Schweinf., 195, 204 App.
serrulata (R.Br.) Asch. & Magnus, 195, 204 App.
- Cymodoceaceae, 204 App.
- Cynodon*
dactylon (L.) Pers., 207 App.
- Cynoglossum* L., 141–143
 subgen. *Eleutherostylum* (Brand) H.Riedl, 145
 sect. *Paracaryopsis* H.Riedl, 144–145
anchusoides Lindl., 142
coelestinum I.M.Johnston, 152
coelestinum Lindl., 142, 144–147
longiflorum Benth., 143
malabaricum (C.B.Clarke) H.Riedl, 142, 152
- Cyperaceae, 204 App.
- Cyperus*
bulbosus Vahl, 204 App.
conglomeratus Rottb., 194–195, 204 App.
jeminicus Rottb., 208 App.
rubicundus Vahl, 204 App.
- Cypholophus* Wedd., 432, 449
- Cyrtandra*
cupulata Ridl., 165, 175
glabra Banks ex Gaertn., 165, 175
longifolia (Wawra) Hillebr. ex C.B.Clarke, 165, 175
pendula Blume, 165, 175
- Dactyloctenium*
aegyptium (L.) Willd., 207 App.
aristatum Link, 207 App.
scindicum Boiss., 207 App.
- Dalechampia*
scandens L.
 var. *cordofana* (Hochst. ex Webb) Müll.Arg., 205 App.
- Deconica*
subcoprophila (Britzelm.) E.Horak, 411
- Delitschia**
niesslii Oudem., 419
- Delphinium*
sheilae Kit Tan, 42–43, 47, 55 App.
- Description
 of *Boehmeria*, 431–450*
- Desmostachya*
bipinnata (L.) Stapf, 193, 207 App.
- Dhofaria* A.G.Mill., 152
- Dianthus*
strictus Banks & Sol., 52 App.
- Dichanthium*
foveolatum (Delile) Roberty, 207 App.
- DICKORÉ, W.B., 235–264
- Didymocarpoid Gesneriaceae, 161–184
- Didymocarpus* Wall., 171, 173, 176
antirrhinoides A.Weber, 165, 175
citrinus Ridl., 165, 175
cordatus Wall. ex DC., 165, 175
podocarpus C.B.Clarke, 166, 175
purpureobracteatus W.W.Sm., 166, 175
stenanthos C.B.Clarke, 166, 175
- Didymostigma* W.T.Wang, 178
- Digera*
muricata (L.) Mart., 203 App.
- Digitaria*
ciliaris (Retz.) Koeler, 207 App.

- Dinebra*
retroflexa (Vahl) Panz., 207 App.
- Dipcadi* Medik., 205 App.
- Diploaxis*
harra (Forssk.) Boiss., 53 App.
- Dipsacaceae, 53 App.
- Dipterygium*
glaucum Decne., 204 App.
- Disjunction, 141–154*
- Distichochlamys* M.F.Newman, 75, 77, 347
- DNA markers, 235–264
- Dolicholoma* D.Fang & W.T.Wang, 171–172, 176, 178
jasminiflorum D.Fang & W.T.Wang, 166, 175
- Dolichorhynchus*
arabicus, 46
- Dothideales, 419
- Douepea*
arabica (Hedge & Kit Tan) O.Appel & Al-Shehbaz, 46–47, 48, 53 App.
- Drake-Brockmania*
somalensis (Hack.) Stapf, 197, 207 App.
- Dugong*
dugon Müller, 190
- Ecbolium*
viride (Forssk.) Alston, 202 App.
- Echinops*
glaberrimus DC., 46–47, 53 App.
hystrichoides Kit Tan, 41, 53 App.
- Echium*
rauwolfii Delile, 44, 52 App.
- Ecology
of *Triglochis*, 353–398*
- Edelweiss, molecular phylogeny of, 235–264
- Elionurus*
royleanus Nees ex A.Rich., 207 App.
- Elymus*, 403
- Empetrum*
rubrum Vahl, 401
- Endemism
in *Paraboea*, 209
- Enhalus*
acoroides (L.f.) Royle, 205 App.
- Entolomataceae, 410
- Ephedra*
aphylla Forssk., 53 App.
pachycalda Boiss.
subsp. *sinaica* (H.Riedl) Freitag & Majer-Stolte, 43, 47, 53 App.
- Ephedraceae, 53 App.
- Epipactis*
veratrifolia Boiss. & Hohen., 45–47, 55 App.
- Epitype, 185–187*
- Eragrostis*
ciliaris (L.) R.Br., 207 App.
lepida (A.Rich.) Hochst. ex Steud., 207 App.
minor Host, 207 App.
- Eremobium*
aegyptiacum (Spreng.) Asch. & Schweinf. ex Boiss., 53 App.
- Eretmochelys*
imbricata L., 191
- Erica*
arborea L., 190, 208 App.
- Ericaceae, 7–24*, 401
tribe Vaccinieae, 8
- Eriochloa*
fatmensis (Hochst. ex Steud.) Clayton, 207 App.
- Erodium*, 44
hirtum (L.) Willd., 44, 53 App.
malacoides (L.) L'Hér., 44, 53 App.
neuradifolium Delile ex Godr., 44, 53 App.
oxyrhynchum M.Bieb., 44, 53 App.
- Euphorbia*
balsamifera Aiton, 151
collenetteae Al-Zahrani & El-Karemy, 194–195 & Fig., 197, 205 App.
fractiflexa S.Carter & J.R.I.Wood, 205 App.
granulata Forssk., 205 App.
- Euphorbiaceae, 53 App., 205 App.
- Evolvulus*
alsinoides (L.) L., 204 App.
- Ewartia* Beauverd, 248–249, 252–253, 255
argentifolia N.A.Wakef., 243, 246, 250
catipes (Hook.f.) Beauverd, 243, 246, 250–254
meredithiae (F.Muell.) Beauverd, 243, 246, 250
planchonii (Hook.f.) Beauverd, 243, 246, 250
- Ewartiothamnus* Anderb., 248–249
sinclairii (Hook.f.) Anderb., 243, 246, 250
- Exacum*, 155–160*

- darae** Hul, 155–157 & Fig.
pteranthum Wall. ex G.Don, 157–158
sutaepense auct., 156
sutaepense Hosseus ex Craib, 155–157
 var. *gracile* Toyokuni, 155
 f. *gracile* (Toyokuni) Toyokuni, 155
tetragonum Roxb., 158
 External transcribed spacer (ETS), 235–264*
- Fabaceae *see* Leguminosae
- Fagonia*
indica Burm.f., 56 App.
mollis Delile, 44, 56 App.
ovalifolia Hadidi, 46, 56 App.
tristis Sickenb., 42, 56 App.
- Falkland Islands, coprophilous fungi of,
 399–423 [401 Map]
- Farasan Archipelago, Saudi Arabia, 189–
 208* [190 Fig.]
- Farsetia*
aegyptia Turra, 44, 53 App.
- Felix*
sylvestris tristrami Pocock, 40
- Ferula*
ovina Boiss., 41, 56 App.
rutbaensis C.C.Towns., 41, 56 App.
sinaica Boiss., 56 App.
- Ficus*
cordata Thunb.
 subsp. *salicifolia* (Vahl) C.C.Berg, 43,
 45–46, 55 App., 206 App.
glumosa Delile, 206 App.
palmata Forssk.
 subsp. *virgata* (Roxb.) Browicz, 45, 55
 App.
populifolia Vahl, 196–197, 200, 206 App.
vasta Forssk., 151
- Filago* L., 248–249, 255
pyramidata L., 243, 246, 250
- Fioria*
dictyocarpa (Webb) Mattei, 206 App.
- Flora
 of China, 161–184*
 of Pakistan, 185–187
- Flueggea*
leucopyrus Willd., 197, 206 App.
virosa (Roxb. ex Willd.) Royle, 206 App.
- Forsskaolea*
tenacissima L., 56 App.
viridis Ehrenb. ex Webb, 208 App.
- FRIIS, I., 431–450
 Frost, 7–24*
 Fungi, coprophilous, 399–423
- Gabon, 343–346* [345 Map]
- Gamochaeta* Wedd., 248–249, 252–253
pennsylvanica (Willd.) Cabrera, 243, 246, 254
spicata (Lam.) Cabrera, 244, 246, 250
- Gardenia auct. non* Ellis, 285
Gardenia Ellis, 267, 269
affinis Valetton ex Winkl., 313
anisophylla Jack ex Roxb., 268, 285, 290,
 293
 var. *macroptera* (Miq.) Valetton ex
 Winkl., 268, 312
 var. *polyneura* Vahl ex Winkl., 268, 305
 var. *subsessilis auct. non* Valetton ex
 Winkl., 307
 var. *subsessilis* Valetton ex Winkl., 268,
 325
macroptera Miq., 312
- Gastrochilus* D.Don, 79
Gastrochilus Wall., 79
anomalum (Hallier f.) K.Schum., 85
biloba Ridl., 79, 88
 var. *lanceolata* Ridl., 89–90
bractescens Ridl., 112
calophylla Ridl., 89
concinna (Baker) Ridl., 79, 95
hallieri (Hallier f.) Ridl., 85, 87
klossii Ridl., 98
kunstleri (Baker) Valetton, 101
lanceolata Ridl., 103
lanceifolius Ridl., 79, 105
laxiflorum Valetton, 112
longifolia Ridl., 90
minor Baker, 90
minor sensu Ridl., 89
oculata Ridl., 79, 108
reticosa Ridl., 112
scaphochlamys Ridl., 79, 105
subbilobus Ridl., 115
- Gaultheria*, 403
pumila (L.f.) D.J.Middleton, 401
- Gazella*
gazella Pallas, 40, 193
- Gentiana*
khammouanensis Hul, 155
- Gentianaceae, 155–160*
- Geraniaceae, 53 App.

- Gesneriaceae, 161–184*, 209–217*
 subfam. Didymocarpoideae Endl., 178
 tribe Didymocarpeae Endl., 178
Gilbertiodendron
 deweyi (De Wild.) J.Léonard, 227, 231
 Ginger, 75–121*
Globularia
 arabica Jaub. & Spach, 43, 47, 53 App.
 Globulariaceae, 53 App.
Glossonema
 boveanum (Decne.) Decne., 203 App.
Gnaphalium L., 248–249, 252, 254–255
 hoppeanum (L.) Hilliard & B.L.Burt, 244, 246, 250
 norvegicum Gunnerus, 244, 246, 250
 supinum L., 244, 246, 250
 sylvaticum L., 244, 246, 249–251
Gomphocarpus
 sinaicus Boiss., 41, 46, 52 App.
Gossypium
 hirsutum L., 206 App.
 Gramineae, 54 App.
 see also Poaceae
Grewia
 erythraea Schweinf., 206 App.
 tenax (Forssk.) Fiori, 193, 197, 206 App.
Gunnera, 403
Gymnocarpus
 decandrus Forssk., 43–44, 52 App.
Gynandriris
 sisyrrinchium (L.) Parl., 54 App.
Gynandropsis
 gynandra (L.) Briq., 204 App.
Gyps
 fulvus Hablitzl, 41

Haberlea Friv., 174, 177
 rhodopensis Friv., 162, 166, 175
 HALL, M., 25–35, 37–56, 189–208
Halodule
 uninervis (Forssk.) Boiss., 195, 204 App.
Halopeplis
 perfoliata (Forssk.) Bunge ex Asch. & Schweinf., 194, 196 Fig., 203 App.
Halophila
 ovalis (R.Br.) Hook.f., 195, 205 App.
 stipulacea (Forssk.) Asch., 195, 205 App.
Halopyrum
 mucronatum (L.) Stapf, 207 App.
 Haloragaceae, 54 App.

Haloxyton, 46
 salicornicum (Moq.) Boiss., 42, 44, 46, 52 App.
Hamiyah in Arabian Peninsula, 29
Haplochorema K.Schum., 75, 77
 gracilipes K.Schum., 97
 petiolatum K.Schum., 110
 polyphyllum K.Schum., 112
Haplophyllum
 tuberculatum (Forssk.) A.Juss., 56 App.
 HARRIS, D.J., 219–233
Hebe, 403
Helianthemum
 lippii (L.) Dum.Cours., 42–43, 52 App.
Helichrysum Mill., 236, 248–249
 leucopsidium DC., 244, 246, 251–252
Heliotropium
 longiflorum (A.DC.) Jaub. & Spach, 203 App.
 ramosissimum (Lehm.) Sieber ex A.DC., 52 App., 203 App.
 strigosum Willd., 203 App.
 zeylanicum (Burm.f.) Lam., 203 App.
Hemiboea
 bicornuta (Hayata) Ohwi, 166, 175
 cavaleriei H.Lév., 166, 175
 gracilis Franch., 166, 175
 subcapitata C.B.Clarke, 166, 175
Hexaglochin Nieuwl., 358
 maritima (L.) Nieuwl., 358
Hibiscus
 micranthus L.f., 206 App.
 Himalaya, 57–64*, 235–264, 431–450*
Himas
 in Arabian Peninsula, 29–30, 48
 on Farasan Islands, 198
Hitcheniopsis (Baker) Ridl., 79
 kunstleri (Baker) Ridl., 79, 101
 var. *rubra* (Ridl.) Ridl., 102
 lanceolata (Ridl.) Ridl., 79, 109
 sylvestris (Ridl.) Ridl., 79, 116
Holcus
 lanatus L., 403
 HUAYLLA, H., 69–73
 HUGHES, M., 123–140
 HUL, S., 155–160
 Hyacinthaceae, 205 App.
Hyaena
 hyaena sultana Pocock, 40
 Hydrocharitaceae, 205 App.

- Hymenocoleus* Robbr., 228
axillaris Robbr., 228
- Hyoscyamus*
aureus L., 56 App.
pusillus L., 56 App.
- Hypparrhenia*
hirta (L.) Stapf, 44, 54 App., 207 App.
- Hypericaceae, 54 App.
- Hypericum*
sinaicum Hochst. ex Boiss., 43, 47, 54 App.
- Hyphaene*
thebaica (L.) Mart., 45 & Fig., 55 App.,
 193, 196, 206 App.
- Hypocopra**, 418
brefeldii (Zopf) Zopf, **418**
merdaria (Fr.) J.Kickx f., 418
planispora J.C.Krug & Cain, 418
stephanophora J.C.Krug & Cain, **418**
- Hypocreales, 417–418
- Hystrix*
indica Kerr, 41
- Imperata*
cylindrica (L.) Raeusch., 54 App.
- Important Plant Areas (IPAs), 25–35*, 37–
 56*, 189–208*
- India, 57–64*, 141–154*, 451–465
- Indigofera*
caerulea Roxb., 205 App.
hochstetteri Baker, 205 App.
linifolia (L.f.) Retz., 205 App.
oblongifolia Forssk., 193–194, 205 App.
semitrijuga Forssk., 205 App.
spinosa Forssk., 205 App.
volkensii Taub., 208 App.
- Indo-China, 155–160
- Indonesia, 65–68*, 347–352 [349 Map]
- Internal transcribed spacer (ITS), 235–264*
- Iodophanus**
carneus (Pers.) Korf, **414**
testaceus (Moug. ex Fr.) Phill., 414
- Iphia*
mucronata (Forssk.) Asch. & Schweinf.,
 43, 53 App.
- Ipomoea*
bernoulliana Peter, **467–468**
eriocarpa R.Br., 204 App.
hochstetteri House, 193–194, 197, 204 App.
obscura (L.) Ker-Gawl., 193, 204 App.
santae-rosae Standl. & Steyerl., 467
- sinensis* (Desr.) Choisy
 subsp. *blepharosepala* (A.Rich.)
 Meuse, 208 App.
- Iridaceae, 54 App.
- Isatis*
lusitanica L., 53 App.
- IUCN conservation assessment, 353–398*
- IUCN Red List, 123–140*
- Jabal Qaraqir, Saudi Arabia, 37–56 [39 Map]
- Jancaea* Boiss., 176–177
heldreichii Boiss., 162, 166, 175
- Jatropha*
glauca Vahl, 205 App.
- Julbernardia*, 231
- Juncaceae, 205 App.
- Juncaginaceae, 353–398*
- Juncago* Ség., 358
chabraei Bubani, 363
Juncago Tourn. ex Moench, 358
- Juncus*, 389
acutus L., 363
rigidus Desf., 205 App.
- Juniperus*
phoenicea L., 43, 53 App.
- Justicia*
flava (Vahl) Vahl, 194, 202 App.
- KADEREIT, J.W., 353–398
- Kaempferia* L., 75, 77, 79
anomala Hallier f., 79, 85
biloba (Ridl.) K.Schum., 89
calophylla (Ridl.) K.Schum., 89
concinna Baker, 79, 94
cumingii K.Schum., 105–106
lancifolia (Ridl.) K.Schum., 105
lutea C.H.Wright, 101
malaccana (Baker) K.Schum., 105
- Kailarsenia* Tirveng., 269
- Kaisupeea*
herbacea (C.B.Clarke) B.L.Burtl., 166,
 175
- Kalimantan, Indonesia, 347–352* [349 Map]
- Kedrostris*
gijef (Forssk. ex J.F.Gmel.) C.Jeffrey,
 204 App.
- Key Biodiversity Area (KBA), 25–35*, 37
- Kickxia*
acerbiana (Boiss.) Täckh. & Boulos, 56
 App.

- corallicola* D.A.Sutton, 193–194, 197, 206
App.
hastata (R.Br. ex Benth.) Dandy, 206 App.
KIEW, R., 209–217
KÖCKE, A.V., 353–398
Kohautia
caespitosa Schnizl., 208 App.
- Labiatae, 54 App., 452
see also Lamiaceae
LACHENAUD, O., 219–233
Lamiaceae, 205 App.
see also Labiatae
Lappula
spinocarpa (Forssk.) Asch. ex Kuntze, 52
App.
- Lasiobolus**
ciliatus (J.C.Schmidt) Boud., 414
cuniculi Velen., 414
equinus (O.F.Müll.) P.Karst., 414
var. *pilosus* (Fr.) Sacc., 414
papillatus (Pers.) Sacc., 414
pilosus (Fr.) Sacc., 414
ruber (Quél.) Sacc., 414
Lasiosphaeriaceae, 416
Laudakia
stellio brachydactyla Haas, 41
Launaea
intybacea (Jacq.) Beauverd, 203 App.
procumbens (Roxb.) Ramayya &
Rajagopal, 203 App.
spinosa (Forssk.) Sch.Bip., 42, 53 App.
- Lavandula*
coronopifolia Poir., 44, 54 App.
pubescens Decne., 54 App.
Lectotypes, 185–187*
Lectotypification
in *Adelocaryum*, 141–154*
in *Pedicularis*, 57–64*, 185–187
in *Rivea*, 467–468*
- Leguminosae, 54 App., 205 App.
Leontopodium (Pers.) R.Br., 235–264*
sect. *Alpina* Hand.-Mazz., 256
sect. *Leontopodium*, 256
sect. *Nobilis* Hand.-Mazz., 257
alpinum Cass., 235–237, 246, 250–251,
253–254, 256
andersonii C.B.Clarke, 238, 250–253
artemisiifolium (H.Lév.) Beauverd, 238,
250–251, 254
aurantiacum, 255
caespitosum Diels, 238, 250–253, 257
calocephalum (Franch.) Beauverd, 238,
250–254, 256
dedekensii (Bureau & Franch.) Beauverd,
238, 250–252, 254, 257
discolor Beauverd, 239, 250
franchetii Beauverd, 239, 250–251
haastioides Hand.-Mazz., 239, 250–251, 255
himalayanum DC., 239, 250–251, 254
jacotianum Beauverd, 239, 250–252, 254,
256
japonicum Miq., 239, 250–251
leontopodium (DC.) Hand.-Mazz., 239,
250–251
leontopodioides (Willd.) Beauverd, 239,
250–254, 256
lingianum (Y.L.Chen) Dickoré, 235, 254–
255
microphyllum Hayata, 240, 246, 250–254,
256–257
nanum Hand.-Mazz., 240, 250–251, 253–
254
nivale (Ten.) Huet ex Hand.-Mazz., 235–
236, 240, 246, 250–251, 253, 256
subsp. *alpinum* (Cass.) Greuter, 235
ochroleucum Beauverd, 240, 250–253,
256
pusillum (Beauverd) Hand.-Mazz., 240,
250–251, 253
sinense Hemsl., 241, 250–253, 257
souliei Beauverd, 241, 250–254, 256
stracheyi (Hook.f.) C.B.Clarke ex
Hemsl., 241, 250–253
- Lepisanthes*
listeri King ex Radlk., 437
- Leptadenia*
pyrotechnica (Forssk.) Decne., 203 App.
- Leptoboea* Benth., 177
multiflora (C.B.Clarke) Gamble, 175
subsp. *grandifolia* B.L.Burtt, 166
- Lepus*
europaeus Pallas, 401
- Leucas*
urticifolia (Vahl) R.Br. ex Sm., 205 App.
Leucogenes Beauverd, 248–249, 252–253, 255
grandiceps (Hook.f.) Beauverd, 244, 246,
250, 252, 254
leontopodium (Hook.f.) Beauverd, 245–
246, 250

- Leysera* L., 247
gnaphalodes (L.) L., 245–246, 253–254
leyseroides (Desf.) Maire, 53 App.
 Life history
 of *Vaccinium*, 7–24*
Limonium, 194, 393
axillare (Forssk.) Kuntze, 194–196 &
 Fig., 207 App.
cylindrifolium (Forssk.) Verdc. ex Cufod.,
 195, 207 App.
Lindelofia Lehm., 141–154* [143]
 sect. *Brandia* M.Popov, 143
anchusoides (Lindl.) Lehm., 142–144
longiflora (Benth.) Bail., 141, 143
spectabilis Lehm., 141, 143
Lindenbergia
indica (L.) Kuntze, 56 App.
indica (L.) Vatke, 206 App.
Litostigma Y.G.Wei, F.Wen & M.Möller,
 161–184* [177 Fig., 178]
coriaceifolium Y.G.Wei, F.Wen &
 M.Möller, 161–162 & Map, 167, 175,
 177–181 [177 Fig., 179, 180 Fig.]
crystallinum Y.M.Shui & W.H.Chen,
 161–162 & Map, 167, 175–177 & Fig.,
 179, 181 & Fig.
 LLEWELLYN, O.A., 25–35, 37–56, 189–208
 Loranthaceae, 55 App.
Lotononis
platycarpa (Viv.) Pic.Serm., 55 App.
Loxostigma
fimbrisepalum K.Y.Pan, 167, 175
griffithii (Wight) C.B.Clarke, 167, 175
Lycium
shawii Roem. & Schult., 43, 46, 56
 App.
Lycopodioides
dichotomum taxiforme, 72
Lysionotus D.Don, 178
chingii Chun ex W.T.Wang, 167, 175
forrestii W.W.Sm., 167, 175
pauciflorus Maxim., 167, 175
 Lythraceae, 205 App.
Machilus
listeri King ex Hook.f., 437
Maerua
crassifolia Forssk., 52 App.
oblongifolia (Forssk.) A.Rich., 193, 204
 App.
 Malaysia, Peninsular, 75–121, 209–217*,
 265–342* [329 Map]
 Malvaceae, 55 App., 206 App.
Mandevilla Lindl., 1–2
 subgen. *Exothostemon* (G.Don)
 Woodson, 1
 subgen. *Mandevilla*, 1
catimbauensis Souza-Silva, Rapini &
 J.F.Morales, 1–5 [2, 3 Fig.]
dardanoi M.F.Sales, Kin-Gouv. &
 A.O.Simões, 1–2, 4
leptophylla (A.DC.) K.Schum., 2, 4
matK, 235–264*
Matthiola
arabica Boiss., 42, 53 App.
longipetala (Vent.) DC., 53 App.
Mattiasrum
lambertianum (C.B.Clarke) Brand, 152
Maundia F.Muell., 358
Maytenus
parviflora (Vahl) Sebsebe, 193, 204 App.
senegalensis (Lam.) Exell, 208 App.
somalensis (Loes.) Cufod., 208 App.
 Mediterranean Floristic Region, 353–398*
Megaptera
novaeangliae Borowski, 190
Melanospora
brevirostris (Fuckel) Höhn., 417
Mellivora
capensis Schreber, 40
 Menispermaceae, 206 App.
Mentha
longifolia (L.) L., 54 App.
 MERING, S. VON, 353–398
Micrococca
mercurialis (L.) Benth., 205 App.
Micromeria
imbricata (Forssk.) C.Chr., 54 App.
Microparacaryum (Popov ex H.Riedl)
 Hilger & Podlech, 142
 MILL, R.R., 141–154, 185–187
 MILLER, A.G., 25–35, 37–56, 189–208
 Molecular phylogeny
 of *Leontopodium*, 235–264*
 MÖLLER, M., 161–184
 Molluginaceae, 206 App.
Mollugo
nudicaulis Lam., 206 App.
 Moraceae, 55 App., 206 App.
 MORALES, J.F., 1–5

- Morettia*
canescens Boiss., 53 App.
Morphology
of *Triglochin*, 353–398*
MUCINA, L., 353–398
Mucorales, 420
Myriophyllum
spicatum L., 45, 54 App.
Myxochlamys A.Takano & Nagam., 75,
347–352*
amphiloxa R.J.Searle, 347–352 [347, 348
Fig., 349 Map]
mullerensis A.Takano & Nagam., 347, 351
Myxomycetes, 421
- Nanorrhinum*
hastatum (R.Br. ex Benth.) Ghebr., 206
App.
Neotropics, 1–5*
Nepal, 57–64*, 451–465
Nepeta, 147
sheilae Hedge & R.A.King, 43, 47, 54 App.
Nerium, 46–48
oleander L., 45–47 [45 Fig.], 52 App.
New combinations
in *Adelocaryum*, 141–154*
in *Pedicularis*, 185–187*
New genus
of Gesneriaceae, 161–184
New Guinea, 431–450*
New series
in *Pedicularis*, 185–187*
New species
in *Adelocaryum*, 141–154*
in *Begonia*, 123–140*
in *Boehmeria*, 431–450
in *Carpolobia*, 343–346*
in *Chassalia*, 219–233
in Gentianaceae, 155–160
in *Mandevilla*, 1–5
in *Myxochlamys*, 347–352*
in *Paraboea*, 209–217
in *Pedicularis*, 185–187*
in *Psychotria*, 219–233
in *Riedelia*, 65–68*
in *Roella*, 425–430*
New status
in *Pedicularis*, 57–64*
New taxa
of *Pedicularis*, 185–187
New variety
of *Pedicularis*, 185–187*
NEWMAN, M.F., 65–68, 347–352, 451–465
Nothofagus, 9
Nothosaerva
brachiata (L.) Wight, 194, 197, 203 App.
Novitates Gabonenses 74, 343–346
Nyctaginaceae, 206 App.
- Ochradenus*
baccatus Delile, 42–44, 55 App., 207 App.
Oedera L., 247
squarrosa (L.) Anderb. & K.Bremer, 245–
246, 253–254
Old World, 431–450
Oldenlandia
corymbosa L., 208 App.
Oman, 25–35, 141–154*
Ophioglossaceae, 55 App.
Ophioglossum
polyphyllum A.Braun, 55 App.
Opithandra
primuloides (Miq.) B.L.Burt, 167, 175
Orchidaceae, 55 App.
Oreocharis
auricula (S.Moore) C.B.Clarke, 167, 175
Ornithoboea
arachnoidea (Diels) Craib, 167, 175
wildeana Craib, 167, 175
Orobanchaceae, 55 App., 57–64*, 185–187,
206 App.
Orthosiphon
pallidus Royle ex Benth., 205 App.
Oryctolagus, 401
cuniculus L., 401
Oryzopsis
holciformis (M.Bieb.) Hack.
subsp. *abyssinica* (Freitag) D.Heller,
44, 54 App.
- Otostegia*
fruticosa (Forssk.) Schweinf. ex Penzig,
44, 46, 54 App.
- Pakistan, 185–187*
Palawan, Philippines, 123–140*
Palmae, 55 App., 206 App.
Panaeolus
antillarum (Fr.) Dennis, 408–409
campanulatus (L.) Quél., 409
fimiputris auct., 410

- papilionaceus** (Bull.) Quél., **409**
phalaenarum (Fr.) Quél., 410
retirugis (Fr.) Gillet, 409
semiovatis (Sowerby) S.Lundell & Nannf., 408–**409**
 var. *minor* (J.E.Lange) Bon, 409
 var. *phalaenarum* (Fr.) Ew.Gerhardt, 409
separatus (L.) Quél., 410
speciosus P.D.Orton, 410
sphinctrinus (Fr.) Quél., 409
subfirmus P.Karst., **410**
- Pancratium*
maximum Forssk., 203 App.
- Pandion*
haliaetus L., 191
- Panicum*
coloratum L., 207 App.
turgidum Forssk., 54 App., 207 App.
- Papua New Guinea, 431–450
 Papua, Indonesia, 65–68*
- Paraboea*, 209–217*
acutifolia (Ridl.) B.L.Burt, 168, 175
brunescens, 213
caerulescens (Ridl.) B.L.Burt, 216
capitata Ridl., 168, 175
crassifolia (Hemsl.) B.L.Burt, 168, 175
gracillima Kiew, **209–213** [210 Map, 211 Fig.]
lambokensis Kiew, 209–210 & Map, **213–216** [214 Fig.]
laxa Ridl., 209, 212–213
rufescens (Franch.) B.L.Burt
 var. *umbellata* (Drake) K.Y.Pan, 168, 175
verticillata (Ridl.) B.L.Burt, 213, 216
- Paracaryopsis* (H.Riedl) R.R.Mill, 141–154*
coelestina (Lindl.) R.R.Mill, 143–146
lambertiana (C.B.Clarke) R.R.Mill, 144, 152
malabarica (C.B.Clarke) R.R.Mill, 152
- Paracaryum* (A.DC.) Boiss., 141, 143–144
coelestinum (Lindl.) Benth. & Hook.f., 146–147
intermedium (Fresen.) Hiliger & Podlech, 41, 52 App.
lambertianum C.B.Clarke, 143, 152
malabaricum C.B.Clarke, 152
trinervium Duthie, 141
- Paralagarosolen* Y.G.Wei, 171–172, 176
fangianum Y.G.Wei, 168, 175
- Parasola**
misera (P.Karst.) Redhead, Vigalys & Hopple, **407**
- Parietaria*
alsinifolia Delile, 56 App.
- Paspalidium*
desertorum (A.Rich.) Stapf, 207 App.
- PATZELT, A., 25–35
- Pavonia*
arabica Hochst. ex Steud., 206 App.
- Pedicularis* L., 62, 185–187*
 sect. *Phanerantha* H.L.Li, 185
 ser. **Bicornutae** R.R.Mill, **185**
 ser. **Klotzschianae** R.R.Mill, 185–**186**
 ser. *Macranthae* Prain ex Hurus., 185–186
 ser. *Megalanthae* (Prain) Bonati, 185
 ser. **Rhynchotrichae** R.R.Mill, 185–**186**
 ser. *Tenuirostres* Maxim., 185–186
 unranked *Macranthae* Bunge, 186
 unranked *Macranthae* Prain, 185–186
 unranked *Pectinatae* Prain, 186
- bicornuta** Klotzsch, 185–**186**
 var. **adenocalyx** R.R.Mill, 185–**186**
 var. *bicornuta*, 186
- bipinnatifida** (Pennell) R.R.Mill, 185–**186**
elephantoides, 185
eximia G.Watt, 186
- heteroglossa** (Prain) Pusalkar & D.K.Singh, **58–62** [60 Fig.]
klotzschii Hurus., 186
macrantha Klotzsch, 186
- murreeana** R.R.Mill & R.Bone, 185, **187**
oederi Vahl, 59, 62
 subsp. *heteroglossa* (Prain) Pennell, 58–59
 subsp. *typica*, 57
 var. *heteroglossa* Prain, 57–64*
 var. *oederi*, 58, 62
 f. *rubra* (Maxim.) P.C.Tsoong, 62
- pectinata** Wall. ex Benth., **187**
 subsp. *bipinnatifida* Pennell, 186
 subsp. **palans** (Prain) Pennell, **187**
 var. *palans* Prain, 187
- pyramidata*, 187
rhynchotricha P.C.Tsoong, 186
- staintonii** R.R.Mill, 185, **187**
stewartii Pennell, 187
versicolor Royle, 61–62

- versicolor* Wahlenb.
var. *rubra* Maxim., 62
- Peganum*
harmala L., 41, 56 App.
- Pelicanus*
rufescens Gmelin, 191
- Pennisetum*, 46
divisum (J.F.Gmel.) Henrard, 46, 54 App.
setaceum (Forssk.) Chiov., 42, 54 App.
setigerum (Vahl) Wipff, 207 App.
- Pentatropis*
nivalis (J.F.Gmel.) D.V.Field & J.R.I.Wood, 193, 203 App.
- Pernambuco State, Brazil, 1–5
- Petrocodon* Hance, 171, 173
dealbatus Hance, 168, 175
- Petrocosmea* Oliv., 161–184*
crystallina Y.M.Shui & W.H.Chen, 161–162, 175–176
kerrii Craib, 168, 175
minor Hemsl., 168, 175
nervosa Craib, 168, 175
sericea C.Y.Wu ex H.W.Li, 168, 175
- Peziza**
fimeti (Fuckel) Seaver, **414**
stercorea Pers., 411
- Pezizaceae, 414
- Pezizales, 411–413
- Phaeotrichiaceae, 419
- Phenology
of *Vaccinium*, 7–24*
- Philippines, 123–140
- Phlomis*
brachyodon (Boiss.) Zohary ex Rech.f., 43, 47, 54 App.
- Phoenix*
dactylifera L., 45 & Fig., 55 App., 196, 206 App.
- Phomatospora**
coprophila M.J.Richardson, **418**
minutissima (P.Crouan & H.Crouan) N.Lundq., 419
- Phragmites*, 47
australis (Cav.) Trin. ex Steud., 45 & Fig., 54 App.
- Phyllanthaceae, 206 App.
- Phyllanthus*
fraternus G.L.Webster, 206 App.
leucopyrus (Willd.) D.Koenig ex Roxb., 206 App.
- maderaspatensis* L., 206 App.
rotundifolius Klein ex Willd., 206 App.
- Phylogeny
of Gesneriaceae, 161–184*
- Physaraceae, 421
- Physarales, 421
- Physarum**
didermoides (Ach. ex Pers.) Rostaf., **421**
- Pilaira**
anomala Y.Ling, 420
moreau Y.Ling, **420**
- Pilobolaceae, 420
- Pilobolus**
crystallinus (F.H.Wigg.) Tode
var. *crystallinus*, **420**
var. *kleinii* (Tiegh.) R.Y.Zheng & G.Q.Chen, **421**
roridus (Bolton) Pers.
var. *umbonatus* (Buller) F.M.Hu & R.Y.Zheng, **421**
- Piptatherum*
holciforme (M.Bieb.) Roem. & Schult., 54 App.
- Piptocephalidaceae, 421
- Piptocephalis**
repens Tiegh. & G.Le Monn., **421**
- Pistacia*
falcata Becc. ex Mart., 52 App.
khinjuk Stocks, 43, 52 App.
- Plantaginaceae, 206 App.
- Plastid markers, 235–264
- Platystemma*
violoides Wall., 168, 175
- Pleosporales, 419
- Pleuranthodium* (K.Schum.) R.M.Sm., 65
- Plicosepalus*
acaciae (Zucc.) Weins & Polhill, 55 App.
- Pluchea*
dioscoridis (L.) DC., 203 App.
- Plumbaginaceae, 207 App.
- Poa*
flabellata (Lam.) Raspail, 401
- Poaceae, 207 App.
see also Gramineae
- Podosordaria**
ianthina J.C.Krug & Cain, **418**
- Podospora**, 416
australis (Speg.) Niessl, **416**
communis (Speg.) Niessl, **416**
curvula (de Bary ex G.Winter) Niessl, 416

- decipiens** (G.Winter ex Fockel) Niessl, **416**
glutinans (Cain) Cain, 417
intestinacea N.Lundq., **416**
perplexans (Cain) Cain, **416**
setosa (G.Winter) Niessl, **416**
Poecilolepis, 391
ficoidea (DC.) Grau, 393
Polycarpaea
repens (Forssk.) Asch. & Schweinf., 204 App.
robbairea (Kuntze) Greuter & Burdet, 52 App.
spicata Arn., 195, 204 App.
Polygala
erioptera DC., 207 App.
schwartziana Paiva, 43, 55 App.
Polygalaceae, 55 App., 207 App., 343–346*
Polygonaceae, 55 App.
Polypogon
viridis (Gouan) Breistr., 54 App.
Polysphaeria
subnudifax Verdc., **220**
Porterandia Ridl., 265–342* [272 Fig., **285**, 329 Map]
anisophylla auct. non (Jack ex Roxb.) Ridl., 295–296, 313, 321
anisophylla (Jack ex Roxb.) Ridl., 265–266, 268, 270–271, 273–278 [275, 277 Figs], 280–282, 284–285, 289–292 [**290**, 291 Fig.], 329 Map
var. *macroptera* (Miq.) Masam., 268, 312–313
var. *polyneura* (Vahl ex Winkl.) Masam., 268, 305
beamanii Zahid, 270–271, 273–274, 278–280, 284, 289, **293**, 328, 330–331 & Map
bruneiensis Zahid, 274, 278–280, 284, 289, **295**, 329–332 & Map
catappifolia auct. non Ridl., 303
catappifolia Ridl., 274, 278–280, 284, 288, **296**, 301, 314, 329–331 & Map
celebica Zahid, 265, 274, 278, 280, 284, 286, 289, **297**, 328–329 & Map
chanii Zahid, 270–271, 274, 278–280, 284, 289, **298**, 329–331 & Map
congestiflora Zahid, 274–277 [275 Fig.], 279–280, 284, 287, **300**, 329–330 & Map
crobyi (Burkill) A.C.Sm. & S.Darwin, 267, 269, 285
dinghoui Zahid & K.M.Wong, 265, 274, 276–279, 283, 287, **301–302** & Fig., 329–331 & Map, 341 App.
glabrifolia Ridl., 274, 277–280, 284, 288, 296, **303–304** & Fig., 328, 330–331 & Map
grandifolia Ridl., 274, 277–278, 280–281, 284, 288, **305–306** & Fig., 308, 312, 325, 330–331 & Map
hosei (Merr.) Zahid, 274, 278–279, 281, 284, 289, **308**, 314, 328, 330–331 & Map
kalimantanensis Zahid, 274, 278–279, 281, 284, 288, **309**, 330–331 & Map
kelantansis Tirveng., 328
lambirensis Zahid, 274, 278–281, 284, 288, **310**, 329–332 & Map
laxiflora Zahid, 274, 277–279, 281, 284, 287, **311**, 329–332 & Map
macroptera (Miq.) Tirveng., 274, 279, 281, 284, 289–290, **312**, 330–331 & Map
minor Ridl., 274, 281, 284, 289, 296, 308, **314**, 325, 329–331 & Map
mussaendoides (Craib) Tirveng., 327
pauciflora Ridl., 274, 276–282, 284–285, 287, **315–316** & Fig., 329–332 & Map
postarii Zahid, 270–271, 274–282 [275, 279 Figs], 284–285, 287, **317**, 328, 330–331 & Map
puffii Zahid, 274, 277, 279–281, 284, 287, **319**, 328, 330–331 & Map
rarissima Zahid, 274, 277, 279, 283, 288, **320**, 330–332 & Map, 341 App.
scortechinii (King & Gamble) Ridl., 265, 268, 270–274 [272 Fig.], 276 & Fig., 278–282, 284, 287, 290, **321–323** & Figs, 329 Map, 332
sericantha (W.C.Chen) W.C.Chen, 327
sessiliflora Ridl., 268, 285, 327
subsessilis auct. non (Valeton) Ridl., 295
subsessilis (Valeton ex Winkl.) Ridl., 268, 274, 276–278, 280–281, 284, 288, **325–326** & Fig., 329–330 & Map
tenuiflora (A.C.Sm.) A.C.Sm. & S.Darwin, 267, 285
Portulaca
oleracea L., 207 App.

- Portulacaceae, 207 App.
- Posoqueria*
anisophylla Jack ex Burkill, 290
- Pouzolzia*
sanguinea (Blume) Merr., 440
 var. *fulgens* (Wedd.) Hara, 440
- Premna*
resinosa (Hochst.) Schauer, 205 App.
- Primula*
listeri King ex Hook.f., 437
- Primulina*
tabacum Hance, 168, 175
- Prismatocarpus*
alpinus (Bond) Adamson, 429
- Priva*
adhaerens (Forssk.) Chiov., 208 App.
- Prosopis*, 198–200
cineraria (L.) Druce, 199
juliflora (Sw.) DC., 189, 193, 198–200
 [199 Fig.], 205 App.
- Psathyrella*
falklandica Cotton, 399
- Pseudochirita* W.T.Wang, 178
- Pseudognaphalium* Kirp., 248, 255
luteoalbum (L.) Hilliard & B.L.Burtt,
 245–246, 249–250
- Psilocybe**
coprophila (Bull.) P.Kumm., **410**
cubensis (Earle) Singer, **410**
merdaria (Fr.) Ricken, 410
moelleri Guzmán, **410**
subcoprophila (Britzelm.) Sacc., **410**
- Psychotria* L., 219–233*, 331
 subgen. *Psychotria*, 219, 228
 subgen. *Tetrameræ* (Hiern) E.M.A.Petit,
 219, 229, 232
 sect. *Involutratae* E.M.A.Petit & Verdc.,
 219, 228
- auxopoda*** E.M.A.Petit, **220**
gossweileri E.M.A.Petit, 232
leptophylla Hiern, 219, 229, 232
mortehanii De Wild., 228
mwiniungae Verdc., 226, 228
- nodiflora*** O.Lachenaud & D.J.Harris,
 219, **224–229** [225 Fig., 226 Map]
- pteropus*** O.Lachenaud & D.J.Harris, 219,
 227, **229–233** [230 Fig., 231 Map]
schnelli (Aké Assi) Verdc., 226, 228
- Pteridophyta, 69–73
- Pterocephalus*
brevis Coult., 43, 47, 53 App.
- Pterogailonia*
calycoptera (Decne.) Lincz., 43, 56 App.
- Pulicaria*
crispa (Forssk.) Oliv., 41, 53 App.
jaubertii E.Gamal-Eldin, 203 App.
- PUSALKAR, P.K., 57–64
- Pycnocycla*
tomentosa Decne., 56 App.
- Pyronemataceae, 411
- Qaraqir, Saudi Arabia, 37–56* [39 Map]
- Quercus*
listeri King, 437
- Ramonda* Rich., 174, 176–177
myconi (L.) Rchb., 162, 168, 175
- Randia auct. non* Houst. ex L., 285
- Randia* Houst. ex L., 266–267, 269
 sect. *Anisophyllea* Hook.f., 268, 285
aculeata L., 266
anisophylla (Jack ex Roxb.) Hook.f., 266,
 268, 285, 290
beccarii King & Gamble, 307
mitis L., 266
mussaendoides Craib, 328
scortechinii auct. non King & Gamble,
 296, 314
scortechinii King & Gamble, 268, 285,
 321
sericantha W.C.Chen, 268
- Ranunculaceae, 55 App.
- Raphiocarpus* Chun, 178
begoniifolius (H.Lév.) B.L.Burtt, 169,
 175–176
petelotii (Pellegr.) B.L.Burtt, 169, 175–
 176
- RAPINI, A., 1–5
- Rare species
 in Saudi Arabia, 189–208*
 of *Selaginella*, 69–73
- Red Sea, 189
- Refuge, 37–56*
- Relhania* L'Hér., 247
calycina L'Hér., 245–246, 253–254
- Relict species, 37–56*
- Reseda*
aucheri Boiss.
 var. *bracteata* (Boiss.) Abdallah & De
 Wit, 55 App.

- pentagyna* Abdallah & A.G.Mill., 46–47, 55 App.
- Resedaceae, 55 App., 207 App.
- Retama*
- raetam* (Forssk.) Webb & Berth., 42, 44, 46, 55 App.
- Revisions
- of *Begonia*, 123–140
- of *Cautleya*, 451–465*
- of *Triglochin*, 353–398*
- Rhabdothamnopsis* Hemsl., 178
- sinensis* Hemsl., 169, 175
- Rhamnaceae, 55 App., 207 App.
- Rhizophora*, 192, 197
- mucronata* Lam., 192–193 & Fig., 200, 207 App.
- Rhizophoraceae, 207 App.
- Rhynchosia*
- minima* (L.) DC., 205 App.
- Rhynchotechum*
- discolor* (Maxim.) B.L.Burtt, 169, 175
- parviflorum* Blume, 169, 175
- RICHARDSON, M.J., 399–423
- Riedelia* Oliv., 65–68*
- subgen. *Schefferia* Valetton, 65, 68
- sect. *Cornuta* Valetton, 65
- sect. *Geocharides* Valetton, 68
- sect. *Macrantha* Valetton, 65, 68
- charontis** M.F.Newman, 65, 66–68 [66 Fig.]
- tenuifolia* Valetton, 65, 68
- Rivea* Choisy, 467–468
- bernoulliana* (Peter) Hallier f., 467–468
- Roella* L., 425–430*
- ser. *Ciliatae* Adamson, 425
- ser. *Muscosae* Adamson, 425
- ser. *Prostratae* Adamson, 425, 429
- ser. *Roella*, 425
- ser. *Spicatae* Adamson, 425
- ser. *Squarrosae* Adamson, 425
- goodiana*, 428–429
- insizwae* (Zahlbr.) Hilliard & B.L.Burtt, 425
- muscosa* L.f., 425, 428–429
- recurvata*, 428–429
- uncinata** Cupido, 425–429 [426–427 Figs, 428 Map]
- Roscoea*, 452
- sect. *Cautlea* Royle ex Benth., 451, 454
- elatior* Sm., 455
- gracilis* Sm., 451–452, 455
- lutea* Royle, 455
- lutea* Sm., 451–452
- petiolata*, 464
- spicata* Sm., 451, 460
- Rubiaceae, 55 App., 208 App., 219–233*, 265–342*
- subfam. Cinchonoideae, 269
- subfam. Ixoroideae, 269
- tribe Aulacocalyceae, 269
- tribe Coffeae, 269
- tribe Gardenieae A.Rich. ex DC., 265–342*
- tribe Hypobatheae, 269
- tribe Pavetteae, 269
- tribe Psychotrieae, 219
- tribe Vanguerieae, 269
- RUBITE, R.R., 123–140
- Rumex*
- nervosus* Vahl, 44, 55 App.
- pictus* Forssk., 55 App.
- vesicarius* L., 42, 55 App.
- Rutaceae, 56 App.
- Ryparobius*
- spegazzinii* Gamundi, 415
- Saccharum*
- ravennae* (L.) Murr., 45 & Fig., 54 App.
- Saccobolus**
- beckii** Heimerl, 413
- depauperatus** (Berk. & Broome) Rehm, 413
- quadrisporus** Masee & E.S.Salmon, 412–413
- verrucisporus* Brumm., 413
- versicolor** (P.Karst.) P.Karst., 413
- Sageretia*
- thea* (Osbeck) M.C.Johnst., 42, 55 App.
- Saintpaulia* Wendl., 177
- tongwensis* B.L.Burtt, 169, 175
- velutina* B.L.Burtt, 169, 175
- Salsola*
- tetrandra* Forssk., 42, 52 App.
- Salvadora*
- persica* L., 193–194, 196, 208 App.
- Salvadoraceae, 208 App.
- Salvia*, 452
- palaestina* Benth., 43, 47, 54 App.
- SAMUEL, R., 235–264
- Sarcocornia*
- fruticosa* (L.) A.J.Scott, 363

- tegetaria* S.Steffen, Mucina & G.Kadereit, 391
- Satureja*
thymbrifolia Hedge & Feinbrun, 43, 47, 54 App.
- Saudi Arabia, 25–35, 37–56* [39 Map]
Farasan Archipelago in, 189–208* [190 Fig.]
- Scandix*
stellata Banks & Sol., 42, 56 App.
- Scaphochlamys** Baker, 75–121* [79 Fig., 80], 347
- abdullahii** Y.Y.Sam & Saw, 82, **84–85** Map
- anomala** (Hallier f.) R.J.Searle, 75, 82, **85–86** Fig., 94 Map
- argentea** R.M.Sm., 82, **87**, 94 Map
- atroviridis** Holttum, 81, **88–89** Map
- biloba** (Ridl.) Holttum, 81, 85 Map, **88**, 90
var. *lancoolata* (Ridl.) Holttum, 75, 89
- breviscapa** Holttum, 82, **91–92** Map, 117
- burkillii** Holttum, 84–85 Map, **92**
- calcicola** A.D.Poulsen & R.J.Searle, 81, **93–94** Map
- concinna** (Baker) Holttum, 82, 92 Map, **94**, 118
- cordata** Y.Y.Sam & Saw, 81, 85 Map, **95**
- erecta** Holttum, 79 Fig., 83–84, 89 Map, **96**
- gracilipes** (K.Schum.) S.Sakai & Nagam., 81, 94 Map, **97**
- grandis** Holttum, 84–85 Map, **97**
- klossii** (Ridl.) Holttum, 92 Map, **98**
var. **glomerata** Holttum, 83–84, **99**
var. **klossii**, 84, **98**
var. **minor** Holttum, 84, **100**
- kunstleri** (Baker) Holttum, **100**, 102 Map
var. **kunstleri**, 83, **101**, 103
var. **rubra** (Ridl.) Holttum, 83, **102**
var. **speciosa** C.K.Lim, 83, **103**
- lancoolata** (Ridl.) Holttum, 84, 102 Map, **103**
- laxa** Y.Y.Sam & Saw, 81, 85 Map, **104–105**
- longifolia* Holttum, 75, 90
- malaccana** Baker, 79–80, 83, 92 Map, **105–106**
- mat-kilau* C.K.Lim, 75, 104
- minutiflora** Jenjitt. & K.Larsen, 83, 89 Map, **106**
- obcordata** Sirirugsa & K.Larsen, 83–84, 89 Map, **107**
- oculata** (Ridl.) Holttum, 82, 102 Map, **108**
- pennipicta** Holttum, 82, 102 Map, **109**
- perakensis** Holttum, 83, 92 Map, **109**
- petiolata** (K.Schum.) R.M.Sm., 82, **110–111** Map, 118
- polyphylla** (K.Schum.) B.L.Burt & R.M.Sm., 83, **111** & Map
- reticosa** (Ridl.) R.M.Sm., 80, 82, 111 Map, **112**
- rubescens** Jenjitt. & K.Larsen, 82, 89 Map, **113**
- rubromaculata** Holttum, 83, 102 Map, **114**
- subbiloba** (Burkill ex Ridl.) Holttum, 83, 92 Map, **115**
- sylvestris** (Ridl.) Holttum, 82, 89 Map, **116**
- tenuis** Holttum, 83, 102 Map, **116**
- Schimpera*
arabica, 42
- Schizothecium**
conicum (Fuekel) N.Lundq., **416**
- dakotense** (Griffiths) N.Lundq., **417**
- glutinans** (Cain) N.Lundq., **417**
- tetrasporum** (G.Winter) N.Lundq., **417**
- vesticola** (Berk. & Broome) N.Lundq., **417**
- Schumanniophyton* Harms, 269
- Schweinfurthia*
pedicellata Benth. & Hook.f., 206 App.
- pterosperma* (A.Rich.) A.Braun, 208 App.
- SCOTLAND, R.W., 69–73
- Scrophulariaceae, 56 App., 63, 208 App.
- SEARLE, R.J., 75–121, 347–352
- Seddera*
latifolia Hochst. & Steud., 204 App.
- virgata* Hochst. & Steud., 204 App.
- Selaginella* P.Beauv.
arroyoana M.Kessler & A.R.Sm., **69–73*** [71 Fig., 72 Map]
- chiquitana* M.Kessler, A.R.Sm. & M.Lehnert, 69, 71–72
- falcata* (P.Beauv.) Spring, 71–72
- kochii* Hieron., 71
- xiphophylla* Baker, 71
- Selaginellaceae, 69–73

Selinia**pulchra** (G.Winter) Sacc., 418

Semi-arid regions, Brazil, 1–5

Senecio*glaucus* L., 42, 53 App.**Senna***alexandrina* Mill., 205 App.*holosericea* (Fresen.) Greuter, 205 App.*italica* Mill., 46, 55 App., 205 App.**Senra***incana* Cav., 206 App.**Setaria***verticillata* (L.) P.Beauv., 207 App.*viridis* (L.) P.Beauv., 207 App.**Shorea***curtisii* Dyer ex King, 109

SHUI, Y.-M., 161–184

Siamanthus K.Larsen & Mood, 65**Silene***grisea* Boiss., 52 App.

SINGH, D.K., 57–64

Sino-Himalayan flora, 235–264*

Sinoleontopodium Y.L.Chen, 235–264**lingianum* Y.L.Chen, 241, 249–251, 254**Sisymbrium***erysimoides* Desf., 42, 53 App.

Solanaceae, 56 App., 208 App.

Solanum*coagulans* Forssk., 208 App.*forskali* Dunal, 208 App.*surattense* Burm.f., 208 App.*thruppii* C.H.Wright, 208 App.*virginianum* L., 208 App.*Solidago* L., 248*rugosa* Mill., 245–246, 253**Sordaria****fimicola** (Roberge ex Desm.) Ces. & de Not., 417*macrospora* Auersw., 417**superba** de Not., 417

Sordariales, 415–416

South Africa, 353–398*, 425–430*

Southeast Asia, 75–121*

Southern hemisphere, 399–423*

SOUZA-SILVA, R.F. DE, 1–5

Spelaeanthus*chini* Kiew, A.Weber & B.L.Burt, 169, 175**Sphaerodes****fimicola** (E.C.Hansen) P.Cannon & D.Hawksw., 417

Spores, 69–73*

Sporobolus*helvolus* (Trin.) T.Durand & Schinz, 207 App.*ioclados* (Trin.) Nees, 208 App.*spicatus* (Vahl) Kunth, 207 App.

Sporormiaceae, 419

Sporormiella, 419**australis** (Speg.) S.I.Ahmed & Cain, 419**grandispora** S.I.Ahmed & Cain ex

J.C.Krug, 419

intermedia (Auersw.) S.I.Ahmed & Cain ex Kobayasi, 419**lageniformis** (Fuckel) S.I.Ahmed & Cain ex Kobayasi, 420**leporina** (Niessl) S.I.Ahmed & Cain, 420**megalospora** (Auersw.) S.I.Ahmed & Cain, 420**minima** (Auersw.) S.I.Ahmed & Cain, 420**ovina** (Desm.) S.I.Ahmed & Cain, 420**systemospora** S.I.Ahmed & Cain, 420**Stachys***aegyptiaca* Pers., 43–44, 47, 54 App.

STAPLES, G.W., 467–468

Stenella*attenuate* Gray, 190*longirostris* Gray, 190**Stipa***arabica*, 54 App.**Stipagrostis***ciliata* (Desf.) De Winter, 54 App.*foëxiana* (Maire & Wilczek) De Winter, 43, 54 App.*obtusata* (Delile) Nees, 54 App.*plumosa* (L.) Munro ex T.Anderson, 43, 54 App.*Streptocarpus* Lindl., 176–177*andohahelensis* Humbert, 169, 175*beampingaratsensis* Humbert, 169, 175*dunnii* Hook.f., 169, 175*hilsenbergii* R.Br., 169, 175*holstii* Engl., 170, 175*ibityensis* Humbert, 170, 175*papangae* Humbert, 170, 175*rexii* Lindl., 170, 175*saxorum* Engl., 170, 175**Striga***gesnerioides* (Willd.) Vatke, 206 App.**Strix***butleri* Hume, 41

Stropharia**semiglobata** (Batsch) Quéf., **411**

Strophariaceae, 410

STUESSY, T.F., 235–264

Suaeda, 190*aegyptiaca* (Hasselq.) Zohary, 203 App.*fruticosa* Forssk. ex J.F.Gmel., 194, 203

App.

monoica Forssk. ex J.F.Gmel., 194, 203

App.

vermiculata Forssk. ex J.F.Gmel., 203

App.

Sukunia A.C.Sm., 267

Sulawesi, 265–342* [329 Map]

Sumatra, 75–121, 265–342* [329 Map],

431–450*

Sundaland, 265–342*

*Sylvilagus**floridanus* J.A.Allen, 401*Symphytotrichum* Nees, 248*novae-angliae* (L.) G.L.Nesom, 245–246,

254

Synopses

of *Adelocaryum*, 141–154of *Rivea*, 467–468*Syringodium**isoetifolium* (Asch.) Dandy, 195, 204 App.

Tamaricaceae, 56 App., 208 App.

Tamarix L., 48, 208 App.*aphylla* (L.) H.Karst., 46, 56 App.*nilotica* (Ehrenb.) Bunge, 45, 56 App.*Tanacetum**sinaicum* (Fresen.) Delile ex K.Bremer &

Humphries, 53 App.

*Taverniera**cuneifolia* (Roth) Arn., 205 App.*lappacea* (Forssk.) DC., 205 App.

Taxonomy

of *Boehmeria*, 431–450*of *Cautleya*, 451–465*of *Chassalia*, 219–233*of *Mandevilla*, 1–5*of *Porterandia*, 265–342*of *Psychotria*, 219–233*of *Selaginella*, 69–73*of *Triglochis*, 353–398**Taxus**baccata* L., 72*Tephrosia**purpurea* (L.) Pers., 205 App.*subtriflora* Hochst. ex Baker, 205 App.*uniflora* Pers., 205 App.*Tetraena*, 190*alba* (L.f.) Beier & Thulin, 208 App.**bulosii** (A.I.Hosny) M.Hall, 200, **208** App.*coccinea* (L.) Beier & Thulin, 208 App.*simplex* (L.) Beier & Thulin, 193–195, 208

App.

Tetraphyllum, 177*Tetrapogon**tenellus* (K.D.Koenig ex Roxb.) Chiov.,

207 App.

*Teucrium**leuocladum* Boiss., 44, 46–47, 54 App.*popovii* R.A.King, 54 App.

Thailand, 75–121, 155–160, 209–217*, 431–

450*, 451–465

*Thalassia**hemprichii* Ehrenb. ex Solms, 195, 205 App.*Thalassodendron**ciliatum* (Forssk.) Hartog, 195, 204 App.

Thelebolaceae, 414

Thelebolales, 414

Thelebolus, 414–415*crustaceus* (Fuckel) Kimbr., 415*microsporus*, 414*nanus* Heimerl, 414*polysporus* (P.Karst.) Otani & Kanzawa,

414

stercoreus Tode, **414–415**

THOMAS, Z., 431–450

Tibet, 235–264

*Timonius**hosei* Merr., 308*Trianthema**portulacastrum* L., 202 App.*sheilae* A.G.Mill. & J.A.Nyberg, 202 App.**Trichodelitschia****bisporula** (P.Crouan & H.Crouan) Munk,**419****munkii** N.Lundq., **419***Tricholaena**teneriffae* (L.f.) Link, 54 App., 207 App.

Tricholomataceae, 404

Triglochis L., 353–398* [358]*atlantica* Willd. ex Kunth, 363**barrelieri** Loisel., 353–355, 360 Fig., 361Map, **362–364**, 369, 394–395var. *maura* Pau, 355, 363

- buchenau** Kocke, Mering & Kadereit, 353, 357 Fig., 360 Fig., 362, 384 Map, 389, **391–394** [392 Fig.]
- bulbosa** L., 353–398 [**370**]
 subsp. *barrelieri* (Loisel.) Rouy, 355, 357, 362
 subsp. **bulbosa**, 353–354, 357, 359, 364, 371 Fig., 372 Map, 373–**374**, 385, 394
 subsp. **callicola** Mering, Kocke & Kadereit, 353–354, 357 Fig., 359, 371–374 [371 Fig., 372 Map], **376–378** [377 Fig.], 394–395
 subsp. *laxiflora* (Guss.) Rouy, 355, 357, 368
 subsp. *maura* (Pau) Horn, 357
 subsp. **quarcicola** Mering, Kocke & Kadereit, 353–354, 357 Fig., 371–374 [371 Fig., 372 Map], **379–381** [380 Fig.], 394–395
 subsp. **tenuifolia** (Adamson) Horn, 353–354, 357, 371–374 [371 Fig., 372 Map], **381–382**, 394
 var. *genuina* Maire, 363
 var. *maura* (Pau) Maire, 355, 363
 β *robustior* Roem. & Schult., 371
- compacta** Adamson, 353–355, 357 & Fig., 359–360 & Fig., 362, 369, 373, 382–386 [**383**, 384 Map], 394–395
- elongata** Buchenau, 353–355, 357 & Fig., 360 Fig., 362, 369, 384 Map, **388–389**, 393–394
- laxiflora** Guss., 353–355, 360 Fig., 361 Map, 362, 364, **368–369**, 394–395
- maritima* L., 354, 358–359
- milnei** Horn, 353–354, 357, 359–360 & Fig., 362, 385–388 [**386**, 388 Map], 394
- palustre* Desf., non L., 368
- palustris* L., 354–355, 358, 363–364
- patens* Steud., 371
- striata* Ruiz & Pav., 354, 357, 359
- tenuifolia* Adamson, 355, 357, 373, 381–382
- Trigonella*
stellata Forssk., 42, 55 App.
- Tristemon* Raf., 358
- trnL/F*, 235–264*
- Tropical zone, 7–24*
- Trukia* Kaneh., 269
- Tursiops*
truncatus Montagu, 190
- Typha*, 47
domingensis Pers., 45 & Fig., 56 App.
- Typhaceae, 56 App.
- Typification
 of *Triglochis*, 353–398*
- Ulex*
europaeus L., 403
- Umbelliferae, 56 App.
- Umbilicus*
horizontalis (Guss.) DC., 53 App.
- Uragoga*
mortehanii De Wild., 224
- Urticaceae, 56 App., 208 App., 431–450*
- Vaccinium*, 7–24*
 sect. *Baccula-nigra*, 11
 sect. *Batodendrin*, 11
 sect. *Callicolus*, 10
 sect. *Ciliata* Nakai, 11, 13
 sect. *Conchophyllum*, 10
 sect. *Cyanococcus* A.Gray, 10–11, 13, 19
 sect. *Euepigynium* Schltr., 8, 10
 sect. *Galeopetalum*, 10
 sect. *Hemi-myrtillus*, 10–11
 sect. *Herpothamnus*, 11
 sect. *Myrtillus*, 10–11, 19
 sect. *Nesococcus* Copel., 8, 10
 sect. *Oreades*, 10
 sect. *Oxycoccoides*, 11
 sect. *Oxycoccus*, 11
 sect. *Polycodium*, 11
 sect. *Pyxothamnus*, 10–11
 sect. *Vaccinium*, 10
 sect. *Vitis-idaea*, 11
acrobacteatum K.Schum., 9–10
angustifolium Aiton, 11
arboreum Marshall, 11
arctostaphylos L., 11
auriculifolium Sleumer, 10
boreale I.V.Hall & Aalders, 10
calycinum Sm., 10
cereum G.Forst., 9–10
cespitosum Michx., 10
consanguineum Klotzsch, 10, 18
corymbosum L., 11, 18–19
crassifolium Andrews, 11
cylindraceum Sm., 10
darrowii Camp., 9, 11
deliciosum Piper, 10

- dentatum* Sm., 10
erythrocarpum Michx., 11
fragile Franch., 11
gaultheriifolium (Griff.) Hook.f. ex
 C.B.Clarke, 7, 10
hirsutum Buckley, 11
hirtum Thunb., 11, 18
horizontale Sleumer, 7, 10
macrocarpon Aiton, 7, 11
membranaceum Douglas ex Torr., 10
meridionale Sw., 8, 10, 15
myrsinites Lam., 11
myrtilloides Michx., 11
myrtilus L., 10, 20
myrtoides (Blume) Miq., 7, 10
oldhamii Miq., 11
ovalifolium Sm., 9–10
ovatum Pursh, 7, 11
oxycoccus L., 11
padifolium Sm., 11, 18
pallidum Aiton, 11, 18
parvifolium Sm., 11, 19
poasanum Donn.Sm., 10
praestans Lamb., 10
pseudotonkinense Sleumer, 10, 18
reticulatum Sm., 7, 10, 15
ridleyi Sleumer, 10
scoparium Leiberger ex Coville, 9–10
smallii A.Gray, 11
stamineum L., 11
tenellum Aiton, 11
uliginosum L., 7–8, 10, 20
varingiiifolium (Blume) Miq., 8, 10
vitis-idaea L., 11
- Vahlia*
digyna (Retz.) Kuntze, 208 App.
- Vahliaceae, 208 App.
- Vale do Catimba National Park, Brazil, 1–2
- Valerianaceae, 56 App.
- Valerianella*
oxyrhyncha Fisch. & C.A.Mey., 43, 47,
 56 App.
- VANDER KLOET, S.P., 7–24
- Verbascum*, 56 App.
deserticola (Murb.) Hub.-Mor., 46–47, 56
 App.
sheilae Kit Tan, 45–46, 56 App.
sinaiticum Benth., 45–47, 56 App.
- Verbenaceae, 208 App.
- Vietnam, 155–160*, 451–465
- Vitaceae, 208 App.
- Volutella, 420**
ciliata (Alb. & Schwein.) Fr., **420**
- Vulpes*
vulpes L., 40
- WATLING, R., 399–423
- WEI, Y.-G., 161–184
- WEN, F., 161–184
- Wentsaiboaea* D.Fang & D.H.Qin, 171, 173,
 176
renifolia D.Fang & D.H.Qin, 170,
 175
- Western Cape, 425–430*
- WILMOT-DEAR, C.M., 431–450
- WONG, K.M., 265–342
- WOOD, J.R.I., 69–73
- Xanthorrhoeaceae, 208 App.
- Xylariaceae, 418
- Xylariales, 418
- Yemen, 25–35
- Yunnan, 431–450
- ZAHID, M.S., 265–342
- Zaleya*
pentandra (L.) C.Jeffrey, 202 App.
- Zehneria*
anomala C.Jeffrey, 204 App.
- Zilla*
spinosa (L.) Prantl, 42, 44, 53 App.
- Zingiberaceae, 65–68*, 75–121*, 347–352*,
 451–465*
 subfam. Alpinoideae Link, 65
 subfam. Zingiberoideae, 451
 tribe Riedelieae W.J.Kress, 65
 tribe Zingibereae Misn., 75–121*, 347
- Ziziphus*
spina-christi (L.) Desf., 193, 196, 207 App.
- Zoega*
purpurea Fresen., 53 App.
- Zoopagales, 421
- Zygomycota, 420**
- Zygothryaceae, 56 App., 208 App.
- Zygothryum*
album L.f., 208 App.
boulosii A.I.Hosny, 208 App.
coccineum L., 208 App.
simplex L., 208 App.