

TWO NEW VARIETAL COMBINATIONS IN *PHANERA* (LEGUMINOSAE: CAESALPINIOIDEAE)

S. BANDYOPADHYAY

New combinations are proposed in *Phanera* (Leguminosae: Caesalpinoideae) for two varieties of *Bauhinia glabrifolia* (Benth.) Baker.

Keywords. New combinations, *Phanera glabrifolia* var. *maritima*, *Phanera glabrifolia* var. *sericea*.

INTRODUCTION

Recent phylogenetic studies based on DNA sequence data (Lewis & Forest, 2005; Bruneau *et al.*, 2008; Sinou *et al.*, 2009) suggest that *Bauhinia* L. subgen. *Phanera* (Lour.) Kurz (Wunderlin *et al.*, 1987; Bandyopadhyay, 1999) should be recognised as a genus distinct from *Bauhinia*.

Two of the varieties in *Bauhinia glabrifolia* (Benth.) Baker, viz. *B. glabrifolia* var. *maritima* K.Larsen & S.S.Larsen and *B. glabrifolia* var. *sericea* (Lace) K.Larsen & S.S.Larsen, are yet to be transferred to *Phanera*. The following new combinations are proposed here.

NEW COMBINATIONS

***Phanera glabrifolia* Benth. var. *maritima* (K.Larsen & S.S.Larsen) Bandyop., comb. nov.** — *Bauhinia glabrifolia* (Benth.) Baker var. *maritima* K.Larsen & S.S.Larsen, Thai Forest Bull., Bot. 25: 14 (1997). — *Bauhinia glabrifolia* (Benth.) Baker var. *maritima* K.Larsen & S.S.Larsen, Thai Forest Bull., Bot. 13: 39 (1980), nom. inval.; K.Larsen & S.S.Larsen in T.Smitinand & K.Larsen (eds), Fl. Thailand 4(1): 44 (1984), nom. inval.; K.Larsen & S.S.Larsen in C.Kalkman *et al.* (eds), Fl. Males. ser. I, 12(2): 476 (1996), nom. inval. — Type: *Helper* 1880 (holo K [bar code no. K000760676], image!; iso CAL! [bar code no. CAL0000011309]).

Bauhinia piperifolia auct. non Roxb.: Kurz, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 45(2): 288 (1876); Kurz, Forest Fl. Burma 1: 400 (1877), pro parte.

Bauhinia glabrifolia auct. non (Benth.) Baker: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(2): 500 (1897), pro parte.

Phanera glabrifolia auct. non Benth.: de Wit, Reinwardtia 3(4): 486 (1956), pro parte.

Larsen & Larsen (1980b) proposed '*Bauhinia glabrifolia* (Benth.) Baker var. *maritima* K.Larsen & S.S.Larsen' as a 'var. nov.', cited three misapplied names, and provided a description in English. For the type they cited '*Helper 1880*, Tenasserim & Andamans', 'lectotype' at K. Unfortunately Larsen & Larsen (1980b) did not provide a diagnosis or description in Latin and nor do any of the references to the three misidentified names contain a diagnosis or description in Latin. Therefore, their proposed new varietal name was not validly published (see Art. 36.1 of the ICBN; McNeill *et al.*, 2006). Larsen & Larsen (1997), however, later realised their mistake and provided a Latin diagnosis. For the valid publication of a name, when all of the necessary elements are not included in that publication, a full and direct reference must be given to the places where these requirements were previously fulfilled (see Art. 45.1 of the ICBN; McNeill *et al.*, 2006). Larsen & Larsen (1997) did not refer to the precise page number in Larsen & Larsen (1980b) to validate their varietal name, but instead referred to the entire page range of the paper. They did, however, cite two other publications (Larsen & Larsen, 1984, 1996) with precise page numbers and in the latter publication (in *Flora Malesiana*) the 'Type' citation was given. Therefore, their varietal name was validly published in 1997 by reference back to Larsen & Larsen (1996) rather than, as they thought, by reference back to Larsen & Larsen (1980b).

Phanera glabrifolia Benth. var. *sericea* (Lace) Bandyop., **comb. et stat. nov.**
 – *Bauhinia sericea* Lace, Bull. Misc. Inform. Kew 1915: 400 (1915). – Type: Burma,
Lace 6208 (lecto K [bar code no. K000760674], designated by Larsen & Larsen,
 1980a, image!). – *Bauhinia glabrifolia* (Benth.) Baker subsp. *sericea* (Lace) K.Larsen &
 S.S.Larsen, Nat. Hist. Bull. Siam Soc. 25(1&2): 10 (1973). – *Bauhinia glabrifolia*
 (Benth.) Baker var. *sericea* (Lace) K.Larsen & S.S.Larsen, Fl. Cambodge, Laos &
 Viêtnam 18: 187 (1980).

ACKNOWLEDGEMENTS

I am grateful to the Director, Botanical Survey of India and Additional Director, Central National Herbarium, BSI for facilities; to the Director, Royal Botanic Gardens, Kew for access to literature and cibachrome photos of the Kew specimens; to Dr J. Bhattacharya and Dr A. M. S. F. Vaz for providing literature; to Dr K. N. Gandhi and Dr J. McNeill for nomenclatural clarifications; to Dr V. Sampath Kumar for information on specimens at Kew; and to Dr D. J. Middleton for his suggestions.

REFERENCES

- BANDYOPADHYAY, S. (1999). Nomenclatural replacements in *Bauhinia* (Leguminosae: Caesalpinoideae). *Kew Bull.* 54: 974.
 BRUNEAU, A., MERCURE, M., LEWIS, G. P. & HERENDEEN, P. S. (2008). Phylogenetic patterns and diversification in caesalpinioid legumes. *Botany* 86: 697–718.
 LARSEN, K. & LARSEN, S. S. (1980a). *Bauhinia*. In: AUBRÉVILLE, A. & LEROY, J.-F. (eds) *Flore du Cambodge du Laos et du Viêt-nam* 18: 146–210. Paris.

- LARSEN, K. & LARSEN, S. S. (1980b). Notes on the genus *Bauhinia* in Thailand. *Thai Forest Bull., Bot.* 13: 37–46.
- LARSEN, K. & LARSEN, S. S. (1984). *Bauhinia*. In: SMITINAND, T. & LARSEN, K. (eds) *Flora of Thailand* 4(1): 4–45. Bangkok: The Forest Herbarium, Royal Forest Department.
- LARSEN, K. & LARSEN, S. S. (1996). *Bauhinia*. In: KALKMAN, C., KIRKUP, D. W., NOOTEBOOM, H. P., STEVENS, P. F. & WILDE, W. J. J. O. DE (eds) *Flora Malesiana* 12(2): 442–535. Leiden University, The Netherlands: Rijksherbarium/Hortus Botanicus.
- LARSEN, K. & LARSEN, S. S. (1997). Validation of the variety name *Bauhinia glabrifolia* (Benth.) Baker var. *maritima* K. & S.S. Larsen. *Thai Forest Bull., Bot.* 25: 14.
- LEWIS, G. P. & FOREST, F. (2005). Tribe Cercideae. In: LEWIS, G., SCHRIRE, B., MACKINDER, B. & LOCK, M. (eds) *Legumes of the World*, pp. 57–67. London: Royal Botanic Gardens, Kew.
- MCMILLAN, J., BARRIE, F. R., BURDET, H. M., DEMOULIN, V., HAWKSWORTH, D. L., MARHOLD, K. ET AL. (eds) (2006). *International Code of Botanical Nomenclature (Vienna Code) adopted by the Seventeenth International Botanical Congress, Vienna, Austria, July 2005*. Ruggell: A. R. G. Gantner Verlag KG [Regnum Veg. vol. 146].
- SINU, C., FOREST, F., LEWIS, G. P. & BRUNEAU, A. (2009). The genus *Bauhinia* s.l. (Leguminosae): a phylogeny based on the plastid trnL-trnF region. *Botany* 87: 947–960.
- WUNDERLIN, R., LARSEN, K. & LARSEN, S. S. (1987). Reorganization of the Cercideae (Fabaceae: Caesalpinioideae). *Biol. Skr.* 28: 1–40.

Received 22 February 2012; accepted for publication 1 June 2012