

## GENERAL INDEX TO VOLUME 70 (2013)

*Note:* Main entries are **boldened**; \* signifies the page range of keywords; pages with illustrations (Fig.), maps, appendices (App.) and reviews (Rev.) are indicated; tables are not annotated separately.

- Abebaia* Baehni, 8, 11  
*fasciculata* (Warb.) Baehni, 11, 18  
Acanthaceae, 1  
*Acantholimon*  
*griffithianum* Boiss., 408  
*Acanthophyllum*, 411  
*Achras* L., 8, 11  
*dissecta* L.f., 15  
*hoshinoi* (Kaneh.) Baehni, 29  
*octodecemfida* Stokes, 15  
*zapota* L., 11  
*Acrocomia*  
*aculeata* (Jacq.) Lodd. ex Mart., 476, 479, 481  
*Adenophora*, 1–5\*  
**himalayana** Feer, 1–3  
Afghanistan, 405–412\* [409 Fig.]  
*Aglaia* Lour., 187  
*Albizia*  
*niopoides* (Spruce ex Benth.) Burkart, 476, 478, 481  
ALE, R., 381–384  
*Allium*  
*circumflexum* Wendelbo, 408  
*Allochrysa*, 411  
*Alstonia*  
*scholaris* (L.) R.Br., 26  
*Amomum*  
*striatum* Stokes, 449–450  
*sylvestre* Lam., 449–450  
*sylvestre* Sw., 449–450  
*Anabasis* L., 372  
Anacardiaceae, 472, 476  
*Anadenanthera*  
*colubrina* (Vell.) Brenan, 469, 472–478, 480, 482  
ANDERSON, B.M., 121–176  
ANDERSON, C.E., 413–432  
*Andira*  
*cujabensis* Benth., 476, 481  
*inermis* (W.Wright) DC., 476, 479  
Annonaceae, 187, 476  
*Anthoceros*, 453  
*Aphananthe*, 315  
Apocynaceae, 472, 476  
Arabian peninsula, 367–379  
*Arabidopsis*  
*kneuckeri* (Bornm.) O.E.Schulz, 372  
ARAÚJO, A.C., 433–438  
Arecaceae, 476  
ARMSTRONG, K.E., 7–56  
*Arnebia*  
*inconspicua* Hemsl. & Lace, 408  
*Artemisia*, 410  
*persica* Boiss., 408  
Asia, south and southeast, 7–56  
*Aspidosperma*  
*macrocarpon* Mart., 476, 478, 480  
*subincanum* Mart. ex A.DC., 475–476, 478  
*tomentosum* Mart., 476, 479  
*Astragalus*  
*anacamptoides* Širj. & Rech.f., 408  
*endytanthus* Podlech & I.Deml, 410  
*gracilipes* Benth. ex Bunge, 408  
*lasiosemius* Boiss., 408  
*persepopolitanus* Boiss., 408  
*tribuloides* Delile, 408  
*Astronium*  
*fraxinifolium* Schott ex Spreng., 473–476, 478, 480  
ATKINS, H.J., 455–468  
AUVRAY, G., 61–120  
*Balfourodendron*  
*riedelianum* (Engl.) Engl., 473, 477–478  
Bamiyan Province, Afghanistan, 405–412 [409 Fig.]  
BANDYOPADHYAY, S., 363–365, 487–490  
*Banisteria*  
*quarapa* (Aubl.) Sprague, 414  
*Bauhinia* L., 487–488  
subgen. *Phanera* (Lour.) Kurz, 363  
*glabrifolia* auct. non (Benth.) Baker, 363  
*glabrifolia* (Benth.) Baker, 363  
subsp. *sericea* (Lace) K.Larsen & S.S.Larsen, 364  
var. *maritima* K.Larsen & S.S.Larsen, 363–364

- var. *sericea* (Lace) K.Larsen & S.S.Larsen, 363–364
- macrostachya* Benth., 488–489
- macrostachya* (Benth.) Baker, 488–489
- macrostachya* (Benth.) Benth., 489
- macrostachya* Wall., 487–488
- piperifolia* auct. non Roxb., 363
- scandens* L., 487
- scandens* auct. non L., 489
- scandens* Roxb. non L., 487–488
- sericea* Lace, 364
- wallichii* J.F.Macbr., 488–489
- Bayesian analysis, 182–183, 186
- Beddome, Richard Henry, names validated by, 1–5
- Begonia*, 455
- BHARALI, S., 57–60
- BHAUMIK, M., 57–60
- Bignoniaceae, 472, 476
- tribe Cyrtandreae, 121
- Billia*, 315
- Boeica* T.Anderson ex C.B.Clarke, 122
- Boissiera*
- squarrosa* (Banks & Sol.) Nevski, 408
- BONE, R.E., 455–468
- BOOK REVIEWS
- Etilingera of Sulawesi* (A.D. Poulsen), 491–492
- Plant Reintroduction in a Changing Climate: Promises and Perils* (J. Maschinski & K.E. Haskins eds), 177–178
- Boraginaceae, 373, 476
- Boswellia* Roxb. ex Colebr., 373–374
- Bowdichia*
- virgilioides* Kunth, 476, 481
- Brassicaceae, 372
- Brazil, 413–432\*, 433–438, 469–486
- [471 Map]
- Briggsia*
- muscicola* (Diels) Craib, 404 App.
- BUENO, M.L., 469–486
- Bulbophyllum* Thouars, 381–384
- sect. *Cirrhopetalum* (Lindl.) Rchb.f., 381
- nepalense** Raskoti & Ale, **381**–384
- [382–383 Figs]
- retusiusculum* Rchb.f., 381, 383–384
- tigrinum* Hance, 384
- Burseraceae, 373
- Caesalpinia*, 476, 479
- Calatola*, 315
- Calicotome* Link, 62
- Calophyllum*, 9, 21
- Calyptanthes* Sw., 433–438\*
- brasiliensis** Spreng., **436**–437
- clusiifolia** (Miq.) O.Berg, **434**
- eriocephala** Urb., **434**–435
- grammica** (Spreng.) D.Legrand, **435**
- grandifolia** O.Berg, **437**
- langsdorffii** O.Berg, **435**
- musciflora*
- var. *obscura* O.Berg, 435
- var. *venosa* O.Berg, 435
- rostrata** Griseb., **436**
- rubella** (O.Berg) D.Legrand, **437**
- sintenisii** Kiaersk., **436**
- thomasiana** O.Berg, 433, **437**
- uniflora*
- var. *venosa* O.Berg, 435
- variabilis*
- var. *rubella* O.Berg, 437
- Camellia* L., 439–447\*
- sect. *Archaecamellia* Sealy, 439, 443–446
- sect. *Chrysantha* H.T.Chang, 439–440, 443–447
- sect. *Piquetia* (Pierre) Sealy, 439, 443–446
- sect. *Stereocarpus* (Pierre) Sealy, 439, 443–446
- ser. *Chrysanthae*, 439
- dongnaiensis* Orel, 443, 445–446
- dormoyana* (Pierre) Sealy, 443, 445–446
- euphlebica* Merr. ex Sealy, 443, 445–446
- flava* (Pit.) Sealy, 443, 445–446
- impressinervis* H.T.Chang & S.Y.Liang, 443, 445–446
- krempfii* (Gagnep.) Sealy, 443, 445–446
- nitidissima* Chi, 443, 445–446
- oconoriana** Orel, Curry & Luu, 439–447
- [440, 442 Fig.]
- petelotii* Merr. ex Sealy, 443, 445–446
- piquetiana* (Pierre) Sealy, 443, 445–446
- pleurocarpa* (Gagnep.) Sealy, 443, 445–446
- pubipetala* Wan & S.Z.Huang, 445–447
- Campanula*, 1–5
- andrewsii*
- var. *pelica* Halácsy, 1, 3–4
- kumaonensis*, 2
- lacei* Duthie ex Bedd., 1–3

- lacei* Watt, 2  
*linifolia*, 2  
*pelia* (Halácsy) Hausskn. & Sint. ex  
 Phitos, 4  
***pelia*** Hausskn. ex Bedd., 1, 3–4  
***persicifolia*** L., 4  
*rupestris*, 3  
*thessala* Gand., 4  
*thessala* Maire, 1, 3–4  
*younghusbandii* Prain, 2  
 Campanulaceae, 1–5  
*Camphorosma*  
*monsopeliaca* L., 408  
 Caribbean, 433–438  
 Carophyllaceae, 405–412\*  
 subfam. Silenoideae, 405–412\*  
*Casearia*  
*gossypiosperma* Briq., 472–473, 477–478, 480  
*sylvestris* Sw., 477, 480  
*Cecropia*  
*pachystachya* Trécul, 477, 481  
*Cedrela*  
*fissilis* Vell., 475, 477–478, 481  
*Ceiba*  
*pubiflora* (A.St.-Hil.) K.Schum., 477–  
 478, 480  
*Ceratocarpus*  
*arenarius* L., 408  
 Cerrado, 469–486\*  
*Chamaesphacos*  
*ilicifolius* Schrenk, 372  
*Cheilosandra* Griff. ex Lindl., 128, 159  
*Chelone*  
*latifolia* Buch.-Ham. ex C.B.Clarke, 155, 160  
*latifolia* Muhl. ex Elliott, 160  
 Chenopodiaceae, 372  
*Chiliandra* Griff., 128, 159  
*obovata* Griff., 128, 155  
*Chirita* Buch.-Ham. ex D.Don  
 sect. *Chirita*, 386  
*elata* Ridl., 386  
*rotundata* Barnett, 402 App.  
*Chrysopogon*  
*aciculatus* (Retz.) Trim., 453  
*Cicer*  
*chorassanicum* (Bunge) Popov, 408  
 CLARKSON, J.J., 179–362  
***Codonoboa*** Ridl., 385–404\* [387]  
*alba* (Ridl.) C.L.Lim, 395 App.  
*albomarginata* (Hemsl.) Kiew, 395 App.  
*alternans* (Ridl.) Kiew, 395 App.  
***alternifolia*** (C.B.Clarke) A.Weber, 388,  
 395 App.  
***amoena*** (C.B.Clarke) A.Weber, 388,  
 396 App.  
***angustifolia*** (C.B.Clarke) A.Weber, 388,  
 396 App.  
*anthonyi* (Kiew) C.L.Lim, 396 App.  
***apressipilosa*** (B.L.Burt) D.J.Middleton,  
 388, 396 App.  
*ascendens* (Ridl.) C.L.Lim, 396 App.  
*atrosanguinea* (Ridl.) C.L.Lim, 396 App.  
***bakoensis*** (B.L.Burt) A.Weber, 389,  
 396 App.  
 var. ***tenuior*** (C.B.Clarke) A.Weber,  
 389, 396 App.  
***battamensis*** (Ridl.) A.Weber, 389, 396  
 App.  
***beccarii*** (C.B.Clarke) A.Weber, 389,  
 396 App.  
*bombycina* (Ridl.) C.L.Lim, 396 App.  
*breviflora* (Ridl.) Kiew, 396 App.  
***bullata*** (C.B.Clarke) A.Weber, 389, 396  
 App.  
*caelestis* Ridl., 396 App.  
*calcarea* (Ridl.) Kiew, 396 App.  
*castaneifolia* (Ridl.) Kiew, 397 App.  
*codonion* (Kiew) C.L.Lim, 397 App.  
*corneri* (Kiew) Kiew, 397 App.  
***corniculata*** (Jack) D.J.Middleton, 389,  
 397 App.  
***corrugata*** (Mendum) D.J.Middleton,  
 389, 397 App.  
*craspedodroma* (Kiew) Kiew, 397 App.  
***crenata*** (Baker) A.Weber, 389, 397 App.  
*crinita* (Jack) C.L.Lim, 387, 397 App.  
*crocea* (Ridl.) C.L.Lim, 397 App.  
*curtisii* (Ridl.) C.L.Lim, 397 App.  
*davisonii* (Kiew) Kiew, 397 App.  
*dawnii* (Kiew) Kiew, 397 App.  
*densifolia* (Ridl.) C.L.Lim, 397 App.  
***dentata*** (Ridl.) A.Weber, 390, 397 App.  
***descendens*** (B.L.Burt) A.Weber, 387, 390,  
 397 App.  
*doryphylla* (B.L.Burt) C.L.Lim, 397 App.  
*elata* (Ridl.) Rafidah, 386  
***elegans*** (C.B.Clarke) A.Weber, 390,  
 397 App.  
*ericiflora* (Ridl.) Ridl., 398 App.  
*falcata* (Kiew) Kiew, 398 App.

- fasciata* (Ridl.) C.L.Lim, 398 App.  
**filicalyx** (B.L.Burtt) D.J.Middleton, 390, 398 App.  
*flava* (Ridl.) Kiew, 398 App.  
*flavescens* (Ridl.) Kiew, 398 App.  
*flavobrunnea* (Ridl.) Kiew, 388, 398 App.  
*floribunda* (M.R.Hend.) C.L.Lim, 398 App.  
**follicularis** (C.B.Clarke) A.Weber, 390, 398 App.  
*geitleri* (A.Weber) C.L.Lim, 398 App.  
*glabrata* (Ridl.) Kiew, 398 App.  
**gracilipes** (C.B.Clarke) A.Weber, 390, 398 App.  
*grandifolia* (Ridl.) Kiew, 403 App.  
*heterophylla* (Ridl.) C.L.Lim, 387, 398 App.  
*hirsuta* (Ridl.) C.L.Lim, 398 App.  
*hirta* (Ridl.) Kiew, 387, 398 App.  
*hispida* (Ridl.) Kiew, 399 App.  
*holttumii* (M.R.Hend.) C.L.Lim, 399 App.  
*humilis* (Miq.) A.Weber, 399 App.  
*inaequalis* (Ridl.) Kiew, 399 App.  
*johorica* (Ridl.) Kiew, 399 App.  
*kelantanensis* (Kiew) Kiew, 399 App.  
*kjellbergii* (B.L.Burtt) Karton., 399 App.  
**koerperi** (B.L.Burtt) A.Weber, 390, 399 App.  
**kolokensis** (B.L.Burtt) D.J.Middleton, 390, 399 App.  
**komsoboia** (C.B.Clarke) A.Weber, 387, 390, 399 App.  
**lanceolata** (C.B.Clarke) A.Weber, 391, 399 App.  
*lancifolia* (M.R.Hend.) C.L.Lim, 399 App.  
*leiophylla* (Kiew) C.L.Lim, 399 App.  
**leptocalyx** (C.B.Clarke) A.Weber, 391, 399 App.  
*leucantha* (Kiew) Kiew, 399 App.  
*leucocodon* (Ridl.) Ridl., 387, 399 App.  
*lilacina* (Ridl.) Ridl., 399 App.  
*longipes* (C.B.Clarke) Kiew, 399 App.  
*malayana* (Hook.f.) Kiew, 400 App.  
*marginata* (C.B.Clarke) C.L.Lim, 400 App.  
*miniata* (Kiew) C.L.Lim, 400 App.  
*modesta* (Ridl.) Kiew, 400 App.  
**murutorum** (B.L.Burtt) A.Weber, 391, 400 App.  
**myricifolia** (Ridl.) A.Weber, 391, 400 App.  
**nervosa** (C.B.Clarke) A.Weber, 391, 400 App.  
*nitida* (Kiew & A.Weber) Kiew, 400 App.  
*nivea* Kiew, 400 App.  
**pagonensis** (B.L.Burtt) A.Weber, 391, 400 App.  
*parviflora* (Ridl.) Kiew, 401 App.  
*pauziana* (Kiew) Kiew, 401 App.  
*pectinata* (Oliv.) Kiew, 387, 401 App.  
*platypus* (C.B.Clarke) C.L.Lim, 401 App.  
**pleuropogon** (B.L.Burtt) A.Weber, 391, 401 App.  
*polyanthoides* (Kiew) C.L.Lim, 401 App.  
**porphyrea** (B.L.Burtt) D.J.Middleton, 392, 401 App.  
*primulina* (Ridl.) Kiew, 401 App.  
*pulchella* (Ridl.) C.L.Lim, 401 App.  
*pumila* (Ridl.) C.L.Lim, 400 App.  
**punctata** (C.B.Clarke) A.Weber, 392, 401 App.  
*puncticulata* (Ridl.) C.L.Lim, 401 App.  
*pyroliflora* (Ridl.) Kiew, 401 App.  
*quinquevulnera* (Ridl.) C.L.Lim, 401 App.  
**racemosa** (Jack) A.Weber, 392, 401 App.  
*ramosa* (Ridl.) Kiew, 401 App.  
*reptans* (Jack) C.L.Lim, 387, 401 App.  
var. *monticola* (Ridl.) C.L.Lim, 401 App.  
**reticulosa** (C.B.Clarke) A.Weber, 392, 402 App.  
*ridleyana* (B.L.Burtt) Kiew, 402 App.  
*robinsonii* (Ridl.) Kiew, 402 App.  
*rubiginosa* (Ridl.) C.L.Lim, 402 App.  
*rugosa* (Ridl.) C.L.Lim, 402 App.  
*salicina* (Ridl.) C.L.Lim, 387, 402 App.  
*salicinoides* (Kiew) C.L.Lim, 402 App.  
**scabrinervia** (C.B.Clarke) A.Weber, 392, 402 App.  
**serrata** (R.Br.) A.Weber, 387, 392, 402 App.  
*serratifolia* (Ridl.) Kiew, 402 App.  
**simplex** (Kraenzl.) A.Weber, 392, 402 App.  
*soldanella* (Ridl.) C.L.Lim, 402 App.  
*stolonifera* (Kiew) Kiew, 403 App.  
**teres** (C.B.Clarke) A.Weber, 392, 403 App.  
*tiumanica* (Ridl.) C.L.Lim, 403 App.  
*urticoides* (A.Weber) Kiew, 403 App.  
*venusta* (Ridl.) Kiew, 388, 403 App.  
**virginia** (B.L.Burtt) A.Weber, 392, 403 App.  
*viscida* (Ridl.) Kiew, 403 App.  
**vulcanica** (Ridl.) A.Weber, 393, 403 App.  
**woodii** (Merr.) A.Weber, 393, 403 App.  
*yongii* (Kiew) C.L.Lim, 403 App.  
Colombia, 413–432\*

- Combretaceae, 476  
*Combretum*  
   *leprosum* Mart., 476, 478, 480  
 Complex resolution  
   in *Hiraea*, 413–432  
 Conservation assessments  
   of *Convolvulus*, 367–379\*  
   of *Cyrtandra*, 455–468  
   of *Rhynchochecom*, 121–176\*  
 Convolvulaceae, 367–379  
*Convolvulus* L., 367–379\* [& Map]  
   sect. *Acanthocladi* Boiss., 367  
   sect. *Inermes* Boiss., 367  
   *eremophilus* Boiss. & Buhse, 369, 372  
   *erinaceus* Ledeb., 367–373 [371 Map]  
     var. *kermanensis* (Bornm.) Sa'ad,  
       371–372 [371 Map]  
   **excelsus** R.R.Mill, 367–372 [368, 370  
     Fig., 371 Map], 378  
   *floridus* L.f., 370  
   *hamadae* (Vved.) Petrov, 368–369,  
     371–372 [371 Map]  
   *hystrix* Vahl  
     subsp. **dhofarica** R.R.Mill, 367, **373**  
     subsp. *hystrix*, 373–374  
   **infantispinosus** R.R.Mill, 367, **374**, 376  
   *korolkowii* Regel & Schmalh., 368–369,  
     371–372  
   *lanatus* Vahl, 376–377  
   *leptocladus* Boiss., 369  
   *oxyphyllus* Boiss., 374, 376–377  
     subsp. *oxycladus* Rech.f., 376–377  
     subsp. *oxyphyllus*, 376–377  
     subsp. **sheilae** R.R.Mill, 367, **376–377**  
   *scoparius* L.f., 370  
   *subsericeus* Schrenk, 369, 371 Map  
   *tujantauensis* Kinzik., 369  
*Cordia*  
   *glabrata* (Mart.) A.DC., 476, 478, 480  
*Cordia*  
   *sessilis* (Vell.) Kuntze, 477, 479  
*Corema*  
   *scoparium* (L.) Bercht. & J.Presl, 91  
*Corothamnus*  
   *balansae* (Boiss.) Ponert, 70  
*Corysanthera* Wall. ex Endl., 128  
   *elliptica* Wall. ex D.Dietr., 128, 143  
   *vestita* Griff., 168  
*Cousinia*  
   *buphthalmoides* Regel & Schmalh., 408  
   *chionophila* Rech.f. & Koie, 408  
*Crozophora*  
   *gracilis* Fisch. & C.A.Mey. ex Kar., 372  
*Curatella*  
   *americana* L., 476, 481  
 Current status  
   of *Henckelia* species, 385–404  
 CURRY, A.S., 439–447  
*Cyrtandra* J.R.Forst. & G.Forst., 121–122,  
   126, 173, 455–468\*  
   *copelandii* Elmer, 160  
   *engleri* Koorders, 460  
   **floccosa** R.Bone & H.J.Atkins, 455–459  
     [456 Map, **457**, 458 Fig.]  
   *hillii* H.Lév., 155  
   **kjellbergii** R.Bone & H.J.Atkins, 455–  
     456 [456 Map], **460–463** [462 Fig.], 467  
   *lanuginosa* R.Br., 166  
   *microcarpa* C.B.Clarke, 160  
   *polycarpa* K.Schum., 160  
   **purpureofucata** R.Bone & H.J.Atkins,  
     455–456 [456 Map], 459, **461**, 463–  
     465 [464 Fig.]  
   *roseiflora* H.J.Atkins, 463  
   **spectabilis** R.Bone & H.J.Atkins, 455–  
     456 [456 Map], **463**, 465–467 [466 Fig.]  
*Cytisogenista* Duhamel, 82  
   *catalaunica* (Webb) Rothm., 108  
   *eriocarpa* (Boiss. & Reut.) Rothm., 103  
   *patens* (L.) Rothm., 101  
   *scoparia* (L.) Rothm., 91  
     var. *leiostylos* (Willk.) Rothm., 91  
     var. *oxyphylla* (Boiss.) Rothm., 91  
   *welwitschii* (Boiss. & Reut.) Rothm., 103  
**Cytisus** Desf., 61–120\* [**65**]  
   sect. **Alburnoides** DC., 61–120 [**66**]  
   sect. *Corothamnus* (W.D.J.Koch)  
     Nyman, 62  
   sect. *Laburnum*, 62  
   sect. *Sarothamnus* (Wimm.) Benth.,  
     62–63, 82, 107  
   sect. *Spartocytisus* Benth., 66  
   sect. **Spartopsis** Dumort., 61–120 [**82**]  
   sect. **Verzinum** (Raf.) Talavera, 61–120  
     [**107**]  
   subsect. *Grypotropis* Briq., 82  
   subsect. *Sparothamnus* (Webb & Berth.)  
     Briq., 66  
   subsect. *Verzinum* (Raf.) Briq., 107  
   *affinis* Boiss., 85, 87

- albus* Jacq., 74  
*albus* (Lam.) Link, 74  
 var. *incarnatus* (Lodd. et al.) Sweet, 117  
 var. *rosea* Stapf, 117  
**arboreus** (Desf.) DC., 63, 108–109 [109 Map], 111, 117  
 subsp. *baeticus* (Webb) Maire, 108  
 subsp. *catalaunicus* (Webb) Maire, 108, 110, 115  
 subsp. *eu-arboreus* Maire, 108  
 subsp. *macranthus* (Ball) Maire, 110  
 subsp. *malacitanus* (Boiss.) Malag., 115  
 subsp. *transiens* (Maire) Maire, 110  
 var. *africanus* Pau & Font Quer, 110, 112  
 var. *catalaunicus*, 108  
 var. *eu-catalaunicus* Maire, 110  
 var. *extravagans* Font Quer, 111  
 var. *genuinus* Emb. & Maire, 110  
 var. *haplotrichus* Maire, 110, 112  
 var. *intermedius* Maire, 110  
 var. *leiocarpus* Maire, 111–112  
 var. *leiocladus* Maire, 110, 112  
 var. *malacitanus* Maire, 115  
 var. *tetuanensis* Pau, 110, 112  
 var. *transiens* Maire, 110, 112  
**ardoinoi** E.Fourn., 63–64, 66–67, 82  
 subsp. **ardoinoi**, 67–69 [68 Fig., 69 Map], 117  
 subsp. **sauzeanus** (Burnat & Briq.) Auvray, 61, 63–64, 67, 69–71 [69 Map, 71 Fig.], 117  
 var. *sauzeanus* (Burnat & Briq.) Chatenier, 69  
*baeticus* (Webb) Steud., 63, 108  
 var. *macranthus* Ball, 110, 112  
 f. *emarginatus* Font Quer, 110  
 f. *melillensis* Sennen, 110, 112  
**balansae** (Boiss.) Ball, 63–64, 67, 70, 72–73 [72 Map]  
 subsp. *atlanticus* Ball ex Canto & Rivas Mart., 70, 73  
 subsp. *balansae*, 73  
 subsp. *europaes* (G.Lopez & C.E.Jarvis) Muñoz Garm., 78  
 subsp. *nevadensis* Canto & Rivas Mart., 72–73  
 var. *atlanticus* Ball, 70  
 var. *europaes* G.Lopez & C.E.Jarvis, 78  
 var. *galianoi* (Talavera & P.E.Gibbs) G.Lopez, 72  
*barbarus* (Jahand. & Maire) Maire, 86  
 var. *haplophyllus* Maire & Sennen, 86–87  
 × **beanii** Dallimore, 82  
*beanii* Nichols, 82  
*boissieri* Briq., 102  
 × *canescens* A.Terrisse, 103  
**cantabricus** (Willk.) Rchb.f. & Beck, 63, 83–84 [84 Map]  
*catalaunicus* (Webb) Briq., 108, 112  
*commutatus* (Willk.) Briq., 63  
 × **dallimorei** Rolfe, 62, 107  
*eriocarpus* Boiss., 103  
*eriocarpus* (Boiss. & Reut.) Rchb. & Beck, 102  
*galianoi* Talavera & P.E.Gibbs, 72–73  
*glabratus* Link, 91–92  
**grandiflorus** (Brot.) DC., 63–64, 83, 85–86  
 subsp. *barbarus* (Jahand. & Maire) Maire, 86  
 subsp. *cabezudoi* Talavera, 87  
 subsp. **grandiflorus**, 64, 86–88 [86 Map]  
 subsp. *haplophyllus* (Maire & Sennen) Maire, 86  
 subsp. **maurus** (Humbert & Maire) Auvray, 61, 64, 87, 89–90 [90 Map]  
*incarnatus* (Lodd. et al.) K.Koch, 117  
*insularis* S.Ortiz & I.Pulgar, 98  
 × **kewensis** Bean, 82  
*linkii* Janka, 75  
*lusitanicus* (Mill.) Maire, 101  
*lusitanicus* Willk., 75, 101  
**malacitanus** Boiss., 63–64, 108, 115–116 [116 Map]  
 subsp. *catalaunicus* (Webb) Heywood, 108  
 subsp. *molerioi* (Fern.Casas) A.Lora et al., 115  
*maurus* Humbert & Maire, 89  
*megalanthus* (Pau & Font Quer) Font Quer, 106  
*molerioi* Fern.Casas, 115  
**multiflorus** (L'Hér. ex Aiton) Sweet, 62, 64, 66, 74–75 [75 Map], 82, 107, 117  
 f. *incarnatus* (Lodd. et al.) Rehder, 117  
**oromediterraneus** Rivas Mart. et al., 63–64, 67, 73, 78–79 [78 Map], 82, 103  
 subsp. *nevadensis* Rivas Mart., 73  
*patens* L., 101



- pendulinus* L.f., 101  
 var. *eriocarpus* Cout., 103  
 var. *genuinus* Cout., 101  
 var. *welwitschii* (Boiss. & Reut.)  
 Cout., 103  
 × **praecox** (Rob.) Hort, **82**  
*procerus* (Willd.) Link, 102  
*purgans* auct. non (L.) Boiss., 73, 79  
*purgans* Boiss., 62  
 subsp. *balansae* (Boiss.) Maire, 70  
 var. *balansae* (Boiss.) Briq., 70  
 var. *grandiflorus* Deb. & E.Rev., 78  
*reverchonii* (Degen & Hervier) Bean, 99  
*sauzeanus* Burnat & Briq., 69  
**scoparius** (L.) Link, 62–64, 82–83, 85,  
**91–92**, 97, 99, 103  
 subsp. *bourgaei* (Boiss.) Rivas Mart.  
 et al., 91  
 subsp. *cantabricus* (Willk.) M.Lainz  
 ex Rivas Mart. et al., 83  
 subsp. **insularis** (S.Ortiz & I.Pulgar)  
 Auvray, 61, 92, **98**  
 subsp. *maritimus* (C.Bailey) Tutin, 63  
 subsp. **maritimus** (Rouy) Heywood,  
 92, **98–99** [99 Map]  
 subsp. *maurus* (Humbert & Maire)  
 Talavera, 90  
 subsp. *prostratus* (C.Bailey) Tutin, 98  
 subsp. **reverchonii** (Degen & Hervier)  
 Rivas Goday & Rivas Mart., 92,  
**99–100** [100 Map]  
 subsp. **scoparius**, 92–**93**, 96–98  
 var. *albus* G.Don, 96  
 var. *andreas* (Puiss.) L.Dippel, 96  
 var. *bourgaei* (Boiss.) Briq., 91  
 var. *oxyphyllus* (Boiss.) Briq., 91  
 var. *pallescens* (Tinant) Magnel, 97  
 var. *pallidus* Goldring, 97  
 var. *prostratus* (C.Bailey) F.Hand.  
 ex A.B.Jacks., 98  
 var. *sulphureus* A.F.Schwarz, 97  
 var. *sulphureus* Goldring, 97  
 var. *sulphureus* Nicholson, 97  
 f. **albus** (G.Don) Schneider, 64, **96**  
 f. **andreas** (Puiss.) Zabel, 64, **96**, 107  
 f. **bicolor** (Massé) Auvray, 64, **97**  
 f. *ochroleucus* hort ex Zabel, 97  
 f. **sulphureus** (Goldring) Rehder, **97**  
*sessilifolius* L., 65  
**striatus** (Hill.) Rothm., 63–64, 83, **101**  
 subsp. *eriocarpus* (Boiss. & Reut.)  
 Rivas Mart., 103  
 subsp. **megalanthus** (Pau & Font  
 Quer) Rivas Mart. & Belmonte,  
 104, **106–107** [107 Map]  
 subsp. **striatus**, 102 Map, **104**  
 subsp. *welwitschii* (Boiss. & Reut.)  
 Rivas Mart., 103  
 var. *eriocarpus* (Boiss. & Reut.)  
 Heywood, 103  
 var. *welwitschii* (Boiss. & Reut.)  
 Heywood, 103  
*transiens* (Maire) Talavera, 110  
*valdesii* Talavera & P.E.Gibbs, 72–73  
*villosus* Pourret, 65  
*welwitschii* (Boiss. & Reut.) Rchb. &  
 Beck, 103  
 var. *gallecicus* (Willk.) Briq., 103  
*Cytisus* L., 61, 65, 370  
  
*Dalbergia*, 476, 478  
*Desmodium*  
*triflorum* (L.) DC., 453  
*Diaphanoptera*, 411  
 DICKORÉ, W.B., 405–412  
*Didissandra*  
*elongata* (Jack) C.B.Clarke, 398 App.  
*frutescens* (Jack) C.B.Clarke, 398 App.  
*muscolica* Diels, 404 App.  
*Didymocarpus* Wall., 385, 387  
 sect. *Boeopsis* Ridl., 387  
 sect. *Codonoboea* (Ridl.) Kiew, 387  
 sect. *Didymanthus* C.B.Clarke, 387  
 sect. *Elati* Ridl., 385  
 sect. *Heteroboaea* Benth., 387  
 sect. *Kompsoboaea* C.B.Clarke, 387  
 sect. *Loxocarpus* (R.Br.) Benth., 393  
 sect. *Orthoboaea* Benth., 385–386  
 sect. *Pectinati* Ridl., 387  
 sect. *Reptantes* Ridl., 387  
 sect. *Salicini* Ridl., 387  
 sect. *Venusti* Kiew, 388  
*alternifolius* C.B.Clarke, 388  
*amoenus* C.B.Clarke, 388  
*angustifolius* C.B.Clarke, 388  
*aromaticus* D.Don, 396 App.  
*bakoensis* B.L.Burt, 389  
*battamensis* Ridl., 389  
*beccarii* C.B.Clarke, 389  
*bullatus* C.B.Clarke, 389

- cinereus* D. Don, 397 App.  
*corniculatus* Jack, 389  
*crenatus* Baker, 389  
*crinitus* (Jack) Spreng., 387  
*dentatus* Ridl., 390  
*elegans* C. B. Clarke, 390  
*follicularis* C. B. Clarke, 390  
*gracilipes* C. B. Clarke, 390  
*heterophyllus* Ridl., 387  
*koerperi* B. L. Burtt, 390  
*komsoboeba* C. B. Clarke, 387, 390  
*lanceolatus* C. B. Clarke, 391  
*leptocalyx* C. B. Clarke, 391  
     var. *tenuior* C. B. Clarke, 389  
*macrophyllus* D. Don, 400–401 App.  
*murutorum* B. L. Burtt, 391  
*myricifolius* Ridl., 391  
*nervosus* C. B. Clarke, 391  
*oblongus* D. Don, 400 App.  
*pectinatus* Oliv., 387  
*pleuropogon* B. L. Burtt, 391  
*primulifolius* D. Don, 401 App.  
*punctatus* C. B. Clarke, 392  
*racemosus* Jack, 392  
*reptans* Jack, 387  
*reticulosus* C. B. Clarke, 392  
*salicinus* Ridl., 387  
*scabrinervius* C. B. Clarke, 392  
*serratus* R. Br., 387, 392  
*simplex* Kraenzl., 392  
*teres* C. B. Clarke, 392  
*venustus* Ridl., 388  
*villosus* D. Don, 403 App.  
*violoides* C. B. Clarke, 394  
*virgineus* B. L. Burtt, 392  
*vulcanicus* Ridl., 393  
*woodii* Merr., 393
- Dilleniaceae, 476  
*Dilodendron*  
     *bipinnatum* Radlk., 477, 480  
*Dimorphandra*  
     *mollis* Benth., 476, 481  
*Dipteryx*  
     *alata* Vogel, 475–476, 479–480  
 Disjunction, 367–379\*  
 DROOP, J., 491–492 Rev.
- Ecuador, 413–432\*  
 Endemism  
     in *Renalmia*, 449–450
- Ephedra*  
     *gerardiana* Wall. ex Stapf, 410  
*Eremurus*  
     *stenophyllus* Baker, 410–411  
 Ericaceae, 57–60\*, 459, 461  
*Eriotheca*  
     *pubescens* (Mart. & Zucc.) Schott & Endl., 477, 481  
*Erythrina*  
     *dominguezii* Hassl., 476, 478  
*Ethanium*  
     *sylvestre* Kuntze, 450  
*Etlingera*, 491–492 Rev.  
     *mucida*, 492 Rev.  
*Eugenia*, 477–478, 481  
     *aectosantis* Poir., 437  
 Euphorbiaceae, 372
- Fabaceae, 61–120, 372, 472, 476  
     tribe Genisteae, 61–120\*  
*Faucherea* Lecomte, 8  
*Flora Neotropica*, 449–450\*  
*Folium linguae* Rumph., 487, 489  
 Forest, seasonally dry tropical (SDTF), 469–486  
 FREITAG, H., 405–412  
*Fumaria*  
     *vaillantii* Loisel., 408
- Galium*  
     *ceratopodium* Boiss., 408  
*Genista* L., 61  
     sect. *Spartothamnus* (Webb & Berth.) Rouy, 66  
     *alba* Lam., 74  
     *andreana* Puiss., 96  
     *angulata* (Raf.) Poir., 91  
     *arborea* (Desf.) Poir., 108  
     *ardoinoi* (E. Fourn.) Rouy, 67  
         subsp. *sauzeana* (Burnat & Briq.) Rouy, 69  
     *catalaunica* (Webb) Rouy, 108  
     *grandiflora* (Brot.) Spach, 85  
     *hirsuta* Moench, 91  
     *hirsuta* Vahl, 91  
     *lusitanica* L., 101  
     *lusitanica* (Mill.) Spach, 101  
     *multiflora* (L'Hér. ex Aiton) Spach, 74  
     *pendulina* (L.f.) Lam., 101  
     *praecox* Rob., 82



- purgans* auct. non L., 79  
*purgans* L.  
 subsp. *balansae* (Boiss.) Rouy, 70  
 var. *brachycarpa* Rouy, 79  
 var. *hermini* Welw., 70  
*sauzeana* (Burnat & Briq.) Hill, 69, 117  
*scoparia* (L.) Lam., 91  
 subsp. *richteri* Rouy, 83  
 var. *albiflora* Tinant, 96  
 var. *andreana* (Puiss.) Burvenich, 96  
 var. *bicolor* Massé, 97  
 var. *maritimus* Rouy, 98–99  
 var. *pallescens* Tinant, 97  
 var. *vulgaris* Rouy, 91  
*scorpius* (L.) DC., 80  
*striata* Hill, 101  
*vulgaris* Garsault, 92  
*vulgaris* Gray, 91  
 Gesneriaceae, 1, 121–176\*, 385–404\*,  
 455–468\*  
 subfam. Didymocarpoideae, 455  
 tribe Cyrtandreae, 121–122, 455  
*Gomidesia* O.Berg, 433  
 Greece, 1–5\*  
**Guarea** F.Allam. ex L., 179–362\* [190]  
*adenophylla* Al.Rodr., 221, 223  
*agularii* Al.Rodr., 199, **296**, 342 Map  
*anomala* T.D.Penn., 183–184, 186–189,  
 192, **200**–202 [201 Fig.], 335 Map,  
 358 App.  
*apiodora* Baill., 329  
*arcuata* Coronado, 217  
**bijuga** C.DC., 184, 186, 188, 194, **205**–  
 208 [206 Fig.], 219, 225, 300, 317,  
 341 Map, 358 App.  
**blanchetii** C.DC., 185–187, 195, 269–272  
 [270, 271 Fig.], 335 Map, 358 App.  
*brachystachya* DC., 289, 291  
*brevianthera* C.DC., 217  
**bullata** Radlk., 184, 186, 188–189, 194,  
 222–223, **225**–226 [226 Fig.], 342  
 Map, 358 App.  
**carapoides** Harms, 185–186, 199, **274**–  
 275 [275 Fig.], 337 Map, 358 App.  
**carinata** Ducke, 185–186, 197, **241**–242,  
 248, 315, 332 Map, 358 App.  
**cartaguenya** Cuatrec., 199, **297**, 339 Map  
**casimiriana** Harms, 196, **298**, 307, 339 Map  
**caulobotrys** Cuatrec., 185–187, 197, **233**,  
 235 Fig., 237, 313, 336 Map, 358 App.  
*chiapensis* Blake, 215  
**chiricana** Standl., 184, 186, 188–189,  
 194, **223**, 225, 305, 341 Map, 358 App.  
*ciliata* Al.Rodr., 211–212  
**cinnamomea** Harms, 185–186, 192, **243**–  
 244 [244 Fig.], 332 Map, 358 App.  
**constricta** Al.Rodr., 196, **298**–299 [299  
 Fig.], 342 Map  
**convergens** T.D.Penn., 191, 272, **300**,  
 333 Map  
*cook-griggsii* C.DC., 205  
**corrugata** Cuatrec., 199, **300**, 339 Map  
**cortcosa** Al.Rodr., 198, **301**–302 [302  
 Fig.], 342 Map  
**costata** A.Juss., 185–186, 195, **258**–259  
 [259 Fig.], 333 Map, 358 App.  
**crispa** T.D.Penn., 192, **303**, 334 Map  
**cristata** T.D.Penn., 185–187, 197, 241–  
**242**, 246, 337 Map, 358 App.  
**donnell-smithii** C.DC., 194, **303**–305  
 [304 Fig.], 342 Map  
**ecuadoriensis** W.Palacios, 185–187, 197,  
**276**–277 [277 Fig.], 337 Map, 358 App.  
**eriorhachis** Harms, 197, **305**–307 [306  
 Fig.], 339 Map  
*erythrocarpa* C.DC., 205  
*excelsa* Kunth, 215  
 var. *dubia* Blake, 215  
*filiformis* C.DC., 215  
 var. *cinerascens* C.DC., 215  
 var. *pallida* C.DC., 215  
**fissicalyx** Harms, 185–186, 193, 287, **291**–  
 292 [292 Fig.], 294, 338 Map, 358 App.  
**fistulosa** W.Palacios, 185–187, 198, 237,  
**278**–279 [279 Fig.], 281, 313, 338  
 Map, 358 App.  
*fulva* Triana & Planch., 215  
 var. *mexicana* C.DC., 219  
**gentryi** Coronado, 184, 186–188, 192,  
**202**–203 [203 Fig.], 336 Map, 358 App.  
*glabra* auct. non Vahl, 205, 208, 221,  
 223, 225, 303  
**glabra** Vahl, 180, 187–189, 192, 194,  
 202, 205, 207, **210**, 212, 218–221,  
 225, 228, 253, 291, 305, 317, 326  
 subsp. **excelsa** (Kunth) T.D.Penn.,  
 210, **215**–216, 220, 341 Map  
 subsp. **glabra**, 184, 186, **212**–213 [213  
 Fig.], 216, 218–219, 343 Map,  
 358 App.

- subsp. **glabrescens** (Hook. & Arn.) T.D.Penn., 216, **219**–220, 317, 341 Map
- subsp. **microcarpa** (C.DC.) T.D.Penn., 184, 186–188, **217**, 222–223, 336 Map, 358 App.
- subsp. **rovirosae** (C.DC.) T.D.Penn., 220–221, 225, 341 Map
- subsp. **tuerckheimii** (C.DC.) T.D.Penn., **218**–219, 221, 341 Map
- glabrescens* (Hook. & Arn.) Blake, 219
- gomma* auct. non Pulle, 291
- gomma** Pulle, 185–186, 192–193, 199, **284**–285 [285 Fig.], 294, 333 Map, 358 App.
- gracilis** T.D.Penn., 185–187, 195, 237, 239, 269, **272**–273 [273 Fig.], 335 Map, 358 App.
- grandifolia** DC., 185–187, 198–199, 278, 288, **294**–295 [295 Fig.], 297, 309, 313, 315, 345 Map, 358 App.
- grossa** T.D.Penn., 196, **307**–309 [308 Fig.], 343 Map
- guentheri** Harms, 185–186, 198, **260**–261 [261 Fig.], 337 Map, 358 App.
- guidonia** (L.) Sleumer, 185–188, 190, 194, 269, 272, 283–284, **289**–291 [290 Fig.], 345 Map, 358 App.
- heterophylla* Blake, 215
- hoffmanniana** C.DC., 198, **309**, 339 Map
- humaitensis** T.D.Penn., 195, **310**, 334 Map
- humilis* Bert. ex DC., 210
- inesiana** Al.Rodr., 196, **311**, 343 Map
- jamaicensis** Proctor, 180, 184, 186–187, 189, 192, 196, **231**, 345 Map, 358 App.
- juglandiformis** T.D.Penn., 194, 258, 272, 280, **311**, 334 Map
- kegelii* Turcz., 218–219
- kunthiana** A.Juss., 180, 184, 186–187, 189, 196, **228**–229 [229 Fig.], 311, 344 Map, 358 App.
- lherminieri* C.DC., 210
- longifoliola* C.DC., 329
- lophos* Vell., 329
- lozanii** M.E.Morales, 195, **312**–313, 340 Map
- luciae* Barreiros, 267
- luxii** C.DC., 184, 186, 188, 194, **208**–210 [209 Fig.], 341 Map, 358 App.
- macrobotrys* Poepp. & Endl., 329
- macrocalyx** Al.Rodr., 183, 185–187, 189, 198, 253, **255**–256 [256 Fig.], 342 Map, 358 App.
- macropetala* T.D.Penn., 309
- macrophylla** Vahl, 185–188, 193, 195, 197–199, 253, **260**, 269, 272, 274, 358 App.
- subsp. **macrophylla**, 262 Fig., **264**, 345 Map
- subsp. **pachycarpa** (C.DC.) T.D.Penn., 263 Fig., 265–266, 344 Map
- subsp. **pendulispica** (C.DC.) T.D.Penn., 263 Fig., **266**, 344 Map
- subsp. **spiciflora** (A.Juss.) T.D.Penn., 262 Fig., **265**, 335 Map
- subsp. **tuberculata** (Vell.) T.D.Penn., 262 Fig., **264**, 344 Map
- makrinii* Blake, 215
- matudai* Lundell, 205
- maynasiana* C.DC., 329
- megacostata** T.D.Penn., 191, **313**–314 [314 Fig.], 345 Map
- mexicana** Coronado, 194, **315**–317 [316 Fig.], 343 Map
- micel-moddei** T.D.Penn., 183, 185–186, 197, **245**–246, 332 Map, 358 App.
- microcalyx* Harms, 211
- microcarpa* C.DC., 217
- montana* Al.Rodr., 320, 322
- obtusata* Blake, 210
- palmeri* N.E.Rose ex C.DC., 215
- pauciflora* Sessé & Moc., 210
- pendula** R.S.Ramalho, 185–187, 195, 239, **267**–269 [268 Fig.], 274, 335 Map, 359 App.
- pendulispica* C.DC., 266
- penningtoniana* A.L.Pinheiro, 267, 278
- penningtoniana* M.E.Morales, 278
- persistens** W.Palacios, 185–186, 192, 283–284, 286–287 [286 Fig.], 338 Map, 359 App.
- petenensis* Coronado, 220–221
- pilosa* Al.Rodr., 223, 225
- polyantha* Blake, 215
- polymera** Little, 199, **317**, 340 Map
- pterorhachis** Harms, 185–189, 195, **231**, 233, 359 App.
- subsp. **pterorhachis**, **232**–233, 336 Map
- subsp. **submarginalis** T.D.Penn., 232–234 [**233**, 234 Fig.], 336 Map

- pubescens** (Rich.) A.Juss., 183, 185–186, 193, 195, **248**, 269, 359 App.  
 subsp. **pubescens**, **249**–250 [250 Fig.], 332 Map  
 subsp. **pubiflora** (A.Juss.) T.D.Penn., **249**–250 [250 Fig.], 333 Map  
*pubiflora* A.Juss., 249  
*purpurea* C.DC., 215  
**purusana** C.DC., 185–186, 199, **288**, 313, 333 Map, 359 App.  
**pyriformis** T.D.Penn., 185–187, 193, **283**–284, 338 Map, 359 App.  
*quadrangularis* M.E.Morales, 243  
*ramiflora* Vent., 210  
**reticulatovenosa** T.D.Penn., 196, **317**–319 [318 Fig.], 340 Map  
**rhopalocarpa** Radlk., 199, **320**–322 [321 Fig.], 340 Map  
**riparia** W.Palacios, 185–187, 192, **281**–282 [282 Fig.], 338 Map, 359 App.  
*roviosae* C.DC., 220  
**scabra** A.Juss., 193, **322**–323 [323 Fig.], 334 Map  
*schomburgkii* C.DC., 210  
**silvatica** C.DC., 183–184, 186–189, 191, 196, **199**–200, 202, 232, 332 Map, 359 App.  
*sinuata* Roem., 329  
**sphenophylla** Urb., 180, 195, 197, 231, **324**, 345 Map  
*spiciflora* A.Juss., 265  
**sprucei** C.DC., 185–186, 196, **239**–240 [240 Fig.], 317, 319, 332 Map, 359 App.  
**subandina** W.Palacios, 183, 185–186, 198, **246**–248 [247 Fig.], 337 Map, 359 App.  
*suberosa* C.DC., 329  
**subsessilifolia** Al.Rodr., 192, **324**–325 [325 Fig.], 343 Map  
*subsetulosa* Harms, 329  
*swartzii* DC., 210  
*syringoides* C.H.Wright, 210  
**tafae-malekui** Al.Rodr., 183, 185–189, 198–199, **253**–254 [254 Fig.], 257, 342 Map, 359 App.  
**talamancana** Gómez-Laur. & M.Valerio, 197, **326**, 343 Map  
*ternifoliola* C.DC., 210, 212  
**tonduzii** C.DC., 184, 186, 188–189, 193, **221**–223, 228, 341 Map, 359 App.  
*trichilioides* L., 190  
 var. *pachycarpa* C.DC., 266  
**trunciflora** C.DC., 198, **327**–328 [328 Fig.], 334 Map  
*tuberculata* Vell., 264  
*tuerckheimii* C.DC., 218  
*vahliana* A.Juss., 210  
**velutina** A.Juss., 185–186, 194, **257**, 259, 272, 280, 333 Map, 359 App.  
**venenata** T.D.Penn., 196, 313, **329**, 340 Map  
*virescens* C.DC., 215  
**zarceroensis** Coronado, 183, 185–189, 195, **251**–253 [252 Fig.], 342 Map, 359 App.  
**zevivae** T.D.Penn., 185–186, 194, **237**–239 [238 Fig.], 335 Map, 359 App.  
*Guatteria* Ruiz & Pav., 187  
*Guazuma*  
*ulmifolia* Lam., 477, 480  
 Guttiferae, 9  
*Gypsophila*, 411  
*Haloxylon*  
*griffithii* (Moq.) Bunge ex Boiss., 408  
*persicum* Bunge ex Boiss., 372  
*Handroanthus*  
*impetiginosus* Mattos, 476, 478, 480  
*ochraceus* (Cham.) Mattos, 476, 478, 481  
*Heckeldora* Pierre, 179, 181  
*staudtii*, 184, 186, 359 App.  
*Heliotropium* L., 372  
*acutiflorum* Kar. & Kir., 372  
*arguzioides* Kar. & Kir., 373  
*dasycarpum* Ledeb., 373  
*micranthos* (Pallas) Bunge, 372  
*Henckelia* Spreng., 385–404\*  
 sect. *Didymanthus* (C.B.Clarke) A.Weber & B.L.Burttt, 386–387  
 sect. *Glossadenia* A.Weber & B.L.Burttt, 386–388  
 sect. *Henckelia*, 386  
 sect. *Heteroboaea* (Benth.) A.Weber & B.L.Burttt, 386–387  
 sect. *Loxocarpus* (R.Br.) A.Weber & B.L.Burttt, 393  
*adenocalyx* (Chatterjee) D.J.Middleton & Mich.Möller, 395 App.  
*alata* (Roxb.) A.Dietr., 395 App.  
*alba* (Ridl.) A.Weber, 395 App.  
*albomarginata* (Hemsl.) A.Weber, 395 App.  
*alternans* (Ridl.) A.Weber, 395 App.

- alternifolia* (C.B.Clarke) B.L.Burtt, 388, 395 App.
- amoena* (C.B.Clarke) B.L.Burtt, 388, 396 App.
- anachoreta* (Hance) D.J.Middleton & Mich.Möller, 396 App.
- angusta* (C.B.Clarke) D.J.Middleton & Mich.Möller, 396 App.
- angustifolia* (C.B.Clarke) B.L.Burtt, 388, 396 App.
- anthonyi* (Kiew) A.Weber, 396 App.
- anthonymsamyi* Banka, 396 App.
- apressipilosa* B.L.Burtt, 388, 396 App.
- argentea* (B.L.Burtt) B.L.Burtt, 396 App.
- aromatica* (D.Don) Spreng., 396 App.
- ascendens* (Ridl.) A.Weber, 396 App.
- atrosanguinea* (Ridl.) A.Weber, 396 App.
- auriculata* (J.M.Li & S.X.Zhu) D.J.Middleton & Mich.Möller, 396 App.
- bakoensis* (B.L.Burtt) B.L.Burtt, 389, 396 App.
- var. *tenuior* (C.B.Clarke) B.L.Burtt, 389, 396 App.
- barbata* (Jack) Spreng., 396 App.
- battamensis* (Ridl.) B.L.Burtt, 389, 396 App.
- beccarii* (C.B.Clarke) B.L.Burtt, 389, 396 App.
- bifolia* (D.Don) A.Dietr., 396 App.
- bombycina* (Ridl.) A.Weber, 396 App.
- breviflora* (Ridl.) A.Weber, 396 App.
- briggsioides* (W.T.Wang) D.J.Middleton & Mich.Möller, 396 App.
- browniana* A.Weber, 396 App.
- bullata* (C.B.Clarke) B.L.Burtt, 389, 396 App.
- burttii* D.J.Middleton & Mich.Möller, 396 App.
- caelestis* (Ridl.) A.Weber, 396 App.
- caerulea* (Ridl.) A.Weber, 396 App.
- calcarea* (Ridl.) A.Weber, 396 App.
- calva* (C.B.Clarke) D.J.Middleton & Mich.Möller, 396 App.
- capensis* A.Braun ex C.B.Clarke, 396 App.
- castaneifolia* (Ridl.) A.Weber, 397 App.
- caulescens* (B.L.Burtt) A.Weber & B.L.Burtt, 397 App.
- ceratosecyphus* (B.L.Burtt) D.J.Middleton & Mich.Möller, 397 App.
- cinerea* (D.Don) Spreng., 397 App.
- codonion* (Kiew) A.Weber, 397 App.
- communis* (Gardner) D.J.Middleton & Mich.Möller, 397 App.
- conicapsularis* (C.B.Clarke) B.L.Burtt, 397 App.
- coodei* B.L.Burtt, 393, 397 App.
- corneri* (Kiew) A.Weber, 397 App.
- corniculata* (Jack) Spreng., 389, 397 App.
- corrugata* Mendum, 389, 397 App.
- craspedodroma* (Kiew) A.Weber, 397 App.
- crenata* (Baker) B.L.Burtt, 389, 397 App.
- crinita* (Jack) Spreng., 397 App.
- crocea* (Ridl.) A.Weber, 397 App.
- curtisii* (Ridl.) A.Weber, 397 App.
- davisonii* (Kiew) A.Weber, 397 App.
- dawnii* (Kiew) A.Weber, 397 App.
- densifolia* (Ridl.) A.Weber, 397 App.
- dentata* (Ridl.) B.L.Burtt, 390, 397 App.
- descendens* (B.L.Burtt) B.L.Burtt, 390, 397 App.
- dibangensis* (B.L.Burtt, S.K.Srivast. & Mehrotra) D.J.Middleton & Mich.Möller, 397 App.
- dielsii* (Borza) D.J.Middleton & Mich.Möller, 397 App.
- diffusa* B.L.Burtt, 397 App.
- dimidiata* (Wall. ex C.B.Clarke) D.J.Middleton & Mich.Möller, 397 App.
- doryphylla* (B.L.Burtt) A.Weber, 397 App.
- elegans* (C.B.Clarke) B.L.Burtt, 390, 397 App.
- elongata* (Jack) Spreng., 398 App.
- ericiflora* (Ridl.) A.Weber, 398 App.
- ericii* A.Weber, 398 App.
- falcata* (Kiew) A.Weber, 398 App.
- fasciata* (Ridl.) A.Weber, 398 App.
- fasciculiflora* (W.T.Wang) D.J.Middleton & Mich.Möller, 398 App.
- filicalyx* B.L.Burtt, 390, 398 App.
- fischeri* (Gamble) A.Weber & B.L.Burtt, 398 App.
- flava* (Ridl.) A.Weber, 398 App.
- flavescens* (Ridl.) A.Weber, 398 App.
- flavobrunnea* (Ridl.) A.Weber, 388, 398 App.
- floccosa* (Thwaites) A.Weber & B.L.Burtt, 398 App.
- floribunda* (M.R.Hend.) A.Weber, 398 App.
- follicularis* (C.B.Clarke) B.L.Burtt, 390, 398 App.

- forrestii* (J. Anthony) D.J. Middleton & Mich. Möller, 398 App.  
*frutescens* (Jack) Spreng., 398 App.  
*fruticola* (H. W. Li) D.J. Middleton & Mich. Möller, 398 App.  
*gambleana* (C. E. C. Fisch.) A. Weber & B.L. Burt, 398 App.  
*gardneri* B.L. Burt, 398 App.  
*geitleri* (A. Weber) A. Weber, 398 App.  
*glabrata* (Ridl.) A. Weber, 398 App.  
*gracilipes* (C. B. Clarke) B.L. Burt, 390, 398 App.  
*grandiflora* (Retz.) A. Dietr., 398 App.  
*grandifolia* A. Dietr., 398 App.  
*heterophylla* (Ridl.) A. Weber, 398 App.  
*heterostigma* (B.L. Burt) D.J. Middleton & Mich. Möller, 398 App.  
*hirsuta* (Ridl.) A. Weber, 398 App.  
*hirta* (Ridl.) A. Weber, 398 App.  
*hispidata* (Ridl.) A. Weber, 399 App.  
*holtumii* (M. R. Hend.) A. Weber, 399 App.  
*hookeri* (C. B. Clarke) D.J. Middleton & Mich. Möller, 399 App.  
*humboldtiana* (Gardner) A. Weber & B.L. Burt, 399 App.  
*humilis* (Miq.) A. Weber & B.L. Burt, 399 App.  
*inaequalis* (Ridl.) A. Weber, 399 App.  
*incana* (Vahl) Spreng., 386, 399 App.  
*infundibuliformis* (W. T. Wang) D.J. Middleton & Mich. Möller, 399 App.  
*innominata* (B.L. Burt) A. Weber & B.L. Burt, 399 App.  
*insignis* (C. B. Clarke) D.J. Middleton & Mich. Möller, 399 App.  
*johorica* (Ridl.) A. Weber, 399 App.  
*kelantanensis* Kiew, 399 App.  
*kjellbergii* B.L. Burt, 399 App.  
*koerperi* (B.L. Burt) A. Weber & B.L. Burt, 390, 399 App.  
*kolokensis* B.L. Burt, 390, 399 App.  
*kompsoboena* (C. B. Clarke) B.L. Burt, 390, 399 App.  
*lacei* (W. W. Sm.) D.J. Middleton & Mich. Möller, 399 App.  
*lachenensis* (C. B. Clarke) D.J. Middleton & Mich. Möller, 399 App.  
*lancoolata* (C. B. Clarke) B.L. Burt, 391, 399 App.  
*lancifolia* (M. R. Hend.) A. Weber, 399 App.  
*leiophylla* (Kiew) A. Weber, 399 App.  
*leptocalyx* (C. B. Clarke) B.L. Burt, 391, 399 App.  
*leucantha* (Kiew) A. Weber, 399 App.  
*leucocodon* (Ridl.) A. Weber, 399 App.  
*lilacina* (Ridl.) A. Weber, 399 App.  
*longipedicellata* (B.L. Burt) D.J. Middleton & Mich. Möller, 399 App.  
*longipes* (C. B. Clarke) A. Weber, 399 App.  
*longipetiolata* (B.L. Burt) B.L. Burt, 399 App.  
*longispala* (H. W. Li) D.J. Middleton & Mich. Möller, 400 App.  
*lyrata* (Wight) A. Weber & B.L. Burt, 400 App.  
*macrophylla* (D. Don) Spreng., 400 App.  
*macrostachya* (E. Barnes) A. Weber & B.L. Burt, 400 App.  
*malayana* (Hook. f.) A. Weber, 400 App.  
*marginata* (C. B. Clarke) A. Weber, 400 App.  
*meeboldii* (W. W. Sm. & Ramaswami) A. Weber & B.L. Burt, 400 App.  
*meijeri* (B.L. Burt) A. Weber & B.L. Burt, 400 App.  
*miniata* (Kiew) A. Weber, 400 App.  
*minima* (Ridl.) A. Weber, 400 App.  
*mishmiensis* (Debb. ex Biswas) D.J. Middleton & Mich. Möller, 400 App.  
*missionis* (Wall. ex R. Br.) A. Weber & B.L. Burt, 400 App.  
*modesta* (Ridl.) A. Weber, 400 App.  
*monantha* (W. T. Wang) D.J. Middleton & Mich. Möller, 400 App.  
*monophylla* (C. B. Clarke) D.J. Middleton & Mich. Möller, 400 App.  
*moonii* (Gardner) D.J. Middleton & Mich. Möller, 400 App.  
*murutorum* (B.L. Burt) B.L. Burt, 391, 400 App.  
*myricifolia* (Ridl.) B.L. Burt, 391, 400 App.  
*nana* A. Weber, 400 App.  
*nervosa* (C. B. Clarke) B.L. Burt, 391, 400 App.  
*nitida* (Kiew & A. Weber) A. Weber, 400 App.  
*nivea* (Kiew) A. Weber, 400 App.

- oblonga* (D.Don) Spreng., 400 App.  
*oblongifolia* (Roxb.) D.J.Middleton & Mich.Möller, 400 App.  
*oppositifolia* (Retz.) A.Dietr., 400 App.  
*ovalifolia* (Wight) A.Weber & B.L.Burtt, 400 App.  
*pagonensis* B.L.Burtt, 391, 400 App.  
*papillosa* (M.R.Hend.) A.Weber, 400 App.  
*parviflora* (Ridl.) A.Weber, 401 App.  
*pauziana* Kiew, 401 App.  
*pectinata* (Oliv.) A.Weber, 401 App.  
*peduncularis* (B.L.Burtt) D.J.Middleton & Mich.Möller, 401 App.  
*petiolaris* (C.B.Clarke) B.L.Burtt, 401 App.  
*platypus* (C.B.Clarke) A.Weber, 401 App.  
*pleuropogon* (B.L.Burtt) B.L.Burtt, 391, 401 App.  
*plicata* (D.Don) Spreng., 401 App.  
*polyanthoides* (Kiew) A.Weber, 401 App.  
*porphyrea* B.L.Burtt, 392, 401 App.  
*primulacea* (C.B.Clarke) D.J.Middleton & Mich.Möller, 401 App.  
*primulifolia* (D.Don) Spreng., 401 App.  
*primulina* (Ridl.) A.Weber, 401 App.  
*procumbens* B.L.Burtt, 401 App.  
*puerensis* (Y.Y.Qian) D.J.Middleton & Mich.Möller, 401 App.  
*pulchella* (Ridl.) A.Weber, 401 App.  
*pumila* (D.Don) A.Dietr., 401 App.  
*punctata* (C.B.Clarke) B.L.Burtt, 392, 401 App.  
*puncticulata* (Ridl.) A.Weber, 401 App.  
*pycnantha* (W.T.Wang) D.J.Middleton & Mich.Möller, 401 App.  
*pyroliflora* (Ridl.) A.Weber, 401 App.  
*quinquevulnera* (Ridl.) A.Weber, 401 App.  
*racemosa* (Jack) Spreng., 392, 401 App.  
*ramosa* (Ridl.) A.Weber, 401 App.  
*repens* (Bedd.) A.Weber & B.L.Burtt, 401 App.  
*reptans* (Jack) Spreng., 401 App.  
    var. *monticola* (Ridl.) A.Weber, 401 App.  
*reticulosa* (C.B.Clarke) A.Weber, 402 App.  
*reticulosa* (C.B.Clarke) B.L.Burtt, 392  
*rexii* (Hook.) Heynh., 402 App.  
*ridleyana* A.Weber, 402 App.  
*robinsonii* (Ridl.) A.Weber, 402 App.  
*rotundata* (Barnett) D.J.Middleton & Mich.Möller, 385, 402 App.  
*roxburghiana* A.Dietr., 402 App.  
*rubiginosa* (Ridl.) A.Weber, 402 App.  
*rufescens* (C.B.Clarke) B.L.Burtt, 402 App.  
*rugosa* (Ridl.) A.Weber, 402 App.  
*salicina* (Ridl.) A.Weber, 402 App.  
*salicinoides* (Kiew) A.Weber, 402 App.  
*scabrinervia* (C.B.Clarke) B.L.Burtt, 392, 402 App.  
*scortechinii* (Ridl.) A.Weber, 402 App.  
*sekayuensis* Banka & Kiew, 394, 402 App.  
*semitorta* (C.B.Clarke) A.Weber, 402 App.  
*sericea* (Ridl.) A.Weber, 402 App.  
*sericiflava* Kiew & Banka, 394, 402 App.  
*serrata* (R.Br.) A.Weber & B.L.Burtt, 392, 402 App.  
*serratifolia* (Ridl.) A.Weber, 402 App.  
*shuii* (Z.Yu Li) D.J.Middleton & Mich.Möller, 402 App.  
*simplex* (Kraenzl.) B.L.Burtt, 392, 402 App.  
*smitinandii* (B.L.Burtt) D.J.Middleton & Mich.Möller, 402 App.  
*soldanella* (Ridl.) A.Weber, 402 App.  
*speciosa* (Kurz) D.J.Middleton & Mich.Möller, 402 App.  
*stapfii* (Kraenzl.) B.L.Burtt, 402 App.  
*stenophylla* A.Weber, 403 App.  
*stolonifera* (Kiew) A.Weber, 403 App.  
*taeniophylla* B.L.Burtt, 394, 403 App.  
*tahanica* (B.L.Burtt) A.Weber, 403 App.  
*teres* (C.B.Clarke) B.L.Burtt, 392, 403 App.  
*tibetica* (Franch.) D.J.Middleton & Mich.Möller, 403 App.  
*tiumanica* (Ridl.) A.Weber, 403 App.  
*tunkui* (Kiew) A.Weber, 403 App.  
*urticifolia* (D.Don) A.Dietr., 403 App.  
*urticoides* A.Weber, 403 App.  
*venusta* (Ridl.) A.Weber, 403 App.  
*verbeniflos* (C.B.Clarke) B.L.Burtt, 403 App.  
*villosa* (D.Don) Spreng., 403 App.  
*violoides* (C.B.Clarke) B.L.Burtt, 394, 403 App.  
*virginea* (B.L.Burtt) B.L.Burtt, 392, 403 App.  
*viscida* (Ridl.) A.Weber, 403 App.  
*vulcanica* (Ridl.) A.Weber & B.L.Burtt, 393, 403 App.



- walkerae* (Gardner) D.J.Middleton & Mich.Möller, 403 App.  
*wallichiana* A.Dietr., 403 App.  
*wightii* (C.B.Clarke) A.Weber & B.L.Burt, 403 App.  
*woodii* (Merr.) A.Weber & B.L.Burt, 393, 403 App.  
*yongii* (Kiew) A.Weber, 403 App.  
*zeylanica* (R.Br.) A.Weber & B.L.Burt, 403 App.
- Heteroderis*  
*pusilla* (Boiss.) Boiss., 408  
 Himalayas, 1–5  
*Hiraea* Jacq., 413–432\*  
**amazonica** C.E.Anderson, 413–416 [414, 415 Fig.]  
**angustipetala** C.E.Anderson, 413–414, 416–418 [417 Fig.], 423, 427  
**breteleri** C.E.Anderson, 413–414, 418–420 [419 Fig.]  
**cephalotes** Triana & Planch., 413–432 [420, 421 Fig.]  
**ecuadorensis** C.E.Anderson, 413, 423–425 [424 Fig.], 429  
**escobariae** C.E.Anderson, 413, 425–427 [426 Fig.]  
*ferruginea* Cuatrec., 414  
**mortoniana** (J.F.Macbr.) C.E.Anderson, 413, 425, 427–429 [428 Fig.]  
*multiradiata* A.Juss., 414  
**peruviana** C.E.Anderson, 413, 429–431 [430 Fig.]  
*spruceana* Nied., 413–414, 421, 423, 429  
 var. *mortoniana* J.F.Macbr., 413–414, 427
- Horaninowia*  
*ulicina* Fisch. & C.A.Mey., 372
- Hymenaea*  
*courbaril* L., 476, 479–480  
*martiana* Hayne, 476, 479  
*stigonocarpa* Mart. ex Hayne, 476, 478, 481
- Imbricaria*  
*malabarica* Poir., 33  
 India, 1–5\*, 57–60\*, 451–454\*
- Inga* Mill., 187  
*laurina* (Sw.) Willd., 476, 481  
*vera* Willd., 476, 481
- Isanthera* Nees, 121–122, 128  
*crenata* C.B.Clarke, 138  
*dimorpha* Kraenzl., 138, 143  
*discolor* Maxim., 122, 138, 143  
 var. *austrokiushiensis* Ohwi, 138, 142  
 var. *incisa* Ohwi, 138, 143  
*eximia* C.B.Clarke, 146  
*floribunda* Gardner, 166  
*lanata* Warb., 138, 143  
*parviflora* Ridl., 160, 166  
*permollis* Nees, 122, 128, 143, 166  
 var. *paucinervia* C.B.Clarke, 166, 168
- ITS sequence data  
 of *Guarea*, 180–189
- Jacaranda*  
*cuspidifolia* Mart. ex A.DC., 476, 481
- JACOBS, M., 405–412  
 Jamaica, 449–450\*
- Juniperus*  
*excelsa* M.Bieb., 411
- Justicia*  
*nagpurensis* Graham, 453
- Kaukenia* Kuntze, 11  
*dissecta* (L.f.) Kuntze, 15  
*hexandra* (Roxb.) Kuntze, 23  
*kauki* (L.) Kuntze, 33  
*littoralis* (Kurz) Kuntze, 38  
*parvifolia* Kuntze, 49  
*roxburghiana* (Wight) Kuntze, 41
- Kaviria*  
*tomentosa* (Moq.) Akhani, 408  
 Kerala, India, 451–454\*
- Keys  
 to *Cytisus*, 65–67, 83, 87, 92, 104, 108  
 to *Guarea*, 191–199, 232, 249  
 to *Manilkara*, 11–13  
 to *Ochotonophila*, 410  
 to *Rhynchochum*, 129–131
- KHAN, M.L., 57–60  
 Koh-e-Baba mountain range, Afghanistan, 409 Fig.
- Labourdonnaisia* Bojer, 8  
*Laburnum* Fabr., 61  
 Lace, John Henry, 2
- Lachnoloma*  
*lehmanii* Bunge, 372
- Lactuca*  
*orientalis* (Boiss.) Boiss., 408, 411
- Lafoensia*  
*pacari* A.St.-Hil., 476, 481

- Lam Dong, Vietnam, 439–447\*  
 Lamiaceae, 372, 476  
 Latimojong Mountains, Sulawesi, 455–468\* [456 Map]  
 Lauraceae, 476  
 Lectotypes  
   in *Calyptranthes*, 433–438\*  
   in *Campanula*, 1–5\*  
   in *Phanera*, 487–490\*  
 Leguminosae, 187, 363–365, 487–490  
   subfam. Caesalpinioideae, 363–365, 487–490  
 LEHN, C.R., 469–486  
*Lembotropis* Griseb., 62  
*Leptoboena* Benth., 122  
*Liebigia*  
   *speciosa* (Blume) Endl., 396 App.  
*Linaria*  
   *bamianica* Patzak, 408  
*Lindernia*  
   *antipoda* (L.) Alston, 398 App.  
   *ciliata* (Colsm.) Pennell, 453  
   *crustacea* (L.) F.Muell., 453  
   *hyssopioides* (L.) Haines, 400 App.  
   *rotundifolia* (L.) Mukherjee, 453  
   *ruellioides* (Colsm.) Pennell, 402 App.  
*Lobelia*  
   *alsinoides* Lam., 453  
*Lonchocarpus*  
   *sericeus* (Poir.) DC., 476, 478  
**Loxocarpus** R.Br., 385–404\* [393]  
   *angustifolius* Ridl., 403 App.  
   *argenteus* B.L.Burtt, 396 App.  
   *caeruleus* (Ridl.) Ridl., 396 App.  
   *caulescens* B.L.Burtt, 397 App.  
   *conicapsularis* (C.B.Clarke) B.L.Burtt, 397 App.  
   **coodei** (B.L.Burtt) T.L.Yao, 393, 397 App.  
   *holtzumii* M.R.Hend., 398 App.  
   *incanus* R.Br., 393, 396 App., 400 App.  
     var. *sekayuensis* (Banka & Kiew) T.L.Yao, 394, 402 App.  
   *meijeri* B.L.Burtt, 400 App.  
   *repens* B.L.Burtt, 398 App., 401 App.  
   *rufescens* (C.B.Clarke) B.L.Burtt, 402 App.  
   *semitortus* (C.B.Clarke) Ridl., 402 App.  
   *sericeus* (Ridl.) B.L.Burtt, 402 App.  
   **sericiflavus** (Kiew & Banka) T.L.Yao, 394, 396 App., 402 App.  
   *stapfii* (Kraenzl.) B.L.Burtt, 399 App., 402 App.  
**taeniophyllus** (B.L.Burtt) T.L.Yao, 394, 403 App.  
   *tunkui* Kiew, 403 App.  
   *verbeniflos* (C.B.Clarke) B.L.Burtt, 401 App., 403 App.  
   **violoides** (C.B.Clarke) T.L.Yao, 394, 397 App., 403 App.  
 LUCAS, E., 433–438  
*Luehea*  
   *paniculata* Mart. & Zucc., 477, 480  
 LUU, H.T., 439–447  
*Lysimachia*  
   *saurauifolia* S.S.Ying, 147, 150  
 Lythraceae, 451–454\*, 476  
 MAAS, P.J.M., 449–450  
*Machaerium*  
   *hirtum* (Vell.) Stellfeld, 476, 480  
*Magonia*  
   *pubescens* A.St.-Hil., 475, 477, 480  
 MALECOT, V., 61–120  
 Malpighiaceae, 413–432\*  
 Malvaceae, 472, 477  
**Manilkara** Adans., 7–56\* [10]  
   subgen. *Euachras* Gilly, 8  
   subgen. *Eumanilkara* (Dubard) Gilly, 8  
   *calophylloides* H.J.Lam, 18  
   **celebica** H.J.Lam, 9, 12–15 [13, 14 Map]  
   *discolor*, 8  
   **dissecta** (L.f.) Dubard, 8–10, 12, 15–17 [16 Map], 22, 43, 45, 47–48  
     var. *dissecta*, 17  
     var. *pancheri* (Baill.) Maas Geest., 15, 17  
     var. *typica*, 17  
   *emarginata* H.J.Lam, 24  
   **fasciculata** (Warb.) H.J.Lam & Maas Geest., 8–12, 18–22 [19 Map, 20–21 Figs], 31–32, 47  
   **hexandra** (Roxb.) Dubard, 9–12, 23–26 [24 Map, 25 Fig.], 40, 42  
   **hoshinoi** (Kaneh.) P.Royen, 8–11, 14 Map, 22, 29–30, 44  
   **kanosiensis** H.J.Lam, 9–10, 13–14 [14 Map], 31–32, 35  
   **kauki** (L.) Dubard, 9–10, 12, 14–15, 26, 31–36 [32, 33 Map, 34 Fig.], 40, 45, 50  
   **kurziana** H.J.Lam & Maas Geest., 49

- littoralis** (Kurz) Dubard, 9, 11, 13, **38–40**  
 [38 Map, 39 Fig.]  
*merrilliana* H.J.Lam, 18  
*mochisia*, 9  
*napali* P.Royen, 31–32  
*pancheri* (Baill.) Dubard, 15  
*parvifolia* (Kurz) H.J.Lam, 49  
*parvifolia* (Nutt.) Dubard, 49  
*roxburghiana* (Wight) Dubard, 9, 13, 26,  
 38 Map, **41–42**  
**samoensis** H.J.Lam, 9, 13, 17, 30, **42–44**  
 [43 Map], 50  
**smithiana** H.J.Lam, 9, 12, 16–17 [16 Map],  
**44–46**, 48  
*teysmannii* Dubard, 18  
**udoio** Kaneh., 8–10, 12, 14 Map, 21–22,  
**46–47**  
**vitiensis** (H.J.Lam & Olden) B.Meeuse,  
 9, 13, 17, 43 Map, 45–48 [**47**]  
*zapota* (L.) P.Royen, 7, 10–11, 36  
 MAO, A.A., 57–60  
*Marlierea* Cambess., 433  
 Mata seca, 469  
*Matayba*  
*guianensis* Aubl., 477–478  
 Mato Grosso do Sul, 469–486 [471 Map]  
*Matthiola*  
*chorassanica* Bunge ex Boiss., 408  
*Mecardonia*  
*procumbens* (Mill.) Small, 453  
 Meliaceae, 179–362\*, 477  
 subfam. Cedreloideae, 255  
 subfam. Melioideae, 179, 255  
 tribe Guareeae, 181  
 Mesotrophic cerradão, 469–486  
 Middle Asia, 367–379\*  
 MIDDLETON, D.J., 121–176, 385–404  
 MILL, R.R., 367–379  
*Mimusops*, 7, 49  
 subgen. *Manilkara* (Adans.) Pierre &  
 Urb., 10  
 subgen. *Pleio-Mimusops* Engl., 11  
 subgen. *Ternaria* (A.DC.) Engl., 11  
 sect. *Ternaria* A.DC., 11  
*balota* auct., 33  
*bojeri* A.DC., 34  
*browniana* (A.DC.) Benth., 34  
*calophylloides* Merr., 18  
*dissecta* auct., 33  
*dissecta* (L.f.) R.Br., 15  
*elengi* L., 49  
*fasciculata* Warb., 18  
*hexandra* Roxb., 11, 23  
*hookeri* A.DC., 33  
*indica* A.DC., 24, 38  
*indica* auct., 38  
*kauki* L., 33  
 var. *browniana* A.DC., 34  
*littoralis* Kurz, 11, 38  
*manilkara* G.Don, 33  
*pancheri* Baill., 15  
*parvifolia* Kurz, 49  
*parvifolia* R.Br., 49  
*roxburghiana* Wight, 41  
*teysmannii* Pierre, 18  
*vieillardii* Pierre, 15  
 MÖLLER, M., 385–404  
 Montane semi-desert, 405–412\*  
 Multidimensional scaling, non-metric,  
 469–486\* [473 Fig.]  
*Murdammia*  
*nudiflora* (L.) Brenan, 453  
*Myracrodruon*  
*urundeuva* Allemão, 472–478, 480, 482  
*Myrcia* DC. ex Guill., 433–434  
*clusiifolia* Miq., 434  
 Myrtaceae, 433–438, 472, 477  
 subtribe Myrciinae, 433–438  
*Myrtus*  
*grammica* Spreng., 435  
 Names  
 in *Campanula*, 1–5  
 NEAVES, L., 177–178 Rev.  
*Nectandra*, 315  
 Neotropics, 179–362\*  
 Neotypes  
 of *Calypttranthes*, 433–438\*  
 Nepal, 1–5\*, 381–384\*  
 NEVES, D.R., 469–486  
 New combinations  
 in *Codonoboea*, 385–404\*  
 in *Loxocarpus*, 385–404\*  
 in *Phanera*, 363–365\*  
 in *Renealmia*, 449–450\*  
 New names  
 in *Renealmia*, 449–450  
 New species  
 in *Bulbophyllum*, 381–384  
 in *Camellia*, 439–447\*

- in *Convolvulus*, 367–379\*  
 in *Cyrtandra*, 455–468\*  
 in *Ochotonophila*, 405–412  
 in *Rhododendron*, 57–60\*  
 in *Rhynchosyche*, 121–176\*  
 in *Rotala*, 451–454\*  
 New subspecies  
   in *Convolvulus*, 367–379\*  
 New taxa  
   of *Bulbophyllum*, 381–384\*  
   of *Convolvulus*, 367–379  
 New varieties  
   in *Phanera*, 363–365  
 NEWMAN, M., 449–450  
*Nonea*  
   *caspiaca* (Willd.) G. Don, 408  
 Non-metric multidimensional scaling,  
   469–486\* [473 Fig.]  
*Northia*, 30  
   *fasciculata* (Warb.) H.J. Lam, 18  
   *hoshinoi* Kaneh., 29  
   *vitiensis* H.J. Lam & Olden, 47  
*Northiopsis* Kaneh., 11, 30  
   *hoshinoi* (Kaneh.) Kaneh., 11, 29  
 Notes  
   on *Campanula*, 1–5  
*Ochotonophila* Gilli, 405–412\*  
   *allochrousoides* Gilli, 405–407 [407 Fig.],  
     410–411 [411 Map]  
   *eglandulosa* Hedge & Wendelbo,  
     405–407 [407 Fig.], 410–411  
     [411 Map]  
   **flava** Dickoré & Freitag, 405–412 [406,  
     406–407 Figs, 409 Fig., 411 Map]  
*Ocotea*, 476, 479  
 Old World, Gesneriaceae of, 385–404  
 Oleaceae, 477  
 OLIVEIRA FILHO, A.T., 469–486  
 Oman, 367–379\*  
*Onobrychis*  
   *laxiflora* Baker, 408  
 Orchidaceae, 381–384  
 Orchids, 381–384\*  
 OREL, G., 439–447  
*Oreocharis*, 385, 404 App.  
   **musciola** (Diels) Mich. Möller &  
     A. Weber, 404 App.  
*Oxandra*  
   *reticulata* Maas, 476, 478, 480  
   Pacific Islands, 7–56\*  
*Paraboea*  
   sect. *Campanulatae* Ridl., 387  
   *alternifolia* (C.B. Clarke) B.L. Burtt,  
     388  
   *campanulata* Ridl., 387  
 Parsimony analysis, 182–183  
*Passiflora*, 427  
 PAUL, A., 57–60  
*Peganum*  
   *harmala* L., 408  
 PENNINGTON, T.D., 179–362  
*Persea*, 315  
 Peru, 413–432\*  
*Phanera*, 363–365  
   *glabrifolia* auct. non Benth., 363  
   *glabrifolia* Benth., 363  
     var. **maritima** (K. Larsen & S.S. Larsen)  
       Bandyop., 363–365\* [362]  
     var. **sericea** (Lace) Bandyop., 363–  
       365\* [364]  
   *lingua* (DC.) Miq., 487  
   **macrostachya** Benth., 487–490\* [489]  
   *wallichii* (J.F. Macbr.) Thoth., 489  
*Phlomidioschema*  
   *parviflorum* (Benth.) Vved., 408–409  
     [409 Fig.]  
 Phylogeny  
   of *Guarea*, 179–362\*  
 Phytogeography, 367–379\*  
*Pinus*  
   *roxburghii* Sarg., 60  
*Piptatherum*  
   *barbellatum* Mez, 408  
*Pistachia*  
   *vera* L., 411  
*Plantago*  
   *ovata* Forssk., 408  
*Plathymenia*  
   *reticulata* Benth., 476, 479–480  
*Platyadenia* B.L. Burtt, 385, 387  
   *descendens* B.L. Burtt, 387, 390  
*Platystemma* Wall., 122  
*Podocarpus*, 459, 465  
*Polygonum*, 408  
*Pouteria*  
   *gardneri* (Mart. & Miq.) Baehni,  
     477–478, 480  
   *ramiflora* (Mart.) Radlk., 477, 481  
 PRASAD, K.S., 451–454

- Priogymnanthus*  
*hasslerianus* (Chodat) P.S.Green,  
 477, 480
- Psathyrostachys*  
*caduca* (Boiss.) Melderis, 411
- Pterogyne*  
*nitens* Tul., 476, 481
- Pyankovia*  
*brachiata* (Pall.) Akhani & E.H.Roalson,  
 408
- Qualea*  
*grandiflora* Mart., 477, 480  
*parviflora* Mart., 477, 480
- Quercus*, 315, 383
- RASKOTI, B.B., 381–384  
 RATTER, J.A., 469–486  
 RAVEENDRAN, K., 451–454  
 Reintroduction, 177–178 Rev.  
*Renealmia* L.f., 449–450  
*striata* (Stokes) Govaerts ex Maas,  
 449–450\*  
*sylvestris* (Stokes) Horan., 449–450\*
- Retama*, 369
- Revisions  
 of *Cytisus*, 61–120\*  
 of *Guarea*, 179–362\*  
 of *Manilkara*, 7–56  
 of *Rhynchoetechum*, 121–176\*
- Rhamnaceae, 477
- Rhamnidium*  
*elaocarpum* Reissek, 477, 481
- Rheum*  
*ribes* L., 408–409 [409 Fig.]
- Rhododendron* L., 57–60\*, 459  
 subgen. *Hymenanthes*, 57  
 subsect. *Falconera* Sleumer, 57  
 subsect. *Grandia* Sleumer, 57  
*arboreum* Sm., 60  
*aritzelum* Balf.f. & Forrest, 60  
*hodgsonii* Hook.f., 57–58  
*mechukae* A.A.Mao & A.Paul, 57–60  
 [58, 59 Fig.]
- Rhynchoetechum** Blume, 121–176\* [124–125  
 Maps, 128]  
*alternifolium* C.B.Clarke, 127, 130–131  
 [131 Map], 137, 150, 152, 168, 171, 173  
*angustifolium* Ridl., 146–147  
*brandisii* C.B.Clarke, 173  
*brevipedunculatum* J.C.Wang, 122, 131–  
 132 [131 Map], 143  
*burmanicum* B.M.Anderson, 121, 127,  
 130, 134–136 [135 Fig., 136 Map]  
*calycinum* C.B.Clarke, 127, 129, 136 &  
 Map, 165  
*copelandii* (Elmer) Elmer ex Merr., 160, 165  
**discolor** (Maxim.) B.L.Burtt, 122–123,  
 126–128, 131, 133–134, 137–138  
 [138 Map], 143, 147, 168  
 var. *austrokiushuensis* (Ohwi) Ohwi, 138  
 var. *incisum* (Ohwi) E.Walker, 138  
 f. *incisum* (Ohwi) Hatus. ex J.C.Wang,  
 139  
*ellipticum* auct. non (Wall. ex D.Dietr.)  
 A.DC., 148, 155, 160  
**ellipticum** (Wall. ex D.Dietr.) A.DC.,  
 126–127, 129, 137, 138 Map, 143,  
 145–146, 150, 153, 159, 165–166  
 var. *angusta* C.B.Clarke, 152–154  
 var. *hookeri* C.B.Clarke, 152–153  
 var. *pilosior* C.B.Clarke, 144–145  
 var. *saurauifolium* (S.S.Ying) S.S.Ying,  
 147  
**eximium** (C.B.Clarke) Schltr., 131, 138  
 Map, 143, 146, 168  
*formosanum* auct. non Hatus., 160  
**formosanum** Hatus., 122–123, 126–127,  
 130, 147–150 [148 Map], 154, 158, 165  
**gracile** B.M.Anderson, 121, 130, 150–  
 151 [151 Fig.]  
*hispidum* C.B.Clarke, 168, 170–171  
*hoevellianum* Schltr., 160, 166  
**hookeri** (C.B.Clarke) B.M.Anderson,  
 121, 127, 129, 148 Map, 152  
*lasianthus* C.B.Clarke, 160  
*latifolium* Hook.f. & Thomson ex  
 C.B.Clarke, 155, 159  
**longipes** W.T.Wang, 130, 148 Map, 154  
**obovatum** (Griff.) B.L.Burtt, 126–127,  
 130, 132, 134, 136, 146, 155 & Map,  
 159–160  
**parviflorum** Blume, 122–123, 126–128,  
 129, 143, 145, 149–150, 153, 160–162  
 [161 Fig., 162 Map], 165–166  
 var. *penangensis* C.B.Clarke, 160, 166  
**permolle** (Nees) B.L.Burtt, 122, 126, 131,  
 143, 162 Map, 166, 168  
 var. *paucinervia*, 168  
*polycarpum* (K.Schum.) Schltr., 160, 166

- saurauifolium* (S.S.Ying) S.S.Ying, 147  
*tenue* C.B.Clarke, 138, 143  
**vestitum** (Griff.) Wall. ex C.B.Clarke,  
 123, 126–127, 129, 145, 168–171  
 [169 Map]  
**vietnamense** B.M.Anderson, 121, 130,  
 169 Map, 171–172 [172 Fig.]
- Roettlera* Vahl  
 sect. *Loxocarpus* (R.Br.) Fritsch, 393  
*violoides* (C.B.Clarke) Kuntze, 394
- Rotala* L., 451  
**kasaragodensis** K.S.Prasad &  
 Raveendran, 451–454\* [452 Fig.]  
*occultiflora* Koehne, 451, 453
- Ruagea* Karst., 179, 181  
*pubescens*, 184, 186, 359 App.
- Rubiaceae, 477  
 Rutaceae, 477
- Salicaceae, 477
- Salsola*  
*brachiata* Pall., 408  
*tomentosa* (Moq.) Spach, 408
- Samyda*  
*guidonia* L., 289
- Sapindaceae, 477
- Sapindus*  
*glabrescens* Hook. & Arn., 219
- Sapotaceae, 7–56\*, 477  
 tribe Mimosopeae, 7  
 subtribe Manilkarinae, 7  
 subtribe Mimosopinae, 7
- Sarothamnus* Wimm., 82  
 sect. *Grypotropis* (Briq.) Asch. &  
 Graebn., 82  
 sect. *Verzinum* (Raf.) Asch. & Graebn.,  
 107–108  
*affinis* (Boiss.) Boiss., 85  
*albus* (Lam.) Lainz, 75  
*andreas* (Puiss.) Bergmans, 96  
*andreas* (Puiss.) Chevalier, 96  
*arboreus* (Desf.) Boiss., 108  
 subsp. *baeticus* (Webb) C.Vicioso, 108  
 subsp. *catalaunicus* (Webb) C.Vicioso, 108  
 var. *barbarus* Jahand. & Maire, 86–87  
 var. *intermedius* (Maire) C.Vicioso, 110  
 var. *malacitanus* (Boiss.) C.Vicioso, 115  
 var. *normalis* Maire, 108  
 var. *rotundatus* (Pau) C.Vicioso, 115  
*baeticus* Webb, 108  
*balansae* Boiss., 70  
*bourgaei* Boiss., 91, 93  
*burgalensis* Sennen & Elias, 92  
*cantabricus* Willk., 83–84  
 var. *dieckii* Lange, 83  
*carlierus* Companyo, 110  
*catalaunicus* Webb, 108  
 var. *malacitanus* (Boiss.) Pau, 115  
*eliasii* Sennen, 92  
*eriocarpus* Boiss. & Reut., 102–103  
*gaditanus* Boiss. & Reut., 108, 112  
*grandiflorus* (Brot.) Webb, 85  
*losae* Pau, 83  
*lusitanicus* (Mill.) Pau, 101  
*lusitanicus* (Willk.) Pau, 75  
*malacitanus* (Boiss.) Boiss., 115  
*maurus* (Humbert & Maire) Raynaud, 89  
*megalanthus* Pau & Font Quer, 106  
*multiflorus* (L'Hér. ex Aiton) Samp., 74  
*oxyphyllus* Boiss., 91  
*parviflorus* Willk. & Cutand. ex Willk., 75  
*patens* (L.) Webb, 101  
 var. *procerus* (Willd.) C.Vicioso, 102  
 subvar. *welwitschii* (Boiss. & Reut.)  
 C.Vicioso, 103  
 f. *gallecicus* (Willk.) C.Vicioso, 103  
*purgans* auct. non (L.) Gren. & Godr., 79  
*reverchonii* Degen & Hervier, 99–100  
*rotundatus* Pau, 115  
*scoparius* (L.) W.D.J.Koch, 91  
 subsp. *andreas* (Puiss.) P.Fourn., 96  
 subsp. *cantabricus* (Willk.) M.Lainz, 83  
 subsp. *maritimus* (Rouy) Ulbrich, 98  
 subsp. *reverchonii* (Degen & Hervier)  
 Rivas Goday & Rivas Mart., 99  
 subsp. *vulgaris*, 96  
 var. *albiflora* (Tinant) A.Chev., 96  
 var. *andreana* (Puiss.) André, 96  
 var. *bicolor* (Massé) Stubbe, 97  
 var. *glabratus* (Link) Webb & Berth., 91  
 var. *leiostylus* Willk., 91  
 var. *prostratus* C.Bailey, 98–99  
 var. *reverchonii* (Degen & Hervier)  
 Cuatrec., 99  
 var. *sulphureus* A.Chev., 97  
 var. *sulphureus vel ochroleucus*  
 M.Vilmorin & Bois, 97  
 subvar. *andreas* (Puiss.) Asch. &  
 Graebn., 96  
 f. *albiflorus* (Tinant) Ulbrich, 96



- f. sulphureus* Ulbrich, 97  
*striatus* (Hill) Samp., 101  
 subsp. *eriocarpus* (Boiss. & Reut.)  
     Lainz, 103  
 var. *procerus* (Willd.) C.Vicioso, 102  
 var. *welwitschii* (Boiss. & Reut.)  
     C.Vicioso, 103  
*f. gallegicus* (Willk.) C.Vicioso, 103  
*virgatus* Webb, 86  
*vulgaris* Wimm., 91–92  
 var. *foliosus* Timbal-Lagrave, 91  
 var. *leiostylos* (Willk.) C.Vicioso, 91  
 var. *reverchonii* (Degen & Hervier)  
     C.Vicioso, 99  
 var. *scoparius* (L.) Timbal-Lagrave, 91  
 var. *sericeus* Timbal-Lagrave, 91  
*welwitschii* Boiss. & Reut., 103  
 var. *gallegicus* Willk., 103–104  
 Saudi Arabia, 367–379\*  
*Schischkinia*  
     *albispina* (Bunge) Iljin, 408  
 SCHLOEDER, C., 405–412  
*Scorzonera*  
     *pusilla* Pall., 408  
*Scutellaria*  
     *glutinosa* Benth., 408  
*Selaginella*  
     *delicatula* (Desv. ex Poiret) Alston, 453  
 Semi-desert, montane, 405–412\*  
*Senna*, 476, 478  
*Smirnowia*  
     *turkestanica* Bunge, 372  
 Soil-vegetation relationships, 469–486\*  
 SONTAG, S., 385–404  
 South and southeast Asia, 7–56\*  
*Spartium* L., 61  
     *album* (Lam.) Desf., 74  
     *angulatum* Raf., 91  
     *angulosum* Gilib., 92  
     *arboresum* Desf., 108  
     *dispermum* Willk., 75  
     *grandiflorum* Brot., 85, 87  
     *lusitanicum* Mill., 101, 103  
     *multiflorum* L'Hér. ex Aiton, 74, 76  
         var. *incarnatum* Lodd. et al., 117  
     *patens*  
         raça *procerum* (Willd.) Samp., 102  
     *procerum* Willd., 102  
     *purgans* auct. non L., 79  
     *scoparium* L., 91–92  
         var. *albiflorum* (Tinant) N.H.F.Desp., 96  
         var. *andreaanus* (Puis.) Duesberg, 96  
         *f. ochroleucum* Dippel, 97  
     *striatum* (Hill) Samp., 101  
         raça *procerum* (Willd.) Samp., 102  
*Spartocytisus*  
     sect. *Spartothamnus* Webb & Berth., 66  
         *albus* (Lam.) K.Koch, 74  
         *albus* Webb & Berth., 66  
*Spartothamnus* (Webb & Berth.) C.Presl, 66  
     *albus* (Lam.) C.Presl, 74  
 Species diversity, 469–486\*  
*Spondias*  
     *mombin* L., 476, 478, 481  
 SPRIBILLE, T., 405–412  
*Stauranthera*, 173  
     *brandisii* (C.B.Clarke) C.B.Clarke, 173  
*Sterculia*  
     *apetala* (Jacq.) H.Karst., 477–478, 480  
*Stisseria* Scop., 11  
*Streptocarpus*  
     *rexii* (Hook.) Lindl., 402 App.  
 Sulawesi, 455–468\*, 491–492 Rev.  
  
*Tabebuia*  
     *aurea* (Manso) Benth. & Hook.f., 476, 480  
     *roseoalba* (Ridl.) Sandwith, 473–474,  
         476–478, 480, 482  
*Tachigali*  
     *aurea* Tul., 476, 479, 481  
     *vulgaris* L.G.Silva & H.C.Lima, 473, 476, 480  
*Talisia*  
     *esculenta* (A.St.-Hil.) Radlk., 477–478, 481  
 Taxonomy  
     of *Calyptanthes*, 433–438\*  
     of *Cytisus*, 61–120\*  
     of *Guarea*, 179–362\*  
     of *Manilkara*, 7–56\*  
     of *Rhynchotechum*, 121–176\*  
*Taxus*  
     *wallichiana* Zucc., 60  
*Terminalia*  
     *argentea* (Cambess.) Mart., 475–476, 480  
*Tetracme*  
     *quadricornis* (Stephan) Bunge, 408  
*Tetraphyllum*  
     *bengalense* C.B.Clarke, 173  
 Theaceae, 439–447\*  
*Torenia*  
     *alata* (Roxb.) Benth., 395 App.

- Transition, dry forest–cerradão, 469–486
- Trichilia* P.Browne, 179, 187, 202, 326  
*elegans* A.Juss., 477, 479–480  
*pubescens* Rich.
- Trichodesma*  
*incanum* A.DC., 408
- Trigonella*  
*koeiei* Širj & Rech.f., 411
- Tropical forest, seasonally dry (SDTF),  
 469–486
- Turgenia*  
*latifolia* (L.) Hoffm., 408
- TURNER, I.M., 1–5
- Turpinia*, 315
- Turraeanthus*, 181, 184, 186, 359 App.
- Typification  
 of *Calyptanthes*, 433–438
- Urticaceae, 477
- Vatairea*  
*macrocarpa* (Benth.) Ducke, 476, 478, 481
- Vegetation–soil relationships, 469–486\*
- VELDKAMP, J.F., 449–450
- Venezuela, 413–432\*
- Verzinum* Raf., 107  
*arboreum* (Desf.) Raf., 108
- Vietnam, 439–447\*
- Vitex*  
*cymosa* Bert. ex Spreng., 476, 479, 481
- Vochysiaceae, 477
- Watt, Sir George, 2
- WEBER, A., 385–404
- WILSON, P.G., 439–447
- Wrightia*  
*tinctoria* R.Br., 26
- YAO, T.L., 385–404
- Zanthoxylum*  
*caribaeum* Lam., 477, 481  
*rhoifolium* Lam., 477–478  
*rigidum* Humb. & Bonpl. ex Willd., 477, 481
- Zingiber*  
*sylvestre* Gaertn., 449–450  
*sylvestre* Stokes, 449–450
- Zingiberaceae, 449–450\*