

## GENERAL INDEX TO VOLUME 75 (2018)

*Note:* main entries are **emboldened**; \*signifies the page range of keywords; pages with illustrations (Fig.), maps and reviews (Rev.) are indicated, tables are not annotated separately.

- Acacia* complex, 73–90\*
- Acacia* Miller s.l., 73–75 [75 Fig.], 77, 83, 85–86
  - subgen. *Acacia*, 74
  - subgen. *Aculeiferum*, 74
  - subgen. *Phyllodineae*, 74
  - sect. *Aculeiferum*, 74
  - sect. *Filicinae*, 74
  - asak* (Forssk.) Willd., 74
  - centralis* (Britton & Rose) Lundell, 82
  - coulteri*, 74
  - ehrenbergiana* Hayne, 74
  - elatior* Brenan, 74
  - gerrardii* Benth., 73–75, 86
    - subsp. *negevensis* Zohary, 74
  - hockii* De Wild., 74
  - iraqensis* Rech.f., 74, 86
  - johnwoodii* Boulos, 74
  - koa* A.Gray, 77
  - koala* Hillibr., 77
  - oerfota* (Forssk.) Schweinf., 74
  - pachyceras* Boulos non O.Schwarz, 74
  - pachyceras* O.Schwarz, 73–75, 86
  - torrtilis* (Forssk.) Hayne, 73–74
    - subsp. *spiropurpurea* (Hochst. ex A.Rich.) Brenan, 74
  - yemenensis* Boulos, 74
- Acaciella* Britton & Rose, 73–74
- Acanthaceae, 97, 109
- Acer* L., 315
- Additions
  - to flora of Laos, 91–106\*
- Aeschynanthus* Jack, 21, 157
- Aframomum*, 417
- Africa, Central, 377–420 [378 Map]
- Agaricaceae, 285
- Agaricales, 285–295
  - Agaricomycetes, 285–295\*
  - Agaricomycetidae, 285–295\*
  - Agaricus*
    - campesistris* L., 286
  - Agathis*, 157
  - Aglaia* Lour., 21
- Alchornea*
  - triplinervia* (Spreng.) Müll.Arg., 263, 271
- Aletris*
  - pauciflora* (Klotzsch) Hand.-Mazz., 123
- Alnus* Mill., 249
- Alpinia*
  - newmanii* N.S.Lý, 170
- Alsophila*
  - setosa* Kaulf., 267
- Alstonia*
  - curtisii* King & Gamble, 97
- Anacardiaceae, 97, 103
- ANDERSON, C., 321–376
- ANDERSON, W.R., 321–376
- ANDRADA, A.R., 215–226, 227–254
- Angiopteris*, 157
- Angiosperms
  - in flora of Laos, 107–116\*
  - rediscovery of four species in Brazil, 55–71
- Angophora*
  - lanceolata* Cav., 207
- Annona*, 265
- Annonaceae, 55, 95, 97, 101, 110, 114, 265–266
- ANTAR, G.M., 55–71
- Anthocleista*, 418
- Antidesma*
  - velutinum* Tul., 100, 103
- Apocynaceae, 95, 97, 110, 114, 268
- Aquifoliaceae, 261, 266
- Araceae, 97, 168
- Araliaceae, 264
- Araucaria*, 257
  - angustifolia* (Bertol.) Kuntze, 262, 269, 273
- Araucariaceae, 262
- ARDI, W.H., 297–304
- Argentina, 215–226\* [219 Map], 227–254\*
  - Argostemma*
    - lobbii* Hook.f., 109, 111, 113 Fig.
    - siamense* Puff, 109, 111, 113 Fig.
  - Aristolochiaceae, 110
  - Asia, South East, 205–214
  - Aspidistra*
    - averyanovii* N.S.Lý & Tillich, 170

- Aspidosperma*  
*olivaceum* Müll.Arg., 268  
 Asteraceae, 263, 268, 287  
 ATKINS, H.J., 173–204, 309–319  
 Atlantic Forest, 255–284\*  
 Australia, 19–49\*  
 AYARDE, H., 227–254  
 AYYAPPAN, N., 91–106
- Baeckea*, 205–214\*  
*frutescens* L., **209**  
 Bahia state, Brazil, 56–57 [57 Map]  
 BAINES, R., 309–319  
 Bangladesh, 1–2\*  
*Banisteria* L., 323  
*macrophylla* A.Juss., 323, 339  
*macrophylla* Colla, 323, 339  
 BARBER, S., 309–319  
*Barringtonia*  
*racemosa* (L.) Spreng., 96, 99, 101  
 Basidiomycota, 285–295  
 Bayesian majority consensus tree  
   for *Vachellia*, 83  
*Begonia* L., 21, 109, 127–159, 161, 167–168,  
 216–218, 223, 227–228, 231, 297–304\*  
 sect. *Baryandra*, 127  
 sect. *Bracteibegonia*, 297–304\*  
 sect. *Coelocentrum*, 168  
 sect. *Diploclinium*, 127  
 sect. *Eupetalum*, 227–254\*  
 sect. *Knesebeckia*, 215–226\*  
 sect. *Oligandrae*, 127  
 sect. *Petermannia* (Klotzsch) A.DC., 127,  
 167–172, 297  
 sect. *Platycentrum*, 161–166\*  
 sect. *Sphenanthera*, 161–166\*  
 sect. *Symbegonia* (Warb.) L.L.Forrest &  
 Hollingsw., 127–159 [**128**]  
*abbreviata* C.-I. Peng, 167  
*aberrans* Irmsch., 298, 304 App.  
*acerifolia* Kunth, 216, 218  
*acetosella*, 165  
*acrensis* Irmsch., 215, 218, 223  
*araucensis* M.Hughes, 127, **130**–132 [131 Fig.,  
 132 Map], 157  
*arfakensis* (Gibbs) L.L.Forrest &  
 Hollingsw., 128, 130, **132**–134 [133  
 Fig., 134 Map], 152, 157  
*argenteomarginata* Tebbitt, 129, 134 Map,  
 135–136 [135 Fig.], 153, 157
- arrogans* Irmsch., 215–226 [219 Map, **223**]  
*asaroenensis* J.Gagul, 127, 129, **136**–140 [137  
 Fig., 138 Map], 145, 157  
*aurantiaca* hort ex Planch.  
*beccarii* Irmsch., 133  
*beludruvnea* M.Hughes, 298, 300–301, 304  
   App.  
*boisiana* Gagnep., 167–168  
*bracteata* Jack, 297–298, 304 App.  
*cinnabarina* Hook., 227, 229, **252**, 254 App.  
*coriacea* A.DC. sensu Griseb., 247  
*cucphuongensis* H.Q.Nguyen & Tebbitt, 167  
*curvifolia* Ardi, 297–301 [**298**, 299 Fig.], 304  
   App.  
*eberhardtii* Gagnep., 167  
*erodiifolia* Sands, 127, 129, 138 Map, 139  
   Fig., **140**–141 [141 Fig.], 157  
*flexula* Ridl., 298, 304 App.  
*fulvovillosa* Warb., 128, 130, **142**–143 [142  
 Map], 146, 157  
*hainanensis* Chun & F.Chun, 167  
*hieronymi* Lindau, 246, 248  
   var. *rhacophylla* Irmsch., 227, 231, 242,  
 246  
*holttumii* Irmsch., 167  
*horsfieldii* Miq. ex A.DC., 298, 304 App.  
*jackiana* M.Hughes, 298, 304 App.  
*lamxayana* Souvann., 167–168, 171  
*lecongkietii* N.S.Lý & M.Hughes, 167–172  
   [**168**, 169 Fig.]  
*lepidia* Blume, 297  
*lepidella* Ridl., 298, 304 App.  
*longifolia* Blume, 161, 165  
*mariachristinae* Wahlsteen, **161**–166 [163–  
 164 Figs]  
*micranthera* Griseb., 223, 227–254 [**233**, 247  
 Fig.]  
   subsp. *albonervia* Tebbitt, 227–228, 233,  
 245, 247–251 [247 Fig., **248**, 250 Fig.,  
 251 Map]  
   subsp. *micranthera*, 227–237 [230 Fig., 232  
 Fig., **234**, 235 Map, 237 Fig.], 239–241  
 [240 Fig.], 245–248 [247 Fig.], **252**, 254  
   App.  
   subsp. *rhacophylla* (Irmsch.) Tebbitt, 227–  
 231 [230 Fig.], 233, **242**–248 [243 Map,  
 244 Fig., 247 Fig.], **252**, 254 App.  
   var. *flava* Andrada & Bulacio, 227, 229,  
 233, 237 Fig., **239**, 248, 254 App.  
   var. *fimbriata* L.B.Sm. & B.G.Schub., 227,  
 229, 231, 252

- var. *foliosa* L.B.Sm. & B.G.Schub., 227, 229, 231, 246, 252  
 var. *hieronymi* (Lindau) L.B.Sm. & B.G.Schub., 227–228, 230 Fig., 231, 233, 246–248  
 var. *micranthera*, 229, 233, 236–237 [237 Fig.], 254 App.  
 var. *nana* L.B.Sm. & B.G.Schub., 227, 229, 233, 239–241 [240 Fig.]  
 var. *rhacophylla*, 242, 244–246 [244 Fig.], 248  
 var. *rhacophylla* (Irmsch.) L.B.Sm. & D.C.Wash., 227, 231, 242, 246  
 var. *venturii* L.B.Sm. & B.G.Schub., 229, 233, 240–241 [240 Fig.], 254 App.  
*mimikaensis* Sands, 127, 129, 132 Map, 140, 143–145 [144 Fig.], 150, 157  
*mooreana* (Irmsch.) L.L.Forrest & Hollingsw., 130, 132 Map, 143, 145–146, 157  
*ocellata* Ardi, 297–298, 300–303 [301, 302 Fig.], 304 App.  
*parodiana* L.B.Sm. & B.G.Schub., 215–216, 218, 223  
*pellionoides* Y.M.Shui & W.H.Chen, 167  
*pulchra* (Ridl.) L.L.Forrest & Hollingsw., 130, 132 Map, 146, 157  
*rubrosetosa* Aver., 167  
*sinofloribunda* Dorr, 167–168  
*strigosa* (Warb.) L.L.Forrest & Hollingsw., 129, 132 Map, 147–148 [148 Fig.], 157  
*sublongipes* Y.M.Shui, 167  
*symbecarii* (Irmsch.) L.L.Forrest & Hollingsw., 133–134  
*symbraeosa* (Warb.) L.L.Forrest & Hollingsw., 129, 142 Map, 148–149, 154, 157  
*syngeraniifolia* (Ridl.) L.L.Forrest & Hollingsw., 129, 136, 140, 142 Map, 143, 145, 149, 157  
*synhirta* (Ridl.) L.L.Forrest & Hollingsw., 129, 142 Map, 150, 157  
*sympapuana* (Merr. & Perry) L.L.Forrest & Hollingsw., 130, 132 Map, 150, 157  
*symparvifolia* (Gibbs) L.L.Forrest & Hollingsw., 129, 142 Map, 151, 157  
*symsanguinea* (Warb.) L.L.Forrest & Hollingsw., 129, 136, 142 Map, 152–154 [153 Fig.], 158  
*triginticolum* Girm., 298, 300, 304 App.  
*ulmifolia* Willd., 217  
*verecunda* M.Hughes, 298, 300–301, 304 App.  
*vinkii* Sands, 127, 130, 132 Map, 154 [154 Fig.], 158  
*williamsii* B.S.Williams, 218  
*williamsii* Rusby & Nash, 215–216, 218, 223  
*wollnyi* Herzog, 215–226 [218, 219 Map]  
*wrayi* Hemsl., 167  
*yapenensis* M.Hughes, 128, 130, 138 Map, 156–157 [156 Fig.], 158  
 Begoniaceae, 93, 109, 127–159, 161–166, 227–254  
 BHAT, N.R., 73–90  
 Bignoniaceae, 110, 114, 263, 287  
 Biodiversity, 127–159\*, 167–172\*  
*Bistorta*  
*affinis* (D.Don) Greene, 123  
 BLANC, P., 91–106  
*Boea* Comm ex Lam., 19–49  
 sect. *Subacaules* Fritsch, 23  
*acutifolia* Ridl., 45 App.  
*alata* (Cav.) Pers., 45 App.  
*amplexicaulis* Parish ex C.B.Clarke, 46 App.  
*arachnoidea* Diels, 46 App.  
*birmanica* Craib, 46 App.  
*borneensis* Scheff. ex H.O.Forbes, 46 App.  
*brachycarpa* Ridl., 46 App.  
*brettiana* W.W.Sm., 46 App.  
*caerulescens* Ridl., 46 App.  
*cardwelli* F.Muell. ex C.B.Clarke, 37, 46 App.  
*cavaleriei* H.Lév. & Vaniot, 46 App.  
*chaffanjonii* H.Lév., 46 App.  
*clarkeana* Hemsl., 20, 46 App.  
*cochininchinensis* C.B.Clarke, 46 App.  
*commersonii* R.Br., 36, 39, 46 App.  
*crassifolia* Hemsl., 46 App.  
*darrisii* H.Lév., 46 App.  
*dennisi* B.L.Burtt, 24–26 [25 Map], 46 App.  
*densihispidula* S.B.Zhou & X.H.Guo, 46 App.  
*dictyoneura* Hance, 46 App.  
*divaricata* Ridl., 46 App.  
*elegans* Ridl., 46 App.  
*elephantopoides* Chun, 46 App.  
*esquirolii* H.Lév. & Vaniot, 46 App.  
*evrardii* Pellegr., 46 App.  
*feddei* H.Lév., 46 App.  
*ferruginea* Ridl., 46 App.  
*flocculosa* C.B.Clarke, 46 App.

- geoffrayi* Pellegr., 20, 47 App.  
*glabra* Ridl., 47 App.  
*glabriflora* Barnett, 47 App.  
*glabrisepala* (B.L.Burtt) Barnett, 47 App.  
*glutinosa* Hand.-Mazz., 47 App.  
*hainanensis* Chun, 47 App.  
*hancei* C.B.Clarke, 47 App.  
*harroviana* Craib, 47 App.  
*havilandii* Ridl., 47 App.  
**hemsleyana** B.L.Burtt, 24, 26–28 [26 Map],  
 47 App.  
*herbacea* C.B.Clarke, 47 App.  
**hians** Burkill, 24, 28–29 [28 Map], 40, 42, 47  
 App.  
*hygrometrica* (Bunge) R.Br., 20, 47 App.  
**hygroscopica** F.Muell., 21–22, 24, 29–33 [29  
 Map], 47 App.  
 var. *bellendenkerensis* Domin, 29, 47 App.  
 var. *typica* Domin, 29, 47 App.  
*kerrii* Craib, 47 App.  
**kinnearii** (F.Muell.) B.L.Burtt, 21–22, 24,  
 31–33 [32 Map], 47 App.  
*lanata* Hemsl. non Ridley, 26, 47 App.  
*lanata* Ridl., 47 App.  
*lancifolia* Ridl., 47 App.  
*lanuginosa* K.Schum. & Lauterb., 33, 47  
 App.  
**lawesii** H.O.Forbes, 22, 24, 26 Map, 33–36  
 [34 Fig.], 40, 47 App.  
*leporina* H.J.Lam, 47 App.  
*macrophylla* Drake, 47 App.  
**magellanica** Lam., 21–26 [25 Map], 36–39,  
 46–49 App.  
*mairei* H.Lév., 47 App.  
*martinii* H.Lév., 47 App.  
*microcarpa* Drake, 48 App.  
*minahassae* Teijsm. & Binn., 48 App.  
*minor* Barnett, 48 App.  
*minutiflora* Ridl., 48 App.  
**mollis** Schltr., 22, 24, 26 Map, 36, 39–40, 48  
 App.  
**morobensis** C.Puglisi, 19, 22, 24, 28 Map, 40–  
 42 [41 Fig.], 48 App.  
*multiflora* R.Br., 48 App.  
 var. *burmannica* C.B.Clarke, 48 App.  
 var. *villosa* Pellegr., 48 App.  
*paniculata* Hand.-Mazz., 48 App.  
*paniculata* Ridl., 48 App.  
*parviflora* Ridl., 48 App.  
*patens* Ridl., 48 App.  
*philippensis* C.B.Clarke, 20, 48 App.  
*plantaginea* (Cav.) Pers., 48 App.  
*poilanei* Pellegr., 48 App.  
*praliniana* J.St.-Hil., 36, 48 App.  
*primuloides* Miq., 48 App.  
*prolixa* C.B.Clarke, 48 App.  
*pseudoglandulosa* Elmer, 48 App.  
*punctata* (Cav.) Pers., 48 App.  
*reticulata* Barnett, 48 App.  
**rosselensis** B.L.Burtt, 24, 32 Map, 38, 42–43,  
 48 App.  
*rubicunda* H.Lév., 48 App.  
*rufescens* Franch., 48 App.  
 var. *seguinii* (H.Lév. & Vaniot) H.Lév., 48  
 App.  
*speciosa* Rech., 48 App.  
*speluncarum* B.L.Burtt, 49 App.  
*suffruticosa* Ridl., 49 App.  
*swinhoei* Hance, 49 App.  
 var. *diffusior* C.B.Clarke, 49 App.  
*thirionii* H.Lév., 49 App.  
*thorelii* Pellegr., 49 App.  
*treubii* H.O.Forbes, 49 App.  
*triandra* (Cav.) Pers., 49 App.  
*umbellata* Drake, 49 App.  
**urvillei** C.B.Clarke, 21–24, 28 Map, 43–44,  
 49 App.  
*verticillata* Ridl., 49 App.  
*violacea* (Cav.) Pers., 49 App.  
*wallichii* R.Br., 20, 49 App.  
*warburgii* Schltr., 37, 49 App.  
 Bolivia, 215–226\* [219 Map], 227–254\*  
 BOMPARD, J.-M., 91–106  
 BONE, R.E., 173–204  
 BRAMLEY, G.L.C., 309–319  
 Brazil, 215–226\* [219 Map]  
 Central, 55–71 [57 Map]  
 semiarid region of, 285–295  
 Southeast, 255–284 [258 Map]  
 Bromeliaceae, 329  
 BUI, H.Q., 309–319  
 BULACIO, E., 227–254  
 Bulle des Cimes, 96 Fig., 101 Fig.  
*Byrsonima*  
*ligustrifolia* A.Juss., 261, 270, 272–273  
  
*Cabralea*  
*canjerana* (Vell.) Mart., 262, 274  
 Cactaceae, 287

- Calceolaria*  
*biflora* Lam., 48 App.  
*petiolaris* Cav., 45 App.
- Callistemon*, 207  
*citrinus* (Curtis) Skeels, 207  
*lanceolatum* DC., 208  
*lanceolatum* Sweet, 208  
*lanceolatus* (Sm.) Sweet, 208
- Cambodia, flora of, 205–214
- Cameroon, 377–420
- Cannabaceae, 97, 109–110
- Canopy access, 91–106\*
- CARDINAL, S., 91–106
- Cariri Paraibano, 287
- CARVALHO, F.A., 255–284
- Castanopsis*, 132, 139  
*clarkei* King ex Hook.f., 111, 113 Fig.
- Ceará, Brazil, 286–287
- Celastraceae, 1–2, 110, 262, 266, 268
- Celtis*  
*philippensis* Blanco, 97, 100, 109–110, 112 Fig.
- Central Africa, 377–420 [378 Map]
- Central African Republic, 377–420
- Cerrado, 55–71\*
- Chapadão, 257–258 [258 Map]
- Characters, of *Ficus* spp., 377–420\*
- CHAYER, S., 107–116
- Checklist, of flora of Laos, 91–106
- Chirita* Buch.-Ham., 305–307\*  
*cristata* (Dalzell) B.L.Burtt, 306  
*hamosa* R.Br., 305–306
- Christianella* W.R.Anderson, 321–376\*
- Chronogram  
for *Vachellia*, 84
- Cinébulle, 96 Fig., 101 Fig., 102 Fig.
- Cinnamomum*, 267
- Citrus*  
*hystric* DC., 109  
*macroptera* Montrouz., 109
- Clethra*  
*scabra* Pers., 263, 278
- Clethraceae, 263
- Climate change, 256
- Cloud forest, 255–284
- Clusiaceae, 109–110
- Conservation status  
of *Diospyros*, 63  
of *Duguetia*, 62  
of *Hyptis*, 60
- of *Rhabdodendron*, 65
- Conservation, 127–159\*, 167–172\*  
in Brazil, 55–71\*
- Phou Hin Poun NBCA, Laos, 91–106 [94 Map, 95 Fig.]
- of threatened tree species, 255–284
- Convolvulaceae, 97, 103, 287
- Coprinellus* P.Karst., 285–286, 290  
*angulatus* (Peck) Redhead, Vilgalys & Moncalvo, 286  
*arenicola* Wartchow & A.R.Gomes, 285–287, 290  
*marculentus* (Britzelm.) Redhead, Vilgalys & Moncalvo, 286  
**phaeoxanthus** A.R.Gomes & Wartchow, 285, 287–290 [288 Fig., 289 Fig.]
- Coprinoid fungi, 285–295
- Coprinopsis* P.Karst., 285–295\*  
*brunneofibrillosa* (Dennis) Redhead, Vilgalys & Moncalvo, 286  
*cinerea* (Schaeff.) Redhead, Vilgalys & Moncalvo, 286  
*cordispora* (T.Gibbs) Watling & M.J.Richardson, 290  
*cothurnata* (Godey) Redhead, Vilgalys & Moncalvo, 286  
*ephemeroides* (DC.) G.Moreno, 290  
*jamaicensis* (Murrill.) Redhead, Vilgalys & Moncalvo, 286  
*nivea* (Pers.:Fr.) Redhead, Vilgalys & Moncalvo, 286  
*patouillardii* (Quél.) G.Moreno, 290  
*pseudoradiata* (Kühner & Joss ex Watling) Redhead, Vilgalys & Moncalvo, 286  
*stercorea* (Fr.) Redhead, Vilgalys & Moncalvo, 286  
*vermiculifer* (Joss. ex Dennis) Redhead, Vilgalys & Moncalvo, 286
- Coprinus* Pers., 285–286  
*asterophoroides* Bogart, 290  
*asterophorus* Long & V.A.M.Mill., 290  
*calyptratus* Peck, 285, 290–293 [291 Fig.]  
*cardiasporus* Bender, 290  
*comatus* (O.F.Müll.:Fr.) Pers., 285  
*consobrinus* Mont., 286  
*matutinus* Mont., 286  
*patouillardii* Quél., 286  
*torquatus* Mont., 286  
*vosoustii* Pilát, 290  
*xerophilus* Bogart, 285–287, 292–293

- Cordiera*  
*concolor* (Cham.) Kuntze, 261, 272–274
- Corydalis*  
*meifolia* Wall., 123
- Croton*  
*alchorneicarpus* Croizat, 264  
*poomae* Esser, 109, 111, 112 Fig.
- Cunoniaceae, 264, 266
- Cyathea*  
*corcovadensis* (Raddi) Domin, 267
- Cyatheaceae, 267
- Cynometra*  
*dongnaiensis* Pierre, 91, 96, 98
- Cyperaceae, 287
- Cyrtandra* J.R.Forst. & G.Forst., 21, 157, 173–204\*  
**albiflora** Karton. & H.J.Atkins, 173–177  
[**174**, 175 Map, 176 Fig.], 185, 187, 201  
*basiflora* C.B.Clarke, 180
- boliohutensis** Karton. & H.J.Atkins, 173, 175  
Map, **178**–180 [**179** Fig.]
- engleri* Koord., 180, 182  
*fasciata* H.J.Atkins, 190, 193
- gambutensis** Karton. & H.J.Atkins, 173, 175  
Map, **180**–182 [**181** Fig.]
- geocarpa* Koord., 200
- gorontaloensis* H.J.Atkins, 182
- hekensis** Karton. & H.J.Atkins, 173, **182**–185 [**183** Map, 184 Fig.]
- hendriani** Karton. & H.J.Atkins, 173, 177, 183 Map, **185**–187 [**186** Fig.]
- hispidula** Karton. & H.J.Atkins, 173, 183  
Map, **187**–190 [**189** Fig.]
- hypogaea* Koord., 200
- kinhoii** Karton. & H.J.Atkins, 173, **190**–193  
[190 Map, 191 Fig.]
- luteiflora* H.J.Atkins, 200
- multinervis** Karton. & R.Bone, 173, **193**–196  
[194 Map, 195 Fig.]
- nitida** Karton. & H.J.Atkins, 173, 194 Map, **196**–198 [**197** Fig.]
- paxiana* Lauterb., 203
- prostrata* Kraenzl., 203
- rantemarioensis** Karton. & R.Bone, 173, 194  
Map, **198**–201 [**199** Fig.]
- rubribracteata** Karton. & H.J.Atkins, 173, 194 Map, **201**–203 [**202** Fig.]
- sandakanensis* B.L.Burtt, 180
- similis* Koord., 193
- simplex* Merr., 180
- sublanea* Hilliard & B.L.Burtt, 180
- tenebrosa* B.L.Burtt, 180
- widjajae* Karton, 182
- Dalbergia*  
*villosa* Benth., 267
- Damrongia* Kerr ex Craib, 20  
*clarkeana* (Hemsl.) C.Puglisi, 46–47 App.
- Davallia*, 157
- De Silva, Francis, 1
- Decaspermum*, 205–214\*  
*cambodianum* Gagnep., 206  
*montanum* Ridl., **205**–206  
*paniculatum* (Lindl.) Kurz, **211**  
*parviflorum* (Lam.) A.J.Scott, **209**
- Dehaasia*  
*annamensis* Kosterm., 111, 113 Fig.
- DEY, S.K., 117–125
- Dichapetalaceae, 97, 110
- Dichapetalum*  
*gelonioides* (Roxb.) Engl., 97, 100, 110, 112 Fig.
- Dicksonia*  
*sellowiana* Hook., 266, 269
- Dicksoniaceae, 266
- Didymocarpus* Wall., 20, 114  
*cristatus* Dalzell, 305–307\*  
*kinnearii* F.Muell., 31  
*lawesii* F.Muell., 33, 36
- Diospyros*, 55–71\*, 96  
*hasseltii* Zoll., 98, 101 Fig.  
*ovalis* Hiern, 55, 61 Fig., **62**–63, 66–67  
*pendula* Hasselt ex Hassk., 110, 112 Fig.  
*pilosiuscula* G.Don, 98, 100, 110, 112 Fig.  
*sumatrana* Miq., 98
- Diplarche*  
*multiflora* Hook.f. & Thomson, 123  
*pauciflora* Hook.f. & Thomson, 123
- Dipterocarpus* A.Juss., 323  
sect. *Mezia* (Nied.) Nied., 323, 328  
*araujoi* (Nied.) Nied., 339  
*includens* (Benth.) Nied., 323, 355  
*involuta* (Turcz.) Nied., 323, 355  
var. *ovata* Nied., 321, 324, 361
- Dipterocarpaceae, 110, 114
- Dipterocarpus*  
*grandiflorus* (Blanco) Blanco, 110, 112 Fig., 114
- Distribution, of *Boea*, 21

- Diversity, of *Ficus*, 377–420  
 DNA barcoding  
   in *Acacia/Vachellia*, 73–90\*
- Dorcoceras* Bunge, 19–20  
*geoffrayi* (Pellegr.) C.Puglisi, 47 App.  
*hygrometricum* Bunge, 47 App.  
*philippense* (C.B.Clarke) Schltr., 46 App., 48  
   App.  
*wallichii* (R.Br.) C.Puglisi, 49 App.
- Drimys*  
*brasiliensis* Miers, 262, 274, 278
- Dryptes*, 417  
*cambodica* Gagnep., 111, 113 Fig.  
*harmandii* Pierre ex Gagnep., 109
- Duguetia*, 55–71\*  
*rotundifolia* R.E.Fr., 55, 60–62 [61 Fig.], 67
- Dysoxylum*  
*grande* Hiern, 99, 101
- East India Company, 1  
 Ebenaceae, 55, 91, 95–96, 98, 110  
*Emarhendia* Kiew, A.Weber & B.L.Burtt, 20  
 Endemics/endemism  
   in *Begonia*, 127, 167–172\*, 217, 227, 297  
   in *Gentiana*, 123  
   in Laos, 91–106\*  
   in Nam Kading NPA, Laos, 107–116 [108  
     Map]  
   in TMCFs, 255
- Endospermum*  
*chinense* Benth., 98, 101 Fig., 102 Fig.
- Epigynum*  
*cochinchinensis* (Pierre) D.J.Middleton, 110,  
   112 Fig., 114
- Epiprinus* Griff., 109  
*siletianus* (Baill.) Croizat, 111, 112 Fig.
- Erodium*, 140  
 Ethnobotany, 3–18\*  
*Eucalyptus* L'Hér., 249  
*Eugenia*  
*ciliaris* Ridl., 206  
*handroana* D.Legrand, 266  
*parviflora* Lam., 209  
*widgrenii* Sond. ex O.Berg, 262, 273
- Euonymus*, 1  
*bullatus* Wall. ex G.Lodd., 1–2  
**bullatus** Wall. ex M.A.Lawson, 2
- Euphorbiaceae, 91, 96, 98, 103, 109, 111, 263–  
   264, 287
- Excoecaria*
- oppositifolia* Griff., 98, 102 Fig., 103, 111,  
   112 Fig.
- Fabaceae, 73, 98, 111, 267  
 subfam. Caesalpinoideae, 77  
 subfam. Mimosoideae, 73, 77
- Fagaceae, 98, 103, 111  
*Ficus* L., 377–420 [381 Figs, 382 Fig., 383 Fig.]  
 sect. *Gallogchia* Berg *et al.*, 383, 393  
 sect. *Oreosycea* Berg *et al.*, 383, 386–387  
 sect. *Sycidium* Berg *et al.*, 383, 388  
 sect. *Sycomorus* Berg *et al.*, 383, 390  
 adolfi-friderici Mildbr., 379–380, 386, 413–  
   414 [414 Fig.]
- ardisiooides* Warb.  
   subsp. *ardisiooides*, 379–380, 386, 411 [411  
     Fig.]
- asperifolia* Miq., 379–380, 384, 388–389 [389  
     Fig.]
- assimilis*, 387
- barteri* Sprague, 379–380, 386, 412 [412 Fig.]
- burrettiana* Mildbr. & Hutch., 379–380, 382,  
   386, 416–417 [416 Fig.]
- calyprata* Vahl, 379–380, 384, 397–398 [397  
     Fig.]
- caprifolia* Delile, 388
- conraui* Warb., 379–380, 386, 413 [413 Fig.]
- craterostoma* Warb. ex Mildbr. & Burret,  
   379–380, 385, 407–408 [407 Fig.]
- cyathistipula* Warb.  
   subsp. *cyathistipula*, 379–380, 386, 410–  
     411 [410 Fig.]
- dicranostyla*, 387
- dryepondtiana* Gentil ex De Wild., 379–380,  
   384, 394–395 [394 Fig.]
- elasticoides* De Wild., 379–380, 382, 386,  
   415–417 [415 Fig.]
- exasperata* Vahl, 379–380, 382, 384, 388–390  
   [389, 390 Fig.], 418
- kamerunensis* Warb. ex Mildbr. & Burret,  
   379–380, 384, 386, 396–397 [396 Fig.]
- lingua* De Wild. & T.Durand  
   subsp. *lingua*, 379–380, 384–385, 393–394  
     [393 Fig.]
- lutea* Vahl, 379–381 [381 Fig.], 385, 402–403  
     [403 Fig.]
- macroisperma* Warb. ex Mildbr. & Burret,  
   409
- mallotoides* Mildbr. & Hutch., 397
- montana* Burm.f., 111, 113 Fig.

- mucoso** Welw. ex Ficalho, 379–381, 383–384, 390–391 [391 Fig.], 418
- natalensis** Hochst.
- subsp. **leptostachys** (Miq.) C.C.Berg, 379–380, 385, 404–405 [405 Fig.], 407
  - subsp. **natalensis**, 379–380, 386, 405–407 [406, 406 Fig.]
- ovata** Vahl, 379–380, 384–385, 398–400 [400 Fig.]
- polita** Vahl
- subsp. **polita**, 379–381, 384–385, 398–399 [399 Fig.], 418
- preussii** Warb., 379–380, 384, 399–401 [401 Fig.]
- pygmaea** Welw. ex Hiern, 388
- recurvata** De Wild., 379–380, 383–384, 401–402 [402 Fig.]
- sansibarica**
- subsp. **macrosperma** (Warb. ex Mildbr. & Burret) C.C.Berg, 379–381, 385, 409–410 [409 Fig.]
- subcostata** De Wild., 379–380, 384, 395–396 [395 Fig.]
- subsagittifolia** Mildbr. ex C.C.Berg, 400
- sundaica** Blume, 99, 103
- sur** Forssk., 379–381, 384, 390, 392 [392 Fig.], 418
- sycomorus** L.
- subsp. **gnaphalocarpa** (Miq.) C.C.Berg, 390
- thonningii** Blume, 379–380, 385, 408 [408 Fig.], 418
- vallis-choudae** Delile, 390
- variifolia** Warb., 379–380, 383, 387–388 [387 Fig.]
- vogeliana** (Miq.) Miq., 390
- wildemaniana** Warb., 379–380, 385–386, 403–404 [404 Fig.]
- Flora of Lao P.D.R., 3–18
- Flora of Laos, 91–106
- Nam Kading NPA, 107–116\* [108 Map]
- Flora of Laos, Cambodia and Vietnam*, 205–214\*
- Forest
- in Laos, 91–106\*
  - tropical, 377–420\*
- Fruit
- key to *Mezia* samaras, 332–333
- GAGUL, J.N., 127–159
- Garcinia**
- nuntasaenii* Ngerns. & Suddee, 109–110, 112 Fig.
- Gene sequencing
- in *Vachellia*, 73–90
- Gentiana** L., 117
- sect. *Chondrophyllae* Bunge, 117–125\*
  - arunii* D.Maiti, S.K.Dey, J.Ghosh & Midday, 117–125 [118, 121–122 Figs]
  - glabriuscula* T.N.Ho, 117–120, 124
  - pedicellata* (Wall. ex D.Don) Griseb., 124
  - phyllocalyx* C.B.Clarke, 123
  - pluviarum* W.W.Sm.
  - subsp. *subtilis* (Harry Sm.) T.N.Ho, 117–120, 124
  - springateana* D.Maiti, 123
  - subtilis* Harry Sm., 118
- Gentianaceae, 117–125\*
- Gesneriaceae, 19–49, 51–54, 93, 114, 173–204\*, 305–307, 309–319\*, 421–425
- subfam. Didymocarpoideae, 305
  - tribe Cyrtandreae, 20, 39
  - tribe Didymocarpeae, 20
  - subtribe Loxocarpinae, 19–49\*
- GHOSH, J., 117–125
- GIDEON, O., 127–159
- Gilbertiodendron*
- dewevrei* (De Wild.) J.Léonard, 394, 397–398, 400–401, 403–404, 406, 415, 417
- Glandular spots (in *Ficus*), 379–381 [381 Figs]
- Glyptopetalum*
- sclerocarpum* M.A.Lawson, 110, 112 Fig.
- GOMES, A.R.P., 285–295
- Gramineae, 329
- Guatteria*, 266
- australis* A.St.-Hil., 266
- Ha Giang, Vietnam, 421–425\*
- Habit, of *Ficus*, 377–420\*
- Habitat, of *Ficus*, 377–420\*
- HALLÉ, F., 91–106
- HARRIS, D.J., 377–420
- Hemiscolopia* Slooten, 109
- trimera* (Boerl.) Slooten, 111, 113 Fig.
- Hubertia*
- nettoana* Brade, 265, 269
- HUGHES, M., 127–159, 167–172, 297–304
- Hypxis*, 55–71\*
- caduca* Epling, 55, 58–60 [59 Fig.], 67

- Identification, of *Ficus*, 377–420\*
- Ilex*, 261, 266, 270–274
- India, 1–2\*, 305–307
- Indo-Burma, biodiversity hotspot, 91
- Indonesia, 173–204 [175 Map, 183 Map, 190 Map, 194 Map], 297–304
- Irvingia*  
  *smithii* Hook.f., 410, 412
- Ituri Forest, DR Congo, 417
- IUCN conservation categories  
  in *Begonia*, 132, 134, 136, 140, 143, 145–153, 155, 157, 163, 167, 171, 215, 220, 224, 297, 300, 303  
  in *Cyrtandra*, 174, 177–178, 182, 185, 187–188, 192, 196, 198, 200–201  
  in *Diospyros*, 63  
  in *Duguetia*, 62  
  in *Gentiana*, 117–125\*
- in *Hyptis*, 60
- in *Oreocharis*, 315, 317
- in *Paraboea*, 53, 422, 424
- in *Rhabdodendron*, 65
- Jacaranda*  
  *cuspidifolia* Mart., 263
- Jalapão, Central Brazil, 55–71 [57 Map]
- Jasminum*  
  *vidalii* P.S.Green, 91, 96, 100–101
- Jovellana*  
  *punctata* Ruiz & Pav., 48 App.  
  *violacea* (Cav.) G.Don., 49 App.
- Jubelina* A.Juss., 323, 328
- Kachin, northern Myanmar, 161–166
- Kaisupeea* B.L.Burtt, 20  
  *herbacea* (C.B.Clarke) B.L.Burtt, 47 App.
- Kanchanaburi, Thailand, 51–54\*
- Karst, 92, 95 Fig., 101 Fig., 102 Fig.  
  Nam Kading, 107–116
- KARTONEGORO, A., 173–204
- Keys  
  to *Begonia*, 218, 231, 233  
    sect. *Bracteibegonia*, 297–298  
    sect. *Symbegonia*, 129–130  
  to *Boea*, 23–24  
  to *Ficus* in Sangha Trinational, 383–386\*  
  to *Mezia*, 329–333  
  to Vietnamese *Oreocharis*, 311–312
- Khammouane Limestone, 91–106\*
- Knema*
- furfuracea* (Hook.f. & Thomson) Warb., 99, 102 Fig.
- Koenigia*  
  *nummulariifolia* (Meisn.) Měšíček & Soják, 123
- Koilodepas* Hassk., 109  
  *longifolium* Hook.f., 111, 112 Fig.
- KOLLMANN, L.J.C., 215–226
- Kuepferia*  
  *infelix* (C.B.Clarke) Adr.Favre, 123  
  *kanchii* D.Maitly, S.K.Dey & Adr.Favre, 123
- Kuwait, 73–90 [76 Map]
- Lagerstroemia* forest, 95 Fig.
- Lamanonia*  
  *ternata* Vell., 264
- Lamiaceae, 55, 98
- LAMXAY, V., 91–106
- Laos, 3–18, 91–106\* [94 Map], 107–116\*  
  landscapes, 95 Fig.  
  flora of, 205–214
- Laplacea*  
  *fruticosa* (Schrad.) Kobuski, 265, 278
- Laportea*, 157
- Lauraceae, 98, 109, 111, 261–262, 264, 266–267, 269–270, 278, 328–329
- Leandra*  
  *carassana* (DC.) Cogn., 264
- Lectotypification  
  of *Begonia*, 215, 223, 227, 253  
  of *Euonymus*, 1–2\*
- in Myrtaceae, 205–214
- Lecythidaceae, 96, 99
- Leguminosae, 287
- LEONG-ŠKORNIČKOVÁ, J., 3–18
- Leptospermum*, 205–214\*  
  *javanicum* Blume, 210
- Lianas, 321–376\*
- Limestone, 51–54\*
- Litsea*  
  *phuuwaensis* Ngerns., 109, 111, 113 Fig.  
  *pierrei* Lecomte, 98
- Lonely Tree, The, 75 Fig., 82, 85–86
- Loxocarpus* R.Br., 21
- LÝ, N.-S., 167–172
- Macropelplus*  
  *dentatus* (Perkins) I.Santos & Peixoto, 263
- MAITY, D., 117–125
- Mallotus*

- metcalfianus* Croizat, 111, 113 Fig.  
*Malpighiaceae*, 261, 321–376\*
- Mangifera*  
*macrocarpa* Blume, 97, 103  
*MANUVEL*, A.J., 73–90  
*Maranhão state, Brazil*, 56–57 [57 Map]  
*Marattia*, 157  
*Mariosousa* Seigler & Ebinger, 73–74  
*centralis* (Britton & Rose) Seigler & Ebinger, 82–83  
*Maytenus*, 262, 268, 270–271  
*evonymoides* Reissek, 266  
*Melaleuca*, 205–214\*  
*cajuputi* R.Powell, 211–212  
*citrina* (Curtis) Dum. Cours., 206–207  
*leucadendron*, 211  
*minor* Sm., 212  
*Melastomataceae*, 99, 261, 263–265, 269, 278  
*Meliaceae*, 99, 101, 262  
*Memecylon*  
*chevalieri* Guillaumin, 91, 96, 99  
*Merremia*  
*bambusetorum* Kerr, 97, 103  
*Metrosideros*, 207  
*citrina* Curtis, 206–208  
*costata* Gaertn., 207  
*lanceolata* Pers., 207  
*lanceolata* Sm., 207  
*lophantha* Vent., 207  
*Mezia* Kuntze, 328  
*Mezia* Nied., 321–376\* [322 Map, 326 Fig., 328]  
*andersonii* C.E.Anderson, 321–322 [322 Map], 324, 328, 331–332, 334–335 [335 Fig.], 337, 358, 364  
*angelica* W.R.Anderson, 322 Map, 324, 326–327 [326 Fig.], 330–332, 336–339 [336 Fig., 337], 342  
*araujoi* Nied., 322–324 [322 Map], 326–331, 333, 339–342 [340 Fig.], 345, 373  
*bahiana* C.E.Anderson, 321–322 [322 Map], 324–330, 332, 342–343 [343 Fig.], 345, 361, 373  
*beckii* W.R.Anderson, 322 Map, 324–327, 330, 333, 342, 344–347 [344 Fig., 345], 361  
*curranii* W.R.Anderson, 322 & Map, 324, 326–327, 331, 333, 347–349 [348 Fig.], 358, 364  
*fanshawei* C.E.Anderson, 321–322 [322 Map], 324–326, 328–329, 332, 349–351 [350 Fig.], 358, 368  
*huberi* W.R.Anderson, 321–322 [322 Map], 324, 327–328, 330, 332, 339, 349, 351, 353 [352 Fig.], 355, 367, 371, 373  
*includens* (Benth.) Cuatrec., 322–324 [322 Map], 326–328, 331–334, 349, 351, 354–358 [354 Fig., 355], 364  
*mariposa* W.R.Anderson, 321–322 [322 Map], 324–327 [326 Fig.], 329–330, 332, 342, 347, 358–361 [360 Fig.], 373  
*peruviana* C.E.Anderson, 321–322 [322 Map], 324, 327–328, 331–332, 334, 358, 361–364 [362 Fig.]  
*rufa* W.R.Anderson, 322 Map, 324, 327, 329–330, 333, 348–349 [348 Fig.], 364–365, 367, 369, 371, 373  
*russellii* W.R.Anderson, 322 Map, 324–325, 327, 329, 331, 333, 358, 364, 366–368 [366 Fig., 367]  
*sericea* C.E.Anderson, 321–322 [322 Map], 324, 327, 330, 333, 367, 369–371 [370 Fig.], 373  
*tomentosa* W.R.Anderson, 322 Map, 324–327, 329, 333, 368, 371–373 [372 Fig.]  
*Miconia*, 269, 278  
*acutifolia* Ule, 265  
*buddlejoides* Triana, 264  
*latecrenata* Naudin, 265  
*pusilliflora* (DC.) Naudin, 261, 270–274  
*sellowiana* Naudin, 263  
*Microchirita* (C.B.Clarke) Yin Z.Wang, 305–307  
*albiflora* D.J.Middleton & Triboun, 306  
*bimaculata* (D.Wood) A.Weber & D.J.Middleton, 306  
*cristata* (Dalzell) D.J.Middleton, 305–306  
*hamosa* (R.Br.) Yin Z.Wang, 305–306  
*sahyadriensis* (Punekar & Lakshmin.) A.Weber & D.J.Middleton, 306  
*MIDDAY*, M., 117–125  
*Middle East*, 76 Map  
*MIDDLETON*, D.J., 19–49, 305–307, 309–319, 421–425  
*Middletonia*, 114  
*evrardii* (Pellegr.) C.Puglisi, 46 App., 48 App.  
*multiflora* (R.Br.) C.Puglisi, 46 App., 48–49 App.  
*reticulata* (R.Br.) C.Puglisi, 48 App.  
*Millettia*  
*ichthyochtona* Drake, 111, 113 Fig.  
*Minas Gerais State, Brazil*, 255–284 [258 Map, 259 Fig.]

- Mitrephora*  
  *calcarea* Diels, 97
- Molecular phylogenetics  
  of *Acacia/Vachellia*, 73–90\*
- MÖLLER, M., 309–319
- Mollinedia*, 264
- Monimiaceae, 263–264
- Monoxora*  
  *spectabilis*, 210
- MOONLIGHT, P.W., 215–226
- Moraceae, 99, 103, 111
- MORGAN, D., 377–420
- Morphology  
  of *Boea*, 21–23
- Mount Dâu, Vietnam, 167–172
- Multilocus plastid gene sequences  
  in *Vachellia*, 73–90
- Musa*  
  *itinerans* Cheesman, 99
- Musaceae, 99
- Musanga*  
  *cecropioides* R.Br. ex Tedlie, 418
- Myanmar, 161–166\*
- Myrceugenia*, 269, 278
- bracteosa* (DC.) D.Legrand & Kausel, 261,  
    269–274, 278
- myrcioides* (Cambess.) O.Berg, 267
- regnelliana* (O.Berg) D.Legrand & Kausel,  
    263, 272
- rufescens* (DC.) D.Legrand & Kausel, 264
- Myrcia*, 269, 278
- guianensis* DC., 267
- laruotteana* Cambess., 263, 272, 278
- montana* Cambess., 267
- pulustris* DC., 267
- pulchra* Kiaersk., 261, 270–274
- retorta* Cambess., 261, 269–274
- splendens* DC., 261, 270–274
- venulosa* DC., 262
- Myrciaria*  
  *floribunda* O.Berg, 261, 269–274
- Myristicaceae, 99
- Myrsinaceae, 329
- Myrsine*  
  *gardneriana* A.DC., 262, 272, 274
- lancifolia* Mart., 265, 278
- umbellata* Mart., 262
- Myrtaceae, 91, 96, 100, 205–214, 261–264,  
  266–269, 278, 323, 328
- Myrtus*  
  *tomentosa* Aiton, 211
- Nam Kading National Protected Area, Laos,  
  107–116 [108 Map]
- NDolo Ebika, S.T., 377–420
- Nectandra*  
  *grandiflora* Nees & Mart., 262, 270, 278
- Nelitris*  
  *paniculata* Lindl., 211
- Neotropics, 285–295\*
- Neo-uvaria* Airy Shaw, 114
- New combination  
  in *Microchirita*, 305–307
- New Guinea, 127–159 [132 Map, 134 Map, 138  
  Map, 142 Map]
- New records  
  for Brazil, 55–71\*
- for *Coprinus*, 285
- for flora of Laos, 91–106\*, 107–116\*
- in *Zingiber*, 3–18
- New species  
  of *Begonia*, 161–166, 167–172, 297–304\*
- of *Coprinellus*, 285
- of *Cyrtandra*, 173–204\*
- of *Gentiana*, 117–125
- of *Oreocharis*, 309–319
- of *Paraboea*, 51–54, 421–425
- New subspecies  
  in Myrtaceae, 205–214\*
- Newmania*  
  *orthostachys* N.S.Lý & Škorničk., 170
- serpens* N.S.Lý & Škorničk., 170
- NGUYEN, V.D., 309–319
- Nomenclature  
  of Myrtaceae, 205–214
- Notes  
  on coprinoid fungi, 285–295
- on *Euonymus*, 1–2
- Nothofagus*, 139
- Nyctocalos* Teijsm. & Binn., 109
- brunfelsiiflorum* Teijsm. & Binn., 110, 112  
    Fig., 114
- Ochnaceae, 265
- Ocotea*  
  *corymbosa* Mez, 261, 271, 273–274
- odorifera* (Vell.) Rohwer, 264, 269
- OKABE, N., 107–116
- Oleaceae, 96, 100
- Oreocharis* Benth., 309–319 [311 Map/Fig.]
- argyrophylla* W.H.Chen, H.Q.Nguyen &  
    Y.M.Shui, 309–312 [311 Map/Fig.]

- aurea* Dunn, 309–312 [311 Map/Fig.]  
*blepharophylla* W.H.Chen, H.Q.Nguyen & Y.M.Shui, 309–311 [311 Map/Fig.]  
*caobangensis* T.V.Do, Y.G.Wei & F.Wen, 309, 311–312 [311 Map/Fig.]  
*grandiflora* W.H.Chen, H.Q.Nguyen & Y.M.Shui, 309–312 [311 Map/Fig.], 315–317  
*longituba* W.H.Chen, H.Q.Nguyen & Y.M.Shui, 309–312 [311 Map/Fig.]  
*primuloides* (Miq.) Benth. & Hook.f. ex C.B.Clarke, 48 App.  
*rufescens* D.J.Middleton, 309–319\* [311 Map, 316]  
*tribracteata* Bramley, H.J.Atkins & Mich.Möller, 309–319\* [311 Map/Fig., 312, 313–314 Figs]
- Oreocnide*  
*integrifolia* (Gaudich.) Miq., 102 Fig.
- Ornithoboea* Parish ex C.B.Clarke, 20  
*arachnoidea* (Diels) Craib, 46 App.  
*feddei* (H.Lév.) B.L.Burtt, 46 App.
- Ouratea*, 265
- Panama, 321–376\*
- Pandanus*, 157
- Papua New Guinea, 19–49\*
- Paraboea* (C.B.Clarke) Ridl., 20, 51–54, 421–425  
*acutifolia* (Ridl.) B.L.Burtt, 45 App.  
*amplexicaulis* (Parish ex C.B.Clarke) C.Puglisi, 46 App.  
*birmanica* (Craib) C.Puglisi, 46 App., 48 App.  
*brachycarpa* (Ridl.) B.L.Burtt, 46 App.  
*caerulescens* (Ridl.) B.L.Burtt, 46 App.  
*cochininchinensis* (C.B.Clarke) B.L.Burtt, 46 App.  
*crassifolia* (Hemsl.) B.L.Burtt, 46 App.  
*dictyoneura* (Hance) B.L.Burtt, 46–47 App.  
*divaricata* (Ridl.) B.L.Burtt, 46 App.  
*elegans* (Ridl.) B.L.Burtt, 46 App.  
*ferruginea* (Ridl.) Ridl., 46 App.  
*fimbriata* C.Puglisi & Phutthai, 51–54 [52 Fig.]  
*glabra* (Ridl.) B.L.Burtt, 47 App.  
*glabrescens* (Barnett) C.Puglisi, 53–54  
*glabriflora* (Barnett) B.L.Burtt, 47 App.  
*glabrisepala* B.L.Burtt, 47 App.  
*glutinosa* (Hand.-Mazz.) K.Y.Pan, 47 App.
- hainanensis* (Chun) B.L.Burtt, 47 App.  
*harroviana* (Craib) Z.R.Xu, 47 App.  
*havilandii* (Ridl.) B.L.Burtt, 46–47 App.  
*lanata* (Ridl.) B.L.Burtt, 47 App.  
*lancifolia* (Ridl.) B.L.Burtt, 47 App.  
*leporina* (H.J.Lam) B.L.Burtt, 47 App.  
*martinii* (H.Lév. & Vaniot) B.L.Burtt, 47 App., 423–424  
*minahassae* (Teijsm. & Binn.) B.L.Burtt, 48 App.  
*minor* (Barnett) B.L.Burtt, 48 App.  
*minutiflora* D.J.Middleton, 421, 423–424  
*paniculata* (Ridl.) B.L.Burtt, 48 App.  
*parviflora* (Ridl.) B.L.Burtt, 48 App.  
*patens* (Ridl.) B.L.Burtt, 48 App.  
*prolixa* (C.B.Clarke) B.L.Burtt, 48 App.  
*rufescens* (Franch.) B.L.Burtt, 48 App.  
*schefferi* (H.O.Forbes) B.L.Burtt, 46 App.  
*sinensis* (Oliv.) B.L.Burtt, 46–47 App.  
*speciosa* (Rech.) B.L.Burtt, 48 App.  
*speluncarum* (B.L.Burtt) B.L.Burtt, 49 App.  
*stellata* D.J.Middleton, 421–423 [422]  
*strobilacea* (Barnett) C.Puglisi, 53–54  
*suffruticosa* (Ridl.) B.L.Burtt, 49 App.  
*swinhoei* (Hance) B.L.Burtt, 47 App., 49 App.
- PARADA*, G.A.
- Paraiba, Brazil, 287
- Parasola* Redhead, Vilgalys & Hopple, 285–295\*  
*auricoma* (Pat.) Redhead, Vilgalys & Hopple, 286
- PARNELL, J., 205–214
- PENG, C.-I., 167–172
- Peru, 215–226\* [219 Map]
- Phlogacanthus*  
*turgidus* (Fua ex Hook.f.) Lindau, 97
- Phou Hin Poun National Biodiversity Conservation Area (NBCA), Laos, 91–106 [94 Map, 95 Fig.]
- PHUTTHAI, T., 51–54
- Phyllanthaceae, 95, 100, 103, 111
- Phyllanthus*  
*elegans* Wall. ex Müll.Arg., 111, 113 Fig.  
*harmandii* Beille, 100

- microcarpus* (Benth.) Müll.Arg., 111, 113  
Fig.
- Phylloboea* Benth., 20, 51, 421
- Phytosociology, 255–284\*
- Piauí state, Brazil, 56–57 [57 Map]
- Piedmont Forest, Laos, 101 Fig.
- Pimenta*  
*pseudocaryophyllus* (Gomes) Landrum, 263, 278
- Piper*  
*umbellatum* L., 12
- Piptocarpha*  
*axillaris* (Less.) Baker, 268
- Poaceae, 66, 287
- Podocarpaceae, 264
- Podocarpus*  
*lambertii* Klotzsch ex Endl., 264
- Polylepis* Ruiz & Pav., 249
- Polymerase chain reactions (PCR), 77–81
- Potamotrygon*  
*motoro*, 303
- Pothos*  
*gigantipes* Buchet ex P.C.Boyce, 91, 97, 101
- Prema*  
*coriacea* C.B.Clarke, 98
- Primates, 377–420\*
- Primulaceae, 262, 265
- PROSPERI, J., 91–106
- Proteaceae, 262
- Prunus*  
*myrtifolia* (L.) Urb., 262
- Psathyrellaceae, 285
- Pseudocoprinus*  
*brasiliensis* Bat., 286
- Pseuduvaria* Miq., 109  
*rugosa* (Blume) Merr., 97, 100–101, 102 Fig., 110, 112 Fig., 114
- Psidium*, 205–214\*  
*cattleyanum* Sabine, 208  
**guajava** L., 208  
*littorale* Raddi, 208
- Psychotria*, 417  
*vellosiana* Benth., 261, 270–274
- Publication  
of *Euonymus*, 1–2
- PUGLISI, C., 19–49, 51–54
- Putranjivaceae, 109, 111
- Quang Binh, Vietnam, 421–425\*
- Quercus*
- oxyodon* Miq., 98, 103
- QUORESHI, A.M., 73–90
- RAMESH, B.R., 91–106
- Ranunculus* L., 123
- Rediscovery  
of four angiosperms in Brazil, 55–71
- Republic of Congo, 377–420
- Revisions  
of *Begonia*, 227–254  
sect. *Symbegonia*, 127–159  
of *Boea*, 19–49  
of *Mezia*, 321–376
- Rhabdodendraceae, 55
- Rhabdodendron*, 55–71\*  
*gardnerianum* (Benth.) Sandwith, 55, 63–67  
[64 Fig.]
- Rhabdothamnopsis*  
*sinensis* Hemsl., 46 App., 48 App.
- Rhamnaceae, 95, 100, 265
- Rhamnus*  
*sphaerosperma* Sw., 265, 278
- Rhodamnia*, 205–214\*  
**cinerea** Jack, 210  
var. *cinerea*, 210  
var. *concolor* Blume, 210–211  
*concolor* Miq., 210–211  
*dumetorum* (DC.) Merr. & L.M.Perry, 209–210  
**siamensis** Craib, 209
- Rhododendron* L., 315
- Rhodomystus*, 205–214\*  
**tomentosa** (Aiton) Hassk., 211
- RIBEIRO, J.H.C., 255–284
- Roettlera*  
*kinnearii* (F.Muell.) F.Muell., 31
- Rosaceae, 262
- Rothmannia*  
*sootepensis* (Craib) Bremek., 100–101  
*thailandica* Tirveng., 109, 111, 113 Fig.
- Roupala*  
*montana* Aubl., 262, 273
- Rubiaceae, 100–101, 109, 111, 261, 264, 287
- Rudgea*  
*jasminoides* (Cham.) Müll.Arg., 264
- RUEANGRUEA, S., 107–116
- Rutaceae, 109, 111
- Salicaceae, 111
- SANDS, M.J.S., 127–159

- Sangha Trinational (TNS), Africa, 377–420  
[378 Map]
- SANO, P.T., 55–71
- SANTANA, L.D., 255–284
- SANTOS, M.F., 55–71
- SANZ, C., 377–420
- Savanna, Central Brazil, 55–71
- Schefflera* J.R.Forst. & G.Forst., 315  
  *calva* (Cham.) Frodin & Fiaschi, 264, 278
- Selaginella*, 157
- Senegalia* Raf., 73–74
- Senyumia* Kiew, A.Weber & B.L.Burtt, 20–21  
  *minutiflora* (Ridl.) Kiew, A. Weber & B.L.  
    Burtt, 48 App.
- Serra da Mantiqueira, 255–284\*
- Serra do Papagaio State Park, Brazil, 255–284  
[258 Map, 259 Fig.]
- Sikkim Himalaya, 117–125 [121 Fig.]
- Siphoneugena*  
  *crassifolia* (DC.) Proen  a & Sobral, 261,  
    271–274
- SOH, W.K., 205–214
- Solanaceae, 265–268
- Solanum*  
  *capoerum* Dunal, 267  
  *pseudoquina* A.St.-Hil., 265  
  *swartzianum* Roem. & Schult., 266
- Solomon Islands, 19–49\*
- SOULADETH, P., 107–116
- South America, 321–376\*  
  new record, 285
- South East Asia, 205–214
- Southeast Brazil, 255–284 [258 Map]
- SOUVANNAKHOUMMANE, K., 3–18
- Species identification  
  in *Vachellia*, 73–90\*
- Spelaeanthus* Kiew, A.Weber & B.L.Burtt, 21
- Stemotria*  
  *triandra* (Cav.) Govaerts, 49 App.
- Stenocalyx* O.Berg., 323, 328
- Stenocalyx* Turcz., 323, 328  
  *involutus* Turcz., 323, 328, 355
- Streblus*  
  *macrophyllus* Blume, 99
- Streptocarpus* Lindl., 20
- Strobilanthes*, 109  
  *namkadingensis* Soulad. & Tagane, 109
- Sulawesi, Indonesia, 173–204\* [175 Map, 183  
Map, 190 Map, 194 Map]
- SOULEIMAN, M.K., 73–90
- Sumatra, 297–304\*
- Sumbaviopsis*  
  *albicans* (Blume) J.J.Sm., 98, 101 Fig.
- Symbegonia* Warb., 127–128  
  *arfakensis* Gibbs, 132  
  *bracteosa* Warb., 148  
  *fulvo-villosa* auct. non Warb., 145  
  *fulvo-villosa* (Warb.) Warb., 142–143  
  *geranifolia* Ridl., 149  
  *hirta* Ridl., 150  
  *mooreana* Irmsch., 145  
  *papuana* Merr. & Perry, 150  
  *parvifolia* Gibbs, 151  
  *pulchra* Ridl., 146  
  *sanguinea* Warb., 152  
  *strigosa* Warb., 147
- Symplocaceae, 262, 264–265
- Symplocos*  
  *celastrinea* Mart., 262, 278  
  *falcata* Brand, 265, 278  
  *insignis* Brand, 264
- Systematic treatment/systematics  
  of *Boea*, 23–44  
  of coprinoid fungi, 285–295\*
- Syzygium*, 96, 103  
  *balsameum* (Wight) Wall. ex Walp., 100  
  *megacarpum* (Craib) Rathakr. & N.C.Nair,  
    100, 102 Fig., 103  
  *oblatum* (Roxb.) Wall. ex Steud., 100, 103
- TAGANE, S., 107–116
- Taxonomy  
  of *Begonia*, 127–159\*, 167–172\*, 215–226,  
    227–254  
  of *Boea*, 19–49\*  
  of coprinoid fungi, 285–295\*  
  of *Diospyros*, 55–71  
  of *Duguetia*, 55–71  
  of *Hyptis*, 55–71  
  of *Paraboea*, 51–54\*  
  of *Rhabdodendron*, 55–71
- TEBBITT, M.C., 215–226, 227–254
- Tetrapterys* Cav., 323  
  *includens* Benth., 323, 355
- Thailand, 51–54
- Theaceae, 265
- Thottea* Rottb., 109  
  *tomentosa* (Blume) Ding Hou, 110, 112 Fig.
- Threatened species, 255–284\*

- Tocantins state, Brazil, 55–71\* [57 Map]
- Trees, composition, structure and diversity of, 255–284  
  data analysis, 260
- Trevesia* Vis., 315
- Trigonostemon*  
  *albiflorus* Airy Shaw, 111, 113 Fig.
- Trisepalum* C.B.Clarke, 51, 53, 421
- Tristania*  
  *rufescens* Hance, 209
- Tristaniopsis*, 205–214\*  
  *burmanica* (Griff.) Peter G.Wilson & J.T.Waterh., **209**  
  var. *rufescens* (Hance) J.Parn. & NicLugh., 209
- Tropical forest, 377–420\*
- Tropical montane cloud forests (TMCFs), 255–284 [259 Fig.]
- TURNER, I.M., 1–2
- Typification  
  of *Begonia*, 127–159\*  
  of *Euonymus*, 1–2  
  of Myrtaceae, 205–214\*
- Uapaca*  
  *heudelotii* Baill., 410, 412
- Upper montane cloud forest, 255–284\*
- Vachellia* Wight & Arn., 73–90\*  
  *gerrardii* (Benth.) P.J.H.Hurter, 73–90 [76 Map]  
  var. *latisiliqua* (Brenan) Kyal. & Boatwr., 85
- pachyceras*, 73–90 [76 Map]  
  subsp. *iraqensis*, 86  
  subsp. *gerrardii*, 86  
  var. *najdensis*, 86  
  var. *pachyceras*, 86
- torrillis* (Forssk.) Galasso & Banfi, 73–90 [76 Map]  
  subsp. *raddiana* (Savi) Kyal. & Boatwr., 85  
  subsp. *spiropcarpa*, 85
- Validation  
  in *Euonymus*, 1–2\*
- Venezuela, 215–226\* [219 Map]
- Vernonanthura*  
  *discolor* (Less.) H.Rob., 263
- Vietnam, 309–319\*, 421–425  
  flora of, 205–214
- South Central Coast Region, 167–172
- Vochysia*  
  *magnifica* Warm., 268
- Vochysiaceae*, 268
- WAHLSTEEN, E., 161–166
- Waigeo Island, 19–49\*
- Wallich, Dr Nathaniel, 1–2\*
- WARTCHOW, F., 285–295
- Weinmannia*  
  *paulliniifolia* Pohl ex Ser., 266, 269, 278
- Western Ghats, India, 305–307\*
- Winteraceae, 262
- Woodwardia* Sm., 315
- YAHARA, T., 107–116
- YANG, C.-J., 107–116
- Zanthoxylum*  
  *scandens* Blume, 111, 113 Fig.
- ZHANG, M., 107–116
- Zingiber* Mill., 3–18  
  sect. *Cryptanthium*, 9, 15–16  
  sect. *Dymczewiczia*, 16  
  sect. *Pleuranthesis*, 15  
  sect. *Zingiber*, 15–17  
  *corallinum* Hance, 15  
  *densissimum* S.Q.Tong & Y.M.Xia, 3–18\* [**4**, 5 Fig., **15**]  
  *isanense* Triboun & K.Larsen, 3, **15**  
  *jiewhoei* Škorničk, 3, **15**  
  *junceum* Gagnep., **15**  
  *kerrii* Craib, 3–18\* [5 Fig., **6**, **15**]  
  *laoticum* Gagnep., 7, **15**  
  *larsenii* Theilade, 14  
  *ligulatum* Roxb., 3–18\* [7, 8 Fig., **15**]  
  *mekongense* Gagnep., **15**  
  *menghaiense* S.Q.Tong, 6  
  *monophyllum* Gagnep., **15**  
  *montanum* (J.Koenig) Link ex A.Dietr. **15**  
  *neotruncatum* T.L.Wu, K.Larsen & Turland, **15**  
  *nitens* M.F.Newman, 3, **16**  
  *niveum* Mood & Theilade, **16**  
  *nudicarpum* D.Fang, 3–18\* [8 Fig., **9**, **16**]  
  *officinale* Roscoe, **16**  
  *orbiculatum* S.Q.Tong, 3–18\* [**10**, **11** Fig., **16**]  
  *ottensi* Valeton, **16**  
  *parishii* Hook.f., 3, 12

- subsp. **phuphanense** Triboun & K.Larsen,  
3–18\* [10, 11 Fig., 16]  
**pellitum** Gagnep., 16  
*peninsulare* Theilade, 9  
**recurvatum** S.Q.Tong & Y.M.Xia, 3–18\* [12,  
13 Fig., 16]  
*skornickovae* N.S.Lý, 170  
**smilesianum** Craib, 3–18\* [13 Fig., 14, 16]  
*stipitatum* S.Q.Tong, 6
- teres* S.Q.Tong & Y.M.Xia, 14  
**thorelii** Gagnep., 16  
**xishuangbannense** S.Q.Tong, 3, 16  
**zerumbet** (L.) Roscoe ex Sm., 17  
Zingiberaceae, 3–18, 157  
tribe Zingibereae, 3  
*Ziziphus*  
*angustifolia* (Miq.) Hatus. ex Steenis, 100  
*pubinervis* Rehder, 100