

THE ROYAL BOTANIC GARDEN  
EDINBURGH

EDINBURGH  
JOURNAL  
OF  
BOTANY

General Index to Volume 49  
1992–1993

EDINBURGH: HMSO

Publication Dates:

Number 1, pp. 1–121	30 April 1992
Number 2, pp. 123–250	31 August 1992
Number 3, pp. 251–361	26 February 1993

## CONTENTS OF VOLUME 49 1992–1993

Plant portrait — <i>Rhododendron polyanthemum</i> . George Argent & Mary Bates	1
Keys to the Gesneriaceae of China. Wang Wentsai, Pan Kaiyu & Li Zhenyu	5
Two new species of <i>Streptocarpus</i> from Southern Africa. O. M. Hilliard	75
Notes on <i>Dioscorea kamoonensis</i> and related taxa. K. Y. Guan & D. F. Chamberlain	77
A new species and a new combination in the genus <i>Ephedra</i> from Arabia. H. Freitag & M. Maier-Stolte	89
A new species of <i>Ixora</i> from Burma. D. B. Deb & R. C. Rout	95
Macromycetes of Mediterranean Turkey. Mustafa Isiloglu & Roy Watling	99
A revision of <i>Geranium</i> in south-west China. P. F. Yeo	123
Reduction of <i>Spongiosyndesmus</i> Gilli to <i>Ladyginia</i> Lipsky (Umbelliferae). Michael Piminov & Eugine V. Kljukov	213
<i>Ormosolenia</i> restored. Michael G. Pimenov	219
New names and combinations in <i>Jamesbrittenia</i> (Scrophulariaceae - Manuleae). O. M. Hilliard	225
An analysis of the floristic composition of 26 cerrado areas in Brazil. J. A. Ratter & T. C. D. Dargie	235
The taxonomy of multiseed Junipers ( <i>Juniperus</i> sect. <i>Sabina</i> ) in south-west Asia and East Africa (Taxonomic notes on Cupressaceae I). Aljos Farjon	251
Gesneriaceae of the Old World III. New species and varieties from Borneo, chiefly from Mt Kinabalu. B. L. Burtt	285
Miscellaneous new names and combinations in Scrophulariaceae - Manuleae. O. M. Hilliard	297
Lectotypes for Himalayan <i>Sorbus</i> taxa (Rosaceae). Keith Rushforth	299
Wild and cultivated <i>Dracaena fragrans</i> . J. J. Bos, P. Graven, W. L. A. Hetterscheid & J. J. van de Wege	311
Numerical taxonomic study on Turkish <i>Lathyrus</i> (Leguminosae). M. Dogan, A. Kence & C. Tigin	333
Boletes from South and East Central Africa – I. Roy Watling & Evelyn Turnbull	343

- Aeschynanthus** Jack, 13  
*acuminata* A. DC., 63  
*acuminatissimus* W.T. Wang, 65  
*andersonii* Clarke, 64  
*angustioblongus* W.T. Wang, 65  
*angustissimus* (W.T. Wang) W.T. Wang, 63  
*austroyunnanensis* W.T. Wang, 65  
 var. *guangxiensis* (W.T. Wang)  
     W.T. Wang, 65  
*bracteatus* A. DC., 63  
*buxifolius* Hemsl., 64  
*denticuliger* W.T. Wang, 64  
*dolichanthus* W.T. Wang, 66  
*gracilis* Clarke, 64  
*guangxiensis* W.T. Wang, 65  
*hookeri* Clarke, 65  
*humilis* Hemsl., 64  
*lancilimbus* W.T. Wang, 65  
*lasiacanthus* W.T. Wang, 65  
*lasiocalyx* W.T. Wang, 66  
*linearifolius* C.E.C. Fisch., 64  
*lineatus* Craib, 65  
*macranthus* (Merr.) Pellegr., 66  
*maculatus* Lindl., 65  
*medongensis* W.T. Wang, 65  
*mengxingensis* W.T. Wang, 64  
*mimetes* Burtt, 66  
*moningeriae* (Merr.) Chun, 63  
*novogracilis* W.T. Wang, 64  
*pachytrichus* W.T. Wang, 66  
*planipetiolatus* H.W. Li, 65  
*poilanei* Pellegr., 63  
*sinolongicalyx* W.T. Wang, 63  
*stenosepalus* Anthony, 63  
*superbus* Clarke, 63  
*tengchungensis* W.T. Wang, 65  
*tubulosus* Anthony, 65  
*wardii* Merr., 63  
**Africa**, East. *Juniperus* sect. *Sabina* in,  
     251  
**Afroboletus** Pegler & Young, 344  
*azureotinctus* Watl., 344  
*costatisporus* (Beeli) Watl., 346  
*lepidellus* (Gilbert ex Heinem.) Watl.,  
     346
- Agalmyla** tuberculata Hook. fil.  
 var. *ovata* B.L. Burtt, 285  
**Agaricus** bisporus (Lange) Singer, 101  
*campestris* (L.) Fr., 101  
*cupreobrunneus* (Schaeff. & Steer)  
     Möller, 101  
**Aikinia**, 73  
**Allocheilos** W.T. Wang, 12  
*cortusiflorum* W.T. Wang, 57  
**Allostigma** W.T. Wang, 11  
*guangxiense* W.T. Wang, 30  
**Amanita** caesarea (Scop.: Fr.) Pers., 101  
*codinæ* (R. Maire) Singer, 102  
*ovoidea* (Bull.: Fr.) Quélet, 102  
**Ancylostemon** Craib, 10  
*aureus* (Franch.) Burtt, 22  
*convexus* Craib, 22  
*gamosepalis* K.Y. Pan, 21  
*humilis* W.T. Wang, 21  
*mairei* (Lévl.) Craib, 21  
*notochlaena* (Lévl. & Van.) Craib, 21  
*rhombifolius* K.Y. Pan, 22  
*ronganensis* K.Y. Pan, 21  
*saxatilis* (Hemsl.) Craib, 21  
*trichanthus* Burtt & Davidson, 22  
*vulpinus* Burtt & Davidson, 22  
**Anna** Pellegr., 13  
*mollifolia* (W.T. Wang) W.T. Wang  
     & K.Y. Pan, 61  
*ophiorrhizoides* (Hemsl.) Burtt &  
     Davidson, 61  
*submontana* Pellegr., 61  
**Arabia**, A new species and a new combination in the genus *Ephedra* from,  
     89  
**ARGENT**, G.C.G.  
*Rhododendron polyanthemum*  
     Sleumer, 1  
**Armillaria** mellea (Fr.) Kummer, 110  
**Asia**, south-west. *Juniperus* sect. *Sabina* in, 251  
**Astraeus** hygrometricus (Pers.) Morgan,  
     116  
**Aureoboletus** sp., 346

- B**eccarinda Kuntze, 10  
*argentea* (Anthony) Burtt, 27  
*erythrotricha* W.T. Wang, 27  
*minima* K.Y. Pan, 27  
*paucisetulosa* H.W. Li, 27  
*sinensis* (Chun) Burtt, 27  
*tonkinensis* (Pellegr.) Burtt, 27  
*Bjerkandera adusta* (Fr.) Karsten, 113  
*Boea* Lam., 13  
*clarkeana* Hemsl., 60  
*hygrometrica* (Bunge) R. Br., 60  
*philippensis* Clarke, 60  
*Boeica* Clarke, 10, 28  
*ferruginea* Drake, 28  
*fulva* Clarke, 28  
*guileana* Burtt, 28  
*multinervia* K.Y. Pan, 28  
*porosa* Clarke, 28  
*stolonifera* K.Y. Pan, 28  
*yunnanensis* (H.W. Li) K.Y. Pan, 28  
*Boeicopsis*, 73  
*Boletellus pustulatus* (Beeli) Gilbert, 347  
 Boletes from South and East Central Africa – I, 343  
 Borneo, New species of Gesneriaceae from, 285  
 BOS, J.J., GRAVEN, P., HETTERSCHEID, W.L.A. & VAN DE WEGE J.J.  
 Wild and cultivated Dracaena fragrans, 311  
 Bournea Oliv., 9  
*leiophylla* (W.T. Wang) W.T. Wang & K.Y. Pan, 14  
*sinensis* Oliv., 14  
 Bovista plumbea Pers., 114  
*polymorpha* (Vitt.) Kreisel, 115  
*Brachiostemon*, 73  
 Brazil, An analysis of the floristic composition of 26 Cerrado areas in, 235  
 Briggsia Craib, 10  
*acutiloba* K.Y. Pan, 24  
*agnesiae* (Forrest) Craib, 24  
*amabilis* (Diels) Craib, 22  
*aurantiaca* Burtt, 23  
*chienii* Chun, 23  
*dongxingensis* K.Y. Pan, 22  
*elegantissima* (Lévl. & Van.) Craib, 24  
*forrestii* Craib, 24  
*humilis* K.Y. Pan, 23  
*latisepala* K.Y. Pan, 23  
*longicaulis* W.T. Wang & K.Y. Pan, 22  
*longifolia* Craib, 23  
*longipes* (Hemsl.) Craib, 22  
*mairei* Craib, 23  
*mihieri* (Franch.) Craib, 22  
*muscicola* (Diels) Craib, 23  
*parvifolia* K.Y. Pan, 24  
*pinfaënsis* (Lévl.) Craib, 24  
*rosthornii* (Diels) Burtt, 24  
*speciosa* (Hemsl.) Craib, 24  
*stewardii* Chun, 23  
*Briggsiopsis* K.Y. Pan, 10  
*delavayi* (Franch.) K.Y. Pan, 24  
*Buchnera aurantiaca* Burchell, 227  
 Burma, A new species of Ixora from, 95  
 BURTT, B.L.  
 Gesneriaceae of the Old World, III.  
 New species and varieties from Borneo, chiefly from Mt Kinabalu, 285  
*Buxiphyllum*, 73  
*Calcareoboea* H.W. Li, 12  
*coccinea* H.W. Li, 57  
*Camptoloma*, 225  
*Cathayanthe* Chun, 10  
*biflora* Chun, 27  
*Ceratoscyphus*, 73  
 Cerrado, An analysis of the floristic composition of, 235  
*Chaenostoma fleckii* Thell., 229  
*hereroense* Engl., 230  
*heucherifolium* Diels, 230  
*huillanum* Diels, 230  
*kraussianum* Bernh., 230  
*lyperioides* Engl., 230  
*montana* Diels, 231  
*pedunculosum* Benth., 232  
*primuliflorum* Thell., 232  
*sessilifolium* Diels, 232

CHAMBERLAIN, D.F. & GUAN, K.Y.  
 Notes on *Dioscorea kamoonensis* and  
 related taxa, 77  
 China, Keys to the Gesneriaceae of, 5  
 China, A revision of *Geranium* L. in  
 south-west, 123  
 Chirita D. Don, 12  
   anachoreta Hance, 48  
   atropurpurea W.T. Wang, 42  
   bicolor W.T. Wang, 41  
   brachystigma W.T. Wang, 42  
   brachytricha W.T. Wang & D.Y.  
     Chen, 46  
   brassicoides W.T. Wang, 44  
   briggsioides W.T. Wang, 47  
   carnosifolia H.W. Li, 45  
   ceratoscyphus Burtt, 47  
   cordifolia W.T. Wang, 44  
   cruciformis (Chun) W.T. Wang, 44  
   depressa Hook. f., 43  
   dielsii (Borza) Burtt, 47  
   dimidiata Clarke, 48  
   eburnea Hance, 43  
   fangii W.T. Wang, 44  
   fasciculiflora W.T. Wang, 47  
   fimbrisepala H.-M., 41  
   flavimaculata W.T. Wang, 45  
   floribunda W.T. Wang, 45  
   fordii (Hemsl.) Wood, 46  
   forrestii Anthony, 46  
   fruticola H.W. Li, 47  
   glabrescens W.T. Wang, 41  
   guangxiensis S.Z. Huang, 29  
   gueulinensis W.T. Wang, 45  
   hamosa R. Br., 38  
   hedyotidea (Chun) W.T. Wang, 46  
   heterotricha Merr., 45  
   infundibuliformis W.T. Wang, 47  
   juliae Hance, 38, 45  
   lachenensis Clarke, 47  
   laifengensis W.T. Wang, 41  
   laxiflora W.T. Wang, 45  
   leiophylla W.T. Wang, 44  
   liboensis W.T. Wang, 38  
   lienxienensis W.T. Wang, 43  
   liguliformis W.T. Wang, 45  
   linearifolia W.T. Wang, 42

linglingensis W.T. Wang, 46  
 longgangensis W.T. Wang, 42  
 longistyla W.T. Wang, 46  
 lunglinensis W.T. Wang, 44  
 lungzhouensis W.T. Wang, 44  
 macrophylla Wall., 47  
 medica W.T. Wang, 45  
 minutithamata Wood, 46  
 minutimaculata D. Fang & W.T.  
     Wang, 43  
 monantha W.T. Wang, 46  
 oblongifolia (Roxb.) Sinclair, 48  
 obtusa Clarke, 29  
 obtusidentata W.T. Wang, 41  
 ophiopogoides D. Fang & W.T.  
     Wang, 38  
 orthandra W.T. Wang, 43  
 parvifolia W.T. Wang, 42  
 pinnata W.T. Wang, 38  
 pinnatifida (H.-M.) Burtt, 38  
 polycephala (Chun) W.T. Wang, 43  
 pseudoburnea D. Fang & W.T. Wang,  
     43  
 pteropoda W.T. Wang, 46  
 pumila D. Don, 48  
 roseoalba W.T. Wang, 46  
 rotundifolia (Hemsl.) Wood, 44  
 sclerophylla W.T. Wang, 42  
 secundiflora (Chun) W.T. Wang, 41  
 shenlungjiaensis W.T. Wang, 44  
 sichuanensis W.T. Wang, 43  
 sinensis Lindl., 43  
 spadiciformis W.T. Wang, 42  
 speciosa Kurz, 47  
 speluncae (H.-M.) Wood, 41  
 spinulosa D. Fang & W.T. Wang, 38  
 subrhomboidea W.T. Wang, 41  
 subulatisepala W.T. Wang, 43  
 swinglei (Merr.) W.T. Wang, 45  
 tenuifolia W.T. Wang, 42  
 tenuituba W.T. Wang, 44  
 tibetica (Franch.) Burtt, 46  
 tribracteata W.T. Wang, 42  
 urticifolia D. Don, 48  
 verecunda (Chun) W.T. Wang, 41  
 vestita Wood, 41  
 villosissima W.T. Wang, 44

- Chiritopsis W.T. Wang, 12  
*bipinnatifida* W.T. Wang, 50  
*confertiflora* W.T. Wang, 50  
*cordifolia* D. Fang & W.T. Wang, 50  
*lobulata* W.T. Wang, 50  
*mollifolia* D. Fang & W.T. Wang, 48  
*repanda* W.T. Wang, 50  
*subulata* W.T. Wang, 50
- Chroogomphus rutilus* (Fr.) Miller, 105
- Clitocybe radicellata* Gillet, 110
- Conandron* Sieb. & Zucc., 8  
*ramondioides* Sieb. & Zucc., 15
- Coprinus atramentarius* (Bull.: Fr.) Fr., 103  
*galericuliformis* Losa ex Watl., 103  
*ovatus* (Schaeffer: Fr.) Fr., 103  
*picaceus* (Bull.) Fr., 103
- Corallodiscus* Batalin, 10  
*bullatus* (Craib) Burtt, 26  
*conchifolius* Batalin, 26  
*cordatulus* (Craib) Burtt, 27  
*flabellatus* (Craib) Burtt, 26  
*forrestii* (Anth.) Burtt, 26  
*kingianus* (Craib) Burtt, 26  
*labordei* (Craib) Burtt, 27  
*lanuginosus* (DC.) Burtt, 26  
*patens* (Craib) Burtt, 26  
*plicatus* (Franch.) Burtt, 26  
*taliensis* (Craib) Burtt, 27
- Cortinarius subvalidus* R. Henry, 104
- Cyathus olla* (Batsch.) Pers., 115
- Cycnium carvalhoi* Engl., 228
- Cyrtandra* J.R. & G. Forst., 14  
*areolata* (Stapf) B.L. Burtt  
 var. *grandis* B.L. Burtt, 286  
*clarkei* Stapf, 286  
 var. *brachycalyx* B.L. Burtt, 287  
 var. *clarkei*, 287  
 var. *grandis* B.L. Burtt, 287  
 var. *longipetiolata* B.L. Burtt, 288
- corniculata* B.L. Burtt, 289
- dallasensis* B.L. Burtt, 290
- dolichopoda* B.L. Burtt, 291
- kermesina*, 288
- leiocrater* B.L. Burtt, 292
- multicaulis* B.L. Burtt, 292
- papyrus* B.L. Burtt, 293  
*rubricalyx* B.L. Burtt, 294  
*sinclairiana* B.L. Burtt, 295  
*umbellifera* Merr., 71
- Cystoderma amianthium* (Scop.) Fayod, 110
- DARGIE, T.C.D. & RATTER, J. A.**  
 An analysis of the floristic composition of 26 Cerrado areas in Brazil, 235
- Dasydesmus*, 73
- Dayaoshania* W.T. Wang, 11  
*cotinifolia* W.T. Wang, 29
- DEB, D.B. & ROUT, R.C.**  
 A new species of *Ixora* from Burma, 95
- Deinocheilos* W.T. Wang, 11  
*jiangxiense* W.T. Wang, 35  
*sichuanense* W.T. Wang, 35
- Deltocheilos*, 73  
*tenuitubum* W.T. Wang, 44
- Dichiloboea*, 73
- Didissandra** Clarke, 10  
*begoniifolia* Lévl., 25  
*longipedunculata* H.W. Li, 25  
*macrosiphon* (Hance) W.T. Wang, 25  
*sesquifolia* Clarke, 25  
*sinica* (Chun) W.T. Wang, 25
- Didymocarpus* Wall., 13  
*adenocalyx* W.T. Wang, 53  
*aromaticus* Wall., 53  
*cortusifolius* (Hance) Lévl., 54  
*demissus* Hance, 54  
*glandulosus* (W.W. Smith) W.T. Wang, 52
- grandidentatus* (W.T. Wang) W.T. Wang, 53
- hancei* Hemsl., 54
- heucherifolius* Hand.-Mazz., 54
- leiboensis* Z.P. Soong & W.T. Wang, 52
- margaritae* W.W. Smith, 50
- medongensis* W.T. Wang, 52
- mengtze* W.W. Smith, 53
- mollifolius* W.T. Wang, 54

- nanophyton H.W. Li, 53  
 niveolanosus D. Fang & W.T. Wang, 54  
 praeteritus Burtt & Davidson, 52  
 primulifolius D. Don, 53  
 pseudomengtze W.T. Wang, 52  
 pulcher Clarke, 52  
 purpureobracteatus W.W. Smith, 52  
 reniformis W.T. Wang, 54  
 salviflorus Chun, 54  
 silvarum W.W. Smith, 52  
 sinoprimulinus W.T. Wang, 54  
 stenanthos Clarke, 53  
 stenocarpus W.T. Wang, 52  
 villosus D. Don, 53  
 yuenlingensis W.T. Wang, 54  
 yunnanensis (Franch.) W.W. Smith, 52  
 zhenkangensis W.T. Wang, 52  
 zhufengensis W.T. Wang, 53  
*Didymostigma* W.T. Wang, 11  
 obtusum (Clarke) W.T. Wang, 29  
*Dioscorea kamoonensis*, Notes on, 77  
*Dioscorea brevifolia* (Prain & Burkill)  
 K.Y. Guan & D.F. Chamberlain, 79, 86  
 delavayi Franchet, 80, 84  
 kamoonensis Kunth, 80  
 ochroleuca K.Y. Guan & D.F. Chamberlain, 79, 85  
 DOGAN, M., KENCE, A. & TIGIN, C.  
 Numerical taxonomic study on Turkish Lathyrus (Leguminosae), 333  
 Dolicholoma D. Fang & W.T. Wang, 13  
 jasminiflorum D. Fang & W.T. Wang, 57  
*Dorcoceras*, 73  
*Dracaena fragrans*, Wild and cultivated, 311  
*Dracaena congoensis* Hua, 313  
 deistelliana Engl., 313  
 deremensis Engl., 313  
 fragrans (L.) Ker Gawler, 315  
 steudneri Engl.  
 var. *kilimandscharica* Engl., 314

- E**ast Central Africa, Boletes from South and, 343  
*Ephedra*, a new species and a new combination in the genus, 89  
*Ephedra milleri* Freitag & Maier-Stolte, 89  
*pachyclada* Boiss.  
 subsp. *sinaica* (Riedl.) Freitag & Maier-Stolte, 92  
*Epithema* Blume, 14  
 carnosum Benth., 73  
*Erinus incisa* Thunb., 230

- F**ARJON, A.  
 The taxonomy of multiseed Junipers (*Juniperus* sect. *Sabina*) in southwest Asia and East Africa (Taxonomic notes on Cupressaceae I), 251  
 Floristic composition of 26 Cerrado areas in Brazil, An analysis of, 235  
**FREITAG, H. & MAIER-STOLTE, M.**  
 A new species and a new combination in the genus *Ephedra* from Arabia, 89

- G**eastrum *pectinatum* Pers., 114  
*Geranium* L. in south-west China, A revision of, 123  
*Geranium angustilobum* Z.M. Tan, 163  
 ascendens Z.M. Tan, 131-2, 196  
*batangense* Pax & Hoff., 163  
 bockii, 129-31  
 bockii Knuth, 143  
 butoense, 128  
 butoense Z.M. Tan, 154  
*calanthum* Hand.-Mazz., 165  
*candicans* Knuth, 171  
*canopurpureum* Yeo, 129, 138  
*carolinianum* L., 131, 191  
*christensenianum* Hand.-Mazz., 131, 176  
*dahuricum* DC., 130, 132  
*delavayi* Franchet, 128, 165  
*donianum* Sweet, 130, 162  
*duclouxii* Yeo, 130, 148

- eriophorum* Léveillé, 204  
*erostemon* Fisch. ex DC., 176  
*fangii* Knuth, 182, 189  
*fargesii* Yeo, 132, 150  
*farreri* Stapf, 130-1, 173  
*forrestii* Knuth, 165  
*forrestii* Stapf, 160  
*franchetii* Knuth, 130, 132, 146  
  var. *franchetii*, 148  
  var. *glandulosum* Z.M. Tan, 148  
*fusiforme* Yeo, 155  
*hastatum* Nakai, 187  
*henryi* Knuth, 130, 141  
  var. *henryi*, 142  
  var. *wilsonii* (Knuth) Yeo, 142  
*hispidissimum* (Franchet) Knuth, 132, 199  
*hupehanum* Knuth, 142  
*kariense* Knuth, 165  
*krameri* Franchet & Sav., 130, 134  
*kweichowense* Huang, 201  
*lavergneanum* Lévl., 182  
  var. *cinerascens* Lévl., 189  
*limprichtii* Lingels. & Borza, 165  
*mairei* Lévl., 167  
*meiguense* Z.M. Tan, 169  
*melanandrum* Franchet, 163  
*moupinense* Franchet, 132, 195  
*multifidum* D. Don, 162  
*napuligerum* Franchet, 129, 158  
*nepalense* Sweet, 129, 182  
  var. *thunbergii* (Siebold ex Lindley & Paxton) Kudo, 185  
*ocellatum* Cambess., 131, 200  
  var. *himalaicum* Knuth, 201  
  var. *yunnanensis* Knuth, 201  
*oliganthum* Huang, 183  
*orientali-tibeticum* Knuth, 130, 137  
*palustre*  
  var. *stipulaceum* Franch., 169  
*platyanthum* Duthie, 131, 176  
*platylobum* Knuth, 199  
*platypetalum* Franch., 167  
*platyrenifolium* Z.M. Tan, 132, 153  
*pogonanthum* Franchet, 128, 169  
*polyanthes* Edgew. & Hook. f., 132, 192  
*pratense* L., 128, 181  
*pseudofarreri* Z.M. Tan, 131, 145  
*pylzowianum* Maxim., 130, 135  
*refractoides* Pax & Hoff., 163  
*refractum* Edgew. & Hook. f., 128, 163  
*rectectum* Yeo, 131, 179  
*robertianum* L., 128, 204  
  var. *eriophorum* (Lévl.) Lévl., 204  
*rosthornii* Knuth, 129, 155  
*sibiricum* L., 129, 189  
*sieboldii* Maxim., 134  
*sinense* Knuth, 128, 167  
*stapfianum* Hand.-Mazz., 130, 160  
*stenorrhizum* Stapf, 162  
*strictipes* Knuth, 132, 197  
*strigellum* Knuth, 146  
*strigosum* Franchet, 197  
  var. *gracile* Franchet, 197  
  var. *grandiflorum* Franchet, 197  
  var. *hispidissimum* Franchet, 199  
  var. *platylobum* Franchet, 199  
*tapintzense* Huang, 201  
*terminale* Z.M. Tan, 205  
*thunbergii* Siebold ex Lindley & Paxton, 129, 185  
*umbelliforme* Franchet, 132, 194  
*wilfordii* Maxim., 129, 131, 187  
  var. *glandulosum* Z.M. Tan, 187  
*wilsonii* Knuth, 142  
*wlassovianum* Fischer ex Link, 130, 159  
*yuexiense* Z.M. Tan, 132, 186  
*yunnanense* Franchet, 128, 171  
*yunnanense* sensu Yeo, 169  
Gesneriaceae of China, Keys to the, 5  
Gesneriaceae of the Old World, III.  
  New species and varieties from Borneo, chiefly from Mt Kinabalu, 285  
GRAVEN, P., BOS, J.J., HETTERSCHIED, W.L.A. & VAN DE WEGE, J.J.  
Wild and cultivated Dracaena fragrans, 311  
GUAN, K.Y. & CHAMBERLAIN, D.F.  
  Notes on Dioscorea kamoonensis and related taxa, 77  
Gyrocheilos W.T. Wang, 13

- chorisepalum W.T. Wang  
 var. *chorisepalum*, 57  
 var. *synsepalum* W.T. Wang, 57
- lasiocalyx* W.T. Wang, 57
- microtrichum* W.T. Wang, 57
- rectotrichum* W.T. Wang  
 var. *oligolobum* W.T. Wang, 57  
 var. *rectotrichum*, 57
- Gyrogyné* W.T. Wang, 14
- subaequifolia* W.T. Wang, 71
- Gyroporus castaneus* (Bull.: Fr.) Quélet,  
 348
- microsporus*  
 var. *congolensis* (Heinem.) Heinem. & Rameloo, 348
- H**ebeloma *sinapizans* (Paulet: Fr.) Gillet, 105
- Helvella crispa* Fr., 116
- leucopus Pers., 116
- Hemiboea* Clarke, 11
- bicornuta (Hayata) Ohwi, 30
- cavalerei Lévl., 31
- fangii Z.Y. Li, 32
- flaccida Z.Y. Li, 32
- follicularis Clarke, 32
- gamosepala Z.Y. Li, 32
- glandulosa Z.Y. Li, 32
- gracilis Franch., 31
- henryi Clarke, 31
- integra H.W. Li, 30
- latiseppala Z.Y. Li, 31
- longgangensis Z.Y. Li, 32
- longisepala Z.Y. Li, 30
- lungzhouensis Z.Y. Li, 30
- mollifolia W.T. Wang, 32
- omeiensis W.T. Wang, 31
- parviflora Z.Y. Li, 31
- pingbienensis Z.Y. Li, 31
- strigosa W.T. Wang, 31
- subacaulis Hand.-Mazz., 31
- subcapitata Clarke, 31
- Hemiboeopsis* W.T. Wang, 12
- longisepala (H.W. Li) W.T. Wang, 32
- HETTERScheid, W.L.A., BOS, J.J.,**  
**GRAVEN, P. & J.J. VAN DE WEGE, J.**  
**J.**
- Wild and cultivated *Dracaena fragrans*, 311
- HILLIARD, O.M.**
- Miscellaneous new names and combinations in *Scrophulariaceae* - *Manuleae*, 297
- New names and combinations in *Jamesbrittenia* (*Scrophulariaceae* - *Manuleae*), 225
- Two new species of *Streptocarpus* from Southern Africa, 75
- Himalayan *Sorbus* taxa (*Rosaceae*), Lectotypes for, 299
- Hohenbuehelia rickenii* (Kühner) P.D. Orton, 110
- Hygrophorus chrysodon* (Batsch) Fr., 106
- I**nocybe *geophylla* (Sow.: Fr.) Kummer  
 var. *lilacina* Gillet, 105  
*patouillardii* Bres., 105
- Isanthera*, 74
- ISILOGLU, MUSTAFA & WATLING, ROY**
- Macromycetes of Mediterranean Turkey, 99
- Isometrum* Craib, 9-10
- crenatum K.Y. Pan, 20
- eximum K.Y. Pan, 19
- fargesii (Franch.) Burtt, 19
- farreri Craib, 20
- giraldii (Diels) Burtt, 20
- glandulosum (Batalin) Craib, 19
- lancifolium (Franch.) K.Y. Pan  
 var. *lancifolium*, 20  
 var. *mucronatum* K.Y. Pan, 20
- leucanthum (Diels) Burtt, 19
- lungshengense (W.T. Wang) W.T. Wang & K.Y. Pan, 19
- pinnatilobatum K.Y. Pan, 20
- primuliflorum (Batalin) Burtt, 20
- sichuanicum K.Y. Pan, 20
- villosum K.Y. Pan, 20
- Ixora*, A new species from Burma, 95

*Ixora keenanii* Deb & Rout, 95

**J**amesbrittenia, New names and combinations in, 225

*Jamesbrittenia* O. Kuntze, 225

*accrescens* (Hiern.) Hilliard, 225

*acutiloba* (Pilger) Hilliard, 225

*adpressa* (Dinter) Hilliard, 225

*albanensis* Hilliard, 225

*albiflora* (Verdoorn) Hilliard, 226

*albobadia* Hilliard, 226

*albomarginata* Hilliard, 226

*amplexicaulis* (Benth.) Hilliard, 226

*angolensis* Hilliard, 226

*argentea* (L. f.) Hilliard, 226

*aridicola* Hilliard, 226

*aspalathoides* (Benth.) Hilliard, 227

*asplenifolia* Hilliard, 227

*atropurpurea* (Benth.) Hilliard, 227

    subsp. *pubescens* Hilliard, 227

*aurantiaca* (Burchell) Hilliard, 227

*barbata* Hilliard, 227

*beverlyana* (Hilliard & Burtt) Hilliard, 227

*bicolor* (Dinter) Hilliard, 227

*breviflora* (Schltr.) Hilliard, 227

*burkeana* (Benth.) Hilliard, 227

*calciphila* Hilliard, 227

*candida* Hilliard, 228

*canescens* (Benth.) Hilliard, 228

    var. *laevior* (Dinter) Hilliard, 228

    var. *seineri* (Pilger) Hilliard, 228

*carvalhoi* (Engl.) Hilliard, 228

*chenopodiooides* Hilliard, 228

*concinna* (Hiern) Hilliard, 228

*crassicaulis* (Benth.) Hilliard, 228

*dentatisepala* (Overkott) Hilliard, 228

*dolomitica* Hilliard, 228

*elegantissima* (Schinz) Hilliard, 229

*filicaulis* (Benth.) Hilliard, 229

*fimbriata* Hilliard, 229

*fleckii* (Thell.) Hilliard, 229

*fodina* (Wild) Hilliard, 229

*foliolosa* (Benth.) Hilliard, 229

*fragilis* (Pilger) Hilliard, 229

*fruticosa* (Benth.) Hilliard, 229

*giessii* Hilliard, 229

*glutinosa* (Benth.) Hilliard, 229

*grandiflora* (Galpin) Hilliard, 229

*hereroensis* (Engl.) Hilliard, 230

*heucherifolia* (Diels) Hilliard, 230

*huillana* (Diels) Hilliard, 230

*incisa* (Thunb.) Hilliard, 230

*integerimma* (Benth.) Hilliard, 230

*jurassica* (Hilliard & Burtt) Hilliard,

  230

*kraussiana* (Bernh.) Hilliard, 230

*lesutica* Hilliard, 230

*lyperioides* (Engl.) Hilliard, 230

*macrantha* (Codd) Hilliard, 230

*major* (Pilger) Hilliard, 230

*maritima* (Hiern) Hilliard, 230

*maxii* (Hiern) Hilliard, 230

*megadenia* Hilliard, 230

*megaphylla* Hilliard, 230

*merxmulleri* (Roessler) Hilliard, 231

*micrantha* (Klotzsch) Hilliard, 231

*microphylla* (L. f.) Hilliard, 231

*montana* (Diels) Hilliard, 231

*multisecta* Hilliard, 231

*myriantha* Hilliard, 231

*namaquensis* Hilliard, 231

*pallida* (Pilger) Hilliard, 232

*pedunculosa* (Benth.) Hilliard, 232

*phlogiflora* (Benth.) Hilliard, 232

*pilgeriana* (Dinter) Hilliard, 232

*pinnatifida* (L. f.) Hilliard, 232

*primuliflora* (Thell.) Hilliard, 232

*pristisepala* (Hiern) Hilliard, 232

*racemosa* (Benth.) Hilliard, 232

*ramosissima* (Hiern) Hilliard, 232

*sessilifolia* (Diels) Hilliard, 232

*silenooides* (Hilliard) Hilliard, 232

*stellata* Hilliard, 232

*stricta* (Benth.) Hilliard, 232

*tenella* (Hiern) Hilliard, 232

*tenuifolia* (Bernh.) Hilliard, 232

*thunbergii* (G. Don) Hilliard, 233

*tortuosa* (Benth.) Hilliard, 233

*tysonii* (Hiern) Hilliard, 233

*zambesica* (R.E. Fries) Hilliard, 233

*zuurbergensis* Hilliard, 233

- Juniperus* sect. *Sabina* in south-west Asia and East Africa, Taxonomy of, 251
- Juniperus drobovii* Sumnevicz, 277
- excelsa* M.-Bieb., 255
  - subsp. *excelsa*, 278
  - subsp. *polycarpos* (K. Koch) Takh-tajan, 259, 278
  - var. *pendula* (Mulk.) Imkhanitskaya, 260
  - subsp. *seravschanica* (Komarov) Imkhanitskaya, 260
  - subsp. *turcomanica* (B.A. Fedtsch.) Imkhanitskaya, 260
  - var. *depressa* O. Schwarz, 256
  - var. *farreana* P.N. Mehra, 260
  - var. *polycarpos* (K. Koch) Silba, 260
- excelsa* auct. non M.-Bieb., 271
- excelsa* Wall., sensu Aitch., 260
- foetida*
- var. *excelsa* (M.-Bieb.) Spach, 256
  - var. *sqarrulosa* Spach, 265
- foetidissima* Willd., 265, 278
- var. *pindicola* Formanek, 265
  - var. *squarrosa* Medw., 265
- hochstetteri* Ant., 267
- isophyllos* K. Koch, 256
- jarkedensis* Komarov, 271
- macropoda* Boiss., 260
- macropoda* auct., non Boiss., 271
- phoenicea* Pall., 265
- polycarpos* K. Koch, 259
- var. *pendula* Mulk., 260
  - var. *seravschanica* (Komarov) Kitamura, 260
- procera* Hochst. ex. Endl., 267, 278
- sabina*
- var. *excelsa* (M.-Bieb.) Georgi, 256
  - var. *taurica* Pall., 256
- sabinoides* Griseb., 265
- schugnanica* Komarov, 271
- semiglobosa* Regel, 271, 278
- seravschanica* Komarov, 260
- talassica* Lipsky, 271
- taurica* (Pall.) Lipsky, 256
- tianschanica* Sumnevicz, 277
- turcomanica* B.A. Fedtsch., 260
- K**ENCE, A., DOGAN, M. & TIGIN, C. Numerical taxonomic study on Turkish Lathyrus (Leguminosae), 333
- KLJUYKOV, EUGINE V. & PIMENOV, MICHAEL Reduction of Spongiosyndesmus Gilli to Ladyginia Lipsky (Umbelliferae), 213
- Klugia*, 74
- L**accaria laccata (Scop.: Fr.) Berk. & Br., 110
- Lacrymaria lacrymabunda (Bull.: Fr.) Pat., 103
- Lactarius deliciosus (Fr.) S.F. Gray, 108
- Ladyginia, Reduction of Spongiosyndesmus Gilli to, 213
- Ladyginia Lipsky, 215
- afghanica (Gilli) Pimenov & Kljuykov, 217
  - gigantea (Leute) Pimenov & Kljuykov, 217
- Lagarosolen W.T. Wang, 12
- hispidus W.T. Wang, 35
- Lathyrus (Leguminosae), Numerical taxonomic study on Turkish, 333
- Lathyrus section Gorgonis Dogan, 339
- Leccinum corsicum (Roll.) Singer, 102
- Lectotypes for Himalayan Sorbus taxa (Rosaceae), 299
- Lentinus tigrinus (Bull.: Fr.) Fr., 107
- Lepiota helveola Bres., 106
- Lepista saeva (Fr.) P.D. Orton, 111
- sordida (Fr.) Singer, 111
- Leptoboea Benth., 10
- multiflora (Clarke) Gamble, 27
- Leucoagricus leucothites (Vitt.) Wasser, 106
- LI ZHENYU, WANG WENTSAI & PAN KAIYU Keys to the Gesneriaceae of China, 5

- Loxostigma** Clarke, 13  
*brevipetiolatum* W.T. Wang & K.Y. Pan, 62  
*cavaleriei* (Lévl. & Van) Burtt, 62  
*fimbrisepalum* K.Y. Pan, 62  
*glabrifolium* D. Fang & K.Y. Pan, 62  
*griffithii* (Wight) Clarke, 62  
*mekongense* (Franch.) Burtt, 62  
*musetorum* H.W. Li, 62  
**Lycoperdon** atropurpureum Vitt., 115  
*molle* Pers., 115  
*perlatum* Pers., 115  
**Lyperia** Benth., 225  
*acutiloba* Pilger, 225  
*amplexicaulis* Benth., 226  
*aspalathoides* Benth., 227  
*atropurpurea* Benth., 227  
*breviflora* Schltr., 227  
*burkeana* Benth., 227  
*canescens* Benth., 228  
*crassicaulis* Benth., 228  
*elegantissima* Schinz, 229  
*filicaulis* Benth., 229  
*foliolosa* Benth., 229  
*fruticosa* Benth., 229  
*glutinosa* Benth., 229  
*grandiflora* Galpin, 229  
*integerrima* Benth., 230  
*major* Pilger, 230  
*micrantha* Klotzsch, 231  
*pallida* Pilger, 232  
*phlogiflora* Benth., 232  
*pilgeriana* Dinter, 232  
*racemosa* Benth., 232  
*seineri* Pilger, 228  
*stricta* Benth., 232  
*tenuifolia* Bernh., 232  
*tortuosa* Benth., 233  
*zambesica* R.E. Fries, 233  
**Lysionotus** D. Don, 13  
*aeschynanthoides* W.T. Wang, 68  
*angustisepalus* W.T. Wang, 69  
*atropurpureus* Hara, 68  
*carnosus* Hemsl., 69  
*chingii* W.T. Wang, 67  
*denticulosus* W.T. Wang, 66  
*forrestii* W.W. Smith, 68  
*gamosepalus* W.T. Wang, 70  
*gracilis* W.W. Smith, 69  
*hainanensis* Merr. & Chun, 69  
*heterophyllus* Franch. var. *heterophyllus*, 67  
    var. *lasianthus* W.T. Wang, 68  
*ikedae* Hatusima, 70  
*involucratus* Franch., 67  
*kwangsiensis* W.T. Wang, 69  
*longipedunculatus* (W.T. Wang) W.T. Wang, 66  
*longisepalus* H.W. Li, 32  
*metuoensis* W.T. Wang, 69  
*microphyllus* W.T. Wang, 67  
*mollifolius* W.T. Wang, 61  
*montanus* Kao & DeVol, 69  
*oblongifolius* W.T. Wang, 66  
*omeiensis* W.T. Wang, 67  
*pauciflorus* Maxim  
    var. *indutus* W.T. Wang, 69  
    var. *lancifolius* W.T. Wang, 70  
    var. *lasianthus* W.T. Wang, 70  
    var. *latifolius* W.T. Wang, 70  
    var. *linearis* Rehd., 69  
    var. *pauciflorus*, 69  
*petelotii* Pellegr., 68  
*sangzhiensis* W.T. Wang, 70  
*serratus* D. Don  
    var. *pterocaulis* C.Y. Wu, 70  
    var. *serratus*, 70  
*sessilifolius* Hand.-Mazz., 68  
*sulphureus* Hand.-Mazz., 68  
*wardii* W.W. Smith, 68  
*wilsonii* Rehd., 68
- Macrolepiota** mastoidea (Fr.) Singer, 106  
*procera* (Scop.: Fr.) Singer, 107  
**Macromycetes** of Mediterranean Turkey, 99  
**MAIER-STOLTE, M. & FREITAG, H.**  
    A new species and a new combination in the genus *Ephedra* from Arabia, 89  
**Manulea** argentea L. f., 226  
*derustiana* Hilliard, 297  
*microphylla* L. f., 231

- pinnatifida* L. f., 232  
*thunbergii* G. Don, 233
- Manuleae, Miscellaneous new names and combinations in Scrophulariaceae - Manuleae, 297
- Marasmius androsaceus* (L.: Fr.) Fr., 111
- Matsumuria*, 74
- Metabriggsia* W.T. Wang, 11  
*ovalifolia* W.T. Wang, 30  
*purpureotincta* W.T. Wang, 30
- Metapetrocosmea* W.T. Wang, 12  
*peltata* (Merr. & Chun) W.T. Wang, 35
- Miscellaneous new names and combinations in Scrophulariaceae - Manuleae, 297
- Morchella conica* Pers., 117
- Mycena epipterygia* (Scop.: Fr.) S.F. Gray, 111  
*strobilicola* Favre & Kühner, 111
- New names and combinations in James-brittenia (Scrophulariaceae - Manuleae), 225
- Numerical taxonomic study on Turkish Lathyrus (Leguminosae), 333
- O**mphalotus olearius (DC.: Fr.) Singer, 107
- Opithandra* Burtt, 11, 28  
*acaulis* (Merr.) Burtt, 29  
*cinerea* W.T. Wang, 29  
*dalzielii* (W.W. Smith) Burtt, 29  
*dinghushanensis* W.T. Wang, 29  
*fargesii* (Franch.) Burtt, 29  
*obtusidentata* W.T. Wang, 29  
*sinohenryi* (Chun) Burtt, 29
- Oreocharis* Benth., 9  
*amabilis* Dunn, 15  
*argyrea* K.Y. Pan, 17  
*aurantiaca* Franch., 16  
*aurea* Dunn, 16  
*auricula* (S. Moore) Clarke, 16  
*benthamii* Clarke, 17  
*boninieri* Lévl., 18
- cavaleriei Lévl., 17  
*cinnamomea* Anthony, 16  
*cordato-ovata* H.W. Li, 16  
*cordatula* (Craib) Pellegr., 16  
*dasyantha* Chun, 17  
*elliptica* Anthony, 17  
*esquirolii* Lévl., 14  
*flavida* Merr., 15  
*forrestii* (Diels) Skan, 17  
*georgei* Anthony, 16  
*henryana* Oliv., 17  
*leiophylla* W.T. Wang, 14  
*magnidens* K.Y. Pan, 16  
*maximowiczii* Clarke, 17  
*minor* (Craib) Pellegr., 16  
*nemoralis* Chun, 15  
*rotundifolia* K.Y. Pan, 16  
*sericea* (Lévl.) Lévl., 15  
*tubicella* Franch., 18  
*tubiflora* K.Y. Pan, 17  
*xiangguiensis* W.T. Wang & K.Y. Pan, 17
- Ormosolenia* restored, 219
- Ormosolenia alpina* (Sieber ex Schulz) M. Pimenov, 222  
*cretica* (Sprengel) Tausch, 222  
*pisidica* Boiss. & Heldr., 222
- Ornithoboea* Clarke, 13  
*arachnoidea* (Diels) Craib, 60  
*calcicola* H.W. Li, 61  
*feddei* (Lévl.) Burtt, 61  
*henryi* Craib, 61  
*wildeana* Craib, 61
- Oshimella*, 74
- P**AN KAIYU, WANG WENTSAI & LI ZHENYU  
 Keys to the Gesneriaceae of China, 5
- Panaeolus foenisecii* (Pers.: Fr.) Schröter, 104
- Paraboea* (Clarke) Ridley, 13  
*barbatipes* K.Y. Pan, 59  
*crassifolia* (Hemsl.) Burtt, 60  
*dictyoneura* (Hance) Burtt, 60  
*filipes* (Hance) Burtt, 59  
*hainanensis* (Chun) Burtt, 59

- martinii* (Lévl.) Burtt, 59  
*neurophylla* (Coll. et Hemsl.) Burtt,  
 59  
*rufescens* (Franch.) Burtt, 59  
*sinensis* (Oliv.) Burtt, 59  
*swinhoei* (Hance) Burtt, 59  
*thirionii* (Lévl.) Burtt, 59  
*velutina* (W.T. Wang & C.Z. Gao)  
 Burtt, 59  
*Petrocodon* Hance, 12  
 dealbatus Hance  
 var. *dealbatus*, 50  
 var. *denticulatus* (W.T. Wang)  
     W.T. Wang, 50  
*denticulatus* W.T. Wang, 50  
*Petrocosmea* Oliv., 11  
 barbata Craib, 33  
*begoniifolia* H.W. Li, 34  
*caerulea* W.T. Wang, 33  
*cavaleriei* Lévl., 33  
*confluens* W.T. Wang, 33  
*duclouxii* Craib, 34  
*flaccida* Craib, 33  
*forrestii* Craib, 33  
*grandiflora* Hemsl., 32  
*grandifolia* W.T. Wang, 35  
*iodioides* Hemsl., 34  
*kerrii* Craib, 34  
*longipedicellata* W.T. Wang, 33  
*mairei* Lévl.  
 var. *mairei*, 34  
 var. *intraglabra* W.T. Wang, 34  
*martinii* Lévl., 34  
*menglienensis* H.W. Li, 34  
*minor* Hemsl., 34  
*oblata* Craib, 33  
*peltata* Merr. & Chun, 35  
*qinlingensis* W.T. Wang, 33  
*rosettifolia* H.W. Li, 33  
*sericea* H.W. Li, 34  
*sichuanensis* W.T. Wang, 34  
*sinensis* Oliv., 33  
*Peucedanum alpinum* (Sieber et Schul-  
 tes) Burtt & Davis, 223  
*creticum* Sprengel, 222  
*pisidicum* (Boiss. & Heldr.) Boiss.,  
 222
- Peziza badioconfusa* Korf, 117  
*repanda* Pers., 117  
*Phellinus pini* (Thoe: Fr.) Pilát., 113  
*rimosus* (Berk.) Pilát., 113  
*Phlebopus brunneoruber* (Beeli) Hei-  
 nem. & Rammeloo, 349  
*Pholiota astragalina* (Fr.) Singer, 105  
*carbonaria* A.H. Smith, 105  
*Phylloporus albocarnosus* Heinemann,  
 349  
**PIMENOV, MICHAEL G.**  
*Ormosolenia* restored, 219  
**PIMENOV, MICHAEL G. & KLJUYKOV,**  
 EUGINE V.  
*Reduction of Spongiosyndesmus* Gilli  
 to *Ladyginia Lipsky* (Umbellife-  
 rae), 213  
*Pisolithus arhizus* Raz., 116  
*Platystemma* Wall., 10  
     *violoides* Wall., 27  
*Pleurotus ostreatus* (Jacq. ex Fr.) Kum-  
 mer, 107  
*Primulina* Hance, 12  
     *tabacum*, 35  
*Psathyrella* sp., 104  
*Pseudochirita* W.T. Wang, 11  
     *guangxiensis* (S.Z. Huang) W.T.  
         Wang, 29  
*Psilocybe pratensis* P.D. Orton, 109  
*Pulveroboletus* spp., 350-2  
     *shoreae* Singer & Singh, 350  
*Pyrofomes demidoffii* (Lév.) Kotl. &  
 Pouzar, 112
- Raphiocarpus**, 74  
**RATTER, J.A. & DARGIE, T.C.D.**  
 An analysis of the floristic composi-  
 tion of 26 Cerrado areas in Brazil,  
 235  
*Reyemia* Hilliard, 297  
     *chasmantiflora* Hilliard, 297  
     *nemesioides* (Diels) Hilliard, 297  
*Rhabdothamnopsis* Hemsl., 13  
     *sinensis* Hemsl., 61  
*Rhizopogon luteolus* Fr., 114

- roseolus* (Corda) Th. Fr., 114  
*Rhododendron polyanthemum* Sleumer,  
 1  
*Rhynchoglossum* Blume, 14  
 obliquum Bl.  
 var. *obliquum*, 72  
 var. *hologlossum* (Hayata) W.T.  
 Wang, 72  
*omeiense* W.T. Wang, 72  
*Rhynchotechum* Bl., 13  
 discolor (Maxim.) Burtt, 70  
 ellipticum (Dietr.) A. DC., 71  
 formosanum Hatusima, 71  
 longipes W.T. Wang, 71  
 obovatum (Griff.) Burtt, 71  
 vestitum Clarke, 70  
 ROUT, R.C. & DEB, D.B.  
 A new species of *Ixora* from Burma,  
 95  
 RUSHFORTH, KEITH  
 Lectotypes for Himalayan *Sorbus*  
 taxa (Rosaceae), 299  
*Russula delica* Fr., 108  
*obscura* Rommel, 109  
*ochroleuca* (Pers.) Fr., 108  
*sanguinea* Bull.: Fr., 109  
*xerampelina* Schaeffer: Fr., 109
- S**  
*Sabina excelsa* (M.-Bieb.) Ant., 256  
*foetidissima* (Willd.) Ant., 265  
*isophyllum* (K. Koch) Ant., 256  
*olivieri* Ant., 256  
*polycarpos* Ant., 260  
*procera* (Hochst. ex Endl.) Ant., 269  
*religiosa* Ant., 256  
*seravschanica* (Komarov) Nevski, 260  
*Sarcodon scabrosus* (Fr.) Karsten, 112  
*Schistolobos* W.T. Wang, 11  
 pumilus W.T. Wang, 29  
 Scrophulariaceae - Manuleae. Miscella-  
 neous new names and combinations  
 in, 297  
 Scrophulariaceae - Manuleae. New  
 names and combinations in Jamesbrit-  
 tenia, 225  
*Sinoboea*, 74
- Sison alpinus* Sieber ex Schultes, 222  
*sieberianum* DC., 222  
*Slackia*, 74  
*Sorbus* taxa, Lectotypes for Himalayan,  
 299  
*Sorbus arachnoidea* Koehne, 307  
*foliolosa* (Wall.) Spach  
 var. *wenzigiana* (Schneider) Rush-  
 forth, 305  
*microphylla* Wenzig emend Rush-  
 forth, 303  
*rufopilosa* Schneider, 310  
*ursina* (G. Don) Shauer, 305  
 South and East Central Africa, Boletes  
 from, 343  
 Southern Africa, Two new species of  
*Streptocarpus* from, 75  
*Spongiosyndesmus* Gilli, Reduction of,  
 213  
*Stauranthera* Benth., 14  
*umbrosa* (Griff.) Clarke, 71  
*Stereum hirsutum* (Willd.: Fr.) S.F.  
 Gray, 113  
 Streptocarpus from Southern Africa,  
 Two new species of, 75  
*Streptocarpus makabengensis* Hilliard,  
 75  
 occultus Hilliard, 75  
*Stropharia aeruginosa* (Curtis ex Fr.)  
 Quélet, 109  
*Suillus bellini* (Inz.) Watl., 102  
 boudieri (Quélet) Watl., 102  
 granulatus (Fries) O. Kuntze, 353  
*Sutera*, 225  
*accrescens* Hiern, 225  
*adpressa* Dinter, 225  
*albiflora* Verdoorn, 226  
*beverlyana* Hilliard & Burtt, 227  
*bicolor* Dinter, 227  
*canescens* (Benth.) Hiern  
 var. *laevior* Dinter, 228  
*concinna* Hiern, 228  
*dentatisepala* Overkott, 228  
*fodina* Wild, 229  
*fragilis* Pilger, 229  
*jurassica* Hilliard & Burtt, 230

*macrantha* Codd, 230  
*maritima* Hiern, 230  
*maxii* Hiern, 230  
*merxmulleri* Roessler, 231  
*pristisepala* Hiern, 232  
*ramosissima* Hiern, 232  
*silenoides* Hilliard, 232  
*tenella* Hiern, 232  
*tysoni* Hiern, 233

**T**axonomic notes on Cupressaceae I, 251

Taxonomy of multiseed Junipers  
 (*Juniperus* sect. *Sabina*) in south-west  
 Asia and East Africa (Taxonomic  
 notes on Cupressaceae I), 251

*Tengia* Chun, 9  
*scopulorum* Chun, 15  
*Thamnocharis* W.T. Wang, 9  
*esquirolii* (Lévl.) W.T. Wang, 14  
*TIGIN*, C., *DOGAN*, M. & *KENCE*, A.  
 Numerical taxonomic study on Turk-

ish Lathyrus (Leguminosae), 333

*Titanotrichum* Solereder, 9  
*oldhamii* (Hemsl.) Solereder, 73

*Torrendia pulchella* Bres., 116

*Trametes versicolor* (Fr.) Pilát., 113

*Tremacron* Craib, 9  
*aurantiacum* K.Y. Pan, 19  
*begoniifolium* H.W. Li, 19  
*forrestii* Craib, 18  
*mairei* Craib, 18  
*obliquifolium* K.Y. Pan, 19  
*ruberum* Hand.-Mazz., 18  
*urceolatum* K.Y. Pan, 18

*Tricholoma batschii* Gulden, 112  
*caligatum* (Viv.) Ricken, 112  
*terreum* (Schff.: Fr.) Kummer, 112

*Trichosporum*, 74

*Trisepalum* Clarke, 13  
*birmanicum* (Craib) Burtt, 61  
*Tuboseta brunneosetosa*

var. *retipes* Heinem. & Rammeloo,  
 354

*Tuminodus*, 74  
*purpureoruber* H.W. Li, 61

Turkey, Macromycetes of Mediter-  
 ranean, 99

Turkish Lathyrus (Leguminosae), Nu-  
 merical taxonomic study on, 333

**TURNBULL**, EVELYN & **WATLING**, ROY  
 Boletes from South and East Central  
 Africa - I, 343

**VAN DE WEGE**, J.J., **BOS**, J.J., **GRAVEN**,  
 P. & **HETTERSCHEID**, W.L.A.

Wild and cultivated Dracaena fra-  
 grans, 311

*Vaniotia*, 74

*Veloporphyrellus africanus* Watling,  
 357

*Verpa conica* (O. Müller) Swarzt, 117

*Volvariella speciosa* (Fr.: Fr.) Singer,  
 108

**WANG WENTSAI**, **PAN KAIYU** & **LI**  
 ZHENYU

Keys to the Gesneriaceae of China, 5

**WATLING**, ROY & **TURNBULL**, EVELYN  
 Boletes from South and East Central  
 Africa - I, 343

**WATLING**, ROY & **ISILOGLU**, MUSTAFA  
 Macromycetes of Mediterranean Tur-  
 key, 99

*Whytockia* W.W. Sm., 14  
*chiritoflora* (Oliv.) W.W. Smith, 71  
*sasakii* (Hayata) Burtt, 72  
*tsiangiana* (Hand.-Mazz.) A. Weber  
 var. *tsiangiana*, 72  
 var. *minor* (W.W. Smith) A.  
 Weber, 72  
 var. *wilsonii* A. Weber, 72

Wild and cultivated Dracaena fragrans,  
 311

**YE**, P.F.

A revision of *Geranium* L. in south-  
 west China, 123