

THE ROYAL BOTANIC GARDEN
EDINBURGH

EDINBURGH
JOURNAL
OF
BOTANY

General Index to Volume 51 (1994)

EDINBURGH: HMSO

CONTENTS OF VOLUME 51 (1994)

VOL. 51, NO. 1, APRIL 1994

| | |
|---|-----|
| The bamboos of Nepal and Bhutan. Part I: <i>Bambusa</i> , <i>Dendrocalamus</i> , <i>Melocanna</i> , <i>Cephalostachyum</i> , <i>Teinostachyum</i> , and <i>Pseudostachyum</i> (Gramineae: Poaceae, Bambusoideae). C. M. A. Stapleton | 1 |
| Studies in the Flora of Arabia: XXVII. Some new taxa from the Arabian Peninsula. A. G. Miller & J. A. Nyberg | 33 |
| Studies in the Flora of Arabia: XXVIII. Some new taxa from the Arabian Peninsula. D. F. Chamberlain, R. A. Clement & J. Lamond | 49 |
| <i>Novitates</i> from the flora of the Sultanate of Oman. S. A. Ghazanfar | 59 |
| Some contributions to the Turkish flora. K. Alpınar | 65 |
| A phenetic investigation of <i>Vicia</i> section <i>Peregrinae</i> Kupicha (Leguminosae, Papilionoideae, Viciae). N. Maxted | 75 |
| <i>Malus bhutanica</i> – comb. nov. J. B. Phipps | 99 |
| Nees, Arnott and some forgotten Acanthaceae types from Asia. J. R. I. Wood | 103 |
| Homoeosis, canalization, decanalization, ‘characters’ and angiosperm origins. D. J. Mabberley & A. Hay | 117 |
| Book Review | 127 |
| Erratum | 128 |

VOL. 51, NO. 2, AUGUST 1994

| | |
|---|-----|
| Andrew John Charles Grierson | iii |
| Notes relating to the Flora of Bhutan: XXIV. Juncaceae. H. J. Noltie | 129 |
| Notes relating to the Flora of Bhutan: XXV. Boraginaceae. I. <i>Onosma griersonii</i> , a new species from Bhutan. R. R. Mill | 145 |
| Notes relating to the Flora of Bhutan: XXVI. Smilacaceae: <i>Smilax</i> . H. J. Noltie | 147 |
| Notes relating to the Flora of Bhutan: XXVII. <i>Gentianella griersonii</i> , a new species from Bhutan. E. Aitken & D. G. Long | 165 |
| Notes relating to the Flora of Bhutan: XXVIII. Eriocaulaceae (<i>Eriocaulon</i>), Musaceae (<i>Musa</i>), Cyperaceae (<i>Actinoscirpus</i>). H. J. Noltie | 169 |
| Notes relating to the Flora of Bhutan: XXIX. Acanthaceae, with special reference to <i>Strobilanthes</i> . J. R. I. Wood | 175 |
| The bamboos of Nepal and Bhutan. Part II: <i>Arundinaria</i> , <i>Thamnocalamus</i> , <i>Borinda</i> , and <i>Yushania</i> (Gramineae: Poaceae, Bambusoideae). C. M. A. Stapleton | 275 |
| Book Review | 297 |
| Announcement | 299 |

VOL. 51, NO. 3, DECEMBER 1994

| | |
|--|-----|
| The bamboos of Nepal and Bhutan. Part III: <i>Drepanostachyum</i> , <i>Himalayacalamus</i> , <i>Ampelocalamus</i> , <i>Neomicrocalamus</i> and <i>Chimonobambusa</i> (Gramineae: Poaceae, Bambusoideae). C. M. A. Stapleton | 301 |
| Boletes from South and East Central Africa – II. R. Watling & E. Turnbull | 331 |

VOLUME CONTENTS

| | |
|--|-----|
| Comparison of the woody flora and soils of six areas of montane semideciduous forest in southern Minas Gerais, Brazil. A. T. Oliveira-Filho, E. A. Vilela, M. L. Gavilanes & D. A. Carvalho | 355 |
| A note on <i>Colpoon</i> (Santalaceae). O. M. Hilliard | 391 |
| Announcement | 393 |

PUBLICATION DATES

| | |
|-----------------------------|------------------|
| Vol. 51, No. 1, pp. 1–128 | 27 April 1994 |
| Vol. 51, No. 2, pp. 129–300 | 7 September 1994 |
| Vol. 51, No. 3, pp. 301–394 | 21 December 1994 |

GENERAL INDEX TO VOLUME 51 (1994)

- Acanthaceae, with special reference to
Strobilanthes, 175
- Acanthaceae types from Asia, 103
- Actinoscirpus grossus (L. f.) Goeteghebeur &
D.A. Simpson var. *kysoor* (Roxb.) Noltie, 173
- Aerva artemisioides Vierh. & O. Schwartz subsp.
batharitica A. Miller & J. Nyberg, 35
- Aethionema iberidium (Boiss.) Boiss., 67
- AITKEN, E. & LONG, D.G., Notes relating to the
Flora of Bhutan: XXVII. *Gentianella griersonii*,
a new species from Bhutan, 165
- ALPINAR, K., Some contributions to the Turkish
flora, 65
- Ampelocalamus Chen, Wen, & Sheng, 4, 5, 320
patellaris (Gamble) Stapleton, 321, 329
- Andrew John Charles Grierson, i
- Andrographis ceylanica Nees, 115
macrobotrys Nees, 115
- Arabian Peninsula, Some new taxa from, 33, 49
- Arundinaria Michaux, 4, 5, 279
callosa Munro, 327
falcata Nees, 307
falconeri (Munro) Benth. & Hook. f., 314
glaucescens (Willd.) P. Beauv., 14
hookeriana Munro, 318
inermia Munro, 307
interrupta Trin., 307
khasiana Munro, 308
macclureana Bor, 290
maling Gamble, 293
microphylla Munro, 293
pantlingii Gamble, 293
prainii Gamble, 326
racemosa Munro, 280, 328
spathiflora Trin., 282
suberecta Munro, 308
- Arundinariinae Benth., 4, 328
- Arundo multiplex* Lour., 14
- The Bamboos of Nepal and Bhutan, Part I:
Bambusa, *Dendrocalamus*, *Melanocanna*,
Cephalostachyum, *Teinostachyum*, and
Pseudostachyum (Gramineae: Poaceae,
Bambusoideae), 1
- The Bamboos of Nepal and Bhutan, Part II:
Arundinaria, *Thalamnocalamus*, *Borinda*, and
Yushania (Gramineae: Poaceae,
Bambusoideae), 275
- The Bamboos of Nepal and Bhutan, Part III:
Drepanostachyum, *Himalayacalamus*,
Ampelocalamus, *Neomicrocalamus* and
Chimonobambusa (Gramineae: Poaceae,
Bambusoideae), 301
- Bambos stricta* Roxb., 26
- Bambusa* Schreber, 4, 5, 6
alamii Stapleton, 10, 328
andropogonifolia Griffith, 325
baccifera Roxb., 27
balcooa Roxb., 9, 12, 328
clavata Stapleton, 10, 12, 328
falconeri Munro, 23
gigantea Wall., 23
glaucescens (Willd.) Holttum, 14
macala [Buch.-Ham.], 17
maxima [Buch.-Ham.], 23
microphylla Griffith, 293
monogynia Griffith, 23
multiplex (Lour.) Raeusch. ex J.A. & J.H.
Schult., 10, 14, 328
nana Roxb., 14
nepalensis Stapleton, 10, 15, 328
nutans Munro subsp. *nutans*, 10, 17, 328
subsp. *cupulata* Stapleton, 10, 17, 328
subsp. *malbans* Stapleton, 17
tanaea [Buch.-Ham.], 26
tulda Roxb., 10, 328
vasaria [Buch.-Ham.], 12
- Bambusinae* Agardh, 4, 6, 328
- Baphiacanthus cusia* (Nees) Bremek., 223
- Barleria arnotiana* Nees, 107
macraei Arn. ex Nees, 107
pentandra Arn. ex Nees, 107
- Bauhinia variegata* L. subsp. *variegata*, 69
- Bhutan
- Acanthaceae, 175
- Bamboos, 1, 275, 301
- Boraginaceae, 145
- Cyperaceae, 169
- Eriocaulaceae, 169
- Gentianaceae, 165
- Juncaceae, 129
- Musaceae, 169
- Smilacaceae, 147
- Boerhavia elegans* Choisy subsp. *elegans*, 40
subsp. *stenophylla* (Boiss.) A. Miller, 40
- Boletes from South and East Central Africa – II,
331

- Boletus brunneirubens* Corner, 331
cuticulatus Corner, 345
intentus Corner, 346
nigropurpureus Corner, 336
- BOOK REVIEWS
- Roses of Great Britain and Ireland, by G.G. Graham and A.L. Primavesi, 127
- Umbelliferae (Apiaceae) of India, by P.K. Mukherjee and L. Constance, 297
- Borinda Stapleton, 4, 5, 284
chigar Stapleton, 286, 328
emeryi Stapleton, 286, 328
extensa (Yi) Stapleton, 288, 328
farcta (Yi) Stapleton, 288, 328
glabrifolia (Yi) Stapleton, 288, 328
grossa (Yi) Stapleton, 288, 328
macclureana (Bor) Stapleton, 290, 328
setosa (Yi) Stapleton, 290, 329
- Boucerosia edulis* Edgew., 61
 Brazil, Woody flora and soils, 355
- Butania pantlingii* (Gamble) Keng f., 293
- Campanula rotundifolia L., 70
trachyphylla Schott & Kotschy, 71
- Caralluma edulis (Edgew.) Benth. & Hook. f., 61
- CARVALHO, D.A., OLIVEIRA-FILHO, A.T., VILELA, E.A. & GAVILANES, M.L., Comparison of the woody flora and soils of six areas of montane semideciduous forest in southern Minas Gerais, Brazil, 355
- Cephalostachyum Munro, 4, 5, 27
fuchsiaenum Gamble, 29
latifolium Munro, 29, 328
- Cerantonia oreothauma Hillcoat, Lewis & Verdcourt subsp. oreothauma, 62
- CHAMBERLAIN, D.F., CLEMENT, R.A. & LAMOND, J., Studies in the Flora of Arabia: XXVIII. Some new taxa from the Arabian Peninsula, 49
- Championella xanthantha* (Diels) Bremek., 268
- Chimonobambusa Makino, 4, 326, 329
callosa (Munro) Nakai, J., 327
falcata (Nees) Nakai, 307
hookeriana (Munro) Nakai, 318
intermedia (Munro) Nakai, 307
jainiana Das & Pal, 321
khasiana (Munro) Nakai, 308
- Chimonocalamus callosus* (Munro) Hsueh & Yi, 327
- Clarkeasia J.R.I. Wood, 187
parviflora (T. Anders.) J.R.I. Wood, 186, 187, 189
 var. *albescens*, 191
- CLEMENT, R.A., CHAMBERLAIN, D.F. & LAMOND, J., Studies in the Flora of Arabia: XXVIII. Some new taxa from the Arabian Peninsula, 49
- Cleome albescens* Franchet subsp. *omanensis* D.F. Chamberlain & Lamond, 52
austrorabica D.F. Chamberlain & Lamond subsp. *austrorabica*, 51
 subsp. *muscatensis* D.F. Chamberlain & Lamond, 51
brachystyla Deflers, 52
brevipetiolata D.F. Chamberlain & Lamond, 49
noeana Boiss. subsp. *brachystyla* (Deflers) D.F. Chamberlain & Lamond, 52
- Colpoon Berg., 391
- Colpoon compressum* Berg., 391
- Commicarpus adenensis A. Müller, 39
- Comparison of the woody flora and soils of six areas of montane semideciduous forest in southern Minas Gerais, Brazil, 355
- Cyperaceae (*Actinoscirpus*), 169
- Dendrocalamus Nees, 4, 5, 20
balcooa (Roxb.) Voigt, 12
giganteus Munro, 22, 23, 328
hamiltonii [Nees & Arn. MS ex] Munro, 22, 23, 328
 var. *edulis* Munro, 23, 24, 328
 var. *hamiltonii*, 23, 24, 328
 var. *undulatus* Stapleton, 23, 24, 328
hookeri Munro, 26, 328
patellaris Gamble, 321
sikkimensis [Gamble MSS ex] Oliver, 26, 328
strictus (Roxb.) Nees, 22, 26, 328
tulda (Roxb.) Voigt, 19
- Dianthus strictus* Banks & Sol. subsp. *sublaevis* D.F. Chamberlain, 56
- Difflugossa colorata* (Nees) Bremek., 223
crinita (Nees) Bremek., 223
divaricata (Nees) Bremek., 223
nagaensis Bremek., 222, 237
paupera (C.B. Clarke) Bremek., 222, 249
shanensis Bremek., 214
shweliensis W.W. Sm., 223, 258
- Diplotaxis kohlaanensis* A. Miller & J. Nyberg, 36
- Ditrichospermum secundum* (T. Anders.) Bremek., 223
- Dossifluga bheriensis* Shakya, 224
cuneata Shakya, 224
- Drepanostachyum* Keng f., 4, 5, 303
annulatum Stapleton, 305, 329
falcatum (Nees) Keng f., 307, 329

- hookerianum* (Munro) Keng f., 318
intermedium (Munro) Keng f., 307, 329
jainianum (Das & Pal) R.B. Majumdar, 321
khasianum (Nees) Keng f., 308, 329
suberectum (Munro) R.B. Majumdar, 308
- Ebermaiera glauca* Nees, 105
Echinacanthus andersonii C.B. Clarke, 186, 189
 var. *viscosus* C.B. Clarke, 189
attenuatus Nees, 186
brugmansianus Nees, 187
calycinus (Nees) Nees, 187
dichotomus Kuntze, 187
flaviflorus Lo & D. Fung, 187
javanicus Kuntze, 187
lofuensis (H. Lév.) J.R.I. Wood, 186, 187
longipes Lo & D. Fung, 186
longistylus C.B. Clarke, 187, 189
longzhouensis Lo, 186
lyellianus Nees, 187
madagascariensis Baker, 187
parviflorus T. Anders., 187
pumilio C.B. Clarke, 187, 189
siamensis Imlay, 187, 189
- Endopogon viscosus* var. *hispidus* Nees, 114
Eranthemum erythrochilum J.R.I. Wood, 180
griffithii (T. Anders.) Bremek. & Nann.-Bremek., 180
splendens (T. Anders.) Siebert & Voss, 181
tubiflorum (T. Anders.) Radlk. ex Lindau, 180
- Eriocaulaceae (*Eriocaulon*), 169
Eriocaulon bhutanicum Noltie, 169
Erodium hendrikii K. Alpınar, 68
Euonymus colpoon Lam., 391
- Fargesia bhutanensis*, 289
collaris Yi, 314
extensa Yi, 288
farcta Yi, 288
glabrifolia Yi, 288
grossa Yi, 289
gyirongensis Yi, 314
macclureana (Bor) Stapleton, 290
racemosa (Munro) Yi, 280
- Forsskaolea griersonii* A. Miller & J. Nyberg, 44
Fusanus compressus Murray, 391
- Gantelbua urens* (Roth) Bremek., 108
 GAVILANES, M.L., OLIVEIRA-FILHO, A.T.,
 VILELA, E.A. & CARVALHO, D.A., Comparison
 of the woody flora and soils of six areas of
 montane semideciduous forest in southern
 Minas Gerais, Brazil, 355
- Gentianella griersonii*, a new species from
 Bhutan, 165
Gentianella griersonii E. Aitken & D.G. Long,
 165
- GHAZANFAR, S.A., Novitates from the flora of the
 Sultanate of Oman, 59
- Goldfussia acuminata* P.R. Shakya, 222, 228
anisophylla (G. Lodd.) Nees, 222, 229
bracteata Nees, 222, 232
capitata Nees, 224
dalhousieana Nees, 222, 253
discolor Nees, 222
echinata (Nees) N.P. Balakr., 224
edgeworthiana Nees, 222, 228
feddei (H. Lév.) E. Hossain, 249
flexuosa Nees, 251
geniculata (C.B. Clarke) Bremek., 222, 240
glomerata Nees, 224
grandissima H.P. Tsui, 207
isophylla Nees, 229
mahongensis (H. Lév.) E. Hossain, 247
medongensis H.W. Li, 223, 258
multidens (C.B. Clarke) Bremek., 222, 247
nutans Nees, 222
oligocephala (C.B. Clarke) Bremek., 222, 248
pentstemonoides Nees, 222, 232
scoriarum W.W. Sm., 223, 258
sessilis Nees, 255
thomsonii Hook., 222, 249
- Gymnostachyum ceylanicum* Arn. ex Nees, 107
Gypsophila pulvinaris Rech. f., 67
umbricola (J.R.I. Wood) R.A. Clement, 57
- HAY, A. & MABBERLEY, D.J., Homoeosis,
 canalization, decanalization, 'characters' and
 angiosperm origins, 117
- HEDGE, I.C. & LONG, D.G., Andrew John Charles
 Grierson, i
- Hemigraphis dura* (Nees) T. Anderson, 108
urens (Roth) J.R.I. Wood, 108
- HILLIARD, O.M., A note on *Colpoon*
 (Santalaceae), 391
- Himalayacalamus* Keng f., 4, 5, 308
asper Stapleton, 310, 329
brevinodus Stapleton, 310, 312, 329
cupreus Stapleton, 310, 314, 329
falconeri (Munro) Keng f., 310, 314, 329
fimbriatus Stapleton, 310, 316, 329
hookerianus (Munro) Stapleton, 310, 318, 329
porcatus Stapleton, 310, 329

- Homoeosis, canalization, decanalization,
'characters' and angiosperm origins, 117
- Hygrophila corymbosa* (Bl.) Lindau, 187
serpyllum (Nees) T. Anderson, 105
- Juncus albescens* Satake, 142
amplifolius A. Camus, 139
benghalensis Kunth., 142
bhutanensis Satake, 130
bracteatus Buchenau, 142
bryophilus Noltie, 137
concinus D. Don, 142
duthiei (C.B. Clarke) Noltie, 134
glaucoturgidus Noltie, 132
grisebachii Buchenau, 142
harae Miyam. & H. Ohba, 134
hydrophilus Noltie, 138
kingii Rendle, 142
leucomelas Royle ex D. Don, 130
longibracteatus A.M. Lu & Z.Y. Zhang, 142
longiflorus (A. Camus) Noltie, 134
luteocarpus Satake, 142
minimus Buchenau, 142
nepalicus Miyam. and H. Ohba, 139
ochraceus Buchenau, 141
perpusillus Sam., 130
phaeocarpus A.M. Lu & Z.Y. Zhang, 142
pseudocastaneus (Lingelsh.) Sam., 134
rohtangensis Goel & Aswal, 134
sikkimensis Hook. f., 134
 var. *monocephalus* Hook. f., 135
spectabilis Rendle, 131
spumosus Noltie, 139
tratangensis Satake, 141
trichophyllus W.W. Sm., 131
uniflorus W.W. Sm., 136
unifolius A.M. Lu & Z.Y. Zhang, 142
yoskisukei Goel, 142
- LAMOND, J., CHAMBERLAIN, D.F. & CLEMENT,
R.A., Studies in the Flora of Arabia: XXVIII.
Some new taxa from the Arabian Peninsula, 49
- Laserpitium petrophilum* Boiss. & Heldr., 69
- Lepidagathis ceylanica* Nees, 108
- Listrobanthes khasyana* (Nees) Bremek., 220
- LONG, D.G. & AITKEN, E., Notes relating to the
Flora of Bhutan: XXVII. *Gentianella griersonii*,
a new species from Bhutan, 165
- LONG, D.G. & HEDGE, I.C., Andrew John Charles
Grierson, i
- Loranthus regularis* Blatter, 37
- Ludolfia glaucescens* Willd., 14
- MABBERLEY, D.J. & HAY, A., Homoeosis,
canalization, decanalization, 'characters' and
angiosperm origins, 117
- Mackenzia newii* (Beddome ex C.B. Clarke)
Bremek., 230
- Malus bhutanica* – comb. nov., 99
- Malus bhutanica* (W.W. Smith) Phipps, 100
toringoides (Rehd.) Hughes, 100
transitoria (Batal.) Schneid. var. *toringoides*
Rehd., 100
- MAXTED, N., A phenetic investigation of *Vicia*
Section *Peregrinae* Kupicha (Leguminosae,
Papilionoideae, Vicieae), 75
- Melocanna* Trinius, 4, 5, 27
baccifera (Roxb.) Kurz, 27, 328
bambusoides Trin., 27
- Melocanninae* Reichenbach, 4, 27, 328
- Microcalamus prainii* Gamble, 326
- Microstobilus paniculatus* (Nees) Bremek., 114
- MILL, R.R., Notes relating to the Flora of Bhutan:
XXV. Boraginaceae. I. *Onosma griersonii*, a
new species from Bhutan, 145
- MILLER, A.G. & NYBERG, J.A., Studies in the
Flora of Arabia: XXVII. Some new taxa from
the Arabian Peninsula, 33
- Mimulopsis lyelliana* (Nees) Baron ex Benoist.,
187
madagascariensis (Baker) Benoist., 187
- Minas Gerais, Woody flora and soils, 355
- Molucella persica* Burm. f., 61
- Musa griersonii* Noltie, 171
- Musaceae (*Musa*), 169
- Nees, Arnott and some forgotten Acanthaceae
types from Asia, 103
- Neohouzeaua dullooa* (Gamble) Camus, 29
- Neomicrocalamus* Keng f., 4, 5, 324
andropogonifolius (Griffith) Stapleton, 325, 329
- Neomicrocalamus ringshu* Stapleton, 326
- Nepal, Bamboos, 1, 275, 301
- NOLTIE, H.J.
Notes relating to the Flora of Bhutan: XXIV.
Juncaceae, 129
Notes relating to the Flora of Bhutan: XXVI.
Smilacaceae: *Smilax*, 147
Notes relating to the Flora of Bhutan: XXVIII.
Eriocaulaceae (*Eriocaulon*), Musaceae
(*Musa*), Cyperaceae (*Actinoscirpus*), 169

- Notes relating to the Flora of Bhutan: XXIV.
 Juncaceae, 129
- Notes relating to the Flora of Bhutan: XXIX.
 Acanthaceae, with special reference to
Strobilanthes, 175
- Notes relating to the Flora of Bhutan: XXV.
 Boraginaceae. I. *Onosma griersonii*, a new
 species from Bhutan, 145
- Notes relating to the Flora of Bhutan: XXVII.
Gentianella griersonii, a new species from
 Bhutan, 165
- Notes relating to the Flora of Bhutan: XXVIII.
 Eriocaulaceae (*Eriocaulon*), Musaceae (*Musa*),
 Cyperaceae (*Actinoscirpus*), 169
- Novitates from the flora of the Sultanate of
 Oman, 59
- NYBERG, J.A. & MILLER, A.G., Studies in the
 Flora of Arabia: XXVII. Some new taxa from
 the Arabian Peninsula, 33
- OLIVEIRA-FILHO, A.T., VILELA, E.A.,
 GAVILANES, M.L. & CARVALHO, D.A.,
 Comparison of the woody flora and soils of six
 areas of montane semideciduous forest in
 southern Minas Gerais, Brazil, 355
- Oman, Novitates from the flora of the Sultanate
 of, 59
- Oncocalyx doberae (Schweinf.) A. Miller & J.
 Nyberg, 39
- Onosma griersonii R.R. Mill, 145
- Osyris compressa (Berg.) A. DC., 391
- Ostostegia persica (Burm. f.) Boiss., 61
- Parietaria alsinifolia Del., 47
 debilis G. Forst., 47
 judaica L., 47
 umbricola A. Miller, 46
- Patellocalamus W.T. Lin, 320
 patellaris (Gamble) W.T. Lin, 321
- Perilepta edgeworthiana (Nees) Bremek., 220
- A phenetic investigation of *Vicia* Section
Peregrinae Kupicha (Leguminosae,
 Papilionoideae, Viciae), 75
- PHIPPS, J.B., *Malus bhutanica* – comb. nov., 99
- Phlogacanthus gomezii (Nees) J.R.I. Wood, 182
- Phragmanthera austroarabica A. Miller & J.
 Nyberg, 37
- Pilularia minuta Durieu ex A. Braun, 65
- Polycarpaea hassalensis D.F. Chamberlain, 53
 hayoides D.F. Chamberlain, 55
 jazirensis R.A. Clement, 53
- Polygala dispar Ghazanfar, 59
- Pseudaechmanthera glutinosa* (Nees) Bremek.,
 223
- Pseudostachyum Munro, 4, 5, 30
 polymorphum Munro, 30, 328
- Pseudostenosiphonium viscosum* (Nees) Lindau,
 114
- Pteracanthus agrestis* (C.B. Clarke) Bremek.,
 222, 247
 agrestis Hara, 228
 alatus (Wall.) Bremek., 221, 265
 angustifrons (C.B. Clarke) Bremek., 222, 228
 attenuatus (Nees) Bremek., 230
 boerhaavioides (T. Anders.) Bremek., 220
 calycinus (Nees) Bremek., 221
 hygrophiloides (C.B. Clarke ex W.W. Sm.) H.W.
 Li, 224
 inflatus (Nees) Bremek., 221
 lachenensis (C.B. Clarke) Bremek., 221, 245
 reflexus (Nees) Bremek., 230
 rotundifolius (D. Don) Bremek., 222, 247
 rubescens (T. Anders.) Bremek., 220
 subnudatus (C.B. Clarke) Bremek., 261
 urophyllus (Nees) Bremek., 221
 urticifolius Hara, 221
 (O. Kuntze) Bremek., 221, 230
 versicolor (Diels) H.W. Li, 221
 violifolius (T. Anders.) Bremek., 189
- Pyrus bhutanica* W.W. Smith, 100
- Racemobambos prainii* (Gamble) Keng f. & Wen,
 J., 326
- Racemobambosinae Stapleton, 4, 323, 329
- Reseda pentagyna Abdalla & A. Miller, 42
- Rubia infundibularis Hemsl. & Lace, 61
- Rubus asirensis D.F. Chamberlain, 57
- Ruellia alata* Wall., 265
 anisophylla G. Lodd., 229
 attenuata Nees, 230
 capitata D. Don, 222, 251
 dura Nees, 108
 rotundifolia D. Don, 247
- Rungia latior Nees, 114
 longifolia Nees, 114
- Saponaria umbricola* J.R.I. Wood, 57
- Schizostachyum* Griffith, 27
 dulloa (Gamble) R.B. Majumdar, 29
 latifolium (Munro) R.B. Majumdar, 29
 polymorphum (Munro) R.B. Majumdar, 30

- Scirpus grossus* var. *kysoor* (Roxb.) C.B.
Clarke, 174
kysoor Roxb., 174
- Semiarundinaria pantlingii* (Gamble) Nakai, 293
- Shibataeinae (Nakai) Soderstrom & Ellis, 4, 326, 329
- Silene asirensis* D.F. Chamberlain & Collenette, 55
corylina D.F. Chamberlain & Collenette, 56
- Sinarundinaria falcata* (Munro) Chao & Renvoize, 307, 308
hookeriana (Munro) Chao & Renvoize, 318
intermedia (Munro) Chao & Renvoize, 307
macclureana (Bor) G.Y. Yang & C.S. Chao, 290
maling (Gamble) Chao & Renvoize, 293
microphylla (Munro) Chao & Renvoize, 293
pantlingii (Gamble) Chao & Renvoize, 293
- Smilax castaneiflora* H. Lév., 158
elegans Wall. ex Kunth, 149
elegans sensu A. DC., 157
elegans sensu Hook. f., 159
subsp. *elegans*, 153, 161
subsp. *glaucophylla* (Klotzsch) Noltie, 154, 161
subsp. *microphylla* (C.H. Wright) Noltie, 158, 161
subsp. *osmastonii* (Wang & Tang) Noltie, 155, 160
subsp. *subrecta* Noltie, 155, 161
var. *major* A. DC., 155
- erecta* Osmaston, 155
glaucophylla Klotzsch, 149, 154
glaucophylla p.p. sensu Koyama, 157
glaucophylla sensu Wang & Tang, 153
gracillima H. Lév. & Vaniot, 158
labordei H. Lév., 158
longebracteolata Hook. f., 155
mairei Wang & Tang, 157
menispermoidea A. DC., 159, 161
microphylla C.H. Wright, 158
subsp. *elongata* sensu Koyama, non Warb., 157
var. *angustifolia* Warb., 158
minutiflora A. DC., 159, 161
myrtilus A. DC. var. *rigida* Noltie, 160
osmastonii Wang & Tang, 149, 155
parvifolia Wall., 153, 155
rigida Wall. ex Kunth, 160
vaginata Decne., 161
wallichii Kunth, 162
- Some contributions to the Turkish Flora, 65
Some new taxa from the Arabian peninsula, 33, 49
- STAPLETON, C.M.A.
The Bamboos of Nepal and Bhutan, Part I:
Bambusa, *Dendrocalamus*, *Melocanna*,
Cephalostachyum, *Teinostachyum*, and
Pseudostachyum (Gramineae: Poaceae,
Bambusoideae), 1
- The Bamboos of Nepal and Bhutan, Part II:
Arundinaria, *Thalassocalamus*, *Borinda*,
and *Yushania* (Gramineae: Poaceae,
Bambusoideae), 275
- The Bamboos of Nepal and Bhutan, Part III:
Drepanostachyum, *Himalayacalamus*,
Ampelocalamus, *Neomicrocalamus* and
Chimonobambusa (Gramineae: Poaceae,
Bambusoideae), 301
- Staurogyne spatulata* (Blume) O. Koorders, 105
- Strobilanthes aborensis* Dunn, 223
accrescens J.R.I. Wood subsp. *accrescens*, 218, 223, 225
subsp. *teraoi* J.R.I. Wood, 223, 227
acrocephala T. Anders., 220
aenobarba W.W. Sm., 208, 220
agrestis C.B. Clarke, 222, 247
var. *hemiotis* C.B. Clarke, 247
alata Nees, 221, 230
anceps Nees, 112
anfractuosa, 213
angustifrons C.B. Clarke, 213, 222, 228
anisophylla (G. Lodd.) T. Anders., 214, 222, 229
f. *isophylla* (Nees) J.R.I. Wood, 229
arnottiana Nees, 110
articulata Imlay, 212
atropurpurea Nees, 221, 265
attenuata (Nees) Nees subsp. *attenuata*, 209, 221, 230
subsp. *nepalensis* J.R.I. Wood, 209, 221, 232
auriculata Nees, 220
bheriensis (Shakya) J.R.I. Wood, 218, 224
boerhaavioides T. Anders., 220
bracteata (Nees) J.R.I. Wood, 213, 232
brunoniana (Nees) Bremek., 203
burkillii Dunn, 222, 240
calycina Nees, 110
campaniformis J.R.I. Wood, 215, 222, 235
candida J.R.I. Wood, 215, 236
capitata (Nees) T. Anders., 218, 224
chaffonjonii H. Lév., 210, 212
clarkei J.R.I. Wood, 215, 236
clavata J.R.I. Wood, 218, 233
claviculata C.B. Clarke ex W.W. Sm., 209, 221
colorata auct., 223

- colorata* Nees, 110
crinita Nees, 223
cuneata (Shakya) J.R.I. Wood, 218, 224
cusia Nees, 223
cyphantha Diels, 207, 221
discolor (Nees) T. Anders., 214, 222, 237
 var. *nudicalyx* C.B. Clarke, 237
discolor sensu T. Anders. p.p., 254
divaricata (Nees) T. Anders., 215, 223
echinata Nees, 218, 224
edgeworthiana Nees, 220
elongata C.B. Clarke, 223
equitans H. Lév., 210, 212
extensa (Nees) Nees, 209, 221
feddei H. Lév., 249
flaccidifolia Nees, 223
flexa Benoist, 207
forrestii Diels, 209, 238
frondosa J.R.I. Wood, 205, 220, 239
furcata Biswas, 223
geniculata C.B. Clarke, 212, 222, 240
 var. *integra* C.B. Clarke, 240
glabrata Nees, 217, 218
glomerata (Nees) T. Anders., 217, 224
glutinosa Nees, 223
glutinosa auct. sensu Yamazaki, 245
gracilis T. Anders., 240
grandissima (H.P. Tsui) J.R.I. Wood, 207
hamiltoniana (Steud.) Bosser & Heihe, 214, 223
hancockii C.B. Clarke, 209, 210
helicta T. Anders., 187, 207, 221
himalayana J.R.I. Wood, 203, 220, 241
hookeri Nees, 109
hupehensis W.W. Sm., 210, 213
hygrophiloides C.B. Clarke ex W.W. Sm., 224
imlayae J.R.I. Wood, 242
inflata T. Anders., 208, 221
isophylla (Nees) T. Anders., 229
jennyae J.R.I. Wood, 224, 243
kerrii Craib, 217
khasyana (Nees) T. Anders., 220
kinabaluensis Stapf, 217
kingdonii J.R.I. Wood, 218, 224, 244
lachenensis C.B. Clarke, 209, 221, 245
laevigata C.B. Clarke, 223
lamiifolia (Nees) T. Anders., 210, 222, 247
lupulina Nees, 110
macrostegia (Nees) C.B. Clarke, 224
maculata (Wall.) Nees, 203, 205
maculata auct., 220
mahongensis H. Lév., 222, 247
marchandii H. Lév., 210, 212
mekongensis W.W. Sm., 224
monodelpha Nees, 203, 205
multidens C.B. Clarke, 212, 222, 247
newii Beddome ex C.B. Clarke, 230
nutans (Nees) T. Anders., 209, 222
oligocephala C.B. Clarke, 212, 222, 248
 var. *trentleri* C.B. Clarke, 248
oresbia W.W. Sm., 208, 221
oxycalycina J.R.I. Wood, 214, 223, 250
paniculata (Nees) Miquel, 112
panpienkaiensis H. Lév., 238
paupera C.B. Clarke, 222, 249
pectinata T. Anders., 224
 var. *daltonii* C.B. Clarke, 224
pentstemonoides (Nees) T. Anders., 212, 222, 251
 var. *dalhousieana*, 222, 253
 var. *pentstemonoides*, 222, 251
pentstemonoides auct. mult. incl. C.B. Clarke p.p., 254
persistens C.B. Clarke, 240
petiolaris auct. sensu C.B. Clarke, 220, 241
 var. *tubiflos* C.B. Clarke, 220, 264
petiolaris Nees, 203
psilostachys C.B. Clarke ex W.W. Sm., 210
pterygorrhachis C.B. Clarke, 207, 208
pubiflora J.R.I. Wood, 212, 222, 254
pulcherrima T. Anderson, 112
quadrangularis C.B. Clarke, 222, 232
reflexa Nees, 230
rex C.B. Clarke, 212, 213
rhom bifolia C.B. Clarke, 214, 236, 255
rubescens T. Anders., 206, 220
sabiniana (Lindley) Nees, 206, 220
saccata J.R.I. Wood, 206, 220, 256
scoriarum W.W. Sm., 215, 223, 258
secunda T. Anders., 223
setosa J.R.I. Wood, 259
sexennis Nees, 110
 var. *hirsutissima* (Nees) T. Anderson, 112
shanensis (Bremek.) J.R.I. Wood, 214
shweliensis W.W. Sm., 223, 258
simonsii T. Anders., 217, 224
simplex J.R.I. Wood, 214, 259
spicata T. Anders, 208, 209
straminea W.W. Sm., 214, 260
subnudata C.B. Clarke, 209, 221, 261
tamburensis C.B. Clarke, 206, 220
tenax Dunn, 223
thomsonii T. Anders., 215, 223
tibetica J.R.I. Wood, 208, 221, 262
trifida Nees, 110

- tubiflos (C.B. Clarke) J.R.I. Wood, 203, 220, 264
 unilateralis J.R.I. Wood, 208, 264
 urophylla (Nees) Nees, 207, 221
 var. *sikkimensis* C.B. Clarke, 221
urticifolia Wall. ex O. Kuntze, 230
 versicolor Diels, 207, 221
violifolia T. Anders., 189
 viscosa (Arn. ex Nees) T. Anderson, 114
 walkeri Arn. ex Nees, 109
 var. *stenocarpa* C.B. Clarke, 109
 wallichii Nees, 207, 221, 265
 var. *microphylla* Nees, 265
 xanthantha Diels, 268
- Studies in the Flora of Arabia: XXVII. Some new taxa from the Arabian Peninsula, 33
 Studies in the Flora of Arabia: XXVIII. Some new taxa from the Arabian Peninsula, 49
Sympagis petiolaris auct., 220, 245
 petiolaris Hara, 221
- Tarphochlamys affinis* (Griff.) Bremek., 220
Teinostachyum Munro, 4, 5, 29
 dullooa Gamble, 29, 328
Thamnocalamus Munro, 4, 5, 280
 bhotanica Munro, 289
 falconeri Munro, 314
 spathiflorus (Trin.) Munro, 282, 328
 subsp. *nepalensis* Stapleton, 283, 328
 subsp. *occidentalis* Stapleton, 283, 328
 subsp. *spathiflorus*, 282, 328
 var. *bhutanensis* Stapleton, 283, 328
 var. *crassinodus* (Yi) Stapleton, 284, 328
- Thesium colpoon* L.f., 391
Thunbergia clarkei Yamazaki, 176
 grandiflora Roxb., 176
 var. *racemosa* Nees, 176
 lacei Gamble, 176
Trianthema sheilae A. Miller & J. Nyberg, 33
Tuamina Alef., 86
 michauxii (Sprengel) Alef., 86
- Turkish Flora, Some contributions to the, 65
 TURNBULL, E. & WATLING, R., Boletes from South and East Central Africa – II, 331
Tylopilus brunneirubens (Corner) Watling & Turnbull, 332
 conspicuocystidiata [nom. prov.], 333
 niger (Heinem. & Gooss.-Font) Wolfe, 335
 nigropurpureus (Corner) Watling, 336
 ochraceosquamosus Watling, 337
 perplexus Watling & Turnbull, 338
 roadsiae (Murrill) Murrill, 340
 striatulus Heinem., 341
 violaceus (Beeli) Heinem., 342
 zambianus Watling, 342
- Vicia* Section *Peregrinae* Kupicha (Leguminosae, Papilionoideae, Viciae), A phenetic investigation, 75
Vicia subgen. *Alangula* Alef., 86
 sect. *Peregrinae* Kupicha, 86
 sect. *Subsessiles* Rouy, 86
 subsect. *Brevicarpa* Stank., 86
 subsect. *Peregrinae* Radzhi, 86
 ser. *Peregrinae* B. Fedtsch., 86
- Vicia aintabensis* Boiss. & Hausskn., 86, 87
 aintabensis Blakelock, 86
 carnea Kotschy, 86
 gracilior (Popov) Popov, 88
 leptophylla Raf., 87
 megalosperma M. Bieb., 87
 michauxii Sprengel, 86
 var. *stenophylla* Boiss., 86
 monanthos Viv., 87
 peregrina L., 85, 87
 subsp. *aintabensis* (Boiss. & Hausskn. ex Boiss.) Ponert, 87
 subsp. *megalosperma* (M. Bieb.) Ponert, 88
 subsp. *michauxii* (Sprengel) Ponert, 86
 subsp. *persepolitana* (Boiss.) Ponert, 87
 var. *angustifolia* Rouy, 88
 var. *carnea* (Kotschy) Plitmann, 88
 var. *glabrescens* Post, 88
 var. *gracilior* Popov, 88
 var. *latifolia* Rouy, 88
 var. *leptophylla* (Raf.) Hal., 88
 var. *parviflora* Post, 88
 persepolitana Boiss., 86
- VILELA, E.A., OLIVEIRA-FILHO, A.T., GAVILANES, M.L. & CARVALHO, D.A., Comparison of the woody flora and soils of six areas of montane semideciduous forest in southern Minas Gerais, Brazil, 355
- Viola canina* L., 67
- WATLING, R. & TURNBULL, E., Boletes from South and East Central Africa – II, 331
 WOOD, J.R.I.
 Nees, Arnott and some forgotten Acanthaceae types from Asia, 103
 Notes relating to the Flora of Bhutan: XXIX. Acanthaceae, with special reference to *Strobilanthes*, 175

Xerocomus boletiformis (Beeli) Heinem., 344
latisporus Heinem., 347
njalaensis (Beeli) Heinem., 347
schmitzii Heinem., 348
spp., 350

Yushania Keng f., 4, 5, 290
hirsuta (Munro) R.B. Majumdar, 292, 329
maling (Gamble) R.B. Majumdar, 293, 329
microphylla (Munro) R.B. Majumdar, 293, 329
pantlingii (Gamble) R.B. Majumdar, 293, 329
racemosa (Munro) R.B. Majumdar, 280