

GENERAL INDEX TO VOLUME 52 (1995)

- Aeschynanthus arctocalyx*, a new species from the Philippines, 343
- Aeschynanthus arctocalyx* Mendum & Madulid, 343
- confertus* Griffith, 219
 - kingii* C.B. Clarke, 219
 - levipes* C.B. Clarke, 220
 - oxychlamys* Mendum, 362
 - pullei* (Schltr.) P. Royen, 362
- Alectoria californica* (Tuck.) Merrill, 108
- nigricans* (Ach.) Nyl., 108
 - sarmentosa* (Ach.) Ach., 108
 - vancouverensis* (Gyelnik) Gyelnik ex Brodo & D. Hawksw., 108
- Anaptychia ciliaris* Ach., 124
- erinacea* (Ach.) Trevisan, 110
- Anchusa negevensis* Danin, 333
- Anomalluma* Plowes, 202
- dodsoniana* (Lavrano) Plowes, 202
- ANOZIE, V.C.**, A new species of *Terminalia* from Nigeria, 347
- Anthodendron* Reichenbach, 11
- ARGENT, G.C.G.**, New combinations and synonymy in some rhododendrons of section *Vireya*, 363
- Arthothelium ilicinum* (Taylor) P. James, 108
- Astrosporina aequalis* Horak, 353
- asterospora* (Quél.) Rea, 353
 - corneri* Horak, 355
- Azalea* L.
- subgen. *Pentanthera* (G. Don) Koch, 11
 - subgen. *Rhodora* L., 26
 - subgen. *Sciadorhodion* (Rehder & Wilson) Copeland, 13
 - albrechtii* (Maxim.) Kuntze, 22
 - canadensis* (L.) Kuntze, 22
 - nipponica* (Matsum.) Copeland, 24
 - pentaphylla* (Maxim.) Copeland, 19
 - quinquefolia* (Bisset & S. Moore) Olmstead, Colville & Kelsey, 16
 - schlippenbachii* (Maxim.) Kuntze, 15
 - vaseyi* (A. Gray) Rehder, 27
- Bacidia* sp., 108, 123
- Baeomyces acicularis* Ach., 114
- Basidiomycetes**, Incompatibility in, 71
- BATEMAN, R.M. & DENHOLM, I.**, The Hebridean Marsh-Orchid:
- Nomenclatural and conceptual clarification of a biological enigma, 55
- Biltia* Small, 26
- vaseyi* (A. Gray) Small, 27
- BOOK REVIEWS**
- The Common Ground of Wild and Cultivated Plants, edited by A.R. Perry and R.G. Ellis, 91
 - C.P. Thunberg's Drawings of Japanese Plants, edited by Y. Kimura and V.P. Leonov, 238
 - The Genera of the Umbelliferae, by M.G. Pimenov and M.V. Leonov, 92
 - An Illustrated Flora of North Cyprus, by D.E. Viney, 93
 - Scarce Plants in Britain, compiled and edited by A. Stewart, D.A. Pearman and C.D. Preston, 237
 - Siebold's Florilegium of Japanese Plants, edited by Y. Kimura and V.I. Grubov, 238
 - Borreria ceruchis* (Ach.) Ach., 114
 - erinaceus* Ach., 110
- BRUYNS, P.V. & MEVE, U.**, The generic position of *Caralluma dodsoniana*, 195
- Bryoria bicolor* (Ehrh.) Brodo & D. Hawksw., 108
- capillaris* (Ach.) Brodo & D. Hawksw., 108
- Bunodophoron australe* (Laurer) A. Massal, 102
- patagonicum* (Dodge) Wedin, 102
- BURTT, B.L.**, See HILLIARD
- Caloplaca flavorubescens* (Huds.) Laundon, 108
- Caralluma dodsoniana*, The generic position of, 195
- Caralluma dodsoniana* Lavranos, 202
- Catillaria* sp., 108
- Cavernularia lophyrea* (Ach.) Degel., 108
- Cenomyce acicularis* (Ach.) Ach., 115
- Cetraria californica* Tuck., 108
- islandica* subsp. *crispiformis* (Räsänen) Kärnfelt, 109
 - lacunosa* Ach., 116
 - f. cavernosa* (Menzies) Merrill, 117
 - f. cavernosus* (Menzies in Ach.) Merrill, 117

- Cetraria orbata* (Nyl.) Fink, 109
Chaenotheca brunneola (Ach.) Müll. Arg., 102
Chlorodictyon foliosum J. Agardh, 120
Chrysotrichia candelaris (L.) Laundon, 103
Cladina aggregata (Sw.) Nyl., 103
Cladina confusa (R. Sant.) Follman & Ahti, 129
 portentosa subsp. *pacifica* (Ahti) Ahti, 109
pycnoclada (Pers.) Leighton, 103
rangiferina (L.) Nyl., 109
Cladonia acicularis (Ach.) Fr., 115
amaurocraea (Flörke) Schaeerer, 109
bacillaris Nyl., 103
bellidiflora (Ach.) Schaeerer, 109
cervicornis subsp. *verticillata* (Hoffm.) Ahti, 101, 109
crispata (Ach.) Flotow, 109
cristatella Tuck., 101
furcata (Huds.) Schrader, 109
gracilis subsp. *elongata* (Jacq.) Vainio, 103
macilenta Hoffm., 128
maxima (Asah.) Ahti, 101, 109
subfurcata (Nyl.) Arnold, 109
transcendens (Vainio) Vainio, 109
uncialis (L.) Weber ex Wiggers, 109
verruculosa (Vainio) Ahti, 109
Coccotrema pocillarium (Cummings) Brodo, 109
Coelocaulon aculeatum (Schreber) Link, 110
californicum (Tuck.) Howe, 108
Coenogonium implexum Nyl., 126
Collema conglomeratum var. *crassiusculum* (Malme) Degelius, 130
menziesii (Ach.) Ach., 103
rugosum Krempelh., 123
subconveniens Nyl., 124, 126
COPPINS, B.J. & KONDRATYUK, S.Y., *Stygiomyces* and *Pseudonitschkaia*: Two new genera of lichenicolous fungi, 229
Cornicularia californica (Tuck.) Du Rietz, 108
Crocodia obvoluta (Ach.) Trevisan, 104
CRONK, Q.C.B., A new species and hybrid in the St Helena endemic genus *Trochetiopsis*, 205
Cyanistica anthraspis (Ach.) Gyelnik., 118
obvoluta (Ach.) Dodge, 104
Dactylorhiza majalis (Reichenbach f.) P.F. Hunt & Summerhayes subsp. *occidentalis* (Pugsley) Soó var. *ebudensis* Wiefelspütz ex R.M. Bateman & Denholm, 57
 subsp. *occidentalis* var. *ebudensis* Wiefelspütz, 57
 var. *scotica* (Nelson) R.M. Bateman & Denholm, 57
 subsp. *scotica* Nelson, 57
DANIN, A., A new *Anchusa* from Israel, 333
DENHOLM, I., See BATEMAN
Dermatocarpon luridum (With.) Laundon, 101
Desmazieria ceruchis (Ach.) Trevisan, 114
homalea (Ach.) Mont., 114
Dictyonema glabratum (Sprengel) D. Hawksw., 130
Didymocarpus and *Lysionotus*, Notes on, 215
Didymocarpus aureoglandulosus C.B. Clarke, 215
curvicerca Hilliard, 217
obtusa auct. non [Wall. ex] R. Br.; C.B. Clarke, 218
pinetorum Kurz, 215
rodgeri W.W. Smith, 215
 var. *siamensis* W.W. Smith, 215
subalternans R. Br. var. *curvicerca* C.B. Clarke, 217
 var. *curvicularis* C.B. Clarke, 217
triplotrichus Hilliard, 218
Dimerella lutea (Dickson) Trevisan, 110
Diploicia canescens (Dickson) Massal., 101
Dirinaria picta (Sw.) Clem. & Shear, 123
Distichochlamys, a new genus from Vietnam, 65
Distichochlamys M.F. Newman, 65
citrea M.F. Newman, 65
Dufourea simplex Taylor, 121
Erioderma pulchrum Müll. Arg., 129
 The extra-European lichen collections of Archibald Menzies MD, FLS (1754–1842), 95

- GALLOWAY, D.J., The extra-European lichen collections of Archibald Menzies MD, FLS (1754–1842), 95
- The generic position of *Caralluma dodsoniana*, 195
- Graphina* sp., 123
- Graphis* sp., 110
- Graphis scripta* (L.) Ach., 101
- The Hebridean Marsh-Orchid: Nomenclatural and conceptual clarification of a biological enigma, 55
- Hemiboea himalayensis* Lévl., 221
- Heterodermia comosa* (Eschw.) Follm. & Redon, 129
- erinacea* (Ach.) W. Weber, 110
 - lepidota* Swinscow & Krog, 124
 - leucomelos* (L.) Poelt, 124, 129–30
 - magellanica* (Zahlbr.) Swinscow & Krog, 124
 - podocarpa* (Bel.) Awasthi, 129
 - speciosa* (Wulfen) Trevisan, 124
- HILLIARD, O.M.
- New names in *Selago*, 361
 - Pseudoselago*, a new segregate from *Selago*, 243
- HILLIARD, O.M. & BURTT, B.L., Old World Gesneriaceae. IV. Notes on *Didymocarpus* and *Lysionotus*, 215
- Hochenwartia* Crantz, 26
- canadensis* (L.) Crantz, 30
- Hypogymnia duplicata* (Ach.) Rass., 110
- enteromorpha* (Ach.) Nyl., 110
 - lophyrea* (Ach.) Krog, 108
- Icmadophila ericetorum* (L.) Zahlbr., 101, 110
- IKEDA, H. & OHBA, H., A new species of *Potentilla* sect. *Leptostylae* from central Burma, 225
- Imbricaria enteromorpha* (Ach.) Jatta, 110
- Incompatibility in basidiomycetes: The heterogenic Pentax, 71
- Inocybe* in Peninsular Malaysia, 351
- Inocybe aequalis* (Horak) Turnbull & Watling, 353
- asterospora* Quél., 352, 353
 - aurantiocystidiata* Turnbull & Watling, 352, 355
 - corneri* (Horak) Garrido, 353, 355
- cutifracta* Petch, 352, 356
- fuscospinulosa* Corner & Horak, 352, 356
- lutea* Kobayasi & Hongo, 353, 357
- palaeotropica* Turnbull & Watling, 352, 357
- sphaerospora* Kobayasi, 352, 358
- umbrina* Massee, 357
- JUDD, W.S. & KRON, K.A., A revision of *Rhododendron* VI. Subgenus *Pentanthera* (Sections *Sciadorhodion*, *Rhodora* and *Viscidula*), 1
- KEMP, R.F.O., Incompatibility in basidiomycetes: The heterogenic Pentax, 71
- KLJUYKOV, E.V., *See* PIMENOV
- KONDRATYUK, S.Y., *See* COPPINS
- Korshinsky* extended westwards, 337
- Korshinsky* assyriaca (Freyn. & Bornm.) Pimenov & Kljuykov, 339, 342
- bupleuroides* Korovin, 342
 - kopetdagensis* (Korov) Pimenov & Kljuykov, 342
 - olgae* (Regel & Schmalh.) Lipsky, 342
 - rapifera* (Gilli) Podlech & Rech. f., 342
- KRON, K.A., *See* JUDD
- Lasallia papulosa* var. *rubiginosa* (Pers.) Llano, 124
- Lecanactis concordans* (Nyl.) Zahlbr., 123
- Lecanora pacifica* Tuck., 110
- Lecidea* sp., 110
- Lecidella elaeochroma* (Ach.) M. Choisy, 103
- Leifidium tenerum* (Laurer) Wedin, 126
- Lepraria nivalis* Laundon, 110
- Leptogium* sp., 123, 129
- austroamericanum* (Malme) Dodge, 124, 129
 - azureum* (Sw.) Mont., 124, 129
 - brebissonii* Mont., 126
 - coralloideum* (Meyen & Flotow) Vainio, 124
 - corniculatum* (Hoffm.) Minks, 111, 124
 - corticola* (Taylor) Tuck., 123
 - cyanescens* (Rabenh.) Körber, 123, 129
 - menziesii* (Ach.) Mont., 103

- moluccanum* (Pers.) Vainio, 129
palmatum (Hudson) Mont., 125
Letharia vulpina (L.) Hue, 112
Lethariella canariensis (Ach.) Krog., 125
 Lichen collections of Archibald Menzies, 95
Lichen bullatus Menzies, 103
cavernosus Menzies, 116
cincinnatus Sm., 103
duplicatus Sm., 110
erinaceus Sm., 110
intestinalis Sm., 110
lacunosus Menzies, 114
menziesii Sm., 103
obvolvolutus Sm., 104
planus Menzies, 114
reticulatus Noehden, 119
 Lichenicolous fungi, Two new genera of, 229
Lithocaulon P.R.O. Bally, 202
Lobaria crenulata (Hook.) Trevisan, 129
orygmaea (Ach.) Hellbom, 104
pulmonaria (L.) Hoffm., 112
querzicans Michaux, 101
Loxospora ochrophycea (Tuck.) R.C. Harris, 101
Lysionotus and *Didymocarpus*, Notes on, 215
Lysionotus angustisepalus W.T. Wang, 220
atropurpureus Hara, 219
confertus C.B. Clarke, 219
gracilipes C.E.C. Fischer, 220
himalayensis (Lévl.) W.T. Wang, 221
kingii (C.B. Clarke) Hilliard, 219
levipes (C.B. Clarke) B.L. Burtt, 220
pubescens C.B. Clarke, 220
serratus D. Don, 221
 var. *pteroaulis* W.T. Wang, 224
ternifolius Wall., 221
wardii W.W. Smith, 220
- MADULID, D., See MENDUM**
- Megalospora sulphurata* Meyen, 125
Melhania melanoxylon R. Br. ex W.T. Aiton, 207
MENDUM, M., *Aeschynanthus oxychlamys* Mendum nom. nov. (Gesneriaceae), 362
- MENDUM, M. & MADULID, D., *Aeschynanthus arctocalyx*, a new species from the Philippines, 343**
- Menegazzia cincinnata* (Ach.) Bitter, 103
 Menzies, Archibald, 95
 MEVE, U., *See BRUYNS*
- Nephroma antarcticum* (Jacq.) Nyl., 103
bellum (Sprengel) Tuck., 113
cellulosum (Ach.) Ach., 103
laevigatum Ach., 114
resupinatum (L.) Ach., 114
Nephromium cellulosum (Ach.) Nyl., 103
Neuropogon aurantiaco-ater (Jacq.) Lamb, 103
 A new *Anchusa* from Israel, 333
 New combinations and synonymy in some rhododendrons of section *Vireya*, 363
 New names in *Selago*, 361
 A new species of *Potentilla* sect. *Leptostylae* from central Burma, 225
 A new species of *Terminalia* from Nigeria, 347
 NEWMAN, M.F., *Distichochlamys*, a new genus from Vietnam, 65
Niebla ceruchis (Ach.) Rundel & Bowler, 114
combeoides (Nyl.) Rundel & Bowler, 114
homalea (Ach.) Rundel & Bowler, 114
 Notes on *Didymocarpus* and *Lysionotus*, 215
- OHBA, H., See IKEDA**
- Old World Gesneriaceae. IV. Notes on *Didymocarpus* and *Lysionotus*, 215
- OLIVEIRA-FILHO, A.T. & RATTER, J.A., A study of the origin of central Brazilian forests by the analysis of plant species distribution patterns, 141**
- Opegrapha atra* Pers., 125
Opisteria cellulosa (Ach.) Vainio, 103
Oxychlamys pullei Schltr., 362
- Pannaria brisbanensis* C. Knight, 125
lurida (Mont.) Nyl., 125
pezizoides (G.H. Weber) Trevisan, 104, 114, 130
rubiginosa (Thunb.) Delise, 129
- Parmelia ceruchis* Ach., 114
cincinnata Ach., 103
cribellata Taylor, 108

- duplicata* Ach., 110
enteromorpha Ach., 110
fertilis Müll. Arg., 101
lophyrea Ach., 108
menziesii Ach., 103
obvoluta Ach., 104
physodes var. *enteromorpha* (Ach.) Tuck., 110
saxatilis (L.) Ach., 101
sulcata Taylor, 101
- Parmeliella brisbanensis* (C. Knight) P.M. Jørg. & D.J. Galloway, 123
mariana (Fries) P.M. Jørg. & D.J. Galloway, 123, 125, 129
- Parmelina galbina* (Ach.) Hale, 101
- Parmotrema arnoldii* (Du Rietz) Hale, 114
dilatatum (Vainio) Hale, 114
perforatum (Jacq.) Massal., 114
- Peltidea cellulosa* Ach., 103
- Peltigera membranacea* (Ach.) Nyl., 114
venosa (L.) Hoffm., 114
- Pentapetes melanoxyylon* Sol. ex Sims, 207
- Pertusaria* sp., 104
- Phaeophyscia endococcina* (Körber) Moberg, 125
- Phyllopodium rudolphii* Hiern., 316
- Phyllopsora* sp., 114
corallina (Eschw.) Müll. Arg., 125
- Physcia ciliaris* var. *erinacea* (Ach.) Nyl., 110
erinacea (Ach.) Tuck., 110
leucomela var. *erinaceus* (Ach.) Nyl., 110
- Physma byrsaeum* (Ach.) Tuck., 125, 128–9
- Pilophorus acicularis* (Ach.) Th. Fr., 114
cereolus var. *acicularis* (Ach.) Tuck., 115
- PIMENOV, M.G. & KLJUYKOV, E.V.**
Korshinsky extended westwards, 337
- Platismatia glauca* (L.) Culb. & C. Culb., 116
herrei (Imsh.) Culb. & C. Culb., 116
lacunosa (Ach.) Culb. & C. Culb., 116
stenophylla (Tuck.) Culb. & C. Culb., 118
- Platysma lacunosum* (Ach.) Nyl., 117
- Potentilla* sect. *Leptostylae* from central Burma, 225
- Potentilla montisvictoriae* H. Ikeda & H. Ohba, 225
- Pseudocyphellaria anomala* Brodo & Ahti, 118
anthraspis (Ach.) H. Magn., 118
aurata (Ach.) Vainio, 129–30
berberina (G. Forster) D. Galloway & P. James, 104
billardieri (Delise) Räsänen, 126
cinnamomea (A. Rich.) Vainio, 126
clathrata (De Not.) Malme, 130
coronata (Müll. Arg.) Malme, 126
crocata (L.) Vainio, 118
dubia Du Rietz, 104
faveolata (Delise) Malme, 126
freycinetii (Delise) Malme, 104
gilva (Ach.) Malme, 125
hirsuta (Mont.) Malme, 104
lividofusca (Krempehl.) D. Galloway & P. James, 126
multifida (Nyl.) D. Galloway & P. James, 126
obvoluta (Ach.) Malme, 104
orygmaea (Ach.) Malme, 104
punctillaris (Müll. Arg.) D. Galloway, 129
- Pseudolithos* P.R.O. Bally, 202
dodsonianus (Lavrano) Bruyns & Meve, 202
- Pseudonitschka* Coppins & Kondratyuk, 232
parmotrematis Coppins & Kondratyuk, 232
- Pseudoselago*, a new segregate from *Selago*, 243
- Pseudoselago arguta* (E. Mey.) Hilliard, 313
ascendens (E. Mey.) Hilliard, 270
bella Hilliard, 326
burmannii (Choisy) Hilliard, 310
caerulescens Hilliard, 279
candida Hilliard, 297
densifolia (Hochst.) Hilliard, 306
diplotricha Hilliard, 324
gracilis Hilliard, 289
guttata (E. Mey.) Hilliard, 267
humilis (Rolfe) Hilliard, 316
langebergensis Hilliard, 275
outeriquensis Hilliard, 282
parvifolia Hilliard, 294

- peninsulae Hilliard, 265
prolixia Hilliard, 322
prostrata Hilliard, 328
pulchra Hilliard, 250
quadrangularis (Choisy) Hilliard, 258
rapunculoides (L.) Hilliard, 303
recurvifolia Hilliard, 256
serrata (P.J. Bergius) Hilliard, 252
similis Hilliard, 318
 sp., 309
spuria (L.) Hilliard, 284
subglabra Hilliard, 300
verbenacea (L.f.) Hilliard, 273
violacea Hilliard, 261
Psoroma hypnorum (Vahl) S.F. Gray, 104
lepromum (Nyl.) Räsänen, 105
pholidotoides (Nyl.) Trevisan, 105
Pyrenula sp., 106
Pyxine petricola Nyl., 129
- Ramalina arabum* (Dill. ex Ach.) Meyen & Flotow, 130
celastri (Sprengel) Krog & Swinscow, 125, 129
 subsp. *ovalis* (J.D. Hook. & Taylor) Stevens, 129
complanata (Sw.) Ach., 118
dilacerata (Hoffm.) Hoffm., 118
homalea Ach., 114
leptocarpha Tuck., 118
menziesii Taylor, 118
reticulata Krempelh., 119
retiformis Menzies ex Tuck., 120
 sp., 121, 129
tayloriana Zahlbr., 129
thrausta (Ach.) Nyl., 121
usnea (L.) R. Howe, 121
- RATTER, J.A., *See OLIVEIRA-FILHO A revision of *Rhododendron* VI. Subgenus *Pentanthera* (Sections *Sciadorhodion*, *Rhodora* and *Viscidula*)*, 1
- Rhododendron*, A revision of, 1
- Rhododendron*
 sect. *Azalea* Planchon, 13
 sect. *Pentanthera* G. Don, 11
 sect. *Pentanthera* G. Don, 13
 sect. *Rhodora* (L.) G. Don, 1, 26
 sect. *Sciadorhodion* Rehder & Wilson, 1, 13
- sect. *Viscidula* Matsum. & Nakai, 1, 24
 subgen. *Anthodendron*, 11
 subgen. *Pentanthera* (G. Don)
 Poyarkova, 1, 11
 subgen. *Pseudanthodendron* Sleumer, 11
Anthodendron (Reichenbach) Endl., 11
albrechtii Maxim., 22, 36
borneense (J.J. Sm.) Argent, A.L.
 Lamb & Phillipps
 subsp. *angustissimum* (Sleumer)
 Argent, 363
 subsp. *brookeanum*
 var. *cockburnii* (Argent, A.L.
 Lamb & Phillipps) Argent, 364
 var. *kinabaluense* (Argent, A.L.
 Lamb & Phillipps) Argent, 363
 var. *moultonii* (Ridl.) Argent, 364
 subsp. *gracile* (Lindley) Argent, 364
 var. *gracile* Hensl., 364
canadense (L.) Torrey, 30, 37
 f. *albiflorum* (E.L. Rand & Redf.)
 Rehder, 30
 f. *album* Voss, 30
 f. *viridifolium* Fernald, 30
flavum G. Don, 11
gracile Low ex Lindl., 364
javanicum (Blume) Bennett
 subsp. *brookeanum* var. *kinabaluense*
 Argent, Lamb & Phillipps, 363
 subsp. *cockburnii* Argent, Lamb &
 Phillipps, 364
 subsp. *moultonii* (Ridl.) Argent, 364
 subsp. *schadenbergii* Argent, 364
 var. *schadenbergii* (Warb.) Sleumer,
 364
kinabaluense Merr., 365
konori Becc. var. *phaeopeplum*
 (Sleumer) Argent, 364
leptanthum F. Muell. var. *warianum*
 (Schltr.) Argent, 365
luteum Sweet, 11
moultonii Ridl., 364
nikoense (Komatsu) Nakai, 20
nipponicum Matsum., 24, 37
pentaphyllum Maxim., 19, 36
 var. *nikoense* Komatsu, 20
 var. *shikokianum* T. Yamazaki, 20
phaeopeplum Sleumer, 364
quadrasianum Vidal var. *angustissimum*
 Sleumer, 363

- quinquefolium* Bisset & S. Moore, 13, 16, 35
f. speciosum N. Yonezawa, 17
var. roseum Rehder, 20
rhodora J.F. Gmelin, 30
f. albiflora E.L. Rand & Redf., 30
rugosum Low ex Hook. f. var. *laeve* Argent, A.L. Lamb & Phillipps, 365
schadenbergii Warburg, 364
schlippenbachii Maxim., 15, 35
vaseyi A. Gray, 27, 37
f. album (Bean) Rehder, 27
var. album Bean, 27
warianum Schltr., 365
canadensis L., 30
Rhodora L., 26
Rimelia cetrata (Ach.) Hale & Fletcher, 121
reticulata (Taylor) Hale & Fletcher, 125, 130
Roccella arnoldii Vainio, 125
- Scaligeria assyriaca* Freyn. & Bornm., 339
Sciadorhodion, 1
Selago acutibractea Hilliard, 361
arguta E. Mey., 313
ascendens auct., 261
ascendens E. Mey., 270
burmannii Choisy, 310
coccinea L., 303
densifolia Hochst., 306
dentata Poir., 284
elata Rolfe, 361
fasciculata L., 252
var. glabra E. Mey. subvar. *b*, 256
var. hirta E. Mey., 258
subvar. b, 265
var. β lanceolata Walp., 303
fulvomaculata Link, 284
guttata E. Mey., 267
heterophylla auct., 318
heterophylla Rolfe, 318
heterophylla Thunb., 284
hirta auct., 258
hirta L.f., 260
humilis Rolfe, 316
hyssopifolia auct., 361
hyssopifolia E. Mey. subsp. *retrotricha* Hilliard, 361
incisa Hochst., 270
- lanceolata* Choisy, 303
lanceolata Choisy p.p., 310
pallida Salisb., 284
pantheri Gand., 252
procera Hilliard, 361
pulchella Salisb., 303
quadrangularis auct., 265
quadrangularis Choisy, 258
ramulosa Link, 275
rapunculoides L., 303
var. β densifolia (Hochst.) Choisy, 306
rudolphii (Hiern.) Levyns, 316
serrata P.J. Bergius, 252
spuria L., 284
tarachodes Hilliard, 361
teretifolia Link, 303
verbenacea L.f., 273
zuluensis Hilliard, 361
Siphula ceratites (Wahlenb.) Fr., 121
var. simplex (Taylor) Müll. Arg., 121
simplex (Taylor) Nyl., 121
verrucigera (J.F. Gmelin) R. Sant., 125
Solorina spongiosa (Ach.) Anzi, 121
Sphaerophorus melanocarpus (Sw.) DC., 121
Squamaria cartilaginea (With.) P. James, 125
Stereocaulon aciculare (Ach.) Tuck., 115
implexum Th. Fr., 106
ramulosum (Sw.) Rauschel, 106, 126
vesuvianum Pers., 106
Sticta anthraspis Ach., 118
caulescens De Not., 106
damaeornis (Sw.) Ach., 129
filix (Sw.) Nyl., 127
fuliginosa (Hoffm.) Ach., 106, 121
gaudichaldia Delise, 106
latifrons A. Rich., 127
obvoluta (Ach.) Ach., 104
orygmaea Ach., 104
samoana (Müll. Arg.) Zahlbr., 128
subcaperata (Nyl.) Nyl., 128
Stygiomyces and *Pseudonitschka*: Two new genera of lichenicolous fungi, 229
Stygiomyces Coppins & Kondratyuk, 229
galliformis Coppins & Kondratyuk, 229
A study of the origin of central Brazilian forests by the analysis of plant species distribution patterns, 141

- Teloschistes chrysophthalmus (L.) Th.
Fr., 121
exilis (Michaux) Vainio, 125
flavicans (Sw.) Ach., 129–30
- Terminalia pennyanus Anozie, 347
- Thamnolia subuliformis (Ehrh.) Culb.,
121
- Thelomma mammosum (Hepp in
Hartung) Massal., 121
- Thelotrema lepadinum (Ach.) Ach., 107
- Trochettiopsis ebenus Cronk, 210
melanoxyton (Sol. ex Sims) Marais, 207
- Trochettiopsis × benjamini Cronk, 211
- TURNBULL, E., *Inocybe* in Peninsular
Malaysia, 351
- Umbilicaria vellea (L.) Ach., 121
- Usnea cavernosa Tuck., 122
ceratina Ach., 122
ceruchis (Ach.) Mont., 114
fulvoreagens (Räsänen) Räsänen, 122
- intercalaris Krempelh., 129
longissima Ach., 122
lutea Motyka, 129
nidifica Taylor, 128
pruinosa Motyka, 129
strigosa (Ach.) A. Eaton, 101
subflorida (Zahlbr.) Mot., 125
subfloridana Stirton, 122
trichodea Ach., 101
trichodeoides Mot., 128
- Viscidula, 1
- Vulpicida canadensis (Räsänen) Mattson
& Lai, 122
- Xanthomaculina hottentota (Ach.) Hale,
125
- Xanthoria candelaria (L.) Th. Fr., 123
elegans (Link) Th. Fr., 101
parietina (L.) Th. Fr., 125