

GENERAL INDEX TO VOLUME 53 (1996)

- Afghanistan
Ferula from, 181
 a new genus of the Umbelliferae from, 187
- African *Lactarius*, 49
- Agaricus*
 tribus *Phlegmacium* Fr., 342
maculosus Pers.: Fr., 390
saginus Fr.: Fr., 345
varius Schaeff.: Fr., 352
- AITKEN, E. & LONG, D.G., Notes relating to the Flora of Bhutan: XXX. Gentianaceae, 81
- ALEXANDER, D., *See* MILLER
- Amomum roseisquamosum* (Zingiberaceae), a new epiphytic ginger from Borneo, 39
- Amomum roseisquamosum* Nagam. & S. Sakai, 39
- Analysis of the floristic composition of the Brazilian cerrado vegetation II: Comparison of the woody vegetation of 98 areas, 153
- Argyrea capitata* β *conferta*, 242
hirsutissima (C.B. Clarke) Raizada, 242
ornata (Roxb.) Sweet, 230
sikkimensis (C.B. Clarke) Oostr., 242
- Armillaria pelliculata* Beeli, 56
- Asperula hoffmeisteri* Klotzsch, 95
- Asplenium acutiusculum* Blume, 271
anisodontum C. Presl, 271
caudatum G. Forst., 271
longissimum Blume, 271
- ATKINSON, R., *See* RATTER
- Australia, A second species of
Rhododendron (Ericaceae) from, 27
- Azalea lochae* (F. Muell.) Kuntze, 31
- BARTLEY, D.D., *See* OYBAK
- Bhutan
 Flora of: XXX. Gentianaceae, 81
 Flora of: XXXI. Rubiaceae, 95
 Flora of: XXXII. Boraginaceae, II, 113
 Flora of: XXXIII. Umbelliferae, I, 127
 Flora of: XXXIV. Convolvulaceae, 229
 Flora of: XXXV. Boraginaceae, III, 247
- BOOK REVIEWS
 Flora of India Vols 1-3, by B.D. Sharma *et al.*, 411
 Flora of the Pico das Almas, Chapada Diamantina - Bahia, Brazil, edited by B.L. Stannard, 283
- Overzicht van de Paddestoelen in Nederland, edited by E. Arnolds, Th.W. Kuyper & M.E. Noordeloos, 281
- Paleobotany: Plants of the Past, their Evolution, Paleoenvironment and Application in Exploration of Fossil Fuels, by S.N. Agashe, 150
- Pondweeds of the British Isles and Ireland, by C.D. Preston, 281
- Trees of the Balikpapan-Samarinda Area, East Kalimantan, Indonesia, by P.J.A. Kessler & K. Sidiyasa, 149
- Wind and Trees, edited by M.P. Coutts & J. Grace, 282
- Boraginaceae, Flora of Bhutan, 113, 247
- BRANDRUD, T.E., *Cortinarius* subgenus *Phlegmacium* section *Phlegmacium* in Europe, 331
- Brazilian cerrado vegetation II, 153
- BRIDGEWATER, S., *See* RATTER
- BRIDSON, D.M. & SPRINGATE, L.S., *Psydrax* (Flora of Bhutan), 105
- Bulbostylis* (Cyperaceae) from Somalia, 223
- Bulbostylis somaliensis* Lye, 223, 227
 subsp. *confusa* Lye, 225, 227
 subsp. *microcarpa* (Chiov.) Lye, 227
- Calystegia hederacea* Wall., 243
- Canthium didymum* C.F. Gaertn. var. *kingii* Hook.f., 107
kingii (Hook.f.) Brandis, 107
- Catunaregam* (Flora of Bhutan), 95
- Catunaregam longispina* (Link) Tirveng., 95
- Cerrado vegetation II, 153
- Chara aspera* (Dethard) Willd., 406
vulgaris L., 406
- Characeae from two sites in the Ingleborough region of West Yorkshire, 401
- Clitocybe castanea* Beeli, 54
- Cnidium Cusson, 128
atropurpureum M.F. Watson, 128
- Convolvulaceae, Flora of Bhutan, 229
- Convolvulus arvensis* L., 243

- candicans* Roth ex Roem. & Schult., 231, 241
hirsutissimus Wall., 242
ornatus (Roxb.) Wall., 230
Cordia acuminata Wall., 266
 auct. non Wall., 268
Cortiella C. Norman, 130
cortioides (C. Norman) M.F. Watson, 130
lamondiana Fullarton & M.F. Watson, 130
Cortinarius subgenus *Phlegmacium* section *Phlegmacium* in Europe, 331
Cortinarius (Pers.) Gray
 sect. *Phlegmacium* (Fr.) Gillot & Lucand, 342
 subsect. *Arguti* Kühn. & Romagn., 364
 subsect. *Triumphantes* Mos. ex Moëgne-Loec. & Reumaux, 344
 subsect. *Vulpini* Brandrud & Melot, 383
albomarginatus P.D. Orton, 383
aremoricus Lebourier & R. Henry, 344, 394
argutus Fr., 343, 364
 var. *fulvescens* Jul. Schaff., 369
caligatus Malençon, 344, 392
crocolitus Qué., 347
crustulinus Malençon, 392
fluryi (Mos.) Mos., 383
fraudulosoconnatus R. Henry, 369
fraudulosus Britz., 369
 var. *fraudulosus*, 344, 369
 var. *radicosus* Reumaux, 364
 var. *rosargutus* (Chevassut & R. Henry) Brandrud, 344, 373
 var. *tenuifolius* (W. Gams & Mos.) Mos., 370
fulcillus Britz., 369
fuscotinctus Rea, 364
herculeus Malençon, 344, 378
luteocingulatus Bidaud & Fillion, 354
maculosus (Pers.: Fr.) Fr., 344, 390
norrrlandicus Brandrud, 343, 362
odoratissimus Britz., 369
opimus Fr., 364
paracephalixus Bohus, 344, 375
parafraudulosus R. Henry, 370
percognitus Britz., 369
pini Brandrud, 343, 360
populinus Brandrud, 343, 380
psalliotoides Chevassut & R. Henry, 354
pseudovulpinus R. Henry, 344, 386
riousetiae Chevassut & R. Henry, 375
rosargutus Chevassut & R. Henry, 373
rufoalbus Kühn., 383
saginus (Fr.: Fr.) Fr., 343
squameo-radicans Bellivier, 390
subtriumphans R. Henry, 345
subvalidus R. Henry, 345
tiliae Brandrud, 343, 358
triumphans Fr., 343, 347
turmalis Fr. var. *cedrorum* Heim, 378
validus J. Favre, 345
variiformis Malençon, 343, 354
varius (Schaeff.: Fr.) Fr., 343, 352
vulpinus (Velen.) R. Henry, 344, 383
 CRAVEN, L.A. & WITHERS, R.M.,
 A second species of *Rhododendron*
 (Ericaceae) from Australia, 27
Crawfordia luteoviridis C.B. Clarke, 91
Dichondra repens J.R. & G. Forst., 243
Dorstenia socotrana A.G. Mill., 145
Ehretia dolichandra R.R. Mill, 256, 265
exsoluta R.R. Mill, 256, 268
psilosiphon R.R. Mill, 256, 260
silvana R.R. Mill, 256, 266
wallichiana Hook.f., 256
Eritrichium pustulosum C.B. Clarke, 123
 Ethiopia, *Tylophora* from,
 Europe, *Cortinarius* subgenus
Phlegmacium from, 331
Ferula (Umbelliferae) from Afghanistan,
 181
Ferula hedgeana Pimenov & Kljuykov,
 182
 Further new names in *Selago*, 277
 The *Galium acutum* and *G. asperifolium*
 species complexes in the Eastern
 Himalaya, 193
Galium (Flora of Bhutan), 95
Galium acutum Edgew.
 subsp. *bhutanense* R. Chatterjee, 195
 var. *himalayense* (Klotzsch &
 Garcke) R.R. Mill, 195, 201

- asperifolium* Wall. var. *sikkimense* (Gand.) Cufod., 206, 212
- asperuloides*
 subsp. *hoffmeisteri* (Klotzsch) Hara, 95
 var. *hoffmeisteri* (Klotzsch) Hand.-Mazz., 95
- blinii* Lév., 204
- bodinieri* Lév., 204
- cavaleriei* Lév., 205
- comari* Lév., 204
- craticulatum* R.R. Mill, 202, 212
- esquirolii* Lév., 205
- himalayense* Klotzsch & Garcke, 195
- hoffmeisteri* (Klotzsch) Ehrend. & Schönb.-Tem. ex R.R. Mill, 95
- megacyttarion* R.R. Mill, 200, 201
- rebae* R.R. Mill, 195, 201
- sikkimense* Gand., 206, 212
- triflorum* Michaux var. *hoffmeisteri* (Klotzsch) Hook.f., 95
- Gentiana volubilis* D. Don, 91
- wangchukii* E. Aitken & D.G. Long, 82
- Gentianaceae, Flora of Bhutan, 81
- Gentianella urnigera* E. Aitken & D.G. Long, 82
- Gongylotaxis*, a new genus of the Umbelliferae, endemic to Afghanistan, 187
- Gongylotaxis* Pimenov & Kljuykov, 188
- Gymnocarpus* (Caryophyllaceae), Taxonomy and biogeography of, 1
- Gymnocarpus* Forssk., 9
- argenteus* Petrus. & Thulin, 11, 13
- bracteatus* (Balf.f.) Petrus. & Thulin, 11, 17
- decandrus* Forssk., 10, 11
- f. *salsoloides* (Webb ex Christ) Chaudhri, 11
- dhofarensis* Petrus. & Thulin, 11, 15
- fruticosus* (Vahl) Pers., 11
- kuriensis* (Radcl.-Sm.) Petrus. & Thulin, 11, 20
- mahranus* Petrus. & Thulin, 10, 22
- parvibractus* (M. Gilbert) Petrus. & Thulin, 10, 24
- przewalskii* Bunge ex Maxim., 25
- rotundifolius* Petrus. & Thulin, 11, 19
- salsoloides* Webb ex Christ, 11
- Hackelia bhutanica* R.R. Mill, 117
- obtusifolia* R.R. Mill, 118
- Haemanthus grandifolius* Balf.f.: an enigma resolved, 43
- Haemanthus grandifolius* Balf.f., 44
- Hedyotis erecta* Manilal & Sivar., 104
- Heracleum* L., 131
- bhutanicum* M.F. Watson, 131
- nepalense* D. Don var. *bivittatum* C.B. Clarke, 133
- woodii* M.F. Watson, 133
- HILLIARD, O.M., Further new names in *Selago*, 277
- Hymenidium pachycaule* Pimenov & Kljuykov, 275
- The identity of *Asplenium anisodontum* C. Presl (Aspleniaceae), 271
- Inoloma argutum* (Fr.) Ricken, 364
- vulpinum* Velen., 383
- Interpretation of some older *Taraxacum* names from Asia, 215
- Ipomoea ornata* Roxb., 230
- KADEREIT, J.W., A revision of *Papaver* L. sects. *Pilosa* Prantl and *Pseudopilosa* M. Pop. ex Günther (Papaveraceae), 285
- Keraymonia* Farille, 134
- pinnatifolia* M.F. Watson, 134
- KIRSCHNER, J. & ŠTĚPÁNEK, J., Interpretation of some older *Taraxacum* names from Asia, 215
- KLJUYKOV, E.V., See PIMENOV
- Laccaria kalosperma* Beeli, 69
- Lactariopsis pandani* R. Heim, 73
- Lactarius*, Tropical African, 49
- Lactarius annulatoangustifolius* (Beeli) Buyck, 72
- badius* Verbeken, 54
- congolensis* Beeli, 63
- craterelloides* R. Heim & Gooss.-Font., 63
- goossensiae* Beeli, 66
- kalospermus* (Beeli) Verbeken & Walley, 69
- pandani* R. Heim, 72
- f. *aurantiacus* R. Heim, 73
- f. *intermedius* R. Heim, 56
- f. *pallidus* R. Heim, 56
- pellicularis* R. Heim, 60
- pelliculatus* (Beeli) Buyck, 56

- russulaeformis* (Beeli) Verbeke, 60
sesemotani (Beeli) Buyck, 66
unicolor Gooss.-Font. & R. Heim, 63
zenkeri (Henn.) Singer, 50
Lasiocaryum diffusum (Brand) I.M. Johnst., 114
ludlowii R.R. Mill, 121
Ledebouria grandifolia (Balf.f.) A.G. Mill. & D. Alexander, 44
Lentinus clitocyboides Henn., 77
Leontodon dissectus Ledeb., 215
eriopodum D. Don, 217
lyratus Ledeb., 216
parvulum Wall., 219
Leptodermis amoena Springate, 99
kumaonensis R. Parker, 96, 98
lanceolata Wall., 96, 98
ludlowii Springate, 102
stapfiana Winkler, 96, 98
Letsomia hirsutissima C.B. Clarke, 242
ornata Roxb., 230, 240
ornata Wall., 231
sikkimensis C.B. Clarke, 242
LIEDE, S., See MEVE
Lochia Balf.f., 9
bracteata Balf.f., 17
subsp. *abdulkuriana* Chaudhri, 20
subsp. *bracteata* Chaudhri f. *ciliata* Chaudhri, 20
kuriensis Radcl.-Sm., 20
parvibractea M. Gilbert, 24
Lomatogonium himalayense (Klotzsch) E. Aitken, 87
LONG, D.G., *Rubia* (Flora of Bhutan), 108
LONG, D.G., See AITKEN
LYE, K.A., A new *Bulbostylis* (Cyperaceae) from Somalia, 223
Maharanga emodi (Wall.) A.DC. var. *stelligera* I.M. Johnst., 122
Meeboldia H. Wolff, 136
achilleifolia (DC.) P.K. Mukherjee & Constance, 137
digitata (Kljuykov) M.F. Watson, 137
MEVE, U. & LIEDE, S., A new species from Ethiopia and an interesting disjunction in *Tylophora* (Asclepiadaceae), 323
Microcaryum diffusum Brand, 114
Microula pustulosa (C.B. Clarke) Duthie, 123
MILL, R.R.
Galium (Flora of Bhutan), 95
The *Galium acutum* and *G. asperifolium* species complexes in the Eastern Himalaya, 193
Neanotis (Flora of Bhutan), 104
Notes relating to the Flora of Bhutan: XXXII. Boraginaceae, II, 113
Notes relating to the Flora of Bhutan: XXXIV. Convolvulaceae, 229
Notes relating to the Flora of Bhutan: XXXV. Boraginaceae, III. *Ehretia wallichiana*: a tangle disentangled, 247
Oldenlandia (Flora of Bhutan), 104
MILLER, A.G., Studies in the Flora of Arabia: XXIX. Two new species from Yemen, 145
MILLER, A.G. & ALEXANDER, D., *Haemanthus grandifolius* Balf.f.: an enigma resolved, 43
MONASTERIO-HUELIN, E. & WEBER, H.E., Taxonomy and nomenclature of *Rubus ulmifolius* and *Rubus sanctus* (Rosaceae), 311
NAGAMASU, H. & SAKAI, S., *Amomum roseisquamosum* (Zingiberaceae), a new epiphytic ginger from Borneo, 39
Neanotis (Flora of Bhutan), 104
Neanotis gracilis (Hook.f.) W.H. Lewis, 104
A new *Bulbostylis* (Cyperaceae) from Somalia, 223
A new species of *Ferula* (Umbelliferae) from Afghanistan, 181
A new species from Ethiopia and an interesting disjunction in *Tylophora* (Asclepiadaceae), 323
A new species of *Hymenidium* (Umbelliferae) from Kansu Province, China, 275
Nitella flexilis (L.) C. Agardh, 404
opaca (Bruzelius) C. Agardh, 404
Notes relating to the Flora of Bhutan: XXX. Gentianaceae, 81
Notes relating to the Flora of Bhutan: XXXI. Rubiaceae, 95

- Notes relating to the Flora of Bhutan:
XXXII. Boraginaceae, II, 113
- Notes relating to the Flora of Bhutan:
XXXIII. Umbelliferae, I, 127
- Notes relating to the Flora of Bhutan:
XXXIV. Convolvulaceae, 229
- Notes relating to the Flora of Bhutan:
XXXV. Boraginaceae, III. *Ehretia wallichiana*: a tangle disentangled, 247
- Oldenlandia* (Flora of Bhutan), 104
- Oldenlandia erecta* (Manilal & Sivar.)
R.R. Mill, 104
- Omphalia russulaeformis* Beeli, 60
- Onosma emodi* Wall. var. *stelligera* (I.M. Johnston) R.R. Mill, 122
- Ophiorrhiza* (Flora of Bhutan), 104
- Ophiorrhiza longii* J.R.I. Wood, 104
- OYBAK, E. & BARTLEY, D.D.,
Subfossil oospores of Characeae from two sites in the Ingleborough region of West Yorkshire, 401
- Papaver* L. sects. *Pilosa* Prantl and *Pseudopilosa* M. Pop. ex Günther (Papaveraceae), 285
- Papaver* L. sect. *Pilosa* Prantl, 286
- Papaver* L. sect. *Pseudopilosa* M. Popov ex Günther, 299
- Papaver apokrinomenon* Fedde, 288
var. *pinnatum* Bornm., 288
atlanticum (Ball) Coss, 299, 301
subsp. *atlanticum*, 301, 302
subsp. *mesatlanticum* (Maire) Kadereit, 302, 303
feddei Schwarz, 289
heldreichii Boiss., 295
var. *pumilum* Boiss., 288
var. *sparsipilosum* Boiss., 295
lateritium K. Koch, 299, 303
 β *minus* Boiss., 304
 γ *subacaule* Boiss., 305
subsp. *lateritium*, 304
subsp. *monanthum* (Trautv.) Kadereit, 304, 305
monanthum Trautv., 305
oreophilum Rupr., 304
var. *monantha* N. Busch, 305
pannosum Schwarz, 289
pilosum Sibth. & Sm., 286
subsp. *glabrisepalum* Kadereit, 287, 292
subsp. *pilosum*, 288
subsp. *sparsipilosum* (Boiss.) Kadereit, 287, 295
subsp. *spicatum* (Boiss. & Balansa) Wendt ex Kadereit, 287, 295
subsp. *strictum* (Boiss. & Balansa) Wendt ex Kadereit, 287, 292
pseudistrictum Fedde, 289
ruprifragum Boiss. & Reut., 299
subsp. *atlanticum* Maire, 301
var. *ballianum* Maire, 301
var. *mesatlanticum* Maire, 303
var. *atlanticum* Ball, 301
var. *hispanicum* Maire, 299
var. *maroccanum* Font Quer & Pau, 299
spicatum Boiss. & Balansa, 295
strictum Boiss. & Balansa, 292
var. *psilocalyx* (Boiss. & Balansa) Fedde, 292
- PETRUSSE, L. & THULIN, M.,
Taxonomy and biogeography of *Gymnocarpos* (Caryophyllaceae), 1
- Philippine ferns, 271
- Phlegmacium fluryi* Mos., 383
fraudulosum (Britz.) Mos., 369
var. *tenuifolia* W. Gams & Mos., 370
saginus (Fr.: Fr.) Ricken, 345
subtriumphans (R. Henry) var. *cephalixoides* Mos., 345
var. *eriphorum* Mos., 345
triumphans (Fr.) Blytt, 347
varium Wünsche, 352
- PIMENOV, M.G. & KLJUYKOV, E.V.
A new species of *Ferula* (Umbelliferae) from Afghanistan, 181
A new species of *Hymenidium* (Umbelliferae) from Kansu Province, China, 275
Gongylotaxis, a new genus of the Umbelliferae, endemic to Afghanistan, 187
- Plectronia didyma* (C.F. Gaertn.) Kurz
var. *kingii* (Hook.f.) A.M. Cowan & J.M. Cowan, 107
- Pleurogyne himalayensis* Klotzsch, 87
- Polycarpaea haufensis* A.G. Mill., 146
- Posoqueria longispina* Link, 95

- Psydrax* (Flora of Bhutan), 105
Psydrax kingii (Hook.f.) Bridson & Springate, 107
- RATTER, J.A., BRIDGEWATER, S., ATKINSON, R. & RIBEIRO, J.F., Analysis of the floristic composition of the Brazilian cerrado vegetation II: Comparison of the woody vegetation of 98 areas, 153
 Referees, 410
 A revision of *Papaver* L. sects. *Pilosa* Prantl and *Pseudopilosa* M. Pop. ex Günther (Papaveraceae), 285
Rhododendron (Ericaceae) from Australia, 27
Rhododendron lochiaie F. Muell., 31, 36
 notiale Craven, 33, 36
 RIBEIRO, J.F., See RATTER
Rivea hypocrateriformis, 239
laotica Raizada, 230, 240
ornata (Roxb.) Choisy, 229, 240
ornata auct., 230
 var. *griffithii* C.B. Clarke, 230, 240
 var. *typica* Prain, 230
roxburghii Prain, 231, 240
wightiana R.R. Mill, 241
Rubia (Flora of Bhutan), 108
Rubia cordifolia L. forma *strigosa* Deb & Malik, 109
hispidicaulis D.G. Long, 109
manjith Roxb., 108
 Rubiaceae, Flora of Bhutan, 95
Rubus aetneus Tornab., 314
albescens Boulay & Gillot, 314
amoenus var. *microphyllus* Lange, 314
appenninus Evers, 315
bellidiflorus K. Koch, 317
budejanus Sennen & Elias, 315
castellanus Sennen & Elias, 315
cocullotinus Evers, 315
crispulus Gand., 314
cyrenaicae Hruby, 316
discolor Weihe & Nees, 312
 subsp. *ulmifolius* (Schott) Nyman, 312
edouardi Sennen, 315
flagellaris var. *inermis* Ser., 316
fruticosus
 subsp. *dalmatinus* Tratt., 317
 subsp. *discolor* (Weihe & Nees) Syme, 314
 var. *amoenus* Port. ex Vis., 317
 var. *dalmatinus* Ser., 317
 var. *discolor* (Weihe & Nees) G. Mey., 312
 var. *ulmifolius* (Schott) Fiori, 312
gerundensis Sennen, 315
hispanicus Willk., 314
inermis Pourr., 316
inermis Willd., 316
legionensis Gand., 314
longipetiolatus Sennen, 315
oculus-junonis Gand., 314
panormitanus Tineo, 314
pilosus var. *discolor* (Weihe & Nees) Dumort., 314
pubescens var. *discolor* (Weihe & Nees) Karsch, 314
rusticanus Mercier, 314
sanctus Schreber, 317
sanguineus Friv., 317
segobricensis Pau, 315
siculus C. Presl, 314
simusifolius Sennen, 315
ulmifolius Schott, 312
 subsp. *anatolicus* Focke, 317
 var. *anoplothyrsus* Sudre, 316
 var. *bellidiflorus* (K. Koch) Focke, 317
 var. *bruginoensis* Evers, 315
 var. *chlorocarpus* (Boreau ex Genev.) Focke, 317
 var. *tridentinus* Evers, 315
 var. *ulmifolius*, 312
 f. *trichantherus* Sabr., 315
valentinus Pau, 314
villicaulis subsp. *discolor* (Weihe & Nees) Celak., 314
vulgaris Bubani, 316
 var. *discolor* (Weihe & Nees) Wirtg., 312
 f. *discolor* (Weihe & Nees) Bluff & Fingerh., 312
Russula annulatoangustifolia Beeli, 72
sesemotani Beeli, 66
- SAKAI, S., See NAGAMASU
 SALGADO, A.E., Taxonomic and nomenclatural notes on Philippine ferns.
 I. The identity of *Asplenium anisodontum* C. Presl (Aspleniaceae), 271

- Scaligera gongylotaxis* Rech.f., 188
Schulzia C.P.J. Sprengel, 138
 bhutanica M.F. Watson, 138
Selago dolichonema Hilliard, 277
 dolosa Hilliard, 277
 griquana Hilliard, 278
 inconstans Hilliard, 278
 intermedia Hilliard, 278
 karooica Hilliard, 278
 leptothrix Hilliard, 278
 mediocris Hilliard, 278
 myriophylla Hilliard, 279
 nigromontana Hilliard, 279
 parvibractea Hilliard, 279
 prostrata Hilliard, 279
 variicalyx Hilliard, 279
 venosa Hilliard, 280
Selinum cortioides C. Norman, 130
Setulocarya R.R. Mill & D.G. Long, 113
 diffusa (Brand) R.R. Mill & D.G.
 Long, 114
Sinocarum H. Wolff ex R.H. Shan & F.T.
 Pu, 138
 longii M.F. Watson, 138
 minus M.F. Watson, 140
 pulchellum C. Norman ex M.F.
 Watson, 141
 woodii M.F. Watson, 143
Sinodelsia digitata Kljuykov, 137
 Somalia, *Bulbostylis* from, 223
 SPRINGATE, L.S., Notes relating to the
 Flora of Bhutan: XXXI. Rubiaceae, 95
 SPRINGATE, L.S., See BRIDSON
 ŠTĚPÁNEK, J., See KIRSCHNER
 Studies in the Flora of Arabia: XXIX.
 Two new species from Yemen, 145
 Studies in Tropical African *Lactarius*
 species. 4. Species described by P.
 Hennings and M. Beeli, 49
 Subfossil oospores of Characeae from two
 sites in the Ingleborough region of West
 Yorkshire, 401
Taraxacum names from Asia, 215
Taraxacum baicalense Schischk., 215
 dissectum (Ledeb.) Ledeb., 215
 eriopodium DC., 217
 himalaicum Soest., 219
 lyratum (Ledeb.) DC., 216
 parvulum [Wall. ex] DC., 219
 wattii Hook.f., 217
 Taxonomic and nomenclatural notes on
 Philippine ferns. I. The identity of
 Asplenium anisodontum C. Presl
 (Aspleniaceae), 271
 Taxonomy and biogeography of
 Gymnocarpus (Caryophyllaceae), 1
 THULIN, M., See PETRUSSON
 TIRVENGADUM, D.D., *Catunaregam*
 (Flora of Bhutan), 95
Tournefortia hookeri C.B. Clarke, 124
Trianthema fruticosum Vahl, 11
Trigonotis clarkei R.R. Mill, 122
Tripterispermum nigrobaccatum Hara,
 91, 93
 volubile (D. Don) Hara, 91
 subsp. *longipes* E. Aitken & D.G.
 Long, 91, 92
Tylophora corollae Bullock ex Meve &
 Liede, 323
 fleckii (Schltr.) N.E. Br., 325
Tylophoropsis fleckii Schltr., 325
 Umbelliferae, Flora of Bhutan, 127
 VERBEKEN, A., Studies in Tropical
 African *Lactarius* species. 4. Species
 described by P. Hennings and M. Beeli,
 49
 WATSON, M.F., Notes relating to the
 Flora of Bhutan: XXXIII. Umbelliferae,
 I, 127
 WEBER, H.E., See MONASTERIO-
 HUELIN
 WITHERS, R.M., See CRAVEN
 WOOD, J.R.I., *Ophiorrhiza* (Flora of
 Bhutan), 104
 Yemen, Two new species from, 145