

GENERAL INDEX TO VOLUME 55 (1998)

- Acronema* Edgew., 368
bellum (C.B. Clarke) P.K. Mukh., 369
grammifolium (W.W. Sm.) S.L. Liou & R.H. Shan, 370
handelii H. Wolff, 370
hookeri (C.B. Clarke) H. Wolff, 370
 var. *grammifolium* (W.W. Sm.) H. Wolff, 370
nervosum H. Wolff, 371
pseudotenerum P.K. Mukh., 371
tenerum (DC.) Edgew., 371
wolfianum Fedde, 382
- Aeschynanthus* (*Gesneriaceae*) from Seram, Notes on, 359
- Aeschynanthus* (*Gesneriaceae*), The disposal of two unnecessary names in, 486
- Aeschynanthus amboinensis* (Merr.) Mendum, 363
gracilis C.B. Clarke, 487
intraflavus Mendum, 359
roseoflorus Mendum, 361
setosus Kränzlin, 487
- Agaloma* Raf., 178
apocynifolia (Small) Nieuwland, 196
ciliata Raf., 192
corollata Raf., 181
 var. *angustifolia* Raf., 187
curtsii (Engelm.) Nieuwland, 184
discoidalis (Chapm.) Nieuwland, 187
erigonoides (Small) Nieuwland, 184
exserta (Small) Nieuwland, 190
gracilis (Elliott) Nieuwland, 189
joorii (Norton) Nieuwland, 182
mercurialina (Michx.) Nieuwland, 192
olivacea (Small) Nieuwland, 182
paniculata (Elliott) Nieuwland, 196
polyphylla (Engelm.) Nieuwland, 194
zinniflora (Small) Nieuwland, 196
- Agaricus* *balteatus* Fr., 123
concrescens Secretan, 132
immaculatus Peck, 157
varicolor Pers.: Fr., 100
- AKHANI, H. & SCHOLZ, H., Studies on the flora and vegetation of the Golestan National Park, NE Iran. II. A new *Poa* and some new and noteworthy grass records for Iran, 443
- ALLNUTT, T.R., THOMAS, P., NEWTON, A.C. & GARDNER, M.F., Genetic variation in *Fitzroya cupressoides* cultivated in the British Isles, assessed using RAPDs, 329
- Alopecurus aequalis* Sobol., 444
- Alpinia cylindrostachys* K. Schum., 51
polycarpa K. Schum., 48
- Amomum* in Lambir Hills, Sarawak. Systematic studies of Bornean Zingiberaceae I., 45
- Amomum angustipetalum* S. Sakai & Nagam., 49
bilabiatum S. Sakai & Nagam., 57
calyptratum S. Sakai & Nagam., 52
coriaceum R.M. Sm., 50
durum S. Sakai & Nagam., 55
gyrolophos R.M. Sm., 51
hewittii Ridl., 51
lambirensis R.M. Sm., 49
oliganthum K. Schum., 51
polycarpum (K. Schum.) R.M. Sm., 47
roseisquamosum Nagam. & S. Sakai, 56
somniculosum S. Sakai & Nagam., 53
stenoglossum Baker, 57
xanthophlebium Baker, 57
- Andropogon contortus* L., 447
- Angelica* L., 372
candollei Wall, 378
nubigena (C.B. Clarke) P.K. Mukh., 372
sikkimensis (C.B. Clarke) P.K. Mukh., 372
- ARGENT, G.C., See PROCTOR
- Asterostroma medium* Bres., 479
- Astragalus barboides* Zarre & Duman, 352
ekimii Zarre & Duman, 355
nydeggeri Zarre & Duman, 356
- ATKINSON, R., Book review, 317, 321
- BARTHLOTT, W., See SEINE
- BATEMAN, R.M., Book review, 159
- BECKER, U., See SEINE
- BOOK REVIEWS
 Biosystematic Monograph of the Genus *Cucumis* (Cucurbitaceae),

- Botanical Identification of Cucumbers and Melons, by J.H. Kirkbride, Jr, 325
- Common Families of Flowering Plants, by M. Hickey & C. King, 318
- Dandelions of Great Britain and Ireland, by A.A. Dudman & A.J. Richards, 321
- Desmidiaceenflora von Österreich, Part I, by R. Lenzenweger, 328
- Flora of Great Britain and Ireland. Volume, 5. Butomaceae–Orchidaceae, by P. Sell & G. Murrell, 488
- Flora of the Venezuelan Guayana. Volume, 2. Pteridophytes, Spermatophytes; Acanthaceae–Araceae, edited by P.E. Berry, B.K. Holst & K. Yatskievych, 317
- Gardens of Empire: Botanical Institutions of the Victorian British Empire, by D.P. McCracken, 322
- Guide to the Vascular Plants of Central French Guiana. Part 1. Pteridophytes, Gymnosperms, and Monocotyledons, by S.A. Mori, G. Cremers, C. Gracie, J.-J. de Granville, M. Hoff & J.D. Mitchell, 158
- The Identification of Flowering Plant Families, by J. Cullen, 319
- Medicinal Plants: Can utilization and conservation coexist?, by J. Wood Shelton, M.J. Balick & S.A. Laird, 324
- Mycology in Sustainable Development: Expanding Concepts, Vanishing Borders, edited by M.E. Palm & I.H. Chapela, 326
- Orchids of Samoa, by P.J. Cribb & W.A. Whistler, 159
- Botriochloa bladhii* (Retz.) S.T. Blake, 444
- BRANDRUD, T.E., *Cortinarius* subgenus *Phlegmacium* section *Phlegmacioides* (= *Variecolores*) in Europe, 65
- BRIDGEWATER, S., Book review, 158
- BRUYNS, P.V., The relationships of *Whitesloanea crassa*, 27
- BURTT, B.L.
- Return to *Pseudogaltonia* (*Liliaceae*), 485
- The disposal of two unnecessary names in *Aeschynanthus* (*Gesneriaceae*), 486
- Cantharellus stevensonii* Berk. & Broome, 157
- CAO TIE-RU, See CHEN TAO
- Caralluma crassa* N.E. Br., 35
- The carpology and taxonomic relationships of *Davidsonia* (*Davidsoniaceae*), 13
- Carum coloratum* Diels, 382
- hookeri* (C.B. Clarke) Franch., 370
- tenerum* (DC.) Franch., 371
- CASTRO, A.A.J.F., MARTINS, F.R. & FERNANDES, A.G., The woody flora of cerrado vegetation in the state of Piauí, northeastern Brazil, 455
- Chamaesciadium* C.A. Meyer, 372
- subnudum* (H. Wolff) C. Norman, 372
- Chamaesium* H. Wolff, 373
- novem-jugum* (C.B. Clarke) C. Norman, 373
- viridiflorum* (Franch.) C. Norman, 373
- viridiflorum* (Franch.) H. Wolff ex R.H. Shan, 373
- CHEN TAO & CAO TIE-RU, A new species of *Sinojackia* Hu (*Styracaceae*) from Hunan, South Central China, 235
- CHRISTENSEN, H., See THEILADE
- Cicer* (*Leguminosae*, *Cicereae*) taxa, identification aids for, 243
- Cicer acanthophyllum* Boriss., 264
- anatolicum* Alef., 259
- arietinum* L., 257
- atlanticum* Coss. ex Maire, 258
- balcaricum* Galushko, 260
- baldshuanicum* (Popov) Lincz., 261
- bijugum* Rech.f., 257
- canariense* A. Santos Guerra & G.P. Lewis, 259
- chorassanicum* (Bunge) Popov, 258
- cuneatum* Hochst. ex A. Rich., 258
- echinospermum* P.H. Davis, 257
- fedtshenkoi* Lincz., 262
- flexuosum* Lipsky, 261
- floribundum* Fenzl, 260
- graecum* Orph., 260
- grande* (Popov) Korotkova, 261

- heterophyllum* Contandr. et al., 260
incanum Korotkova, 261
incisum (Willd.) K. Malý, 258
isauricum P.H. Davis, 260
judaicum Boiss., 257
kermanense Bornm., 259
korshinskyi Lincz., 262
luteum Rassulova & B.A. Scharip., 262
macracanthum Popov, 264
microphyllum Benth., 263
mogoltavicum (Popov) Koroleva, 262
montbretii Jaub. & Spach, 261
multijugum Maesen, 262
nuristanicum Kitam., 262
oxyodon Boiss. & Hohen., 259
paucijugum (Popov) Nevski, 263
pinnatifidum Jaub. & Spach, 258
pungens Boiss., 263
rassuloviae Lincz., 265
rechingeri Podlech, 263
reticulatum Ladiz., 257
songaricum Stephan ex DC., 263
spiroceras Jaub. & Spach, 259
stapfianum Rech.f., 264
subaphyllum Boiss., 259
tragacanthoides Jaub. & Spach, 264
 var. *tragacanthoides*, 264
 var. *turcomanicum* Popov, 265
yamashitae Kitam., 258
A cladistic analysis of *ndhF* sequences from representative species of *Saintpaulia* and *Streptocarpus* subgenera *Streptocarpus* and *Streptocarpella* (Gesneriaceae), 1
Cleistogenes serotina (L.) Keng, 446
Cnidium Cusson, 373
 atropurpureum M.F. Watson, 373
 bhutanicum M.F. Watson, 373
COLES, S., MAXTED, N. & VAN DER MAESEN, L.J.G., Identification aids for *Cicer* (*Leguminosae*, *Cicereae*) taxa, 243
Cortia candollei (DC.) Leute, 378
 striata (Wall. ex DC.) Leute, 380
 wallichiana (DC.) Leute, 380
Corticium griseocanum Bres., 479
Cortinarius subgenus *Phlegmacium* section *Phlegmacioides* (= *Variocolores*) in Europe, 65
Cortinarius (Pers.) Gray subgen. *Phlegmacium* Trog sect. *Phlegmacioides* (Fr.:Fr.) Brandrud, Linström & Melot, 97
 subsect. *Serarii* Brandrud, 149
 subsect. *Variocolores* Brandrud & Melot, 100
sect. *Patibiles* Moënné-Locc. & Reumaux, 97
 subsect. *Patibiles* Bidaud, Moënné-Locc. & Reumaux, 100
sect. *Variocolores* Konrad & Maubl. ex Brandrud & Melot, 97
 subsect. *Balteati* Brandrud & Melot, 122
 subsect. *Cyanipedes* Bidaud, Moënné-Locc. & Reumaux, 100
acidophilus Brandrud, 141
amigochrous Kühn., 107
balteatoalbus R. Henry, 132
 var. *areni-silvae* Brandrud, 137
 var. *balteatoalbus*, 132
balteatocumatilis R. Henry, 142
balteatocumatilis R. Henry ex P.D. Orton, 142
balteatotomentosus R. Henry, 131
balteatus (Fr.) Fr., 123
borgsjoeensis Brandrud, 147
chamaesalicis Bon, 130
coalescens Kärcher & Seibt, 113
concrecens Bidaud, Moënné-Locc. & Reumaux, 132
congeminus Moënné-Locc. & Reumaux, 110
 forma *cladestinus* Moënné-Locc. & Reumaux, 110
crassoides Moënné-Locc. & Reumaux, 123
crassorum R. Henry, 132
cyanobasalis R. Henry, 109
durus P.D. Orton, 126
 var. *chamaesalicis* (Bon) Brandrud, 130
 var. *durus*, 126
errabundus Melot, 126
eubalteatus R. Henry, 123
eulepistus Bidaud, Moënné-Locc. & Reumaux, 149
hoplites Melot, 126
hysginicolor Bidaud, 146
hysginus (Mos.) Mos., 146
kuehneri Mos., 119

- largus* Fr., 109
latobalteatus (J. Schäffer) Mos., 146
lividoviolaceus R. Henry, 109
nebularis R. Henry, 110
nemorensis (Fr.) J.E. Lange, 100
ochroclarus R. Henry, 114
paracrassus Reumaux, 101
pardinus Reumaux, 114
patibilis Brandrud & Melot, 115
 var. *patibilis*, 115
 var. *scoticus* Brandrud, 119
pseudocyanopus R. Henry, 114
pseudolargus R. Henry, 109
russus Fr., 120
schaefferi Mos., 138
serarius Fr., 149
spadicellus (Mos.) G. Garnier, 106
subbalteatus Kühn., 123
subconcrecens R. Henry, 133
subopimus Bidaud, 146
tomentosus R. Henry, 131
vacciniophilus Brandrud, 138
variecolor (Pers.: Fr.) Fr., 100
 var. *nemorensis* Fr., 100
variegatulus Reumaux, 110
violaceocinctus P.D. Orton, 142
violaceomaculatus Brandrud, 104
Corydalis from Burma, Bhutan and India, New species of, 343
Corydalis birmanica Lidén, 345
 enantiophylla Lidén, 343
 farreri Lidén, 346
 leptantha Lidén, 346
 leptophylla Lidén, 347
 uranoscopa Lidén, 347
CRONK, Q.C.B., See SMITH
Cystidiodontia isabellina (Berk. & Broome) Hjortstam, 479
Datronia scutellata (Schw.) Gilb. & Ryvarden, 476
Davidsonia (Davidsoniaceae), The carpology and taxonomic relationships of, 13
Dendrothele griseocana (Bres.) Bourdot & Galzin, 479
Dichostereum kenyense Boidin & Lanq., 480
The disposal of two unnecessary names in *Aeschynanthus* (Gesneriaceae), 486
DOWELD, A.B., The carpology and taxonomic relationships of *Davidsonia* (Davidsoniaceae), 13
Drakebrockmania crassa (N.E. Br.) White & Sloane, 35
DUMAN, H. See ZARRE
Elymus europaeus L., 447
Euphobia sect. *Tithymalopsis* (*Euphorbiaceae*), Monograph of, 161
Euphorbia L.
 subgen. *Agaloma* (Raf.) House, 178
 sect. *Tithymalopsis* Boiss., 178
 subsect. *Tithymalopsis* (Boiss.) Pax, 178
apocynifolia Small, 196
corollata L., 181, 202
 var. *angustifolia* Elliott, 187
 var. *apocynifolia* (Small) Millsp., 196
 var. *glauca* Millsp., 196
 var. *grandiflora* Boiss., 182
 var. *hirsuta* Macnab, 181
 var. *joorii* Norton, 182
 var. *molle* Millsp., 196
 var. *paniculata* (Elliott) Boiss., 196
 var. *subpetiolata* Boiss., 196
 var. *viridiflora* Farwell, 182
curtsii Engelm. ex Chapm., 184, 204
 var. *longipes* Boiss., 184
discoidalis Chapm., 187, 205
erigonoides Small, 184
exserta (Small) Coker, 190
gracilior Cronquist, 189, 205
gracilis Elliott, 189
mercurialina Michx., 192, 206
olivacea Small, 182
paniculata Elliott, 196
polyphylla Engelm. ex Chapm., 194
polyphylla Engelm. ex Holz., 194, 206
pubentissima Michx., 196, 207
 var. *glabrata* Boiss., 196
 zinniiflora Small, 196
FERNANDES, A.G., See CASTRO
Festuca serotina L., 446
Fitzroya cupressoides cultivated in the British Isles, assessed using RAPDs, Genetic variation in, 329
FOLEY, M.J.Y., Two new *Orobanche* species from the Arabian Peninsula, 229

- FOLLMANN, G., See SEINE
 Forests of the ultramafic Mount Giting-Giting, Sibuyan Island, the Philippines, 295
- Galahoeus corollatus (L.) Haworth, 181
 Galtonia clavata Mast., 486
 GARDNER, M.F., See ALLNUTT
 Genetic variation in *Fitzroya cupressoides* cultivated in the British Isles, assessed using RAPDs, 329
Gerronema stevensonii (Berk. & Broome) Watling, 157
Gloiothele lactescens (Berk.) Hjortstam, 480
- Hagenia abyssinica* and its fungal decayers in natural stands, 473
 Helosciadium tenerum DC., 371
Hemimycena immaculata (Peck) Watling, 157
lactella (P.D. Orton) Watling, 157
 Heracleum L., 373
 brunosis (DC.) C.B. Clarke, 383
 candicans Wall., 373
candicans Wall. ex DC., 373
 diversifolium Wall. p.p., 374, 376
nepalense D. Don, 374
 nubigenum C.B. Clarke, 372
 obtusifolium Wall., 374
obtusifolium Wall. ex DC., 374
sublineare C.B. Clarke, 374
wallichii DC., 374
Heteropogon contortus (L.) P. Beauv. ex Roem. & Schult., 447
 Hieracioides Moench, non Fabr., 440
Hieracium (Asteraceae) sensu stricto, Sectional names in the genus, 417
Hieracium
 ser. Accipitrina (W.D.J. Koch) Fr., 440
 sect. Accipitrina W.D.J. Koch, 440
 subsect. Accipitrina (W.D.J. Koch) Arv.-Touv., 440
 ser. Aurella (Tausch) Fr., 437
 sect. Aurella (Tausch) W.D.J. Koch, 437
 subsect. Aurella (Tausch) Arv.-Touv., 437
 ser. Bifida (Arv.-Touv.) P.D. Sell & C. West, 434
 sect. Bifida (Arv.-Touv.) A.R. Clapham, 434
 subsect. Bifida (Arv.-Touv.) Pugsley, 433
 ser. Foliosa (Fr.) P.D. Sell & C. West, 439
 sect. *Foliosa* (Fr.) Arv.-Touv., 439
 ser. Glauca (Griseb.) P.D. Sell & C. West, 438
 sect. Glauca (Griseb.) Gremli, 438
 subsect. Glauca (Griseb.) Rouy, 438
 ser. Italica (Fr.) P.D. Sell & C. West, 439
 sect. *Italica* (Fr.) Arv.-Touv., 439
 ser. Pallida (Backh.) P.D. Sell & C. West, 434
 ser. Pannosa (Zahn) P.D. Sell & C. West, 436
 ser. Prenanθοidea (W.D.J. Koch) P.D. Sell & C. West, 438
 sect. *Prenanθοidea* W.D.J. Koch, 438
 subsect. *Prenanθοidea* (W.D.J. Koch) Arv.-Touv., 438
 ser. Pulmonaria (Monnier) Fr., 433
 sect. Pulmonaria Monnier, 433
 ser. Sabauda (Fr.) P.D. Sell & C. West, 439
 sect. *Sabauda* (Fr.) Arv.-Touv., 439
 ser. Sparsa P.D. Sell & C. West, nom. nud., 438
 ser. Tridentata (Fr.) P.D. Sell & C. West, 440
 sect. *Tridentata* (Fr.) Arv.-Touv., 440
 ser. Umbellata (Fr.) P.D. Sell & C. West, 440
 ser. Vulgata (Griseb.) P.D. Sell & C. West, 434
 sect. *Vulgata* (Griseb.) Willk. & Lange, 434
 subsect. *Vulgata* (Griseb.) Dahlst., 434
 sect. *Alpestrina* (Fr.) Arv.-Touv., 438
 subsect. *Alpestrina* (Fr.) Arv.-Touv., 439
 sect. *Alpina* (Griseb.) Gremli, 436
 sect. *Amplexicaulia* (Griseb.) Scheele, 437

- sect. *Andryaloidea* Monnier, 436
 subsect. *Andryaloidea* (Monnier)
 Arv.-Touv., 436, 436
- sect. *Aphyllipoda* Froel. ex
 W.D.J. Koch, 440
- sect. *Aurelloidea* (Arv.-Touv.)
 Gremlí, 433
- sect. *Australia* Arv.-Touv., 439
- sect. *Barbata* Gremlí, 435
- sect. *Bracteolata* Zahn, 439
- sect. *Caesia* (Almq.) A.R. Clapham,
 434
 subsect. *Caesia* (Almq.) Dahlst.,
 434
- sect. *Cerinthoidea* Monnier, 435
 subsect. *Cerinthoidea* (Monnier)
 Arv.-Touv., 435
- sect. *Cernua* R. Uechtr., 438
- sect. *Cydoniifolia* (Arv.-Touv.)
 Stace, 438
- sect. *Drepanoidea* Monnier, 437
- sect. *Eriophora* (Arv.-Touv.) Zahn,
 440
- sect. *Euaurella* Rouy, 438
- sect. *Euprenanthoidea* Gremlí, 438
- sect. *Euvulgata* (F.N. Williams)
 A.R. Clapham, 434
 subsect. *Euvulgata* (F.N.
 Williams) A.R. Clapham, 434
- sect. *Glandulosa* (Pugsley) A.R.
 Clapham, 434
 subsect. *Glandulosa* Pugsley, 434
- sect. *Glauciformia* (Freyn) Zahn, 438
- sect. *Glutinosa* W.D.J. Koch, 437
- sect. *Hieracium*, 433
- sect. *Heterodonta* (Arv.-Touv.)
 Arv.-Touv., 435
- sect. *Hieracioides* Dumort., 440
- sect. *Hieraciotypus* Dumort, 433
- sect. *Hirsuta* Rouy, 439
 subsect. *Hirsuta* Scheele, 439
- sect. *Intybacea* W.D.J. Koch, 437
- sect. *Lanata* (Arv.-Touv.) Zahn, 436
- sect. *Lanatella* (Arv.-Touv.) Zahn,
 436
- sect. *Lanifera* (Fr.) Gremlí, 435
 subsect. *Lanifera* (Fr.) Rouy, 435
- sect. *Lucida* Stace & P.D. Sell, 439
- sect. *Meridionalia* Rouy, 439
- sect. *Mixta* Stace & P.D. Sell, 435
- sect. *Oreadea* (Fr.) Arv.-Touv., 435
 subsect. *Oreadea* (Fr.) Arv.-
 Touv., 435
- sect. *Oxylepida* Froel., 435
- sect. *Pannosa* (Zahn) Zahn, 436
- sect. *Phyllopora* Godet, 437
- sect. *Picroidea* (Arv.-Touv.) Gremlí,
 437
- sect. *Picta* Stace, 435
- sect. *Pilosissima* Stace & P.D. Sell,
 436
- sect. *Pleiophylla* (Peter) Zahn, 434
- sect. *Pseudocerinthoidea*
 W.D.J. Koch, 437
- sect. *Pseudostenotheca* (Fr.) Juxip,
 438
- sect. *Pulmonarioidea* W.D.J. Koch,
 437
- sect. *Rigida* (Lindeb.) Dahlst., 440
- sect. *Rupicola* (Gren.) Gremlí, 437
- sect. *Sagittata* (Pugsley) A.R.
 Clapham, 434
 subsect. *Sagittata* Pugsley, 434
- sect. *Stelligera* Zahn, 434
- sect. *Subalpina* Pugsley, 436
- sect. *Subaphyllopora* Arv.-Touv.,
 439
- sect. *Suboreadea* Pugsley, 434
- sect. *Subsabauda* Gremlí, 439
- sect. *Thapsoidea* (Arv.-Touv.) Stace,
 436
- sect. *Tomentosa* (Nägeli & Peter)
 Zahn, 436
- sect. *Umbellata* (Fr.) Gremlí, 440
- sect. *Umbrosa* Stace & P.D. Sell, 438
- sect. *Villosa* (Griseb.) Gremlí, 435
 subsect. *Villosa* (Griseb.) Rouy,
 435
- sect. *Viscosa* (Arv.-Touv.) Rouy,
 437
 subsect. *Accipitrinoidea* Rouy,
 437
 subsect. *Aggregata* F.N. Williams,
 434
 subsect. *Aurellinia* (Arv.-Touv.)
 Rouy, 436
 subsect. *Balsamea* (Arv.-Touv.)
 Rouy, 437
 subsect. *Bellidifolia* Scheele, 435
 subsect. *Cerinthea* Rouy, 435

- subsect. *Cerinthella* Scheele, 435
 subsect. *Communia* Rouy, 434
 subsect. *Composita* Scheele, 439
 subsect. *Euaccipitrina* Arv.-Touv., 440
 subsect. *Eualpina* F.N. Williams, 436
 subsect. *Euglandulosa* Arv.-Touv., 437
 subsect. *Eumororum* F.N. Williams, 435
 subsect. *Eupulmonarioidea* Arv.-Touv., 437
 subsect. *Humilia* Rouy, 437
 subsect. *Hypartica* F.N. Williams, 436
 subsect. *Leiocephala* Froel., 440
 subsect. *Oleosa* Arv.-Touv., 435
 subsect. *Olivacea* Scheele, 435
 subsect. *Pachycephala* F.N. Williams, 439
 subsect. *Pictorum* F.N. Williams, 434
 subsect. *Pseudooreadea* F.N. Williams, 434
 subsect. *Pulmonarioidea* (W.D.J. Koch) Arv.-Touv., 437
 subsect. *Pyrenaica* Scheele, 439
 subsect. *Silvatica* F.N. Williams, 434
 subsect. *Stellatifolia* Pugsley, 434
 subsect. *Stenocephala* F.N. Williams, 439
 subsect. *Subcaesia* (Almq.) Dahlst., 434
 subsect. *Subvulgata* (Almq.) Dahlst., 434
 subsect. *Subvulgata* F.N. Williams, 434
 subsect. *Trichopetala* F.N. Williams, 434
 subsect. *Vulgatella* F.N. Williams, 440
 subsect. *Vulgatina* F.N. Williams, 434
 Aurella Tausch, 437
 Aurellinia Arv.-Touv., 436
 Aurelloidea Arv.-Touv., 433
 Balsamea Arv.-Touv., 437
 Bifida Arv.-Touv., 433
 Caesia Almq., 434
 Glauca Griseb., 438
 Heterodonta Arv.-Touv., 435
 Lanata Arv.-Touv., 436
 Pallida Backh., 434
 Pleiophylla Peter, 434
 Subcaesia Almq., 434
 Subvulgata Almq., 434
 TomENTOSA Nägeli & Peter, 436
 Umbellata Fr., 440
 Viscosa Arv.-Touv., 437
 HILLIARD, O.M., New names in *Selago*, 4, 221
 HJORTSTAM, K., See NIEMELÄ
Hordelymus europaeus (L.) Harz, 447
Hyacinthus L.
 sect. *Pseudogaltonia* Kuntze, 486
 pechuelii Kuntze, 486
Hydnum argutum Fr., 481
Hymenochaete cinnamomea (Pers.: Fr.) Bres., 477
 ochromarginata Talbot, 477
Hymenolaena obtusiuscula DC., 375
Hyphoderma aff. *puberum* (Fr.: Fr.) Wallr., 480
Hyphodontia arguta (Fr.) J. Erikss., 481
 submucronata Hjortstam & Renvall, 481
 Identification aids for *Cicer* (*Leguminosae*, *Cicereae*) taxa, 243
Juncus (Juncaceae) from the Sino-Himalaya, New species of, 39
Juncus deosaicus Noltie, 41
 fimbristylloides Noltie, 39
 tobdenii Noltie, 42
Kneiffia isabellina Berk. & Broome, 479
 KRESGE, M.E., See SMITH
Lalldhwojia Farille, 375
 cooperi Farille, 375
 staintonii Farille, 375
Languas polycarpa (K. Schum.) Merr., 48
Laserpitium striatum Wall., 380
 LIDÉN, M., New species of *Corydalis* from Burma, Bhutan and India, 343
Ligusticum obtusiusculum Wall., 375
 striatum DC., 380

- Lindneria T. Durand & Lubbers, 486
 clavata (Mast.) Speta, 486
 fibrillosa T. Durand & Lubbers, 486
 LUSBY, P., Book review, 488
- MADULID, D.A, See PROCTOR
 MARTINS, F.R., See CASTRO
 MAXTED, N., See COLES
 MENDUM, M., Notes on
Aeschynanthus (*Gesneriaceae*) from
 Seram, 359
 Merulius rufus Fr., 481
 MILLIKEN, W., Book review, 324
 MÖLLER, M., See SMITH
 Monograph of *Euphorbia* sect.
Tithymalopsis (*Euphorbiaceae*), 161
 MONRO, A., Book review, 325
 Mycena lactella P.D. Orton, 157
- NAGAMASU, H. See SAKAI
 New combinations in the xeruloid
 Tricholomataceae, 157
 New names in *Selago*. 4, 221
 New species of *Corydalis* from Burma,
 Bhutan and India, 343
 New species of *Juncus* (*Juncaceae*) from
 the Sino-Himalaya, 39
 A new species of *Sinojackia* Hu
 (*Styroceae*) from Hunan, South
 Central China, 235
 NEWTON, A.C., See ALLNUTT
 NIEMELÄ, T., RENVALL, P. &
 HJORTSTAM, K., *Hagenia abyssinica*
 and its fungal decayers in natural
 stands, 473
 NOLTIE, H.J.
 Book review, 322
 New species of *Juncus* (*Juncaceae*)
 from the Sino-Himalaya, 39
 Notes on *Aeschynanthus* (*Gesneriaceae*)
 from Seram, 359
 Notes relating to the flora of Bhutan:
 XXXVI. *Umbelliferae*, II, 367
- Odontia nivea Pers., 483
Oenanthe L., 375
hookeri C.B. Clarke, 375
thomsonii C.B. Clarke, 375
Orobanche species from the Arabian
 Peninsula, Two new, 229
Orobanche dhofarensis M.J.Y. Foley, 230
hypertomentosa M.J.Y. Foley, 232
- PARK, K. Monograph of *Euphorbia*
 sect. *Tithymalopsis* (*Euphorbiaceae*), 161
Perenniporia medulla-panis (Jacq.: Fr.)
 Donk s. lat., 478
 Peucedanum acronumifolium H. Wolff,
 375
 dissectum DC., 379
 sikkimense C.B. Clarke, 372
 wallichianum DC., 380
Phellinus contiguus (Pers.: Fr.) Pat., 478
ferruginosus (Schrad.: Fr.) Bourdot &
 Galzin, 478
Phlebia aff. *rufa* (Fr.) M.P. Christ., 481
 Phlegmacium balteatocumatile
 (R. Henry)
 var laetum Mos., 142
 balteatum (Fr.) Blytt, 123
 hysginum Mos., 146
 largum (Fr.) Wünsche, 109
 latobalteatum J. Schäffer, 146
 nemorense (Fr.) Mos., 100
 russum (Fr.) Blytt, 120
 schaefferianum Mos., 138
 spadicellus Mos., 106
 varicolor Wünsche, 100
Physospermopsis H. Wolff, 375
 farillei P.K. Mukh. & Constance, 376
 hirsutula (C.B. Clarke) Farille, 376
kingdon-wardii (H. Wolff) C. Norman,
 375
obtusiusculum (DC.) C. Norman, 375
Pimpinella L., 376
 bella C.B. Clarke, 369
diversifolia DC., 376
 var. alpina C.B. Clarke, 377
 feddeana M. Hiroe, 383
 handelii (H. Wolff) M. Hiroe, 370
 hookeri C.B. Clarke, 370
 var. grammifolium W.W. Sm., 370
sikkimensis C.B. Clarke, 377
 tenera (DC.) C.B. Clarke, 371
tongloensis P.K. Mukh., 377
wallichii C.B. Clarke, 378
Plagiostachys polycarpa (K. Schum.)
 Loes., 48
 PLANNA, V., Book review, 319
Pleurospermum cicutarium Lindl., 380
kingdon-wardii (H. Wolff) M. Hiroe,
 375

- obtusiusculum (DC.) M. Hiroe, 376
Poa and some new and noteworthy grass records for Iran. Studies on the flora and vegetation of the Golestan National Park. II. A new, 443
Poa compressa L., 449
 densa Troitsky, 449
 golestanensis, H. Scholz & Akhani, 449
Polyporus contiguus Fr., 478
 ferruginosus Schrad.: Fr., 478
 medulla-panis Jacq.: Fr., 478
 scutellatus Schw., 476
 POREMBSKI, S., See SEINE
 PROCTOR, J., ARGENT, G.C. & MADULID, D.A., Forests of the ultramafic Mount Giting-Giting, Sibuyan Island, the Philippines, 295
Pseudogaltonia (*Liliaceae*), Return to, 485
Pseudogaltonia (Kuntze) Engler, 485
 clavata (Mast.) Phillips, 486
 pechuelii (Kuntze) Engler, 486
 subspicata Baker, 486

 The relationships of *Whitesloanea crassa*, 27
 RENVALL, P., See NIEMELÄ
 Return to *Pseudogaltonia* (*Liliaceae*), 485
 RYDING, O., *Teucrium* (*Lamiaceae*) in NE Tropical Africa, 209

Saintpaulia and *Streptocarpus* subgenera
Streptocarpus and *Streptocarpella* (*Gesneriaceae*), A cladistic analysis of *ndhF* sequences from representative species of, 1
 SAKAI, S. & NAGAMASU, H., Systematic studies of Bornean Zingiberaceae I. *Amomum* in Lambir Hills, Sarawak, 45
 SCHOLZ, H., See AKHANI
Schulzia C.P.J. Sprengel, 378
 dissecta (C.B. Clarke) C. Norman, 378
 Sectional names in the genus *Hieracium* (*Asteraceae*) sensu stricto, 417
 SEINE, R., BECKER, U., POREMBSKI, S., FOLLMANN, G. & BARTHLOTT, W., Vegetation of inselbergs in Zimbabwe, 267
Selago, New names in, 221
Selago acocksii Hilliard, 221
 anatrachota Hilliard, 221
 angustibractea Hilliard, 221
 cedrimontana Hilliard, 222
 centralis Hilliard, 222
 comptonii Hilliard, 222
 diabolica Hilliard, 222
 esterhuyseniae Hilliard, 223
 exigua Hilliard, 223
 farrago Hilliard, 223
 fourcadei Hilliard, 223
 goetzei Rolfe
 subsp. *ambigua* Hilliard, 224
 impedita Hilliard, 224
 inaequifolia Hilliard, 224
 kurtdinteri Hilliard, 224
 levynsiae Hilliard, 224
 magnakarooica Hilliard, 225
 micradenia Hilliard, 225
 multiflora Hilliard, 225
 persimilis Hilliard, 225
 praetermissa Hilliard, 226
 psammophila Hilliard, 226
 rubromontana Hilliard, 226
 seticaulis Hilliard, 226
 stenostachya Hilliard, 226
 swynnertonii, 226
 var. *leiophylla* (Brenan) Hilliard, 227
 thermalis Hilliard, 227
 verna Hilliard, 227
Selinum L., 378
 candollei DC., 378
 dissectum (DC.) C.B. Clarke, 379
 dissectum Wall., 379
 striatum (DC.) C.B. Clarke, 380
 tenuifolium C.B. Clarke, 380
 tenuifolium Wall., 380
 wallichianum (DC.) Raizada & Saxena, 380
Sinocarum H. Wolff ex R.H. Shan & F.T. Pu., 381
 coloratum (Diels) H. Wolff ex R.H. Shan & F.T. Pu., 382
 wolffianum (Fedde) P.K. Mukh. & Constance, 382
Sinojackia Hu (*Styracaceae*) from Hunan, South Central China, A new species of, 235
Sinojackia oblongicarpa C.T. Chen & T.R. Cao, 235
Sison conifolium Wall., 383

- tenerum Wall., 371
- SLUIMAN, H.J., Book review, 328
- SMITH, J.F., KRESGE, M.E.,
MÖLLER, M. & CRONK, Q.C.B., A
cladistic analysis of *ndhF* sequences
from representative species of
Saintpaulia and *Streptocarpus*
subgenera *Streptocarpus* and
Streptocarpella (Gesneriaceae), 1
- Sphallerocarpus coniiifolius (DC.) Koso-
Pol., 383
- STACE, C.A., Sectional names in the
genus *Hieracium* (Asteraceae) sensu
stricto, 417
- Streptocarpus* and *Saintpaulia* subgenera
Streptocarpus and *Streptocarpella*
(Gesneriaceae), A cladistic analysis of
ndhF sequences from representative
species of, 1
- Studies on the flora and vegetation of
the Golestan National Park, NE Iran.
II. A new *Poa* and some new and
noteworthy grass records for Iran, 443
- Styracaceae*, a new species from Hunan,
South Central China, *Sinojackia* Hu,
235
- Systematic studies of Bornean
Zingiberaceae I. *Amomum* in Lambir
Hills, Sarawak, 45
- Tetrataenium candicans (Wall. ex DC.)
Manden., 373
nepalense (D. Don) Manden., 374
obtusifolium (Wall. ex DC.) Manden.,
374
sublineare (C.B. Clarke) Manden. ex
Farille, Cauwet & S.B. Malla, 374
wallichii (DC.) Manden., 374
- Teucrium* (Lamiaceae) in NE Tropical
Africa, 209
- Teucrium abyssinicum* Hochst, 213
clementiae Ryding, 210
eburneum Thulin, 213
polioides Ryding, 214
polium sensu Bavazzano, 218
scordium L.
 subsp. *scordium*, 213
 var. *microphyllum* A. Rich., 213
somalense Ryding, 217
picastrum Hedge & A.G. Mill., 218
yemensense Deflers, 218
- THEILADE, I. & CHRISTENSEN, H.,
Zingiber kelabitianum (Zingiberaceae): a
new species from Borneo, 239
- Thelephora cinnamomea* Pers., 477
lactescens Berk., 480
pubera Fr., 480
- THOMAS, P., See ALLNUTT
- Three new tragacanthic species of the
genus *Astragalus* (Fabaceae) from
Turkey, 351
- Tithymalopsis* Klotzsch & Garcke, 178
angustifolia Kl. & Garcke, 187
apocynifolia (Small) Small, 196
corollata (L.) Kl. & Garcke, 181
corollata (L.) Small, 181
curtsii (Engelm.) Small, 184
discoidalis (Chapm.) Small, 187
erigonoides (Small) Small, 184
exserta Small, 190
gracilis (Elliott) Small, 189
joorii (Norton) Small, 182
mercurialina (Michx.) Small, 192
olivacea (Small) Small, 182
paniculata (Elliott) Small, 196
polyphylla (Engelm.) Small, 194
zinniiiflora (Small) Small, 196
- Tordyliopsis brunosis* DC., 383
Tordylium brunosis Wall., 383
- Trachydium affine* W.W. Sm., 373
dissectum C.B. Clarke, 378
hirsutulium C.B. Clarke, 376
kingdon-wardii H. Wolff, 375
lamondianum Farille & Malla, 372
novem-jugum C.B. Clarke, 373
obtusiusculum (DC.) C.B. Clarke, 375
obtusiusculum (DC.) C.B. Clarke
 var. *strictum* C.B. Clarke, 376
subnudum H. Wolff, 372
verrucosum R.H. Shan & F.T. Pu, 372
viridiflorum Franch., 373
- Trametes socotrana* Cooke, 478
- Trechispora nivea* (Pers.) K.H. Larsson,
483
- Trichosporum amboinense* Merr., 363
- Two new *Orobanchae* species from the
Arabian Peninsula, 229
- VAN DER MAESEN, L.J.G., See
COLES
- Vegetation of inselbergs in Zimbabwe,
267

-
- Vicatia* DC., 383
coniifolia DC., 383
- the state of Piauí, northeastern Brazil, 455
- WATLING, R.
Book review, 326
New combinations in the xeruloid
Tricholomataceae, 157
- Xeruloid Tricholamataceae, New
combinations in the, 157
- WATSON, M.F.
Book review, 318
Notes relating to the flora of Bhutan:
XXXVI. *Umbelliferae*, II, 367
- ZARRE, S. & DUMAN, H., Three new
tragacanthic species of the genus
Astragalus (*Fabaceae*) from Turkey, 351
- Zingiber kelabitianum* (*Zingiberaceae*): a
new species from Borneo, 239
- Zingiber kelabitianum* Theilade & H.
Chr., 239
- Whitesloanea crassa*, The relationships
of, 27
- Zingiberaceae I., Systematic studies of
Bornean. *Amomum* in Lambir Hills,
Sarawak, 45
- Whitesloanea* Chiov., 34
crassa (N.E. Br.) Chiov., 35
- The woody flora of cerrado vegetation in