

NOTES
FROM THE
ROYAL BOTANIC GARDEN,
EDINBURGH.

Addition to Numbers XXIX-XXX (January 1917).
Issued June 1921.

CONTENTS.

Plates I-XXXVII illustrating
Mr Takeda's paper on the Genus Mahonia.



EDINBURGH :
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.


SOLD AT THE GARDEN,
And to be purchased, either directly or through any Bookseller, from
H.M STATIONERY OFFICE (SCOTTISH BRANCH),
23 FORTH STREET, EDINBURGH.

[Price 2s. Net.]

[Crown Copyright Reserved.]



Mahonia napaulensis, DC.



Mahonia napaulensis, DC.



Mahonia Griffithii, Takeda.



Mahonia pycnophylla, Takeda.



M. Roxburghii (DC.)
M. napaulensis: Roxburgh, DC.
Berberis fraxinea Roxb. sile. Hain
 Determinavit H. Takeda, June 1914

Herb. Francis (Buchanan) Hamilton, M.D., F.R.S.
 [Presented to University of Edinburgh, 1800]


Original Number. 362

Name, etc., from Dr. H.'s MS. Catalogue.
Berberis fraxinea, Hort. Bag. 2.
Mahonia repens, DC. sile. 1. 107
Vitis = *hirsuta* R. P. sile. 1. 107
Berberis = *poterius* sile. 1. 107

Mahonia Roxburghii, (DC.) Takeda.



Mahonia acanthifolia, G. Don.



Mahonia sikkimensis, Takeda.



Mahonia borealis, Takeda.



Mahonia manipurensis, Takeda.




Barbaris repens


Mahonia Simonsii, Takeda.



Mahonia Leschenaultii, (Wall.) Takeda.



Mahonia Bealei, Carr.



Mahonia Bealei, Carr.



21. 10. 1901
C. B. Clifton
Centronia nepalensis F. M.

Mahonia flava, Schn.



Mahonia Fordii, Schn.



Mahonia Mairei
Takeda

Mahonia Mairei Takeda

Mahonia Mairei, Takeda.

YUNNAN, WEST CHINA.

COL. GEORGE FORBES

1911

Alt.

Locality

Very open, hillside, near
the village of Tachien, Yunnan,
China, 9,000 ft. alt.

Mahonia japonica, Bl. var.

Very open, hillside, near
the village of Tachien, Yunnan,
China, 9,000 ft. alt.



Determinavit


Mahonia bracteolata, Takeda.



Mahonia conferta, Takeda.



Mahonia Hancockiana, Takeda.



Mahonia lomariifolia, Takeda.



Mahonia Veitchiorum, (Hemsl. et Wils.) Schn.



Mahonia Fortunei, (Lindl.) Fedde.




Mahonia Fargesii, Takeda.



Mahonia longibracteata, Takeda.



Mahonia Sheridaniana, Schn.



Mahonia hypoleuca, Takeda.




HERB. THE YOKOHAMA NURSERY CO., LTD.	
YOKOHAMA JAPAN.	
<i>Berberis Bistorta</i>	
Japanese name	<i>Shikurugi</i>
Locality	
Date	1902

Determined


Mahonia japonica, (Thunb.) DC.





Mahonia siamensis, Takeda.






Mahonia philippinensis, Takeda.











Figs. 1-8.—*Mahonia sikkimensis*, Tak., $\times 6$. Figs. 1-3, outermost sepals. Fig. 4, middle sepal.
Fig. 5, innermost sepal. Fig. 6, petal. Figs. 7-8, stamens.
Figs. 9-15.—*Mahonia Simonsii*, Tak., $\times 6$. Figs. 9-10, outermost sepals. Fig. 11, middle sepal.
Fig. 12, innermost sepal. Fig. 13, petal. Fig. 14, stamen. Fig. 15, pistil.