

1121. *Caragana Franchetiana*, Komarow. Mekong-Salwin divide behind Tsekou Mission. Tibet, 1904.
1122. *Gueldenstaedtia yunnanensis*, Franch. Sandy hill pasture-land north of Tsu-hsiang-fu. Elevation 6500 ft. Yunnan, March 1905.
1123. *Caragana Franchetiana*, Komarow. Shrub of 3 to 5 ft. Flowers yellow. On scrubby hillsides, head of Chien Chuan valley. Alt. 7000 to 8000 ft. Yunnan, 1904.
1124. *Dumasia Forrestii*, Diels. Sp. nov. Amongst scrub in the Mekong and Wei Hsi valleys. Lat. 27° to 28° N. Alt. 7000 to 9000 ft. October 1904. N.W. Yunnan and S.E. Tibet.
1125. *Euonymus linearifolia*, Franch. Shady situations in dense pine forests on the eastern flank of the Lichiang peak. Lat. $27^{\circ} 30'$ N. Alt. 9000 to 10,000 ft. September 1904. N.W. Yunnan.
1126. *Sophora viciifolia*, Hance. Scrub of 3 to 8 ft. Dry, open situations in most valleys from Talifu to Yunnanfu. Lat. 25° to $25^{\circ} 40'$ N. Alt. 7000 to 9000 ft. January 1905. S.W. Yunnan.
1127. *Astragalus brachycephalus*, Franch. Prostrate plant of 1 to 2 ft. Flowers dull purple. Dry, grassy situations on the hills to the north of Yunnanfu. Lat. $25^{\circ} 10'$ N. Alt. 7000 to 8000 ft. February 1905. S.W. Yunnan.
1128. *Shuteria anomala*, Pampanini. Valley of the Mekong, Teng Yueh-Talifu route. Elevation 5000 to 6000 ft. Flowers purple. Yunnan, September 1904.
[The calyx is hairy, not glabrous, as in the type specimen (leg. Maire, *Herb. Bonati*, No. 178). Allied to *S. ferruginea*, Baker, of Nepal.]
1129. *Gentiana Clarkei*, Kusnezow. Without locality.
1130. *Pedicularis labellata*, Jacq. Pass between Teng Chuan and Sung Kwei valleys. Moist, rocky places. Alt. 9000 to 10,000 ft. Flowers crimson. September 1904.
1131. *Pedicularis labellata*, Jacq. Marshy ground, margins of lake north of Chung Tien. Alt. 13,000 ft. 1904.
1132. *Pedicularis longiflora*, Rudolph. Marshy ground on borders of a large lake 8 to 9 miles north of Chung Tien. Alt. 11,800 ft. Flowers bright orange. September 1904.
1133. *Pedicularis siphonantha*, Don. Marshy ground on borders of a large lake north of Chung Tien. Alt. 11,800 ft. Flowers red. September 1904.
1134. *Pedicularis gruina*, Franch. Moist places in most valleys north of Talifu. Alt. 7000 to 11,000 ft. September 1904.
1135. *Pedicularis gyrorhyncha*, Franch. Plant of 1 to $4\frac{1}{2}$ ft. Flowers yellow. Common in most marshy woods up to an elevation of 9000 ft. September 1904.
1136. *Pedicularis comptoniaefolia*, Franch. Mekong-Salwin divide, behind Tsekou Mission. Tibet, 1904.

Notes R.B.G., Edin., No. XXXII, July 1912.

1137. *Pedicularis rex*, Clarke. Plants from 1 to 5 ft. Flowers yellow. In moist situations in most valleys. Alt. 6000 to 11,000 ft. September 1904.
1138. *Pedicularis likiangensis*, Franch. Flowers crimson. Marshy ground, margin of lake north of Chung Tien. Alt. 13,000 ft. N.W. Yunnan, 1904.
1139. *Saxifraga strigosa*, Wall. Near Sung Kusi, Yunnan. Alt. 12,000 ft. November 1904.
1140. *Saxifraga Balfourii*, Engl. et Irmscher. Sp. nov. Near Sung Kusi, Yunnan. Alt. 12,000 ft. November 1904.
1141. *Saxifraga filicaulis*, Wall. Near Sung Kusi, Yunnan. Alt. 12,000 ft. November 1904.
1142. *Dendrobium clavatum*, Wall. Plant of 12 to 18 inches. Flowers deep orange, fleshy, non-fragrant. Crevices of perpendicular cliffs, Mekong valley. Lat. 28° N. Alt. 5000 to 6000 ft. Yunnan, June 1905.
1143. *Craibiodendron Forrestii*, W. W. Smith. Sp. nov. Shrub of 6 to 12 ft. Amongst scrub in open situations in the Salwin valley. Lat. 26° 12' N. Alt. 3000 to 3500 ft. November 1905.
1144. *Congea tomentosa*, Roxb. Scandent shrub of 15 to 30 ft. Flowers deep magenta-crimson, bracts a lighter shade of same. Forming dense conspicuous masses on the margins of forests in moist, open situations on the slopes of the valley of the Taiping Ho. Upper Burmah. Lat. 24° 40' N. Alt. 800 ft. January 1907.
- 1145-1800.
1801. *Primula denticulata*, Smith. Plant of 5 to 9 inches. Flowers lavender-blue, eye yellow, fragrant. Moist, open pasture-land by sides of streams on the eastern flank of the Tali Range. Lat. 25° 40' N. Alt. 10,000 to 11,000 ft. April-May 1906. W. Yunnan, China.
1802. *Primula malacoides*, Franch. Plant of 6 to 14 inches. Flowers rose-lavender, eye orange, fragrant. Dry and moist, open and shady situations in the Talifu valley. Lat. 25° 40' N. Alt. 6500 to 7000 ft. September-October 1906. W. Yunnan, China.
1803. *Primula bella*, Franch. Plant of 1 to 2½ inches. Flowers pale rose, eye greenish-white, faintly fragrant. Dry, shady situations on cliffs in side valleys on the eastern flank of the Tali Range. Lat. 25° 40' N. Alt. 9000 to 10,000 ft. September 1906.
1804. *Primula delicatula*, Dunn. Nom. nov.—*P. delicata*, G. Forrest, sp. nov., non Petitm. Plant of 1 to 2 inches. Flowers deep blue. Dry, open situations on the eastern flank of the Tali Range. Lat. 25° 41' N. Alt. 10,000 to 11,000 ft. August 1906. W. Yunnan, China.

1805. *Primula taliensis*, G. Forrest. Sp. nov. Plant of 1 to 3 inches. Flowers white or very pale blue. Open, stony pasture-land on the eastern flank of the Tali Range. Lat. $25^{\circ} 40' N$. Alt. 10,000 to 11,000 ft. September 1906. W. Yunnan, China.
1806. *Primula amethystina*, Franch. Plant of 3 to 6 inches. Flowers deep purplish-blue, fragrant. Moist, open mountain meadows near, and on the summit of the Tali Range. Lat. $25^{\circ} 40' N$. Alt. 12,000 to 13,000 ft. September–October 1906. W. Yunnan, China.
- 1806A. *Primula* sp. Erect plant of 3 inches. Flowers semi-pendulous, rose-blue, faintly fragrant; open, damp mountain pasture-land on the Mekong-Salwin divide. Lat. $27^{\circ} 28' N$. Alt. 14,000 to 16,000 ft. July–August 1905. S.E. Tibet.
1807. *Primula spicata*, Franch. A slender plant of 4 to 8 inches. Flowers bright blue, faintly fragrant. Dry, rocky slopes and on ledges of cliffs in side valleys on the eastern flank of the Tali Range. Lat. $25^{\circ} 40' N$. Alt. 11,000 ft. September–October 1906. W. Yunnan, China.
1808. *Primula sonchifolia*, Franch.—*P. gratissima*, G. Forrest, in *Notes, Roy. Bot. Gard. Edin.*, iv. p. 219. Plant of 3 to 5 inches. Flowers light or dark blue, eye and tube green. Moist, shady situations by sides of streams in side valleys on the eastern flank of the Tali Range. Lat. $25^{\circ} 40' N$. Alt. 11,000 to 12,000 ft. July–August 1906. W. Yunnan, China.
1809. *Primula membranifolia*, Franch.—*P. longituba*, G. Forrest, in *Notes, Roy. Bot. Gard. Edin.* iv. p. 226. Plant of $1\frac{1}{2}$ to $2\frac{1}{2}$ inches. Flowers bluish-rose, eye and tube green, fragrant. Moist, shady situations on moss-covered rocks and cliffs in side valleys on the eastern flank of the Tali Range. Lat. $25^{\circ} 40' N$. Alt. 10,000 to 11,000 ft. August–September 1906. W. Yunnan, China.
1810. *Androsace Chamaejasme*, Host. Tufted plant of 2 to 4 inches. Flowers pale rose, eye a deeper shade. Dry, exposed situations amongst rocks on the eastern flank of the Tali Range. Lat. $25^{\circ} 40' N$. Alt. 11,000 to 12,000 ft. July 1906.
1811. *Primula septemloba*, Franch. Plant of 8 to 18 inches. Flowers deep purplish-rose, fragrant. Moist, shady situations amongst scrub on the eastern flank of the Tali Range. Lat. $25^{\circ} 40' N$. Alt. 10,000 to 11,000 ft. July–August 1906. W. Yunnan, China.
1812. *Primula sonchifolia*, Franch., var. *albiflora*.—*P. gratissima*, G. Forrest, in *Notes, Roy. Bot. Gard. Edin.* iv. p. 219. Plant of 2 to 4 inches. Flowers pure white, eye orange. Open mountain meadows on the edge of the snow-line near the summit of the Tali Range. Lat. $25^{\circ} 40' N$. Alt. 13,000 ft. June 1906. W. Yunnan, China.
1813. *Primula bella*, Franch. Plant of $1\frac{1}{2}$ to 2 inches. Flowers deep bluish-rose, eye white. On exposed rocks and ledges of cliffs near the summit of the eastern flank of the Tali Range. Lat. $25^{\circ} 40' N$. Alt. 12,000 to 13,000 ft. August 1906. W. Yunnan, China.

1814. *Primula coerulea*, G. Forrest. Sp. nov. Plant of 2 to 3 inches. Flowers rich purplish-blue, eye and tube yellowish-green. Open, exposed situations on rocks in side valleys on the eastern flank of the Tali Range. Lat. $25^{\circ} 40' N$. Alt. 11,000 to 12,000 ft. October 1906. W. Yunnan, China.
1815. *Primula Listeri*, King. Plant of 4 to 8 inches. Flowers from rose-lavender to white according to situation; faintly fragrant. On moist, moss-covered ledges of cliffs, open or shady situations, in the side valleys on the eastern flank of the Tali Range. Lat. $25^{\circ} 40' N$. Alt. 9000 to 10,000 ft. April-May 1906. W. Yunnan, China.
1816. *Primula serratifolia*, Franch, nec ex Pax Monogr.—*P. biserrata*, G. Forrest, in *Notes, Roy. Bot. Gard. Edin.* iv. p. 230. Plant of 7 to 14 inches. Flowers pale yellow, with the centre of each petal marked orange, faintly fragrant. Open situations on the margins of pine forests on the eastern flank of the Tali Range. Lat. $25^{\circ} 40' N$. Alt. 11,000 to 12,000 ft. July-August 1906. W. Yunnan, China.
1817. *Primula yunnanensis*, Franch. Plant of 2 to 3 inches. Flowers rose-pink, faintly fragrant. Dry, open situations on bare slopes on the eastern flank of the Tali Range. Lat. $25^{\circ} 40' N$. Alt. 11,000 to 12,000 ft. September 1906. W. Yunnan, China.
1818. *Primula pseudo-denticulata*, Pax.—*P. farinosa*, Linn. ex G. Forrest, in *Notes, Roy. Bot. Gard. Edin.* iv. p. 223. Plant of 4 to 12 inches. Flowers pale rose, eye orange. Moist, open situations along the base of the eastern flank of the Tali Range. Lat. $25^{\circ} 40' N$. Alt. 8000 to 9000 ft. April-May 1906. W. Yunnan, China.
1819. *Primula angustidens*, Pax.—*P. Poissonii*, Franch. ex G. Forrest, in *Notes, Roy. Bot. Gard. Edin.* iv. p. 231. Plant of 1 to 2 ft. Flowers deep purplish-crimson, eye orange, faintly fragrant. Open, boggy meadows on the eastern flank of the Tali Range. Lat. $25^{\circ} 40' N$. Alt. 10,000 to 12,000 ft. August 1906. W. Yunnan, China.
1820. *Primula calliantha*, Franch.—*P. nivalis*, Pallas, var. *macrophylla* (Don), Pax, ex G. Forrest in *Notes, Roy. Bot. Gard. Edin.* iv. p. 227. Plant of 4 to 9 inches. Corolla deep rose-lavender, eye and tube green, thick and fleshy; fragrant. Moist, open situations on mountain meadows on the summit of the Tali Range. Lat. $25^{\circ} 40' N$. Alt. 12,000 to 13,000 ft. September-October 1906. W. Yunnan, China. G. Forrest.
- 1821-1852.
1853. *Diapensia Bulleyana*, G. Forrest. Sp. nov. Dwarf shrub of 2 to 4 inches. Flowers canary yellow. Exposed situations on ledges of cliffs and humus-covered boulders on the eastern flank of the Tali Range. Lat. $25^{\circ} 40' N$. Alt. 11,000 to 12,000 ft. September 1906. W. Yunnan, China.
- 1854-1870.
1871. *Neillia gracilis*, Franch. Moist, open, grassy situations in pine woods at base of flank of range to N.W. of Ho Shui. Alt. 11,000 to 12,000 ft. June 1906. W. Yunnan, China.

1872. *Lychnis Senno*, Sieb. et Zucc. Plant of 1 to 2 ft. Flowers rich magenta rose. Dry, open situations at the base of the eastern flank of the Tali Range. Lat. $25^{\circ} 40'$ N. Alt. 7000 to 8000 ft. October 1906. W. Yunnan, China.
1873. *Arenaria Delavayi*, Franch. Plant of 3 to 6 inches. Flowers white, anthers violet. Dry mountain pasture-land on the eastern flank of the Tali Range. Lat. $25^{\circ} 40'$ N. Alt. 9000 to 10,000 ft. September 1906. W. Yunnan, China.
1874. *Millettia Harrowiana*, Diels. Sp. nov. Shrub of 10 to 20 ft. Flowers pale creamy-rose. Dry, open situations along the base of the eastern flank of the Tali Range. Lat. $25^{\circ} 40'$ N. Alt. 9000 to 10,000 ft. August 1906. W. Yunnan, China.
- 1875.
1876. *Boottia yunnanensis*, Gagnep. Aquatic plant of 2 to 4 ft. Flowers white, stamens and anthers orange. In clear running streams and ditches along the base of the eastern flank of the Tali Range. Lat. $25^{\circ} 40'$ N. Alt. 8000 to 9000 ft. September 1906. W. Yunnan, China.
1877. *Trapa natans*, Linn. Aquatic plant of 1 to 3 ft. Flowers white. Ponds and ditches around Talifu in the Tali valley, and along the base of the eastern flank of the Tali Range. Lat. $25^{\circ} 40'$ N. Alt. 6700 to 9000 ft. August–September 1906. W. Yunnan, China.
1878. *Monochoria vaginalis*, Presl., var. *plantaginea*, Solms. Tali Range. W. Yunnan, China.
1879. *Geranium candicans*, R. Knuth. Sp. nov. Plant of 9 to 14 inches. Flowers pure white, anthers dark crimson. Open, grassy situations in pine forests on the eastern flank of the Tali Range. Lat. $25^{\circ} 40'$ N. Alt. 10,000 to 11,000 ft. June 1906. W. Yunnan, China.
- 1880.
1881. *Arenaria napuligera*, Franch. Plant of 3 to 6 inches. Flowers white, anthers violet. Ledges and crevices of cliffs in side valleys on the eastern flank of the Tali Range. Lat. $25^{\circ} 40'$ N. Alt. 11,000 to 12,000 ft. August 1906. W. Yunnan, China.
1882. *Plumbago zeylanica*, Linn. Plant of 2 to 4 ft. Flowers white. Dry, open situations in the Salwin valley. Lat. $25^{\circ} 6'$ N. Alt. 4000 to 5000 ft. December 1906. W. Yunnan, China.
1883. *Limnanthemum indicum*, Thw. Aquatic plant of 2 to 6 ft. Flowers white. Ponds and ditches on the Tali plain. Lat. $25^{\circ} 40'$ N. Alt. 6700 to 8000 ft. September–October 1906. W. Yunnan, China.
1884. *Hydrocharis Morsus-ranae*, Linn. Aquatic plant of 4 to 8 inches. Flowers watery white. Ponds and ditches on the Tali plain. Lat. $25^{\circ} 40'$ N. Alt. 6700 to 8000 ft. August 1907. W. Yunnan, China.

1885. *Salvinia* sp. Aquatic plant of 2 to 3 inches. Interior of leaves bright purple, exterior green. Ponds and ditches on the Tali plain. Lat. $25^{\circ} 40'$ N. Alt. 6700 to 8000 ft. September 1906. W. Yunnan.
1886. *Potamogeton Tepperi*, A. Benn. Aquatic plant of 1 to 2 ft. Flowers greenish-white. Ponds and ditches on the Tali plain. Lat. $25^{\circ} 40'$ N. Alt. 6700 to 8000 ft. July-August 1906. W. Yunnan, China.
1887. *Myriophyllum spicatum*, Linn. Aquatic plant of 2 to 3 ft. Flowers green. Ponds, ditches, and streams on the Tali plain. Lat. $25^{\circ} 40'$ N. Alt. 6700 to 8000 ft. July-August 1906. W. Yunnan, China.
1888. *Alisma Plantago*, Linn. Aquatic plant of 1 to 2 ft. Flowers white. Ponds and ditches on the Tali plain. Lat. $25^{\circ} 40'$ N. Alt. 6700 to 8000 ft. August-September 1906. W. Yunnan, China.
1889. *Limnanthemum nymphaeoides*, Link. Aquatic plant of 1 to 2 ft. Flowers orange yellow. Ponds and ditches on the Tali plain. Lat. $25^{\circ} 40'$ N. Alt. 6700 to 8000 ft. September 1906. W. Yunnan, China.
1890. *Cautleya lutea*, Royle. Plant of 16 to 20 inches. Flowers yellow. Grassy, shady situations in, and on the margins of, pine forests on the eastern flank of the Tali Range. Lat. $25^{\circ} 40'$ N. Alt. 9000 to 10,000 ft. August-September 1906. W. Yunnan, China.
1891. *Lilium Brownii*, Mielle. Plant of 2 to 4 ft. Flowers thick and fleshy, white, tinged greenish-brown on exterior, base of interior greenish-yellow; strongly fragrant. Grassy, open ledges of cliffs on the eastern flank of the Tali Range. Lat. $25^{\circ} 40'$ N. Alt. 9000 to 10,000 ft. September 1906. W. Yunnan, China.
1892. *Lloydia Forrestii*, Diels. Sp. nov. Plant of 4 to 6 inches. Flowers yellow, base of perianth orange. Open, grassy situations on the eastern flank of the Tali Range. Lat. $25^{\circ} 40'$ N. Alt. 10,000 to 11,000 ft. August-September 1906. W. Yunnan, China.
1893. *Lilium Delavayi*, Franch. Plant of 2 to 3 ft. Flowers fleshy, pale greenish-yellow, spotted crimson on interior, fragrant. Dry, open situations amongst boulders on the eastern flank of the Tali Range. Lat. $25^{\circ} 40'$ N. Alt. 8000 to 9000 ft. August 1906. W. Yunnan, China.
1894. *Lilium giganteum*, Wall. Plant of 3 to 8 ft. Flowers thick, fleshy, white with a few crimson markings on interior, fragrant. Moist, open, or shady situations in side valleys on the eastern flank of the Tali Range. Lat. $25^{\circ} 40'$ N. Alt. 9000 to 10,000 ft. June-July 1906. W. Yunnan, China.
1895. *Iris Delavayi*, Micheli. Plant of 2 to $2\frac{1}{2}$ ft. Flowers bright purplish-blue. Boggy, open mountain pasture-land on the eastern flank of the Tali Range. Lat. $25^{\circ} 40'$ N. Alt. 9000 to 10,500 ft. July-August 1906. W. Yunnan, China.

1896. *Hemerocallis fulva*, Linn., var. *angustifolia*, Baker. Plant of 1 to 2 ft. Flowers orange. Ledges and crevices of cliffs in side valleys on the eastern flank of the Tali Range. Lat. 25° 40' N. Alt. 9000 to 10,000 ft. July 1906. W. Yunnan, China.

1897. *Juncus crassistylus*, Camus. Plant of 14 to 20 inches. Flowers pale green. Open, dry situations amongst boulders on the eastern flank of the Tali Range. Lat. 25° 40' N. Alt. 10,000 to 11,000 ft. July 1906. W. Yunnan, China. *folios*

1898. *Iris japonica*, Thunb. Plant of 1 to 2 ft. Flowers white, transparent. Grassy situations in and on the margins of pine forests on the eastern flank of the Tali Range. Lat. 25° 40' N. Alt. 10,000 to 11,000 ft. July-August 1906. W. Yunnan, China.

1899. *Theropogon pallidus* (Wall.), Maxim. Plant of 8 to 12 inches. Flowers white. Stony mountain pasture-land on the eastern flank of the Tali Range. Lat. 25° 40' N. Alt. 10,000 to 11,000 ft. August 1906. W. Yunnan, China.

1900. *Polygonum sphaerostachyum*, Meissn. var. Plant of 2 to 7 inches. Flowers rose-pink, anthers violet. Dry, stony, open pasture-land on the eastern flank of the Tali Range. Lat. 25° to 40' N. Alt. 10,000 to 11,000 ft. September 1906. W. Yunnan.

[This plant is very variable in this region. The leaves are acute or rounded at the base, variable in the degree of hairiness, the spikes cylindrical or in small specimens nearly globular, the flowers deep rose or rose-pink. It is possible that some of these forms may prove to be constant races or species.]

1901-1907.

1908. *Rubus hypopitys*, Focke. Sp. nov. Semi-procumbent plant of 1 to 2 ft. Damp, shady situations in pine woods, western slopes of the Mekong valley on the Teng-Yueh-Talifu road. Lat. 25° 15' N. Alt. 8000 to 9000 ft. September 1905. W. Yunnan.

1909-1949.

1950. *Meconopsis lancifolia*, Franch. Plant of 3 to 9 inches. Flowers pale purplish-blue. Open, grassy situations in side valleys on the eastern flank of the Tali Range. Lat. 25° 40' N. Alt. 11,000 ft. June 1906. W. Yunnan.

1951-1998.

1999. *Meconopsis Henrici*, Bur. et Franch., forma. Plant of 3 to 6 inches. Flowers deep purplish-blue. Moist, stony mountain pasture-land on the eastern flank of the Tali Range. Lat. 25° 40' N. Alt. 12,000 to 13,000 ft. July-August 1906. W. Yunnan, China.

2000.

2001. *Caesalpinia japonica*, Sieb. et Zucc. Shrub of 10 to 25 ft. Flowers bright yellow. Dry, stony ground on the margins of woods and thickets on the low divide between the Talifu and Teng Chuan-cho valleys. Lat. 26° N. Alt. 7000 to 8000 ft. April 1906. W. Yunnan, China.

2002. *Melia Azedarach*, Linn. Tree of 40 to 60 ft. Limb of corolla pure white or lilac white, tube deep purplish lilac, fragrant. Flowers expand before foliage is fully developed. Open, dry situations, north end of the Tali valley, also Teng-chuan and Lang-Kung valleys. Lat. $26^{\circ} 30' N$. Alt. 6500 to 8000 ft. April 1906. N.W. Yunnan, China.
2003. *Lonicera Maackii*, Rupr., f. *podocarpa*, Franch. Spreading shrub of 6 to 9 ft. Flowers pale yellow, non-fragrant, fruit crimson. Dry, open situations on the margins of thickets, Tali, Teng-chuan, Lang-Kong, and Lichiang valleys. Lat. $25^{\circ} 40' N$ – $27^{\circ} 30' N$. Alt. 6500 to 8500 ft. May 1906. W. Yunnan, China.
2004. *Cynoglossum* ? *Dunnianum*, Diels. Sp. nov. Plant of 9 to 16 inches. Flowers bright blue, base of corolla pinkish-blue. Dry, stony open ground at the south end of the Lang Kung Hsien valley near Kai-hi-dsi. Lat. $26^{\circ} 10' N$. Alt. 7500 ft. April 1906. N.W. Yunnan, China.
2005. *Stellera Chamaejasme*, Linn., f. *angustifolia*. Plant of 6 to 12 inches. Rootstock woody. Flowers bright orange yellow, non-fragrant. On stony hill pasture-land south end of the Lang-Kong valley near the village of Kai-hi-dsi. Lat. $26^{\circ} 25' N$. Alt. 8000 ft. April 1906. N.W. Yunnan.
2006. *Clematis chrysocoma*, Franch. Erect plant of $1\frac{1}{2}$ to 4 ft. Flowers pale rose, crushed strawberry shade. Dry, open, barren situation on the divide between the Hoching-cho and Lichiang-fu valleys. Also on the eastern flank of the Lichiang Range. Lat. $26^{\circ} 40'$ – $27^{\circ} 20' N$. Alt. 9000 to 10,000 ft. April–July 1906. N.W. Yunnan, China.
2007. *Poterium filiforme*, Hook. f. Plant of 9 to 15 inches. Flowers white. Boggy, clayey situations at the south end of the Lang Kung Hsien valley near Kai-hi-dsi. Lat. $26^{\circ} 10' N$. Alt. 7000 ft. April 1906. W. Yunnan, China.
2008. *Anemone rivularis*, Ham. Plant of 6 to 15 inches. Flowers white, exterior of perianth pale purple. Marshy, open situations, low hills south end of the Lang-Kong valley. Lat. $26^{\circ} 10' N$. Alt. 8000 ft. April 1906. N.W. Yunnan, China.
2009. *Rhododendron racemosum*, Franch. Compact shrub of 2 to 4 ft. Flowers bright rose. Open mountain pasture-land on the ascent of the Sung-Kwei pass from the Lang-Kong valley. Lat. $26^{\circ} 30' N$. Alt. 9000 to 10,000 ft. N.W. Yunnan, April 1906.
2010. *Viburnum Veitchii*, C. H. Wright. Compact shrub of 2 to 4 ft. Flowers bright rose. Open mountain pasture-land, ascent of the Sung-Kwei pass from the Lang-Kong valley. Lat. $26^{\circ} 10' N$. Alt. 9000 to 10,000 ft. April 1906. N.W. Yunnan, China.
- [The type is from Ta-chien-lu. Wilson, No. 3731.]
2011. *Apocynad*. Shrub of 3 to 5 ft. Flowers white, fragrant. Amongst mixed scrub on the ascent of the Sung-Kwei pass from the Lang Kung Hsien valley. Lat. $26^{\circ} 20' N$. Alt. 9000 to 10,000 ft. April 1906. W. Yunnan, China.

2012. *Berberis laevis*, Franch. Spreading shrub of 3 to 6 ft. Flowers bright yellow. Shady situations amongst scrub on the ascent of the Sung-Kwei pass from the Lang-Kong valley. Lat. $26^{\circ} 30' N$. Alt. 9000 to 10,000 ft. N.W. Yunnan, April 1906.
2013. *Berberis papillifera* (Franch.), Schneider. Spreading shrub of 2 to 5 ft. Flowers bright yellow. Moist, shady situations amongst scrub on the ascent of the Sung-Kwei pass from the Lang-Kong valley. Lat. $26^{\circ} 30' N$. Alt. 9000 to 10,000 ft. N.W. Yunnan, April 1906.
2014. *Berberis pruinosa*, Franch. Erect shrub of 3 to 6 ft. Flowers bright yellow. Dry, open situations on the ascent of the Sung-Kwei pass from the Lang-Kong valley. Lat. $26^{\circ} 30' N$. Alt. 9000 to 10,000 ft. N.W. Yunnan, April 1906.
2015. *Cynoglossum amabile*, Stapf et Drumm. Plant of 1 to 2 ft. Flowers bright blue. Moist, open situations on the bunds of padi fields, etc., Lichiang plain around the city. Lat. $26^{\circ} 50' N$. Alt. 8200 ft. N.W. Yunnan, May 1906.
2016. *Leptodermis glauca* (Franch.), Diels. Procumbent shrub of 1 to 2 ft. Flowers rose-pink. Dry, stony situations on mountain pasture-land at south end of the Lang-Kong valley. Lat. $26^{\circ} 25' N$. Alt. 7000 to 8000 ft. N.W. Yunnan, April 1906.
2017. *Clematis montana*, Ham. Climber of 4 to 8 ft. Flowers greenish-yellow, non-fragrant. On scrub in dry, open situations, ascent of the Sung Kwei pass from the Lang-Kong valley. Lat. $26^{\circ} 10' N$. Alt. 9000 to 10,000 ft. April 1906. Yunnan, China.
- [This very variable plant is common all over the region. The southern forms have many-flowered fascicles, shorter peduncles and smaller flowers, the northern ones few, often only one flower, very long peduncles and very large flowers.]
2018. *Hemiphragma heterophyllum*, Wall. Prostrate plant of 1 to 2 ft. Flowers rose-red. Fruit a scarlet berry. On the ground in pine and rhododendron forest on the ascent of the Sung-Kwei pass from the Lang-Kong valley. Lat. $26^{\circ} 30' N$. Alt. 10,000 to 11,000 ft. N.W. Yunnan, April 1906.
2019. *Apocynad.* Shrub of 6 to 10 ft. Flowers white, fragrant. On the ascent of the Sung-Kwei pass from the Lang Kung Hsien valley. Lat. $26^{\circ} 20' N$. Alt. 9000 to 10,000 ft. April 1906. W. Yunnan, China.
2020. *Clematis montana*, Ham. Climber of 10 to 20 ft. Flowers creamy white, fragrant. On scrub in open situations, ascent of the Sung-Kwei pass from the Lang-Kong valley. Lat. $26^{\circ} 10' N$. Alt. 9000 to 10,000 ft. April 1906. Yunnan, China.
2021. *Jasminum Beesianum*, G. Forrest et Diels. Sp. nov. Shrub of 1 to 3 ft. Flowers pink or deep rose, strongly fragrant. Amongst rocks and stones on dry, barren, open ground at the south end of the Sung-Kwei valley. Lat. $26^{\circ} 20' N$. Alt. 8000 to 9000 ft. April 1906. W. Yunnan, China.

2022. *Rosa sericea*, Lindl. Shrub of 2 to 6 ft. Flowers creamy white, fragrant. Amongst scrub in open, dry situations in the Sung-Kwei, Hoching-cho and Lichiang-fu valleys. Lat. $26^{\circ} 27' N$. Alt. 7000 to 10,000 ft. April 1906. N.W. Yunnan, China.
2023. *Pieris japonica*, D. Don. Compact shrub of 4 to 8 ft. Flowers yellowish white, fragrant. Dry, open, stony situations at foot of Sung-Kwei pass in the Sung-Kwei valley. Lat. $26^{\circ} 30' N$. Alt. 7000 to 8000 ft. N.W. Yunnan, April 1906.
2024. *Chrysosplenium Davidianum*, Franch. Plant of 1 to $2\frac{1}{2}$ inches. Flowers yellow. Moist, shady situations in rhododendron forest on the descent from the Sung-Kwei pass to the Sung-Kwei valley. Lat. $26^{\circ} 20' N$. Alt. 10,000 ft. April 1906. W. Yunnan, China.
2025. *Kerria japonica*, DC. f. fl. pl. Shrub of 6 to 10 ft. Flowers bright orange-yellow. Moist, shady situations around villages. Cultivated but undoubtedly wild in places. Specimens from the ascent of the Sung-Kwei pass from the Lang-Kong valley. Lat. $26^{\circ} 30' N$. Alt. 9000 ft. N.W. Yunnan, April 1906.
2026. *Viburnum congestum*, Rehder. Shrub of 3 to 8 ft. Flowers white, fragrant. Open, dry pasture-land, ascent of the Sung-Kwei pass from the Lang-Kong valley. Lat. $26^{\circ} 10' N$. Alt. 9000 ft. April 1906. Yunnan, China.
2027. *Chionanthus retusus*, Lindl. Tree of 30 to 40 ft. Flowers pure white. Moist, open situations in the Hoching-cho valley. Lat. $26^{\circ} 45' N$. Alt. 7000 to 8000 ft. April 1906. N.W. Yunnan, China.
2028. *Capparis tenera*, Dalz. Semi-scandent spinous shrub of 10 to 20 ft. Flowers transparent purplish-white. On trees in shady, open situations in the Teng-chuan-cho valley. Lat. $26^{\circ} N$. Alt. 7000 ft. April 1906. N.W. Yunnan, China.
2029. *Euonymus grandiflora*, Wall. Tree of 25 to 40 ft. Foliage glossy, dark green, coriaceous. Flowers greenish yellow. Shady, moist situations near the head of the Talifu valley. Lat. $26' N$. Alt. 7000 ft. April 1906. W. Yunnan, China.
2030. *Rhododendron chartophyllum*, Franch., forma *praecox*, Diels. Form. nov. Erect or spreading shrub of 4 to 8 ft. Flowers white, in some specimens pinkish on exterior of corolla, with rich crimson markings. Foliage deciduous, flowers appearing first. Amongst dwarf scrub, in open situations on the ascent of the Sung-Kwei pass from the Lang-Kong valley. Lat. $26^{\circ} 30' N$. Alt. 9000 ft. N.W. Yunnan, April 1906.
2031. *Salvia digitaloides*, Diels. Sp. nov. Plant of 1 to 2 ft. Flowers creamy yellow with pale violet markings. Shady, dry pine forests at the base of the descent from the Sung-Kwei pass to the Sung-Kwei valley. Lat. $26^{\circ} 20' N$. Alt. 8000 to 9000 ft. April 1906. W. Yunnan, China.
2032. *Scirpus maritimus*, Linn. Plant of 6 to 9 inches. Clayey, boggy pasture-land on the Lichiang plain to the south of the city. Lat. $26^{\circ} 50' N$. Alt. 8200 ft. May 1906. N.W. Yunnan, China.

2033. *Salix tetrasperma*, Roxb. (?) Shrub or tree of 15 to 30 ft. By streams and ditches intersecting the Lichiang plain south of the city. Lat. 26° 50' N. Alt. 8200 ft. May 1906. N.W. Yunnan, China.
2034. *Saxifraga cinerascens*, Engl. et Irmischer. Sp. nov. Plant of 2 to 4 inches. Flowers golden yellow, anthers the same shade. On humus-covered boulders and dry ledges of cliffs on the eastern flank of the Lichiang Range. Lat. 27° 15' N. Alt. 10,000 to 11,500 ft. N.W. Yunnan, September 1906.
- 2034A. *Lathyrus palustris*, Linn. Scandent plant of 1½ to 2½ ft. Flowers rose-purple. On grass and scrub by the sides of ditches and streams in the Lichiang valley south of the city. Lat. 26° 50' N. Alt. 8200 ft. N.W. Yunnan, May 1906.
2035. *Lathyrus pratensis*, Linn. Semi-prostrate plant of 6 to 12 inches. Flowers lemon yellow. Amongst grass and scrub by the sides of ditches and streams in the Lichiang valley south of the city. Lat. 26° 50' N. Alt. 8200 ft. May 1906. N.W. Yunnan.
2036. *Cerastium vulgatum*, L. Plant of 9 to 16 inches. Flowers white. Moist boggy situations by streams and ditches in the Lichiang valley. Lat. 27° N. Alt. 8200 to 9000 ft. May 1906. N.W. Yunnan, China.
2037. *Primula pseudo-denticulata*, Pax.—*P. farinosa*, Linn. ex G. Forrest, in *Notes, Roy. Bot. Gard. Edin.* iv. p. 223. Plant of 6 to 9 inches. Flowers pale rose-lilac, eye orange, fragrant. Moist, boggy situations by sides of streams in the Lichiang valley, south of the city. Lat. 26° 50' N. Alt. 8200 ft. May 1906. N.W. Yunnan, China.
2038. *Boottia yunnanensis*, Gagnep. Aquatic plant of 2 to 3 ft. Foliage submerged. Flowers floating, white, base of petals yellow. In ponds and on the margins of swift-flowing streams on the Lichiang plain north of the city. Lat. 26° 50' N. Alt. 8200 ft. May 1906. N.W. Yunnan, China.
2039. *Tamarix chinensis*, Lour. Shrub of 20 to 25 ft. Flowers pendulous, rose-pink. Grown by the Chinese of the Lichiang valley as an ornamental plant. Lat. 27° N. Alt. 8200 ft. May 1906. N.W. Yunnan, China.
2040. *Anemone rivularis*, Ham. Erect plant of 6 to 12 inches. Flowers white, exterior of perianth pale purple. Dry clayey ground, south end of the Lichiang valley. Lat. 26° 55' N. Alt. 8200 ft. May 1906. Yunnan, China.
2041. *Lotus corniculatus*, Linn. Spreading plant of 8 to 12 inches. Flowers orange yellow, in some specimens tinges red. On grassy banks and open situations in the Lichiang valley north of the city. Lat. 26° 50' N. Alt. 8200 ft. May 1906. N.W. Yunnan.
2042. *Rhododendron anthosphaerum*, Diels. Sp. nov. Shrub or tree of 20 to 30 ft. Flowers bright rose-magenta with a few markings of black-crimson. Open situations in pine forests on the ascent of the Sung-Kwei pass from the Lang-Kong valley. Lat. 26° 30' N. Alt. 10,000 to 11,000 ft. April 1906, N.W. Yunnan.

2043. *Rhododendron irroratum*, Franch. Erect shrub of 10 to 15 ft. Corolla yellowish-white with a few markings of a greenish yellow, thick and fleshy. Shady pine and rhododendron forest on the ascent of the Sung-Kwei pass from the Lang-Kong valley. Lat. 26° 30' N. Alt. 9000 to 10,000 ft. April 1906. N.W. Yunnan.
2044. *Viola Patrinii*, DC. Plant of 2 to 3 inches. Flowers deep rich blue. Dry, open, clayey situations at base of southern foot hills of the Lichiang Range. Lat. 26° 50' N. Alt. 8000 to 9000 ft. May 1906. N.W. Yunnan.
- 2045.
2046. *Lamium amplexicaule*, Linn. Plant of 6 to 10 inches. Flowers rose-red. Variety of situations in the Lichiang valley around the city. Lat. 26° 50' N. Alt. 8000 to 9000 ft. May 1906. N.W. Yunnan.
2047. *Salvia miltiorrhiza*, Bge. Plant of 12 to 18 inches. Flowers rich blue. Open grassy situations in the Lichiang valley. Lat. 27° N. Alt. 8200 ft. May 1906. N.W. Yunnan, China.
2048. *Rosa Banksiae*, R. Br. Shrub of 6 to 8 ft. Flowers rich yellow. Moist, shady situations by streams in thickets around the city of Lichiangfu. Lat. 27° N. Alt. 8200 ft. May 1906. N.W. Yunnan, China.
2049. *Rosa gigantea*, Collett. Semi-scandent shrub of 10 to 20 ft. Flowers rose-pink, fragrant. Shady situations in the Lang-Kong, Hoching, and Lichiang valleys. Lat. 26° 50' N. Alt. 8200 ft. May 1906. N.W. Yunnan.
2050. *Rhododendron rubiginosum*, Franch. Spreading shrub or tree of 15 to 30 ft. Flowers lilac-rose with crimson markings. Open situations in forests on the ascent of the Sung-Kwei pass from the Lang-Kong valley. Lat. 26° 30' N. Alt. 9000 to 10,000 ft. April 1906. N.W. Yunnan.
2051. *Rosa Banksiae*, R. Br. Semi-scandent shrub of 10 to 20 ft. Flowers pure white, fragrant. Shady and open situations on and amongst trees and scrub in the Lichiang-fu valley. Lat. 27° 10' N. Alt. 8200 to 10,000 ft. May 1906. N.W. Yunnan, China.
2052. *Rosa damascena*, Mill. Erect shrub of 6 to 8 ft. Flowers dark crimson. Shady situations around Lichiang. Lat. 26° 50' N. Alt. 8200 ft. May 1906. N.W. Yunnan.
2053. *Rosa damascena*, Mill. Semi-scandent shrub of 6 to 10 ft. Flowers rose-red, fragrant. Forming large clusters in shady, moist situations in the Lichiang valley around the city. Lat. 26° 50' N. Alt. 8200 ft. May 1906. N.W. Yunnan.
2054. *Schoepfia jasminodora*, Sieb. et Zucc. Shrub or tree of 15 to 40 ft. Flowers green, powerfully fragrant, appearing before foliage is developed. Fruit an ovoid, dark crimson, drupe, $\frac{1}{2} \times \frac{1}{2}$ inch. Open situations in pine forests on the southern foothills of the Lichiang Range. Lat. 26° 50' N. Alt. 9000 to 10,000 ft. May 1906. N.W. Yunnan, China.
- There is a variety of this species in the Yangtze valley between Shi-ku and Chutien and on the Mekong-Salwen divide north of Tzekou with the flowers, and undeveloped

- foliage bright scarlet. Fruit bright scarlet. Fragrance even more powerful than in this species. Lost both seeds and specimens of it at Tzekou.
2055. *Quercus Delavayi*, Franch. Shrub of 6 to 15 ft. Dry, barren, stony situations on southern foothills of the Lichiang Range. Lat. 26° 50' N. Alt. 9000 to 10,000 ft. May 1906. N.W. Yunnan.
2056. *Quercus semecarpifolia*, Sm. Dwarf spinous spreading shrub of 3 to 6 ft. Covering large tracts of dry stony mountain-land on southern foothills of the Lichiang Range. Lat. 26° 50' N. Alt. 8000 to 11,000 ft. May 1906. N.W. Yunnan.
2057. *Linum perenne*, Linn. Plant of 1 to 2½ ft. Flowers bright blue. Open, dry, grassy situations in the Lichiang valley. Lat. 27° N. Alt. 8500 ft. May 1906. N.W. Yunnan, China.
2058. *Rhododendron irroratum*, Franch. Spreading shrub of 10 to 15 ft. Corolla greenish-white, profusely marked small dark crimson spots. Open situations near the summit of the Sung-Kwei pass ascending from the Lang-Kong valley. Lat. 26° 30' N. Alt. 11,000 ft. April 1906. N.W. Yunnan.
2059. *Primula Clementinae*, G. Forrest. Sp. nov. Plant of 2 to 4 inches. Flowers rose-red, fragrant. In crevices of dry, shady rocks and cliffs on the eastern flank of the Lichiang Range. Lat. 27° 10' N. Alt. 10,500 to 12,000 ft. May 1906. N.W. Yunnan, China.
2060. *Stellaria Davidi*, Franch. Plant of 2 to 4 inches. Flowers white, anthers bright violet. Dry, mossy situations in shady pine forests on the eastern flank of the Lichiang Range. Lat. 27° 10' N. Alt. 11,000 ft. May 1906. N.W. Yunnan.
2061. *Pedicularis densispica*, Franch. Plant of 6 to 12 inches. Flowers pink and crimson. Dry, stony situations in the Lichiang valley. Lat. 27° N. Alt. 8500 ft. May 1906. N.W. Yunnan.
2062. *Rhododendron racemosum*, Franch. Spreading, loosely shaped shrub of 3 to 5 ft. Flowers pale pink. Open, dry, stony situations on the southern foothills of the Lichiang Range. Lat. 27° N. Alt. 9000 to 10,000 ft. May 1906. N.W. Yunnan.
2063. *Rhamnus persica*, Boiss. ex Franch. Shrub of 6 to 10 ft. Flowers green. Open, dry, stony situations on southern foothills of the Lichiang Range. Lat. 27° N. Alt. 9000 to 10,000 ft. May 1906. N.W. Yunnan.
2064. *Anemone obtusiloba*, Don. Plant of 3 to 6 inches. Perianth white on interior, exterior varying shades of blue. Boggy, clayey pasture around a lake in the Lichiang valley north of the city. Lat. 27° N. Alt. 8500 ft. May 1906. N.W. Yunnan, China.
2065. *Ranunculus pulchellus*, C. A. Mey. Semi-prostrate plant of 6 to 10 inches. Flowers golden yellow. Boggy pasture around a lake in the Lichiang valley north of the city. Lat. 27° N. Alt. 8500 ft. May 1906. N.W. Yunnan, China.

2066. *Thlaspi yunnanense*, Franch. Plant of 4 to 8 inches. Flowers white, exterior of petals pale purple. Moist pasture-land on the eastern flank of the Lichiang Range. Lat. 27° 10' N. Alt. 10,000 ft. May 1906. N.W. Yunnan, China.
2067. *Gentiana puberula*, Franch. Plant of 1 to 1½ inches. Corolla, interior bright blue, exterior green. Moist mountain pasture-land on the eastern flank of the Lichiang Range. Lat. 27° 15' N. Alt. 10,000 to 11,000 ft. May 1906. N.W. Yunnan, China.
2068. *Lysimachia humifusa*, R. Knuth. Prostrate plant of 4 to 8 inches. Flowers red or pink. Dry, open, grassy situations amongst scrub on the eastern flank of the Lichiang Range. Lat. 27° 10' N. Alt. 9000 to 10,000 ft. May 1906. N.W. Yunnan, China.
2069. *Viola Delavayi*, Franch. Plant of 3 to 9 inches. Flowers bright yellow. Dry situations in pine forests on the eastern flank of the Lichiang Range. Lat. 27° 10' N. Alt. 8500 to 11,000 ft. May 1906. N.W. Yunnan.
2070. *Roscoea cautleoides*, Gagnep. Plant of 6 to 9 inches. Flowers bright canary yellow. Dry, open situations amongst rhododendron and pine scrub on the eastern flank of the Lichiang Range. Lat. 27° 12' N. Alt. 9000 to 10,000 ft. May 1906. N.W. Yunnan, China.
2071. *Berberis dictyophylla*, Franch. Spreading shrub of 6 to 10 ft. Flowers golden yellow, exterior tinged red. Amongst scrub in dry pine forests on the eastern flank of the Lichiang Range. Lat. 27° 10' N. Alt. 8,500 to 10,000 ft. May 1906. N.W. Yunnan, China.
2072. *Rhamnus dahurica*, Pall. Shrub of 9 to 12 ft. Flowers greenish-brown. Open, dry situations amongst scrub on the eastern flank of the Lichiang Range. Lat. 27° 10' N. Alt. 9000 to 10,000 ft. May 1906. N.W. Yunnan, China.
2073. *Prunus Maximowiczii*, Rupr., var. *adenophora*, Franch. Shrub of 12 to 20 ft. Flowers white. Open, dry situations in pine forests on the eastern flank of the Lichiang Range. Lat. 27° 10' N. Alt. 9000 to 10,000 ft. May 1906. N.W. Yunnan, China.
2074. *Lonicera trichopoda*, Franch. Erect shrub of 4 to 12 ft. Flowers yellow, non-fragrant. Dry, shady situations in ravines, eastern flank of the Lichiang Range. Lat. 27° 15' N. Alt. 9000 to 10,000 ft. May 1906. Yunnan, China.
2075. *Spiraea virgata*, Franch. Shrub of 6 to 9 ft. Flowers white with anthers and filaments red. Dry, stony, open situations amongst scrub on the eastern flank of the Lichiang Range. Lat. 27° 10' N. Alt. 8500 to 10,500 ft. May 1906. N.W. Yunnan, China.
2076. *Draba yunnanensis*, Franch. Plant of 3 to 9 inches. Flowers bright yellow. In clefts of dry limestone cliffs on the eastern flank of the Lichiang Range. Lat. 27° 12' N. Alt. 9000 to 10,000 ft. May 1906. N.W. Yunnan, China.

2077. *Fragaria indica*, Andr. Procumbent plant of 3 to 9 inches. Flowers bright yellow. Dry, shady situations amongst scrub on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10' N$. Alt. 8500 to 10,000 ft. May 1906. N.W. Yunnan.
2078. *Arenaria orbiculata*, Royle. Prostrate plant of 3 to 7 inches. Flowers white. Dry, stony situations in side valleys on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10' N$. Alt. 9000 to 10,000 ft. May 1906. N.W. Yunnan, China.
2079. *Chrysosplenium Davidianum*, Franch. Plant of 2 to 4 inches. Flowers golden yellow. Dry, shady situations in mixed forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 10,000 ft. May 1906. N.W. Yunnan, China.
2080. *Taraxacum dissectum*, Ledeb. Plant of 1 to 3 inches. Flowers yellow. Dry, stony pasture-land at base of eastern flank of the Lichiang Range. Lat. $27^{\circ} 10' N$. Alt. 9000 ft. May 1906. N.W. Yunnan.
2081. *Androsace spinulifera*, Franch. Erect plant of 3 to 10 inches. Flowers rose-pink, eye yellow. Very dry, barren, stony grass-land at the north end of the Lichiang plain. Lat. $27^{\circ} 5' N$. Alt. 8500 ft. May 1906. N.W. Yunnan, China.
2082. *Jasminum humile*, Linn. Shrub of 4 to 8 ft. Flowers golden yellow. Dry situations amongst scrub in side valleys on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10' N$. Alt. 9000 ft. May 1906. N.W. Yunnan, China.
2083. *Scutellaria amoena*, Wright. Plant of 6 to 12 inches. Flowers bright rich blue. Dry, stony ground and in clefts of rocks on the low foothills at the southern end of the Lichiang Range. Lat. $27^{\circ} N$. Alt. 9000 ft. May 1906. N.W. Yunnan, China.
2084. *Pittosporum heterophyllum*, Franch. Spreading shrub of 5 to 10 ft. Flowers pale yellow, very fragrant. Shady, dry, and moist situations along base of southern foothills of the Lichiang Range. Lat. $27^{\circ} N$. Alt. 8500 ft. May 1906. N.W. Yunnan.
2085. *Clematis montana*, Ham. Climber of 9 to 15 ft. Flowers greenish-white, fragrant. Amongst scrub on dry, barren foothills, eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 9000 ft. May 1906. Yunnan, West China.
2086. *Oxyria sinensis*, Hemsl. Plant of 9 to 15 inches. Flowers reddish-green. Specimens in seed. Dry, barren pasture-land at base of southern foothills of the Lichiang Range. Lat. $27^{\circ} N$. Alt. 8500 ft. May 1906. N.W. Yunnan.
2087. *Lonicera ligustrina*, Wall., var. *β yunnanensis*, Franch. Shrub of 3 to 8 ft., with shining foliage. Flowers yellowish-green. Moist, shady situations, Lichiang valley and along base of eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 8500 ft. May 1906. Yunnan, W. China.
2088. *Carex Forrestii*, Kükenthal. Sp. nov. Plant of 7 to 12 inches. Moist, boggy situations in ditches in centre of Lichiang valley. Lat. $27^{\circ} N$. Alt. 8500 ft. May 1906. N.W. Yunnan.

2089. **Hypocoum leptocarpum**, Hook. f. et Thoms. Plant of 4 to 12 inches. Flowers white, exterior of corolla pale purple. Dry situations on cultivated ground in the Lichiang valley. Lat. 27° N. Alt. 8500 ft. May 1906. N.W. Yunnan.
2090. **Crepis silhetensis**, Hook. f. (?). Plant of 2 ft. Flowers golden yellow. In poppy fields on very dry ground in the Lichiang valley. Lat. 27° N. Alt. 8500 ft. May 1906. N.W. Yunnan.
2091. **Laurineae**. Incomplete. Tree of 20 to 35 ft. Flowers yellow, leaves and bark aromatic and used by the Chinese as a condiment. Shady gullies on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 5' N$. Alt. 10,000 ft. May 1906. N.W. Yunnan.
2092. **Potentilla anserina**, Linn. Plant of 4 to 8 inches. Flowers yellow. Stony, moist situations on pasture-land north end of Lichiang valley. Lat. $27^{\circ} 5' N$. Alt. 9000 ft. May 1906. N.W. Yunnan.
2093. **Eulophia Faberi**, Rolfe. Plant of 12 inches. Petals and sepals brownish-pink, labellum pink with darker markings. Dry, stony ground at the south end of the Lang Kung Hsien valley near Kai-hsi-dsi. Lat. $26^{\circ} 10' N$. Alt. 7500 ft. April 1906. N.W. Yunnan, China.
2094. **Iris tectorum**, Maxim. Plant of 12 to 18 inches. Flowers purplish-blue. Moist situations in the Lang Kung Hsien, Hoching-cho and Lichiang-fu valleys. Specimens from the Lang-Kung valley. Lat. $26^{\circ} 12' N$. Alt. 8000 ft. April 1906. N.W. Yunnan, China.
2095. **Deutzia discolor**, Hemsl. Spreading shrub of 6 to 10 ft. Flowers white, in specimens from high altitudes pink or deep pinkish-purple. Sheltered situations in side valleys on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10' N$. 9000 to 10,000 ft. May 1906. N.W. Yunnan, China.
2096. **Sabia yunnanensis**, Franch. Semi-scandent shrub of 10 to 15 ft. Flowers livid green. Dry, shady situations amongst scrub on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10' N$. Alt. 9000 to 10,000 ft. May 1906. N.W. Yunnan, China.
2097. **Rhododendron rubiginosum**, Franch. Compact free flowering shrub of 10 to 12 ft. Flowers pink with markings a shade darker. Moist, open situations on margins of pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10' N$. Alt. 11,000 ft. May 1906. N.W. Yunnan.
2098. **Anemone demissa**, Hook. f. et Thoms., var. **villosa**, Ulbrich. Plant of 6 to 15 inches. Flowers white, exterior of perianth purplish-blue. Dry, open situations amongst scrub and in pine forests, eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 9000 to 10,500 ft. May 1906. Yunnan, W. China.

2099. *Indigofera chaetodonta*, Franch. var. Dwarf shrub of 1 to 2 ft. Flowers rich rose-red. Dry, stony situations amongst scrub and dwarf pine on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 9000 to 10,500 ft. May 1906. N.W. Yunnan, China.
2100. *Ribes glaciale*, Wall. Spreading shrub of 6 to 10 ft. Flowers brownish-green. Amongst scrub in openings in pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10' N$. Alt. 10,000 to 11,000 ft. May 1906. N.W. Yunnan.
2101. *Paeonia Delavayi*, Franch. Shrubby plant of 2 to 5 ft. Flowers rich deep crimson, anthers bright orange. Dry, shady situations amongst scrub and in pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 8500 to 11,000 ft. May 1906. N.W. Yunnan, China.
2102. *Berberis pruinosa*, Franch. Spreading shrub of 3 to 5 feet. Flowers golden yellow. Dry, open situations amongst scrub and in pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10' N$. Alt. 9000 to 10,500 ft. May 1906. N.W. Yunnan.
2103. *Xanthoxylum usitatum*, Diels. Sp. nov. Spinous spreading shrub of 6 to 10 ft. Fruit a red, greasy capsule, $1 \times 1\frac{1}{2}$ in., containing one or two seeds. Bitter and biting but aromatic, and used as a condiment by the Chinese. Dry, open situations in side valleys on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 9000 to 11,000 ft. May 1906. N.W. Yunnan.
2104. *Michelia yunnanensis*, Franch., var. *angustifolia*, Fin. et Gagnep. Ornamental plant growing in temple court in the village of Ho-Yeh-Shin, north end of the Lichiang valley. Flowers greenish-white. Lat. $27^{\circ} 10' N$. Alt. 8500 ft. May 1906. N.W. Yunnan.
2105. *Smilax menispermoides*, DC. Semi-scandent shrub of 8 to 12 ft. Flowers a livid brownish-red. On scrub and undergrowth in sheltered side valleys on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 10,000 to 11,000 ft. May 1906. N.W. Yunnan.
2106. *Acer Forrestii*, Diels. Sp. nov. Tree of 25 to 35 ft. Flowers brownish-green. In side valleys on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 10,000 ft. May 1906. N.W. Yunnan, China.
2107. *Braya rubicunda*, Franch. Plant of 1 to $1\frac{1}{2}$ inches. Flowers rose-carmine. In crevices of limestone cliffs on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 12,000 to 13,000 ft. May 1906. N.W. Yunnan.
2108. *Piptanthus tomentosus*, Franch. Shrub of 3 to 5 ft. Flowers in erect racemes, canary yellow. Dry, stony, open situations amongst scrub on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 10,000 to 12,000 ft. May 1906. N.W. Yunnan, China.

2109. *Ribes moupinense*, Franch. Spreading shrub of 6 to 12 ft. Flowers green, in pendulous racemes; fruit bright scarlet. Open situations in pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 11,000 to 12,000 ft. May 1906. N.W. Yunnan, China.
2110. *Cotoneaster hebeophylla*, Diels. Sp. nov. Spreading shrub of 6 to 10 ft. Flowers white, anthers violet. Moist, open situations on banks of streams at north end of the Lichiang valley. Lat. $27^{\circ} 10' N$. Alt. 8500 to 9000 ft. May 1906. N.W. Yunnan.
2111. *Pirus yunnanensis*, Franch. Tree or shrub of 15 to 30 ft. Flowers yellowish-white, fragrant. Fruit $\frac{3}{8}$ by $\frac{1}{2}$ inch, golden yellow. Moist situations in the bed of a stream on the plain at the north end of the Lichiang valley. Lat. $27^{\circ} 12' N$. Alt. 8500 ft. May 1906. N.W. Yunnan, China.
2112. *Pyrus vestita*, Wall. Tree of 20 to 30 ft. Flowers yellowish-white. Fruit $\frac{1}{2} \times \frac{1}{2}$ in., scarlet and yellow. Similar in habit to No. 2111, but differing in the much-branched inflorescence, want of fragrance, size of flowers, and form of foliage. Moist situations by streams along the base of the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 8500 to 9000 ft. May 1906. N.W. Yunnan, China.
- 2113.
2114. *Caragana Franchetiana*, Komarow. Spinous shrub of 6 to 10 ft. Flowers yellow or greenish-brown. Dry, stony situations on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 8500 to 10,500 ft. May 1906. N.W. Yunnan, China.
2115. *Daphne aurantiaca*, Diels. Sp. nov. Dwarf shrub of 2 to 4 ft. Flowers bright orange yellow, fragrant. In crevices of limestone cliffs on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 10,000 to 12,000 ft. May 1906. N.W. Yunnan, China.
2116. *Dipelta yunnanensis*, Franch. Much-branched shrub of 4 to 9 ft. Flowers pale rose-lilac, three lower lobes of corolla marked orange on interior. Sheltered situations in scrub and pine forests in side valleys on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 9000 to 11,000 ft. May 1906. N.W. Yunnan.
2117. *Primula Forrestii*, Balf. f. Sp. nov. Plant of 6 in. to 3 ft. Rootstock woody. Flowers deep yellow with an orange eye; flowers and foliage fragrant. Pendulous from dry, shady crevices of limestone cliffs on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 9000 to 11,000 ft. May 1906. N.W. Yunnan, China.
2118. *Polygonatum sibiricum*, Delar. Semi-scandent plant of 5 to 8 ft. Root a rhizome. Flowers purplish-yellow. In and amongst grass and scrub in dry, shady pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 10,000 to 11,500 ft. May 1906. N.W. Yunnan.

2119. *Rhododendron decorum*, Franch. Spreading shrub of 6 to 15 ft. Flowers pink, marked green, non-fragrant. Open, dry situations in pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 9000 to 11,000 ft. May 1906. N.W. Yunnan.
[Broader, more obtuse leaves than the type.]
2120. *Primula Poissoni*, Franch. Erect plant of 1 to 3 ft. Flowers rich crimson-lake, eye orange. In drying the colour changes to pale magenta. Moist and boggy situations at the north end of the Lichiang valley. Lat. $27^{\circ} 10' N$. Alt. 8000 to 9000 ft. May 1906. N.W. Yunnan, China.
2121. *Catalpa Duclouxii*, Dode. Tree of 40 to 90 ft. Flowers light purple, marked orange on interior of lower lobes. Open situations around villages in the Teng-Chuan, Chien-Chuan, Hoching, Lichiang, and Tali valleys. Specimens from the Lichiang valley. Lat. $27^{\circ} N$. Alt. 8200 ft. May 1906. N.W. Yunnan.
Cultivated by the Chinese. Timber hard and used where such is required. Seeds said to be used in certain districts in the production of a ferment for bread baking.
2122. *Schizandra axillaris*, Hook f. et Thoms. Scandent shrub of 10 to 20 ft. Flowers deep crimson. On scrub in sheltered side valleys on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 21' N$. Alt. 10,000 to 11,000 ft. May 1906. N.W. Yunnan, China.
2123. *Rubus biflorus*, Ham. Shrub of 3 to 6 ft. Flowers white. Dry, shady situations in pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 10,000 to 11,000 ft. May 1906. N.W. Yunnan.
2124. *Rubus subornatus*, Focke. Sp. nov. Shrub of 3 to 5 ft. Flowers rose-red. Dry, shady situations in pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 10,000 to 11,000 ft. May 1906. N.W. Yunnan.
2125. *Ribes glaciale*, Wall. Spreading shrub of 6 to 9 ft. Specimens in fruit. Very shady situations amongst scrub in side valleys on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 10,000 ft. May 1906. N.W. Yunnan.
2126. *Acer Davidi*, Franch. Shrub or tree of 20 to 30 ft. Flowers yellowish-green. In shady side valleys on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' N$. Alt. 10,000 ft. May 1906. N.W. Yunnan, China.
2127. *Androsace mucronifolia*, Watt. Plant of 6 to 15 inches. Flowers rose-pink. Forming dense masses in dry, exposed situations on the ledges of cliffs and on limestone drift on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 9500 to 11,000 ft. May 1906. N.W. Yunnan, China.
2128. *Primula nivalis*, Pallas, var. *macrophylla* (Don) Pax.—*P. nivalis*, Pallas, var. *sinensis* ex G. Forrest, in *Notes, Roy. Bot. Gard. Edin.* iv. p. 227. Plant of 6 to 12 inches. Flowers deep rose-lavender, eye greenish-lavender, fragrant. Moist mountain pasture-land on the eastern flank of the Lichiang Range. Flowering successively, always near the snow-line. Lat. $27^{\circ} 12' N$. Alt. 10,000 to 13,000 ft. May 1906. N.W. Yunnan, China.

2129. *Anemone coelestina*, Franch. Plant of 3 to 4 inches. Flowers deep rich blue. Dry, grassy clearings in scrub on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 10,000 ft. May 1906. N.W. Yunnan, China.
2130. *Thlaspi yunnanense*, Franch., var. *dentatum*, Diels. Plant of 3 to 6 inches. Flowers white, pale slate blue on exterior of petals. In crevices of limestone cliffs on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 12,000 to 13,000 ft. May 1906. N.W. Yunnan.
2131. *Incarvillea grandiflora*, Bur. et Franch., var. *brevipes*, Sprague. Plant of 6 to 9 inches. Flowers rose-carmine. On barren, dry, stony ground on plain at the north end of the Lichiang valley. Lat. $27^{\circ} 12' N$. Alt. 9000 ft. May 1906. N.W. Yunnan, China.
2132. *Chrysosplenium Griffithii*, Hook f. et Thoms. Plant of 2 to 4 inches. Flowers green, anthers yellow. Forming clumps on mountain meadows on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 11,000 to 12,000 ft. May 1906. N.W. Yunnan, China.
2133. *Ajuga Forrestii*, Diels. Sp. nov. Plant of 6 to 12 inches. Flowers pale blue. Dry, stony situations on cultivated patches on plain at the north end of the Lichiang valley. Lat. $27^{\circ} 10' N$. Alt. 8500 to 9000 ft. May 1906. N.W. Yunnan.
2134. *Berchemia yunnanensis*, Franch. Shrub of 6 to 12 ft. Flowers pale greenish-yellow, fruit dark crimson. Open, shady situations amongst mixed scrub in beds of streams on the Lichiang valley. Lat. $27^{\circ} 12' N$. Alt. 8500 to 9000 ft. May 1906. N.W. Yunnan, China.
- [Our plant has the foliage of Franchet's type, but the inflorescences are rather more developed and, as a rule, exceed the leaves, their length being 4 to 6 cm. (not 2 to 3 cm. as in the type), and the flowers much more numerous.]
2135. *Ranunculus hydrophilus*, Bge. Aquatic plant of 6 to 12 inches. Perianth white with centre yellow. In a marsh in plain at the north end of the Lichiang valley. Lat. $27^{\circ} 10' N$. Alt. 9000 ft. May 1906. N.W. Yunnan, China.
2136. *Lychnis yunnanensis*, Franch. Plant of 9 to 16 inches. Flowers pale pink. Dry, stony cultivated patches on plain at the north end of the Lichiang valley. Lat. $27^{\circ} 10' N$. Alt. 8500 to 9000 ft. May 1906. N.W. Yunnan.
2137. *Viola Patrinii*, DC. Plant of 2 to 4 inches. Flowers white, veined blue, odourless. Stony, moist situations on the margins of a pond on the plain at the north end of the Lichiang valley. Lat. $27^{\circ} 10' N$. Alt. 9000 ft. May 1906. N.W. Yunnan.
2138. *Alettris lanuginosa*, Bur. et Franch. Plant of 3 to 9 inches. Flowers pale pink. Swampy, shady situations on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 9000 to 10,000 ft. May 1906. N.W. Yunnan, China.

2139. *Viburnum atrocyaneum*, C. B. Clarke. Spreading shrub of 4 to 8 ft. Flowers greenish-yellow, fragrant. On exposed cliffs, side valleys on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 10,000 to 11,000 ft. May 1906. Yunnan, W. China.
2140. *Cardamine granulifera* (Franch.) Diels. Plant of 4 to 6 inches. Flowers white or rose-lavender. Mountain meadows on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 10,000 to 11,500 ft. May 1906. N.W. Yunnan.
2141. *Carex Dielsiana*, Kükenthal. Sp. nov. Plant of 9 to 12 inches. Grassy edges of cliffs on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 11,000 to 12,000 ft. May 1906. N.W. Yunnan, China.
2142. *Carex drepanorrhyncha*, Franch. (?) Plant of 2 to 6 inches. Grassy ledges of cliffs on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 11,000 to 12,000 ft. May 1906. N.W. Yunnan, China.
2143. *Viola palustris*, Linn., var. *moupinensis*, Franch. Plant of 3 to 5 inches. Flowers white veined blue or purple; fragrant. Moist situations on mountain meadows on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 11,000 to 12,000 ft. May 1906. N.W. Yunnan, China.
2144. *Oxalis Acetosella*, Linn. Plant of 3 to 6 inches; flowers pale shell-pink, veined purple, with a blotch of yellow at base of petals. Dry, shady situations in pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 9500 to 11,000 ft. May 1906. N.W. Yunnan, China.
2145. *Veronica serpyllifolia*, Linn. Plant of 2 to 6 inches. Flowers pale blue. Moist, stony situations on the margins of streams on plain at the north end of the Lichiang valley. Lat. $27^{\circ} 10' N$. Alt. 9000 ft. May 1906. N.W. Yunnan, China.
2146. *Calystegia hederacea*, Wall. Plant of 3 to 6 inches. Flowers pink. Stony, cultivated ground on the plain at the north end of the Lichiang valley. Lat. $27^{\circ} 10' N$. Alt. 9000 ft. May 1906. N.W. Yunnan, China.
2147. *Carex Dielsiana*, Kükenthal. Sp. nov. Plant of 1 to 2 ft. Moist, shady, rocky situations in side valleys on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 10,500 ft. May 1906. N.W. Yunnan, China.
2148. *Juncus Thomsoni*, Buchenau. Plant of 6 to 10 inches. Boggy situations on the margins of streams and ditches on the plain at the north end of the Lichiang valley. Lat. $27^{\circ} 10' N$. Alt. 9000 ft. May 1906. N.W. Yunnan, China.
2149. *Thalictrum tofieldioides*, Diels. Sp. nov. Plant of 9 to 15 inches. Flowers yellow. Dry, shady situations amongst scrub on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 9000 to 10,000 ft. May 1906. N.W. Yunnan, China.

2150. *Thalictrum virgatum*, Hook f. et Thoms. Plant of 6 to 9 inches. Perianth interior white, purplish on exterior. Dry, rocky slopes on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20'$ N. Alt. 10,000 ft. May 1906. N.W. Yunnan, China.
2151. *Jasminum officinale*, Linn. Scandent shrub of 10 to 20 ft. Corolla, interior creamy white, exterior rose-crimson, fragrant. On scrub in open situations in the Talifu, Hoching-cho and Lichiang-fu valleys; specimens from the Lichiang valley. Lat. $25^{\circ} 40'$ N. to $27^{\circ} 30'$ N. Alt. 6000 to 10,000 ft. May 1906. N.W. Yunnan, China.
2152. *Anemone obtusiloba*, Don, var. *coerulea*, Ulbrich. Plant of 2 to 6 inches. Flowers white, exterior of perianth blue. Crevices of rocks, eastern flank of the Lichiang range. Lat. $27^{\circ} 20'$ N. Alt. 10,000 to 11,000 ft. May 1906. Yunnan, W. China.
2153. *Primula pseudodenticulata*, Pax.—*P. denticulata*, Smith, ex G. Forrest, in *Notes, Roy. Bot. Gard. Edin.* iv. p. 223. Plant of 4 to 8 inches. Flowers rose-lilac, faintly fragrant. Grassy situations on the margins of cane brakes on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12'$ N. Alt. 11,000 ft. May 1906. N.W. Yunnan, China.
2154. *Spiraea velutina*, Franch. Spreading shrub of 6 to 10 ft. Flowers white. Shady, moist situations in beds of streams on plain at the north end of the Lichiang valley. Lat. $27^{\circ} 10'$ N. Alt. 9000 ft. May 1906. N.W. Yunnan, China.
2155. *Linnaea brachystemon*, Diels. Sp. nov. Shrub of 10 to 15 ft. Exterior of corolla pink or rose, interior yellowish-white, sweetly fragrant. Rocky, open situations amongst scrub in side valleys, eastern flank of the Lichiang Range. Lat. $27^{\circ} 15'$ N. Alt. 9000 ft. May 1906. Yunnan, W. China.
2156. *Viburnum erosum*, Thunb. Shrub of 6 to 9 ft. Flowers yellowish, fragrant, fruit bright scarlet. Shady situations on margins of pine forests, plain at north end of the Lichiang valley. Lat. $27^{\circ} 20'$ N. Alt. 9000 ft. May 1906. Yunnan, W. China.
2157. *Viburnum erosum*, Thunb. Shrub of 5 to 10 ft. Flowers ruddy yellow, non-fragrant. Moist, shady situations in bed of stream, plain at north end of the Lichiang valley. Lat. $27^{\circ} 20'$ N. Alt. 9000 ft. May 1906. Yunnan, W. China.
2158. *Ophiopogon Wallichianus*, Hook. f. Plant of 3 to 9 inches. Flowers waxy white. Dry, shady situations amongst scrub in pine forests at the north end of the Lichiang valley. Lat. $27^{\circ} 10'$ N. Alt. 9000 ft. May 1906. N.W. Yunnan, China.
2159. *Rhododendron lacteum*, Franch. Tree of 20 to 30 ft. Flowers white, fleshy, with a blotch of rich crimson at base of corolla. Open situations in pine forests on the descent from the Sung-Kwei pass to the Sung-Kwei valley. Lat. $26^{\circ} 15'$ N. Alt. 10,000 to 11,000 ft. April 1906. N.W. Yunnan.

2160. *Aster brachytrichus*, Franch. Plant of 6 to 12 inches. Ray florets dark rich blue, disc florets orange yellow. Dry, open situations amongst scrub on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 9000 to 10,500 ft. May 1906. N.W. Yunnan.
2161. *Gueldenstaedtia yunnanensis*, Franch. Procumbent plant of 3 to 5 inches. Flowers rich rose-purple. Dry situations amongst scrub on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10' N$. Alt. 10,000 ft. May 1906. N.W. Yunnan, China.
2162. *Veronica pirolaeformis*, Franch. Plant of 4 to 8 inches. Flowers bright blue. Clefts of rocks and shady situations in pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' N$. Alt. 9000 to 10,500 ft. May 1906. N.W. Yunnan, China.
2163. *Quercus semecarpifolia*, Sm. Shrub of 4 to 9 ft. Flowers green. This is the predominant species in most patches of scrub, having many forms and covering large tracts on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10' N$. Alt. 8200 to 11,500 ft. May 1906. N.W. Yunnan, China.
2164. *Solms-Laubachia pulcherrima*, Muschler. Gen. et Sp. nov. Plant of 2 to 4 inches. Flowers bright turquoise blue, fragrant, aromatic. In crevices of limestone cliffs on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' N$. Alt. 12,000 ft. May 1906. N.W. Yunnan, China.
2165. *Euphorbia Stracheyi*, Boiss. Plant of 1 to $1\frac{1}{2}$ inches. Whole plant, foliage, etc., of a ruddy dark green colour, anthers yellow. Amongst grass on bare stony slopes on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10' N$. Alt. 11,000 to 11,500 ft. May 1906. N.W. Yunnan.
2166. *Anemone trullifolia*, Hook. f. et Thoms., var. *holophylla*, Diels. Plant of 2 to 5 inches. Perianth white, exterior bluish. Forming large patches on open, grassy, rocky slopes, eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' N$. Alt. 10,000 to 11,000 ft. May 1906. Yunnan, W. China.
2167. *Primula sonchifolia*, Franch.—*P. gratissima*, G. Forrest. Plant of 2 to 4 inches. Flowers appearing before foliage is developed. Corolla bright blue, eye pale yellowish-white. Moist, rocky situations in beds of mountain streams, and on mountain meadows at verge of snow. Eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 11,500 to 13,000 ft. May 1906. N.W. Yunnan, China.
2168. *Saxifraga pulchra*, Engl. et Irmischer. Sp. nov. Plant of 2 to 4 inches. Flowers rose-pink. Forming dense cushions in crevices of limestone cliffs on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 10,000 to 11,000 ft. May 1906. N.W. Yunnan, China.
2169. *Picris divaricata*, Vaniot. Plant of 9 to 20 inches. Flowers rich orange. Open, stony situations on plain at the north end of the Lichiang plain. Lat. $27^{\circ} 10' N$. Alt. 9000 ft. May 1906. N.W. Yunnan.

2170. *Arabis alpina*, Linn., var. *rubrocalyx*, Franch. Plant of 10 inches. Flowers white. Dry, stony, cultivated ground on the plain at the north end of the Lichiang valley. Lat. $27^{\circ} 10' N$. Alt. 9000 ft. May 1906. N.W. Yunnan, China.
2171. *Torilis Anthriscus*, Bernh. Plant of 4 to 6 inches. Flowers white. Dry, stony situations on the plain at the north end of the Lichiang valley. Lat. $27^{\circ} 10' N$. Alt. 9000 ft. May 1906. N.W. Yunnan, China.
2172. *Gentiana albescens*, Franch. Plant of 2 to 3 inches. Flowers bright blue, exterior dark brownish-green. Dry, grassy openings in pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 25' N$. Alt. 10,000 to 11,000 ft. May 1906. N.W. Yunnan, China.
2173. *Stellaria pilosa*, Franch. Plant of 1 to 2 ft. Flowers white. Forming trailing masses on dry shady banks in side valley on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10' N$. Alt. 9000 to 10,000 ft. May 1906. N.W. Yunnan, China.
2174. *Magnolia obovata*, Thunb. Shrub of 10 to 20 ft. Flowers pinkish white, veined a deeper shade, non-fragrant. Growing in the court of a temple at Ho yeh Shui at north end of the Lichiang valley. Lat. $27^{\circ} 5' N$. Alt. 8500 ft. May 1906. N.W. Yunnan.
2175. *Lonicera Koehneana*, Rehder. Shrub of 10 to 15 ft. Flowers golden yellow, non-fragrant, fruit orange yellow. Moist, open situations on banks of streams, plain at north end of the Lichiang valley. Lat. $27^{\circ} 20' N$. Alt. 8500 ft. May 1906. Yunnan, W. China.
2176. *Elaeagnus umbellata*, Thunb. Spinous shrub of 10 to 15 ft. Flowers fragrant, creamy white exterior covered with shining glandular scales. Fruit red. Open, moist situations by streams on the north end of the Lichiang valley. Lat. $27^{\circ} 10' N$. Alt. 9000 ft. May 1906. N.W. Yunnan, China.
2177. *Draba tibetica*, Hook. f. et Thoms. Plant of 1 to $1\frac{1}{2}$ inches. Flowers white. In crevices of limestone cliffs and boulders on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 12,000 ft. May 1906. N.W. Yunnan, China.
2178. *Roscoea cautleoides*, Gagnep., var. *purpurea*. Plant of 6 to 15 inches. Flowers rich deep purple. Open, dry, stony situations amongst scrub on the foothills on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 8500 to 10,000 ft. May 1906. N.W. Yunnan, China.
2179. *Fritillaria Delavayi*, Franch. Plant of 1 to $1\frac{1}{2}$ ft. Flowers solitary, occasionally in pairs, pendulous, greenish-yellow with brown markings, faintly fragrant. Moist, rocky situations in and on the margins of cane brakes, on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 11,000 to 12,000 ft. May 1906. N.W. Yunnan.

2180. *Smilax discotis*, Warb. Semi-scandent shrub of 6 to 12 ft. Flowers green. Open, moist situations amongst scrub by streams on the plain at the north end of the Lichiang valley. Lat. $27^{\circ} 15' N$. Alt. 8500 ft. May 1906. N.W. Yunnan, China.
2181. *Rhododendron* sp. Spreading, dwarf shrub of 2 to 3 ft. Flowers blue-lavender, base of corolla white, non-fragrant. Dry ledges and clefts of limestone cliffs on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10' N$. Alt. 10,000 to 11,000 ft. May 1906. N.W. Yunnan.
2182. *Rhododendron cephalanthum*, Franch. Branched shrub of 2 to 4 ft. Flowers white, fragrant. Dry ledges and clefts of limestone cliffs on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10' N$. Alt. 11,000 to 11,500 ft. May 1906. N.W. Yunnan.
2183. *Lloydia serotina*, Reichb., var. *unifolia*, Franch. Plant of 3 to 8 inches. Flowers pure white, veined purple. In clefts of exposed limestone cliffs on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10' N$. Alt. 11,000 ft. May 1906. N.W. Yunnan, China.
2184. *Morina* sp. Plant of 1 to $1\frac{1}{2}$ ft. Flowers rose-lavender. Dry, stony situations amongst scrub in pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 9000 to 10,500 ft. May 1906. N.W. Yunnan, China.
2185. *Polygonatum Stewartianum*, Diels. Sp. nov. Plant of 1 to $1\frac{1}{2}$ ft. Flowers pale greenish-purple. Dry shady situations amongst scrub and in pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 9000 to 10,000 ft. May 1906. N.W. Yunnan.
2186. *Polygonum suffultum*, Maxim. Plant of 6 to 12 inches. Flowers pink. Moist, grassy, shady situations in mixed and pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 9000 to 12,000 ft. May 1906. N.W. Yunnan, China.
2187. *Gerbera Anandria*, Sch. Bip. Plant of 1 to $1\frac{1}{2}$ inches. Flowers rose colour. Open mountain pasture-land on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Lat. $27^{\circ} 12' N$. Alt. 10,000 to 11,000 ft. May 1906. N.W. Yunnan.
2188. *Cephalanthera falcata*, Lindl. Plant of 9 to 15 inches. Flowers pure white. Shady, rocky situations amongst scrub on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 9000 to 10,000 ft. May 1906. N.W. Yunnan, China.
2189. *Cardamine granulifera* (Franch.) Diels. Plant of 4 to 8 inches. Flowers white or lavender. Open mountain meadows on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 9000 to 11,000 ft. May 1906. N.W. Yunnan, China.
2190. *Rhododendron lucidum*, Franch. Spreading shrub of 10 to 15 ft. Flowers rose-lavender with crimson markings, non-fragrant. Open situations on borders of pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 11,000 ft. May 1906. N.W. Yunnan.

2191. *Corydalis tibetica*, Hook. f. et Thoms., var. *pachypoda*, Franch. Plant of 3 to 6 inches. Foliage glaucous green; flowers dull orange yellow with greenish markings, nauseously fragrant, with a heavy, honey-like odour. Dry, exposed situations on limestone drift on the eastern flank of the Lichiang Range. Lat. 27° 10' N. Alt. 10,000 to 11,500 ft. May 1906. N.W. Yunnan, China.
2192. *Crepis rigescens*, Diels. Sp. nov. Plant of 9 to 18 inches. Flowers orange yellow. Open, dry situations amongst oak and pine scrub on plain at north end of the Lichiang valley. Lat. 27° 10' N. Alt. 9000 ft. May 1906. N.W. Yunnan.
2193. *Senecio langkongensis*, Franch. Plant of 2 to 4 ft. Flowers rich yellow. Moist, open situations on banks of stream at north end of the Lichiang valley. Lat. 27° 10' N. Alt. 9000 ft. May 1906. N.W. Yunnan.
2194. *Primula Beesiana*, G. Forrest. Sp. nov.—*P. serratifolia*, Franch. ex G. Forrest, in *Notes, Roy. Bot. Gard. Edin.* iv. p. 232. Plant of 1 to 2 ft. Flowers rose-carmine with yellow eye, fragrant. Moist, open situations by the sides of ditches and streams on plain at north end of the Lichiang valley. Lat. 27° 10' N. Alt. 9000 ft. May 1906. N.W. Yunnan, China.
2195. *Philadelphus Delavayi*, Henry. Shrub of 6 to 12 ft. Flowers creamy white, fragrant. Amongst scrub in open situations, side valleys on the eastern flank of the Lichiang Range. Lat. 27° 12' N. Alt. 9000 to 10,000 ft. May 1906. N.W. Yunnan, China.
2196. *Ligustrum ionandrum*, Diels. Sp. nov. Compact shrub of 3 to 9 ft. Flowers white, anthers violet, fragrant. Dry, open situations amongst scrub in side valleys on the eastern flank of the Lichiang Range. Lat. 27° 10' N. Alt. 9000 to 10,000 ft. May 1906. N.W. Yunnan, China.
2197. *Indigofera pendula*, Franch. Spreading shrub of 8 to 12 ft. Flowers in long pendulous racemes, exterior of corolla dove-grey, interior deep rich rose. Open situations amongst scrub and in pine forests on the eastern flank of the Lichiang Range. Lat. 27° 10' N. Alt. 9000 to 10,000 ft. May 1906. N.W. Yunnan, China.
2198. *Cypripedium arietinum*, R. Br. Plant of 6 to 12 inches. Petals and sepals brownish green, labellum pink, veined purplish-green, apex green. Dry, shady situations in pine forests on the eastern flank of the Lichiang Range. Lat. 27° 10' N. Alt. 9000 to 10,500 ft. May 1906. N.W. Yunnan, China.
2199. *Lonicera japonica*, Thunb. Semi-scandent shrub of 8 to 12 ft. Flowers golden-yellow, fragrant. On scrub in open situations, eastern flank of the Lichiang Range. Lat. 27° 15' N. Alt. 9500 ft. May 1906. Yunnan, W. China.

2200. *Oxygraphis glacialis*, Bunge. Plant of $\frac{1}{2}$ to 1 inch. Flowers yellow, segments of perianth glossy. On stony, moist, moss-covered ground at the margin of the snow-line on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 13,000 ft. May 1906. N.W. Yunnan, China.

This plant, a stunted yellow-flowered species of *Draba*, and a very dwarf species of *Anemone*, were the only plants showing at that altitude on that date.

2201. *Fragaria vesca*, Linn. Plant of 2 to 4 inches. Flowers white. Dry, shady situations amongst scrub and in pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10' N$. Alt. 9000 to 11,000 ft. May 1906. N.W. Yunnan, China.

2202. *Aster staticifolius*, Franch. Branched, half-shrubby plant of 1 to 2 ft. Flowers bright purplish-blue. Amongst scrub in open pine woods on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10' N$. Alt. 9500 to 11,000 ft. May 1906. N.W. Yunnan.

2203. *Berberis pruinosa*, Franch. Spreading spinous shrub of 3 to 7 ft. Flowers bright yellow, fragrant. Whole plant dries black. Shady, rocky situations in pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10' N$. Alt. 10,000 to 11,000 ft. May 1906. N.W. Yunnan.

2204. *Ceropegia Balfouriana*, Schltr. Sp. nov. Plant of 6 inches. Flowers purple and green. Rocky situations amongst scrub on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10' N$. Alt. 9500 ft. May 1906. N.W. Yunnan.

2205. *Iris Collettii*, Hook. f. Plant of 2 to 4 inches. Perianth sky blue, pistil orange, strongly fragrant. Open, dry, stony situations amongst scrub and in open pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 9000 to 10,000 ft. May 1906. N.W. Yunnan, China.

2206. *Viburnum tomentosum*, Thunb. Compact shrub of 4 to 8 ft. Flowers white. Cultivated by the Chinese of the Lichiang valley as an ornamental shrub. Lat. $27^{\circ} 10' N$. Alt. 8500 to 9000 ft. May 1906. N.W. Yunnan, China.

2207. *Rhododendron racemosum*, Franch. Branched dwarf shrub of $1\frac{1}{2}$ to 2 ft. Flowers pink. In peaty, boggy ground in open situations on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10' N$. Alt. 10,000 to 10,500 ft. May 1906. N.W. Yunnan.

2208. *Polygonum sphaerostachyum*, Meissn. Plant of 9 to 18 inches. Flowers bright pink. Dry, open situations in scrub and pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' N$. Alt. 9000 to 11,000 ft. May 1906. N.W. Yunnan, China.

2209. *Caltha palustris*, Linn. Plant of 9 to 12 inches. Flowers bright yellow. Margins of streams and ditches along the base of the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 8000 to 9000 ft. May 1906. N.W. Yunnan, China.

2210. *Draba yunnanensis*, Franch., forma. Plant of 1 to 2 inches. Flowers bright yellow. In crevices of limestone cliffs above the snow-line (of May) on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 13,000 to 14,000 ft. May 1906. N.W. Yunnan.

[The forms of high elevations have a much-branched rhizome and 1.5-2 cm. long stems.]

2211. *Potentilla Saundersiana*, Royle, var. *Jacquemontii*, Franch. Plant of 4 to 6 inches. Flowers bright yellow. Mountain pasture-land on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' N$. Alt. 11,000 to 12,000 ft. May 1906. N.W. Yunnan, China.

2212. *Geum elatum*, Wall., var. *humile*, Royle. Plant of 3 to 5 inches. Flowers yellow. Mountain pasture-land on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' N$. Alt. 11,000 to 12,000 ft. May 1906. N.W. Yunnan, China.

2213. *Caltha palustris*, Linn. Plant of 6 to 12 inches. Flowers yellow. Mountain meadows and open situations in cane brakes on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 11,000 to 12,000 ft. May 1906. N.W. Yunnan, China.

2214. *Cobresia cercostachys* (Franch.) C. B. Clarke. Plant of 1 to 4 inches. Grassy ledges of limestone cliffs on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10' N$. Alt. 10,000 to 12,000 ft. May 1906. N.W. Yunnan.

[Spiculae partiales androgynae, quare haec species potius in sect. *Elyna* collocanda.]

2215. *Loranthus Balfourianus*, Diels. Sp. nov. Plant of 1 to 3 ft. Flowers orange-crimson. Parasitical on many shrubs but most often those of the genera *Prunus* or *Salix*. Open situations amongst scrub on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 9000 to 10,500 ft. May 1906. N.W. Yunnan, China.

This species is widely distributed in Yunnan. I have collected it in most valleys from Yunnanfu north to Tsekou on the Mekong 25° to $28^{\circ} N$. Most commonly parasitical on the Peach and a species of *Salix*. Alt. 4000 to 10,500 ft. April to July.

2216. *Cynanchum Forrestii*, Schltr. Sp. nov. Plant of 9 to 18 inches. Flowers dark greenish-brown. Dry, rocky situations in pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' N$. Alt. 10,000 to 11,000 ft. May 1906.

2217. *Fritillaria cirrhosa*, Don. Plant of 9 to 18 inches. Flowers green with dark brown markings, pendulous or nodding. In pine scrub and on open mountain meadows on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 9000 to 11,000 ft. May 1906. N.W. Yunnan.

2218. *Iris ruthenica*, Dryand. Plant of 3 to 4 inches. Flowers purplish-blue, sepals green, veined purplish-blue. Dry, shady, rocky situations in pine scrub on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10' N$. Alt. 9000 to 10,000 ft. May 1906. N.W. Yunnan, China.

2219. *Lloydia Delavayi*, Franch. (?) Plant of 2 to 4 inches. Flowers bright orange. Dry, shady, stony situations in pine scrub on eastern flank of the Lichiang Range. Lat. $27^{\circ} 10'$ N. Alt. 9000 to 10,500 ft. May 1906. N.W. Yunnan.
2220. *Sorbus Wilsoniana*, C. K. Schneider. Shrub of 15 to 25 ft. Flowers dull white, fruit white. Shady situations in side valleys on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12'$ N. Alt. 9000 to 10,000 ft. May 1906. N.W. Yunnan, China.
2221. *Astragalus coelestis*, Diels. Sp. nov. Plant of 2 to 4 inches. Flowers bright blue. Dry mountain pasture on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 18'$ N. Alt. 9000 to 11,000 ft. May 1906. N.W. Yunnan, China.
2222. *Rhododendron lucidum*, Franch. Spreading shrub of 10 to 25 ft. Flowers rose-pink, with markings a shade deeper, corolla fleshy. Open, dry situations on margins of pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10'$ N. Alt. 10,000 to 10,500 ft. May 1906. N.W. Yunnan.
2223. *Cotoneaster microphylla*, Wall. Shrub of 3 to 5 ft. Flowers white, faintly fragrant. In open pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12'$ N. Alt. 9000 to 10,000 ft. May 1906. N.W. Yunnan, China.
[The leaves of this form are a little pilose on the glossy upper surface, and more so beneath, but not really tomentose.]
2224. *Aster brachytrichus*, Franch. Plant of 6 to 12 inches. Flowers ray florets, rich deep blue, disc florets orange-yellow. Dry, stony, open situations in oak and pine scrub on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10'$ N. Alt. 9000 to 10,000 ft. May 1906. N.W. Yunnan.
2225. *Cardamine Franchetiana*, Diels. — *Loxostemon Delavayi*, Franch. Plant of 6 to 10 inches. Flowers white. Open situations on limestone drift, on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12'$ N. Alt. 11,000 to 12,000 ft. June 1906. N.W. Yunnan.
2226. *Anemone trullifolia*, Hook. f. et Thoms., var. *holophylla*, Diels. Var. nov. Plant of 6 to 10 inches. Interior of perianth white, exterior blue. Open situations in pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20'$ N. Alt. 10,500 to 11,000 ft. June 1906. N.W. Yunnan, China.
2227. *Corydalis pulchella*, Franch. Plant of 6 to 10 inches. Foliage glaucous green; flowers white, marked pale blue. Open situations on limestone drift on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12'$ N. Alt. 11,000 to 12,000 ft. June 1906. N.W. Yunnan, China.
2228. *Androsace alchemilloides*, Franch. Plant of 1 to $2\frac{1}{2}$ inches. Flowers pure white, fragrant. Ledges of limestone cliffs and on humus-covered boulders on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12'$ N. Alt. 11,000 to 12,000 ft. June 1906. N.W. Yunnan, China.

2229. *Quercus dentata*, Thunb. Shrub of 6 to 10 ft. Open, dry situations amongst scrub on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10' N$. Alt. 9000 to 10,000 ft. June 1906. N.W. Yunnan.
2230. *Vitis bryoniaefolia*, Bunge, var. Semi-scandent shrub of 6 to 12 ft. Flowers yellowish-green. Dry, open situations amongst scrub on the western flank of the low range of hills forming the north-eastern boundary of the Lichiang valley. Lat. $27^{\circ} 10' N$. Alt. 9000 ft. June 1906. N.W. Yunnan, China.
2231. *Euphorbia Bulleyana*, Diels. Sp. nov. Plant of 1 to $1\frac{1}{2}$ ft. Flowers nodding, bracts ruddy green. Moist, shady situations in pine forests and on mountain meadows on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10' N$. Alt. 9000 to 10,000 ft. May 1906. N.W. Yunnan, China.
2232. *Anemone trullifolia*, Hook. f. et Thoms., var. *campestris*, Diels. Plant of 2 to 4 inches. Exterior of perianth blue, interior white. Arid, stony plain at the north end of the Lichiang valley. Lat. $27^{\circ} 12' N$. Alt. 8500 ft. June 1906. N.W. Yunnan, China.
2233. *Berberis elegans*, C. K. Schneider. Dwarf, compact, spinous shrub of 2 to 4 ft. Flowers yellow, fragrant. Dry, stony situations on the plain at north end of the Lichiang valley. Lat. $27^{\circ} 10' N$. Alt. 9000 ft. June 1906. N.W. Yunnan.
2234. *Primula vincaeflora*, Franch. Plant of 16 to 14 inches. Flowers deep indigo blue, non-fragrant. Moist, shady situations on grassy openings in pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 10,000 to 11,000 ft. June 1906. N.W. Yunnan, China.
2235. *Cynoglossum triste*, Diels. Sp. nov. Plant of 12 to 18 inches. Flowers dark crimson, almost black. Moist, shady situations in dense pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' N$. Alt. 10,000 to 11,000 ft. May 1906. N.W. Yunnan, China.
2236. *Daphne retusa*, Hemsl. Shrub of 2 to 4 ft. Tube of corolla, rose, limb white, fragrant. Very shady situations in pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10' N$. Alt. 10,000 to 11,000 ft. June 1906. N.W. Yunnan, China.
2237. *Euphorbia megistopoda*, Diels. Sp. nov. Plant of 2 to 3 inches. Bracts and flowers greenish-yellow. Damp, peaty ground in openings in scrub on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10' N$. Alt. 10,000 ft. June 1906. N.W. Yunnan, China.
2238. *Sorbus reducta*, Diels. Sp. nov. Small shrub of 6 to 24 inches. Flowers white. Forming under-scrub in dense thickets and mixed woods on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10' N$. Alt. 10,000 ft. June 1906. N.W. Yunnan.
2239. *Polygonatum Stewartianum*, Diels. Sp. nov. Erect plant of 18 to 24 inches. Flowers greenish-crimson. In shady pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 10,000 to 11,000 ft. May 1906. N.W. Yunnan.

2240. *Euonymus porphyrea*, Loes. Sp. nov. Shrub of 10 to 15 ft. Flowers deep black-crimson. Open, rocky situations in side valleys on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12'$ N. Alt. 10,000 ft. May 1906. N.W. Yunnan, China.
2241. *Cynanchum Forrestii*, Schltr. Sp. nov. Plant of 6 to 12 inches. Flowers greenish-orange. Amongst scrub in dry, stony, open situations. Lat. $27^{\circ} 20'$ N. Alt. 9000 to 10,000 ft. Eastern flank of the Lichiang Range. May 1906. N.W. Yunnan.
2242. *Anemone rivularis*, Ham. Plant of 14 to 24 inches. Flowers white, exterior bluish. Dry, stony, grassy openings in pine forests, eastern flank of the Lichiang Range. Lat. $27^{\circ} 12'$ N. Alt. 10,000 to 11,000 ft. May 1906. Yunnan, W. China.
2243. *Viburnum kansuense*, Batal. Spreading shrub of 4 to 8 ft. Flowers pinkish-white. Borders of thickets and mixed forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10'$ N. Alt. 10,000 to 10,500 ft. May 1906. N.W. Yunnan.
[The specimen has larger and relatively broader leaves and larger inflorescences than a plant collected near Ta-chien-lu by Potanin and distributed from Petersburg as typical *V. kansuense*.]
2244. *Neillia gracilis*, Franch. Small shrub of 3 to 6 inches. Flowers pinkish white. Covering large tracts in moist, shady situations in mixed thickets on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12'$ N. Alt. 10,000 to 10,500 ft. May 1906. N.W. Yunnan.
2245. *Ranunculus affinis*, R. Br., var. *flabellata*, Franch. Plant of 6 to 9 inches. Flowers yellow. Open, shady situations on the margins of thickets on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20'$ N. Alt. 9000 to 10,500 ft. May 1906. N.W. Yunnan, China.
2246. *Clematis montana*, Ham. Scandent shrub of 10 to 15 ft. Flowers fragrant, perianth white, pink or reddish on exterior. On scrub on the margins of pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15'$ N. Alt. 9000 to 10,000 ft. May 1906. Yunnan, W. China.
2247. *Corydalis taliensis*, Franch. Plant of 2 ft. Flowers rose-lavender. In dry limestone caves and under rocks on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15'$ N. Alt. 10,500 ft. June 1906. N.W. Yunnan, China.
2248. *Juncus* sp. Plant of 4 to 7 inches. Flowers yellowish-white. Moist, stony alpine pasture on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12'$ N. Alt. 10,000 to 11,000 ft. June 1906. Yunnan, W. China.
2249. *Corydalis Bulleyana*, Diels. Sp. nov. Plant of 6 to 10 inches. Flowers deep rich rose, fragrant; margins of leaves crimson. Moist situations on limestone drift at base of cliffs on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12'$ N. Alt. 10,000 to 11,000 ft. June 1906. N.W. Yunnan, China.

2250. *Peucedanum olivaceum*, Diels. Sp. nov. Plant of 1 to 2 ft. Flowers dark olive green. Dry situations in shady pine forest on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 9000 to 10,000 ft. May 1906. N.W. Yunnan.
2251. *Disporum pullum*, Salisb. Plant of 18 inches. Flowers greenish-yellow. Shady, rocky situations amongst mixed scrub on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10' N$. Alt. 9000 ft. May 1906. N.W. Yunnan.
2252. *Paris polyphylla*, Sm. Plant of 1 to 2 ft. Perianth green, anthers orange red, filaments purple, ovary purple. Moist, rocky pasture-land, and in and on the margins of pine forests, on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 9000 to 10,500 ft. May 1906. N.W. Yunnan.
2253. *Rhododendron decorum*, Franch. Shrub of 4 to 8 ft. Flowers fragrant, white with green markings. Dry, open situations in side valleys and on the edges of pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10' N$. Alt. 9000 to 10,500 ft. May 1906. N.W. Yunnan.
[Broader, more obtuse leaves than the type.]
2254. *Primula nivalis*, Pallas, var. *macrophylla* (Don.) Pax.—*P. nivalis*, Pallas, var. *sinensis* ex. G. Forrest, in *Notes, Roy. Bot. Gard. Edin.* iv. p. 227. Plant of 12 to 24 inches. Flowers rich purplish-crimson. Forming masses in open pasture-land on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' N$. Alt. 11,000 to 12,000 ft. May 1906. N.W. Yunnan, China.
2255. *Paracaryum glochidiatum*, Benth. Plant of 1 to 2 ft. Flowers bright blue. Damp, shady situations in mixed forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' N$. Alt. 10,000 to 10,500 ft. June 1906. N.W. Yunnan, China.
2256. *Rosa sericea*, Lindl. f. *aculeata eglandulosa*. Shrub of 3 to 9 ft. Flowers yellowish-white, fragrant. Mountain meadows and on the margins of pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 9500 to 11,000 ft. June 1906. N.W. Yunnan, China.
2257. *Triosteum hirsutum*, Wall. Plant of 1 to 2 ft. Exterior of corolla green, interior livid crimson. Shady, moist situations in and on the margins of pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' N$. Alt. 10,000 to 11,000 ft. June 1906. N.W. Yunnan, China.
2258. *Cardamine granulifera* (Franch.) Diels. Plant of 6 to 12 inches. Flowers white or pale mauve. Mossy, shady situations in dense pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 10,000 to 10,500 ft. June 1906. N.W. Yunnan, China.
2259. *Polygonatum curvistylum*, Hua. Plant of 14 to 20 inches. Flowers greenish, spotted purple. Mossy, rocky, shady situations in pine forests on the eastern flank of the Lichiang Range. Lat. $26^{\circ} 12' N$. Alt. 10,000 to 11,000 ft. June 1906. N.W. Yunnan.

2260. *Heracleum scabridum*, Franch. Plant of 2 to 4 ft. Flowers yellowish-white. Cultivated ground on plain at the north end of the Lichiang valley. Lat. $27^{\circ} 10' N$. Alt. 9000 ft. June 1906. N.W. Yunnan.
2261. *Souliea vaginata* (Maxim.), Franch. Plant of 1 to 2 ft. Flowers, appearing before foliage is developed, purplish-green, anthers lilac. Shady situations amongst boulders in cane scrub on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10' N$. Alt. 11,000 to 12,000 ft. June 1906. N.W. Yunnan, China.
2262. *Salvia flava*, G. Forrest. Sp. nov. Plant of 9 to 18 inches. Flowers canary yellow, with purple markings on upper lobe of corolla. Shady pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 10,000 to 11,000 ft. June 1906. N.W. Yunnan, China.
2263. *Ophiopogon japonicus*, Ker. Plant of 1 to 3 inches. Flowers pale blue. Stony, moist pasture-land on plain at the north end of the Lichiang valley. Lat. $27^{\circ} 10' N$. Alt. 8000 ft. June 1906. N.W. Yunnan.
2264. *Cypripedium margaritaceum*, Franch. Plant of 6 to 9 inches. Leaves coriaceous, spotted livid purple. Petals and sepals yellowish-green, spotted purple. Rostellum reddish-purple. Labellum much inflated, 2×1 inch, fleshy, and extremely brittle, pale yellow, spotted livid purple, and densely covered with purplish glandular hairs. Moist, stony situations in pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 30' N$. Alt. 11,000 ft. June 1906. N.W. Yunnan, China.
2265. *Lysimachia deltoidea*, Wight, var. *cinerascens*, Franch. Plant of 2 to 6 inches. Flowers canary yellow. Dry, stony, open situations amongst dwarf scrub on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10' N$. Alt. 10,000 ft. June 1906. N.W. Yunnan, China.
2266. *Viburnum crassifolium*, Rehder. Evergreen shrub of 6 to 9 ft. Flowers creamy white, anthers violet, fruit black. Dry, stony situations on low barren hills forming the eastern boundary of the Lichiang valley. Lat. $27^{\circ} 15' N$. Alt. 8500 ft. June 1906. Yunnan, W. China.
[This specimen has smaller, thicker leaves, which are often rounded at the base and shortly acuminate, than Henry, No. 9797B, from Mengtze, South Yunnan. Similar plants are named "*V. coriaceum*, Bl." by Franchet (Delavay, No. 1024); but the Javanese type is rather different from our Yunnan specimens and apparently distinct.]
2267. *Dioscorea panthaica*, Prain et Burkill. Scandent plant of 6 to 10 ft. Flowers green. Foliage dries black. Amongst and on scrub in valley in dry situations at the base of the low range of hills forming north-eastern boundary of the Lichiang valley. Lat. $27^{\circ} 10' N$. Alt. 9000 ft. June 1906. N.W. Yunnan.
2268. *Leontopodium foliosum* (Franch.), Beauv. Plant of 3 to 6 inches. Flowers pale creamy white. Dry, stony situations on plain at north end of the Lichiang valley. Lat. $27^{\circ} 10' N$. Alt. 9000 ft. June 1906. N.W. Yunnan.

2269. *Cardamine macrophylla*, Willd. Plant of 1½ to 2 ft. Flowers deep magenta-rose, faintly fragrant. Moist, rocky situations on the margins of cane brakes in side valleys on the eastern flank of the Lichiang Range. Lat. 27° 12' N. Alt. 10,500 to 11,500 ft. June 1906. N.W. Yunnan, China.
2270. *Caragana tibetica*, Komarow, vel aff. Dwarf shrub of 1 to 2½ ft. Corolla pale creamy yellow with pinkish-red stripe on vexillum. Forming dense matted cushions amongst boulders on limestone drift on the eastern flank of the Lichiang Range. Lat. 27° 25' N. Alt. 11,000 to 12,000 ft. June 1906. N.W. Yunnan, China.
2271. *Berberis pallens*, Franch. Spreading shrub of 6 to 10 ft. Flowers canary yellow. Open, rocky mountain meadows on the eastern flank of the Lichiang Range. Lat. 27° 12' N. Alt. 10,000 to 10,500 ft. June 1906. N.W. Yunnan.
2272. *Meconopsis Delavayi*, Franch. Plant of 3 to 9 inches. Flowers pendulous, rich, satiny purplish-blue, filaments same shade, anthers orange. On chalky soil on open mountain meadows on the eastern flank of the Lichiang Range. Lat. 27° 20' N. Alt. 10,000 to 11,500 ft. June 1906. N.W. Yunnan, China.
- 2272A. *Meconopsis Delavayi*, Franch. Variety rose-red or pale maroon instead of normal blue.
- 2272B. *Potentilla anserina*, Linn.
2273. *Acer laetum*, C.A. Mey., var. *cultratum* (Wall.), Pax. Tree of 25 to 35 ft. Specimens collected in fruit; fruit crimson. Mixed woods in side valley on the eastern flank of the Lichiang Range. Lat. 27° 15' N. Alt. 10,000 ft. June 1906. N.W. Yunnan, China.
2274. *Neottia micrantha*, Lindl. Plant of 6 to 14 inches. Sepals and petals brown with scarious margins. On chalky soil in a very dense, shady pine forest on the eastern flank of the Lichiang Range. Lat. 27° 12' N. Alt. 10,500 to 11,000 ft. June 1906. N.W. Yunnan, China.
2275. *Primula cortusoides*, Linn., var. *lichiangensis*, G. Forrest. Var. nov. Plant of 6 to 14 inches. Flowers rich rose-red, almost crimson in specimens in shady situations; eye greenish-yellow, fragrant. On very steep, rocky slopes and ledges of inaccessible limestone cliffs in a very shaded side valley on the eastern flank of the Lichiang Range. Lat. 27° 10' N. Alt. 10,000 to 10,500 ft. June 1906. N.W. Yunnan, China.
2276. *Primula septemloba*, Franch. Plant of 7 to 14 inches. Flowers rose-crimson, semi-pendulous, fragrant. Shady, damp situations in mixed forests in side valleys on the eastern flank of the Lichiang Range. Lat. 27° 10' N. Alt. 10,000 ft. June 1906. N.W. Yunnan, China.
2277. *Arisaema talense*, Engl. Plant of 9 to 15 inches. Spathe striped greenish-white and deep purplish-maroon. Grassy openings in pine forests on the eastern flank of the Lichiang Range. Lat. 27° 20' N. Alt. 9000 to 10,000 ft. June 1906. Yunnan, W. China.

2278. *Luzula campestris*, DC. Plant of 6 to 12 inches. Flowers dark brown, anthers greenish-yellow. Mountain pasture on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' N$. Alt. 10,000 to 12,000 ft. June 1906. Yunnan, W. China.
2279. *Tovaria yunnanensis*, Franch. Plant of 7 to 15 inches. Flowers dark green, anthers light yellow. Shady, moist situations in pine and mixed forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 10,000 to 11,000 ft. May 1906. N.W. Yunnan, China.
2280. *Oligobotrya Henryi*, Baker. Plant of 1 to $2\frac{1}{2}$ ft. Flowers yellowish-green, sweetly fragrant. Shady pine and mixed forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 10,000 to 11,000 ft. May 1906. N.W. Yunnan, China.
2281. *Scutellaria Forrestii*, Diels. Sp. nov. Plant of 6 to 8 inches. Flowers deep rich blue. On ledges and in clefts of limestone cliffs on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 25' N$. Alt. 10,000 to 11,000 ft. June 1906. N.W. Yunnan, China.
2282. *Rhododendron indicum*, Sweet. Shrub of 2 to 4 ft. Flowers rose-carmine. Cultivated as an ornamental plant by the Mossoo natives of the village of Ho-Yeh-Shiu at the north end of the Lichiang valley. Lat. $27^{\circ} 10' N$. Alt. 9000 ft. May 1906. N.W. Yunnan.
2283. *Primula vittata*, Bur. et Franch. Plant of 6 to 12 inches. Flowers deep rose-red. Forming masses on steep, grassy slopes on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 11,000 to 12,000 ft. May 1906. N.W. Yunnan, China.
2284. *Meconopsis integrifolia*, Franch. Plant of $1\frac{1}{2}$ to 3 ft. Flowers light canary yellow, filaments same shade, anthers orange. Barren, rocky mountain slopes and in side gullies on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 11,000 to 13,000 ft. June 1906. N.W. Yunnan.
2285. *Prunella vulgaris*, Linn. Plant of 2 to 5 inches. Flowers deep purplish-blue. Moist, gravelly, or grassy situations on the plain at the north end of the Lichiang valley. Lat. $27^{\circ} 10' N$. Alt. 9000 ft. June 1906. N.W. Yunnan.
2286. *Rubus stans*, Focke. Sp. nov. Erect plant of 3 to 4 ft. Flowers rose-red. Open, stony situations amongst scrub on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10' N$. Alt. 10,000 to 11,000 ft. May 1906. N.W. Yunnan.
2287. *Oreorchis patens*, Lindl. Plant of 6 to 9 inches. Flowers, sepals and petals brownish-green, labellum yellowish-green, spotted reddish-brown, fragrant. Open pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 10,000 to 11,000 ft. June 1906. N.W. Yunnan.

2288. *Oreorchis patens*, Lindl. Plant of 6 to 10 inches. Flowers brownish-green, labellum spotted reddish-brown, fragrant. On humus-covered boulders in open situations on limestone drift on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 11,000 ft. June 1906. N.W. Yunnan.
[Probably variety of 2287, but with all parts of the flower darker.]
2289. *Anemone coelestina*, Franch. Plant of 5 to 8 inches. Flowers lavender-blue. In open pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' N$. Alt. 11,000 ft. June 1906. N.W. Yunnan, China.
2290. *Carex atrata*, Linn., subsp. *pullata* (Boott.), Kükenth. Plant of 10 to 14 inches. Open mountain meadows between pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 10,000 to 11,000 ft. June 1906. N.W. Yunnan.
2291. *Ranunculus yunnanensis*, Franch. Plant of 3 to 6 inches. Flowers yellow. Grassy openings in pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' N$. Alt. 10,500 to 11,000 ft. June 1906. N.W. Yunnan, China.
2292. *Acer Forrestii*, Diels. Sp. nov. Tree of 30 to 40 ft. Flowers greenish-yellow. Open situations in pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 10,000 to 11,000 ft. June 1906. N.W. Yunnan, China.
2293. *Polygonum runcinatum*, Ham. Plant of 10 to 14 inches. Flowers pink. Amongst scrub on moist, grassy openings in pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 10,000 to 11,000 ft. June 1906. N.W. Yunnan.
2294. *Syringa yunnanensis*, Franch. Shrub of 8 to 12 ft. Flowers pinkish-white, fragrant. Mixed thickets in side valleys on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 10,000 to 10,500 ft. June 1906. N.W. Yunnan, China.
[Planta aliquantum variabilis. Folia basin versus minus augustata, inflorescentiae majores, laxiores, corolla 0.8-1.2 cm. longa (in typo 0.6-0.8 cm. longa), segmenta ad 4 mm. longa sunt.]
2295. *Euonymus Hamiltoniana*, Wall., sensu amplo. Spreading tree of 30 to 40 ft. Flowers yellowish-green. In mixed forests in side valleys on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10' N$. Alt. 10,000 to 10,500 ft. June 1906. N.W. Yunnan, China.
2296. *Pentapanax Leschenaultii*, Seem. Tree of 30 to 50 ft. Flowers green. Mixed forests in open side valleys on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10' N$. Alt. 10,000 to 10,500 ft. June 1906. N.W. Yunnan, China.
2297. *Lonicera lanceolata*, Wall. Shrub of 9 to 12 ft. Flowers deep magenta-rose, non-fragrant. Open, rocky situations, mixed woods in side valleys, on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' N$. Alt. 10,000 to 10,500 ft. June 1906. Yunnan, W. China.

2298. **Callianthemum cachemirianum**, Camb. Plant of 3 to 4 inches. Perianth white. On damp, moss-covered boulders and ground in open pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20'$ N. Alt. 11,000 ft. June 1906. N.W. Yunnan, China.
2299. **Petasites tricholobus**, Franch. Plant of 6 to 9 inches. Flowers faded pink colour, non-fragrant. Damp, mossy situations in open pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12'$ N. Alt. 11,000 ft. June 1906. N.W. Yunnan.
2300. **Fern.** Plant of 9 to 15 inches. Forming dense clumps in shady pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20'$ N. Alt. 10,000 to 11,000 ft. June 1906. Yunnan, W. China. *Nephrodium lichiangense* C.H. Wright
2301. **Cotoneaster acuminata**, Lindl. Spreading shrub of 9 to 12 ft. Flowers white, tinged pink. Shady situations in mixed forests, side valleys on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10'$ N. Alt. 9000 to 10,000 ft. June 1906. N.W. Yunnan.
2302. **Rubus subornatus**, Focke. Sp. nov. Spinous shrub, branches arched, of 4 to 7 ft. Flowers rose-carmine. Grassy openings in mixed forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10'$ N. Alt. 9000 to 10,500 ft. June 1906. N.W. Yunnan.
2303. **Rubus trijugus**, Focke. Sp. nov. Shrub of 3 to 6 ft. Branches arched, spinous main stem smooth. Flowers white. Grassy openings in mixed forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10'$ N. Alt. 9000 to 10,000 ft. June 1906. N.W. Yunnan.
2304. **Trigonotis rotundifolia**, Benth. Plant of 3 to 12 inches. Flowers blue. Dry, stony situations in the bed of a mountain stream on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10'$ N. Alt. 10,000 ft. June 1906. N.W. Yunnan.
2305. **Cardamine yunnanensis**, Franch. Plant of 5 to 7 inches. Flowers white. On moss-covered rocks in very shady situations on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10'$ N. Alt. 10,000 to 11,000 ft. June 1906. N.W. Yunnan.
2306. **Torilis Anthriscus**, Bernh. Plant of 10 to 18 inches. Flowers white. Stony, shady situations, side valleys on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12'$ N. Alt. 9000 to 10,000 ft. June 1906. N.W. Yunnan.
2307. **Phlomis betonicoides**, Diels. Sp. nov. Plant of 1 to $2\frac{1}{2}$ ft. Flowers rose-pink. Stony, barren, but cultivated ground on plain at north end of the Lichiang valley. Lat. $27^{\circ} 10'$ N. Alt. 9000 ft. June 1906. N.W. Yunnan.
2308. **Strobilanthes versicolor**, Diels. Sp. nov. Plant of 1 to 4 ft. Flowers ranging from pure white to dark blue. Covering large tracts on the mountain meadows on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12'$ M. Alt. 10,000 to 11,000 ft. June 1906. N.W. Yunnan.

2309. *Calamintha umbrosa*, Benth. Plant of 6 to 10 inches. Flowers pale rose. Stony situations in the beds of mountain torrents on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10' N$. Alt. 9000 to 10,500 ft. June 1906. N.W. Yunnan.
2310. *Thalictrum javanicum*, Bl. Plant of $1\frac{1}{2}$ to $2\frac{1}{2}$ ft. Flowers pure white. Moist, shady situations on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 9000 to 10,500 ft. June 1906. N.W. Yunnan, China.
2311. *Cotoneaster thymifolia*, Hook. f., forma *cochleata*, Franch. Prostrate shrub of 1 to 3 ft. Flowers white. Covering rocks and dry banks in exposed situations on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 9500 to 12,000 ft. June 1906. N.W. Yunnan.
[In shape and texture of the leaves, as well as in their glossy upper surface, this form is much nearer to *C. thymifolia* of the Himalaya from Kashmir to Sikkim, than to the true *C. buxifolia*, Wall.]
2312. *Lychnis Delavayi*, Franch. Plant of 3 to 8 inches. Flower rose-carmine. Dry, stony situations on the plain at the north end of the Lichiang valley. Lat. $27^{\circ} 10' N$. Alt. 9000 ft. June 1906. N.W. Yunnan, China.
2313. *Fritillaria Delavayi*, Franch. Plant of 6 to 12 inches. All parts thick and fleshy, almost leathery, and glaucous, with a greyish-blue bloom, resembling its surroundings. Flowers livid yellowish-crimson on exterior, interior brownish-yellow with brown markings, fragrant. Open situations on limestone drift on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 11,000 to 12,000 ft. June 1906. N.W. Yunnan.
2314. *Meconopsis Forrestii*, D. Prain. Sp. nov. Plant of 6 to 15 inches. Flowers pale blue, filaments a deeper shade, anthers blue. Open mountain pasture-land and on the margins of cane brakes on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 10,000 to 11,000 ft. June 1906. N.W. Yunnan, China.
2315. *Lloydia tibetica*, Baker, var. *purpurascens*, Franch. Plant of 9 to 15 inches. Flowers white, veined purple-maroon, base of exterior of perianth purple-maroon. Interior also veined purple-maroon, with the base bright rich brick-red. Open mountain pasture-land on the slopes of the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 10,000 to 11,000 ft. June 1906. N.W. Yunnan.
2316. *Thalictrum leuconotum*, Franch. Plant of $1\frac{1}{2}$ to 2 ft. Flowers drooping yellowish-green. Open mountain pasture-land on the eastern flank of the Lichiang Range. Lat. $28^{\circ} 15' N$. Alt. 10,000 to 10,500 ft. June 1906. N.W. Yunnan, China.
2317. *Goldbachia lancifolia*, Franch. Plant of $1\frac{1}{2}$ to $2\frac{1}{2}$ ft. Flowers white. Rocky, moist situations on the banks of a mountain stream in a side valley on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 10,000 to 10,500 ft. June 1906. N.W. Yunnan, China.

2318. *Salix floccosa*, Burkill. Shrub of 2 to 3 ft. Summit of exposed cliffs forming a side valley on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 10,000 to 10,500 ft. June 1906. N.W. Yunnan.
2319. *Androsace Delavayi*, Franch. Plant of 1 inch. Flowers pale rose, occasionally white, eye yellow. Forming dense cushions on humus-covered boulders at the edge of the snow-line on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 12,000 to 13,000 ft. June 1906. N.W. Yunnan, China.
2320. *Prunus undulata*, Ham. Spreading tree of 25 to 40 ft. Flowers white. Open mountain meadows on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 10,000 ft. June 1906. N.W. Yunnan.
2321. *Asparagus filicinus*, Ham. Plant of 2 to 4 ft. Flowers greenish-white. Open, dry situations in pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10' N$. Alt. 9000 to 10,500 ft. June 1906. N.W. Yunnan, China.
2322. *Cypripedium corrugatum*, Franch. Plant of 6 to 12 inches. Petals and sepals yellowish-purple, veined deep purple; rostellum purple-maroon; labellum very deep purplish-maroon, in some plants almost black. Open mountain meadows and on the margins of pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 25' N$. Alt. 10,000 to 11,000 ft. June 1906. N.W. Yunnan, China.
2323. *Rhododendron Beesianum*, Diels. Sp. nov. Shrub of 15 to 20 ft. Flowers deep rich rose. Open pine forests at base of cliffs on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 11,000 to 12,000 ft. May 1906. N.W. Yunnan.
2324. *Carduus crispus*, Linn. Plant of 3 to 5 ft. Flowers pale purplish-rose. Dry, rocky pasture-land at base of eastern flank of the Lichiang Range. Lat. $27^{\circ} 10' N$. Alt. 9000 ft. June 1906. N.W. Yunnan.
2325. *Phtheirospermum tenuisectum*, Bur. et Franch. Plant of 6 to 10 inches. Flowers orange yellow. Dry, open situations in pine forests on slopes of the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 9000 to 10,500 ft. June 1906. N.W. Yunnan.
2326. *Potentilla Griffithii*, Hook f., var. *concolor*, Franch. Plant of 8 to 16 inches. Flowers orange yellow. Dry, stony situations at base of and on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 9000 to 10,500 ft. June 1906. N.W. Yunnan.
2327. *Rubia podantha*, Diels. Sp. nov. Semi-scandent plant of $1\frac{1}{2}$ to 4 ft. Flowers brown-crimson. Dry, stony situations amongst scrub on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 9000 to 10,000 ft. June 1906. N.W. Yunnan, China.

2328. *Pedicularis densispica*, Franch. Plant of 4 to 8 inches. Flowers rose-red, and very pale pink. Dry, barren, rocky pasture-land on the plain at the north end of the Lichiang valley. Lat. $27^{\circ} 10' N$. Alt. 9000 ft. June 1906. N.W. Yunnan.
2329. *Rubus lutescens*, Franch. Shrub of 9 to 12 inches. Flowers pale canary yellow. Grassy openings in rhododendron forest on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 18' N$. Alt. 10,000 to 11,000 ft. June 1906. N.W. Yunnan, China.
2330. *Rubus loropetalus*, Franch. Creeping shrub of 3 to 4 inches. Flowers pure white. In dense, shady pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' N$. Alt. 10,000 to 11,000 ft. June 1906. N.W. Yunnan, China.
2331. *Eutrema yunnanense*, Franch. Plant of $1\frac{1}{2}$ to 2 ft. Flowers white. Rocky, moist situations in the bed of a mountain stream on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10' N$. Alt. 10,500 ft. June 1906. N.W. Yunnan.
2332. *Aquilegia vulgaris*, Linn. Plant of $1\frac{1}{2}$ to $2\frac{1}{2}$ ft. Flowers deep purple. Rocky, moist situations at base of cliffs on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 10,000 to 11,000 ft. June 1906. N.W. Yunnan, China.
[Most authors name our plant *A. vulgaris*, Linn.; Franchet makes it a variety (var. *oxypetala*). It is doubtful whether it is really so near the European plant.]
2333. *Plectranthus pleiophyllus*, Diels. Sp. nov. Shrub of 3 to 5 ft. Flowers bright blue, foliage aromatic. Dry, rocky situations amongst scrub in side valleys on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 9000 to 10,000 ft. June 1906. N.W. Yunnan.
2334. *Potentilla fruticosa*, Linn. Spreading shrub of 3 to 5 ft. Flowers bright orange. Dry, stony hillsides on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10' N$. Alt. 10,000 to 11,000 ft. June 1906. N.W. Yunnan.
2335. *Megacarpaea Delavayi*, Franch. Plant of 2 to 3 ft. Flowers rose-lavender, strongly fragrant. Open, moist situations amongst boulders on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10' N$. Alt. 11,000 to 12,000 ft. June 1906. N.W. Yunnan, China.
2336. *Rosa macrophylla*, Lindl., f. *gracilis*, Focke. Shrub of 4 to 6 ft. Flowers bright rose, non-fragrant. Open situations in thickets at the base of the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10' R$. Alt. 9000 ft. June 1906. N.W. Yunnan.
2337. *Thalictrum Delavayi*, Franch. Plant of 3 to 8 ft. Perianth pale or dark bluish-purple, according to situation. Moist, shady thickets on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 8500 to 10,000 ft. June 1906. N.W. Yunnan, China.

2338. *Incarvillea lutea*, Franch. Plant of 1 to 2½ ft. Flowers pale canary yellow, tube of corolla darkest. Thickets and scrub-covered ledges of cliffs on the eastern flank of the Lichiang Range. Lat. 27° 25' N. Alt. 10,000 to 11,000 ft. June 1906. N.W. Yunnan, China.
2339. *Rodgersia pinnata*, Franch. Plant of 2 to 4 ft. Flowers pale yellowish, or pink, according to situation. Shady or open moist situations in mixed woods and forests on the eastern flank of the Lichiang Range. Lat. 27° 12' N. Alt. 9000 to 10,500 ft. June 1906. N.W. Yunnan.
2340. *Salix Lindleyana*, Wall. Prostrate shrub of 1 to 2 ft. On limestone drift on the eastern flank of the Lichiang Range. Lat. 27° 25' N. Alt. 10,000 to 11,000 ft. June 1906. N.W. Yunnan, China.
2341. *Cypripedium luteum*, Franch. Plant of 8 to 16 inches. Flowers pale yellow, marked and veined pale violet. Shady, stony situations in pine forests on the eastern flank of the Lichiang Range. Lat. 27° 12' N. Alt. 10,000 to 11,000 ft. June 1906. N.W. Yunnan.
2342. *Trollius patulus*, Salisb. Plant of 6 to 18 inches. Flowers rich golden yellow, fragrant. Open mountain meadows on the eastern flank of the Lichiang Range. Lat. 27° 15' N. Alt. 10,000 to 11,000 ft. June 1906. N.W. Yunnan, China.
2343. *Berberis pallens*, Franch. Spreading spinous shrub of 8 to 10 ft. Flowers bright golden yellow, non-fragrant. Open situations on margins of pine forests on the eastern flank of the Lichiang Range. Lat. 27° 10' N. Alt. 10,000 to 11,000 ft. June 1906. N.W. Yunnan.
2344. *Polygonatum fuscum*, Hua. Semi-scandent plant of 6 to 10 ft. Flowers purplish-green. Moist, rocky situations amongst scrub on the eastern flank of the Lichiang Range. Lat. 27° 12' N. Alt. 10,000 to 11,000 ft. June 1906. N.W. Yunnan.
2345. *Calanthe undulata*, Schltr. Sp. nov. Plant of 1 to 1½ ft. Petals and sepals dull yellow. Rostellum and labellum deep maroon. Non-fragrant. Shady, dry situations amongst scrub in a side valley on the eastern flank of the Lichiang Range. Lat. 27° 12' N. Alt. 9000 to 10,000 ft. June 1906. N.W. Yunnan.
2346. *Pleione Henryi*, Rolfe. Plant of 4 to 8 inches. Flowers, appearing first, magenta-rose with darker markings on labellum. Crevices of rocks and dry, stony situations on the eastern flank of the Lichiang Range. Lat. 27° 12' N. Alt. 9000 to 10,500 ft. June 1906. N.W. Yunnan, China.
2347. *Roscoea Chamaeleon*, Gagnep. vel aff. Plant of 6 to 9 inches. Flowers bright bluish-purple. Crevices and ledges of limestone cliffs and rocks on the eastern flank of the Lichiang Range. Lat. 27° 12' N. Alt. 9500 to 10,500 ft. June 1906. N.W. Yunnan, China.

2348. *Myosotis silvatica*, Hoffm. Plant of 6 to 10 inches. Flowers bright blue. Marshy, boggy meadow on the plain at the north end of the Lichiang valley. Lat. $27^{\circ} 10' N$. Alt. 9000 ft. June 1906. N.W. Yunnan.
2349. *Gentiana bella*, Franch. Plant of 1 to 3 inches. Corolla, exterior green, interior bright rich blue. Grassy situations on the margins of a bog on the north end of the Lichiang plain. Lat. $27^{\circ} 10' N$. Alt. 8500 ft. June 1906. N.W. Yunnan, China.
2350. *Veronica Anagallis*, Linn. Plant of 4 to 8 inches. Flowers bluish-white, veined darker. Open situations on the margins of a bog on the plain at the north end of the Lichiang valley. Lat. $27^{\circ} 10' N$. Alt. 9000 ft. June 1906. N.W. Yunnan.
2351. *Myosotis silvatica*, Hoffm. Plant of 3 to 8 inches. Flowers bright blue. Stony, boggy ground on the margin of a pond on the plain at the north end of the Lichiang valley. Lat. $27^{\circ} 10' N$. Alt. 9000 ft. June 1906. N.W. Yunnan.
2352. *Lysimachia lichiangensis*, G. Forrest. Sp. nov. Plant of 1 to 2 ft. Flowers pinkish-white. Shady, rocky situations at the base of cliffs on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 9000 to 10,000 ft. June 1906. N.W. Yunnan, China.
2353. *Rubus micranthus*, D. Don. Spinous shrub of 6 to 8 ft. Branches arched; flowers magenta-rose. Open, stony situations at the base of the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10' N$. Alt. 9000 to 10,000 ft. June 1906. N.W. Yunnan, China.
2354. *Anaphalis chlamydophylla*, Diels. Sp. nov. Plant of 1 to 5 inches. Flowers pale yellowish-white. Forming dense cushions on the faces and ledges of limestone cliffs on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 10,000 to 12,000 ft. June 1906. N.W. Yunnan.
- 2354A. *Anaphalis chlamydophylla*, Diels. Sp. nov. Dwarf plant of 1 to 2 inches. Flowers yellowish-white. In clefts of limestone cliffs on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 14,000 ft. June 1906. N.W. Yunnan.
2355. *Glycyrrhiza echinata*, Linn. Shrub of 2 to 5 ft. Flowers pale blue. Open, stony ground at base of the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 8500 ft. June 1906. N.W. Yunnan, China.
2356. *Rheum Emodi*, Wall. Plant of $1\frac{1}{2}$ to 3 ft. Flowers red. Clefts and ledges of cliffs in side valleys on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 10,000 to 11,000 ft. June 1906. N.W. Yunnan, China.
2357. *Festuca* sp. Plant of 12 to 16 inches. Dry, stony situations amongst scrub on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 9500 to 10,500 ft. June 1906. Yunnan, W. China.

2358. *Veronica capitata*, Benth. Plant of 6 to 10 inches. Flowers pale blue. Grassy, shady openings in pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 10,500 ft. June 1906. N.W. Yunnan.
2359. *Carex atrofusca*, Schkuhr, var. *minor*, Boott. Plant of 9 to 12 inches. Amongst grass on limestone drift on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 11,000 ft. June 1906. N.W. Yunnan, China.
2360. *Senecio dictyoneurus*, Franch. Plant of 1 to $2\frac{1}{2}$ ft. Flowers rich orange. Ledges and clefts of cliffs in side valleys on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' N$. Alt. 11,000 ft. June 1906. N.W. Yunnan, China.
2361. *Strobilanthes yunnanensis*, Diels. Sp. nov. Shrub of 2 to 5 ft. Flowers bright blue. Moist, shady situations in thickets on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10' N$. Alt. 9000 ft. June 1906. N.W. Yunnan, China.
2362. *Sorbus Vilmorini*, C. K. Schneider. Spreading shrub or tree of 15 to 30 ft. Flowers yellowish-white. In thickets and open situations on the margins of pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 10,000 to 11,000 ft. June 1906. N.W. Yunnan.
2363. *Galium Forrestii*, Diels. Sp. nov. Plant of 6 to 10 inches. Flowers greenish-yellow. Dry, stony situations in bed of stream at base of eastern flank of the Lichiang Range. Lat. $27^{\circ} 10' N$. Alt. 10,000 ft. June 1906. N.W. Yunnan.
2364. *Juncus allioides*, Franch. Plant of 8 to 16 inches. Flowers yellowish-white. Mountain pasture-land on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 10,000 to 11,000 ft. June 1906. N.W. Yunnan.
2365. *Sonchus arvensis*, Linn. Plant of 1 to 2 ft. Flowers yellow. Moist, shady situations at base of eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 9000 to 10,000 ft. June 1906. N.W. Yunnan.
2366. *Senecio chrysanthemoides*, DC. Plant of 14 to 24 inches. Flowers orange. Moist, grassy situations on the borders of thickets along the base of the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10' N$. Alt. 9000 to 10,000 ft. June 1906. N.W. Yunnan.
2367. *Polygala japonica*, Houtt. Half shrubby plant of 6 to 12 inches. Flowers blue. In dry pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 9000 to 10,000 ft. June 1906. N.W. Yunnan.
2368. *Orchis Giraladiana*, Kränzl. Plant of 5 to 8 inches. Flowers rich rose-purple. Grassy openings in and on the margins of rhododendron forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 18' N$. Alt. 10,000 to 11,000 ft. June 1906. N.W. Yunnan, China.

2369. *Geranium gracilipes*, R. Knuth. Sp. nov. Plant of 1 to 2 ft. Flowers rose-pink. Dry, stony situations amongst scrub and in thickets on the eastern flank of the Lichiang Range. Lat. 27° 20' N. Alt. 10,000 to 11,000 ft. June 1906. N.W. Yunnan, China.
2370. *Rosa moschata*, Herrm., var. *yunnanensis*, Franch. Semi-scandent shrub of 5 to 10 ft. Flowers white, fragrant. By streams in shady situations on the plain at the north end of the Lichiang valley. Lat. 27° 12' N. Alt. 8500 to 9000 ft. June 1906. N.W. Yunnan, China.
2371. *Carum Delavayi*, Franch. Plant of 9 to 18 inches. Flowers white. Moist, shady situations by streams on the eastern flank of the Lichiang Range. Lat. 27° 12' N. Alt. 9000 to 10,000 ft. June 1906. N.W. Yunnan.
2372. *Thladiantha villosula*, Cogn. vel aff. Semi-scandent plant of 10 to 20 ft. Flowers yellow. On scrub in thickets on the eastern flank of the Lichiang Range. Lat. 27° 12' N. Alt. 9000 to 10,000 ft. June 1906. N.W. Yunnan, China.
2373. *Cnicus Forrestii*, Diels. Sp. nov. Plant of 6 to 12 inches. Flowers, corollas crimson-purple, anthers white, giving the head a ruddy grey appearance. Very boggy ground on the plain at the north end of the Lichiang valley. Lat. 27° 10' N. Alt. 10,000 ft. June 1906. N.W. Yunnan.
2374. *Arisaema fraternum*, Schott. Plant of 8 to 16 inches. Inflorescence green, slightly veined purple. Mountain meadows and grassy openings in pine forests on the eastern flank of the Lichiang Range. Lat. 27° 12' N. Alt. 10,000 to 11,000 ft. June 1906. N.W. Yunnan, China.
2375. *Euphorbia Wallichii*, Hook. f. vel aff. Plant of 12 to 18 inches. Flowers yellow. Dry, open situations in scrub and pine forests on the eastern flank of the Lichiang Range. Lat. 27° 12' N. Alt. 9000 to 10,000 ft. June 1906. N.W. Yunnan, China.
[The stem and leaves are glabrous throughout, the ovary hairy. The fruit not being known, the identification is not yet established.]
2376. *Lichen*. On limestone cliffs and rocks on the eastern flank of the Lichiang Range. Lat. 27° 12' N. Alt. 11,000 to 15,000 ft. June 1906. N.W. Yunnan.
2377. *Sedum scabridum*, Franch. (?). Tufted plant of 2 to 4 inches. Flowers red, anthers green. In crevices of boulders and on limestone drift on the eastern flank of the Lichiang Range. Lat. 27° 10' N. Alt. 11,000 to 12,000 ft. June 1906. Yunnan, W. China.
2378. *Thalictrum cultratum*, Wall. Plant of 2 to 4½ ft. Perianth yellow. On dry, shady ledges of cliffs on the eastern flank of the Lichiang Range. Lat. 27° 15' N. Alt. 10,000 to 11,000 ft. June 1906. N.W. Yunnan, China.

2379. *Astragalus nigrescens*, Franch. Plant of 1 to 2 ft. Flowers blue. Rocky pasture in side valleys on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 10,000 to 10,500 ft. June 1906. N.W. Yunnan, China.
2380. *Galium triflorum*, Michx. Plant of 6 to 10 inches. Flowers white, whole plant fragrant. Rocky, shady situations in thickets in side valleys on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 10,000 to 11,000 ft. June 1906. N.W. Yunnan.
2381. *Corydalis stenantha*, Franch. Slender plant of 14 inches. Flowers blue and white, non-fragrant. Very shady, moist thickets in side valleys on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' M$. Alt. 10,000 to 11,000 ft. June 1906. Yunnan, W. China.
2382. *Leptodermis Forrestii*, Diels. Sp. nov. Shrub of 2 to 4 ft. Flowers rose-lavender, drying black. Margins of thickets in shady, open situations on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 9500 to 10,000 ft. June 1906. N.W. Yunnan, China.
2383. *Boschniakia himalaica*, Hook. f. et Thoms. Plant of 9 to 15 inches. Flowers greyish-brown. Parasitical on the roots of rhododendron in open pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10' N$. Alt. 9000 to 11,000 ft. June 1906. N.W. Yunnan.
2384. *Sedum yunnanense*, Franch., var. *Forresti*, Hamet. Var. nov. Plant of 8 to 16 inches. Foliage deep crimson. Flowers red, anthers greenish-yellow. Crevices and ledges of cliffs, and on limestone drift in pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' N$. Alt. 10,000 to 11,500 ft. June 1906. Yunnan, W. China.
2385. *Arisaema Wilsonii*, Engl. Plant of 1 to $2\frac{1}{2}$ ft. Stem purple, spathe deep purple-maroon, broadly striped or veined pure white. Appendage black-purple. Amongst boulders in moist, shady thickets in side valleys on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 9500 to 10,500 ft. June 1906. N.W. Yunnan.
2386. *Lonicera xerocalyx*, Diels. Sp. nov. Shrub of 10 to 15 ft. Flowers yellow, non-fragrant. Fruit dull orange yellow. Margins of pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 10,500 ft. June 1906. Yunnan, W. China.
2387. *Corydalis Delavayi*, Franch. Plant of 9 to 15 inches. Flowers rich golden yellow with darker markings, powerfully fragrant. Grassy situations on rocky slopes on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10' N$. Alt. 10,000 to 11,000 ft. June 1906. N.W. Yunnan, China.
2388. *Corydalis cheirifolia*, Franch. Plant of 6 to 12 inches. Flowers rich clear blue and white. Grassy openings in pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' N$. Alt. 10,500 ft. June 1906. N.W. Yunnan, China.

2389. *Corydalis pachycentra*, Franch. Plant of 3 to 6 inches. Foliage glaucous, flowers rich deep blue with a few white markings. Rocky meadows on the eastern flank of the Lichiang Range. Lat. 27° 12' N. Alt. 11,000 to 12,000 ft. June 1906. N.W. Yunnan, China.
2390. *Lilium lophophorum*, Franch. Plant of 10 to 18 inches. Flowers rich canary yellow with a few dark brown markings at base, fragrant, pendulous. Grassy openings in pine forests and on mountain meadows on the eastern flank of the Lichiang Range. Lat. 27° 12' N. Alt. 10,000 to 11,000 ft. June 1906. N.W. Yunnan, China.
2391. *Cornus capitata*, Wall. Tree of 20 to 50 ft. Flowers rich lemon yellow; fruit bright red, edible. Open situations by streams and water-courses and on the margins of pine forests. Generally distributed over N.W. Yunnan. Lat. 26° 28' N. Alt. 6000 to 10,000 ft. June-July 1906. N.W. Yunnan, China.
2392. *Dregea sinensis*, Hemsl. Semi-scandent shrub of 6 to 10 ft. Flowers creamy white with violet markings. Dry, open situations amongst scrub on the low foothills at the southern end of the Lichiang Range. Lat. 27° N. Alt. 9000 ft. June 1906. N.W. Yunnan, China.
2393. *Tofieldia yunnanensis*, Franch., vel aff. Plant of 4 to 8 inches. Flowers creamy white. On mossy banks and humus-covered boulders in side valleys on the eastern flank of the Lichiang Range. Lat. 27° 30' N. Alt. 10,000 to 11,000 ft. June 1906. N.W. Yunnan, China.
2394. *Salvia hylocharis*, Diels. Sp. nov. Plant of 1½ to 3 ft. Flowers rich yellow, lower lobe of corolla marked violet. Open situations in dense pine forests on the eastern flank of the Lichiang Range. Lat. 27° 12' N. Alt. 10,000 to 11,000 ft. June 1906. N.W. Yunnan.
2395. *Rhododendron adenogynum*, Diels. Sp. nov. Branched shrub of 6 to 8 ft. Flowers white, corolla slightly fleshy, tinged pink on exterior, especially at base, fragrant. Scattered over grassy mountain slopes in small clumps of 3 to 4 plants. Eastern flank of the Lichiang Range. Lat. 27° 12' N. Alt. 11,000 to 12,000 ft. June 1906. N.W. Yunnan.
2396. *Roscoea alpina*, Royle. Plant of 2 to 4 inches. Flowers blue-purple, pale rose, or white. Moist, grassy situations on the margins of pine forests on the eastern flank of the Lichiang Range. Lat. 27° 12' N. Alt. 9000 to 11,000 ft. June 1906. N.W. Yunnan, China.
2397. *Hemipilia yunnanensis* (Finet, pro var.), Schltr. Plant of 6 to 9 inches. Flowers rose, with markings of a deeper shade, non-fragrant. Foliage green, spotted purple on upper surface, purple on under. Stony situations on dry, open banks amongst scrub on the eastern flank of the Lichiang Range. Lat. 27° 20' N. Alt. 9000 to 10,000 ft. June 1906. N.W. Yunnan.

2398. *Primula pinnatifida*, Franch. Plant of 2 to 7 inches. Flowers deep rich purplish-blue, fragrant. Moist, grassy situations on mountain slopes on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 12,000 ft. June 1906. N.W. Yunnan, China.
2399. *Primula bella*, Franch. Plant of 1 inch. Flowers rich deep purplish-blue. In peaty soil on a barren limestone ridge at the extreme limit of vegetation on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' N$. Alt. 16,000 ft. July 1906. N.W. Yunnan, China.
2400. *Hemerocallis fulva*, Linn. Plant of 1 to 2 ft. Flowers rich reddish-orange, non-fragrant. Grown by the Mossoo natives of the north end of the Lichiang valley as an ornamental plant. Lat. $27^{\circ} 10' N$. Alt. 8500 to 9000 ft. June 1906. N.W. Yunnan.
2401. *Saxifraga cortusaefolia*, Sieb. et Zucc. Plant of 6 to 15 inches. Flowers white, anthers brick-red. On moss-covered rocks and banks in shady pine and mixed forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' N$. Alt. 10,000 to 11,000 ft. June 1906. N.W. Yunnan, China.
2402. *Rosa macrophylla*, Lindl., f. *parce glandulosa*. Shrub of 5 to 8 ft. Flowers bright rose; fruit bright scarlet, calyx persistent. Very shady situations in side valleys on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 25' N$. Alt. 10,500 ft. June 1906. N.W. Yunnan, China.
2403. *Leptodermis Forrestii*, Diels. Sp. nov. Branching shrub of 4 to 6 ft. Flowers pure lavender, non-fragrant. Very shady situations in a deep side valley on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' N$. Alt. 11,000 ft. June 1906. N.W. Yunnan.
2404. *Iris Potanini*, Maxim. (?). Plant of 3 to 5 inches. Flowers deep blue-purple, fragrant. On a humus-covered boulder in bed of a mountain stream on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 11,000 ft. June 1906. N.W. Yunnan.
2405. *Ophiopogon Wallichianus*, Hook. f. Plant of 6 to 12 inches. Flowers white, faintly fragrant. On ledges of cliffs and in very shady pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 9000 to 11,000 ft. June 1906. N.W. Yunnan, China.
2406. *Clintonia udensis*, Trautv. et Mey. Plant of 8 to 12 inches. Flowers white, odourless, peduncle elongated in fruit, fruit black. Very shady situations in dense rhododendron and pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' N$. Alt. 11,000 ft. June 1906. N.W. Yunnan.
2407. *Stereosanthus yunnanensis*, Franch. Plant of 12 to 24 inches. Flowers orange yellow. Grassy situations in and on the margins of pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' N$. Alt. 10,500 to 11,000 ft. June 1906. N.W. Yunnan, China.

2408. *Rhododendron taliense*, Franch. Large branching shrub of 15 to 25 ft. Flowers pinkish-white, base of interior of corolla deep crimson, non-fragrant. Open, rocky slopes on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 12,000 ft. May 1906. N.W. Yunnan.
2409. *Rhododendron taliense*, Franch. Branching shrub of 10 to 20 ft. Flowers white with a crimson blotch on interior of corolla. Open, rocky situations on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 12,000 to 12,500 ft. May 1906. N.W. Yunnan.
[Possibly a variety of No. 2408. Umbels looser and formed of fewer flowers, those larger. Leaves broader, with the under surface of a lighter shade.]
2410. *Bergenia purpurascens* (Hook. f. et Thoms.), Engl., var. *Delavayi* (Franch.), Engl. et Irmischer. Plant of 1 to 2 ft. Flowers rich deep rose-purple. Rocky, stony slopes, margins of cane brakes, etc., on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 11,000 to 12,000 ft. May 1906. N.W. Yunnan, China.
2411. *Thalictrum alpinum*, Linn. Plant of 3 to 10 inches. Foliage coriaceous, perianth purplish-green. On limestone drifts on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' N$. Alt. 11,000 to 12,000 ft. June 1906. N.W. Yunnan, China.
2412. *Thalictrum Delavayi*, Franch. Plant of 3 to 5 ft. Flowers pale purple. Dry situations amongst scrub on the margins of pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' N$. Alt. 10,000 to 10,500 ft. June 1906. N.W. Yunnan, China.
2413. *Lychnis adenantha*, Franch. Plant of 6 to 14 inches. Flowers pale pinkish-white. Dry, barren, stony ground amongst scrub on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 10,000 to 10,500 ft. June 1906. N.W. Yunnan.
2414. *Sambucus adnata*, Wall. Plant of $1\frac{1}{2}$ to 4 ft. Flowers yellowish-white. Shady, grassy openings in side valleys and in open pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 10,000 to 11,000 ft. June 1906. N.W. Yunnan.
2415. *Gentiana asterocalyx*, Diels. Sp. nov. Plant of 3 to 6 inches. Corolla interior bright blue, exterior green. Dry situations in open pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 30' N$. Alt. 11,000 ft. June 1906. N.W. Yunnan, China.
2416. *Lespedeza Forrestii*, Schindler. Sp. nov. Plant of 2 to 6 inches. Flowers pale pink. Dry, shady situations in pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 9000 to 10,000 ft. June 1906. N.W. Yunnan, China.
2417. *Nardostachys grandiflora*, DC. Plant of 9 to 18 inches. Flowers rose-lavender. Whole plant, especially the root, has a strong odour of valerian. Dry, shady situations amongst scrub and in open pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 9000 to 11,000 ft. June 1906. N.W. Yunnan, China.

2418. *Juncus allioides*, Franch. Plant of 9 to 18 inches. Flowers pale yellowish-white. Very boggy situations in open pine forests on the eastern flank of the Lichiang Range. Lat. 27° 20' N. Alt. 11,000 ft. June 1906. N.W. Yunnan, China.
2419. *Clematis grata*, Wall. Scandent shrub of 15 to 20 ft. Flowers yellowish-white, fragrant. On scrub in open situations on the eastern flank of the Lichiang Range. Lat. 27° 12' N. Alt. 10,000 ft. June 1906. Yunnan, W. China.
2420. *Pedicularis filicula*, Franch. Plant of 4 to 6 inches. Flowers deep rich crimson. Steep, rocky, grassy slopes on the eastern flank of the Lichiang Range. Lat. 27° 25' N. Alt. 11,000 to 12,000 ft. June 1906. N.W. Yunnan, China.
2421. *Picris hieracioides*, Linn. Plant of 1 to 2 ft. Flowers orange. Open pine forests on the eastern flank of the Lichiang Range. Lat. 27° 30' N. Alt. 11,000 ft. June 1906. N.W. Yunnan.
2422. *Pyrola atropurpurea*, Franch. Plant of 4 to 8 inches. Flowers purplish-green, margins yellow. Very shady situations in pine forests and cane brakes on the eastern flank of the Lichiang Range. Lat. 27° 30' N. Alt. 11,000 to 12,000 ft. June 1906. N.W. Yunnan.
2423. *Cornus Monbeigii*, Hemsl. Tree of 25 to 40 ft. Flowers creamy white, non-fragrant. Open situations in mixed forests on the eastern flank of the Lichiang Range. Lat. 27° 20' N. Alt. 9000 to 10,000 ft. June 1906. Yunnan, W. China.
2424. *Scutellaria likiangensis*, Diels. Sp. nov. Plant of 1 to 1½ ft. flowers greenish-yellow, veined and marked pale purple. Open, dry situations amongst scrub and in pine forests on the eastern flank of the Lichiang Range. Lat. 27° 12' N. Alt. 8500 to 9000 ft. June 1906. N.W. Yunnan, China.
2425. *Hypericum Hookerianum*, W. & A. Shrub of 4 to 6 ft. Flowers orange yellow. Open, stony situations on the plain at the north end of the Lichiang valley. Lat. 27° 12' N. Alt. 8500 ft. June 1906. N.W. Yunnan, China.
2426. *Iris Forrestii*, Dykes. Sp. nov. Plant of 9 to 15 inches. Flowers canary yellow, outer segments of perianth marked blackish-green, fragrant. Open mountain meadows on the eastern flank of the Lichiang Range. Lat. 27° 30' N. Alt. 11,000 to 12,000 ft. June 1906. N.W. Yunnan, China.
2427. *Senecio velleus*, Franch. Plant of 12 to 18 inches. Flowers deep orange. Open, grassy situations in pine forests on the eastern flank of the Lichiang Range. Lat. 27° 12' N. Alt. 10,000 to 11,000 ft. June 1906. N.W. Yunnan.
2428. *Clematis chrysocoma*, Franch. Plant of 6 inches. Flowers white (?). Collected in seed. Clefts of limestone boulders on the eastern flank of the Lichiang Range. Lat. 27° 30' N. Alt. 11,000 ft. June 1906. Yunnan, W. China.
2429. *Cypripedium fasciolatum*, Franch. Plant of 9 to 12 inches. Perianth dull yellow, veined and streaked purplish-rose. Open, dry stony situations in pine forests on the eastern flank of the Lichiang Range. Lat. 27° 25' N. Alt. 11,000 ft. June 1906. N.W. Yunnan, China.

2430. *E. Royleana*, Lindl. Plant of 1 to 3 ft. Flowers ruddy green on outer surface, green on inner. Rostellum green. Labellum thick and fleshy, in two portions, basal, green veined and streaked purplish-rose, with a streak of orange down the centre; the other part thick and spongy, in form almost rotund, loosely attached to basal portion, of a purplish-rose colour marked on upper centre with a blotch of orange; non-fragrant. Stony, open situations in pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 30' N$. Alt. 11,000 ft. June 1906. N.W. Yunnan.
2431. *Indigofera pendula*, Franch. Shrub of 6 to 8 ft. Corolla exterior dove-grey, interior rich deep rose. Possibly variety of 2197, but a smaller shrub with foliage larger and flowers richer in colour and also larger. Damp, shady pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 30' N$. Alt. 11,000 ft. June 1906. N.W. Yunnan, China.
2432. *Sibiraea tomentosa*, Diels. Sp. nov. Shrub of 2 to 4 ft. Flowers pale yellowish-white. Moist, rocky situations in the bed of a stream on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 30' N$. Alt. 11,000 ft. June 1906. N.W. Yunnan, China.
2433. *Lilium Delavayi*, Franch. Plant of $1\frac{1}{2}$ to 3 ft. Flowers olive brown, spotted deep purple, fragrant. Dry, stony situations on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 35' N$. Alt. 11,000 ft. June 1906. N.W. Yunnan, China.
2434. *Arisaema consanguineum*, Schott. Plant of 1 to $2\frac{1}{2}$ ft. Spathe green and yellow. Dry, rocky situations on the low range of hills forming the north-eastern boundary of the Lichiang valley. Lat. $27^{\circ} 12' N$. Alt. 9000 to 10,000 ft. June 1906. N.W. Yunnan, China.
2435. *Polygonum sphaerostachyum*, Meissn. Plant of 1 ft. Flowers deep rich rose. Mountain meadows and on the margins of pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 25' N$. Alt. 11,000 to 12,000 ft. June 1906. N.W. Yunnan, China.
2436. *Buxus sempervirens*, Linn. Shrub of 6 to 12 ft. Flowers green. In seed when collected. Open situations amongst scrub in side valleys on eastern flank of the Lichiang Range. Lat. $27^{\circ} 10' N$. Alt. 9000 ft. June 1906. N.W. Yunnan.
2437. *Potentilla fruticosa*, Linn. Shrub of 2 to 3 ft. Flowers bright orange. Open situations, margins of pine forests and mountain meadows on eastern flank of the Lichiang Range. Lat. $27^{\circ} 18' N$. Alt. 11,000 ft. June 1906. N.W. Yunnan.
2438. *Shuteria anomala*, Pampinini.—*Amphicarpaea Edgeworthii*, Benth., var. *rufescens*, Franch. Scandent plant of 3 to 6 ft. Vexillum deep rich blue, alae and carina base pale blue, tip white. On scrub in shady mixed and pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' N$. Alt. 10,000 to 11,000 ft. July 1906. N.W. Yunnan, China.

2439. *Crotalaria yunnanensis*, Franch. Plant of 4 to 9 inches. Flowers orange, vexillum striped dark brown. Dry, stony situations on open plain at north end of the Lichiang valley. Lat. $27^{\circ} 12'$ N. Alt. 9000 ft. June 1906. Yunnan, W. China.
2440. *Primula Bulleyana*, G. Forrest. Sp. nov. Plant of $1\frac{1}{2}$ to $2\frac{1}{2}$ ft. Flowers deep reddish-orange, in bud deep brownish-crimson, faintly fragrant. Moist, open situations on mountain meadows on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 25'$ N. Alt. 10,000 to 11,000 ft. June 1906. N.W. Yunnan, China.
2441. *Sedum bupleuroides*, Wall. (?) Plant of 9 to 12 inches. Flowers reddish-brown, anthers green. Dry, stony, open situations, ledges of cliffs, etc., on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20'$ N. Alt. 9000 to 10,500 ft. June 1906. Yunnan, W. China.
2442. *Pieris villosa*, Hook. f. Shrub of 4 to 9 ft. Flowers pure waxy white, non-fragrant. Open, shady situations in pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15'$ N. Alt. 9000 to 10,000 ft. June 1906. N.W. Yunnan.
2443. *Vicia dichroantha*, Diels. Sp. nov. Scandent plant of 6 to 10 ft. Flowers dull orange, vexillum tipped purple. On scrub in dense thickets on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12'$ N. Alt. 9500 ft. June 1906. N.W. Yunnan, China.
2444. *Arisaema consanguineum*, Schott. Plant of 12 to 16 inches. Spathe deep purple, veined green. Open mountain meadows on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10'$ N. Alt. 10,000 to 11,000 ft. June 1906. N.W. Yunnan, China.
2445. *Potentilla peduncularis*, Don, var. *obscura*, Hook. f. Plant of 4 to 8 inches. Flowers orange yellow. Open mountain meadows on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10'$ N. Alt. 10,000 to 11,000 ft. June 1906. N.W. Yunnan.
2446. *Vaccinium fragile*, Franch. Small shrub of $1\frac{1}{2}$ to 3 ft. Flowers white, striped rose or scarlet. Open, stony situations in pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12'$ N. Alt. 9000 to 10,500 ft. June 1906. N.W. Yunnan.
2447. *Onosma paniculatum*, Bur. et Franch. Plant of $1\frac{1}{2}$ to $2\frac{1}{2}$ ft. Flowers at first rose-purple, then blue. Dry, stony, open situations in pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12'$ N. Alt. 9000 to 10,500 ft. June 1906. N.W. Yunnan.
2448. *Ajuga lupulina*, Maxim., var. *major*, Diels. Var. nov. Plant of 3 to 9 inches. Flowers watery transparent white, veined and streaked bright blue. Open mountain meadows on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20'$ N. Alt. 10,000 to 11,000 ft. June 1906. N.W. Yunnan, China.

2449. *Primula Bulleyana*, G. Forrest. Sp. nov. *P. serratifolia*, Franch. ex G. Forrest, in *Notes, Roy. Bot. Gard. Edin.* iv. p. 232. Plant of 1 to 2 ft. Flowers rich pale rose, crushed strawberry shade. Moist, open situations on mountain meadows on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 25' N$. Alt. 10,000 to 11,000 ft. June 1906. N.W. Yunnan, China.
2450. *Pedicularis oxycarpa*, Franch. Plant of 8 to 17 inches. Flowers rose and white. Open, grassy situations in pine forests at base of the eastern flank of the Lichiang Range. Lat. $27^{\circ} 30' N$. Alt. 10,500 to 11,000 ft. June 1906. N.W. Yunnan, China.
2451. *Stranvaesia glaucescens*, Lindl. Shrub or tree of 20 to 30 ft. Flowers white. Open situations in pine forests at the base of the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' N$. Alt. 10,000 ft. June 1906. N.W. Yunnan, China.
2452. *Rubus alexeterius*, Focke. Sp. nov. Spinous shrub of 4 to 7 ft. Branches arched. Flowers white, fruit large, yellow, edible. Shady, rocky situations in pine forests on eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' N$. Alt. 11,000 ft. June 1906. N.W. Yunnan.
2453. *Rubus biflorus*, Ham. Spinous shrub of 4 to 8 ft. Branches arched. Flowers white, fruit large, yellow, edible. Open, shady situations on margins of pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' N$. Alt. 11,000 ft. June 1906. N.W. Yunnan.
2454. *Epipactis consimilis*, Don. Plant of 10 to 14 inches. Flowers green. Dense, shady thickets in side valleys on eastern flank of the Lichiang Range. Lat. $27^{\circ} 18' N$. Alt. 11,000 ft. June 1906. N.W. Yunnan.
2455. *Anemone flaccida*, F. Schmidt. Plant of 3 to 6 inches. Flowers white. In shady, moist cane brakes in dense pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' N$. Alt. 11,000 ft. June 1906. Yunnan, W. China.
2456. *Strobilanthes Forrestii*, Diels. Sp. nov. Plant of 6 to 12 inches. All parts with exception of corolla glandular. Flowers pale blue. Open, grassy situations by streams on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 25' N$. Alt. 11,000 ft. June 1906. N.W. Yunnan, China.
2457. *Spiraea Aruncus*, Linn. Plant of 4 to 5 ft. Flowers yellowish-white, faintly fragrant. Shady situations on the margins of mixed thickets and woods at the base of the eastern flank of the Lichiang Range. Lat. $27^{\circ} 25' N$. Alt. 10,000 to 11,000 ft. June 1906. N.W. Yunnan, China.
2458. *Sedum yunnanense*, Franch., var. *valerianoides*, Hamet. Var. nov. Plant of 12 to 24 inches. Flowers green. Ledges of shady cliffs and on humus-covered boulders on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 10,000 to 11,000 ft. June 1906. N.W. Yunnan, China.

2459. *Allium rubellum*, M.B. (?) Plant of 2 to 4 ft. Flowers rose-pink. Very dry, rocky situations amongst scrub on low foothills at south end of the Lichiang Range. Lat. $27^{\circ} 5' N$. Alt. 8000 to 9000 ft. June 1906. N.W. Yunnan.
2460. *Stephania Delavayi*, Diels. Climber of 6 to 8 ft. Flowers brown. On scrub in moist, open situations on low foothills at south end of the Lichiang Range. Lat. $27^{\circ} 5' N$. Alt. 8000 to 9000 ft. June 1906. N.W. Yunnan.
- 2461.
2462. *Potentilla leuconota*, Don. Plant of 6 to 9 inches. Flowers orange yellow. Shady, grassy openings in pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 10,000 to 11,000 ft. June 1906. N.W. Yunnan.
2463. *Rheum Forrestii*, Diels. Sp. nov. Plant of 2 to $2\frac{1}{2}$ ft. Flowers white. Clefts and ledges of cliffs on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 9500 to 11,000 ft. July 1906. N.W. Yunnan, China.
2464. *Incarvillea grandiflora*, Bur. et Franch., var. *brevipes*, Sprague. Plant of 10 to 15 inches. Corolla, limb pale rose, tube yellow. Open mountain meadows on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' N$. Alt. 11,000 ft. June 1906. N.W. Yunnan, China.
2465. *Arisaema talense*, Engl. Plant of 9 to 15 inches. Spathe green. Dry, barren, rocky situations on the low range of hills forming the north-eastern boundary of the Lichiang valley. Lat. $27^{\circ} 12' N$. Alt. 9000 to 10,000 ft. June 1906. N.W. Yunnan, China.
2466. *Herminium ophioglossoides*, Schltr. Sp. nov. Plant of 3 to 8 inches. Flowers greenish-yellow. Moist, grassy situations by streams at the base of the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 10,000 to 11,000 ft. June 1906. N.W. Yunnan, China.
2467. *Triglochin palustre*, Linn. Plant of 9 to 15 inches. Flowers yellow. Open situations in a bog at the base of the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 10,000 ft. June 1906. N.W. Yunnan, China.
2468. *Ophioglossum* sp. Plant of 8 to 10 inches. Inflorescence yellowish-green. Moist, grassy situation in willow scrub by a stream on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 25' N$. Alt. 11,000 ft. June 1906. N.W. Yunnan, China.
2469. *Ephedra Gerardiana*, Wall., var. *sikkimensis*, Stapf. Shrub of 1 to 2 ft. Flowers greenish-orange. Stony, moist, grassy situations in bed of stream on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 25' N$. Alt. 11,000 ft. June 1906. N.W. Yunnan, China.
2470. *Polygonum campanulatum*, Hook. f. Plant of 1 to $1\frac{1}{2}$ ft. Flowers pinkish-white. Mountain pasture on the margins of pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' N$. Alt. 10,000 to 11,000 ft. June 1906. N.W. Yunnan, China.

2471. *Vicia tridentata*, Bunge (?). Plant of 3 to 12 inches. Flowers blue. Amongst grass and scrub on open mountain meadows on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 11,000 ft. June 1906. N.W. Yunnan.
2472. *Oreorchis micrantha*, Lindl. Plant of 9 to 14 inches. Flowers appearing before foliage, olive-brown, labellum lighter in colour and spotted purple, fragrant. Very moist, grassy, shady situations by side of stream on eastern flank of the Lichiang Range. Lat. $27^{\circ} 25' N$. Alt. 11,000 ft. June 1906. N.W. Yunnan.
2473. *Cobresia capillifolia* (Decne.), C. B. Clarke, var. *condensata*, Kükenth. Var. nov. Plant of 9 to 14 inches. Stony, moist situations in the bed of a stream at the base of the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' N$. Alt. 10,000 to 11,000 ft. June 1906. N.W. Yunnan, China.
2474. *Salix Lindleyana*, Wall. Procumbent shrub of 2-4 inches. Moist, grassy situations by streams on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 25' N$. Alt. 11,000 ft. June 1906. N.W. Yunnan, China.
2475. *Euonymus linearifolia*, Franch. Shrub of 4 to 8 ft. Flowers green. Very shady, moist situations in pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 25' N$. Alt. 11,000 ft. June 1906. N.W. Yunnan, China.
2476. *Calamintha chinensis*, Benth, var. *megalantha*, Diels. Var. nov. Plant of 6 to 12 inches. Flowers rose-red. Amongst grass in willow scrub, margins of streams on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 25' N$. Alt. 11,000 ft. June 1906. N.W. Yunnan.
2477. *Pedicularis rex*, Clarke. Plant of 1 to 4 ft. Flowers yellow. Moist, shady situations in and on the margins of pine and other forests on the eastern flank of the Lichiang Range. Common all along the base of flank. Lat. 27° - $27^{\circ} 30' N$. Alt. 8000 to 11,000 ft. June 1906. N.W. Yunnan.
[Specimens from Alt. 10,000 ft.]
2478. *Thalictrum trichopus*, Franch. Plant of 1 to $2\frac{1}{2}$ ft. Perianth, interior white, exterior pale purple. Moist, shady situations in dense pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 25' N$. Alt. 11,000 ft. June 1906. N.W. Yunnan, China.
2479. *Caltha palustris*, Linn., var. *umbrosa*, Diels. Var. nov. Plant of 6 to 9 inches. Flowers orange yellow. Moist situations in shady pine forests along the base of the eastern flank of the Lichiang Range. Lat. $27^{\circ} 30' N$. Alt. 11,000 ft. June 1906. N.W. Yunnan, China.
2480. *Primula pulchella*, Franch. Plant of 4 to 7 inches. Flowers semi-pendulous, purplish-blue, fragrant. Shady, grassy situations in pine forests at the base of the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' N$. Alt. 10,000 ft. June 1906. N.W. Yunnan, China.

2481. *Jurinea berardioides* (Franch.), Diels. Plant of 1 inch. Flowers pale purple. Open, barren situations on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 10,500 ft. June 1906. N.W. Yunnan.
2482. *Morina chlorantha*, Diels. Sp. nov. Plant of 1 to 2 ft. Flowers green with a very rank odour. Moist, shady ledges of cliffs in side valleys on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 10,000 to 10,500 ft. June 1906. N.W. Yunnan, China.
2483. *Stachys Franchetiana*, Léveillé. Plant of 6 to 8 inches. Flowers rose, striped white. Shady, rocky situations on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' N$. Alt. 9000 to 10,000 ft. June 1906. N.W. Yunnan.
2484. *Rubia yunnanensis* (Franch. ms.), Diels. Sp. nov. Prostrate plant of 3 to 8 inches. Flowers yellow. Dry, stony, barren pasture-land along base of foothills to south of the Lichiang Range. Lat. $27^{\circ} 5' N$. Alt. 8000 to 8500 ft. June 1906. N.W. Yunnan.
2485. *Amethystea coerulea*, Linn. Plant of 9 to 12 inches. Flowers deep rich indigo blue. Barren, stony pasture-land along the base of the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 8200 ft. June 1906. N.W. Yunnan, China.
2486. *Senecio* sp. aff. *saxatilis*, Wall. Plant of 14 to 20 inches. Flowers yellow. Boggy pasture-land at base of the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 8500 to 9000 ft. June 1906. N.W. Yunnan, China.
2487. *Scirpus setaceus*, Linn. Tufted plant of 1 to 2 inches. Flowers brownish-green. Forming large patches on boggy ground at the base of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 8500 ft. June 1906. N.W. Yunnan, China.
2488. *Vicia unijuga*, A. Br. Plant of 2 to 3 ft. Flowers blue. Amongst scrub on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 9500 to 10,500 ft. June 1906. N.W. Yunnan.
2489. *Phlomis bracteosa*, Royle. Plant of 1 to 2 ft. Flowers white. In shady mixed forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 10,000 to 11,000 ft. June 1906. N.W. Yunnan.
2490. *Epilobium himalayense*, Hausskn. Plant of 1 to 2 ft. Flowers pale rose. Shady, moist situations on the margins of cane brakes on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 10,000 to 11,000 ft. June 1906. N.W. Yunnan, China.
2491. *Epilobium sikkimense*, Hausskn. Plant of 6 to 12 inches. Flowers rose-red. Open mountain pasture-land on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 11,000 ft. June 1906. N.W. Yunnan, China.
2492. *Sedum bupleuroides*, Wall. (?) Plant of 14 to 16 inches. Flowers green. Open, grassy situations in thickets on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' N$. Alt. 9000 to 10,000 ft. June 1906. Yunnan, W. China.

2493. *Gentiana gentilis*, Franch., var. Plant of 3 to 7 inches. Flowers deep blue, exterior striped green. Barren grass-land in the Lichiang valley. Lat. 27° N. Alt. 8200 ft. June 1906. N.W. Yunnan, China.
[This has sometimes the calyx nearly smooth. The whole group is very variable and needs further observation to define the specific limits.]
2494. *Ligustrum lucidum*, Ait. Tree or shrub of 15 to 30 ft. Flowers white, fragrant. Open situations on the foothills at the southern end of the Lichiang Range. Lat. 27° N. Alt. 8200 to 9500 ft. June 1906. N.W. Yunnan, China.
2495. *Calanthe buccinifera*, Rolfe. Plant of 9 to 12 inches. Flowers rich rose-purple, labellum a darker shade of same, non-fragrant. Amongst and on moss-grown boulders in dense, shady pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 25'$ N. Alt. 11,000 ft. June 1906. N.W. Yunnan.
2496. *Calanthe Delavayi*, Finet. Plant of 9 to 16 inches. Flowers of a pale, watery, whitish-rose, veined and marked a deeper shade of rose, non-fragrant. Stony, moist situations in open pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 25'$ N. Alt. 10,000 to 11,000 ft. June 1906. N.W. Yunnan.
2497. *Lespedeza hirtella*, Franch. Shrubby plant of $1\frac{1}{2}$ to $2\frac{1}{2}$ ft. Flowers deep violet-rose. Dry, open, rocky situations amongst scrub on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15'$ N. Alt. 9000 to 10,000 ft. June 1906. N.W. Yunnan, China.
2498. *Parnassia Delavayi*, Franch. Plant of 9 to 15 inches. Flowers pure white, striped bright green. Rocky mountain pasture-land on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20'$ N. Alt. 10,000 to 11,000 ft. June 1906. N.W. Yunnan, China.
2499. *Veronica laxa*, Benth. Plant of 9 to 18 inches. Flowers blue. Moist, shady situations amongst grass on the margins of pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15'$ N. Alt. 10,000 to 11,000 ft. June 1906. N.W. Yunnan.
2500. *Boenninghausenia albiflora*, Reichb., var. *longipes*, Franch. Dwarf shrub of 1 to $1\frac{1}{2}$ ft. Flowers white with yellow markings at base of petals. Dry, shady situations in side valleys on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12'$ N. Alt. 9000 to 10,500 ft. June 1906. N.W. Yunnan, China.
2501. *Geum strictum*, Ait. Plant of 1 to 2 ft. Flowers yellow. Moist, shady situations on the margins of thickets on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15'$ N. Alt. 9500 to 10,500 ft. June 1906. N.W. Yunnan.
2502. *Campanula colorata*, Wall. Plant of 3 to 9 inches. Flowers blue. Barren, stony pasture-land at base of the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12'$ N. Alt. 9000 ft. June 1906. N.W. Yunnan.

2503. *Leycesteria formosa*, Wall. Shrub of 6 to 10 ft. Flowers white, non-fragrant. Open, moist situations on the margins of thickets on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 10,000 ft. June 1906. N.W. Yunnan.
2504. *Rosa macrophylla*, Lindl. Shrub of 6 to 10 ft. Flowers, various shades of rose, according to situation. Fruit large, $\frac{1}{2}$ by $\frac{3}{4}$ inch, bright scarlet, glabrous, calyx persistent. Shady thickets and pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 10,000 to 11,000 ft. June 1906. N.W. Yunnan.
2505. *Rhododendron lepidotum*, Wall. Dwarf shrub of 6 to 10 inches. Flowers rich crimson-rose, markings a shade darker. Crevices of conglomerate cliffs in pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 25' N$. Alt. 11,000 ft. June 1906. N.W. Yunnan.
2506. *Adonis brevistyla*, Franch. Plant of $1\frac{1}{2}$ to $2\frac{1}{2}$ ft. Perianth white, segments ribbed, giving a watery, shining appearance to the flowers. In cane brakes and very dense, moist, shady pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 35' N$. Alt. 11,000 to 11,500 ft. June 1906. N.W. Yunnan, China.
2507. *Plectranthus irroratus*, G. Forrest. Sp. nov. Shrub of 2 to 3 ft. Flowers blue. Dry, shady situations amongst under-scrub in pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 25' N$. Alt. 9000 to 10,500 ft. June 1906. N.W. Yunnan.
2508. *Aster Harrowianus*, Diels, var. *glabratus*, Diels. Sp. et var. nov. Shrub of 3 to 5 ft. Flowers purplish-blue. Shady, rocky situations in side valleys on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 9500 to 11,000 ft. July 1906. N.W. Yunnan.
2509. *Didissandra lanuginosa*, C. B. Clarke. Plant of 3 to 6 inches. Flowers rich blue. Dry, open situations on rocks, and faces of cliffs on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 9000 to 11,000 ft. July 1906. N.W. Yunnan, China.
2510. *Roettlera Forrestii*, Diels. Sp. nov. Plant of 3 to 9 inches. Flowers canary yellow. On moss-covered boulders and branches of trees in very shady situations on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 10,000 to 11,000 ft. July 1906. N.W. Yunnan, China.
2511. *Cotoneaster angustifolia*, Franch. Shrub of 4 to 6 ft. Flowers dirty white, non-fragrant. Dry, open situations in ravines on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 9000 to 10,000 ft. June 1906. N.W. Yunnan.
2512. *Hemerocallis Forrestii*, Diels. Sp. nov. Plant of 12 to 18 inches. Flowers deep reddish-orange, non-fragrant. Dry clefts and ledges of cliffs in side valleys on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 9000 to 10,000 ft. June 1906. N.W. Yunnan.

2513. *Eupatorium Wallichii*, DC., var. *heterophyllum*. Plant of 3 to 5 ft. Flowers whitish-rose. Dry situations amongst scrub at the base of the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10'$ N. Alt. 8500 to 9000 ft. June 1906. N.W. Yunnan.
2514. *Cotoneaster pannosa*, Franch. Shrub of 6 to 10 ft. Flowers white, pinkish on exterior. Dry, shady situations on the margins of pine forests on the foothills of the Lichiang Range. Lat. $27^{\circ} 10'$ N. Alt. 8500 to 9000 ft. July 1906. N.W. Yunnan, China.
2515. *Lysimachia barystachys*, Bunge. Plant of 12 to 16 inches. Flowers white, anthers violet. Dry, barren, stony ground at the base of the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10'$ N. Alt. 8500 to 9000 ft. July 1906. N.W. Yunnan, China.
2516. *Saxifraga micranthoides*, Engl. Sp. nov. Plant of 3 to 5 inches. Flowers white, filaments petaloid, anthers brick-red. Moist, shady situations on rocks and ledges of cliffs on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15'$ N. Alt. 11,000 ft. July 1906. N.W. Yunnan, China.
2517. *Desmodium cinerascens*, Franch. Shrub of 6 to 10 ft. Flowers pale rose, non-fragrant. Dry situations amongst mixed scrub in pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15'$ N. Alt. 9000 to 10,000 ft. July 1906. N.W. Yunnan.
- 2518.
2519. *Pyrola decorata*, H. Andres. Sp. nov. Plant of 6 to 12 inches. Flowers pale greenish-white. Amongst dwarf scrub and undergrowth in pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10'$ N. Alt. 9000 to 10,000 ft. July 1906. N.W. Yunnan.
2520. *Gnaphalium multiceps*, Wall. Plant of 1 to $1\frac{1}{2}$ ft. Flowers rich brassy yellow. Dry, stony, open situations along the base of the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12'$ N. Alt. 8200 to 9000 ft. July 1906. Yunnan, W. China.
2521. *Rodgersia pinnata*, Franch. Plant of 2 to 4 ft. Flowers yellowish white or pink according to situation. Rocky, shady situations in mixed woods in side valleys on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12'$ N. Alt. 9000 to 10,500 ft. June 1906. N.W. Yunnan, China.
2522. *Aster trinervius*, Roxb., var. *grossedentatus*, Thunb. Plant of 1 to 2 ft. Flowers white. Shady, rocky situations in pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15'$ N. Alt. 10,000 to 11,000 ft. July 1906. N.W. Yunnan.
2523. *Oxyria elatior*, Wall. Plant of 8 to 16 inches. Flowers green. Shady, rocky situations in side valleys on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12'$ N. Alt. 11,000 to 12,000 ft. July 1906. N.W. Yunnan, China.

2524. *Leonurus sibiricus*, Linn. Plant of 1 to 3 ft. Flowers rose-pink. Dry, open, rocky situations at base of the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 8500 to 9500 ft. July 1906. N.W. Yunnan.
2525. *Potentilla chinensis*, Ser. Plant of 3 to 9 inches. Flowers orange yellow. Dry, barren situations on plain to the north of the city of Lichiangfu. Lat. $27^{\circ} 5' N$. Alt. 8200 ft. July 1906. N.W. Yunnan, China.
2526. *Alisma Plantago*, Linn. Plant of 1 to 3 ft. Flowers white. In ponds and ditches on the Lichiang plain. Lat. $27^{\circ} 5' N$. Alt. 8200 ft. July 1906. N.W. Yunnan.
2527. *Morus alba*, Linn. Tree of 30 to 40 ft. Flowers green. Open, dry situations on the Lichiang plain. Lat. $27^{\circ} 5' N$. Alt. 8200 ft. July 1906. N.W. Yunnan.
2528. *Origanum vulgare*, Linn. Plant of 6 to 12 inches. Flowers rose-pink. Whole plant fragrant, aromatic. Dry, barren situations on the Lichiang plain in pine forests. Lat. $27^{\circ} 5' N$. Alt. 8200 ft. July 1906. N.W. Yunnan.
2529. *Cardamine multijuga*, Franch. Plant of 12 to 18 inches. Flowers pale lavender. Margins of ponds and in ditches on the Lichiang plain. Lat. $27^{\circ} 5' N$. Alt. 8200 ft. July 1906. N.W. Yunnan, China.
2530. *Cyananthus macrocalyx*, Franch. Plant of 2 to 6 inches. Flowers primrose yellow. Open mountain pasture-land on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' N$. Alt. 11,000 to 12,000 ft. July 1906. N.W. Yunnan, China.
2531. *Pleurospermum Davidi*, Franch. vel aff. Plant of 12 to 18 inches. Flowers white, anthers violet-brown. Open mountain pasture-land on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 25' N$. Alt. 11,000 to 12,000 ft. June 1906. Yunnan, W. China.
[The leaf-segments are broader and more rounded than usual. The form must be observed further.]
2532. *Clerodendron fragrans*, Vent. Shrub of 2 to 4 ft. Flowers crimson. Open, stony situations amongst scrub on the margins of pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 9000 to 10,000 ft. July 1906. N.W. Yunnan, China.
2533. *Celsia coromandeliana*, Vahl. Plant of 2 to 5 ft. Flowers yellow. Dry, barren situations on the Lichiang plain. Lat. $27^{\circ} 5' N$. Alt. 8200 ft. July 1906. N.W. Yunnan.
2534. *Pimpinella flaccida*, C. B. Clarke. Semi-procumbent plant of 12 to 18 inches. Flowers brownish-red. Open mountain meadows on the margins of pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 25' N$. Alt. 11,000 ft. July 1906. Yunnan, W. China.
2535. *Arenaria trichophora*, Franch. Plant of 6 to 12 inches. Flowers white, anthers violet. Crevices and ledges of cliffs and on open, stony pasture-land on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 10,000 to 12,000 ft. July 1906. N.W. Yunnan.

2536. *Festuca* sp. Plant of 1 to 2 ft. Amongst scrub in dry, stony situations on the eastern flank of the Lichiang Range. Lat. 27° 20' N. Alt. 9000 to 11,000 ft. July 1906. Yunnan, W. China.
2537. *Bromus asper*, Murr. Plant of 12 to 18 inches. Mountain pasture on the margins of pine forest on the eastern flank of the Lichiang Range. Lat. 27° 20' N. Alt. 10,000 to 11,000 ft. July 1906. Yunnan, W. China.
2538. *Brachypodium silvaticum* (Huds.), R. et Sch. Plant of 1 to 2 ft. Amongst dwarf scrub in open situations on the eastern flank of the Lichiang Range. Lat. 27° 25' N. Alt. 11,000 ft. July 1906. Yunnan, W. China.
2539. *Agrostis* sp. Plant of 6 to 10 inches. Very dry, stony situations on open pasture on the eastern flank of the Lichiang Range. Lat. 27° 12' N. Alt. 9000 to 10,000 ft. July 1906. Yunnan, W. China.
2540. *Phlomis megalantha*, Diels. Sp. nov. Plant of 2 to 3 ft. Flowers deep, almost black crimson. Open, grassy situations amongst scrub on the margins of pine forests on the eastern flank of the Lichiang Range. Lat. 27° 12' N. Alt. 10,000 to 11,000 ft. July 1906. N.W. Yunnan.
2541. *Onosma paniculatum*, Bur. et Franch. Plant of 1½ to 2½ ft. Flowers rose-red, crushed strawberry shade. Dry, open, stony situations amongst scrub on the eastern flank of the Lichiang Range. Lat. 27° 10' N. Alt. 9000 to 10,000 ft. July 1906. N.W. Yunnan.
2542. *Swertia hypericoides*, Diels. Sp. nov. Plant of 6 to 12 inches. Corolla transparent, of a pale, watery, bluey-grey. Dry, barren pasture-land at the base of the foothills of the Lichiang Range. Lat. 27° 10' N. Alt. 8500 ft. July 1906. N.W. Yunnan, China.
2543. *Poterium officinale* (Linn.), Benth. et Hook. f. Plant of 1 to 2½ ft. Flowers crimson. Marshy, open situations on the eastern flank of the Lichiang Range. Lat. 27° 12' N. Alt. 9500 to 10,500 ft. July 1906. N.W. Yunnan, China.
2544. *Orchis basifoliata*, Schltr. Comb. nov.—*Peristylus tetralobus*, Finet, var. *basifoliatus*. Plant of 5 to 8 inches. Flowers pure white, basal portion of labellum with a few markings of pale purple, faintly fragrant. Very boggy, open situations at base of eastern flank of the Lichiang Range. Lat. 27° 10' N. Alt. 8500 ft. July 1906. N.W. Yunnan.
2545. *Thyrocarpus glochidiatus*, Maxim. Plant of 1 to 3 ft. Flowers pale blue. Open, moist situations at base of the eastern flank of the Lichiang Range. Lat. 27° 15' N. Alt. 8500 ft. July 1906. N.W. Yunnan.
2546. *Senecio caloxanthus*, Diels. Sp. nov. Plant of 1 to 3 ft. Flowers rich yellow. Moist, open situations by sides of streams and ditches at base of the eastern flank of the Lichiang Range. Lat. 27° 12' N. Alt. 8500 to 9000 ft. July 1906. N.W. Yunnan.

2547. *Pedicularis cephalantha*, Franch. Plant of 6 to 10 inches. Flowers deep rich rose. Grassy, rocky slopes on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 11,000 to 12,000 ft. July 1906. N.W. Yunnan, China.
2548. *Salvia flava*, G. Forrest, var. *megalantha*, Diels. Sp. et var. nov. Plant of 15 inches. Flowers canary yellow, lower lobe of corolla marked reddish-brown. Open mountain meadows on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' N$. Alt. 11,000 to 12,000 ft. July 1906. N.W. Yunnan, China.
2549. *Picris hieracioides*, Linn. Plant of 12 to 18 inches. Flowers orange yellow. Moist, open situations amongst scrub at base of the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 9000 ft. July 1906. N.W. Yunnan.
2550. *Scrophularia spicata*, Franch. Plant of 12 to 18 inches. Flowers green. Open mountain meadows and grassy openings in pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' N$. Alt. 11,000 to 12,000 ft. July 1906. N.W. Yunnan.
2551. *Scrophularia nodosa*, Linn. ex Franchet. Plant of 2 to 3 ft. Flowers green. Shady, dry situations along the base of the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10' N$. Alt. 8500 to 9000 ft. July 1906. N.W. Yunnan.
2552. *Anemone rupicola*, Camb. Plant of 6 to 9 inches. Flowers solitary, interior of perianth white, exterior purplish-blue. Ledges and crevices of limestone cliffs on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' N$. Alt. 11,000 to 12,000 ft. July 1906. N.W. Yunnan, China.
2553. *Hypericum monanthemum*, Hook. f., var. *nigro-punctatum*, Franch. Plant of 12 to 14 inches. Flowers golden yellow. Open, grassy situations on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' N$. Alt. 11,000 to 12,000 ft. July 1906. N.W. Yunnan.
2554. *Crepis Stoliczkai*, C. B. Clarke. Plant of 14 to 18 inches. Flowers pendulous, yellow. Grassy, open situations on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 11,000 to 12,000 ft. July 1906. N.W. Yunnan.
2555. *Veronica Anagallis*, Linn. Plant of 1 to 2 ft. Flowers pale blue. In ditches and boggy situations at base of the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10' N$. Alt. 8500 to 9000 ft. July 1906. N.W. Yunnan.
2556. *Bupleurum petiolulatum*, Franch. Plant of 1 to 2 ft. Flowers bright green. Shady, grassy situations amongst scrub on the eastern flank of the Lichiang Range.
2557. *Polygonum alatum*, Ham. Plant of 6 to 10 inches. Flowers pale pink. On a dried-up marsh on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' N$. Alt. 10,000 ft. July 1906. N.W. Yunnan.
2558. *Artemisia Roxburghiana*, Bess. Plant of 9 to 18 inches. Flowers greenish-white. Whole plant aromatic. Dry, stony situations amongst scrub on eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 9000 to 10,500 ft. July 1906. N.W. Yunnan.

2559. *Mentha arvensis*, Linn. Plant of 9 to 12 inches. Whole plant aromatic. Flowers lavender. Dry, shady situations at base of the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 9000 ft. July 1906. N.W. Yunnan.
2560. *Mentha arvensis*, Linn. Plant of 1 to 2 ft. Whole plant aromatic. Flowers very pale lavender. Open, moist situations by sides of streams and ditches on the plain at north end of the Lichiang valley. Lat. $27^{\circ} 12' N$. Alt. 8500 ft. July 1906. N.W. Yunnan.
2561. *Nasturtium palustre*, DC. Plant of 6 to 10 inches. Flowers yellow. Marshy, open meadow on the plain at north end of the Lichiang valley. Lat. $27^{\circ} 12' N$. Alt. 8500 ft. July 1906. N.W. Yunnan.
2562. *Geranium Wallichianum*, Sw. Plant of 18 to 24 inches. Flowers rose-red. Open, grassy situations in mixed forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 10,000 to 10,500 ft. July 1906. N.W. Yunnan.
2563. *Hesperis lutea*, Maxim. Plant of 2 to 4 ft. Flowers white. Open, grassy situations in mixed forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' N$. Alt. 10,000 to 11,000 ft. July 1906. N.W. Yunnan.
2564. *Plectranthus oreophilus*, Diels. Sp. nov. Plant of 6 to 9 inches. Flowers blue. Open situations on the margins of pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 10,000 to 11,000 ft. July 1906. N.W. Yunnan, China.
2565. *Quercus spicata*, Sm., var. *yunnanensis*, Schottky. Shrub of 8 to 20 ft. Evergreen. Open situations in pine forests on low foothills at south end of the Lichiang Range. Lat. $27^{\circ} N$. Alt. 9000 to 10,000 ft. July 1906. N.W. Yunnan.
2566. *Dioscorea Fargesii*, Franch. Scandent plant of 4 to 9 ft. Flowers greenish-white. On scrub in side valleys on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 9000 to 10,000 ft. July 1906. N.W. Yunnan, China.
2567. *Tylophora yunnanensis*, Schltr. Sp. nov. Semi-scandent plant of 1 to 2 ft. Flowers livid greenish-crimson. Dry, rocky, open situations in pine forest on the foothills at the southern end of the Lichiang Range. Lat. $27^{\circ} N$. Alt. 9000 ft. July 1906. N.W. Yunnan, China.
2568. *Inula sericophylla*, Franch. Plant of 12 to 18 inches. Flowers orange. Amongst scrub in clayey situations on the margins of a dried-up marsh on the foothills to the south of the Lichiang Range. Lat. $27^{\circ} N$. Alt. 9000 to 9500 ft. July 1906. N.W. Yunnan.
2569. *Ipomoea Kingii*, Prain. Semi-scandent plant of 14 to 24 inches. Flowers canary yellow. On scrub in clayey situations on the margins of a dried-up marsh on the low foothills to the south of the Lichiang Range. Lat. $27^{\circ} N$. Alt. 9000 to 9500 ft. July 1906. N.W. Yunnan, China.

2570. *Hemilophia pulchella*, Franch. Plant of 3 to 4 inches. Flowers rose-lavender. Dry, shady situations on limestone drift at base of cliffs on the eastern flank of the Lichiang Range. Lat. 27° 20' N. Alt. 11,500 ft. July 1906. N.W. Yunnan, China.
2571. *Ligusticum brachylobum*, Franch. Plant of 1½ to 2 ft. Petals white, gynaecium green, anthers violet. Ledges and clefts of cliffs and on limestone drift on the eastern flank of the Lichiang Range. Lat. 27° 20' N. Alt. 11,000 to 11,500 ft. Yunnan, W. China.
2572. *Juncus concinnus*, Don. Plant of 9 to 12 inches. Flowers white. Dry, open situations in pine forests on limestone drift on the eastern flank of the Lichiang Range. Lat. 27° 15' N. Alt. 11,000 to 11,500 ft. July 1906. N.W. Yunnan.
2573. *Calamagrostis* sp. Plant of 12 to 16 inches. Dry, open situations on limestone drift on the eastern flank of the Lichiang Range. Lat. 27° 20' N. Alt. 11,000 ft. July 1906. N.W. Yunnan, China.
2574. *Festuca duriuscula*, Linn. Plant of 12 to 16 inches. Dry, open situations on limestone drift in pine forests on the eastern flank of the Lichiang Range. Lat. 27° 15' N. Alt. 11,000 ft. July 1906. N.W. Yunnan, China.
2575. *Dipoma iberideum*, Franch. Plant of 4 to 9 inches. Petals white, veined on exterior and marked at base, violet. Anthers black violet, fragrant. Crevices and ledges of limestone cliffs on the eastern flank of the Lichiang Range. Lat. 27° 20' N. Alt. 11,000 to 12,000 ft. July 1906. N.W. Yunnan, China.
2576. *Saxifraga macrostigma*, Franch., var. *hypericoides* (Franch. pro sp.), Engl. et Irmscher. Plant of 2½ to 4 inches. Flowers orange yellow. Ledges and clefts of cliffs on the eastern flank of the Lichiang Range. Lat. 27° 17' N. Alt. 11,000 to 12,000 ft. July 1906. N.W. Yunnan, China.
2577. *Eriocaulon Henryanum*, Ruhl. Plant of 3 to 6 inches. Flowers silvery white. Boggy grass-land on margins of open marsh on plain at north end of the Lichiang valley. Lat. 27° 12' N. Alt. 9000 ft. July 1906. N.W. Yunnan.
2578. *Dioscorea Hemsleyi*, Prain et Burkill. Climber of 3 to 6 ft. Flowers brownish-crimson. On scrub in dry, shady pine forests on the eastern flank of the Lichiang Range. Lat. 27° 15' N. Alt. 9000 to 10,000 ft. July 1906. N.W. Yunnan, China.
2579. *Potentilla albifolia*, Wall. Plant of 4 to 9 inches. Flowers minute, petals of a dirty dull orange colour. Open mountain meadows on the eastern flank of the Lichiang Range. Lat. 27° 15' N. Alt. 10,000 to 11,000 ft. July 1906. N.W. Yunnan.
2580. *Angelica Forrestii*, Diels. Sp. nov. Plant of 2 to 3 ft. Flowers green. Whole plant fragrant with a fennel-like odour. Shady, open situations on margins of pine forests on the eastern flank of the Lichiang Range. Lat. 27° 20' N. Alt. 11,000 ft. July 1906. Yunnan, W. China.

2581. *Campanula colorata*, Wall. Plant of 1 to 2 ft. Flowers purplish-blue. Dry, shady situations amongst scrub at the base of the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 9000 to 10,000 ft. July 1906. N.W. Yunnan.
2582. *Fimbristylis diphylla*, Vahl, vel aff. Plant of 4 to 8 inches. Dry, stony situations amongst scrub on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 9000 to 10,000 ft. July 1906. N.W. Yunnan.
2583. *Herminium unicorne*, Kränzl. Plant of 3 to 8 inches. Flowers white, fragrant. Dry, stony pasture-land along the base of the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 8500 to 9000 ft. July 1906. N.W. Yunnan, China.
2584. *Fimbristylis diphylla*, Vahl, vel aff. Plant of 16 to 20 inches. Open, clayey grass-land around a dried-up marsh on the foot-hills to the south of the Lichiang Range. Lat. $27^{\circ} N$. Alt. 9000 to 10,000 ft. July 1906. N.W. Yunnan, China.
2585. *Monotropa hypopithys*, Linn., var. *lanuginosa*, Michx. Plant of 2 to 3 inches. Whole plant of one colour, creamy yellow. Parasitical on roots of pines in forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 11,000 to 12,000 ft. July 1906. N.W. Yunnan, China.
2586. *Platanthera japonica*, Lindl. Plant of 9 to 18 inches. Flowers green, strongly fragrant. Grassy situations on the margins of scrub on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 25' N$. Alt. 10,000 ft. July 1906. N.W. Yunnan, China.
2587. *Dichrocephala Benthami*, Clarke. Plant of 6 to 10 inches. Flowers greenish-white. Open, grassy situations by the margins of ditches and streams along the base of the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 9000 ft. July 1906. N.W. Yunnan.
2588. *Artemisia scoparia*, Waldst. et Kit. Plant of 1 to $1\frac{1}{2}$ ft. Flowers brownish-green. Dry, barren, stony pasture-land along the base of the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 9000 ft. July 1906. N.W. Yunnan.
2589. *Epilobium himalayense*, Hausskn. Plant of 2 to 3 ft. Flowers rose-red. Shady, moist situations by streams on the Lichiang plain. Lat. $27^{\circ} 10' N$. Alt. 8500 ft. July 1906. N.W. Yunnan, China.
2590. *Herminium Forrestii*, Schltr. Sp. nov. Plant of 3 to 6 inches. Flowers green, deliciously fragrant, odour resembling vanilla. Open mountain meadows on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 11,000 to 12,000 ft. July 1906. N.W. Yunnan, China.
2591. *Coriaria nepalensis*, Wall. Dioecious shrub of 6 to 12 ft. Flowers ruddy green. Flowering in March and April, specimens only procurable in seed. Fruit black, edible. Open situations amongst mixed scrub on the margins of pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' N$. Alt. 9000 to 11,000 ft. July 1906. N.W. Yunnan.

2592. *Scirpus mucronatus*, Linn. Plant of 1 to 2 ft. Marshy pasture-land around the margins of a pond on the plain at the north end of the Lichiang valley. Lat. 27° 12' N. Alt. 8500 ft. July 1906. N.W. Yunnan, China.
2593. *Allium chinense*, Don, vel *A. Thunbergii*, Don (?). Plant of 1 to 2 ft. Flowers greenish white. Dry, barren, stony ground along base of the eastern flank of the Lichiang Range. Alt. 27° 15' N. Alt. 9000 ft. July 1906. N.W. Yunnan.
2594. *Pedicularis szechuanica*, Maxim. Plant of 6 to 14 inches. Flowers pale rose, veined a shade darker. Amongst heavy grass on mountain pasture-land on the eastern flank of the Lichiang Range. Lat. 27° 20' N. Alt. 11,000 to 12,000 ft. July 1906. N.W. Yunnan, China.
2595. *Allium victorale*, Linn., var. Plant of 1 to 2 ft. Flowers very pale rose. Mountain pasture-land on the eastern flank of the Lichiang Range. Lat. 27° 15' N. Alt. 11,000 to 12,000 ft. July 1906. N.W. Yunnan.
2596. *Hypoxis aurea*, Lour. Plant of 2 to 3 inches. Flowers bright yellow. Dry, stony pasture-land at the north end of the Lichiang plain. Lat. 27° 12' N. Alt. 8500 to 9000 ft. July 1906. N.W. Yunnan.
2597. *Corydalis yunnanensis*, Franch. Plant of 2 to 4 ft. Flowers yellow, faintly fragrant. Shady situations in cane brakes on the eastern flank of the Lichiang Range. Lat. 27° 15' N. Alt. 10,500 to 11,500 ft. July 1906. N.W. Yunnan, China.
2598. *Aster yunnanensis*, Franch. Plant of 12 to 16 inches. Ray florets blue, disc florets golden yellow. Open mountain pasture-land on the eastern flank of the Lichiang Range. Lat. 25° 15' N. Alt. 11,000 to 12,000 ft. July 1906. N.W. Yunnan, China.
2599. *Buddleia macrostachya*, Benth., var. *yunnanensis*, Dop. Branched shrub of 6 to 12 ft. Flowers rich lavender, throat of corolla orange; fragrant, with an odour resembling vanilla. Dry, stony situations along the base of the eastern flank of the Lichiang Range. Lat. 27° 12' N. Alt. 9000 ft. July 1906. N.W. Yunnan, China.
2600. *Loranthus caloreas*, Diels. Sp. nov. Plant of 2 to 4 ft. Perianth tube bright scarlet, limb bright green. Foliage coriaceous, stems very brittle. Parasitical on conifers only, forming dense brilliantly coloured masses in pine forests on the eastern flank of the Lichiang Range. Lat. 27° 20' N. Alt. 9000 to 11,000 ft. July 1906. N.W. Yunnan, China.
2601. *Nepeta Wilsoni*, Duthie. Half shrubby plant of 12 to 18 inches. Flowers deep blue, whole plant aromatic. Open mountain pasture-land on the eastern flank of the Lichiang Range. Lat. 27° 15' N. Alt. 10,500 to 11,500 ft. July 1906. N.W. Yunnan, China.

[Differs from *N. magnifica* by its sessile cordate leaves and simpler inflorescence.]

2602. *Erigeron bellidioides*, Benth., f. *integrifolia*, Franch. Plant of 9 to 15 inches. Ray florets purplish-blue, disc florets golden-yellow. Open, grassy slopes on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 11,000 to 12,000 ft. July 1906. N.W. Yunnan.
2603. *Valeriana Faberi*, Graebner. Plant of 18 to 24 inches. Flowers pink. Shady, grassy situations amongst scrub on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 10,500 to 11,500 ft. July 1906. N.W. Yunnan, China.
2604. *Delphinium Delavayi*, Franch. Plant of 2 to 4 ft. Flowers blue. Moist, shady situations by streams along the base of the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10' N$. Alt. 8500 to 10,000 ft. July 1906. N.W. Yunnan, China.
2605. *Cimicifuga foetida*, Linn. Plant of 3 to 7 ft. Flowers dull greenish-orange. Open situations on the margins of pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 11,000 to 12,000 ft. July 1906. N.W. Yunnan, China.
2606. *Polygonum amplexicaule*, Don. Plant of $1\frac{1}{2}$ to 3 ft. Flowers bright rose-pink. Rocky, shady situations at the base of and on ledges of cliffs in pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 11,000 to 12,000 ft. July 1906. N.W. Yunnan, China.
2607. Fern. Plant of 6 to 8 inches. Rocky, shady situations in pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 10,000 to 12,000 ft. July 1906. N.W. Yunnan, China.
2608. *Astragalus dolichochaete*, Diels. Sp. nov. Procumbent plant of 1 to 2 ft. Flowers pale lemon yellow, tipped purple. Open mountain pasture-land on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 9000 to 11,000 ft. July 1906. N.W. Yunnan, China.
2609. *Fagopyrum cymosum* (Trev.) Meissn. Plant of 3 to 6 ft. Flowers white, anthers red. Rocky, shady situations on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 8500 to 11,000 ft. July 1906. N.W. Yunnan, China.
2610. *Sedum roseum*, Scop., var. (?). Plant of 9 to 16 inches. Flowers greenish-brown. On humus-covered boulders in the beds of mountain streams on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 11,000 to 12,000 ft. July 1906. N.W. Yunnan, China.
2611. *Phytolacca acinosa*, Roxb. Succulent plant of 3 to 4 ft. Flowers greenish-white or pink according to situation. Moist, open, and shady situations along the base of the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10' N$. Alt. 8500 to 9000 ft. July 1906. N.W. Yunnan, China.
2612. *Lythrum Salicaria*, Linn. Plant of $1\frac{1}{2}$ to 3 ft. Flowers magenta-rose. Open, moist situations by streams and ditches on the Lichiang plain. Lat. $27^{\circ} N$. Alt. 8200 to 9000 ft. July 1906. N.W. Yunnan, China.

2613. *Epilobium hirsutum*, Linn. Plant of 2 to 3 ft. Flowers rose-red. Moist, open situations by streams and ditches on the Lichiang plain. Lat. 27° N. Alt. 8200 to 9000 ft. July 1906. N.W. Yunnan, China.
2614. *Mimulus nepalensis*, Benth. Plant of 1 to 2 ft. Flowers orange yellow. Moist, open situations by streams and ditches on the Lichiang plain. Lat. 27° N. Alt. 8200 to 9000 ft. July 1906. N.W. Yunnan, China.
2615. *Lactuca gracilis*, DC. Plant of 9 to 14 inches. Flowers yellow. Moist, open, grassy situations along the base of the eastern flank of the Lichiang Range. Lat. 27° 10' N. Alt. 9000 to 10,000 ft. July 1906. N.W. Yunnan, China.
- 2616.
2617. *Ranunculus hirtellus*, Royle. Plant of 2 to 4 inches. Flowers golden yellow. Shady situations on humus-covered boulders in side valleys on the eastern flank of the Lichiang Range. Lat. 27° 15' N. Alt. 11,000 to 12,000 ft. July 1906. N.W. Yunnan, China.
2618. *Pilea peploides*, Hook. et Arn. Plant of 3 to 5 inches. Flowers whitish-rose, tipped purple. Shady situations on humus-covered boulders in bed of stream on the eastern flank of the Lichiang Range. Lat. 27° 20' N. Alt. 11,000 to 12,000 ft. July 1906. N.W. Yunnan, China.
2619. *Myosotis silvatica*, Hoffm. Plant of 3 to 9 inches. Flowers bright blue. Shady, grassy situations amongst boulders by streams on the eastern flank of the Lichiang Range. Lat. 27° 20' N. Alt. 11,000 to 12,000 ft. July 1906. N.W. Yunnan, China.
2620. *Veronica ciliata*, Fisch. Plant of 9 to 12 inches. Flowers deep blue. Grassy openings in pine forests on the eastern flank of the Lichiang Range. Lat. 27° 15' N. Alt. 11,000 ft. July 1906. N.W. Yunnan, China.
2621. *Saxifraga nutans*, Hook. f. et Thoms. Plant of 6 to 12 inches. Flowers pale canary yellow. Grassy, stony slopes at base of limestone cliffs on the eastern flank of the Lichiang Range. Lat. 27° 21' N. Alt. 11,000 to 12,000 ft. July 1906. N.W. Yunnan, China.
2622. *Arenaria napuligera*, Franch. Tufted plant of 3 to 5 inches. Flowers white, anthers violet. Ledges and crevices of limestone cliffs on the eastern flank of the Lichiang Range. Lat. 27° 25' N. Alt. 11,000 to 12,000 ft. July 1906. N.W. Yunnan, China.
2623. *Meconopsis rudis*, Prain. Plant of 6 to 14 inches. Flowers deep rich blue. On ledges of cliffs and humus-covered boulders in side valleys on the eastern flank of the Lichiang Range. Lat. 27° 20' N. Alt. 11,000 to 12,000 ft. July 1906. N.W. Yunnan, China.
2624. *Lonicera Henryi*, Hemsl. Semi-scandent shrub of 10 to 20 ft. Flowers golden yellow, faintly fragrant. On and amongst scrub in side valleys on the eastern flank of the Lichiang Range. Fruit black. Lat. 27° 15' N. Alt. 9000 to 10,000 ft. July 1906. N.W. Yunnan, China.

2625. *Spiraea Aruncus*, Linn. Plant of 2 to 4 ft. Flowers white, faintly fragrant. Moist, shady situations in mixed forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 10,500 ft. July 1906. N.W. Yunnan, China.
2626. *Arenaria trichophora*, Franch. Plant of 6 to 12 inches. Flowers white, anthers violet. Mountain pasture-land on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 11,000 to 12,000 ft. July 1906. N.W. Yunnan, China.
2627. *Microstylis yunnanensis*, Schltr. Sp. nov. Plant of 3 to 9 inches. Flowers greenish-yellow, faintly fragrant. Mountain meadows on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 11,000 to 12,000 ft. July 1906. N.W. Yunnan, China.
2628. *Pedicularis axillaris*, Franch. Procumbent plant of 1 to 2 ft. Flowers bright rose-red. Moist, shady situations in mixed and pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 10,000 to 11,000 ft. July 1906. N.W. Yunnan, China.
2629. *Pilea umbrosa*, Wedd. Plant of 1 to $2\frac{1}{2}$ ft. Succulent. Flowers ruddy green. Rocky, grassy situations on the borders of mixed thickets on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 10,000 to 11,000 ft. July 1906. N.W. Yunnan, China.
2630. *Meliosma cuneifolia*, Franch. Shrub of 10 to 20 ft. Flowers yellowish-white, strongly fragrant. Open, shady situations amongst scrub in side valleys on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 9000 to 10,500 ft. July 1906. N.W. Yunnan, China.
2631. *Polygonum leptopodum*, Diels. Sp. nov. Plant of 2 to 6 inches. Flowers white. Dry, stony ground at the northern end of the Lichiang plain. Lat. $27^{\circ} 10' N$. Alt. 8500 to 9000 ft. July 1906. N.W. Yunnan, China.
2632. *Hemerocallis fulva*, Linn. Plant of 1 to 2 ft. Flowers orange. Cultivated by the natives of the Lichiang valley. Lat. $27^{\circ} N$. Alt. 8200 ft. July 1906. N.W. Yunnan, China.
2633. *Heracleum candicans*, Wall. Plant of 2 to 4 ft. Flowers dull white. Whole plant has a rank odour. Moist, shady situations in mixed forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' N$. Alt. 9500 to 10,500 ft. July 1906. N.W. Yunnan, China.
2634. *Anemone trullifolia*, Hook. f. et Thoms., var. *campestris*, Diels. Plant of 1 to 2 inches. Flowers white, striped bright green. Stony pasture-land at base of the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 9000 to 10,000 ft. July 1906. N.W. Yunnan, China.
2635. *Veratrum stenophyllum*, Diels. Sp. nov. Plant of 1 to $2\frac{1}{2}$ ft. Flowers green. Mountain meadows on the margins of pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' N$. Alt. 9500 to 11,000 ft. July 1906. N.W. Yunnan, China.

2636. *Syringa yunnanensis*, Franch. Shrub of 2 to 4 ft. Flowers purplish-pink, fragrant. Open, stony mountain meadows on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' N$. Alt. 11,000 to 12,000 ft. July 1906. N.W. Yunnan, China.
2637. *Geranium Pylzowianum*, Maxim. Plant of 3 to 5 inches. Flowers rose-red, veined a shade darker. Open mountain pasture-land on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 30' N$. Alt. 10,500 to 11,500 ft. July 1906. N.W. Yunnan, China.
2638. *Pedicularis Delavayi*, Franch. Plant of 4 to 6 inches. Flowers bright magenta-rose and white. Open mountain pasture-land on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 25' N$. Alt. 11,000 to 12,000 ft. July 1906. N.W. Yunnan, China.
2639. *Anaphalis pterocaulon*, Maxim. Plant of 12 to 16 inches. Flowers white. Dry, open situations amongst scrub on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 9500 to 11,000 ft. July 1906. N.W. Yunnan, China.
2640. *Pedicularis polyphylla*, Franch., var. *pilosa*, Bonati. Pro-cumbent plant of 1 to 2 ft. Flowers magenta-rose. Open, grassy situations amongst scrub on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 10,000 to 11,000 ft. July 1906. N.W. Yunnan, China.
2641. *Triplostegia glandulifera*, Wall. Plant of 6 to 12 inches. Flowers pinkish-white. Damp, shady situations in mixed forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 10,000 to 11,000 ft. July 1906. N.W. Yunnan, China.
2642. *Primula pseudo-sikkimensis*, G. Forrest. Sp. nov. Plant of 12 to 18 inches. Flowers bright canary yellow, fragrant. Crevices and ledges of limestone cliffs on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' N$. Alt. 11,000 to 12,000 ft. July 1906. N.W. Yunnan, China.
2643. *Vicia amoena*, Fisch. Scandent plant of 4 to 6 ft. Flowers pale purple and white. On scrub in shady, moist situations in the Lichiang valley. Lat. $27^{\circ} N$. Alt. 8200 ft. July 1906. N.W. Yunnan, China.
2644. *Potamogeton Tepperi*, A. Benn. Plant of 1 to 3 ft. Flowers green. In ponds and ditches on the Lichiang plain. Lat. $27^{\circ} N$. Alt. 8200 ft. July 1906. N.W. Yunnan, China.
2645. *Cynanchum Bodinieri*, Schltr. Sp. nov. Scandent shrub of 8 to 16 ft. Flowers greenish-yellow. Open situations on scrub on the Lichiang plain. Lat. $27^{\circ} N$. Alt. 8200 ft. July 1906. N.W. Yunnan, China.
2646. *Elatostemma diversifolium* (Wall.), Wedd. Plant of 2 to 5 inches. Flowers greenish-white. On moss-covered boulders in moist, shady situations at the base of the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10' N$. Alt. 8500 to 9000 ft. July 1906. N.W. Yunnan, China.

2647. *Begonia Harrowiana*, Diels. Sp. nov. Plant of 3 to 6 inches. Flowers pink. On moss-covered boulders in moist, shady situations at the base of the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10' N$. Alt. 8500 to 9000 ft. July 1906. N.W. Yunnan, China.
2648. *Polygonum Convolvulus*, Linn. Scandent plant of 1 to 2 ft. Flowers pinkish-green. Dry, stony ground on the borders of cultivation in the Lichiang valley. Lat. $27^{\circ} 10' N$. Alt. 8500 ft. July 1906. N.W. Yunnan, China.
2649. *Pedicularis Alopecuroides*, Franch. Plant of 1 to 2 ft. Flowers canary yellow, upper segment rose. Moist, shady situations amongst grass along the base of the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10' N$. Alt. 8500 to 9000 ft. July 1906. N.W. Yunnan, China.
2650. *Habenaria Orchidis*, Hook. f. Plant of 9 to 14 inches. Flowers white or pale pink, strongly fragrant. Grassy openings in pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 11,000 to 12,000 ft. July 1906. N.W. Yunnan, China.
2651. *Indigofera leptosepala*, Diels. Sp. nov. Dwarf shrub of 1 to 2 ft. Flowers pale rose. Dry, open situations amongst scrub on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 10,000 to 11,000 ft. July 1906. N.W. Yunnan, China.
2652. *Neottia grandiflora*, Schltr. Sp. nov. Plant of 9 to 14 inches. Perianth fleshy, segments rich olive green bordered by a lighter shade. Damp, shady situations in mixed forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' N$. Alt. 10,000 to 10,500 ft. August 1906. N.W. Yunnan, China.
2653. *Adenophora Bulleyana*, Diels. Sp. nov. Plant of 2 to 4 ft. Flowers pale blue. Damp, open situations in scrub on banks of streams, on low hills forming eastern boundary of the Lichiang valley. Lat. $27^{\circ} 12' N$. Alt. 9000 to 10,000 ft. August 1906. N.W. Yunnan, China.
2654. *Erigeron mitratus*, Benth., var. *platyphyllus*, Franch. Plant of 1 to 2 ft. Ray florets dark bluish-purple, disc florets yellow. Open mountain pasture-land on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 10,000 to 11,000 ft. August 1902. N.W. Yunnan, China.
2655. *Primula Littoniana*, G. Forrest. Sp. nov. Open mountain meadows on the range forming the eastern boundary of the Lichiang valley. Lat. $27^{\circ} 12' N$. Alt. 10,000 to 11,000 ft. August 1906. N.W. Yunnan, China.
2656. *Impatiens desmantha*, Hook. f. Plant of 1 to 3 ft. Flowers orange yellow. Damp, rocky situations in beds of mountain streams on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' N$. Alt. 9500 to 11,000 ft. August 1906. N.W. Yunnan, China.

2657. *Nepeta tenuiflora*, Diels. Sp. nov. Plant of 1 to 3 ft. Flowers blue; whole plant strongly aromatic. Open, grassy situations in and on the margins of pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' N$. Alt. 9500 to 11,000 ft. August 1906. N.W. Yunnan, China.
2658. *Senecio lapathifolius*, Franch. Plant of 2 to 5 ft. Flowers bright orange, ray and disc similar, faintly fragrant. Open, shrubby, dry situations in pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 9000 to 10,000 ft. August 1906. N.W. Yunnan, China.
2659. *Aster oreophilus*, Franch. Plant of 1 to 2 ft. Flowers, ray florets blue or pink, disc florets yellow. Rocky mountain pasture on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' N$. Alt. 9500 to 10,500 ft. August 1906. N.W. Yunnan, China.
2660. *Delphinium ceratophorum*, Franch. Plant of 6 to 10 inches. Flowers light blue with darker markings. Grassy openings in pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 25' N$. Alt. 10,000 to 11,000 ft. August 1906. N.W. Yunnan, China.
2661. *Adenophora megalantha*, Diels. Sp. nov. Plant of $1\frac{1}{2}$ to 2 ft. Flowers deep rich blue. Crevices and ledges of cliffs in pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 10,000 to 11,000 ft. August 1906. N.W. Yunnan, China.
2662. *Silene tenuis*, Willd., var. *rubescens*, Franch. Plant of 10 to 14 inches. Flowers pale rose-lavender. Amongst grass in open, rocky situations on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' N$. Alt. 10,000 to 11,000 ft. August 1906. N.W. Yunnan, China.
2663. *Doronicum yunnanense*, Franch. Plant of 3 to $4\frac{1}{2}$ ft. Flowers greenish-yellow. Ray and disc florets similar. Amongst patches of scrub and cane on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 10,000 to 11,500 ft. August 1906. N.W. Yunnan, China.
2664. *Saussurea grosseserrata*, Franch. Tufted plant of 6 to 9 inches. Flowers reddish-purple. In and on the margins of pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 10,000 to 11,000 ft. August 1906. N.W. Yunnan, China.
2665. *Cremanthodium rhodocephalum*, Diels. Sp. nov. Plant of 3 to 9 inches. Ray florets grey-pink, veined a darker shade, disc florets deep crimson-rose, faintly fragrant. In moist crevices of limestone cliffs on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' N$. Alt. 11,000 to 12,000 ft. August 1906. N.W. Yunnan, China.
2666. *Nepeta lamiopsis*, Benth. Plant of 1 to $2\frac{1}{2}$ ft. Flowers bright blue. Grassy, rocky slopes on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' N$. Alt. 11,000 to 12,000 ft. August 1906. N.W. Yunnan, China.

[The plant has shorter and more rounded leaves than most Himalayan specimens, and the flowers are smaller. All essential characters, however, seem to be the same.]

2667. *Pedicularis recurva*, Maxim., var. *polyantha*, Bonati. Plant of 12 to 18 inches. Flowers deep crimson, apex of upper lobe white, spotted crimson. Open, shady situations at the base of cliffs on the eastern flank of the Lichiang Range. Lat. 27° 20' N. Alt. 11,000 to 12,000 ft. August 1906. N.W. Yunnan, China.
2668. *Pedicularis densispica*, Franch. Plant of 1 to 2 ft. Flowers deep rose and pink. Grassy, rocky slopes on the eastern flank of the Lichiang Range. Lat. 27° 20' N. Alt. 10,500 to 12,000 ft. August 1906. N.W. Yunnan, China.
2669. *Omphalodes Forrestii*, Diels. Sp. nov. Plant of 6 to 12 inches. Shady situations amongst grass at the base of cliffs on the eastern flank of the Lichiang Range. Lat. 27° 20' N. Alt. 11,000 ft. August 1906. N.W. Yunnan, China.
2670. *Polygonum cyanandrum*, Diels. Procumbent plant of 6 to 12 inches. Flowers greenish-white, tipped pink. Moist, grassy situations on the eastern flank of the Lichiang Range. Lat. 27° 20' N. Alt. 10,000 to 11,000 ft. August 1906. N.W. Yunnan, China.
2671. *Potentilla Delavayi*, Franch. Plant of 8 to 12 inches. Flowers deep rich yellow. Open, grassy situations on the eastern flank of the Lichiang Range. Lat. 27° 15' N. Alt. 10,500 to 11,500 ft. August 1906. N.W. Yunnan, China.
2672. *Silene Stewartiana*, Diels. Sp. nov. Plant of 9 to 16 inches. Flowers pale lavender. Open, grassy slopes on the eastern flank of the Lichiang Range. Lat. 27° 20' N. Alt. 10,500 to 12,000 ft. August 1906. N.W. Yunnan, China.
2673. *Pimpinella coriacea*, Franch. Plant of 1 to 2 ft. Flowers greenish-yellow. Grassy openings in pine forests on the eastern flank of the Lichiang Range. Lat. 27° 20' N. Alt. 10,000 to 12,000 ft. August 1906. N.W. Yunnan, China.
2674. *Codonopsis meleagris*, Diels. Sp. nov. Plant of 1 to 1½ ft. Flowers greenish-yellow, veined and marked livid purplish-lake, pendulous. Grassy openings in pine forests and on rocky slopes on the eastern flank of the Lichiang Range. Lat. 27° 20' N. Alt. 11,000 to 12,000 ft. August 1906. N.W. Yunnan, China.
2675. *Lactuca grandiflora*, Franch. Plant of 1 to 3 ft. Flowers bright grey-blue. Moist mountain meadows and on the margins of pine forests on the eastern flank of the Lichiang Range. Lat. 27° 15' N. Alt. 10,500 to 12,000 ft. August 1906. N.W. Yunnan, China.
2676. *Polygonum campanulatum*, Hook. f. Semi-procumbent plant of 1 to 2 ft. Flowers bright rose-red and pink. Grassy openings in pine forests on the eastern flank of the Lichiang Range. Lat. 27° 20' N. Alt. 11,000 to 12,000 ft. August 1906. N.W. Yunnan, China.

2677. *Habenaria Delavayi*, Finet. Plant of 6 to 12 inches. Flowers, upper segment of perianth deep green, the remainder almost white, faintly fragrant. Dry, barren pasture-land at the base of the eastern flank of the Lichiang Range. Lat. 27° 20' N. Alt. 8500 to 9000 ft. August 1906. N.W. Yunnan, China.
2678. *Dipsacus chinensis*, Batal. Plant of 2 to 4 ft. Flowers creamy yellow, anthers black-violet. Dry, stony situations along the base of the eastern flank of the Lichiang Range. Lat. 27° 20' N. Alt. 8500 to 9000 ft. August 1906. N.W. Yunnan, China.
[The leaflets are narrower and more deeply toothed than in the type specimen from Szechuan.]
2679. *Calorhabdos sutchuenensis*, Franch. Plant of 20 to 24 inches. Flowers greenish-yellow. Amongst scrub at base of cliffs on the eastern flank of the Lichiang Range. Lat. 27° 20' N. Alt. 10,000 to 11,000 ft. August 1906. N.W. Yunnan, China.
2680. *Carpesium trachelifolium*, Less. Plant of 1½ to 2½ ft. Flowers dull orange. Amongst scrub in and on the margins of pine forests on the eastern flank of the Lichiang Range. Lat. 27° 20' N. Alt. 10,000 to 11,000 ft. August 1906. N.W. Yunnan, China.
2681. *Elsholtzia Souliei*, Léveillé. Shrub of 6 to 10 ft. Flowers pale creamy colour, aromatic. Shady, grassy situations in and on the margins of pine forests on the eastern flank of the Lichiang Range. Lat. 27° 20' N. Alt. 9000 to 11,000 ft. August 1906. N.W. Yunnan, China.
2682. *Stellaria yunnanensis*, Franch. Plant of 1 to 3 ft. Flowers white. Dry, stony situations amongst scrub on the eastern flank of the Lichiang Range. Lat. 27° 20' N. Alt. 9500 to 11,000 ft. August 1906. N.W. Yunnan, China.
2683. *Triplostegia glandulifera*, Wall. Plant of 9 to 18 inches. Flowers pinkish-white. Moist, shady situations in mixed forests on the eastern flank of the Lichiang Range. Lat. 27° 20' N. Alt. 10,000 to 11,000 ft. August 1906. N.W. Yunnan, China.
[This grows also in Western Szechuan near Tongolo, Soulié, No. 2628.]
2684. *Pimpinella taeniophylla*, de Boissieu. Plant of 1 to 2 ft. Flowers deep crimson. Moist, shady situations in mixed forests on the eastern flank of the Lichiang Range. Lat. 27° 20' N. Alt. 10,000 to 11,000 ft. August 1906. N.W. Yunnan, China.
2685. *Morina Delavayi*, Franch. Plant of 9 to 12 inches. Flowers pure white, fragrant. Grassy openings in pine forests on the eastern flank of the Lichiang Range. Lat. 27° 20' N. Alt. 10,000 to 11,000 ft. August 1906. N.W. Yunnan, China.
2686. *Parnassia mysorensis*, Heyne. Plant of 4 to 6 inches. Flowers pure white. Grassy, shady openings in pine forests on the eastern flank of the Lichiang Range. Lat. 27° 20' N. Alt. 11,000 ft. August 1906. N.W. Yunnan, China.

2687. *Roscoea capitata*, Sm., var. *purpurata*, Gagnep. Plant of 9 to 18 inches. Flowers deep rich purple. Dry, stony situations amongst scrub on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20'$ N. Alt. 10,000 to 11,000 ft. August 1906. N.W. Yunnan, China.
2688. *Fimbristylis diphylla*, Vahl vel aff. Plant of 6 to 9 inches. Dry, stony situations amongst scrub on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20'$ N. Alt. 9000 to 10,500 ft. August 1906. N.W. Yunnan, China.
2689. *Didissandra amabilis*, Diels. Sp. nov. Plant of 6 to 9 inches. Flowers light yellow, spotted purple. Moist, moss-covered ledges and crevices of cliffs on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 25'$ N. Alt. 10,000 to 11,000 ft. August 1906. N.W. Yunnan, China.
2690. *Campsis grandiflora* (Thunb.), K. Schum. Semi-scandent plant of 4 to 8 ft. Corolla bright yellowish-carmine, thick and softly fleshy. Moist, shady situations by banks of streams in mixed forests in the Lichiang valley. Lat. $26^{\circ} 50'$ N. Alt. 8500 to 9000 ft. August 1906. N.W. Yunnan, China.
2691. *Cyanotis barbata*, Don. Semi-procumbent plant of 3 to 6 inches. Flowers bright blue. Amongst grass in dry, stony situations along the base of the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20'$ N. Alt. 9000 ft. August 1906. N.W. Yunnan, China.
2692. *Lilium papilliferum*, Franch. Plant of $1\frac{1}{2}$ to 3 ft. Flowers purplish-yellow, spotted and marked crimson, faintly fragrant. Dry, shady situations in pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20'$ N. Alt. 9000 to 10,500 ft. August 1906. N.W. Yunnan, China.
2693. *Adenocaulon bicolor*, Hook. Plant of $1\frac{1}{2}$ to 2 ft. Flowers white. Damp, shady situations in mixed forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20'$ N. Alt. 10,000 to 11,000 ft. August 1906. N.W. Yunnan, China.
2694. *Delphinium Bulleyanum*, G. Forrest. Sp. nov. Plant of $2\frac{1}{2}$ to $4\frac{1}{2}$ ft. Flowers deep rich blue. Moist, rocky situations amongst scrub on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20'$ N. Alt. 11,000 to 12,000 ft. August 1906. N.W. Yunnan, China.
2695. *Senecio* sp. aff. *mosoynensis*, Franch. Plant of $1\frac{1}{2}$ to 2 ft. Flowers bright orange, faintly fragrant. Damp, shady pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20'$ N. Alt. 11,000 to 12,000 ft. August 1906. N.W. Yunnan, China.
2696. *Saxifraga hispidula*, D. Don, var. *Doniana*, Engl. Plant of 3 to 6 inches. Flowers orange yellow. Moss-covered rocks and grassy slopes on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12'$ N. Alt. 11,000 to 12,000 ft. August 1906. N.W. Yunnan, China.

2697. *Mucuna montana*, Diels. Sp. nov. Weakly scandent plant of $1\frac{1}{2}$ to 5 ft. Corolla fleshy, pink and carmine. Dry, stony situations amongst scrub on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20'$ N. Alt. 9000 to 10,000 ft. July 1906. N.W. Yunnan, China.
2698. *Chlorophytum platystemon*, Diels. Sp. nov. Plant of 9 to 12 inches. Perianth white with a line of yellow up the centre of each segment, stamens orange. Dry, stony slopes on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15'$ N. Alt. 10,000 to 11,000 ft. July 1906. N.W. Yunnan, China.
2699. *Aster hispidus*, Thunb. Plant of 16 to 24 inches. Ray florets white or very pale blue, disc florets yellow. Dry, stony pasture-land at base of the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10'$ N. Alt. 8500 to 9000 ft. August 1906. N.W. Yunnan, China.
2700. *Ajuga campylantha*, Diels. Sp. nov. Semi-procumbent plant of 3 to 9 inches. Corolla white, veined purplish-black. Dry, stony pasture-land on the northern end of the Lichiang plain. Lat. 27° N. Alt. 8500 ft. August 1906. N.W. Yunnan, China.
2701. *Hypericum elodeoides*, Choisy. Plant of 3 to 5 inches. Flowers pale yellow. Dry, stony pasture-land on the Lichiang plain. Lat. 27° N. Alt. 8500 ft. August 1906. N.W. Yunnan, China.
2702. *Impatiens Delavayi*, Franch. Plant of 1 to $4\frac{1}{2}$ ft. Spur and basal portion of corolla purplish-lake, upper half, towards apex, rich golden yellow. Stony, moist situations in and on the margins of pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20'$ N. Alt. 9000 to 11,000 ft. August 1906. Yunnan, W. China.
2703. *Pedicularis Forrestiana*, Bonati. Sp. nov. Plant of 6 to 9 inches. Flowers bright rose-red. Dry, open situations on limestone drift at base of cliffs on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 25'$ N. Alt. 11,000 to 12,000 ft. Aug. 1906. N.W. Yunnan, China.
2704. *Habenaria Aitchisoni*, Rehb. f. Plant of 6 to 9 inches. Flowers green, fleshy, fragrant. Ledges and crevices of moist cliffs, and on limestone drift on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 25'$ N. Alt. 11,000 to 12,000 ft.
2705. *Valeriana stenoptera*, Diels. Sp. nov. Plant of 6 to 18 inches. Flowers pinkish-white. Ledges and crevices of cliffs, and on limestone drift on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 25'$ N. Alt. 11,000 to 12,000 ft. August 1906. N.W. Yunnan, China.
2706. *Agrimonia pilosa*, Ledeb. Plant of $1\frac{1}{2}$ to $2\frac{1}{2}$ ft. Flowers yellow. Shady and open situations along the base of the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15'$ N. Alt. 8500 to 9000 ft. August 1906. N.W. Yunnan, China.

2707. *Saussurea semilyrata*, Franch. Plant of 1 to 1½ ft. Flowers deep crimson-purple. Grassy openings in pine forests on the eastern flank of the Lichiang Range. Lat. 27° 20' N. Alt. 10,000 to 11,000 ft. August 1906. N.W. Yunnan, China.
2708. *Crepis paleacea*, Diels. Sp. nov. Plant of 1 to 2 ft. Flowers orange. Open, grassy situations on the margins of pine forests on the eastern flank of the Lichiang Range. Lat. 27° 20' N. Alt. 9000 to 11,000 ft. August 1906. N.W. Yunnan, China.
2709. *Pleurospermum foetens*, Franch. Dwarf plant of 4 to 6 inches. Petals pinkish-green, gynoeceum dark green, bracts veined green with scarious margins, whole plant has a most foul odour. Crevices and ledges of cliffs on the eastern flank of the Lichiang Range. Lat. 27° 25' N. Alt. 11,000 to 12,000 ft. August 1906. N.W. Yunnan, China.
2710. *Stellaria trichophora*, Franch. Plant of 9 to 15 inches. Flowers white. Mountain meadows and by streams on the eastern flank of the Lichiang Range. Lat. 27° 25' N. Alt. 10,000 to 12,000 ft. August 1906. N.W. Yunnan, China.
2711. *Silene yunnanensis*, Franch., var. Plant of 6 to 12 inches. Flowers bright red. Open situations on limestone drift in pine forests on the eastern flank of the Lichiang Range. Lat. 27° 25' N. Alt. 11,000 to 12,000 ft. August 1906. N.W. Yunnan, China.
2712. *Ligusticum brachylobum*, Franch. Plant of 1½ to 2 ft. Flowers white, malodorous. Open situations in mixed forests on the eastern flank of the Lichiang Range. Lat. 27° 25' N. Alt. 9000 to 10,500 ft. August 1906. N.W. Yunnan, China.
2713. *Leptodermis pilosa* (Franch.), Diels. Much-branched shrub of 5 to 8 ft. Flowers lavender, drying black. Open, dry, and moist situations on the Lichiang plain, along the base of the Lichiang Range. Lat. 27° N. Alt. 8500 to 9000 ft. August 1906. N.W. Yunnan, China.
2714. *Parnassia Wightiana*, Wall. Plant of 4 to 8 inches. Flowers yellowish-white. Open, grassy situations in pine forests on the eastern flank of the Lichiang Range. Lat. 27° 12' N. Alt. 10,000 to 11,000 ft. August 1906. N.W. Yunnan, China.
2715. *Clematis Gouriana*, Roxb. Scandent shrub of 8 to 20 ft. Flowers pale creamy yellow, faintly fragrant. On scrub in open situations at the north end of the Lichiang valley. Lat. 27° 12' N. Alt. 8500 to 9000 ft. August 1906. N.W. Yunnan, China.
2716. *Lilium taliense*, Franch. Plant of 4 to 8 ft. Flowers pure waxy white, spotted purplish-lake, fragrant. Open, shady situations in mixed forests on the eastern flank of the Lichiang Range. Lat. 27° 20' N. Alt. 10,000 to 11,000 ft. August 1906. N.W. Yunnan, China.

2717. *Lespedeza hirtella*, Franch. Small under-shrub of 2 to 4 ft. Flowers deep rose. Dry, shady situations amongst scrub on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 9000 to 10,500 ft. August 1906. N.W. Yunnan, China.
2718. *Adenophora coelestis*, Diels. Sp. nov. Plant of 1 to $1\frac{1}{2}$ ft. Flowers bright blue. Crevices and ledges of limestone cliffs on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 10,000 to 11,000 ft. August 1906. N.W. Yunnan, China.
2719. *Silene Delavayi*, Franch. Plant of 8 to 12 inches. Ledges and crevices of cliffs, and on humus-covered boulders on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. N.W. Yunnan, China.
2720. *Bauhinia densiflora*, Franch. Shrub of 2 to 5 ft. Flowers white. Dry, shady, and open situations along the base of the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 9000 to 10,000 ft. August 1906. N.W. Yunnan, China.
2721. *Gynura pinnatifida*, DC. Erect plant of 2 to 5 ft. Flowers deep orange. Open, dry, shady situations on the low foothills at the south end of the Lichiang Range. Lat. $27^{\circ} N$. Alt. 9000 to 10,000 ft. August 1906. N.W. Yunnan, China.
2722. *Polygala arillata*, Ham. Branched shrub of 6 to 9 ft. Flowers brownish-yellow. Open, dry situations on low foothills at the southern extremity of the Lichiang Range. Lat. $26^{\circ} 50' N$. Alt. 9000 to 10,000 ft. July 1906. N.W. Yunnan, China.
2723. *Potentilla fruticosa*, Linn. Dwarf shrub of 2 to 3 ft. Flowers pale yellow, almost white. Open, rocky slopes on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 11,000 to 12,000 ft. August 1906. N.W. Yunnan, China.
2724. *Cremanthodium nobile* (Franch.), Diels. Comb. nov. Plant of 6 to 9 inches. Flowers golden yellow. Strongly fragrant with the lasting odour of attar of roses. Open, grassy mountain slopes at the base of limestone cliffs on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 25' N$. Alt. 12,000 to 13,000 ft. July 1906. N.W. Yunnan, China.
2725. *Pedicularis gruinna*, Franch. Plant of 6 to 9 inches. Flowers dull crimson. Rocky, grassy situations amongst scrub on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 10,000 to 10,500 ft. August 1906. N.W. Yunnan, China.
2726. *Cyananthus formosus*, Diels. Sp. nov. Plant of 4 to 6 inches. Flowers deep rich blue. Open situations on limestone drift on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' N$. Alt. 11,000 to 12,000 ft. August 1906. N.W. Yunnan, China.
2727. *Potentilla eriocarpa*, Wall. Dwarf, shrubby plant of 4 to 8 inches. Flowers golden yellow. Open situations in crevices and on ledges of cliffs on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 10,500 to 11,000 ft. August 1906. N.W. Yunnan, China.

2728. *Corydalis cheirifolia*, Franch. Plant of 3 to 12 inches. Flowers pale blue with darker markings. Stony, shady situations on the margins of pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 25' N$. Alt. 10,000 to 11,000 ft. August 1906. N.W. Yunnan, China.
2729. *Campanula crenulata*, Franch. Plant of 3 to 10 inches. Flowers deep rich indigo blue, drying pure white. Open situations on limestone drift on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 11,000 ft. August 1906. N.W. Yunnan, China.
2730. *Dracocephalum bullatum*, G. Forrest. Sp. nov. Plant of 3 to 7 inches. Flowers bright blue, lower lobe of corolla minutely marked a deeper shade. Open situations on limestone drift at base of cliffs on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 25' N$. Alt. 11,000 ft. August 1906. N.W. Yunnan, China.
2731. *Codonopsis Bulleyana*, Diels. Sp. nov. Plant of 9 to 15 inches. Root fleshy. Flowers pale, watery, turquoise blue netted minutely a deeper shade. Whole plant has an extremely rank odour. Open, grassy slopes on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 11,000 to 12,000 ft. July 1906. N.W. Yunnan, China.
2732. *Codonopsis convolvulacea*, Kurz. Scandent plant of 1 to 3 ft. Flowers bright blue with a blotch of purplish-maroon at base. Open, grassy, or scrubby situations in mixed or pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 9000 to 10,000 ft. August 1906. N.W. Yunnan, China.
[The affinity of this species wants further observation. Chipp considers widely different forms as belonging to it, but I think, e.g. *C. tibetica*, Prain ms. in Herb. Kew., as well as *C. vinciflora*, Komarow, are quite different species.]
2733. *Campanula fulgens*, Wall. Plant of 1 to 2 ft. Flowers pale blue. Open, moist situations by sides of streams, base of the eastern flank of the Lichiang Range. Lat. $27^{\circ} 10' N$. Alt. 8500 to 9500 ft. August 1906. N.W. Yunnan, China.
2734. *Spenceria ramalana*, Trim. Plant of 1 to 2 ft. Flowers orange yellow. Dry, open, barren pasture-land at the north end of the Lichiang valley. Lat. $27^{\circ} 12' N$. Alt. 8500 to 9000 ft. August 1906. N.W. Yunnan, China.
2735. *Saussurea villosa*, Franch. Plant of 8 to 12 inches. Flowers deep purplish-red, fragrant. Open, grassy slopes on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 11,000 to 12,000 ft. August 1906. N.W. Yunnan, China.
2736. *Cremanthodium Decaisnei*, C. B. Clarke. Plant of 6 to 12 inches. Ray florets bright brassy yellow, disc florets orange yellow, faintly fragrant. Ledges and crevices of cliffs, and on limestone drift on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 11,000 to 12,000 ft. August 1906. N.W. Yunnan, China.

2737. *Hosta coerulea* (Andr.), Tratt. Plant of 1 to 2½ ft. Flowers rich purplish-blue. In cultivation in the Lichiang valley and said to be indigenous to the Lichiang Range. Lat. 27° N. Alt. 8500 to 9000 ft. August 1906. N.W. Yunnan, China.
2738. *Androsace erecta*, Maxim. Plant of 6 to 9 inches. Flowers white or pink. Dry, barren, rocky pasture-land at the base of the eastern flank of the Lichiang Range. Lat. 27° 10' N. Alt. 8500 to 9000 ft. August 1906. N.W. Yunnan, China.
2739. *Habenaria Aitchisoni*, Rechb. f. Plant of 6 to 9 inches. Flowers green, fragrant. Mountain meadows on the eastern flank of the Lichiang Range. Lat. 27° 15' N. Alt. 10,000 to 11,000 ft. August 1906. N.W. Yunnan, China.
2740. *Rumex acetosa*, Linn. Plant of 2 to 3 ft. Flowers ruddy green. Moist, shady situations by streams on the north end of the Lichiang plain. Lat. 27° 10' N. Alt. 8500 to 9000 ft. August 1906. N.W. Yunnan, China.
2741. *Anaphalis cuneifolia*, Hook. f. Plant of 6 to 12 inches. Flowers pure white. Dry, open mountain pasture-land on the eastern flank of the Lichiang Range. Lat. 27° 12' N. Alt. 10,500 to 12,000 ft. August 1906. N.W. Yunnan, China.
2742. *Drosera peltata*, Sm. Plant of 3 to 8 inches. Flowers pure white. Barren, rocky pasture-land along the base of the eastern flank of the Lichiang Range. Lat. 27° 15' N. Alt. 8500 to 9000 ft. August 1906. N.W. Yunnan, China.
2743. *Rheum Delavayi*, Franch. Plant of 9 to 12 inches. Flowers ruddy green. On humus-covered boulders in the beds of mountain streams on the eastern flank of the Lichiang Range. Lat. 27° 15' N. Alt. 11,000 to 12,000 ft. July 1906. N.W. Yunnan, China.
2744. *Hedysarum sikkimense*, Benth. Plant of 4 to 8 inches. Flowers deep violet-purple. Open, grassy mountain slopes on the eastern flank of the Lichiang Range. Lat. 27° 30' N. Alt. 10,000 to 11,000 ft. July 1906. N.W. Yunnan, China.
2745. *Astragalus camptodontus*, Franch. Plant of 9 to 15 inches. Flowers bright blue. Grassy slopes at base of cliffs on the eastern flank of the Lichiang Range. Lat. 27° 20' N. Alt. 11,000 to 12,000 ft. July 1906. N.W. Yunnan, China.
2746. *Habenaria glaucifolia*, Bur. et Franch. Plant of 1 to 1½ ft. Flowers green. Root with an odour similar to valerian. Dry, open situations in pine forests at the north end of the Lichiang valley. Lat. 27° 20' N. Alt. 9000 to 10,000 ft. July 1906. N.W. Yunnan, China.
2747. *Lloydia yunnanensis*, Franch. Plant of 3 to 5 inches. Flowers white, exterior streaked greenish-brown. Forming clumps in crevices of cliffs on the eastern flank of the Lichiang Range. Lat. 27° 20' N. Alt. 9000 to 11,000 ft. July 1906. N.W. Yunnan, China.

2748. *Carpesium nepalense*, Less. Plant of 1 to 2 ft. Flowers dull greenish-orange. Grassy situations in pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 12' N$. Alt. 9000 to 10,500 ft. July 1906. N.W. Yunnan, China.
2749. *Saxifraga filicaulis*, Wall. Procumbent plant of 6 to 9 inches. Flowers golden yellow. Dry ledges and crevices of cliffs on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 9000 to 12,000 ft. July 1906. N.W. Yunnan, China.
2750. *Astragalus yunnanensis*, Franch. Plant of 6 to 8 inches. Flowers bright orange yellow, faintly fragrant. Crevices and ledges of cliffs on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 25' N$. Alt. 11,000 ft. August 1906. N.W. Yunnan, China.
2751. *Cremanthodium campanulatum* (Franch.), Diels. Plant of 6 to 9 inches. Ray florets dull purple, disc florets similar but of a deeper shade, fragrant. Crevices and ledges of cliffs on the eastern flank of the Lichiang Range. Lat. $26^{\circ} 15' N$. Alt. 11,000 to 12,000 ft. August 1906. N.W. Yunnan, China.
- [Franchet's diagnosis has "flores lutei," whereas Forrest describes them as purple.]
2752. *Heracleum scabridum*, Franch. Plant of 1 to 2 ft. Flowers greenish-white. Boggy pasture at the north end of the Lichiang valley. Lat. $27^{\circ} 15' N$. Alt. 8500 to 9000 ft. August 1906. N.W. Yunnan, China.
2753. *Rubia podantha*, Diels. Sp. nov. Plant of 1 to 3 ft. Flowers reddish-purple. Moist, shady situations amongst scrub on and at the base of cliffs on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' N$. Alt. 9000 to 10,500 ft. August 1906. N.W. Yunnan, China.
2754. *Circaea cordata*, Royle. Plant of 1 to 2 ft. Flowers greenish-white. Moist, shady situations on the margins of pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' N$. Alt. 10,000 to 11,000 ft. August 1906. N.W. Yunnan, China.
2755. *Triplostegia Delavayi*, Franch. Plant of 1 to $2\frac{1}{2}$ ft. Root tuberous. Flowers whitish-rose. Open, grassy situations on the margins of pine forests on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Alt. 10,000 to 11,000 ft. August 1906. N.W. Yunnan, China.
2756. *Saxifraga Balfourii*, Engl. et Irmscher. Sp. nov. Plant of 3 to 10 inches. Flowers orange yellow, anthers red. Crevices of cliffs and boulders on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' N$. Alt. 11,000 to 12,000 ft. August 1906. N.W. Yunnan, China.
2757. *Saxifraga macrostigma*, Franch., var. *hypericoides* (Franch. pro spec.), Engl. et Irmscher, subvar. *macrantha*, E. et I. Plant of 4 to 9 inches. Flowers orange, anthers same. Forming cushions on ledges and in crevices of cliffs on the eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' N$. Alt. 11,000 to 12,000 ft. August 1906. N.W. Yunnan, China.