

# CATALOGUE

## of the

### SPECIES ARRANGED IN ALPHABETICAL ORDER.

The numbers after the names are Mr. Forrest's field numbers, as cited  
in the preceding numerical catalogue.

#### Abelia

Forrestii, Diels, in error, *see* LINNAEA FORRESTII. No. 867.

#### Abies

Delavayi, Franch., in Journ. de Bot., xiii (1899), 255. No. 4606.

#### Abutilon

sinense, Oliv., in Hook. Ic. Pl., xviii (1888), t. 1750. Nos. 424, 5026.

#### Acer

Davidi, Franch., in Nouv. Arch. Mus. Hist. Nat. Par. sér. 2, viii (1885), 212. Nos. 428, 2126, 2914.

Forrestii, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 165. Nos. 2106, 2292.

laetum, C. A. Mey., var. cultratum (Wall.), Pax, in Engl. Pflanzenr., Aceraceae, 1902, 48. Nos. 95, 485, 2273.

#### Achillea

setacea, Waldst. et Kit., Pl. Rar. Hung., i (1802), 68. Nos. 902, 4067.

#### Achyranthes

bidentata, Bl., Bijdr. (1825-6), 545. No. 4749.

#### Aconitum

acaule (Finet et Gagnep.), Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 270. Nos. 280, 3089, 4691.

brachypodium, Diels, l.c. 268. No. 3044.

brevicalcaratum (Fin. et Gagnep. sub tit. var.), Diels, l.c. 267. No. 2777.

Bulleyanum, Diels, l.c. 267. No. 4372.

contortum, Finet et Gagnep., in Bull. Soc. Bot. Fr., li (1904), 506. No. 4370.

Delavayi, Franch., l.c. xxxiii (1886), 381. No. 4371.

Delavayi, Franch., var. leiocarpum, Fin. et Gagnep., l.c. li (1904), 507. No. 984.

jucundum, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 266. No. 4369.

**Aconitum**—*continued*.

- Souliei, Finet et Gagnep., in Bull. Soc. Bot. Fr., li (1904), 515.  
 No. 270.  
 transsectum, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 268.  
 No. 2868.  
 venatorium, Diels, l.c. 269. Nos. 826, 883, 1101.  
 volubile, Pall., in Willd. Sp. Pl., ii (1799), 1237. No. 2865.  
 sp. No. 290.

**Acorus**

- Calamus, Linn., Sp. Pl. ed. 1 (1753), 324. No. 2778.

**Acroglochin**

- chenopodioides, Schrad., Cat. Hort. Goett. (1824). No. 518.

**Adenocaulon**

- bicolor, Hook., Bot. Misc., i (1830), 19. No. 2693.

**Adenophora**

- Bulleyana, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 175.  
 No. 2653.  
 coelestis, Diels, l.c. 173. Nos. 2718, 2810.  
 diplodonta, Diels, l.c. 175. Nos. 396, 1066, 2986.  
 Forrestii, Diels, l.c. 174. No. 394.  
 leptosepala, Diels, l.c. 175. Nos. 3857, 3858.  
 leptosepala, Diels vel aff. No. 3859.  
 megalantha, Diels, l.c. 175. No. 2661.  
 ornata, Diels, l.c. 174. Nos. 2801, 3861, 3862.  
 pachyrhiza, Diels, l.c. 176. No. 3860.  
 sp. No. 395.

**Adenosacme**

- longifolia, Wall., var. sinensis, Hemsl., in Journ. Linn. Soc., xxiii (1888), 379. No. 1044.

**Adiantum**

- sp. Nos. 274, 4935.

**Adonis**

- brevistyla, Franch., in Bull. Soc. Bot. Fr., xxxiii (1886), 372. No. 2506.

**Aerua**

- glabrata, Hook. f., Fl. Brit. Ind., iv (1885), 728. No. 873.

**Agapetes**

- Bulleyana, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 294.  
 No. 1069.  
 yunnanensis, Franch., in Journ. de Bot., ix (1895), 366. No. 4189.

**Agrimonia**

- pilosa, Ledeb., Ind. Hort. Dorp. Suppl. (1823), 1. Nos. 2706, 4426.

**Agrostis**

- sp. Nos. 2539, 2878, 4914.

**Ainsliaea**

- Henryi, Diels, in Engl. Jahrb., xxix (1900), 628. No. 4052.  
 pteryoides, Franch.,  $\gamma$  albo-tomentosa, Beauv., in Bull. Soc. Bot. Genève, 2<sup>me</sup> sér. I (1909), 384. No. 128.  
 pteryoides, Franch.,  $\alpha$  typica, f. sparsiflora (Vani.), Beauv., l.c. 384. No. 1.  
 pteropoda, DC., Prodr., vii (1838), 14. Nos. 60, 2939, 4051.  
 pteropoda, DC., var. obovata, Franch., in Journ. de Bot., ii (1888), 69. No. 810.  
 yunnanensis, Franch., in Journ. de Bot., ii (1888), 70. Nos. 643, 2993.

**Ajuga**

- campylantha, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 243. No. 2700.  
 decumbens, Thunb., Fl. Jap. (1784), 243. No. 4525.  
 Forrestii, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 242. No. 2133.  
 lupulina, Maxim., var. major, Diels, l.c. 243. No. 2448.  
 macrosperma, Wall. ex Benth., in Wall. Pl. As. Rar., i (1829), 58. No. 596.  
 remota, Benth., l.c. 59. No. 4524.

**Albizzia**

- Julibrissin, Dur., var. mollis, Benth., in Hook. f. Fl. Brit. Ind., ii (1879), 300. No. 4239.

**Alectra**

- indica, Benth., in DC. Prodr., x (1846), 339. Nos. 828, 931.

**Aletris**

- Delavayi, Franch., in Journ. de Bot., v (1891), 157 (name only), et x (1896), 198. No. 4824.  
 lanuginosa, Bur. et Franch., l.c., v (1891), 155, et x (1896), 201. Nos. 2138, 4825, 4955.  
 sp. No. 4827.

**Alisma**

- Plantago, Linn., Sp. Pl. ed. 1 (1753), 342. Nos. 1888, 2526.

**Allium**

- Bulleyanum, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 301. Nos. 1052, 5079, 5080.  
 chinense, Don, vel A. Thunbergii, Don (?). No. 2593.  
 cyaneum, Regel, in Act. Hort. Petrop., iii (1875), 174, et x (1887), 345. Nos. 253, 3029.  
 Forrestii, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 302. No. 3038.  
 polyastrum, Diels, l.c. 300. Nos. 254, 3066, 3088.  
 polyastrum, Diels, var. platyphyllum, Diels, l.c. 300. No. 2994.  
 Prattii, C. H. Wright, in Journ. Linn. Soc., xxxvi (1903), 124. No. 2781.  
 rhynchogynum, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 302. No. 267.  
 rubellum, M.B., Fl. Taur. Cauc., i (1888), 264. No. 107.  
 rubellum, M.B. ?. No. 2459.  
 Victorialis, Linn., Sp. Pl. ed. 1 (1753), 295. No. 4832.  
 Victorialis, Linn., var. No. 2595.

**Allium**—*continued*.

- Victorialis, Linn., var. angustifolium, Hook. f., Fl. Brit. Ind., vi (1892), 343. No. 2891.  
 yunnanense, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 301. Nos. 914, 2871, 3049, 4833.

**Alnus**

- nepalensis, D. Don, Prodr. Fl. Nep. (1825), 58. No. 534.

**Alopecurus**

- fulvus, Sm., Engl. Bot., xxi (1805), t. 1467. Nos. 4913, 4965.

**Alstonia**

- yunnanensis, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 165. No. 592.

**Althaea**

- rosea, Cav., Diss., ii (1785), 91. No. 452.

**Amethystea**

- coerulea, Linn., Sp. Pl. ed. i (1753), 21. Nos. 93, 2485.

**Amorphophallus**

- yunnanensis, Engl., Pflanzenreich, Araceae-Lasioideae (1911), 109. No. 4848.

**Amphicome**

- arguta, Lindl., Bot. Reg. (1838), t. 19. Nos. 110, 4730.

**Anaphalis**

- adnata, DC., Prodr., vi (1837), 274. Nos. 943, 1022.  
 bicolor, Franch., under Gnaphalium in Journ. de Bot., x (1896), 411. No. 642.  
 chlamydophylla, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 188. Nos. 2354, 2354A.  
 cinnamomea, C. B. Clarke, var. angustifolia, Franch., mss. in Herb. Paris. No. 1013.  
 contorta, Hook. f., Fl. Brit. Ind., iii (1882), 284. No. 657.  
 cuneifolia, Hook. f., l.c. 280. Nos. 659, 905, 2741, 4071, 4072.  
 Delavayi, Franch., under Gnaphalium in Journ. de Bot., x (1896), 409. Nos. 4068, 4075.  
 Franchetiana, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 189. No. 2996.  
 Griffithii, Hook. f., Fl. Brit. Ind., iii (1882), 280. No. 4077.  
 margaritacea, Benth. et Hook. f., Gen. Plant., ii (1873), 303. Nos. 663, 944, 1062.  
 pterocaulon, Maxim., in Mél. Biol., xi (1881), 233. Nos. 664, 2639, 4076.

**Andrachne**

- cordifolia, Muell. Arg., in DC. Prodr., xv, 2 (1862), 234. Nos. 209, 3095, 4733.

**Andropogon**

- assimilis, Steud., Syn. Gram. (1855), 397. No. 348.  
 contortus, Linn., Sp. Pl., ii (1753), 1045. No. 890.  
 serratus, Thunb., Fl. Jap. (1784), 41. No. 887.

**Androsace**

- alchemilloides, Franch., in Journ. de Bot., ix (1895), 455. No. 2228.  
 Chamaejasme, Host, Synop. (1797), 95. Nos. 477, 1810.  
 Bulleyana, G. Forrest, in Notes Roy. Bot. Gard. Edin., iv (1908), 233. No. 108.  
 Delavayi, Franch., in Journ. de Bot., ix (1895), 456. No. 2319.  
 erecta, Maxim., in Mém. Biol., xi (1881), 262, et xii (1886), 745. Nos. 121, 2738.  
 mucronifolia, Watt, in Journ. Linn. Soc., xx (1884), 17. No. 2127.  
 spinulifera (Franch.), Knuth, in Engl. Pflanzenz., Primul. (1905), 184. No. 2081.

**Aneilema**

- divergens, Clarke, Commel. et Cyrt. Beng. (1874), 28. Nos. 1080, 2943, 4843, 4845.  
 stenothyrsa, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 297. No. 4847.

**Anemone**

- coelestina, Franch., in Bull. Soc. Bot. Fr., xxxii. (1885), 4. Nos. 2129, 2289.  
 Delavayi, Franch., l.c., xxxiii. (1886), 366. No. 4349.  
 demissa, Hook. f. et Thoms., Fl. Ind., i (1855), 23. Nos. 216, 4366, 4367.  
 demissa, Hook. f. et Thoms., var. villosa, Ulbrich, in Engl. Jahrb., xxxvii (1906), 267. No. 2098.  
 flaccida, F. Schmidt, Reisen im Amur-Lände (1868), 103. No. 2455.  
 japonica, Sieb. et Zucc., Fl. Jap., i (1835), 15. No. 1010.  
 japonica, Sieb. et Zucc., var. elegans (Decne.), Franch. Pl. Delav. (1889), 7. Nos. 2936, 4347.  
 japonica, Sieb. et Zucc., var. genuina, Ulbrich, in Engl. Jahrb., xxxvii (1906), 253. No. 4361.  
 obtusiloba, D. Don, Prodr. Fl. Nep. (1825), 194. Nos. 160, 2064.  
 obtusiloba, D. Don, var. coerulea, Ulbrich, in Engl. Jahrb., xxxvii (1906), 242. No. 2152.  
 rivularis, Ham., ex DC. Syst., i (1818), 211. Nos. 174, 449, 2008, 2040, 2242, 4348.  
 rupicola, Camb., in Jacquem. Bot. Voy., iv (1844), 5. No. 2552.  
 trullifolia, Hook. f. et Thoms., var. campestris, Diels, mss. (= obtusifolia, var. coerulea). Nos. 2232, 2634.  
 trullifolia, Hook. f. et Thoms., var. holophylla, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 263. Nos. 2166, 2226.

**Angelica**

- Forrestii, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 289. No. 2580.  
 (?) rivulorum, Diels, l.c. 288. No. 2849.

**Anisadenia**

- pubescens, Griff., Notul., iv (1854), 535. Nos. 591, 3104.

**Anotis**

- Wightiana, Wall., Benth. et Hook. f. Gen. Plant., ii (1873), 60. No. 940.

**Anthogonium**

gracile, Lindl., Gen. and Sp. Orch. (1830-40), 426. No. 894.

**Apios**

carnea (Wall.), Benth. ex Baker in Hook. f. Fl. Brit. Ind., ii (1879), 188. No. 4225.

**Apium**

graveolens, Linn., Sp. Pl. ed. 1 (1753), 264. No. 4625.

**Apocynaceae**

Nos. 2011, 2019.

**Apocynaceae**

(?). No. 574.

**Aquilegia**

vulgaris, Linn., Sp. Pl. ed. 1 (1753), 533. Nos. 2332, 4351.

**Arabis**

alpina, Linn., var. parviflora, Franch., Pl. Delav. (1889), 59. Nos. 4330, 4332.

alpina, Linn., var. rubrocalyx, Franch., l.c. 58. No. 2170.

**Arctium**

Lappa, Linn., Sp. Pl. (1753), 816. No. 4022.

**Ardisia**

crispa, A. DC., in Trans. Linn. Soc., xvii (1837), 124. No. 806.

**Arenaria**

barbata, Franch., in Bull. Soc. Bot. Fr., xxxiii (1886), 430. No. 75.

Delavayi, Franch., l.c. 432. No. 1873.

Forrestii, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 181. No. 2915.

ionandra, Diels, l.c. 182. No. 2902A.

longistyla, Franch., var. pleurogynoides, Diels, l.c. 182. No. 2902.

napuligera, Franch., in Bull. Soc. Bot. Fr., xxxiii (1886), 429. Nos. 1881, 2622.

orbiculata, Royle, ex Hook. f. Fl. Brit. Ind., i (1872), 240. Nos. 2078, 4302.

serpyllifolia, Linn., Sp. Pl. ed. 1 (1753), 423. No. 484.

trichophora, Franch., in Bull. Soc. Bot. Fr., xxxiii (1886), 431. Nos. 2535, 2626, 2710.

**Arisaema**

consanguineum, Schott, in Bonplandia, vii (1859), 227, et Prodr. Aroid. (1860), 52. Nos. 2434, 2444, 4852.

fraternum, Schott, l.c. 26. No. 2374.

nepenthoides (Wall.), Mart., in Schott et Endl. Meletem., i (1832), 17. No. 4851.

talense, Engl., mss. in Herb. Berlin. Nos. 2277, 2465.

talense, Engl., var. latisectum, Engl., mss. in Herb. Berlin. No. 4849.

Wilsonii, Engl., mss. in Herb. Berlin. Nos. 321, 2385, 4850.

**Aristolochia**

gentilis, Franch., in Journ. de Bot., xii (1898), 314. No. 91.

moupinensis, Franch., Pl. David. in Nouv. Arch. Mus. Hist. Nat. Par. sér. 2, x (1887-8), 79. No. 4593.

setchuenensis, Franch., in Journ. de Bot., xii (1898), 312. No. 4592.

**Artemisia**

- annua, Linn., Sp. Pl. ed. 1 (1753), 847. Nos. 32, 4063.  
 apiacea, Hance, in Walp. Ann., ii (1851-2), 895. No. 4064.  
 campestris, Linn., Sp. Pl. ed. 1 (1753), 846. No. 676.  
 codonocephala, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 186. No. 637.  
 parviflora, Roxb., Fl. Ind., iii (1832), 420. No. 973.  
 Roxburghiana, Bess., in Bull. Soc. Nat. Mosc., ix (1836), 57. No. 2558.  
 scoparia, Waldst. et Kit., Pl. Rar. Hung., i (1802), 66. No. 2588.  
 stricta, Edgew., in Trans. Linn. Soc., xx (1846), 76. No. 655.  
 vestita, Wall., in Hook. f. Fl. Brit. Ind., iii (1882), 326. No. 1079.  
 vulgaris, Linn., Sp. Pl. ed. 1 (1753), 848. No. 2920.  
 vulgaris, Linn., forma. Nos. 4065, 4066.  
 yunnanensis, Jeffrey, in Notes Roy. Bot. Gard. Edin., v (1912), 187. No. 674.

**Arthraxon**

- microphyllus, Hochst., in Flora, xxxix (1856), 188. No. 3086.

**Arundina**

- chinensis, Bl., Bijdr. (1825-6), 402. Nos. 3016, 4892.

**Arundinella**

- nepalensis, Trin., Gram. Pan. (1826), 62. No. 892.  
 villosa, Arn., var. himalaica, Hook. f., Fl. Brit. Ind., vii (1897), 73. Nos. 2772, 2796.

**Asclepias**

- curassavica, Linn., Sp. Pl. (1753), 215. No. 1056.

**Asparagus**

- filicinus, Ham., in D. Don, Prodr. Fl. Nep. (1825), 49. No. 2321.

**Asplenium**

- sp. No. 285.

**Aster**

- altaicus, Willd. ? Enum. Pl. Hort. Berol. (1809), 881. No. 652.  
 auriculatus, Franch., in Journ. de Bot., x (1896), 379. No. 4008.  
 brachytrichus, Franch., l.c. 372. Nos. 2160, 2224.  
 Bulleyanus, Jeffrey, in Notes Roy. Bot. Gard. Edin., v (1912), 184. No. 661.  
 Delavayi, Franch., in Journ. de Bot., x (1896), 374. Nos. 677, 683.  
 fuscescens, Bur. et Franch., l.c., v (1891), 49. Nos. 978, 4000.  
 Harrowianus, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 184. No. 4004.  
 Harrowianus, Diels, var. glabratus, Diels, l.c. 184. No. 2508.  
 hispidus, Thunb., Fl. Jap. (1784), 315. No. 2699.  
 indicus, Linn., Sp. Pl. ed. 1 (1753), 876. Nos. 3063, 4005, 4006.  
 Jeffreyanus, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 185. No. 669.  
 likiangensis, Franch., in Journ. de Bot., x (1896), 370. Nos. 2900, 2901.  
 oreophilus, Franch., l.c. 370. Nos. 678, 2659, 2817, 4007, 4009.  
 pycnophyllus, Franch., mss. in Herb. Paris. No. 4001.  
 staticefolius, Franch., in Journ. de Bot., x (1896), 370. No. 2202.

**Aster**—*continued*.

- trinervius, Roxb., Fl. Ind., iii (1832), 433. Nos. 679, 827.  
 trinervius, Roxb., f. grossedentatus, Franch., mss. in Herb. Paris.  
 Nos. 2522, 2819.  
 vestitus, Franch., in Journ. de Bot., x (1896), 378. Nos. 968, 2931.  
 yunnanensis, Franch., l.c. 375. No. 2598.

**Astilbe**

- rivularis, Ham., in D. Don, Prodr. Fl. Nep. (1825), 210. Nos. 969,  
 4407.  
 rubra, Hook. f. et Thoms., ex Hook. Bot. Mag. t. 4959. No. 4406.

**Astragalus**

- brachycephalus, Franch., Pl. Delav. (1890), 161. No. 1127.  
 camptodontus, Franch., l.c. (1889), 160. No. 2745.  
 coelestis, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 244. No.  
 2221.  
 dolichochaete, Diels, l.c. 245. No. 2608.  
 nigrescens, Franch., Pl. Delav. (1890), 162. No. 2379.  
 sinicus, Linn., Mant. (1767), 103. Nos. 4222, 4987.  
 yunnanensis, Franch., Pl. Delav. (1890), 162. No. 2750.

**Balanophora**

- indica (Arn.), Wall. ? in Hook. f., Fl. Brit. Ind., v (1886), 237. No.  
 5092.  
 sp. aff. involucrata, Hook. f. No. 4680.

**Barleria**

- cristata, Linn., Sp. Pl. ed. 1 (1753), 636. Nos. 872, 1098.

**Bauhinia**

- densiflora, Franch., Pl. Delav. (1890), 191. Nos. 385, 2720, 4228,  
 4229, 4230.

**Beckmannia**

- erucaeformis, Host, Gram. Austr. iii (1805), 5. No. 4910.

**Begonia**

- Harrowiana, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 166.  
 Nos. 2647, 3055, 4388, 4389, 4390.  
 sinensis, A. DC., in Ann. Sc. Nat. 4<sup>e</sup> série, xi (1859), 125, et in Prodr.,  
 xv, 1 (1864), 313. No. 84.  
 yunnanensis, Léveillé, in Fedde, Repert. Nov. Sp., vii (1909), 20.  
 No. 4675.  
 sp. No. 1115.

**Belamcanda**

- chinensis (Linn.), Lem., in Red. Lil. t. 121 (1807). No. 255.

**Berberis**

- centiflora, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 167.  
 No. 4689.  
 dictyophylla, Franch., Pl. Delav. (1889), 39. No. 2071.  
 elegans (Franch.), C. K. Schneider, in Laubholzkunde, i (1906), 312.  
 No. 2233.  
 integerrima, Bunge ex Franchet, in Bull. Soc. Bot. Fr., xxxiii (1886),  
 386. No. 222.  
 levis, Franch., l.c. 386. No. 2012.

**Berberis**—*continued*.

- leptoclada, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 167.  
 No. 330.  
 pallens, Franch., Pl. Delav. (1889), 36. Nos. 2271, 2343.  
 papillifera (Franch.), Koehne in Gartenfl., xlviii (1899), 21. No.  
 2013.  
 pruinosa, Franch., in Bull. Soc. Bot. Fr., xxxiii (1886), 387. Nos.  
 2014, 2102, 2203.  
 Wallichiana, DC., Prodr., i (1824), 107. No. 192.  
 yunnanensis, Franch., in Bull. Soc. Bot. Fr., xxxiii (1886), 388.  
 No. 4344.

**Berchemia**

- yunnanensis, Franch., in Bull. Soc. Bot. Fr., xxxiii (1886), 456.  
 No. 2134.

**Bergenia**

- purpurascens (Hook. f. et Thoms.), Engl., var. Delavayi (Franch.),  
 Engl. et Irmscher, in Notes Roy. Bot. Gard. Edin., v (1912),  
 147. Nos. 172, 178, 2410, 4205, 5057.

**Bidens**

- bipinnata, Linn., Sp. Pl. ed. 1 (1753), 832. No. 693.  
 pilosa, Linn., l.c. 832. Nos. 682, 4018.  
 tripartita, Linn., l.c. 831. No. 932.

**Bletilla**

- hyacinthina (Sm.), Rehb. f., in Bot. Zeit., xxxvi (1878), 75. No.  
 4891.

**Blumea**

- glomerata, DC., in Wight, Contrib. Bot. Ind. (1834), 15. No. 4081.  
 hieracifolia, DC., Prodr., v (1836), 442. Nos. 4, 4047.

**Boea**

- arachnoidea, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 225.  
 No. 929.

**Boehmeria**

- nivea, Gaud., in Freycin. Voy. Bot. (1826), 499. No. 4782.  
 platyphylla, Don, var. scabrella (Roxb.), Wedd. in DC. Prodr., xvi,  
 1 (1869), 211. No. 4771.

**Boenninghausenia**

- albiflora, Reichenb., var. brevipes, Franch., Pl. Delav. (1889), 123.  
 No. 4758.  
 albiflora, Reichenb., var. longipes, Franch., l.c. Nos. 2500, 5093.

**Bombax**

- malabaricum, DC., Prodr. i (1824), 479. No. 4681.

**Boottia**

- yunnanensis, Gagnep., in Bull. Soc. Bot. Fr., liv (1907), 542. Nos.  
 1876, 2038, 2845.

**Boschniakia**

- himalaica, Hook. f. et Thoms., in Hook. f. Fl. Brit. Ind., iv (1884),  
 327. Nos. 2383, 4520.

**Bothriospermum**

- chinense, Bunge, Enum. Pl. Chin. Bor. (1831), 47. No. 4473.  
 tenellum, Fisch. et Mey., in Ind. Sem. Hort. Petrop. (1835), 24.  
 Nos. 4466, 4467, 4991, 5005.

**Brachypodium**

- silvaticum, Beauv. Agrost. (1812), 101. Nos. 2538, 2799.

**Brandisia**

- Hancei, Hook. f., Fl. Brit. Ind., iv (1884), 257, in nota. No. 619.

**Braya**

- rosea, Bunge, Del. Sem. Hort. Dorp. (1841), 8. No. 4336.  
 rubicunda, Franch., in Bull. Soc. Bot. Fr., xxxiii. (1886), 403. Nos.  
 2107, 4336A.  
 sinensis, Hemsl., in Journ. Linn. Soc., xxix (1893), 303. Nos. 37,  
 3102.

**Bridelia**

- stipularis, Bl., Bijdr. (1825-6), 597. No. 913.

**Bromus**

- asper, Murr., Prodr. Stirp. Goetting. (1770), 42. No. 2537.  
 sp. No. 2839.

**Bryophyllum**

- calycinum, Salisb., Parad. Lond. (1805), t. 3. No. 4092.

**Buddleia**

- adenantha, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 248.  
 No. 4736.  
 agathosma, Diels, l.c. 248. No. 593.  
 asiatica, Lour., Fl. Cochinch., i (1790), 72. No. 615.  
 brachystachya, Diels, in Notes Roy. Bot. Gard. Edin., v (1912),  
 249. No. 1076.  
 Forrestii, Diels, l.c. 249. Nos. 979, 4666.  
 macrostachya, Benth., var. yunnanensis, Dop, in Bull. Soc. Bot. Fr.,  
 lvii (1910), Mém. 19, 7. No. 2599.  
 myriantha, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 250.  
 Nos. 912, 4760.  
 officinalis, Maxim., in Mém. Biol., x (1880), 675. Nos. 2, 686, 4728,  
 5019.

**Bulbophyllum**

- tibeticum, Rolfe, in Notes Roy. Bot. Gard. Edin., viii (1913), 21.  
 No. 232.

**Bulleyia**

- yunnanensis, Schltr., l.c., v (1912), 108. No. 4879.

**Bupleurum**

- longicaule, Wall., var. Francheti, de Boissieu, in Bull. Soc. Bot. Fr.,  
 liii (1906), 425. Nos. 546, 3067.  
 petiolulatum, Franch., in Bull. Soc. Phil. Par. sér. 8, vi (1894), 119.  
 Nos. 2556, 4622.

**Burmattia**

- coelestis, D. Don ?, Prodr. Fl. Nepal. (1825), 44. No. 941.  
 disticha, Linn., Sp. Pl. ed. 1 (1753), 287. Nos. 268, 3846, 4741.

**Buxus**

sempervirens, Linn., Sp. Pl. (1753), 983. No. 2436.

**Caesalpinia**

japonica, Sieb. et Zucc., in Abh. Akad. Muench., iv, 2 (1845 ?), 117. No. 2001.

**Calamagrostis**

arundinacea, Roth, Tent. Fl. Germ., i (1788), 33. Nos. 2798, 2879, 2880.

littorea, DC., Fl. Fr., v (1815), 255. Nos. 357, 4918.

sp. No. 2573.

**Calamintha**

Cavaleriei, Léveillé, in Fedde, Repert. Nov. Sp., viii (1910), 424. No. 4538.

chinensis, Benth., in DC. Prodr., xii (1848), 233. No. 4522.

chinensis, Benth., var. megalantha, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 233. No. 2476.

discolor, Diels, l.c. 232. No. 4527.

nepalensis, Fisch. et Mey., Ind. Sem. Hort. Petrop., xi (1846), 53. No. 4529.

umbrosa, Benth., in DC. Prodr., xii (1848), 232. Nos. 584, 2309, 4528.

**Calanthe**

buccinifera, Rolfe, in Journ. Linn. Soc., xxix (1892), 318. No. 2495.

Delavayi, Finet, in Bull. Soc. Bot. Fr., xlvi (1899), 434. Nos. 2496, 4872.

undulata, Schltr., in Notes Roy. Bot. Gard. Edin., v (1912), 110. No. 2345.

**Callianthemum**

cachemirianum, Camb., in Jacquem. Voy. Bot., iv (1844), 5. No. 2298.

**Callicarpa**

rubella, Lindl., in Bot. Reg. (1825), t. 883. No. 853.

**Callistephus**

chinensis, Nees, Gen. et Sp. Ast. (1832), 222. No. 939.

**Calorhabdos**

axillaris (Sieb. et Zucc.), Benth. et Hook. f., Gen. Plant., ii (1876), 963. No. 623.

Brunoniana, Benth. Scroph. Ind. (1835), 44. No. 4747.

sutchuenensis, Franch., in Bull. Soc. Bot. Fr., xlvii (1900), 17. No. 2679.

**Caltha**

palustris, Linn., Sp. Pl. ed. 1 (1753), 558. Nos. 135, 2209, 2213, 4350.

palustris, Linn., var. umbrosa, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 264. No. 2479.

**Calystegia**

hederacea, Wall., in Hook. f. Fl. Brit. Ind., iv (1883), 217. Nos. 377, 2146, 4434.

**Campanula**

cana, Wall., in Hook. f. Fl. Brit. Ind., iii (1882), 440. Nos. 2976, 3866.

canescens, Wall., l.c. 439. Nos. 3864, 4998.

colorata, Wall., l.c. 440. Nos. 111, 909, 2502, 2581, 3865.

colorata, Wall., var. ramulosa, Wall., in Roxb. Fl. Ind. ed. Carey, ii (1820), 100. Nos. 3863, 3867.

crenulata, Franch., in Journ. de Bot., ix (1895), 365. Nos. 2729, 3856.

Delavayi, Franch., l.c. 364. No. 2935.

fulgens, Wall., in Hook. f. Fl. Brit. Ind., iii (1882), 442. Nos. 138, 2733.

**Campanumoea**

javanica, Blume, Bijdr. (1825-6), 727. No. 1109.

**Campsis**

grandiflora (Thunb.), K. Schum., in Engl. et Prantl, Natürl. Pflanzenfam., iv, 3b (1894), 230. No. 2690.

**Cannabis**

sativa, Linn., Sp. Pl. ed. 1 (1753), 1027. No. 4761.

**Capparis**

tenera, Dalz., in Hook. Kew Journ., ii (1850), 41. No. 2028.

**Capsicum**

annuum, Linn., Sp. Pl. ed. 1 (1753), 188. No. 4481.

**Caragana**

Franchetiana, Komarow, in Act. Hort. Petrop., xxix (1909), 300. Nos. 1121, 1123, 2114.

tibetica, Komarow vel aff., l.c. 282. No. 2270.

**Cardamine**

Franchetiana, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 205. No. 2225.

granulifera (Franch.), Diels, l.c. 204. Nos. 2140, 2189, 2258, 4335, 4335A.

Griffithii, Hook. f. et Thoms., in Journ. Linn. Soc., v (1861), 146. Nos. 4340, 4343.

hirsuta, Linn., Sp. Pl. (1753), 655. Nos. 1099, 4331, 4993.

macrophylla, Willd., Sp. Pl., iii (1800), 484. Nos. 272, 2269, 4338.

multijuga, Franch., in Bull. Soc. Bot. Fr., xxxiii (1886), 399. No. 2529.

repens, Franch., under Dentaria, l.c., xxxii (1885), 5. No. 4327.

yunnanensis, Franch., in Bull. Soc. Bot. Fr., xxxiii (1886), 398. Nos. 2305, 4334.

**Carduus**

crispus, Linn., Sp. Pl. ed. 1 (1753), 821. No. 2324.

**Carex**

- atrata, Linn., subsp. pullata (Boott), Kükenth., in Engl. Pflanzenreich, Cyp.-Caricoideae (1909), 400. Nos. 2290, 4905, 4908.  
 atrofusca, Schkuhr, var. minor, Boott, Illustr. i (1858), 71. No. 2359.  
 bacans, Nees, in Wight, Contrib. (1834), 122. Nos. 331, 881.  
 cruciata, Wahlenb., in Kongl. Vet.-Akad. Stockh. Handl., xxiv (1803), 149. Nos. 879, 880.  
 Dielsiana, Kükenth., in Notes Roy. Bot. Gard. Edin., viii (1913), 10. Nos. 2141, 2147.  
 drepanorrhyncha, Franch. (?), Pl. David, ii, 141, in Nouv. Arch. Mus. Hist. Nat. Par. sér. 3, ix (1897), 178, et x (1898), 94. No. 2142.  
 Forrestii, Kükenth., in Notes Roy. Bot. Gard. Edin., viii (1913), 9. No. 2088.  
 Jackiana, Boott, f. oxyphylla (Franch.), Kükenth., in Engl. Pflanzenreich, Cyp.-Caricoideae (1909), 638. No. 4972.  
 nubigena, D. Don, in Trans. Linn. Soc., xiv (1825), 326. Nos. 2837, 4903.  
 polycephala, Boott, Illustr. Carex, i (1858), 4. No. 4896.  
 rara, Boott, subsp. capillacea, Boott, in Engl. Pflanzenreich, Cyp.-Caricoideae (1909), 102. No. 4966.  
 rubro-brunnea, C. B. Clarke, var. taliensis (Franch.), Kükenth., in Engl. Pflanzenreich, Cyp.-Caricoideae (1909), 344. No. 4992.  
 sp. No. 4959.

**Carpesium**

- abrotanoides, Linn., Sp. Pl. (1753), 860. No. 98.  
 cernuum, Linn., Sp. Pl. (1753), 859. Nos. 651, 1016, 4003.  
 nepalense, Less., in Linnaea, vi (1831), 234. No. 2748.  
 trachelifolium, Less., l.c. 233. No. 2680.

**Carpinus**

- cordata, Bl., Mus. Bot. Lugd.-Bat., i (1849-51), 309. No. 533.

**Carum**

- caudatum, Franch., in Bull. Soc. Phil. Par. sér. 8, vi (1894), 126. No. 2802.  
 coloratum, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 287. Nos. 2874, 3060.  
 coriaceum, Franch., in Bull. Soc. Phil. Par. sér. 8, vi (1894), 127. Nos. 537, 2673, 4617.  
 cruciatum, Franch., l.c. 124. No. 4620.  
 Delavayi, Franch., l.c. 120. Nos. 77, 2371.  
 dolichopodum, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 287. No. 2872.  
 molle, Franch., in Bull. Soc. Phil. Par. sér. 8, vi (1894), 120. No. 4623.  
 (?) pityophilum, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 288. No. 3078.  
 purpureum, Franch., in Bull. Soc. Phil. Par. sér. 8, vi (1894), 127. No. 2854.  
 scaberulum, Franch., l.c. 125. No. 545.  
 scaberulum, Franch., var. ambrosiaefolium, Franch., l.c. 126. No. 3062.  
 schizopetalum, Franch., in Bull. Soc. Phil. Par. sér. 8, ii (1890), 199. Nos. 2981, 4611, 4613.

**Carum**—*continued*.

- tenerum (DC.), Franch., l.c. vi (1894), 122. No. 2852.  
 yunnanense, Franch., l.c. 128. Nos. 538, 547, 4624.

**Caryopteris**

- divaricata, Maxim., in Bull. Acad. Pétersb., xxiii (1877), 390. No. 474.  
 Forrestii, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 296. Nos. 79, 100.

**Cassia**

- mimosoides, Linn., Sp. Pl. ed. 1 (1753), 379. No. 1011.

**Cassiope**

- fastigiata, D. Don, in Edinb. N. Phil. Journ., xvii (1834), 156. No. 489.  
 selaginoides, Hook. f. et Thoms., in Hook. Kew Journ. Bot., vii (1855), 126. No. 5064.

**Castanea**

- vulgaris, Lam., Encycl. Bot., i (1783), 708. No. 4599.

**Castanopsis**

- sclerophylla (Lindl.), Schottky in Notes Roy. Bot. Gard. Edin., vii (1912) 41. No. 532.

**Catalpa**

- Duclouxii, Dode, in Bull. Soc. Dendr. Fr. (1907), 201. Nos. 612, 2121, 4679.

**Cautleya**

- lutea, Royle, Illustr. Bot. Himal. (1839), 361. Nos. 1890, 4805.

**Celsia**

- coromandeliana, Vahl, Symb. Bot., iii (1794), 79. No. 2533.

**Cephalanthera**

- falcata, Lindl., Gen. and Sp. Orch. (1830-40), 412. Nos. 2188, 4870.

**Cerastium**

- vulgatum, Linn., Fl. Suec. ed. 2 (1755), 158. Nos. 2036, 4305, 4989.

**Ceratostigma**

- Griffithii, Clarke, in Hook. f. Fl. Brit. Ind., iii (1882), 481. Nos. 601, 3107.

**Ceropegia**

- Balfouriana, Schltr., in Notes Roy. Bot. Gard. Edin., viii (1913), 18. No. 2204.  
 dolichophylla, Schltr., l.c. 17. No. 4738.

**Ceterach**

- sp. No. 4933.

**Cheilanthes**

- sp. Nos. 19, 4931.

**Chelonopsis**

- odontochila, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 240. Nos. 22, 600.

**Chenopodium**

Botrys, Linn., Sp. Pl. (1753), 219. No. 3090.

**Chionanthus**

retusus, Lindl., in Paxt. Fl. Gard., iii. (1852-3), 83. Nos. 556, 2027.

**Chloris**

barbata (Linn.), Sw., Fl. Ind. Occ., i (1797), 200. No. 346.  
virgata, Sw., l.c. 203. Nos. 352, 361.

**Chlorophytum**

chinense, Bur. et Franch. vel aff., in Journ. de Bot., v (1891), 154. No. 86.  
platystemon, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 299. No. 2698.  
stenostachyum, Diels, l.c. vii (1912), 173—nomen. No. 2893.

**Chrysanthemum**

indicum, Linn., Sp. Pl. (1753), 889. No. 3.  
tatsienense, Bur. et Franch., in Journ. de Bot., v (1891), 72. No. 36.

**Chrysosplenium**

Davidianum, Decne. ex Maxim., in Mél. Biol., ix (1877), 762. Nos. 2024, 2079, 5028, 5038.  
Forrestii, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 282. No. 553.  
Griffithii, Hook. f. et Thoms., in Journ. Linn. Soc., ii (1858), 74. Nos. 2132, 4699.

**Cimicifuga**

foetida, Linn., Syst. ed. 12 (1767), 659. Nos. 514, 982, 2605, 4391.

**Circaea**

alpina, Linn., Sp. Pl. (1753), 9. Nos. 562, 2922, 4748.  
cordata, Royle, Illustr. Bot. Himal. (1839), 211. No. 2754.  
mollis, Sieb. et Zucc., in Abh. Akad. Muench., iv (1847), 134. No. 1054.

**Circaeaster**

agrestis, Maxim., in Bull. Acad. Pétersb., xxvii (1881), 557. No. 118.

**Cirrhopetalum**

amplifolium, Rolfe, in Notes Roy. Bot. Gard. Edin., viii (1913), 21. Nos. 958, 970, 1117.  
emarginatum, Finet, in Bull. Soc. Bot. Fr., xlv (1897), 269. No. 925.

**Citrus**

Aurantium, Linn., Sp. Pl. (1753), 782. No. 4800.

**Cladonia**

sp. Nos. 4945, 4946, 4947, 4948, 4949, 4950.

**Clematis**

Armandi, Franch., Pl. David., in Nouv. Arch. Mus. Hist. Nat. Par. sér. 2, viii (1885), 184. Nos. 193, 4985.

**Clematis**—*continued*.

- Buchananiana, DC., Syst. i (1818), 140. No. 1045.  
 chrysocoma, Franch., in Bull. Soc. Bot. Fr., xxxiii (1886), 362. Nos. 2006, 2428.  
 Delavayi, Franch., var. *spinescens*, Balf. f. ex Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 262. No. 92.  
*fasciculiflora*, Franch., Pl. Delav. (1889), 5. Nos. 156, 179, 471, 4353.  
 Gouriana, Roxb., Hort. Beng. (1814), 43. Nos. 2715, 4356.  
 grata, Wall., Pl. As. Rar., i (1830), 83. Nos. 217, 260, 2419, 4355.  
 Henryi, Oliv., in Hook. Ic. Pl., xix (1889), t. 1819. No. 824.  
*lasiandra*, Maxim., in Act. Hort. Petrop., xi (1890), 7. No. 3065.  
*montana*, Ham., ex DC. Syst., i (1818), 164. Nos. 2017, 2020, 2085, 2246, 4354, 4358, 4359.  
*montana*, Ham., f. *grandiflora*. Nos. 189, 416.  
*nutans*, Royle, Illustr. Bot. Himal. (1839), 51. No. 2775.  
*pterantha*, Dunn, in Hook. Ic. Pl., xxviii (1901), t. 2713. No. 4686.  
*ranunculoides*, Franch., in Bull. Soc. Bot. Fr., xxxiii (1886), 360. Nos. 180, 302, 3064.  
*trullifera*, Finet et Gagnep., l.c. i (1904), 547. Nos. 175, 2941.  
*urophylla*, Franch., in Bull. Soc. Linn. Par., i (1884), 433. No. 1061.  
*yunnanensis*, Franch., in Bull. Soc. Bot. Fr., xxxiii (1886), 361. Nos. 3022, 4357.

**Clerodendron**

- foetidum*, Bge., Enum. Pl. Chin. Bor. (1831), 52. Nos. 366, 1023, 3001.  
*fragrans*, Vent., Jard. Malm., ii (1804), t. 70. Nos. 578, 988, 2532.

**Clethra**

- Delavayi, Franch., in Journ. de Bot., ix (1895), 370. No. 4171.

**Clintonia**

- udensis*, Trautv. et Mey., in Middend. Reise (Fl. Ochot., 1856), 92. Nos. 269, 2406, 4834.

**Cnicus**

- chinensis*, Maxim., in Mél. Biol., ix (1877), 331. Nos. 2930, 2946, 4019.  
*eriophoroides*, Hook. f., Fl. Brit. Ind., iii (1882), 363. Nos. 922, 2992.  
*Forrestii*, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 196. No. 2373.  
*involucratum*, Wall. ex DC., Prod., vi (1837), 639. No. 4020.  
*taliensis*, J. F. Jeffrey, in Notes Roy. Bot. Gard. Edin., v (1912), 196. No. 10.

**Cobresia**

- capillifolia* (Decne.), C. B. Clarke, var. *condensata*, Kükenth., l.c. viii (1913), 9. No. 2473.  
*cercostachys* (Franch.), C. B. Clarke, in Journ. Linn. Soc., xxxvi (1903), 267. No. 2214.

**Codonopsis**

- Bulleyana*, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 171. No. 2731.  
*convolvulacea*, Kurz, in Journ. Bot., xi (1873), 195. Nos. 886, 2732, 3851.

**Codonopsis**—*continued*.

- Forrestii, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 171. Nos. 48, 3852.  
 macrocalyx, Diels, l.c. 170. No. 3008.  
 meleagris, Diels, l.c. 172. No. 2674.  
 ovata, Benth., in Royle, Illustr. Bot. Himal. (1839), 253. No. 83.  
 tubulosa, Komarow, in Act. Hort. Petrop., xxix (1908), 112. Nos. 3853, 3854.

**Coelogyne**

- corymbosa, Lindl., Fol. Orchid., Coelog. (1854), 7. No. 4880.

**Coix**

- Lachryma-Jobi, Linn., Sp. Pl. (1753), 972. Nos. 1116, 4921.

**Coleus**

- wulfenoides, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 231. No. 126.

**Colquhounia**

- decora, Diels, l.c. 240. No. 327A.  
 vestita, Wall., var. mollis, Prain, in Journ. As. Soc. Beng., lxii, pt. ii (1893), 37. Nos. 620, 627, 4533.

**Commelina**

- nudiflora, Linn., Sp. Pl. (1753), 41. No. 4846.  
 obliqua, Ham., ex D. Don, Prod. Fl. Nep. (1825), 45. No. 814.

**Congea**

- tomentosa, Roxb., Pl. Corom. iii (1819), 90. No. 1144.

**Convolvulus**

- parviflorus, Vahl, Symb. Bot., iii (1794), 29. No. 618.

**Conyza**

- pinnatifida, Dunn, in Journ. Linn. Soc. Bot., xxxv (1903), 502. No. 4046.  
 stricta, Willd., Sp. Pl., iii (1800), 1922. No. 1114.

**Coriandrum**

- sativum, Linn., Sp. Pl. (1753), 256. No. 4631.

**Coriaria**

- nepalensis, Wall., Pl. As. Rar., iii (1832), 67. Nos. 205, 2591.

**Corispermum**

- sp. No. 517.

**Cornus**

- capitata, Wall., in Roxb. Fl. Ind. ed. Carey, i (1820), 434. Nos. 42, 2391, 4700.  
 chinensis, Wangerin, in Fedde, Repert. Nov. Sp., vi (1908), 100. No. 373.  
 Monbeigii, Hemsl., in Kew Bull. (1909), 333. Nos. 389, 2423.  
 oblonga, Wall., in Roxb. Fl. Ind. ed. Carey, i (1820), 432. No. 382.

**Corydalis**

- Balfouriana, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 254. Nos. 67, 68.

**Corydalis**—*continued*.

- Bulleyana, Diels, l.c. 256. No. 2249.  
 cheirifolia, Franch., in Journ. de Bot., viii (1894), 285. Nos. 2388, 2728.  
 Delavayi, Franch., in Bull. Soc. Bot. Fr., xxxiii (1886), 393. No. 2387.  
 gracilis, Franch., l.c. 395. No. 2825.  
 heterocentra, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 255. No. 4382.  
 homopetala, Diels, l.c. 254. No. 4379.  
 micropoda, Franch., Pl. David. i (1884), 29. No. 4975.  
 ophiocarpa, Hook. f. et Thoms., Fl. Ind., i (1855), 259. No. 4380.  
 oxypetala, Franch., in Bull. Soc. Bot. Fr., xxxiii (1886), 392. Nos. 4383, 4384.  
 pachycentra, Franch., Pl. Delav. (1889), 45. No. 2389.  
 pulchella, Franch., l.c. 45. No. 2227.  
 stenantha, Franch., l.c. 49. Nos. 486, 2381.  
 taliensis, Franch., l.c. 48. No. 2247.  
 tibetica, Hook. f. et Thoms., var. pachypoda, Franch., Pl. Delav. (1889), 51. No. 2191.  
 yunnanensis, Franch., var. megalantha, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 255. Nos. 223, 292, 2597, 4381.

**Corylopsis**

- yunnanensis, Diels, l.c. 226. Nos. 3098, 4095, 4731.

**Cotoneaster**

- acuminata, Lindl., in Trans. Linn. Soc., xiii (1822), 101. No. 2301.  
 angustifolia, Franch., Pl. Delav. (1890), 221. No. 2511.  
 buxifolia, Wall., forma cochleata, Franch., l.c. 224. No. 2311.  
 Francheti, Bois, in Rev. Hort. (1902), 379. No. 4428.  
 hebephylla, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 273. Nos. 283, 2110.  
 horizontalis, Decne., in Fl. des Serres, xxii (1877), 168. No. 4465.  
 insculpta, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 273. No. 800.  
 microphylla, Wall., ex Lindl. Bot. Reg. (1827), t. III4. No. 2223.  
 pannosa, Franch., Pl. Delav. (1890), 223. No. 2514.  
 verruculosa, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 272. No. 4427.

**Cotula**

- anthemoides, Linn., Sp. Pl. (1753), 891. No. 4085.

**Craibiodendron**

- Forrestii, W. W. Smith, in Notes Roy. Bot. Gard. Edin., v (1912), 160. No. 1143.

**Crataegus**

- crenulata, Roxb., Hort. Beng. (1814), 38. No. 4431.  
 Henryi, Dunn, in Journ. Linn. Soc. Bot., xxxv (1903), 494. Nos. 4430, 4432.

**Crawfurdia**

- Bulleyana, G. Forrest, in Notes Roy. Bot. Gard. Edin., iv (1907), 77. No. 839.

**Crawfurdia**—*continued*.

fasciculata, Wall., Tent. Fl. Nep. (1824), t. 47. Nos. 2967, 3023, 5076.

Trailliana, G. Forrest, in Notes Roy. Bot. Gard. Edin., iv (1907), 76. No. 963.

**Cremanthodium**

campanulatum (Franch.), Diels, l.c. (1912), 36. Nos. 465, 2751.

Decaisnei, C. B. Clarke, Comp. Ind. (1876), 168. No. 2736.

Delavayi (Franch.), Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 203. No. 4049.

Forrestii, Jeffrey, in Notes Roy. Bot. Gard. Edin., v (1912), 191. Nos. 638, 660.

nobile (Franch.), Diels, l.c. (1912), 157. No. 2724.

rhodocephalum, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 190. No. 2665.

**Crepis**

heterophylla, Hemsl., in Journ. Linn. Soc. Bot., xxiii (1888), 475. No. 4025.

japonica, Benth., Fl. Hongk. (1861), 194. Nos. 646, 822, 1015, 4083.

paleacea, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 202. No. 2708.

rigescens, Diels, l.c. 202. Nos. 2192, 4050.

rosularis, Diels, l.c. 201. No. 2776.

silhetensis, Hook. f. (?) Fl. Brit. Ind., iii (1882), 397. No. 2090.

Stoliczkai, C. B. Clarke, Comp. Ind. (1876), 397. No. 2554.

umbrella, Franch., in Journ. de Bot., ix (1895), 255. No. 3004.

**Crotalaria**

albida, Heyne, ex Roth, Nov. Pl. Sp. (1821), 333. No. 4221.

assamica, Benth., in Hook. Lond. Journ. Bot., ii (1843), 481. No. 981.

capitata, Benth., ex Baker in Hook. f. Fl. Brit. Ind., ii (1879), 74. Nos. 1059, 4223.

sessiliflora, Linn., Sp. Pl. ed. 2 (1763), 1004. No. 1090.

yunnanensis, Franch., Pl. Delav. (1889), 151. Nos. 2439, 4224.

**Cucubalus**

baccifer, Linn., Sp. Pl. (1753), 414. Nos. 919, 4312.

**Cucumis**

sativus, Linn., l.c. (1753), 1012. No. 4456.

**Curculigo**

crassifolia (Baker), Hook. f., Fl. Brit. Ind., vi (1892), 279. No. 4799.

**Cuscuta**

chinensis, Lam., Encyc., ii (1787), 228. No. 611.

reflexa, Roxb., Pl. Corom., ii (1798), 3. Nos. 1055, 3014.

reflexa, Roxb., f. brachystigma, Engelm., in Trans. Acad. St. Louis, i (1859), 519. No. 617.

reflexa, Roxb., . grandiflora, Engelm., l.c. 518. No. 2980.

**Cyananthus**

- Delavayi, Franch., in Journ. de Bot., i (1887), 280. Nos. 41, 323, 327.  
 formosus, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 172. No. 2726.  
 Forrestii, Diels, l.c. 173. No. 955.  
 Hookeri, C. B. Clarke, var. laevicaulis, Franch., in Journ. de Bot., i (1887), 281. No. 324.  
 incanus, Hook. f. et Thoms., var. leiocalyx, Franch., l.c. 279. Nos. 977, 3848.  
 inflatus, Hook. f. et Thoms., in Journ. Linn. Soc., ii (1858), 21. Nos. 322, 2953, 2978.  
 longiflorus, Franch., in Journ. de Bot., i (1887), 280. Nos. 3045, 3849.  
 macrocalyx, Franch., l.c. 279. Nos. 106, 2530, 3847.

**Cyanotis**

- barbata, D. Don, Prod. Fl. Nep. (1825), 46. Nos. 1008, 1017, 2691, 4842, 4844.

**Cyathocline**

- lyrata, DC., Prod. v (1836), 373. No. 4080.

**Cymbidium**

- Forrestii, Rolfe, in Notes Roy. Bot. Gard. Edin., viii (1913), 23. No. 415.  
 grandiflorum, Griff., Not., iii (1851), 342. Nos. 240, 4857.  
 longifolium, D. Don, Prod. Fl. Nep. (1825), 36. No. 4856.  
 pumilum, Rolfe, in Kew Bull. (1907), 130. No. 233.  
 virescens, Lindl., in Bot. Reg. (1838), Misc., 37. No. 328.

**Cynanchum**

- Bodinieri, Schltr., mss. in Herb. Berlin. Nos. 2645, 4713.  
 Forrestii, Schltr., in Notes Roy. Bot. Gard. Edin., viii (1913), 15. Nos. 2216, 2241, 4662.

**Cynodon**

- Dactylon (Linn.), Pers., Syn. Pl., i (1805), 85. No. 358.

**Cynoglossum**

- amabile, Stapf et Drumm., in Kew Bull. (1906), 202. Nos. 609, 2015, 4475, 5016.  
 ? Dunnianum, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 168. Nos. 2004, 4476.  
 micranthum, Desf., Cat. Hort. Par. (1804), 220. Nos. 899, 4471.  
 triste, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 169. No. 2235.

**Cyperorchis**

- elegans (Lindl.), Bl., Rumphia, iv. (1848), 47. Nos. 335, 964.

**Cyperus**

- pilosus, Vahl, Enum., ii (1806), 354. No. 1050.

**Cypripedium**

- arietinum, R. Br., in Ait. Hort. Kew., ed. 2, v (1813), 222. No. 2198.  
 corrugatum, Franch., in Journ. de Bot., viii (1894), 251. No. 2322.

**Cypripedium**—*continued*.

- ebracteatum, Rolfe, in Kew Bull. (1896), 204. No. 4855.  
 fasciolatum, Franch., in Journ. de Bot., viii (1894), 232. No. 2429.  
 luteum, Franch., Pl. David., ii (1888), 126. No. 2341.  
 margaritaceum, Franch., in Bull. Soc. Phil. Par. sér. 7, xii (1891),  
 141. No. 2264.  
 tibeticum, King ex Rolfe, in Journ. Linn. Soc., xxix (1892), 320.  
 No. 157.

**Cystacanthus**

- paniculatus, T. And. vel aff., in Journ. Linn. Soc., ix (1867), 458.  
 No. 5025.

**Dactylis**

- glomerata, Linn., Sp. Pl. (1753), 71. No. 2772.

**Dalbergia**

- mimosoides, Franch., Pl. Delav. (1890), 187. No. 4220.

**Danthonia**

- cachemyriana, Jaub. et Sp., Illustr., iv (1850-3), 46. Nos. 903,  
 904, 2882.

**Daphne**

- aurantiaca, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 285.  
 No. 2115.  
 odora, Thunb., Fl. Jap. (1784), 159. Nos. 159, 177, 4594.  
 papyracea, Wall. ex Steud. Nom. ed. 2, i (1840), 483. No. 4664.  
 papyracea, Wall. ex Steud., f. grandiflora, Meissn. No. 5024.  
 retusa, Hemsl., in Journ. Linn. Soc., xxix (1893), 318. No. 2236.

**Datura**

- Stramonium, Linn., Sp. Pl. (1753), 179. No. 4482.

**Daucus**

- Carota, Linn., l.c. (1753), 242. No. 4629.

**Davallia**

- sp. No. 956.

**Deeringia**

- celosioides, R. Br., Prod. (1810), 413. No. 1041.

**Delphinium**

- Bulleyanum, G. Forrest ex Diels, in Notes Roy. Bot. Gard. Edin.,  
 v (1912), 265. No. 2694.  
 ceratophorum, Franch., in Bull. Soc. Bot. Fr., xxxiii (1886), 377.  
 Nos. 2660, 2763, 2898.  
 Delavayi, Franch., l.c. 379. Nos. 231, 2604, 2861, 2862, 2963, 4368,  
 5090.  
 Forrestii, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 265. No.  
 3030.  
 grandiflorum, Linn., Sp. Pl. (1753), 531. Nos. 183, 262, 2982, 3027.  
 likiangense, Franch., in Bull. Soc. Phil. Par. sér. 8, v (1893), 180.  
 No. 2903.  
 micropetalum, Fin. et Gagnep., in Bull. Soc. Bot. Fr., li (1904), 479.  
 No. 221.  
 mosoynense, Franch., in Bull. Soc. Phil. Par. sér. 8, v (1893), 168.  
 No. 2866.  
 yunnanense, Franch., l.c. 166. Nos. 2977, 3035.

**Dendrobium**

- Bulleyi, Rolfe, in Notes Roy. Bot. Gard. Edin., viii (1913), 20. No. 1091.  
 clavatum, Wall., in Hook. f. Fl. Brit. Ind., v (1890), 746. Nos. 1142, 4881.

**Desmodium**

- cinerascens, Franch., Pl. Delav. (1890), 174. No. 2517.  
 floribundum, G. Don, Gen. Syst., ii (1832), 297. Nos. 4243, 4246, 4247.  
 Griffithianum, Benth., in Miq. Pl. Jungh. (1851-5), 222. No. 4236.  
 hispidum, Franch., Pl. Delav. (1890), 174. No. 1042.  
 parvifolium, DC., in Ann. Sc. Nat. sér. 1, iv (1825), 100. Nos. 4254, 4255, 4994.  
 rhabdocladum, Franch., Pl. Delav. (1890), 173. No. 4226.  
 Scalpe, DC., Prod., ii (1825), 334. No. 1118.

**Deutzia**

- corymbosa, R. Br., in Hook. f. Fl. Brit. Ind., ii (1879), 406. No. 5034.  
 discolor, Hemsl., in Journ. Linn. Soc., xxiii (1887), 275. Nos. 558, 2095, 5031, 5033.  
 longifolia, Franch., var. grandiflora, Franch., mss. in Herb. Paris. No. 557.  
 parvifolia, Bge., var. purpurascens, Franch., in Journ. de Bot., x (1896), 283. No. 5035.

**Diapensia**

- Bulleyana, G. Forrest ex Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 207. No. 1853.

**Dicentra**

- thalictrifolia, Hook. f. et Thoms., Fl. Ind., i (1855), 273. No. 838.  
 torulosa, Hook. f. et Thoms., l.c. 272. Nos. 134, 2828.

**Dichrocephala**

- Benthami, Clarke, Comp. Ind. (1876), 36. Nos. 807, 2587, 4058.  
 latifolia, DC., in Guill. Archiv. Bot., ii (1833), 518. No. 641.

**Dicliptera**

- riparia, Nees, in Wall. Pl. As. Rar., iii (1832), 112. No. 613.  
 Roxburghiana, Nees, l.c. 111. No. 1024.

**Didissandra**

- amabilis, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 224. Nos. 2689, 4385.  
 lanuginosa, C. B. Clarke, in DC. Monog. Phan., v (1883), 66. No. 2509.  
 lanuginosa, C. B. Clarke, var. flabellata, Franch., mss. in Herb. Paris. No. 4804.  
 lanuginosa, Clarke, var. lancifolia, Franch., pro. sp. in Nouv. Arch. Mus. Par. sér. 2, x (1887-8), 63. Nos. 567, 568.  
 muscicola, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 225. No. 5095.

**Didymocarpus**

- aurea (Franch.), Diels, under Roettlera, in Bull. Mus. Hist. Nat. Par., v (1899), 250. No. 4803.

**Digitaria**

sanguinalis (Linn.), Scop., Fl. Carn. ed. 2, i. (1772), 52. Nos. 351, 360.

**Dioscorea**

Collettii, Hook. f., Fl. Brit. Ind., vi (1892), 290. No. 4714.  
 Fargesii, Franch., in Rev. Hort. (1896), 540. Nos. 2566, 4762.  
 Hemsleyi, Prain et Burkill, in Journ. As. Soc. Beng., n.s., iv (1908), 451. No. 2578.  
 panthaica, Prain et Burkill, l.c. lxxiii, suppl. (1904), 6. No. 2267.

**Diospyros**

Balfouriana, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 209. No. 4764.

**Dipelta**

yunnanensis, Franch., in Rev. Hort. (1891), 247. Nos. 380, 2116, 4641.

**Diplarche**

multiflora, Hook. f. et Thoms., in Hook. Kew Journ., vi (1854), 383. No. 626.

**Dipoma**

iberideum, Franch., in Bull. Soc. Bot. Fr., xxxiii (1886), 404. No. 2575.

**Dipsacus**

chinensis, Batal., in Act. Hort. Petrop., xiii, 18 (1894), 377. No. 2678.  
 inermis, Wall., in Roxb. Fl. Ind. ed. Carey, i (1820), 367. No. 4652.

**Disporum**

pullum, Salisb., in Trans. Hort. Soc., i (1812), 331. Nos. 2251, 4815, 4816, 4817.

**Diuranthera**

major, Hemsl., in Hook. Ic. Pl., xxviii (1902), t. 2734. No. 4831.  
 minor, C. H. Wright ex Hemsl., l.c. t. 2734. Nos. 2979, 4830.

**Dopatrium**

junceum, Ham. ex Benth. Scroph. Ind. (1835), 31. No. 935.

**Doronicum**

altaicum, Pall., in Act. Acad. Petrop. (1779), ii, 271. Nos. 662, 666.  
 yunnanense, Franch., mss. in Herb. Paris. No. 2663.

**Draba**

amplexicaulis, Franch., in Bull. Soc. Bot. Fr., xxxiii (1886), 403. No. 4328.  
 tibetica, Hook. f. et Thoms., in Journ. Linn. Soc., v (1861), 152. No. 2177.  
 yunnanensis, Franch., in Bull. Soc. Bot. Fr., xxxiii (1886), 402. No. 2076.  
 yunnanensis, Franch., forma. No. 2210.

**Dracocephalum**

bullatum, G. Forrest ex Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 238. No. 2730.

**Dracocephalum**—*continued*.

- tanguticum, Maxim., in Mém. Biol., xi (1881), 307. Nos. 604, 605,  
3033.  
urticifolium, Miq., in Ann. Mus. Bot. Lugd. Bat., ii (1865-6), 109.  
No. 4536.

**Dregea**

- sinensis, Hemsl., in Journ. Linn. Soc., xxvi (1889), 115. No. 2392.

**Drosera**

- peltata, Sm. ex Willd., Sp. Pl., i (1797), 1546. Nos. 182, 2742, 4393.

**Drymaria**

- cordata, Willd. ex Roem. et Schult., Syst., v (1819), 406. No. 811.

**Dumasia**

- cordifolia, Benth. ex Baker, in Hook. f. Fl. Brit. Ind., ii (1879), 183.  
Nos. 820, 898.  
Forrestii, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 247. No.  
1124.

**Eclipta**

- alba, Hassk., Pl. Jav. Rar. (1848), 528. Nos. 549, 803.

**Ehretia**

- corylifolia, Wright, in Kew Bull. (1896), 25. No. 4769.

**Elaeagnus**

- Bockii, Diels, in Engl. Jahrb., xxix (1900), 483. No. 860.  
lanceolata, Warburg, l.c. No. 519.  
umbellata, Thunb., Fl. Jap. (1784), 66. Nos. 2176, 4774, 4962.

**Elatostema**

- diversifolium (Wall.), Wedd., in DC. Prod., xvi, 1 (1869), 189. Nos.  
2646, 4725.  
obtusum, Wedd., in Ann. Sc. Nat. sér. 4, i (1854), 190. No. 4734.  
sessile, Forst., Char. Gen. (1776), 106. No. 4783.

**Eleusine**

- indica (Linn.), Gaertn., Fruct. i (1788), 8. Nos. 353, 356.

**Elsholtzia**

- blanda, Benth., Lab. Gen. et Sp. (1832-6), 162. No. 847.  
Bodinieri, Vaniot, in Bull. Acad. Géogr. Bot., xiv (1904), 176. Nos.  
586, 2997.  
communis (Coll. et Hemsl.), Diels, in Notes Roy. Bot. Gard. Edin.,  
vii (1912), 47. Nos. 628, 831.  
cristata, Willd., Sp. Pl., iii (1800), 59. No. 622.  
flava, Benth., Lab. Gen. et Sp. (1832), 161. Nos. 523, 4693.  
heterophylla, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 231.  
No. 934.  
incisa, Benth., Lab. Gen. et Sp. (1832-6), 162. No. 830.  
kachinensis, Prain, in Journ. As. Soc. Beng., lxxiii (1904), 206. Nos.  
585, 946.  
luteola, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 232. No.  
625.  
pilosa, Benth., Lab. Gen. et Sp. (1832-6), 163. Nos. 583, 947.

**Elsholtzia**—*continued*.

polystachya, Benth., l.c. 161. No. 629.

Souliei, Léveillé, in Fedde, Repert. Nov. Sp., ix (1911), 218. Nos. 2681, 4759.

tristis, Léveillé et Vaniot vel aff., in Fedde, Repert. Nov. Sp., viii (1910), 425. No. 4694.

**Embelia**

floribunda, Wall., in Roxb. Fl. Ind. ed. Carey, ii (1824), 291. No. 1065.

prunifolia, Mez, in Engl. Pflanzenr., Myrsin. (1902), 316. No. 821.

**Emilia**

sonchifolia, DC., Prod. vi (1837), 302. No. 684.

**Enkianthus**

chinensis, Franch., in Journ. de Bot., ix (1895), 371. Nos. 437, 455.

**Ephedra**

Gerardiana, Wall., var. sikkimensis, Stapf, in Hook. f. Fl. Brit. Ind., v (1890), 864. No. 2469.

**Epilobium**

angustifolium, Linn., Sp. Pl. (1753), 347. Nos. 2759, 4457.

Forrestii, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 254. No. 4460.

himalayense, Hausskn., Monog. Epilob. (1884), 213. Nos. 2490, 2589, 2894, 4463.

hirsutum, Linn., Sp. Pl. (1753), 347. Nos. 2613, 4461.

laetum, Wall., in Hook. f. Fl. Brit. Ind., ii (1879), 584. Nos. 2820, 4464.

pannosum, Hausskn., Monog. Epilob. (1884), 209. Nos. 425, 2975.

sikkimense, Hausskn., in Oest. Bot. Zeitschr., xxix (1879), 52. Nos. 2491, 4459.

sp. No. 4458.

**Epipactis**

consimilis, D. Don, Prod. Fl. Nep. (1825), 28. No. 2454.

Royleana, Lindl., in Royle Illustr. Bot. Himal. (1839), 368. Nos. 2430, 4873.

**Equisetum**

sp. No. 5083.

**Eragrostis**

elegantula, Steud., Syn. Pl. Gram. (1855), 266. No. 349.

ferruginea (Thunb.), P. Beauv., Agrost. (1812), 71. Nos. 2791, 2881.

interrupta (Lam.), P. Beauv., l.c. No. 832.

megastachya, Link, Hort. Berol., i (1827), 187. No. 347.

**Eremurus**

chinensis, O. Fedtsch., in Journ. Soc. Natural. St. Pétersb. (1907), 11. No. 5081.

**Eria**

acervata, Lindl., in Journ. Hort. Soc., vi (1851), 57. No. 176.

**Erianthus**

fulvus, Nees ex Steud., Syn. Pl. Gram. (1855), 409. Nos. 344, 842, 843.

**Erigeron**

- acris, Linn., Sp. Pl. (1753), 863. No. 653.  
 alpinus, Linn., l.c. 864. Nos. 633, 656, 670, 673, 998, 4088, 4089.  
 4090.  
 belledioides, Benth., f. integrifolia, Franch., mss. in Herb. Paris.  
 No. 2602.  
 canadensis, Linn., Sp. Pl. (1753), 863. Nos. 649, 882.  
 linifolius, Willd., Sp. Pl., iii (1800), 1955. No. 4045.  
 multiradiatus, Benth., var. platyphyllus, Franch., mss. in Herb. Paris.  
 No. 2654.  
 patentisquama, J. F. Jeffrey, in Notes Roy. Bot. Gard. Edin., v  
 (1912), 185. No. 43.

**Eriocaulon**

- Henryanum, Ruhl., in Engl. Pflanzenr., Eriocaul. (1903), 86. Nos.  
 332, 2577, 4897, 5023.  
 sp. No. 936.

**Eriophorum**

- comosum, Wall., in Hook. f. Fl. Brit. Ind., vi (1893), 664. No. 334.

**Eriophyton**

- Wallichianum, Benth., in Wall. Pl. As. Rar., i (1829), 63. No. 2909.

**Erysimum**

- cheiranthoides, Linn., Sp. Pl. (1753), 661. Nos. 4329, 4999.  
 longisiliquum, Hook. f. et Thoms., in Journ. Linn. Soc., v. (1861),  
 166. No. 2788.

**Erythrina**

- arborescens, Roxb., Hort. Beng. (1814), 53. No. 4250.

**Eugenia**

- tetragona, Wight, Illustr. ii (1841-50), 16. No. 954.

**Eulophia**

- Faberi, Rolfe, in Kew Bull. (1896), 198. No. 2093.

**Euonymus**

- acanthocarpa, Franch., Pl. Delav. (1889), 129. Nos. 300, 4711.  
 amygdalifolia, Franch., in Bull. Soc. Bot. Fr., xxxiii (1886), 453.  
 No. 4798 in part.  
 cornuta, Hemsl., in Kew Bull. (1893), 209. No. 1088.  
 cornutoides, Loes., in Notes Roy. Bot. Gard. Edin., viii (1913), 2.  
 No. 3094.  
 grandiflora, Wall., in Roxb. Fl. Ind. ed. Carey, ii (1824), 404. No.  
 2029.  
 Hamiltoniana, Wall., sensu amplo, l.c. 403. No. 2295.  
 hupehensis, Loes., var. brevipedunculata, Loes., in Engl. Jahrb.,  
 xxix (1900), 436. No. 4742.  
 lanceifolia, Loes., in Engl. Jahrb., xxx (1902), 462. No. 1071.  
 linearifolia, Franch., in Bull. Soc. Bot. Fr., xxxiii (1886), 455. Nos.  
 1125, 2475.  
 porphyrea, Loes., in Notes Roy. Bot. Gard., viii (1913), 2. No. 2240.  
 roseoperulata, Loes., l.c. 1. No. 4756.  
 taliensis, Loes., l.c. 3. No. 4798 in part.  
 theifolia, Wall., var. vel forma, in Hook. f. Fl. Brit. Ind., i (1872),  
 612. No. 4717.

**Eupatorium**

- cannabinum, Linn. ex Franchet, in Nouv. Arch. Mus. Hist. Nat. Par. sér. 2, x (1888), 34. No. 4010.  
 japonicum, Thunb., Fl. Jap. (1784), 308. No. 849.  
 Lindleyanum, DC., Prod., v (1836), 180. No. 3052.  
 Wallichii, DC., var. heterophyllum (DC.) Prod., v. (1836), 180. Nos. 654, 2513.

**Euphorbia**

- Bulleyana, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 219. No. 2231.  
 bupleuroides, Diels, l.c. 218. Nos. 224, 4596, 5008.  
 glaucopoda, Diels, l.c. 219. No. 962.  
 Helioscopia, Linn., Sp. Pl. (1753), 459. No. 203.  
 Jolkini, Boiss., Cent. Euph. (1860), 32. Nos. 4595, 4597.  
 megistopoda, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 218. No. 2237.  
 nepalensis, Boiss., in DC. Prod., xv, 2 (1862), 157. No. 293.  
 Stracheyi, Boiss., l.c. 114. No. 2165.  
 thymifolia, Linn., Sp. Pl. (1753), 454. No. 101.  
 Wallichii, Hook. f. vel aff., Fl. Brit. Ind., v (1887), 258. No. 2375.

**Eurya**

- acuminata, DC., Mém. Ternstr. (1823), 26. No. 4724.  
 japonica, Thunb., Nov. Gen. (1781-1801), 67. Nos. 438, 444, 453.

**Eutrema**

- yunnanense, Franch., Pl. Delav. (1889), 61. Nos. 2331, 4337.

**Fagopyrum**

- cymosum (Trev.), Meissn., in Wall. Pl. As. Rar., iii (1832), 63. No. 2609.  
 cymosum, Meissn. vel aff. No. 3012.  
 esculentum, Moench., Meth. (1794), 290. No. 4586.

**Festuca**

- duriuscula, Linn., Sp. Pl. (1753), 74. Nos. 2574, 2795.  
 ovina, Linn., l.c. 73. No. 4915.  
 sp. Nos. 2357, 2536, 2838, 2841.

**Ficus**

- foveolata, Wall., in Hook. f. Fl. Brit. Ind., v (1888), 528. No. 850.  
 heteromorpha, Hemsl., in Hook. Ic. Pl. (1897), tt. 2533-4. No. 4705.  
 infectoria, Roxb., Fl. Ind., iii (1832), 551. No. 4704.  
 pyriformis, Hook. et Arn., Bot. Beech. Voy. (1841), 216. No. 877.  
 pyriformis, Hook. et Arn., var. ischnopoda, King, in Ann. Bot. Gard. Calcutt., i (1888), 158. No. 1070.  
 silhetensis, Miq., Ann. Mus. Bot. Lugd. Bat., ii (1865-6), 223. No. 1113.

**Filices**

- Nos. 273, 278, 288, 294, 295, 928, 1034, 2607, 4928, 4932, 4934, 4936, 4937, 4939, 4940.

**Fimbristylis**

- diphylla, Vahl vel aff., Enum., ii (1806), 289. Nos. 2582, 2584, 2688, 4907.  
 squarrosa, Vahl, l.c. No. 336.  
 sp. No. 339.

**Flemingia**

- congesta, Roxb., ex Ait. Hort. Kew., ed. 2, iv (1812), 349. No. 1082.  
 strobilifera, R. Br., in Ait. Hort. Kew., ed. 2, iv (1812), 350. No. 910.

**Foeniculum**

- vulgare, Mill., Gard. Dict., ed. 8 (1768), n. 1. No. 4634.

**Fragaria**

- indica, Andr., Bot. Rep. (1807), t. 479. Nos. 2077, 4419, 5007.  
 nilgerrensis, Schl. ex J. Gay, in Ann. Sc. Nat. sér. 4, viii (1857), 206. Nos. 4418, 4984.  
 vesca, Linn., Sp. Pl. (1753), 494. No. 2201.

**Fritillaria**

- cirrhusa, D. Don, Prodr. Fl. Nepal. (1825), 51. Nos. 490, 515, 2217.  
 Delavayi, Franch., in Journ. de Bot., xii (1898), 222. Nos. 2179, 2313.  
 Souliei, Franch., l.c. 211. Nos. 495, 497.

**Galium**

- asperifolium, Wall., in Roxb. Fl. Ind. ed. Carey, i (1880), 381. No. 4640.  
 elegans, Wall., l.c. 382. No. 2804.  
 Forrestii, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 279. No. 2363.  
 modestum, Diels, l.c. 280. No. 4978.  
 nephrostigmaticum, Diels, l.c. 279. No. 4638.  
 triflorum, Michx., Fl. Bor. Am., i (1820), 80. Nos. 2380, 4637.  
 sp. (sterilis ?). No. 4636.

**Gaultheria**

- Forrestii, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 210. Nos. 4175, 4183.  
 Griffithiana, Wight, in Calc. Journ. Nat. Hist., viii (1847), 176. Nos. 4187, 5067.  
 Hookeri, Clarke, in Hook. f. Fl. Brit. Ind., iii (1882), 458. No. 5066.  
 trichophylla, Royle, Illustr. Bot. Himal. (1839), 260. Nos. 4188, 4190, 5003.

**Gentiana**

- albescens, Franch. ex Kusnez., in Act. Hort. Petrop., xv (1898), 409. Nos. 460, 2712.  
 aprica, Decne., in Jacquem. Voy. Bot. (1844), 112. Nos. 3823, 4960.  
 asterocalyx, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 220. No. 2415.  
 bella, Franch., in Journ. Linn. Soc., xxvi (1890), 124. No. 2349.  
 cephalantha, Franch., l.c. 125. Nos. 28, 700, 2990, 3007.  
 Clarkei, Kusnezow, in Act. Hort. Petrop., xv (1904), 419. No. 1129.  
 crassicaulis, Duthie ex Burkill, in Journ. As. Soc. Beng., n.s., ii (1906), 311. No. 2897.  
 cyananthiflora, Franch., in Journ. Linn. Soc., xxvi (1890), 126. Nos. 2899, 3017, 3031.  
 decorata, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 220. Nos. 3021, 3827.  
 Delavayi, Franch., in Bull. Soc. Bot. Fr., xxxi (1884), 377. No. 309.

**Gentiana**—*continued*.

- detonsa, Rottb. in Kjöb. Selsk. Skrift., x (1770), 935. Nos. 49, 120, 250, 403, 3026.  
 Duclouxii, Franch., in Bull. Soc. Bot. Fr., xlv (1899), 305. Nos. 470, 701.  
 fastigiata, Franch., l.c. xxxi (1884), 373. No. 109.  
 gentilis, Franch., l.c., xliii (1896), 491. Nos. 2493, 3037.  
 Georgei, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 221. No. 3110.  
 Harrowiana, Diels, l.c. 221. No. 3825.  
 heptaphylla, Balf. f. et G. Forrest, l.c., iv (1907), 72. Nos. 45, 405.  
 leptoclada, Balf. f. et G. Forrest, l.c. iv (1907), 71. No. 409.  
 maulchanensis, Franch., in Bull. Soc. Bot. Fr., xliii (1896), 488. No. 3822.  
 melandrifolia, Franch., in Journ. Linn. Soc. Bot., xxvi (1890), 129. Nos. 3013, 3048.  
 microdonta, Franch., l.c. 130. Nos. 410, 2957, 3826.  
 microphyta, Franch., l.c. 130. No. 3834.  
 ornata, Wall., in Hook. f. Fl. Brit. Ind., iv (1883), 116. Nos. 408, 3028.  
 ornata, Wall., var. alba, Balf. f., in Notes Roy. Bot. Gard. Edin., iv (1907), 72. Nos. 24, 408A.  
 otophora, Franch., in Journ. Linn. Soc., xxvi (1890), 130. No. 3824.  
 phyllocalyx, Clarke, in Hook. f. Fl. Brit. Ind., iv (1883), 116. Nos. 401, 402, 3831, 3832.  
 picta, Franch., in Journ. Linn. Soc., xxvi (1890), 131. Nos. 354, 413.  
 puberula, Franch., l.c. 132. No. 2067.  
 rhodantha, Franch., l.c. 133. Nos. 23, 414.  
 rigescens, Franch., l.c. 134. Nos. 1048, 3091.  
 robustior, Burkill, mss. ex Diels in Notes Roy. Bot. Gard. Edin., v (1912), 196—nomen. No. 3833.  
 scariosa, Balf. f. et G. Forrest, in Notes Roy. Bot. Gard. Edin., iv (1907), 74. No. 404.  
 Serra, Franch., in Bull. Soc. Bot. Fr., xxxi (1884), 376. Nos. 301, 3040.  
 sikkimensis, Clarke, in Hook. f. Fl. Brit. Ind., iv (1883), 114. Nos. 55, 3829.  
 stellariaefolia, Franch., in Journ. Linn. Soc., xxvi (1890), 135. No. 3020.  
 stylophora, Clarke, in Hook. f. Fl. Brit. Ind., iv (1883), 118. Nos. 412, 1057, 3828.  
 taliensis, Balf. f. et G. Forrest, in Notes Roy. Bot. Gard. Edin., iv (1907), 75. No. 702.  
 Trailliana, G. Forrest, l.c. 69. No. 350.  
 yunnanensis, Franch., in Bull. Soc. Bot. Fr., xxxi (1884), 376. Nos. 30, 407, 3019, 3082.

**Genus**

(?) No. 527.

**Geranium**

- candicans, R. Knuth, in Engl. Pflanzenr., Geraniaceae (1912), 581. No. 1879.  
 Forrestii, Knuth, l.c. 578. No. 4282.  
 kariense, Knuth, l.c. 577. No. 97.  
 nepalense, Sweet, Geran. i (1820), t. 12. Nos. 4279, 4280, 4956, 4988.

**Geranium**—*continued*.

- platylobum (Franch.), R. Knuth, in Engl. Pflanzenr., Geraniaceae (1912), 183. No. 132.  
 platypetalum, Franch., Pl. Delav. (1889), 111. Nos. 66, 4283.  
 Pylzowianum, Maxim., in Mém. Biol., x (1880), 633. No. 2637.  
 strictipes, R. Knuth, in Engl. Pflanzenr., Geraniaceae (1912), 581. No. 2369.  
 Vlassovianum, Fisch. ex Link, Enum. Hort. Berol., ii (1822), 197. No. 4281.  
 Wallichianum, D. Don, in Sweet, Geran., i (1820), t. 90. No. 2562.

**Gerbera**

- Anandria, Sch. Bip., in Flora, xxvii (1844), 782. No. 2187.  
 Delavayi, Franch., in Journ. de Bot., ii (1888), 68. Nos. 634, 667.  
 piloselloides, Cass., in Dict. Sc. Nat., xviii (1820), 461. No. 4029.

**Geum**

- elatum, Wall., var. humile, Royle, under Sieversia in Ill. Bot. Himal. (1839), 207. No. 2212.  
 strictum, Ait. Hort. Kew., ed. 1, ii (1789), 217. Nos. 2501, 4423, 4424.

**Girardinia**

- condensata, Wedd., in Arch. Mus. Par. viii (1855-6), 169. No. 57.

**Gleditschia**

- Delavayi, Franch., Pl. Delav. (1890), 189. No. 4751.

**Gleichenia**

- sp. No. 298.

**Glycine**

- hispida (Moench.), Maxim., in Bull. Acad. Pétersb., xviii (1873), 398. No. 4263.

**Glycyrrhiza**

- echinata, Linn., Sp. Pl. (1753), 741. No. 2355.

**Gnaphalium**

- hypoleucum, DC., in Wight, Contrib. (1834), 21. Nos. 671, 949, 2831, 4073.  
 multiceps, Wall., in Hook. f. Fl. Brit. Ind., iii (1882), 288. Nos. 2520, 4074.

**Goldbachia**

- lancifolia, Franch., in Bull. Soc. Bot. Fr., xxxiii (1886), 408. No. 2317.

**Goodyera**

- Schlechtendaliana, Rchb. f., in Linnaea, xxii (1849), 861. No. 4874.

**Gordonia**

- anomala, Spreng., Syst., iii (1826), 126. No. 1081.

**Gramineae**

- Nos. 818, 840, 844, 845, 2793, 2794, 2797, 2840, 2877, 4916, 4919, 4922.

**Gueldenstaedtia**

yunnanensis, Franch., Pl. Delav. (1890), 164. Nos. 1122, 2161.

**Gymnadenia**

conopsea, R. Br., in Ait. Hort. Kew., ed. 2, v (1813), 191. No. 142.  
pseudo-diphylax, Kränzlin, in Engl. Jahrb., xxxvi Beibl. 82 (1905),  
25. Nos. 2972, 4885.

**Gynostemma**

pedatum, Bl., Bijdr. (1825-6), 23. No. 4739.

**Gynura**

angulosa, DC., Prod., vi (1837), 298. No. 1039.  
pinnatifida, DC., l.c. 301. No. 2721.

**Habenaria**

acuifera, Lindl., Gen. and Sp. Orch. (1830-40), 325. No. 185.  
Aitchisoni, Rehb. f. ex Aitch. et Hemsl., in Trans. Linn. Soc. sér.  
2, iii (1886), 113. Nos. 2704, 2739.  
Bulleyi, Rolfe, in Notes Roy. Bot. Gard. Edin., viii (1913), 25. No.  
895.  
Delavayi, Finet, in Rev. Gén. Bot., xiii (1901), 527. Nos. 2677,  
4888.  
diceras, Schltr., in Notes Roy. Bot. Gard. Edin., v (1912), 101. No.  
3074.  
diplonema, Schltr., l.c. 100. No. 2812.  
Duclouxii, Rolfe, l.c. viii (1913), 25. No. 906.  
ensifolia, Lindl., Gen. and Sp. Orch. (1830-40), 321. No. 263.  
Forrestii, Schltr., in Notes Roy. Bot. Gard. Edin., v (1912), 101.  
No. 2875.  
glaucofolia, Bur. et Franch., in Journ. de Bot., v (1891), 152. No.  
2746.  
Miersiana, Champ., in Hook. Kew Journ. Bot., vii (1855), 37. Nos.  
256, 257.  
Orchidis, Hook f., Fl. Brit. Ind., vi (1890), 142. No. 2650.  
pectinata, D. Don, Prod. Fl. Nep. (1825), 24. Nos. 2807, 4884.

**Halenia**

elliptica, D. Don, in Trans. Linn. Soc., xvii (1837), 529. Nos. 163,  
972, 2811, 5077.  
elliptica, D. Don, var. grandiflora, Hemsl., in Journ. Linn. Soc.,  
xxvi (1890), 141. Nos. 325, 326, 1049.

**Haloragis**

micrantha, R. Br., ex Sieb. et Zucc. Fl. Jap. Fam. Nat., i (1843),  
25. No. 3109.

**Hedera**

Helix, Linn., Sp. Pl. (1753), 202. Nos. 4668, 4997.

**Hedychium**

densiflorum, Wall., in Hook. f. Fl. Brit. Ind., vi (1892), 227. No.  
4810.  
Forrestii, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 304. No.  
4812.  
yunnanense, Gagnep., in Bull. Soc. Bot. Fr., liv (1907), 164. No.  
4811.

**Hedyotis**

- stipulata, R. Br., Hook. f., Fl. Brit. Ind., iii (1882), 63. Nos. 563, 4678.  
uncinella, Hook. et Arn., Bot. Beech. Voy. (1841), 192. No. 948.

**Hedysarum**

- sikkimense, Benth. ex Baker, in Hook. f. Fl. Brit. Ind., ii (1879), 145. No. 2744.

**Heleocharis**

- palustris, R. Br., Prod. (1810), 224. No. 4901.

**Helwingia**

- chinensis, Batal., in Act. Hort. Petrop., xiii (1893), 97. Nos. 4609, 4610.  
rusciflora, Willd., Sp. Pl., iv (1805), 716. No. 4608.

**Hemerocallis**

- Forrestii, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 298. No. 2512.  
fulva, Linn., Sp. Pl. ed. 2 (1762), 462. Nos. 2400, 2632, 4836.  
fulva, Linn., var. angustifolia, Baker, in Journ. Linn. Soc., xi (1871), 359. Nos. 492, 1896.

**Hemigraphis**

- drymophila, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 162. No. 2774.

**Hemilophia**

- pulchella, Franch., Pl. Delav. (1889), 65. No. 2570.

**Hemiphragma**

- heterophyllum, Wall., in Trans. Linn. Soc., xiii (1822), 612. Nos. 220, 2018, 4784.

**Hemipilia**

- brevicalcarata, Finet, in Bull. Soc. Bot. Fr., xlv (1897), 420. No. 4868.  
Bulleyi, Rolfe, in Notes Roy. Bot. Gard. Edin., viii (1913), 27. Nos. 136, 204.  
flabellata, Bur. et Franch., in Journ. de Bot., v (1891), 152. Nos. 102, 2844.  
Forrestii, Rolfe, in Notes Roy. Bot. Gard. Edin., viii (1913), 27. No. 865.  
Henryi, Rolfe, in Kew Bull. (1896), 203. No. 4890.  
yunnanensis (Finet, pro var.), Schltr., in Notes Roy. Bot. Gard. Edin., v (1912), 98. No. 2397.

**Hemsleya**

- amabilis, Diels, l.c. 206. Nos. 4755, 4772.

**Heracleum**

- candicans, Wall., in Hook. f. Fl. Brit. Ind., ii (1879), 714. Nos. 2633, 4616.  
scabridum, Franch., in Bull. Soc. Phil. Par. sér. 8, vi (1894), 145. Nos. 2260, 2752.  
stenopterum, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 291. No. 2847.

**Herminium**

- angustifolium, Benth. ex Hook. f. Fl. Brit. Ind., vi (1890), 129. Nos. 2784, 2876, 4877.  
 coeloceras, Schltr., in Notes Roy. Bot. Gard. Edin., v (1912), 97. No. 4878.  
 forceps, Schltr., l.c. 97. No. 3075.  
 Forrestii, Schltr., l.c. 96. No. 2590.  
 ophioglossoides, Schltr., l.c. 96. No. 2466.  
 Souliei, Rolfe, in Journ. Linn. Soc., xxxvi (1903), 51. No. 4864.  
 unicolor, Kränzlin, in Fedde, Repert. Nov. Sp., v (1908), 199. No. 2583.  
 yunnanense, Rolfe, in Notes Roy. Bot. Gard. Edin., viii (1913), 24. No. 907.

**Hesperis**

- lutea, Maxim., in Bull. Acad. Pétersb., xviii (1873), 282. No. 2563.

**Hibiscus**

- Forrestii, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 252. No. 993.  
 Manihot, Linn., Sp. Pl. (1753), 696. No. 4295.  
 mutabilis, Linn., l.c. 694. No. 918.  
 pungens, Roxb., Hort. Beng. (1814), 52. No. 869.  
 syriacus, Linn., Sp. Pl. (1753), 695. Nos. 441, 4288.  
 Trionum, Linn., l.c. 697. Nos. 432, 3036.

**Holboellia**

- angustifolia, Wall., Tent. Fl. Nep. (1824), 25. No. 4360.

**Hosta**

- coerulea (Andr.), Tratt., Arch. Gewächsh., i (1812), 55. No. 2737.  
 plantaginea (Lam.), Aschers., Fl. Brandenb. (1864), 728. Nos. 893, 5082.

**Houttuynia**

- cordata, Thunb., Fl. Jap. (1784), 234. No. 4801.

**Hydrangea**

- altissima, Wall., Tent. Fl. Nep. (1824), 2. No. 5044.  
 aspera, D. Don., Prod. Fl. Nep. (1825), 211. Nos. 975, 2973, 4740.  
 chinensis, Maxim., in Mém. Acad. Pétersb. sér. 7, x (1867), n. xvi, 7. Nos. 5030, 5046.  
 heteromalla, D. Don., Prod. Fl. Nep., 211 (1825). Nos. 4702, 5045.  
 Hortensia, DC., Prod., iv (1830), 15. No. 5047.  
 vestita, Wall., Tent. Fl. Nep. (1824), t. 49. No. 2830.

**Hydrocharis**

- Morsus-ranae, Linn., Sp. Pl. (1753), 1036. No. 1884.

**Hypocoum**

- leptocarpum, Hook. f. et Thoms., Fl. Ind., i (1855), 276. No. 2089.

**Hypericum**

- Ascyron, Linn., Sp. Pl. (1753), 783. No. 80.  
 elodeoides, Choisy, in DC. Prod., i (1824), 551. Nos. 829, 2701, 4296, 4297, 4298.  
 japonicum, Thunb., Fl. Jap. (1784), 295. No. 4299.  
 Lalandii, Choisy, in DC. Prod., i (1824), 550. Nos. 5097, 5098.

**Hypericum**—*continued*.

- monanthemum, Hook. f., var. nigro-punctatum, Franch., Pl. Delav. (1889), 104. No. 2553.  
 patulum, Thunb. ex Franch., Fl. Jap. (1784), 295. Nos. 417, 2425, 4300.

**Hypochoeris**

- radicata, Linn., Sp. Pl. (1753), 811. Nos. 635, 636.

**Hypoxis**

- aurea, Lour., Fl. Cochinch., i (1790), 200. Nos. 2596, 4829.

**Ilex**

- corallina, Franch., in Bull. Soc. Bot. Fr., xxxiii (1886), 452. No. 859.  
 dipyrena, Wall. vel aff., in Roxb. Fl. Ind. ed. Carey, i (1820), 473. No. 4682.  
 Pernyi, Franch., Pl. David. (1888), 69. No. 1072.

**Illicium**

- yunnanense, Finet et Gagn. Fl. As. Or., ii (1907), 29. Nos. 4106, 4701.

**Ilysanthes**

- hyssopoides, Benth., in DC. Prod., x (1846), 419. Nos. 139, 363, 4515.

**Impatiens**

- aquaticus, Hook. f., in Nouv. Arch. Mus. Par. sér. 4, x (1908), 247. No. 2999.  
 arguta, Hook. f. et Thoms., in Journ. Linn. Soc., iv (1860), 137. Nos. 1000, 4273, 4278, 4536A, 4673.  
 Balsamina, Linn., Sp. Pl. (1753), 938. No. 4276.  
 chinensis, Linn., l.c. 937. No. 999.  
 clavicuspis, Hook. f., in Notes Roy. Bot. Gard. Edin., vii (1912), 70—nomen. Nos. 1003, 1004, 1006.  
 corchorifolia, Franch., in Bull. Soc. Bot. Fr., xxxiii (1886), 448. Nos. 213, 1001.  
 cyclosepala, Hook. f., in Notes Roy. Bot. Gard. Edin., vii (1912), 221—nomen. No. 4271.  
 Delavayi, Franch., in Bull. Soc. Bot. Fr., xxxiii (1886), 445. Nos. 117, 2702, 4196, 4270.  
 desmantha, Hook. f., in Nouv. Arch. Mus. Par. sér. 4, x (1908), 248. Nos. 2656, 4274, 4674.  
 drepanophora, Hook. f. (?), in Rec. Bot. Surv. India, iv (1904), 17. No. 35.  
 Forrestii, Hook. f., in Notes Roy. Bot. Gard. Edin., vii (1912), 70—nomen. Nos. 1002, 4275.  
 pinetorum, Hook. f., in Notes Roy. Bot. Gard. Edin., vii (1912), 70—nomen. No. 1104.  
 polyceras, Hook. f., in Notes Roy. Bot. Gard. Edin., vii (1912), 37—nomen. No. 483.  
 radiata, Hook. f., Fl. Brit. Ind., i (1875), 476. No. 4277.  
 stenantha, Hook. f., l.c. 478. No. 4272.

**Incarvillea**

- grandiflora, Bur. et Franch., var. brevipes, Sprague, in Kew Bull. (1909), 263. Nos. 2131, 2464.  
 lutea, Bur. et Franch., in Journ. de Bot., v (1891), 137. No. 2338.

**Indigofera**

- chaetodonta, Franch., Pl. Delav. (1889), 155. No. 4234.  
 chaetodonta, Franch., var. No. 2099.

**Indigofera**—*continued*.

- Gerardiana, Wall., in Hook. f. Fl. Brit. Ind., ii (1879), 100. No. 4235.  
 leptosepala, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 245. No. 2651.  
 pendula, Franch., Pl. Delav. (1889), 156. Nos. 2197, 2431.  
 pendula, Franch., var. Nos. 4251, 4258.  
 sp. No. 1112.

**Inula**

- Cappa, DC., Prod., v (1836), 469. Nos. 668, 4043.  
 nervosa, Wall., in Hook. f. Fl. Brit. Ind., iii (1882), 293. No. 1089.  
 pterocaula, Franch., in Journ. de Bot., x (1896), 383. Nos. 11, 658.  
 sericophylla, Franch., l.c. 383. Nos. 2568, 3058, 4011.  
 serrata, Bur. et Franch., l.c., v (1891), 50. Nos. 2814, 4013.

**Ipomoea**

- caloxantha, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 203. No. 1111.  
 Kingii, Prain, in Journ. As. Soc. Beng., lxiii (1895), 2, 110. No. 2569.  
 purpurea, Lam., Ill., i (1791), 466. No. 4478.  
 sp. No. 610.

**Iris**

- Collettii, Hook. f. Bot. Mag. (1903), 7889. Nos. 2205, 4840.  
 Delavayi, Micheli, in Rev. Hort. (1895), 398. Nos. 1895, 4841.  
 Forrestii, Dykes, in Gard. Chron., i (1910), 418. No. 2426.  
 japonica, Thunb., in Trans. Linn. Soc., ii (1797), 327. Nos. 1898, 5094.  
 Potanini, Maxim. (?), in Bull. Acad. St. Pétersb., xxvi (1880), 528. No. 2404.  
 ruthenica, Dryand., in Ait. Hort. Kew., ed. 2, i (1810), 117. No. 2218.  
 tectorum, Maxim., in Bull. Acad. St. Pétersb., xv (1871), 380. No. 2094.  
 sp. No. 4841A.

**Isachne**

- australis, R. Br., Prod. (1810), 196. No. 4917.

**Isopyrum**

- grandiflorum, Fisch., ex DC. Prod., i (1824), 48. No. 5099.

**Jasminum**

- Beesianum, G. Forrest et Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 253. No. 2021.  
 grandiflorum, Linn., Sp. Pl. ed. 2 (1762), 9. No. 4683.  
 humile, Linn., l.c. (1762), 9. Nos. 2082, 4659.  
 officinale, Linn., l.c. (1762), 9. Nos. 577, 2151.  
 polyanthum, Franch., in Rev. Hort. (1891), 207. No. 4658.  
 primulinum, Hemsl., in Kew Bull. (1895), 109. Nos. 575, 4657.

**Juncus**

- allioides, Franch., Pl. David., ii (1888), 137. Nos. 2418, 2364, 4899.  
 Clarkei, Buchenau, in Engl. Jahrb., vi (1885), 210. No. 247.  
 Clarkei, Buchenau vel aff. No. 4904.

**Juncus**—*continued*.

- concinus, D. Don, Prod. Fl. Nep. (1825), 44. Nos. 340, 2572, 4911.  
 crassifolius, Camus, in Lecomte, Notul. Syst., i (1910), 278. Nos. 1897, 5074.  
 himalensis, Klotzsch, in Klotzsch et Garcke, Bot. Ergeb. Reise Prinz Waldemar (1862), 60. No. 4909.  
 longistamineus, Camus, in Lecomte, Notul. Syst., i (1910), 277. No. 279.  
 Przewalskii, Buchenau, in Engl. Jahrb., xii (1890), 401. No. 2917.  
 sikkimensis, Hook. f., Fl. Brit. Ind., vi (1892), 400. Nos. 341, 4894.  
 sphenostemon, Buchenau, in Engl. Jahrb., vi (1885), 223. No. 4906.  
 Thomsoni, Buchenau, in Bot. Zeit., xxv (1867), 148. No. 2148.  
 sp. Nos. 342, 2248.

**Juniperus**

- chinensis, Linn. Mant., i (1767), 127. No. 362.

**Jurinea**

- berardioides (Franch.), Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 199. No. 2481.  
 edulis, Franch., in Journ. de Bot., viii (1894), 337. No. 3002.  
 Forrestii, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 200. No. 2806.

**Jussieuia**

- suffruticosa, Linn., Sp. Pl. (1753), 388. No. 1110.

**Justicia**

- diffusa, Willd., var. hedyotifolia (Wall.), Clarke, in Hook. f. Fl. Brit. Ind., iv (1885), 538. No. 804.  
 khasiana, Clarke, in Hook. f. Fl. Brit. Ind., iv (1885), 537. No. 4535.  
 procumbens, Linn., Sp. Pl. (1753), 15. Nos. 997, 1026, 1093.

**Kerria**

- japonica, DC., in Trans. Linn. Soc., xii (1817), 157. Nos. 227, 4421.  
 japonica, DC., f. fl. pl. No. 2025.

**Knoxia**

- corymbosa, Willd., Sp. Pl., i (1797), 582. No. 876.

**Kobresia**

- See COBRESIA.

**Kummerowia**

- striata (Thunb.), Schindler, in Fedde, Repert. Sp. Nov., x (1912), 403. No. 499.

**Labiatae**

- sp. Nos. 582, 588.

**Lactuca**

- Beesiana, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 201. No. 3081.  
 graciliflora, DC., Prodr., vii (1838), 139. No. 2949.  
 gracilis, DC., l.c. 140. Nos. 680, 2615.  
 grandiflora, Franch., in Journ. de Bot., ix (1895), 260. Nos. 33, 2675, 2767, 4059, 4060.

**Lactuca**—*continued*.

- hispidula, DC., Prod., vii (1838), 139. No. 3061.  
 macrorrhiza, Hook. f., Fl. Brit. Ind., iii (1882), 408. Nos. 645, 3085.  
 napifera, Franch., in Journ. de Bot., ix (1895), 292. Nos. 665,  
 2987, 4044.  
 sativa, Linn., Sp. Pl. ed. 1 (1753), 795. No. 4057.  
 Souliei, Franch., in Journ. de Bot., ix (1895), 257. No. 3087.  
 taliensis, Franch., l.c. 263. No. 3087.  
 versicolor, Sch. Bip. ex Franchet, in Bonplandia, x (1862), 331.  
 Nos. 4056, 4086.

**Lagerstroemia**

- indica, Linn., Syst. ed. 10 (1759), 1076. No. 4289.

**Laggera**

- alata, Sch. Bip. ex Oliver, in Trans. Linn. Soc., xxxix (1873), 94.  
 Nos. 813, 1051.  
 flava, Benth. et Hook. f., Gen. Pl., ii (1873), 290. No. 833.  
 pterodonta, Benth., l.c. Nos. 21, 4087.

**Lamium**

- amplexicaule, Linn., Sp. Pl. (1753), 579. Nos. 2046, 4540, 4964.

**Laportea**

- Forrestii, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 292. No.  
 520.  
 terminalis, Wight, Ic., vi (1853), t. 1972. No. 4770.

**Lathyrus**

- palustris, Linn., Sp. Pl. (1753), 733. Nos. 2034A, 4261, 4981.  
 pratensis, Linn., l.c. No. 2035.

**Laurineae**

- sp. No. 2091.

**Leontopodium**

- caespitosum, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 189.  
 No. 4070.  
 calocephalum (Franch.), Beauv., in Bull. Soc. Bot. Genève, sér. 2, i  
 (1909), 189. Nos. 2954.  
 foliosum (Franch.), Beauv., l.c. (1909), 193. Nos. 2268, 4078.  
 subulatum, Franch., under Gnaphalium in Bull. Soc. Bot. Fr., xxxix  
 (1892), 130. Nos. 644, 3080, 4069.

**Leonurus**

- sibiricus, Linn., Sp. Pl. (1753), 584. Nos. 2524, 4534.

**Leptocodon**

- gracilis, Hook. f. et Thoms., in Journ. Linn. Soc., ii (1858), 17. No.  
 987.

**Leptodermis**

- Forrestii, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 274. Nos.  
 2382, 2403.  
 glauca (Franch.), Diels, l.c. 275. Nos. 2016, 4796.  
 pilosa (Franch.), Diels, l.c. 276. Nos. 581, 2713.  
 Wilsoni, Hort. Kew. ex Herb. Kew., l.c. 275. Nos. 367, 580, 4789.

**Lespedeza**

- Balfouriana (Diels Mss.), ex Schindler, in Fedde, Repert. Sp. Nov., ix (1911), 522. No. 4241.  
 Feddeana, Schindler, l.c., x (1912), 405. No. 152.  
 Forrestii, Schindler, l.c. 406. No. 2416.  
 hirtella, Franch., Pl. Delav. (1890), 167. Nos. 2497, 2717, 4245.  
 polyantha (Franch.), Schindler, in Fedde, Repert. Sp. Nov., ix (1911), 520. Nos. 153, 4237, 4244, 4248, 5014.  
 sericea, Miq., Ann. Mus. Bot. Lugd. Bat., iii (1867), 49. Nos. 154, 3054, 4242.  
 trigonoclada, Franch., Pl. Delav. (1890), 167. No. 103.  
 velutina, Dunn, in Hook. Ic. Pl., xxvii (1900), t. 2700. No. 6.

**Leucas**

- ciliata, Benth., in Wall. Pl. As. Rar., i (1830), 61. No. 1021.  
 ciliata, Benth., var. No. 4537.

**Leucosceptrum**

- canum, Sm., Exot. Bot., ii (1806), 113. No. 923.

**Leycesteria**

- formosa, Wall., in Roxb. Fl. Ind. ed. Carey, ii (1824), 181. Nos. 2503, 4776.  
 glaucophylla, Hook. f., Fl. Brit. Ind., iii (1882), 16. No. 1063.

**Lichenes**

- Nos. 2376, 4952.

**Ligusticum**

- angelicaefolium, Franch., in Bull. Soc. Phil. Par. sér. 8, vi (1894), 133. Nos. 2848, 4696.  
 brachylobum, Franch., l.c. 134. Nos. 2571, 2712, 2768, 2836.  
 daucoides, Franch., l.c. 135. Nos. 2769, 2890.  
 Delavayi, Franch., l.c. 131. No. 2889.  
 involucreatum, Franch., l.c. 136. Nos. 2835, 4632, 4633.  
 modestum, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 289. No. 2856.  
 pteridophyllum, Franch. ex Oliver, in Hook. Ic. Pl., xx (1891), sub. t. 1958. Nos. 3050, 3072.  
 tenuifolium (Wall.), Franch., in Bull. Soc. Phil. Par. sér. 8, vi (1894), 136. Nos. 536, 4627.

**Ligustrum**

- brachystachyum, Decne., in Nouv. Arch. Mus. Par. sér. 2, ii (1879), 34. No. 4654.  
 ionandrum, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 252. No. 2196.  
 lucidum, Ait., Hort. Kew., ed. 2, i (1810), 19. No. 2494.  
 tibeticum, Decne. (?), in Nouv. Arch. Mus. Par. sér. 2, ii (1879), 21. No. 4656.

**Lilium**

- apertum, Franch., var. tibeticum, Franch., in Journ. de Bot., xii (1898), 221. Nos. 457, 493.  
 Brownii, Miellez, in Ann. Soc. Roy. Agr. et Bot. Gand., 1845, t. 41. Nos. 1891, 3010.  
 Delavayi, Franch., in Journ. de Bot., vi (1892), 314. Nos. 1893, 2433.  
 giganteum, Wall., Tent. Fl. Nep. (1824-6), 21. No. 1894.

**Lilium**—*continued*.

- lophophorum, Franch., in Journ. de Bot., xii (1898), 221. No. 2390.  
 ochraceum, Franch., l.c. vi (1892), 319. Nos. 2869, 4813.  
 papilliferum, Franch., l.c. 316. Nos. 496, 2692.  
 sutchuenense, Franch., l.c. 318. No. 494.  
 taliense, Franch., l.c. 319. No. 2716.  
 Thomsonianum, Lindl., Bot. Reg., 1845, t. 1. Nos. 2766, 3843A.  
 tigrinum, Ker-Gawl., in Bot. Mag. t. 1237. No. 4814.  
 tigrinum, Ker-Gawl., x L. tenuifolium, Fisch. (?). No. 2803.

**Limnanthemum**

- indicum, Thw., Enum. Pl. Zeyl. (1865), 205. No. 1883.  
 nymphaeoides, Link, Fl. Port., i (1809), 344. No. 1889.

**Lindenbergia**

- philippinensis, Benth., in DC. Prod. x (1846), 377. No. 4986.

**Lindera**

- communis, Hemsl., in Journ. Linn. Soc., xxvi (1891), 387. No. 1074.  
 glauca, Bl. vel aff., Mus. Bot., i (1849-51), 325. No. 4778.  
 (?) sp. No. 4712.

**Lindernia**

- pyxidaria, All., Misc. Taur., iii (1755), 178. No. 4516.

**Linnaea**

- brachystemon, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 178.  
 No. 2155.  
 Forrestii, Diels, l.c. 178. No. 867.

**Linum**

- perenne, Linn., Sp. Pl. (1753), 277. No. 2057.

**Liparis**

- Forrestii, Rolfe, in Notes Roy. Bot. Gard. Edin., viii (1913), 19.  
 No. 261.  
 longipes, Lindl., Gen. and Sp. Orch. (1830-40), 30. Nos. 926, 1032.

**Lithospermum**

- Hancockianum, Oliv., in Hook. Ic. Pl., xxv (1896), t. 2457. No. 137.

**Litsea**

- citrata, Bl., Bijdr. (1825-6), 565. No. 5002.  
 Forrestii, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 244. No. 374.  
 sericea (Wall.), Hook. f. vel aff., Fl. Brit. Ind., v (1886), 156. Nos. 375, 376, 378.

**Lloydia**

- Delavayi, Franch. (?), in Journ. de Bot., xii (1898), 193. No. 2219.  
 Forrestii, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 303. No. 1892.  
 serotina, Reichb., var. unifolia, Franch., in Journ. de Bot., xii (1898), 192. Nos. 458, 2183.  
 tibetica, Baker, var. purpurascens, Franch., l.c. 193. No. 2315.  
 yunnanensis, Franch., l.c. 192. No. 2747.

**Lobelia**

- pleotricha, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 170. No. 3869.  
 pyramidalis, Wall., in Asiat. Res., xiii (1820), 376. No. 3870.  
 sessilifolia, Lamb., in Trans. Linn. Soc., x (1811), 260. Nos. 145, 3032.  
 taliensis, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 170. Nos. 3000, 3868.  
 trigona, Roxb., Hort. Beng. (1814), 85. No. 1009.  
 Wallichiana, Hook. f. et Thoms., in Journ. Linn. Soc., ii (1857), 29. No. 215.

**Lonicera**

- Henryi, Hemsl., in Journ. Linn. Soc., xxiii (1888), 359. Nos. 387, 388, 2624, 4642.  
 japonica, Thunb., Fl. Jap. (1784), 89. Nos. 2199, 4643.  
 Koehneana, Rehder, in Sargent, Trees and Shrubs, i (1902), 41. No. 2175.  
 lanceolata, Wall., in Roxb. Fl. Ind. ed. Carey, ii (1824), 177. No. 2297.  
 ligustrina, Wall., var.  $\beta$  yunnanensis, Franch., in Journ. de Bot., x (1896), 317. No. 2087.  
 Maackii, Rupr., under Xylosteum in Bull. Phys.-Math. Acad. Pétersb., xv (1857), 369. No. 384.  
 Maackii, Rupr., f. podocarpa, Franch., in Herb. ex Rehder in Rep. Miss. Bot. Gard., xiv (1903), 141. No. 2003.  
 stenosiphon, Franch., in Journ. de Bot., x (1896), 318. No. 4777.  
 trichopoda, Franch., l.c. 317. No. 2074.  
 xerocalyx, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 177. No. 2386.

**Lophanthus**

- rugosus, Fisch. et Mey., Ind. Sem. Hort. Petrop., i (1835), 31. Nos. 2826, 4530.

**Loranthus**

- Balfourianus, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 250. Nos. 543, 2215.  
 caloreas, Diels, l.c. 251. No. 2600.  
 Delavayi, van Tiegh., in Bull. Soc. Bot. Fr., xli (1894), 535. No. 540.  
 Scurrula, Linn.(?), Sp. Pl. ed. 2 (1762), 472. No. 526.  
 vestitus, Wall., in Roxb. Fl. Ind. ed. Carey, ii (1824), 218. No. 524. sp. No. 614.

**Lotus**

- corniculatus, Linn., Sp. Pl. (1753), 775. Nos. 1120, 2041, 4260, 4990.

**Luculia**

- gratissima, Sweet, Brit. Flow. Gard. (1826), t. 145. Nos. 967, 1027, 2991, 4698.

**Ludwigia**

- prostrata, Roxb., Hort. Beng. (1814), 11. No. 26.

**Luzula**

- campestris, DC., Fl. Fr., iii (1805), 161. Nos. 2278, 4902.  
 effusa, Buchenau, Krit. Verz. Junc. (1880), 88. No. 4895.

**Lychnis**

- nigrescens, Edgew., in Hook. f. Fl. Brit. Ind., i (1875), 223. Nos. 2870, 2961.  
 Senno, Sieb. et Zucc., Fl. Jap. i (1835), 98. Nos. 1872, 2872A, 3076.

**Lycium**

- chinense, Mill., Gard. Dict. ed. 8 (1768), n. 5. Nos. 952, 3108.

**Lycopodium**

- sp. Nos. 297, 4924, 4926.

**Lycoris**

- aurea, Herb., App. (1821), 20. Nos. 927, 1020, 3084.  
 radiata, Herb., l.c. No. 3083.

**Lygodium**

- sp. No. 276.

**Lysimachia**

- barystachys, Bunge, Enum. Pl. Chin. Bor. (1831), 53. No. 2515.  
 bracteata, G. Forrest, in Notes Roy. Bot. Gard. Edin., iv (1908), 235. No. 571.  
 candida, Lindl., sub-sp. eucandida, R. Knuth, in Engl. Pflanzenr., Primulaceae (1905), 300. No. 456.  
 candida, Lindl., sub-sp. microphylla, Franch., in Journ. de Bot., ix (1895), 459. Nos. 3840, 4103, 4104.  
 candida, Lindl. vel aff., in Journ. Hort. Soc., i (1846), 301. No. 3838.  
 congestiflora, Hemsl. vel aff., in Journ. Linn. Soc., xxvi (1889), 50. No. 3842.  
 Delavayi, Franch., in Journ. de Bot., ix (1895), 457. No. 4120.  
 deltoidea, Wight, var. cinerascens, Franch., l.c. 461. Nos. 2265, 3843.  
 drymariaefolia, Franch., in Journ. de Bot., ix (1895), 462. No. 3841.  
 Hemsleyana, Maxim. ex Oliver, in Hook. Ic. Pl., xx (1891), t. 1980. No. 82.  
 humifusa, R. Knuth, in Engl. Pflanzenr., Primul. (1905), 301. No. 2068.  
 lichiangensis, G. Forrest, in Notes Roy. Bot. Gard. Edin., iv (1908), 237. No. 2352.  
 longisepala, G. Forrest, l.c. 237. No. 426.  
 violascens, Franch., in Journ. de Bot., ix (1895), 459. Nos. 447, 3839.

**Lythrum**

- Salicaria, Linn., Sp. Pl. (1753), 446. Nos. 560, 2612.

**Machilus**

- mekongensis, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 244. Nos. 370, 372.

**Magnolia**

- conspicua, Salisb., Parad. Lond. (1806), t. 38. No. 140.  
 obovata, Thunb., in Trans. Linn. Soc., ii (1794), 336. No. 2174.

**Mahonia**

- japonica (Thunb.), DC., Syst., ii (1821), 22. No. 4345.  
 nepalensis, DC., l.c. 21. No. 141.

**Mallotus**

nepalensis, Muell. Arg., in Linnaea, xxxiv (1865-6), 188. No. 1036.  
 philippinensis, Muell. Arg., l.c. 196. No. 1029.

**Malva**

sylvestris, Linn., Sp. Pl. (1753), 689. No. 4292.  
 verticillata, Linn., l.c. Nos. 448, 4291.

**Mandragora**

caulescens, C. B. Clarke, in Hook. f. Fl. Brit. Ind., iv (1883), 242.  
 No. 569.

**Manisuris**

granularis, Linn. f., Nov. Gram. Gen. (1779), 37. No. 856.

**Mariscus**

Siberianus, Nees, in Linnaea, ix (1834), 286. No. 1014.

**Marrubium**

incisum, Benth., Lab. Gen. et Sp. (1832-6), 586. Nos. 594, 4957.

**Mazus**

Delavayi, Bonati, in Bull. Herb. Boiss. ser. 2, viii (1908), 530. Nos.  
 392, 4507.  
 macrocalyx, Bonati, l.c. 529. No. 1018.  
 rugosus, Lour., Fl. Cochinch., ii (1790), 385. No. 4961.

**Meconopsis**

Delavayi, Franch., under Cathcartia in Bull. Soc. Bot. Fr., xxxiii  
 (1886), 39. Nos. 2272, 2272A.  
 Forrestii, D. Prain, in Kew Bull. (1907), 316. No. 2314.  
 Henrici, Bur. et Franch., in Journ. de Bot., v (1891), 19. No. 459.  
 Henrici, Bur. et Franch., forma. No. 1999.  
 integrifolia, Franch., in Bull. Soc. Bot. Fr., xxxiii (1886), 389. No.  
 2284.  
 lancifolia, Franch., under Cathcartia, l.c. 91. Nos. 469, 950.  
 rudis, Prain, in Ann. Bot., xx (1906), 347. No. 2623.  $\lambda$   
 speciosa, Prain, in Trans. Bot. Soc. Edin., xxiii (1907), 258. No. 468.  $\lambda$

**Medicago**

lupulina, Linn., Sp. Pl. (1753), 779. No. 4240.

**Megacarpaea**

Delavayi, Franch., in Bull. Soc. Bot. Fr., xxxiii (1886), 406. Nos.  
 2335, 4342.

**Melampyrum**

chinense, Dahl, mss. in Herb. Berlin. Nos. 606, 4506.

**Melia**

Azedarach, Linn., Sp. Pl. (1753), 384. No. 2002.

**Melilotus**

parviflora, Desf., Fl. Atlant., ii (1800), 192. No. 450.

**Meliosma**

cuneifolia, Franch., in Nouv. Arch. Mus. Hist. Nat. Par. sér. 2, viii  
 (1885), 211. No. 2630.

**Mentha**

arvensis, Linn., Sp. Pl. (1753), 577. Nos. 2559, 2560, 4531.

**Mercurialis**

leiocarpa, Sieb. et Zucc., Fl. Jap. Fam. Nat. (1843), 37. No. 4598.

**Michelia**

Wilsonii, Finet et Gagnep., in Bull. Soc. Bot. Fr. Mém., iv (1906), 45. No. 4105.

yunnanensis, Franch., l.c. 43. No. 482.

yunnanensis, Franch., var. angustifolia, Fin. et Gagnep., l.c. 44. No. 2104.

**Microglossa**

albescens, C. B. Clarke, Comp. Ind. (1876), 59. No. 62.

**Microstylis**

yunnanensis, Schltr., in Notes Roy. Bot. Gard. Edin., v (1912), 109. No. 2627.

**Microtoena**

Delavayi, Prain, in Bull. Soc. Bot. Fr., xlii (1895), 424. No. 1040.

**Millettia**

cinerea, Benth., in Miq. Pl. Jungh. (1851-5), 249. No. 4238.

Harrowiana, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 246. No. 1874.

**Mimulus**

nepalensis, Benth., in Hook. f. Fl. Brit. Ind., iv (1884), 258. Nos. 2614, 4973, 5013.

**Mirabilis**

Jalapa, Linn., Sp. Pl. (1753), 177. No. 4737.

**Miscanthus**

nepalensis (Trin.), Hack., in DC. Monog. Phan., vi (1889), 104. Nos. 343, 1028.

**Mitreola**

oldenlandioides, Wall., in Hook. f. Fl. Brit. Ind., iv (1883), 79. No. 953.

**Monochoria**

hastaefolia, Presl, Rel. Haenk., i (1830), 128. No. 1019.

vaginalis, Presl, var. plantaginea, Solms, in A.D.C. Monogr. Phan., iv (1883), 524. No. 1878.

**Monotropa**

hypopithys, Linn., var. lanuginosa, Michx., pro sp. in Fl. Bor. Am., i (1803), 266. No. 2585.

uniflora, Linn., Sp. Pl. (1753), 387. No. 801.

**Morina**

Bulleyana, G. Forrest et Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 208. No. 393.

chlorantha, Diels, l.c. 208. No. 2482.

Delavayi, Franch., in Bull. Soc. Bot. Fr., xxxii (1885), 8. No. 2685. sp. No. 2184.

**Morus**

- alba, Linn., Sp. Pl. (1753), 986. Nos. 2527, 4727, 4732.  
longistylus, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 293.  
Nos. 4669, 4672.

**Mucuna**

- montana, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 247. No. 2697.

**Muscineae**

- No. 4943.

**Mussaenda**

- pubescens, Ait. Hort. Kew., ed. 2, i (1810), 372. No. 815.

**Myosotis**

- silvatica, Hoffm., Deutschl. Fl., ed. 1 (1791), 61. Nos. 2348, 2351, 2619.

**Myriactis**

- nepalensis, Less., in Linnaea, vi (1831), 128. Nos. 672, 2822, 4016.  
Wallichii, Less., l.c. 129. Nos. 812, 4026, 4033.  
Wallichii, Less., var. Nos. 648, 2833.

**Myrica**

- Nagi, Thunb., Fl. Jap. (1784), 76. No. 4605.  
sp. No. 4194.

**Myricaria**

- germanica, Desv., in Ann. Sc. Nat. sér. 1, iv (1825), 349. Nos. 130, 3069, 4735.

**Myriophyllum**

- spicatum, Linn., Sp. Pl. (1753), 992. No. 1887.

**Myrsine**

- africana, Linn., l.c. 196. Nos. 418, 4192, 4193.  
semiserrata, Wall., in Roxb. Fl. Ind. ed. Carey, ii (1824), 293. Nos. 544, 573, 4706.  
sp. No. 4703.

**Nardostachys**

- grandiflora, DC., Coll. Mém., vii (1832), 4. Nos. 2417, 4647.  
Jatamansi, DC., l.c. No. 2905.

**Nasturtium**

- globosum, Turcz. ex Fisch. et Mey., Ind. Sem. Hort. Petrop., i (1835), 35. No. 4339.  
palustre, DC., Syst., ii (1821), 191. Nos. 2561, 4341, 5017.

**Neillia**

- gracilis, Franch., Pl. Delav. (1890), 202. Nos. 1871, 2244.  
sinensis, Oliv., in Hook. Ic. Pl., xvi (1886), t. 1540. No. 554.

**Nelumbium**

- speciosum, Willd., Sp. Pl., ii (1799), 1268. No. 4697.

**Neottia**

- grandiflora, Schltr., in Notes Roy. Bot. Gard. Edin., v (1912), 104. No. 2652.  
micrantha, Lindl., Gen. and Sp. Orch. (1830-40), 458. No. 2274.

**Nepeta**

lamiopsis, Benth. ex Hook. f., Fl. Brit. Ind., iv (1885), 659. No. 2666.

Stewartiana, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 237. Nos. 598, 2960.

tenuiflora, Diels, l.c. 238. No. 2657.

Wilsoni, Duthie, in Gard. Chron. (1906), ii, 334. No. 2601.

**Nephrodium**

lichiangense, C. H. Wright, in Kew Bull. (1907), 267. No. 2300.

**Nerium**

odorum, Soland., in Ait. Hort. Kew., ed. 1, i (1789), 297. No. 989.

**Nertera**

sinensis, Hemsl., in Journ. Linn. Soc., xxiii (1888), 391. No. 862.

**Neyraudia**

madagascariensis, Hook. f., Fl. Brit. Ind., vii (1897), 305. No. 846.

**Nicotiana**

rustica, Linn., Sp. Pl. (1753), 180. No. 29.

**Nomocharis**

pardanthina, Franch., in Journ. de Bot., iii (1889), 113. No. 3845.

pardanthina, Franch., var. alba, in Notes Roy. Bot. Gard. Edin., vii (1912), 197. No. 3844.

**Oenanthe**

stolonifera, Wall., in Hook. f. Fl. Brit. Ind., ii (1879), 696. Nos. 2764, 4953.

**Omphalodes**

Forrestii, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 169. No. 2669.

**Onosma**

paniculatum, Bur. et Franch., in Journ. de Bot., v (1891), 104. Nos. 2447, 2541, 4472.

**Oldenlandia**

corymbosa, Linn., Sp. Pl. (1753), 119. No. 863.

**Oligobotrya**

Henryi, Baker, in Hook. Ic. Pl., xvi (1886), t. 1537. Nos. 252, 2280, 4820, 4823.

**Ophioglossum**

sp. Nos. 277, 2468.

**Ophiopogon**

dracaenoides, Hook. f., Fl. Brit. Ind., vi (1892), 268. Nos. 333, 3057, 4768, 4835.

japonicus, Ker-Gawl., in Bot. Mag. (1808), t. 1063. Nos. 246, 2263.

Wallichianus, Hook. f., Fl. Brit. Ind., vi (1892), 268. Nos. 2158, 2405, 4819.

**Orchis**

basifoliata, Schltr., in Notes Roy. Bot. Gard. Edin., v (1912), 95. No. 2544.

**Orchis**—*continued*.

- Giraldiana, Kränzlin, in Engl. Jahrb., xxxvi (1905), Beibl. 82, p. 25.  
 Nos. 2368, 4867, 4875.  
 latifolia, Linn., Sp. Pl. (1753), 941. No. 4887.  
 spathulata, Rchb. f. ex Benth., in Journ. Linn. Soc., xviii (1880),  
 355. No. 4886.  
 tetraloba, Schltr., in Notes Roy. Bot. Gard. Edin., v (1912), 95. Nos.  
 4862, 4863.

**Oreocharis**

- Delavayi, Franch., in Bull. Mens. Soc. Linn. Par. (1887), 715. No.  
 5096.

**Oreorchis**

- foliosa, Lindl., in Journ. Linn. Soc., iii (1859), 27. Nos. 167, 168.  
 micrantha, Lindl., l.c. No. 2472.  
 patens, Lindl., l.c. Nos. 2287, 2288.

**Origanum**

- vulgare, Linn., Sp. Pl. (1753), 590. Nos. 2528, 4532.

**Orobanche**

- ammophila, C. A. Meyer, in Ledeb. Fl. Alt., ii (1830), 454. Nos.  
 589, 590.  
 epithymum, DC., Fl. Fr., iii (1805), 490. No. 2771.

**Osbeckia**

- capitata, Benth., in Hook. f. Fl. Brit. Ind., ii (1879), 516. No. 4394.  
 chinensis, Linn., Sp. Pl. (1753), 345. Nos. 834, 1011A.  
 crinita, Benth., var. yunnanensis, Cogn., in DC. Monogr. Phan., vii  
 (1891), 324. No. 4395.  
 nepalensis, Hook., Exot. Fl. (1823), t. 31. No. 874.

**Osmanthus**

- fragrans, Lour., Fl. Cochinch. (1790), 29. Nos. 576, 3100, 4743.

**Osmunda**

- sp. No. 4938.

**Osteomeles**

- anthyllidifolia, Lindl., in Trans. Linn. Soc., xiii (1821), 99. Nos. 147,  
 4417.

**Osyris**

- Wightiana, Wall., in Hook. f. Fl. Brit. Ind., v (1886), 232. Nos.  
 522, 4745.

**Oxalis**

- Acetosella, Linn., Sp. Pl. (1753), 433. No. 2144.  
 corniculata, Linn., l.c. 435. Nos. 2970; 4284, 4285, 4977.  
 Griffithii, Edgew. et Hook. f., in Hook. f. Fl. Brit. Ind., i (1875), 436.  
 Nos. 421, 4286.  
 leucolepis, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 223. No.  
 4287.

**Oxygraphis**

- glacialis, Bunge, Verz. Suppl. Fl. Alt. (1836), 47. No. 2200.

**Oxyria**

- elator, Wall., Pl. As. Rar., iii (1832), 64. Nos. 15, 2523.  
sinensis, Hemsl., in Journ. Linn. Soc., xxix (1892), 317. Nos. 2086, 4588.

**Oxyspora**

- paniculata, DC., Prod., iii (1828), 123. Nos. 836, 1038.  
serrata, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 252. Nos. 960, 992.

**Oxytropis**

- yunnanensis, Franch., Pl. Delav. (1890), 163. No. 2925.

**Paederia**

- tomentosa, Bl., Bijdr. (1825-6), 968. No. 34.

**Paeonia**

- Delavayi, Franch., in Bull. Soc. Bot. Fr., xxxiii (1886), 382. No. 2101.  
lutea, Franch., l.c. 382. No. 4352.

**Paliurus**

- australis, Gaertn., var. orientalis, Franch., Pl. Delav. (1889), 132. No. 201.

**Panax**

- Delavayi, Franch., in Journ. de Bot., x (1896), 305. No. 427.

**Panicum**

- colonum, Linn., Syst. ed. 10 (1759), 870. No. 345.

**Paracaryum**

- brachytubum, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 168. No. 4474.  
glochidiatum, Benth., in Gen. Pl., ii (1876), 850. No. 2255.

**Paris**

- polyphylla, Sm., in Rees, Cyclop., xxvi (1813), n. 2. No. 2252.  
quadrifolia, Linn., var. davurica, Fisch., pro sp. in Bull. Soc. Nat. Mosc., xxvii (1854), 2, 105. No. 4853.

**Parmelia**

- (?) sp. No. 4951.

**Parnassia**

- chinensis, Franch., in Bull. Soc. Bot. Fr., xlv (1897), 252. No. 5039.  
crassifolia, Franch., l.c. 253. No. 5040.  
Delavayi, Franch., in Journ. de Bot., x (1896), 267. Nos. 398, 411, 2498, 5041.  
foliosa, Hook. f. et Thoms., in Journ. Linn. Soc., ii (1858), 79. No. 2984.  
mysorensis, Heyne ex Wight et Arn., Prod. (1834), 35. Nos. 131, 473, 908, 2686.  
mysorensis, Heyne, var. aucta, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 281. No. 5042.  
tenella, Hook. f. et Thoms., in Journ. Linn. Soc., ii (1858), 80. No. 5042.  
Wightiana, Wall. ex Wight et Arn., Prod. (1834), 35. Nos. 122, 2714.

**Parochetus**

*communis*, Ham. ex D. Don, *Prod. Fl. Nep.* (1825), 240. Nos. 150, 4970.

**Patrinia**

*monandra*, C. B. Clarke, in Hook. f. *Fl. Brit. Ind.*, iii (1882), 210. Nos. 63, 422.  
*scabiosaefolia*, Fisch. ex Link, *Enum. Hort. Berol.*, i (1821), 131. Nos. 994, 4649.

**Pedicularis**

*Alopecuros*, Franch. ex Maxim., in *Mél. Biol.*, xii (1886), 816. Nos. 2649, 2945.  
*axillaris*, Franch. ex Maxim., l.c. 825. Nos. 2628, 4485.  
*Balfouriana*, Bonati, in *Notes Roy. Bot. Gard. Edin.*, v (1911), 82. No. 4489.  
*cephalantha*, Franch. ex Maxim., in *Mél. Biol.*, xii (1886), 805. No. 2547.  
*comptoniaefolia*, Franch. ex Maxim., l.c. 871. Nos. 1136, 2790, 4487.  
*crenata*, Maxim., l.c. 832. No. 3079.  
*debilis*, Franch. ex Maxim., l.c. 817. No. 4491 in part.  
*Delavayi*, Franch. ex Maxim., l.c. 791. No. 2638.  
*deltoides*, Franch. ex Maxim., l.c. 897. Nos. 976, 4490.  
*densipica*, Franch. ex Maxim., l.c. 882. Nos. 2061, 2328, 2668, 4503.  
*filicula*, Franch. ex Maxim., l.c. 853. No. 2420.  
*Forrestiana*, Bonati, in *Notes Roy. Bot. Gard. Edin.*, v (1911), 86. No. 2703.  
*gracilis*, Wall. ex Benth. *Scroph. Ind.* (1835), 52. No. 4496.  
*gruina*, Franch. ex Maxim., in *Mél. Biol.*, xii (1886), 799. Nos. 1134, 2725.  
*gyrorhyncha*, Franch. ex Maxim., l.c. 812. Nos. 1135, 2944.  
*hirtella*, Franch., in *Journ. Linn. Soc.*, xxvi (1890), 209. No. 3077.  
*labellata*, Jacq. ex Decne., in *Voy. Jacquem. Bot.* (1844), 118. Nos. 1130, 1131.  
*likiangensis*, Franch. ex Maxim., in *Mél. Biol.*, xii (1886), 887. No. 1138.  
*lineata*, Franch. ex Maxim., l.c. 887. No. 4491 in part.  
*longepetiolata*, Franch. ex Maxim., l.c. 806. No. 3059.  
*longiflora*, Rudolph, in *Mém. Acad. Pétersb.*, iv (1811), 345. No. 1132.  
*lutescens*, Franch. ex Maxim., in *Mél. Biol.*, xii (1886), 898. Nos. 2937, 4494.  
*Margaritae*, Bonati, in *Notes Roy. Bot. Gard. Edin.*, v (1911), 81. No. 4504.  
*microchila*, Franch. ex Maxim., *Mél. Biol.*, xii (1886), 884. No. 4486.  
*oxycarpa*, Franch. ex Maxim., l.c. 804. No. 2450.  
*polyphylla*, Franch. ex Maxim., l.c. 809. No. 4493.  
*polyphylla*, Franch., var. *pilosa*, Bonati, in *Notes Roy. Bot. Gard. Edin.*, v (1911), 80. No. 2640.  
*porrecta*, Wall., in Hook. f. *Fl. Brit. Ind.*, iv (1884), 307. No. 4492.  
*recurva*, Maxim., var. *polyantha*, Bonati, in *Notes Roy. Bot. Gard. Edin.*, v (1911), 88. No. 2667.  
*rex*, Clarke ex Maxim., in *Mél. Biol.*, xii (1886), 875. Nos. 1137, 2477, 4502.

**Pedicularis**—*continued*.

- rupicola, Franch. ex Maxim., l.c. 890. No. 2859.  
 salviaeflora, Franch., in Journ. Linn. Soc., xxvi (1890), 215. No. 2789.  
 siphonantha, D. Don, Prodr. Fl. Nep. (1825), 95. Nos. 1133, 5078.  
 Smithiana, Bonati, in Notes Roy. Bot. Gard. Edin., v (1911), 83. No. 2860.  
 Stadlmanniana, Bonati, in Notes Roy. Bot. Gard. Edin., v (1911), 87. No. 4488.  
 superba, Franch. ex Maxim., Mél. Biol., xii (1886), 874. No. 2780.  
 szechuanica, Maxim., l.c. 892. No. 2594.  
 taliensis, Bonati, in Notes Roy. Bot. Gard. Edin., v (1911), 87. No. 4500.  
 tantalorhyncha, Bonati, l.c. 84. No. 4497.  
 tenuisecta, Franch. ex Maxim., in Mél. Biol., xii (1886), 831. Nos. 2785, 4495.  
 tsangchanensis, Franch. ex Maxim., l.c. 850. No. 4501.  
 veronicifolia, Franch., in Bull. Soc. Bot. Fr., xlvii (1900), 24. No. 4676.  
 Viali, Franch., in Journ. Linn. Soc., xxvi (1890), 219. No. 4498.  
 yunnanensis, Franch. ex Maxim., in Mél. Biol., xii (1886), 851. No. 4499.

**Pentapanax**

- Henryi, Harms, in Engl. Jahrb., xxiii (1896), 21. No. 3071.  
 Leschenaultii, Seem., in Journ. Bot., ii (1864), 296. Nos. 2296, 2832.

**Peperomia**

- reflexa, A. Dietr., Sp. Pl., i (1831), 180. No. 4765.

**Perilla**

- ocymoides, Linn., Gen. ed. 6 (1764), 578. No. 871.

**Periploca**

- Forrestii, Schltr., in Notes Roy. Bot. Gard. Edin., viii (1913), 15. No. 572.

**Pertya**

- phyllicoides, J. F. Jeffrey, in Notes Roy. Bot. Gard. Edin., v (1912), 200. No. 112.

**Petasites**

- tricholobus, Franch., Pl. David. (1888), 173. Nos. 2299, 4048.

**Peucedanum**

- Delavayi, Franch., in Bull. Soc. Phil. Par. sér. 8, vi (1894), 143. No. 2782.  
 olivaceum, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 290. No. 2250.  
 sp. No. 4630.

**Phaseolus**

- multiflorus, Willd., Sp. Pl., iii (1800), 1030. No. 4257.  
 radiatus, Linn., l.c. (1753), 725. No. 4262.

**Philadelphus**

- Delavayi, Henry, in Rev. Hort. (1903), 12. Nos. 555, 2195.  
 nepalensis, Koehne, Dendrol. (1893), 183. Nos. 5032, 5036.

**Phlogacanthus**

pubinervius, T. And., in Journ. Linn. Soc., ix (1867), 508. No. 5011.

**Phlomis**

betonicoides, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 241.  
No. 2307.

bracteosa, Royle ex Benth., in Hook. Bot. Misc., iii (1833), 383.  
Nos. 621, 2489.

Forrestii, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 241.  
No. 4558A

Franchetiana, Diels, l.c. 242. No. 4558.

melanantha, Diels, l.c. 242. No. 2540.

**Photinia**

Franchetiana, Diels, l.c. 272. No. 487.

integrifolia, Lindl., in Trans. Linn. Soc., xiii (1821), 103. No. 4710.  
lasiogyna, Franch., under Eriobotrya in Pl. Delav. (1890), 225.  
No. 445.

salicifolia, Presl, Epim. Bot. (1849), 204. No. 5091.

**Phtheirospermum**

chinense, Bunge, in Fisch. et Mey., Ind. Sem. Hort. Petrop., i  
(1835), 35. Nos. 94, 980.

tenuisectum, Bur. et Franch., in Journ. de Bot., v (1891), 129.  
Nos. 2325, 4514.

**Phyllostachys**

bambusoides, Sieb. et Zucc., in Abh. Akad. Muench., iii, 2 (1843),  
745. No. 4923.

**Phytolacca**

acinosa, Roxb., Hort. Beng. (1814), 35. Nos. 96, 2611, 4794.

**Picris**

divaricata, Vaniot, in Bull. Acad. Géog. Bot., xii (1903), 28. Nos.  
2169, 4015, 4091.

hieracioides, Linn., Sp. Pl. (1753), 792. Nos. 2421, 2549.

**Pieris**

formosa, D. Don, in Edinb. N. Phil. Journ., xvii (1834), 159. No.  
5027.

japonica, D. Don ex G. Don, Gen. Syst., iii (1834), 832. Nos. 446,  
2023.

ovalifolia, D. Don, in Edinb. N. Phil. Journ., xvii (1834), 159. Nos.  
429, 436, 1107, 4180, 4181, 4191.

villosa, Hook. f. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind., iii (1882),  
461. Nos. 431, 435, 2442, 4184.

**Pilea**

peperomioides, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 292.  
No. 4667.

peplodes, Hook. et Arn., Bot. Beech. Voy. (1841), 96. Nos. 2618,  
4766.

producta, Bl., Mus. Bot. Lugd. Bat., ii (1856), 56. No. 4786.

scripta, Wedd., in Ann. Sc. Nat. sér. 4, i (1854), 187. No. 4781.

umbrosa, Wedd., l.c. No. 2629.

**Pimpinella**

- Candolleana, Wight et Arn., Prod. (1834), 369. No. 2858.  
 flaccida, C. B. Clarke, in Journ. Linn. Soc., xxv (1889), 28. No. 2534.  
 Hookeri, C. B. Clarke, in Hook. f. Fl. Brit. Ind., ii (1879), 686. No. 2843.  
 taeniophylla, de Boissieu, in Bull. Soc. Bot. Fr., liii (1906), 429. No. 2684.  
 sp. No. 4615.

**Piptanthus**

- nepalensis, D. Don, in Sweet, Brit. Flow. Gard. (1828), t. 264. No. 5086.  
 tomentosus, Franch., Pl. Delav. (1889), 150. Nos. 151, 2108.

**Pistacia**

- weinmannifolia, Poisson ex Franch., in Bull. Soc. Bot. Fr., xxxiii (1886), 467. No. 210.

**Pittosporum**

- heterophyllum, Franch., l.c. 415. Nos. 383, 2084.  
 pauciflorum, Hook. et Arn., Bot. Beech. Voy. (1841), 168. No. 3097.

**Plantago**

- major, Linn., Sp. Pl. (1753), 112. Nos. 4591, 4968.

**Platanthera**

- Henryi, Rölfe, in Journ. Linn. Soc., xxxvi (1903), 55. No. 2787.  
 iantha, Wight, l.c., v (1852), 11. No. 259.  
 interrupta, Maxim., in Bull. Acad. Sc. St. Pétersb., xxxi (1887), 106. No. 4861.  
 japonica, Lindl., Gen. and Sp. Orch. (1830-40), 290. Nos. 2586, 4866.  
 stenostachya, Lindl., in Hook. Kew Journ. Bot., vii (1855), 37. No. 165.  
 Susannae, Lindl., Gen. and Sp. Orch. (1830-40), 295. No. 264.

**Plectranthus**

- adenanthus, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 228. No. 4557.  
 Bulleyanus, Diels, l.c. 229. No. 4554.  
 Forrestii, Diels, l.c. 229. No. 2851.  
 irrouratus, G. Forrest, l.c. 228. Nos. 2507, 2850.  
 Labordei (Vaniot), Diels, l.c., vii (1912), 47. Nos. 630, 878, 1035.  
 leucanthus, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 230. No. 595.  
 macranthus, Hook. f., Fl. Brit. Ind., iv (1885), 616. No. 961.  
 megathyrsus, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 230. No. 897.  
 moslifolius, Léveillé, in Fedde, Repert. Sp. Nov., ix (1911), 247. No. 587.  
 oreophilus, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 227. No. 2564.  
 phyllopodus, Diels, l.c. 227. Nos. 4555, 4556.  
 phyllostachys, Diels, l.c. 230. No. 624.  
 pleiophyllus, Diels, l.c. 228. No. 2333.  
 sculponeatus, Vaniot, in Bull. Acad. Géogr. Bot., xiv (1904), 167. No. 597.  
 striatus, Benth., in Wall. Pl. As. Rar., ii (1831), 17. No. 18.  
 ternifolius, D. Don, Prod. Fl. Nep. (1825), 117. Nos. 1007, 1043.

**Pleione**

- Delavayi (Rolfe), Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 107. No. 4858.  
 Forrestii, Schltr., in Notes Roy. Bot. Gard. Edin., v (1912), 106. No. 4859.  
 grandiflora (Rolfe), Diels, l.c. 106. No. 4860.  
 Henryi (Rolfe), Diels, l.c. 107. No. 2346.  
 praecox, D. Don, Prod. Fl. Nep. (1825), 37. No. 851.  
 yunnanensis (Rolfe), Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 107. Nos. 265, 5012.  
 sp. Nos. 4871, 4889.

**Pleurogyne**

- Forrestii, Balf. f., in Notes Roy. Bot. Gard. Edin., iv (1907), 78. Nos. 25, 211.  
 oreocharis, Diels, l.c., v (1912), 222. No. 3024.

**Pleurospermum**

- Davidi, Franch., Pl. David., in Nouv. Arch. Mus. Hist. Nat. Par. sér. 2, viii (1885), 247. Nos. 4621, 4628.  
 Davidi, Franch. vel aff. No. 2531.  
 decurrens, Franch., in Bull. Soc. Phil. Par. sér. 8, vi (1894), 138. Nos. 2857, 4619.  
 foetens, Franch., l.c. 140. No. 2709.  
 Franchetianum, Hemsl., in Hook. Ic. Pl., xxii (1892), t. 2244. No. 535.  
 Govanianum, Benth. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind., ii (1879), 702. No. 548.  
 Govanianum, Wall., var. bicolor, Franch., in Bull. Soc. Philom. Par. 3<sup>e</sup> sér., vi (1894), 106. Nos. 3073, 4612.

**Pluchea**

- Bulleyana, J. F. Jeffrey, in Notes Roy. Bot. Gard. Edin., v (1912), 183. No. 1073.

**Plumbago**

- zeylanica, Linn., Sp. Pl. (1753), 151. No. 1882.

**Poa**

- sp. Nos. 2792, 4912.

**Podocarpus**

- macrophyllus (Thunb.), D. Don, in Lamb. Gen. Pin. ed. 1 (1824), ii, 22. No. 4665.

**Pogonia**

- yunnanensis, Finet, in Bull. Soc. Bot. Fr., xlv (1897), 419. No. 4854.

**Pogostemon**

- elsholtzioides, Benth., in DC. Prod., xii (1848), 153. No. 875.

**Polianthes**

- tuberosa, Linn., Sp. Pl. (1753), 316. No. 3009.

**Pollinia**

- quadrinervis, Hack. in DC. Monog. Phan., vi (1889), 158. No. 841.

**Polygala**

- arillata, Ham. ex D. Don, Prod. Fl. Nep. (1825), 199. Nos. 433, 868, 2722, 4264.  
 japonica, Houtt., Handleid., x (1774-83), 89. Nos. 228, 2367, 4326, 4996.  
 persicariaefolia, DC., Prod., i (1824), 326. No. 235.  
 sibirica, Linn., Sp. Pl. (1753), 702. No. 236.  
 triphylla, Ham. ex D. Don, Prod. Fl. Nep. (1825), 200. No. 901.

**Polygonatum**

- curvistylum, Hua, in Journ. de Bot., vi (1892), 393. Nos. 2259, 5084.  
 Delavayi, Hua, l.c. 422. No. 4837.  
 fuscum, Hua, l.c. 444. Nos. 2344, 4838.  
 sibiricum, Delar., in Red. Lil., vi (1802-16), t. 315. No. 2118.  
 Stewartianum, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 298. Nos. 2185, 2239.  
 uncinatum, Diels, l.c. 297. No. 4839.

**Polygonum**

- alatum, Ham. ex D. Don, Prod. Fl. Nep. (1825), 72. Nos. 2557, 4578.  
 alatum, Ham., var. parviflorum, vel pedunculare, Wall. forma. No. 938.  
 amplexicaule, D. Don, Prod. Fl. Nep. (1825), 70. Nos. 2606, 4565, 4581.  
 auriculatum, Meissn., Monog. (1826), 59. No. 1064.  
 aviculare, Linn., Sp. Pl. ed. 1 (1753), 362. No. 4583.  
 Blumei, Meissn., in Miq. Ann. Mus. Bot. Lugd. Bat., ii (1865-6), 57. No. 1033.  
 calostachyum, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 261. No. 241.  
 campanulatum, Hook. f., Fl. Brit. Ind., v (1886), 51. Nos. 2470, 2676.  
 campanulatum, Hook. f. var. Nos. 4564, 4566.  
 capitatum, Ham., in D. Don, Prod. Fl. Nep. (1825), 73. No. 5004.  
 chinense, Linn. forma, Sp. Pl. (1753), 363. No. 4563.  
 chinense, Linn., var. brachiatum, Meissn., in Wall. Pl. As. Rar., iii (1832), 61. No. 817.  
 Convolvulus, Linn., Sp. Pl. (1753), 364. No. 2648.  
 cyanandrum, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 257. Nos. 2670, 2923.  
 delicatulum, Meissn., in DC. Prod., xiv (1857), 127. Nos. 900, 4568.  
 Emodi, Meissn., in Wall. Pl. As. Rar., iii (1832), 51, 54. No. 4572.  
 Emodi, Meissn., var. dependens, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 256. No. 2761.  
 Forrestii, Diels, l.c. 258. Nos. 38, 2911, 4590.  
 gracilipes, Hemsl., in Journ. Linn. Soc., xxvi (1891), 340. No. 4575.  
 japonicum, Meissn., in DC. Prod., xiv (1857), 112 et 695. No. 2998.  
 jucundum, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 257. No. 4576.  
 lapathifolium, Linn., Sp. Pl. ed. 1 (1753), 360. Nos. 4582, 4584.  
 lapathifolium, Linn., var. nodosum (Pers.), pro sp. Syn. i (1805), 440. No. 2827.  
 leptopodium, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 260. Nos. 202, 2631, 4570.  
 oliganthum, Diels, l.c. 260. No. 2985.

**Polygonum**—*continued*.

- orientale, Linn., Sp. Pl. ed. 1 (1753), 362. Nos. 1083, 4579.  
 paleaceum, Wall., in Hook. f. Fl. Brit. Ind., v (1886), 32. Nos. 986, 4980.  
 paniculatum, Bl., Bijdr. (1825-6), 533. No. 4567.  
 plebejum, R. Br., Prod. Fl. Nov. Holl. (1810), 420. Nos. 4560, 4969.  
 polystachyum, Wall., in Hook. f. Fl. Brit. Ind., v (1886), 50. No. 69.  
 polystachyum, Wall., var. pubescens, Meissn., in Wall. Pl. As. Rar., iii (1832), 61. No. 2821.  
 radicans, Hemsley, in Journ. Linn. Soc., xxvi (1891), 347. No. 4569.  
 rude, Meissn., in DC. Prodr., xiv (1856), 137. No. 1060.  
 runcinatum, Ham., in D. Don, Prodr. Fl. Nep. (1825), 73. Nos. 911, 2293, 4577.  
 sphaerostachyum, Meissn., Monog. (1826), 53. Nos. 208, 2208, 2435.  
 sphaerostachyum, Meissn. var. Nos. 1900, 4573.  
 subscaposum, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 261. No. 4559.  
 suffultum, Maxim., in Mél. Biol., ix (1876), 616. Nos. 2186, 4571, 4585.  
 Wallichii, Meissn., Monog. (1826), 83. No. 4580.  
 sp. aff. paniculatum, Bl. No. 4561.  
 sp. No. 4574.

**Polypodium**

- sp. Nos. 296, 299, 4927, 4930, 5001.

**Polystichum**

- sp. Nos. 275, 286, 289, 2842, 4929, 4941.

**Polytrichum**

- sp. No. 4944.

**Populus**

- Przewalskii, Maxim., in Mél. Biol., xi (1881), 321. No. 530.

**Porana**

- racemosa, Roxb., Hort. Beng. (1814), [13]. Nos. 854, 3015.

**Potamogeton**

- Tepperi, A. Benn., in Journ. Bot., xxv (1887), 178. Nos. 1886, 2644.

**Potentilla**

- albifolia, Wall., in Hook. f. Fl. Brit. Ind., ii (1878), 347. No. 2579.  
 anserina, Linn., Sp. Pl. ed. 1 (1753), 495. Nos. 2092, 2272B.  
 articulata, Franch., Pl. Delav. (1890), 210. No. 2950.  
 chinensis, Ser., in DC. Prodr., ii (1825), 581. No. 2525.  
 concolor, Rolfe, in Bot. Mag. t. 8180 (1908). Nos. 56, 2326.  
 coriandrifolia, Don, var. dumosa, Franch., Pl. Delav. (1890), 214. No. 4409.  
 Delavayi, Franch., l.c. 215. No. 2671.  
 eriocarpa, Wall., in Hook. f. Fl. Brit. Ind., ii (1878), 348. No. 2727.  
 fruticosa, Linn., Sp. Pl. ed. 1 (1753), 495. Nos. 119, 2334, 2437, 2723, 4412.  
 fulgens, Wall. ex Hook. Bot. Mag. (1826), t. 2700. Nos. 158, 181, 4413.  
 Kleiniana, W. et A., Prodr. Fl. Ind. Or. (1834), 300. No. 4408.  
 Leschenaultiana, Ser., in DC. Prodr., ii (1825), 584. Nos. 148A, 4415, 4416, 5022.

**Potentilla**—*continued*.

- Leschenaultiana, Ser., var. concolor, Franch., Pl. Delav. (1890), 212. No. 4420.  
 leuconota, D. Don, Prod. Fl. Nep. (1825), 230. Nos. 2462, 4414.  
 peduncularis, D. Don (?), l.c. No. 4411.  
 peduncularis, Don, var. obscura, Hook. f., Fl. Brit. Ind., ii (1878), 352. No. 2445.  
 Saundersiana, Royle, var. Jacquemontii, Franch., Pl. Delav. (1890), 215. No. 2211.  
 stenophylla (Franch.), Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 271. No. 2924.  
 supina, Linn., Sp. Pl. ed. 1 (1753), 497. Nos. 4410, 5010.

**Poterium**

- filiforme, Hook. f., Fl. Brit. Ind., ii (1879), 362. Nos. 320, 2007.  
 officinale, Benth. et Hook. f., Gen. Pl., i (1865), 624. Nos. 125, 2453, 4425.

**Pouzolzia**

- hirta (Bl.), Hassk., Cat. Hort. Bog. Alt. (1844), 80. Nos. 516, 4396, 4397.  
 indica, Gaud., in Freyc. Voy. Bot. (1826), 503. No. 864.

**Pratia**

- begonifolia, Lindl., Bot. Reg. (1830), t. 1373. No. 4791.

**Prenanthes**

- hasiana, C. B. Clarke, Comp. Ind. (1876), 273. No. 974.  
 yakoensis, Jeffrey, in Notes Roy. Bot. Gard. Edin., v (1912), 203. No. 870.

**Primula**

- amethystina, Franch., in Bull. Soc. Bot. Fr., xxxii (1885), 268. No. 1806.  
 androsacea, Pax, in Engl. Pflanzenr., Primul. (1905), 34. No. 311.  
 angustidens, Pax, l.c. (1905), 128. Nos. 355, 1819.  
 Beesiana, G. Forrest, in Notes Roy. Bot. Gard., vii (1912), 93 (nomen). No. 2194.  
 bella, Franch., in Bull. Soc. Bot. Fr., xxxii (1885), 268. Nos. 480, 1803, 1813, 2399.  
 brevifolia, G. Forrest, in Notes Roy. Bot. Gard. Edin., iv (1908), 229. No. 476.  
 Bulleyana, G. Forrest, l.c. 231. Nos. 2440, 2449.  
 calliantha, Franch., in Bull. Soc. Bot. Fr., xxxii (1885), 268. No. 1820.  
 capitata, Hook., Bot. Mag. (1850), t. 4550. Nos. 46, 303.  
 Clementinae, G. Forrest, in Gard. Chron. s. 3, 1 (1911), 242—nomen. No. 2059.  
 coerulea, G. Forrest, in Notes Roy. Bot. Gard. Edin., iv (1908), 221. No. 1814.  
 cortusoides, Linn., var. lichiangensis, G. Forrest, l.c. 217. No. 2275.  
 Delavayi, Franch., in Bull. Soc. Bot. Fr., xxxii (1885), 272. No. 4097.  
 delicatula, Dunn, in Journ. Linn. Soc., xxxix (1911), 480. No. 1804.  
 denticulata, Sm., Exot. Bot., ii (1805), 109. Nos. 1402, 1801, 4096.  
 dryadifolia, Franch., in Bull. Soc. Bot. Fr., xxxii (1885), 270. No. 478.

**Primula**—*continued*.

- Forrestii, Balf. f., in Notes Roy. Bot. Gard. Edin., iv (1908), 228. No. 2117.  
 Franchetii, Pax, in Engl. Pflanzenr., Primul. (1905), 108. No. 685.  
 Henrici, Bur. et Franch., in Journ. de Bot., v (1891), 98. No. 308.  
 Listeri, King, in Hook. f. Fl. Brit. Ind., iii (1882), 485. Nos. 1815, 4101.  
 Littoniana, G. Forrest, in Notes Roy. Bot. Gard. Edin., iv (1908), 225. No. 2655.  
 malacoides, Franch., in Bull. Soc. Bot. Fr., xxxiii (1886), 64. Nos. 399, 399A, 1802.  
 malvacea, Franch., l.c. 65. No. 2779.  
 membranifolia, Franch., l.c. 68. No. 1809.  
 minutiflora, G. Forrest, in Notes Roy. Bot. Gard. Edin., iv (1908), 219. No. 310.  
 muscarioides, Hemsl., in Kew Bull. (1907), 319. Nos. 306, 313.  
 nivalis, Pallas, var. macrophylla (Don), Pax, in Engl. Pflanzenreich, Primul. (1905), 103. Nos. 2128, 2254.  
 nutans, Delavay ex Franch., in Bull. Soc. Bot. Fr., xxxiii (1886), 69. No. 72.  
 obconica, Hance, in Journ. Bot. (1880), 234, et (1882), 154. No. 312.  
 petiolaris, Wall., var. sulphurea, Hook. f., Fl. Brit. Ind., iii (1882), 493. No. 304.  
 pinnatifida, Franch., in Bull. Soc. Bot. Fr., xxxii (1885), 271. No. 2398.  
 Poissoni, Franch., l.c. xxxiii (1886), 67. No. 2120.  
 pseudodenticulata, Pax, in Engl. Pflanzenr., Primul. (1905), 91. Nos. 307, 391, 1818, 2037, 2153.  
 pseudo-sikkimensis, G. Forrest, in Notes Roy. Bot. Gard. Edin., vii (1912), 149 (nomen). No. 2642.  
 pulchella, Franch. ex Hemsl., in Journ. Linn. Soc., xxvi (1889), 141. No. 2480.  
 septemloba, Franch., in Bull. Soc. Bot. Fr., xxxii (1885), 265. Nos. 1811, 2276.  
 serratifolia, Franch. nec ex Pax Monogr., in Bull. Soc. Bot. Fr., xxxii (1885), 267. Nos. 1816, 2974, 4100.  
 sikkimensis, Hook., Bot. Mag. t. 4597 (1851). No. 400.  
 sonchifolia, Franch., in Bull. Soc. Bot. Fr., xxxii (1885), 266. Nos. 1808, 2167.  
 sonchifolia, Franch., var. albiflora, G. Forrest, under P. gratissima, in Notes Roy. Bot. Gard. Edin., iv (1908), 220. No. 1812.  
 spicata, Franch., l.c. 269. No. 1807.  
 taliensis, G. Forrest, in Notes Roy. Bot. Gard. Edin., iv (1908), 220. No. 1805.  
 vincaeflora, Franch., in Gard. Chron. sér. 3, i (1887), 574-5. No. 2234.  
 vittata, Bur. et Franch., in Journ. de Bot., v (1891), 96. No. 2283.  
 yunnanensis, Franch., in Bull. Soc. Bot. Fr., xxxii (1885), 269. No. 1817.  
 sp. Nos. 305, 479, 1806A.

**Prinsepia**

- utilis, Royle, Illustr. Bot. Himal. (1839), 206. Nos. 146, 4974.

**Prunella**

- vulgaris, Linn., Sp. Pl. (1753), 600. Nos. 2285, 4526.

**Prunus**

- Maximowiczii, Rupr., var. *adenophora*, Franch., Pl. Delav. (1889), 195. Nos. 599, 2073.  
 Mume, Sieb. et Zucc., Fl. Jap., i (1835), 29. No. 462.  
 Puddum, Roxb. ex Wall., Pl. As. Rar., ii (1831), 37. No. 1067.  
 triloba, Lindl. fl. pl., in Gard. Chron. (1857), 268. No. 440.  
 undulata, Ham., in D. Don, Prod. Fl. Nep. (1825), 239. No. 2320.  
 yunnanensis, Franch., Pl. Delav. (1890), 195. Nos. 461, 463, 464.  
 yunnanensis, Franch., var. *Henryi*, C. K. Schneider, in Fedde, Repert. Nov. Sp., i (1905), 66. No. 4094.

**Pteris**

- sp. No. 287.

**Pterygiella**

- Duclouxii, Franch., in Bull. Soc. Bot. Fr., xlvii (1900), 22. No. 4505.

**Pueraria**

- edulis, Pampanini, in Nuov. Giorn. Bot. Ital. n.s., xvii (1910), 28. No. 149.  
 peduncularis, Grah., in Hook. f. Fl. Brit. Ind., ii (1879), 197. No. 4259.  
 peduncularis, Grah., var. *violacea*, Franch., Pl. Delav. (1889), 182. No. 1058.  
 Thunbergiana, Benth., in Journ. Linn. Soc., ix (1867), 122. No. 4256.

**Punica**

- Granatum, Linn., Sp. Pl. (1753), 472. No. 4392.

**Pycreus**

- sanguinolentus, Nees, in Linnaea, ix (1834), 283. Nos. 337, 338, 4900.

**Pyrola**

- atropurpurea, Franch., in Journ. de Bot., ix (1895), 372. Nos. 488, 498, 2442.  
 decorata, H. Andres, in Notes Roy. Bot. Gard. Edin., viii (1913), 7. Nos. 802, 2519, 4176.  
 Forrestiana, H. Andres, l.c. 8. No. 4177.  
 sororia, H. Andres, l.c. No. 5065.

**Pyrus (Sorbus)**

- microphylla, Decne. (Wall.), in Hook. f. Fl. Brit. Ind., ii (1879), 376. No. 4438.  
 Pashia, Ham. ex D. Don, Prod. Fl. Nep. (1825), 236. No. 282.  
 vestita, Wall., in Hook. f. Fl. Brit. Ind., ii (1879), 375. No. 2112.  
 Vilmorini, C. K. Schneider, in Bull. Herb. Boiss., 2 sér., vi (1906), 317. Nos. 2362, 4441.  
 Wallichii, Hook. f., Fl. Brit. Ind., ii (1879), 376. No. 4440.  
 Wilsoniana, C. K. Schneider, in Bull. Herb. Boiss., 2 sér., vi (1906), 312. Nos. 2220, 4439.  
 yunnanensis, Franch., Pl. Delav. (1890), 230. No. 2111.

**Quercus**

- Delavayi, Franch., in Journ. de Bot., xiii (1899), 158. No. 2055.  
 dentata, Thunb., Fl. Jap. (1784), 177. No. 2229.

**Quercus**—*continued*.

- semecarpifolia, Sm., in Rees, Cyclop., xxix (1819), n. 20. Nos. 2056, 2163.  
 spicata, Sm., var. yunnanensis, Schottky, in Notes Roy. Bot. Gard. Edin., vii (1912), 41—nomen. Nos. 528, 2565.  
 sp. No. 541.

**Quisqualis**

- indica, Linn., Sp. Pl. ed. 2 (1762), 556. No. 369.

**Ranunculus**

- affinis, R. Br., var. capillacea, Franch., Pl. Delav. (1889), 19. No. 2913.  
 affinis, R. Br., var. flabellata, Franch., l.c. Nos. 2245, 4378.  
 affinis, R. Br., var. ternata, Franch., l.c. No. 4377.  
 diffusus, DC., Prodr., i (1824), 38. No. 4375.  
 diffusus, DC., f. mollis, Wall., in Hook. f. Fl. Brit. Ind., i (1872), 19. No. 4376.  
 hirtellus, Royle, Illustr. Bot. Himal. (1839), 53. No. 2617.  
 hydrophilus, Bge., Enum. Pl. Chin. Bor. (1831), 2. No. 2135.  
 japonicus, Langsd. ex Fisch., in DC. Prodr., i (1824), 38. No. 1047.  
 pennsylvanicus, Linn., Suppl. Pl. (1781), 272. Nos. 2962, 4197, 4374.  
 pulchellus, C. A. Mey., in Ledeb. Fl. Altaica, ii (1830), 333. No. 2065.  
 sceleratus, Linn., Sp. Pl. ed. 1 (1753), 551. No. 4374.  
 yunnanensis, Franch., in Bull. Soc. Bot. Fr., xxxii (1885), 5. No. 2291.

**Rapanea**

- yunnanensis, Mez, in Engl. Pflanzenr., Myrsin. (1902), 358. No. 945.

**Reinwardtia**

- trigyna, Planch., in Hook., Lond. Journ. Bot., vii (1848), 522. Nos. 315, 318, 4660.

**Rhamnus**

- dahurica, Pall., Reise, iii (1776), 721. No. 2072.  
 persica, Boiss. ex Franch., Diagn., sér. i, 2 (1843), 4. Nos. 2063, 4723.

**Rheum**

- Delavayi, Franch., in Bull. Mus. Hist. Nat. Par. (1895), n. 5, 2. No. 2743.  
 Emodi, Wall., in Hook. f. Fl. Brit. Ind., v (1886), 56. Nos. 2356, 4589.  
 Forrestii, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 262. No. 2463.

**Rhinacanthus**

- Beesianus, Diels, l.c. 164. No. 1053.

**Rhododendron**

- adenogynum, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 216. No. 2395.  
 anthosphaerum, Diels, l.c. 215. No. 2042.  
 aureum, Franch., in Journ. de Bot., ix (1895), 394. No. 4135.  
 Balfourianum, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 214. Nos. 4131, 4166.  
 Beesianum, Diels, l.c. 214. No. 2323.  
 brachyanthum, Franch., in Bull. Soc. Bot. Fr., xxxiii (1886), 234. No. 4153.

**Rhododendron**—*continued*.

- brachyanthum, Franch., var. hypolepidotum, Franch., mss. in Herb. Paris. No. 692.
- brevistylum, Franch., in Journ. de Bot., xii (1898), 261. Nos. 694, 4162.
- bullatum, Franch., in Bull. Soc. Bot. Fr., xxxiv (1887), 281. Nos. 508, 4141.
- Bureaui, Franch., l.c. 281. No. 506.
- campylogynum, Franch., l.c. xxxii (1885), 10, et xxxiii (1886), 233. Nos. 475, 504, 4151, 4152.
- cephalanthum, Franch., l.c. xxxii (1885), 9, et xxxiii (1886), 234. No. 2182.
- cephalanthum, Franch., var. platyphyllum, Franch., mss. in Herb. Paris. No. 4155.
- chartophyllum, Franch., in Journ. de Bot., ix (1895), 398. No. 4163.
- chartophyllum, Franch., forma praecox, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 217. No. 2030.
- chasmanthum, Diels, l.c. 212. No. 513.
- ciliicalyx, Franch., in Bull. Soc. Bot. Fr., xxxiii (1886), 233. No. 4159.
- crassum, Franch., l.c. xxxiv (1887), 282. No. 4139.
- decorum, Franch., l.c. xxxiii (1886), 230. Nos. 2119, 2253, 4168.
- Delavayi, Franch., l.c. xxxiii (1886), 231. Nos. 502, 4093.
- dichroanthum, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 212. Nos. 4138, 4142, 4157, 4158, 4165.
- fastigiatum, Franch., in Bull. Soc. Bot. Fr., xxxiii (1886), 234. No. 4149.
- floccigerum, Franch., in Journ. de Bot., xii (1898), 259. No. 505.
- Forrestii, Balf. f., in Notes Roy. Bot. Gard. Edin., v (1912), 211. No. 699.
- gymnanthum, Diels, l.c. 211. No. 5071.
- haematodes, Franch., var. calycinum, Franch., in Bull. Soc. Bot. Fr., xxxiv (1887), 280. Nos. 4130, 4161.
- indicum, Sweet, Brit. Fl. Gard. sér. 2 (1833), t. 128. Nos. 2282, 4173, 4173A.
- irroratum, Franch., in Bull. Soc. Bot. Fr., xxxiv (1887), 280. Nos. 2043, 2058, 4146.
- lacteum, Franch., l.c. xxxiii (1886), 231. No. 2159.
- lacteum, Franch., var. macrophyllum, Franch., l.c. xxxiv (1887), 280. No. 501.
- lepidotum, Wall., in Hook. f. Fl. Brit. Ind., iii. (1882), 471. Nos. 2505, 2770.
- lucidum, Franch., in Journ. de Bot., ix (1895), 390. Nos. 2190, 2222.
- mekongense, Franch., l.c. xii (1898), 263. No. 698.
- microphyton, Franch., in Bull. Soc. Bot. Fr., xxxiii (1886), 235. No. 4172.
- neriiflorum, Franch., l.c. 230. Nos. 4140, 4144, 4147, 4164.
- oleifolium, Franch., l.c. 235. Nos. 4132, 4133, 4169, 4170.
- racemosum, Franch., l.c. 235. Nos. 510, 2009, 2062, 2207, 4134.
- rubiginosum, Franch., l.c. xxxiv (1887), 282. Nos. 2050, 2097, 4156.
- saluenense, Franch., in Journ. de Bot., xii (1898), 262. No. 511.
- sanguineum, Franch., l.c. 259. Nos. 503, 5073.
- selense, Franch., l.c. 257. No. 5068.
- siderophyllum, Franch., l.c. 262. Nos. 507, 689.
- Souliei, Franch., l.c. ix (1895), 393. Nos. 4148, 4150, 4154.
- spiciferum, Franch., l.c. 400. No. 512.

**Rhododendron**—*continued*.

- spinuliferum, Franch., l.c. 399. No. 509.  
 Stewartianum, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 211.  
 No. 5069.  
 sulphureum, Franch., in Bull. Soc. Bot. Fr., xxxiv (1887), 283. Nos.  
 951, 4143.  
 taliense, Franch., l.c., xxxiii (1886), 232. Nos. 2408, 2409, 4136,  
 4160, 4167.  
 Thomsoni, Hook. f., var. cyanocarpum, Franch., in Journ. de Bot.,  
 ix (1895), 389. No. 4137.  
 trichocladum, Franch., in Bull. Soc. Bot. Fr., xxxiii (1886), 234. No.  
 4145.  
 trichostomum, Franch., in Journ. de Bot., ix (1895), 396. No. 5070.  
 uvarifolium, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 213.  
 No. 5072.  
 yunnanense, Franch., in Bull. Soc. Bot. Fr., xxxiii (1886), 232. No.  
 5063.  
 sp. No. 2181.

**Rhus**

- Delavayi, Franch., in Bull. Soc. Bot. Fr., xxxiii (1886), 466. No. 4709.  
 semialata, Murr., var. Roxburghii, DC., Prodr., ii (1825), 67. No. 521.

**Ribes**

- acuminatum, Wall., in Hook. f. Fl. Brit. Ind., ii (1879), 410. No. 559.  
 glacial, Wall., in Roxb. Fl. Ind. ed. Carey, ii (1824), 513. Nos. 552,  
 2100, 2125, 5029, 5089.  
 himalense, Decne., in Jacquem. Voy. Bot. (1844), 66. No. 570.  
 moupinense, Franch., Pl. Dav. in Nouv. Arch. Mus. Hist. Nat. Par.  
 sér. 2, viii (1885), 238. No. 2109.

**Ricinus**

- communis, Linn., Sp. Pl. (1753), 1007. No. 4692.

**Rodgersia**

- pinnata, Franch., in Rev. Hort. (1897), 176. Nos. 2339, 2521, 5037.

**Roettlera**

- Forrestii, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 224. No.  
 2510.  
 yunnanensis, Franch., in Bull. Mus. Hist. Nat. Par., v (1899), 250.  
 No. 4386.  
 yunnanensis, Franch., f. cleistogama, in Notes Roy. Bot. Gard.  
 Edin., vii (1912), 232. No. 4387.

**Rosa**

- Banksiae, R. Br., in Ait. Hort. Kew., ed. 2, iii (1811), 258. Nos.  
 155, 214, 229, 2048, 2051, 4443 in part.  
 centifolia, Linn., Sp. Pl. (1753), 491. No. 4449 in part.  
 damascena, Mill., Gard. Dict., ed. 8 (1768), n. 15. Nos. 284, 2052,  
 2053, 4449 in part.  
 damascena, Mill., f. brachyacantha, Focke, in Notes Roy. Bot.  
 Gard. Edin., v (1911), 67. No. 4444.  
 Forrestii, Focke, in Notes Roy. Bot. Gard. Edin., v (1911), 67. No.  
 4450.  
 gigantea, Collett ex Crep., in Bull. Soc. Bot. Belg., xxvii, 2 (1888),  
 148. Nos. 2049, 4446, 4452.  
 irridens, Focke, in Notes Roy. Bot. Gard. Edin., v (1911), 66. No.  
 4443 in part.

**Rosa**—*continued*.

- macrophylla, Lindl., Ros. Monog. (1820), 35. Nos. 2504, 4447.  
 macrophylla, Lindl. (?). No. 4445.  
 macrophylla, Lindl., f. gracilis, Focke, in Notes Roy. Bot. Gard. Edin., v (1911), 69. Nos. 2336, 4442, 4453.  
 macrophylla, Lindl., f. parce glandulosa, l.c. 69. No. 2402.  
 moschata, Herrm., var. yunnanensis, Franch., in Pl. Delav. (1889), 218. No. 2370.  
 sericea, Lindl., Ros. Monog. (1820), 105. Nos. 2022, 4448, 4451.  
 sericea, Lindl., f. aculeata eglandulosa, in Notes Roy. Bot. Gard. Edin., v (1911), 70. No. 2256.  
 sericea, Lindl., f. pteracantha, Franch., in Pl. Delav. (1889), 220. No. 219.  
 Soulieana, Crép., in Compt. Rend. Bull. Soc. Bot. Belg., xxxv, 2 (1896), 21. No. 4454.  
 sp. No. 226.

**Roscoea**

- alpina, Royle, Ill. Himal. Bot. (1839), 361. Nos. 2396, 4806, 4807, 4808.  
 capitata, Sm., var. purpurata, Gagnep., in Bull. Soc. Bot. Fr., xlviii (1901), p. lxxiv. Nos. 258, 2687, 4809.  
 cauleoides, Gagnep., l.c., p. lxxiv. No. 2070.  
 cauleoides, Gagnep., var. purpurea, in Notes Roy. Bot. Gard. Edin., vii (1912), 104 (nomen). No. 2178.  
 Chamaeleon, Gagnep. vel aff., in Bull. Soc. Bot. Fr., xlviii (1901), p. lxxvi. No. 2347.

**Rotala**

- rotundifolia (Ham.), Koehne, in Engl. Jahrb., i (1881), 175. Nos. 566, 4462, 4982.

**Rubia**

- cordifolia, Linn., Mant. (1767), 197. No. 371.  
 leiocaulis (Franch.), Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 277. No. 4635.  
 membranacea (Franch.), Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 279. No. 4639.  
 pallida, Diels, l.c. 277. No. 40.  
 podantha, Diels, l.c. 277. Nos. 2327, 2753.  
 ustulata, Diels, l.c. 278. Nos. 365, 368.  
 yunnanensis (Franch. ms.), Diels, l.c. 278. No. 2484.

**Rubus**

- alexeterius, Focke, l.c. (1911), 75. No. 2452.  
 biflorus, Ham. ex Sm., in Rees, Cyclop., xxx (1819), n. 9. Nos. 2123, 2453.  
 Delavayi, Franch., Pl. Delav. (1890), 205. No. 129.  
 ellipticus, Smith, var. obcordatus, Franch., l.c. 206. No. 291.  
 foliolosus, D. Don, Prod. Fl. Nep. (1825), 256. No. 4405 in part.  
 hypopitys, Focke, in Notes Roy. Bot. Gard. Edin., v (1911), 72. No. 1908.  
 lineatus, Reinw., var. angustifolius, Hook. f. Fl. Brit. Ind., ii (1879), 333. No. 1046.  
 loropetalus, Franch., Pl. Delav. (1890), 203. Nos. 2330, 4403.  
 lutescens, Franch., l.c. 206. No. 2329.

**Rubus**—*continued*.

- major, Focke, in Notes Roy. Bot. Gard. Edin., v (1911), 72. No. 916.  
 micranthus, D. Don, Prod. Fl. Nep. (1825), 235. Nos. 2353, 4405 in part.  
 paniculatus, Sm., in Rees, Cyclop., xxx (1819), n. 41. No. 4399.  
 polytrichus, Franch., Pl. Delav. (1890), 204. No. 4400.  
 pungens, Cambess., in Jacquem. Voy. Bot. (1844), 48. Nos. 4401, 4404.  
 stans, Focke, in Notes Roy. Bot. Gard. Edin., v (1911), 76. No. 2286.  
 stimulans, Focke, l.c. 74. No. 4398.  
 subornatus, Focke, l.c. 77. Nos. 2124, 2302, 4402.  
 trijugus, Focke, l.c. 74. No. 2303.  
 sp. No. 5021.

**Rumex**

- Acetosa, Linn., Sp. Pl. (1753), 337. No. 2740.  
 hastatus, D. Don, Prod. Fl. Nep. (1825), 74. Nos. 397, 4587.  
 maritimus, Linn., Sp. Pl. (1753), 335. No. 3096.  
 obtusifolius, Linn., l.c. 335. No. 4958.

**Rungia**

- stolonifera, C. B. Clarke, in Hook. f. Fl. Brit. Ind., iv (1885), 547. No. 917.

**Sabia**

- yunnanensis, Franch., in Bull. Soc. Bot. Fr., xxxiii (1886), 465. Nos. 379, 2096, 4707, 4721, 4726, 4752.

**Saccolabium**

- distichum, Lindl., in Journ. Linn. Soc., iii (1859), 36. Nos. 3101, 4722.

**Sageretia**

- theezans (Linn.), Brongn., in Ann. Sc. Nat. sér. 1, x (1827), 360. No. 419.

**Sagina**

- Linnaei, Presl, var. maxima (A. Gray), Maxim., pro sp., in Mem. Am. Acad. n.s., vi (1858-9), 382. No. 4301.

**Sagittaria**

- sagittifolia, Linn., Sp. Pl. (1753), 993. Nos. 2765, 4954.

**Salix**

- cathayana, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 281. No. 4600.  
 eriophylla, Anders., in Journ. Linn. Soc., iv (1860), 48. No. 4967.  
 floccosa, Burkill, l.c., xxvi (1899), 529. No. 2318.  
 Lindleyana, Wall., in Hook. f. Fl. Brit. Ind., v (1888), 634. Nos. 2340, 2474.  
 longiflora, Anders., in Journ. Linn. Soc., iv (1860), 50. No. 4601.  
 microphyta, Franch., in Nouv. Arch. Mus. Hist. Nat. Par. sér. 2, x (1888), 83. No. 4603.  
 resecta, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 281. No. 4602.  
 tetrasperma, Roxb. (?), Cor. Pl., i (1795), 66. No. 2033.  
 Wallichiana, Anders., in Vet. Acad. Handl. Stockh., 1850 (1851), 477. No. 529.

**Salomonina**

cantonensis, Lour., Fl. Cochinch. (1790), 14. No. 31.

**Salvia**

Bulleyana, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 233. No. 4546.

castanea, Diels, l.c. 233. No. 2938.

digitaloides, Diels, l.c. 234. No. 2031.

flava, G. Forrest ex Diels, l.c. 235. Nos. 2262, 4545, 4547.

flava, G. Forrest, var. megalantha, Diels, l.c. 236. Nos. 602, 2548.

Forrestii, Diels, l.c. 235. No. 4548.

hians, Royle, in Hook. Bot. Misc., iii (1833), 373. No. 2919.

hylocharis, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 236. No. 2394.

japonica, Thunb., var. parvifoliola, Hemsl., in Journ. Linn. Soc., xxv (1890), 285. No. 4544.

miltiorrhiza, Bge., Enum. Pl. Chin. Bor. (1831), 50. Nos. 2047, 4543.

plebeja, R. Br., Prodr. Fl. Nov. Holl. (1810), 501. No. 4542.

trijuga, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 237. Nos. 65, 2813.

**Salvinia**

sp. No. 1885.

**Sambucus**

adnata, Wall., in Hook. f. Fl. Brit. Ind., iii (1882), 3. Nos. 2414, 4795.

**Sanicula**

orthacantha, S. Moore, in Journ. Bot., xiii (1875), 227. No. 4618.

**Sarcanthus**

filiformis, Lindl., Bot. Reg., 1842, misc., 61. No. 161.

**Sarcococca**

Hookeriana, Baill., Monog. Bux. (1859), 53. Nos. 531, 4107, 4753, 4773.

saligna, Muell. Arg., var. chinensis, Franch., Pl. Delav. (1889), 135. No. 420.

**Sarcopyramis**

nepalensis, Wall., Tent. Fl. Nep. (1824), 32. No. 971.

**Satyrium**

nepalense, D. Don, Prod. Fl. Nep. (1825), 26. Nos. 144, 965, 996, 4876.

setchuenicum, Kränzl., in Engl. Jahrb., xxix (1900), 266. Nos. 3053, 4882.

yunnanense, Rolfe, in Notes Roy. Bot. Gard. Edin., viii (1913), 28. No. 143.

**Saussurea**

affinis, Spreng. ex DC., Prod., vi (1837), 540. Nos. 5, 4021.

ciliaris, Franch., in Journ. de Bot., ii (1888), 337. No. 2805.

Delavayi, Franch., l.c. viii (1894), 340. No. 4030.

deltoidea, C. B. Clarke, Comp. Ind. (1876), 235. No. 1078.

**Saussurea**—*continued*.

- euodonta, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 198.  
Nos. 2823, 4023, 4032.  
Forrestii, Diels, l.c. 198. No. 2940.  
gossypiphora, D. Don, in Mem. Wern. Soc., iii (1821), 414. No.  
3006.  
grosseserrata, Franch., in Journ. de Bot., ii (1888), 354. Nos.  
2664, 4027.  
Kunthiana, Clarke, Comp. Ind. (1876), 225. Nos. 2966, 4028.  
lamprocarpa, Hemsl., in Journ. Linn. Soc., xxiii (1888), 465. No. 61.  
leucoma, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 197. No.  
3005.  
likiangensis, Franch., in Journ. de Bot., ii (1888), 356. No. 2959.  
obvallata, Wall., in Hook. f. Fl. Brit. Ind., iii (1882), 365. Nos.  
315A, 675.  
peduncularis, Franch., in Journ. de Bot., ii (1888), 357. No. 2929.  
peduncularis, Franch., var. corymbosa, Franch., in Journ. de Bot.,  
ii (1888), 358. No. 4031.  
romuleifolia, Franch., in Journ. de Bot., ii (1888), 339. Nos. 12,  
3068.  
semilyrata, Bur. et Franch., l.c. v (1891), 76. No. 2707.  
spatulifolia, Franch., l.c. ii (1888), 338. Nos. 2952, 3041.  
Stella, Maxim., in Bull. Acad. Pétersb., xxvii (1881), 490. No. 8.  
subulata, Clarke, Comp. Ind. (1876), 226. No. 2948.  
Sughoo, Clarke, l.c. 225. No. 2951.  
taraxacifolia, Wall., in Hook. f. Fl. Brit. Ind., iii (1882), 368. No.  
3046.  
vestita, Franch., in Journ. de Bot., ii (1888), 358. No. 2932.  
villosa, Franch., l.c. 353. No. 2735.  
virgata, Franch., l.c. viii (1894), 340. No. 985.  
yunnanensis, Franch., var. runcinata, Franch., l.c. ii (1888), 340.  
No. 2800.

**Saxifraga**

- atrata, Engl., in Mém. Biol., xi (1883), 718. Nos. 467, 2928.  
Balfourii, Engl. et Irmscher, in Notes Roy. Bot. Gard. Edin., v  
(1912), 141. Nos. 74, 1140, 2756.  
brachyphylla, Franch., Pl. Delav. (1890), 237. No. 124.  
brachypoda, Don, in Trans. Linn. Soc., xiii (1822), 378. No. 4201.  
brachypoda, Don, var. fimbriata (Wall.), Engl. et Irmscher, in Notes  
Roy. Bot. Gard. Edin., v (1912), 140. Nos. 89, 2867.  
Brunoniana, Wall., var. majuscula, Engl. et Irmscher, l.c. 146.  
No. 4202.  
Candelabrum, Franch., Pl. Delav. (1890), 232. No. 50, 173.  
cardiophylla, Franch., Pl. David., in Nouv. Arch. Mus. Hist. Nat.  
Par. sér. 2, viii (1885), 230. No. 5058.  
chrysanthoides, Engl. et Irmscher, in Notes Roy. Bot. Gard. Edin., v  
(1912), 145. No. 2786.  
cinerascens, Engl. et Irmscher, l.c. 142. Nos. 2034, 3034.  
cortusaefolia, Sieb. et Zucc., in Akad. Muench., iv, 2 (1843), 190.  
Nos. 2401, 4199, 5059.  
diversifolia, Wall., f. angustibracteata, Engl. et Irmscher, in Notes  
Roy. Bot. Gard. Edin., v (1912), 139. Nos. 115, 4207, 5056.  
diversifolia, Wall., f. foliata, Engl. et Irmscher, l.c. 139. Nos. 983,  
2864.  
drabaeformis, Franch., Pl. Delav. (1890), 235. Nos. 2956, 3025.

**Saxifraga**—*continued*.

- filicaulis, Wall., in Hook. f. Fl. Brit. Ind., ii (1879), 396. Nos. 170, 1141, 2749, 4209.  
 gemmipara, Franch., in Journ. de Bot., x (1896), 262. Nos. 104, 113, 2916, 4210, 5060.  
 hispidula, D. Don, var. Doniana, Engl., Monogr. Saxifr. (1872), 222. Nos. 114, 2696, 4208, 5062.  
 macrostigma, Franch., var. aurantiascens, Engl. et Irmscher, in Notes Roy. Bot. Gard. Edin., v (1912), 132. No. 2947.  
 macrostigma, Franch., var. Georgeana, Engl. et Irmscher, l.c. 132. No. 88.  
 macrostigma, Franch., var. gracillima, Engl. et Irmscher, l.c. 131. No. 2904.  
 macrostigma, Franch., var. hypericoides (Franch. pro sp.), Engl. et Irmscher, in Journ. de Bot., x (1896), 261. No. 2576.  
 macrostigma, Franch., var. hypericoides (Franch. pro spec.), Engl. et Irmscher, f. latifolia, E. et I., in Notes Roy. Bot. Gard. Edin., v (1912), 133. No. 2863.  
 macrostigma, Franch., var. hypericoides (Franch. pro spec.), Engl. et Irmscher, subvar. macrantha, E. et I., l.c. 133. No. 2757.  
 micrantha, Edgew., in Trans. Linn. Soc., xx (1846), 50. No. 4204.  
 micrantha, Edgew., f. foliosa, Engl. et Irmscher, in Notes Roy. Bot. Gard. Edin., v (1912), 126. No. 4203.  
 micrantha, Edgew., var. minor, Engl. et Irmscher, l.c. 125. No. 4198.  
 micrantha, Edgew., var. yunnanensis, Franch., in Journ. de Bot., x (1896), 263. No. 99.  
 micranthoides, Engl., in Notes Roy. Bot. Gard. Edin., v (1912), 126. No. 2516.  
 nigro-glandulosa, Engl. et Irmscher, l.c. 135. Nos. 2910, 2910A.  
 nutans, Hook. f. et Thoms, in Journ. Linn. Soc., ii (1857), 69. No. 2621.  
 pulchra, Engl. et Irmscher, in Notes Roy. Bot. Gard. Edin., v (1912), 146. No. 2168.  
 sediformis, Engl. et Irmscher, l.c. 144. No. 2912.  
 sibirica, Linn., Syst. ed. 10 (1759), 1027. No. 4690.  
 signata, Engl. et Irmscher, in Notes Roy. Bot. Gard. Edin., v (1912), 143. No. 2958.  
 strigosa, Wall., in Hook. f. Fl. Brit. Ind., ii (1879), 393. Nos. 171, 1139, 2921, 5061.  
 subamplexicaulis, Engl. et Irmscher, in Notes Roy. Bot. Gard. Edin., v (1912), 133. No. 2965.  
 tsangchanensis, Franch., Pl. Delav. (1890), 233. Nos. 4200, 4211.  
 turfosa, Engl. et Irmscher, in Notes Roy. Bot. Gard. Edin., v (1912), 134. Nos. 123, 2988, 4206.

**Scabiosa**

- Hookeri, C. B. Clarke, in Hook. f. Fl. Brit. Ind., iii (1882), 218. Nos. 7, 2834.

**Schizandra**

- axillaris, Hook. f. et Thoms., l.c. i (1872), 45. No. 2122.  
 chinensis, Baill., Hist. Pl., i (1867), 148. Nos. 4797, 4797A.

**Schoepfia**

- jasminodora, Sieb. et Zucc., in Abh. Akad. Muench., iv, 3 (1846), 135. Nos. 390, 2054.

**Scirpus**

- Eriophorum*, Michx., Fl. Bor. Am., i (1820), 33. No. 933.  
*maritimus*, Linn., Sp. Pl. (1753), 51. No. 2032.  
*mucronatus*, Linn., l.c. 50. Nos. 2592, 4910.  
*setaceus*, Linn., l.c. 49. No. 2487.

**Scoparia**

- dulcis*, Linn., l.c. 116. No. 565.

**Scrophularia**

- Delavayi*, Franch., in Bull. Soc. Bot. Fr., xlvii (1900), 15. No. 3103.  
*Forrestii*, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 283. No. 990.  
*nodosa*, Linn., Sp. Pl. (1753), 619. No. 2551.  
*spicata*, Franch., in Bull. Soc. Bot. Fr., xlvii (1900), 12. No. 2550.

**Scutellaria**

- amoena*, Wright, in Kew Bull. (1896), 164. Nos. 607, 2083, 4541.  
*Forrestii*, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 239. No. 2281.  
*likiangensis*, Diels, l.c. 239. No. 2424.

**Sedum**

- Balfouri*, Hamet, in Notes Roy. Bot. Gard. Edin., v (1912), 116. No. 196.  
*Beauverdi*, Hamet, in Bull. Soc. Bot. Fr., lvi (1909), 48. No. 4688.  
*bracteatum*, Diels, in Engl. Jahrb., xxix (1900), 362. Nos. 2989, 4677.  
*bupleuroides*, Wall. (?), in Hook. f. Fl. Brit. Ind., ii (1879), 418. Nos. 2441, 2492.  
*drymarioides*, Hance, in Seem. Journ. Bot., iii (1865), 379. No. 197.  
*Engleri*, Hamet, var. *Forrestii*, Hamet, in Notes Roy. Bot. Gard. Edin., v (1912), 115. No. 316.  
*fastigiatum*, Hook. f. et Thoms. vel aff., in Journ. Linn. Soc., ii (1858), 98. No. 5054.  
*Forrestii*, Hamet, in Notes Roy. Bot. Gard. Edin., v (1912), 118. No. 2808.  
*indicum* (Decne.), Hamet, var. *Forrestii*, Hamet, l.c. 115. No. 924.  
*indicum* (Decne.), Hamet, var. *genuinum*, Hamet., l.c. 116. No. 3018.  
*linearifolium*, Royle, var. *Balfouri*, Hamet, under *Sedum trifidum* in Notes Roy. Bot. Gard. Edin., v (1912), 119. No. 87 (partly).  
*linearifolium*, Royle, var. *Forrestii*, Hamet, l.c. Nos. 87 (partly), 212, 2971, 5049.  
*multicaule*, Wall., in Hook. f. Fl. Brit. Ind., ii (1879), 422. Nos. 188, 207, 2896, 5051.  
*nobile*, Franch. vel aff., in Journ. de Bot., x (1896), 285. No. 5055.  
*obtusipetalum*, Franch., l.c. 289. No. 199.  
*Oreades*, Hamet, in Bull. Soc. Bot. Fr., lvi (1909), 571. Nos. 3051, 5052.  
*primuloides*, Franch., in Journ. de Bot., x (1896), 287. No. 200.  
*roseum*, Scop., var. (?), Fl. Carn. ed. 2, i (1772), 326. No. 2610.  
*roseum*, Scop. vel aff. Nos. 5053, 5087, 5088.  
*scabridum*, Franch. (?), in Journ. de Bot., x (1896), 284. No. 2377.  
*trullipetalum*, Hook. f. et Thoms., in Journ. Linn. Soc., ii (1858), 102. No. 5050.  
*yunnanense*, Franch., var. *Forrestii*, Hamet, in Notes Roy. Bot. Gard. Edin., v (1912), 117. No. 2384.  
*yunnanense*, Franch., var. *valerianoides*, Hamet., l.c. No. 2458.

**Selaginella**

sp. No. 4925.

**Senecio**

- acerifolius, C. Winkl., in Act. Hort. Petrop., xiii, 1 (1893), 9. No. 640.
- asperifolius, Franch., in Journ. de Bot., viii (1894), 360. No. 1105.
- bulbiferus, Maxim., var. subglaber, Franch., mss. in Herb. Paris. No. 2818.
- Bulleyanus, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 195. No. 4053.
- calaliaefolius, Sch. Bip., var. speciosus (DC.), Franch., in Bull. Soc. Bot. Fr., xxxix (1892), 296. No. 2853.
- calaliaefolius, Sch. Bip., var. Atkinsoni, Hook. f. ex Franch., l.c. 297. Nos. 2907, 4054.
- caloxanthus, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 194. No. 2546.
- camptodontus, Franch., in Journ. de Bot., x (1896), 413. Nos. 647, 2983, 4039.
- chrysanthemoides, DC., Prodr., vi (1837), 365. Nos. 17, 2366, 2809, 4035, 4036.
- clivorum, Maxim., in Mém. Biol., viii (1871), 14. No. 1084.
- cyclotus, Bur. et Franch., in Journ. de Bot., v (1891), 74. Nos. 70, 2824.
- cymatocrepis, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 192. No. 848.
- densiflorus, Wall., in Hook. f. Fl. Brit. Ind., iii (1882), 355. Nos. 837, 966.
- dianthus, Franch., in Journ. de Bot., x (1896), 419. Nos. 2933, 4042.
- dictyoneurus, Franch., in Bull. Soc. Bot. Fr., xxxix (1892), 294. No. 2360.
- Jeffreyanus, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 192. No. 54.
- koualapensis, Franch., in Journ. de Bot., viii (1894), 356. No. 4041.
- langkongensis, Franch., in Bull. Soc. Bot. Fr., xxxix (1892), 301. No. 2193.
- lapathifolius, Franch., l.c. 306. No. 2658.
- luticolus, Dunn, in Journ. Linn. Soc. Bot., xxxv (1903), 507. No. 632.
- mosoynensis, Franch., in Bull. Soc. Bot. Fr., xxxix (1892), 298. No. 4034.
- nagensium, C. B. Clarke, in Journ. Linn. Soc. Bot., xxv (1889), 39. No. 14.
- nimborum, Franch., Pl. David., in Nouv. Arch. Mus. Hist. Nat. Par. sér. 2, x (1887-8), 39. Nos. 2927, 4055.
- Oldhamianus, Maxim., in Mém. Biol., viii (1871), 11 et 14. Nos. 631, 1031.
- oryzotorum, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 194. No. 4038.
- plantaginifolius, Franch., in Bull. Soc. Phil. Par. sér. 8, iii, III (1891), 145. No. 2918.
- pleopterus, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 191. No. 2829.
- pleurocaulis, Franch., in Journ. de Bot., viii (1894), 365. No. 105.
- salunensis, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 193. No. 855.

**Senecio**—*continued*.

- scandens, Ham., in D. Don, Prodr. Fl. Nep. (1825), 178. Nos. 639, 681.  
 scythophyllus, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 193. No. 2964.  
 spathiphyllus, Franch., in Journ. de Bot., x (1896), 416. No. 4037.  
 taliensis, Franch., l.c. viii (1894), 357. No. 2762.  
 tricuspid, Franch., l.c. viii (1894), 357. No. 2908.  
 vellereus, Franch., in Bull. Soc. Bot. Fr., xxxix (1892), 299. No. 2427.  
 yakoensis, J. F. Jeffrey, in Notes Roy. Bot. Gard. Edin., v (1912), 195. No. 959.  
 sp. aff. mosoynensis, Franch. No. 2695.  
 sp. aff. saxatilis, Wall. No. 2486.  
 sp. No. 4040.

**Seseli**

- yunnanense, Franch., in Bull. Soc. Phil. Par. sér. 8, vi (1894), 129. No. 539.

**Setaria**

- sp. No. 359.

**Shuteria**

- anomala, Pampanini, in Nuov. Giorn. Bot. Ital., n.s., xvii (1910), 29. Nos. 915, 1128, 2438, 4249.  
 involucrata, W. et A., Prod. (1834), 207. No. 1119.

**Sibiraea**

- tomentosa, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 270. No. 2432.

**Sida**

- rhombifolia, Linn., Sp. Pl. (1753), 684. No. 4293.

**Siegesbeckia**

- orientalis, Linn., l.c. (1753), 900. No. 58.

**Silene**

- adenantha, Franch., Pl. Delav. (1889), 84. No. 2413.  
 asclepiadea, Franch., in Bull. Soc. Bot. Fr., xxxiii (1886), 422. No. 4308.  
 atrocastanea, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 181. No. 3043.  
 cardiopetala, Franch., in Bull. Soc. Bot. Fr., xxxiii (1886), 419. Nos. 2846, 4864.  
 cryptantha, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 180. No. 2783.  
 Delavayi, Franch., in Bull. Soc. Bot. Fr., xxxiii (1886), 424. Nos. 2312, 2719.  
 grandiflora, Franch., l.c. 427. No. 73.  
 napuligera, Franch., Pl. Delav. (1889), 82. Nos. 4310, 4971.  
 platyphylla, Franch., forma, in Bull. Soc. Bot. Fr., xxxiii (1886), 419. No. 4309.  
 scopulorum, Franch., l.c. 423. Nos. 2895, 2995, 4311.  
 Stewartiana, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 180. No. 2672.  
 tenuis, Willd., Enum. Hort. Berol. (1809), 474. Nos. 481, 885.

**Silene**—*continued*.

- tenuis, Willd., var. rubescens, Franch. Pl. Delav. (1889), 87. No. 2662.  
 trachyphylla, Franch., in Bull. Soc. Bot. Fr., xxxiii (1886), 418. No. 491.  
 viscidula, Franch., l.c. 421. No. 4316.  
 yunnanensis, Franch., l.c. 425. Nos. 2136, 2711.  
 sp. aff. melanantha, Franch. No. 4307.  
 sp. aff. rubicunda, Franch. No. 4304.

**Siphonostegia**

- chinensis, Benth., in Hook. et Arn. Bot. Beech. Voy. (1841), 203. Nos. 564, 4519.

**Skimmia**

- Laureola, Hook. f., Fl. Brit. Ind., i (1875), 499. Nos. 4708, 4757.

**Smilax**

- discotis, Warb., in Engl. Jahrb., xxix (1900), 256. Nos. 116, 2180.  
 menispermoidea, A. DC., in DC. Monog. Phan., i (1878), 108. Nos. 2105, 4793.  
 polycolea, Warb., in Engl. Jahrb., xxix (1900), 257. No. 852.  
 polycolea, Warb. vel aff. No. 4792.  
 rigida, Wall., in Hook. f. Fl. Brit. Ind., vi (1892), 304. No. 4785.  
 tortuosa, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 297. No. 3099.  
 vaginata, Decne., in Jacquem. Voy. Bot. (1844), 169. No. 4779.

**Smithia**

- yunnanensis, Franch., Pl. Delav. (1890), 170. Nos. 930, 4687.

**Solanum**

- khasianum, Clarke, in Hook. f. Fl. Brit. Ind., iv (1883), 234. No. 4480.  
 Melongena, Linn., Sp. Pl. (1753), 186. No. 4483.  
 nigrum, Linn., l.c. No. 4479.  
 verbascifolium, Linn., l.c. 184. No. 1087.

**Solms-Laubachia**

- pulcherrima, Muschler, in Notes Roy. Bot. Gard. Edin., v (1912), 206. No. 2164.

**Sonchus**

- arvensis, Linn., Sp. Pl. (1753), 793. No. 2365.  
 oleraceus, Linn., l.c. 794. Nos. 4024, 4084.

**Sonerila**

- tenera, Royle, Illustr. Bot. Himal. (1839), 215. No. 1092.

**Sophora**

- flavescens, Ait. Hort. Kew., ed. 1, ii (1789), 43. No. 4233.  
 japonica, Linn., Mant. i (1768), 68. No. 4227.  
 viciifolia, Hance, in Journ. Bot., xix (1881), 209. No. 1126.

**Sopubia**

- trifida, Ham. ex D. Don, Prod. Fl. Nep. (1825), 88. Nos. 1097, 4780.

**Sorbus**

reducta, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 272. No. 2238.

**Souliea**

vaginata (Maxim.), Franch., in Journ. de Bot., xii (1898), 70. No. 2261.

**Spathoglottis**

Fortunei, Lindl., Bot. Reg. (1845), t. 19. No. 4883.

pubescens, Lindl., in Hook. f. Fl. Brit. Ind., vi (1890), 191. No. 71.

**Spenceria**

ramalana, Trimen, in Journ. Bot., xvii (1879), 97. Nos. 52, 2734.

**Spermacoce**

stricta, Linn. f., Suppl. (1781), 120. Nos. 896, 942.

**Sphagnum**

sp. No. 4942.

**Spiraea**

Aruncus, Linn., Sp. Pl. (1753), 490. Nos. 2457, 2625.

bella, Sims, Bot. Mag. (1823), t. 2426. No. 4720.

canescens, Don, var. glaucophylla, Franch., Pl. Delav. (1889), 200. No. 4433.

canescens, Don, var. sulphurea, Batal., in Act. Hort. Petrop., xiv (1898), 321. No. 4435.

japonica, Linn. f., Suppl. (1781), 262. Nos. 4436, 4437.

velutina, Franch., Pl. Delav. (1890), 201. No. 2154.

vestita, Wall. ex Franch., l.c. Nos. 2934, 4434.

virgata, Franch., l.c. 199. No. 2075.

**Spiranthes**

australis, Lindl., in Bot. Reg. (1824), sub. t. 823. No. 166.

chinensis (Pers.), Ames. Nos. 2883, 2892, 3056, 4865, 4869.

**Sporobolus**

indicus (Linn.), R. Br., Prod. (1810), 170. No. 891.

**Stachys**

cordifolia, Prain, in Journ. As. Soc. Beng., lix (1890), 2, 310. No. 4539.

Franchetiana, Léveillé, in Fedde, Repert. Spec. Nov., ix (1911), 246. No. 2483.

Sieboldii, Miq., Ann. Mus. Bot. Lugd. Bat., ii (1865-6), 112. Nos. 861, 4523.

**Stachyurus**

himalaicus, Hook. f. et Thoms. ex Benth., in Journ. Linn. Soc., v (1861), 55. No. 551.

(?) sp. No. 4604.

**Stellaria**

aquatica (Linn.), Scop., Fl. Carn. ed. 2, i (1772), 319. Nos. 4313, 4314.

Davidi, Hemsl., in Journ. Linn. Soc., xxiii (1886), 67. Nos. 2060, 4303.

pilosa, Franch., Pl. Delav. (1889), 99. No. 2173.

**Stellaria**—*continued*.

- saxatilis, Ham. ex Hook. f., Fl. Brit. Ind., i (1875), 232. Nos. 816, 4315, 5020.  
 yunnanensis, Franch., in Bull. Soc. Bot. Fr., xxxiii (1886), 433. Nos. 2682, 4306, 4317.

**Stellera**

- Chamaejasme, Linn., Sp. Pl. (1753), 559. Nos. 169, 4788.  
 Chamaejasme, Linn., f. angustifolia, in Notes Roy. Bot. Gard. Edin., vii (1912), 88. No. 2005.

**Stephania**

- Delavayi, Diels, in Engl. Pflanzenr., Menisperm. (1910), 275. No. 2460.

**Stereosanthus**

- yunnanensis, Franch., in Journ. de Bot., x (1896), 385. No. 2407.

**Stranvaesia**

- glaucescens, Lindl., Bot. Reg. (1837), t. 1956. No. 2451.

**Streptolirion**

- volubile, Edgew., in Proc. Linn. Soc., i (1845), 254, et in Trans. Linn. Soc., xx (1846), 90. No. 825.

**Streptopus**

- amplexifolius, DC., Fl. Fr., iii (1805), 174. Nos. 248, 249, 4818, 4818A.

**Strobilanthes**

- acrocephalus, T. And., in Journ. Linn. Soc. Bot., ix (1867), 473. No. 920.  
 cyphantha, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 162. No. 4549.  
 flaccidifolius, Nees, in DC. Prod., xi (1847), 194. No. 4685.  
 Forrestii, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 162. Nos. 2456, 2760, 4551, 4553.  
 Forrestii, Diels, var. ? No. 4552.  
 versicolor, Diels, l.c. 163. No. 2308.  
 xanthantha, Diels, l.c. 163. No. 4550.  
 yunnanensis, Diels, l.c. 164. Nos. 616, 2361.  
 sp. Nos. 466, 4521.

**Swertia**

- bimaculata, Hook. f. et Thoms. ex C. B. Clarke, in Journ. Linn. Soc., xiv (1875), 449. No. 164.  
 calycina, Franch., var. major, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 223. No. 2926.  
 cordata, Wall., in Hook. f. Fl. Brit. Ind., iv (1883), 123. Nos. 950, 1103.  
 cordata, Wall., forma ? No. 5075.  
 Delavayi, Franch., in Bull. Soc. Bot. Fr., xlvi (1900), 323. No. 162.  
 hypericoides, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 222. No. 2542.  
 macrosperma, C. B. Clarke, in Hook. f. Fl. Brit. Ind., iv (1883), 123. Nos. 76, 2942, 3836.  
 nervosa, Wall., l.c., iv (1883), 125. No. 206.

**Swertia**—*continued*.

- pubescens, Franch., in Bull. Soc. Bot. Fr., xlv (1900), 313. No. 3042.  
 punicea, Hemsl., in Journ. Linn. Soc., xxvi (1890), 140. No. 27.  
 purpurascens, Wall., var. violaceocincta, Franch. No. 225.

**Symplocos**

- crataegoides, Buch. Ham. ex D. Don, Prod. Fl. Nep. (1825), 145. No. 4429.  
 Delavayi, Brand, in Fedde, Repert. Nov. Sp., iii (1906), 218. No. 4422.  
 spicata, Roxb., var. malasica, Clarke, in Hook. f. Fl. Brit. Ind., iii (1882), 573. Nos. 1037, 1095.

**Syringa**

- yunnanensis, Franch., in Rev. Hort. (1891), 308. Nos. 2294, 2636, 4655.

**Tagetes**

- patula, Linn., Sp. Pl. (1753), 887. Nos. 64, 4017.

**Tamarix**

- chinensis, Lour., Fl. Cochinch. (1790), 182. No. 2039.

**Tanacetum**

- adenanthum, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 187. No. 3070.  
 Delavayi, Franch., MS., in Herb. Paris ? No. 3047.  
 myrianthum, Franch., in Bull. Soc. Phil. Par. sér. 8, iii, 3 (1891), 144. No. 1077.  
 Pallasianum, Trautv. et Mey., in Middend. Reise (Fl. Ochot. 55) (1856). Nos. 3011, 4061, 4062.  
 Pallasianum, Trautv. et Mey., var. brevilibum, Franch. No. 319.  
 tenuifolium, Jacquem., in DC. Prodr., vi (1837), 129. No. 650.  
 yunnanense, J. F. Jeffrey, in Notes Roy. Bot. Gard. Edin., v (1912), 188. No. 53.

**Taonabo**

- japonica (Thunb.), Szyszyl. (?), in Engl. et Prantl, Natürl. Pflanzenfam., iii, 6 (1895), 188-9. No. 550.

**Taraxacum**

- dissectum, Ledeb., Fl. Ross., ii (1844-6), 814. No. 2082.  
 sp. aff. T. mongolico, Hand. Mzt. No. 4014.

**Tetrastigma**

- obtectum, Pl. ex Franch., in Bull. Soc. Bot. Fr., xxxiii (1886), 458 ; et l.c. 434. No. 4265.  
 serrulatum, Pl., in DC. Monog. Phan., v (1887), 432. Nos. 4266, 4754.  
 yunnanense, Gagnep., var. triphyllum, Gagnep., in Lecomte, Not. Syst. (1910), 270. No. 4267.

**Teucrium**

- quadrifarium, Ham., in D. Don, Prod. Fl. Nep. (1825) 108. No. 1068.

**Thalictrum**

- alpinum, Linn., Sp. Pl. (1753), 545. Nos. 2411, 2955.  
 cultratum, Wall., Pl. As. Rar., ii (1831), 26. Nos. 2378, 4363, 4364.  
 Delavayi, Franch., in Bull. Soc. Bot. Fr., xxxiii (1886), 367. Nos.  
 244, 245, 2337, 2412, 4362, 4365.  
 javanicum, Bl., Bijdr. (1825-6), 2. No. 2310.  
 leuconotum, Franch., Pl. Delav. (1889), 15. No. 2316.  
 tofieldioides, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 263.  
 No. 2149.  
 trichopus, Franch., in Bull. Soc. Bot. Fr., xxxiii (1886), 370. No.  
 2478.  
 virgatum, Hook. f. et Thoms., Fl. Ind., i (1855), 14. Nos. 237, 2150.

**Thea**

- Forrestii, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 284. No.  
 314.  
 japonica (Linn.), under Camellia, in Sp. Pl. (1753), 698. No.  
 4346.  
 speciosa, Pitard, in Notes Roy. Bot. Gard., v (1912), 285. No. 423.  
 yunnanensis, Pitard, l.c. 284. No. 430.

**Themeda**

- triandra, Forsk., Fl. Aegypt. Arab. (1775), 178. Nos. 888, 889.

**Theropogon**

- pallidus (Wall.), Maxim., in Bull. Acad. Pétersb., xv (1871), 89.  
 No. 1899.

**Thesium**

- chinense, Turcz., in Bull. Soc. Nat. Mosc. (1837), n. 7, 157. Nos.  
 3093, 5018.

**Thladiantha**

- heptadactyla, Cogn. (?), mss. in Herb. Paris. No. 4455.  
 villosula, Cogn. vel aff., l.c. No. 2372.

**Thlaspi**

- arvense, Linn., Sp. Pl. (1753), 646. No. 4333.  
 yunnanense, Franch., in Bull. Soc. Bot. Fr., xxxiii (1886), 407.  
 No. 2066.  
 yunnanense, Franch., var. dentatum, Diels, in Notes Roy. Bot.  
 Gard. Edin., v (1912), 204. No. 2130.

**Thuja**

- orientalis, Linn., Sp. Pl. (1753), 1002. No. 4607.

**Thunbergia**

- fragrans, Roxb., Pl. Corom., i (1795), 47. No. 4477.

**Thunia**

- venosa, Rolfe, in Orchid Rev. (1905), 206. No. 266.

**Thyrocarpus**

- glochidiatus, Maxim., in Bull. Acad. Pétersb., xxvi (1880), 499.  
 No. 2545.

**Tiarella**

- polyphylla, D. Don, Prod. Fl. Nep. (1825), 210. No. 4729.

**Tilia**

paucicostata, Maxim., var. yunnanensis, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 285. No. 47.

**Tiliaceae**

No. 809.

**Tofieldia**

divergens, Bur. et Franch., in Journ. de Bot., v (1891), 157. No. 78.  
yunnanensis, Franch., l.c. xii (1898), 225. Nos. 4826, 4828.  
yunnanensis, Franch. vel aff. No. 2393.

**Torenia**

peduncularis, Benth., in Fl. Brit. Ind., iv (1884), 276. Nos. 835, 884.

**Torilis**

Anthriscus, Bernh., Syst. Verz. Erf. (1800), 167. Nos. 2171, 2306, 4626.

**Tovaria**

yunnanensis, Franch., in Bull. Soc. Bot. Fr., xliii (1896), 48. Nos. 2279, 4821, 4822.

**Trachelospermum**

jasminoides (Lindl.), Lem., Jard. Fleur., i (1851), t. 61. No. 4719.

**Trachydium**

chloroleucum, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 290.  
Nos. 2873, 2886.

Forrestii, Diels, l.c. 291. No. 2855.

hispidum, Franch., in Bull. Soc. Phil. Par. sér. 8, vi (1894), 113.  
No. 2888.

purpurascens, Franch., l.c. 112. Nos. 127, 2884, 4614.

**Trapa**

natans, Linn., Sp. Pl. (1753), 120. Nos. 561, 1877.

**Tretocarya**

sikkimensis, Oliver, in Hook. Ic. Pl., xxiii (1893), t. 2255. No. 4470.

**Trevesia**

palmata, Vis., in Mém. Acc. Torin. sér. 2, iv (1842), 262. No. 1085.

**Tribulus**

terrestris, Linn., Sp. Pl. (1753), 387. Nos. 90, 1106.

**Trichosma**

suavis, Lindl., Bot. Reg. (1842), t. 21. No. 4976.

**Triglochin**

palustre, Linn., Sp. Pl. (1753), 338. No. 2467.

**Trigonotis**

microcarpa, Benth. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind., iv (1883), 172. Nos. 4468, 4469.

peduncularis, Benth. ex S. Moore et Baker, in Journ. Linn. Soc., xvii (1879), 384, nomen. No. 4979.

rotundifolia, Benth. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind., iv (1883), 172. No. 2304.

sp. No. 608.

**Trillium**

Tschonoskii, Maxim., in Bull. Acad. Pétersb., xxix (1884), 218.  
Nos. 251, 4802.

**Triosteum**

hirsutum, Wall., Roxb., Hort. Beng. (1814), 86. Nos. 2257, 4518.

**Triplostegia**

Delavayi, Franch., mss. in Herb. Paris. Nos. 2755, 4646.  
glandulifera, Wall. ex DC. Prod., iv (1830), 642. Nos. 2641, 2683.

**Tripterygium**

Forrestii, Loes., in Notes Roy. Bot. Gard. Edin., viii (1913), 4.  
Nos. 808, 3106, 4290.

**Trollius**

patulus, Salisb., in Trans. Linn. Soc., viii (1807), 303. Nos. 271,  
281, 2342.

**Tylophora**

yunnanensis, Schltr., in Notes Roy. Bot. Gard. Edin., viii (1913),  
17. Nos. 2567, 4661.

**Urena**

lobata, Linn., Sp. Pl. (1753), 692. No. 4294.

**Urtica**

fissa, E. Pritzl, in Engl. Jahrb., xxix (1900), 301. Nos. 59, 4670.  
Thunbergiana, Sieb. et Zucc., in Abh. Akad. Muench., iv, 3 (1846),  
214. No. 4671.

**Utricularia**

multicaulis, Oliver, in Journ. Linn. Soc., iii (1859), 188. No. 2968.  
Wallichiana, Wight, Ic., iv (1850), t. 1572/1. No. 4893.  
Wallichiana, Wight, var. firmula, Oliver, in Journ. Linn. Soc., iii  
(1859), 182. No. 2969.

**Vaccinium**

Delavayi, Franch., in Journ. de Bot., ix (1895), 367. No. 4174.  
Donianum, Wight, in Calc. Journ. Nat. Hist., viii (1847), 174. Nos.  
4178, 4182.  
Donianum, Wight, var. brachybotrys, Franch. No. 4179.  
Forrestii, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 295. No.  
454.  
fragile, Franch., in Journ. de Bot., ix (1895), 366. Nos. 2446, 4186.  
fragile, Franch., var. crinita, Franch., l.c. 367. No. 439.  
fragile, Franch., var. No. 4185.

**Valeriana**

barbulata, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 295.  
Nos. 2885, 4645.  
Fabri, Graebner, in Engl. Jahrb., xxiv (1898), Beibl. n. 59, 32.  
Nos. 2603, 4650.  
Hardwickii, Wall., in Roxb. Fl. Ind. ed. Carey, i (1820), 166. No.  
4648.  
stenoptera, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 295.  
Nos. 2705, 2758.  
Wallichii, DC., Prod., iv (1830), 640. Nos. 4644, 4651, 5009.

**Vandellia**

- crustacea, Benth., Scroph. Ind. (1835), 35. No. 364.  
 nummularifolia, D. Don, Prod. Fl. Nep. (1825), 86. No. 4517.

**Veratrilla**

- Baillonii, Franch., in Bull. Soc. Bot. Fr., xlvi (1899), 311. Nos. 230, 3821.

**Veratrum**

- stenophyllum, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 303. Nos. 2635, 3039, 4663.

**Vernonia**

- cinerea, Less., in Linnaea, iv (1829), 291, et vi (1831), 673. Nos. 858, 4082.  
 clivorum, Hance, in Journ. Bot., vii (1869), 164. No. 857.  
 esculenta, Hemsl., in Journ. Linn. Soc., xxiii (1888), 401. No. 991.  
 papillosa, Franch., in Journ. de Bot., x (1896), 369. No. 4012.

**Veronica**

- Anagallis, Linn., Sp. Pl. (1753), 12. Nos. 2350, 2555, 4511.  
 capitata, Royle ex Benth., Scroph. Ind. (1835), 45. Nos. 2358, 4509.  
 ciliata, Fisch., in Mém. Soc. Nat. Mosc., iii (1812), 56. No. 2620.  
 Forrestii, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 282. No. 4195.  
 javanica, Bl., Bijdr. (1825-6), 742. Nos. 4512, 4750.  
 laxa, Benth., Scroph. Ind. (1835), 45. Nos. 2499, 4508, 4510.  
 pirolaeformis, Franch., in Bull. Soc. Bot. Fr., xlvii (1898), 20. No. 2162.  
 polita, Fries, Novit. Fl. Suec. ed. 2 (1828), 1. No. 603.  
 serpyllifolia, Linn., Sp. Pl. (1753), 12. Nos. 2145, 4513.

**Viburnum**

- atrocyaneum, C. B. Clarke, in Hook. f. Fl. Brit. Ind., iii (1882), 7. Nos. 443, 2139.  
 congestum, Rehder, in Sargent, Trees and Shrubs, ii (1907), 111. Nos. 381, 2026.  
 cordifolium, Wall., in Hook. f. Fl. Brit. Ind., iii (1882), 6. Nos. 386, 4790.  
 crassifolium, Rehder, in Sargent, Trees and Shrubs, ii (1907), 112. No. 2266.  
 dilatatum, Thunb., Fl. Jap. (1784), 124. No. 4715.  
 erosum, Thunb., l.c. Nos. 2156, 2157.  
 erubescens, Wall., in Hook. f. Fl. Brit. Ind., iii (1882), 7. Nos. 3092, 4744, 4775.  
 foetidum, Wall. ? Pl. As. Rar., i (1830), 49. Nos. 3105, 4718.  
 kansuense, Batal., in Act. Hort. Petrop., xiii [18] (1894), 372. No. 2243.  
 tomentosum, Thunb., Fl. Jap. (1784), 123. Nos. 2206, 5048.  
 Veitchii, C. H. Wright, in Gard. Chron. (1903), xxxiii, 257. No. 2010.

**Vicia**

- amoena, Fisch. ex Ser., in DC. Prod., ii (1825), 355. Nos. 2643, 4231.  
 dichroantha, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 246. No. 2443.

**Vicia**—*continued*.

- sativa, Linn., Sp. Pl. (1753), 736. Nos. 451, 5015.  
 tridentata, Bunge (?), in Mém. Sav. Etr. Pétersb., ii (1835), 93. No. 2471.  
 unijuga, A. Br., in Ind. Sem. Hort. Berol. (1853), App. 12. Nos. 1102, 2488, 4252, 4253.

**Vigna**

- vexillata (Linn.), Benth., in Mart. Fl. Bras., xv (1859), 194. No. 4232.

**Vinca**

- rosea, Linn., Syst. ed. 10 (1759), 944. No. 1110.

**Viola**

- Bisseti, Maxim., in Bull. Soc. Nat. Mosc., liv (1879), 1, 5. Nos. 148, 238.  
 Delavayi, Franch., in Bull. Soc. Bot. Fr., xxxiii (1886), 413. Nos. 239, 2069, 4321.  
 Delavayi, Franch., f. depauperata, in Notes Roy. Bot. Gard. Edin., vii (1912), 267. No. 4767.  
 diffusa, Ging., in DC. Prod., i (1824), 298. No. 218.  
 distans, Wall., in Hook. f. Fl. Brit. Ind., i (1872), 183. Nos. 4320, 4322, 4323, 4324, 4983, 5006.  
 palustris, Linn., var. moupinensis, Franch., Pl. David. 2, Arch. Mus. sér. 2, viii (1885), 202. Nos. 2143, 4318, 4325.  
 Patrinii, DC., Prod., i (1824), 293. Nos. 16, 242, 460, 2044, 2137, 4319, 4995, 5000.  
 serpens, Wall., in Roxb. Fl. Ind. ed. Carey, ii (1824), 449. No. 243.

**Viscum**

- articulatum, Burm. f., Fl. Ind. (1768), 311. No. 542.

**Vitex**

- Negundo, Linn., Sp. Pl. (1753), 638. No. 1096.  
 trifolia, Linn., l.c. No. 579.

**Vitis**

- bryoniaefolia, Bunge, in Mém. Sav. Etr. Pétersb., ii (1835), 85. No. 2230.  
 pentagona, Diels et Gilg, in Engl. Jahrb., xxix (1900), 461. No. 4269.  
 Thunbergii, Sieb. et Zucc., var. adstricta, Hance, in Journ. Bot., xx (1882), 258. No. 4268.

**Wahlenbergia**

- gracilis, Schrad., Blumenb. (1827), 38, in obs. Nos. 823, 3850, 4963.  
 brevipes, Hemsl., in Hook. Ic. Pl., xxviii (1903), t. 2768. No. 4787.

**Walsura**

- trijuga (Roxb.), Kurz, Fl. Brit. Burm., i (1877), 225. No. 1075.

**Wedelia**

- urticaefolia, DC., in Wight, Contrib. (1834), 18. No. 2815.  
 Wallichii, Less., in Linnaea, vi (1831), 162. No. 20.

**Wendlandia**

ligustrina, Wall., in Hook. f. Fl. Brit. Ind., iii (1882), 39. No. 866.

**Wikstroemia**

dolichantha, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 286.

No. 133.

holosericea, Diels, l.c. 286. No. 13.

scytophylla, Diels, l.c. 286. No. 44.

**Xanthoxylum**

acanthopodium, DC., Prod., i (1824), 727. No. 4746.

acanthopodium, DC., var. Timbor, Wall., in Hook. f. Fl. Brit. Ind., i (1875), 493. No. 53A.

oxyphyllum, Edgew., in Trans. Linn. Soc., xx (1846), 42. No. 4716.

usitatum, Diels, in Notes Roy. Bot. Gard. Edin., v (1912), 280.  
No. 2103.

**Xyris**

pauciflora, Willd., Phytogr., i (1794), 2. Nos. 921, 4898.

**Zehneria**

mysorensis, Arn., in Hook. Journ. Bot., iii (1841), 275. No. 819.

mysorensis, Arn. (?). No. 4695.

**Zizyphus**

Jujuba, Lam., Encyc., iii (1790), 306. No. 1094.

vulgaris, Lam., l.c. 303. No. 4763.