

General Index, Volumes XV—XXI.

New names are indicated by an asterisk. Double citations of authorities are not given in this index.

- Abies Beissneriana* Rehd. & Wils., xviii, 140.
brachytyla Franch., xviii, 133.
chensis Van Tiegh., xviii, 140.
chinensis Franch., xviii, 135.
Davidiana Franch., xviii, 137.
Delavayi Franch., xviii, 142, Plate CCXL; xix, 266, Plate CCLVII.
dumosa var. *chinensis* Franch., xviii, 134.
Faberi Craib, xviii, 143, Plate CCXL; xix, 266, Plate CCLVII.
Faxoniana Rehd. & Wils., xviii, 147.
firma Mast., xviii, 140.
Forrestii Craib, xviii, 145.
Georgei Orr, xviii, 1*, Plate CCXXXVI; xviii, 146, 276.
Griffithiana Lindl. & Gord., xviii, 130.
lanceolata Poir., xviii, 149.
likiangensis Franch., xviii, 131.
sachalinensis Mast., xix, 266, Plate CCLVI.
sacra David, xviii, 137.
squamata Mast., xix, 266, Plate CCLVI.
Tsuga Sieb. & Zucc., xviii, 135.
yunnanensis Franch., xviii, 134.
Achillea cretica L., xxi, 127.
Aconitum acutiusculum Fletch., xx, 197*.
baicalense Turcz., xx, 198.
barbatum Pers., xx, 198.
Bisma Rap., xx, 197.
brachypodium Diels, xx, 199.
var. *laxiflorum* Fletch. & Lauen., xx, 199*.
brevicalcaratum Diels, xx, 185.
bulbilliferum Hand.-Mzt., xx, 199.
bullatifolium Lévl., xx, 190.
var. *Dielsianum* Fletch. & Lauen., xx, 191*.
Bulleyanum Diels, xx, 199.
calthifolium Comber, xviii, 222*.
campylorrhynchum Hand.-Mzt., xx, 199.
cannabifolium Franch., xx, 199.
Carmichaeli Debx., xx, 200.
Cavaleriei Lévl. & Van., xx, 191.
chinense Paxt., xx, 200.
contortum Fin. & Gagnep., xx, 200.
coreanum Rap., xx, 200.
coryphyllum Hand.-Mzt., xx, 200.
crassiflorum Hand.-Mzt., xx, 200.
Delavayi Franch., xx, 194.
var. *leiocarpum* Fin. & Gagnep., xx, 194.
Aconitum—continued.
Dielsianum Airy-Shaw, xx, 190.
divaricatum Fin. & Gagnep., xx, 201.
Duclouxii Lévl., xx, 188.
var. *ecalcaratum* Fletch. & Lauen., xx, 190*.
excelsum Rchb., xx, 201.
falciforme Hand.-Mzt., xx, 201.
Forrestii Stapf, xx, 201.
geniculatum, Fletch. & Lauen., xx, 201*.
Georgei Comb., xviii, 223*; xx, 202.
gymnandrum Maxim., xx, 202.
Handelianum Comb., xviii, 224*; xx, 202.
Hemsleyanum Pritz., xx, 202.
Henryi Pritz., xx, 202.
var. *compositum* Hand.-Mzt., xx, 202.
heterophyllum Wall., xix, 273.
jucundum Diels, xx, 192.
var. *chloranthum* Hand.-Mzt., xx, 193.
Kusnezoffi Rchb., xx, 203.
Lauenerianum Fletcher, xx, 187*.
Nagarum Stapf, xx, 203.
var. *ecalcaratum* Airy-Shaw, xx, 203.
var. *heterotrichum* Fletch. & Lauen., xx, 203*.
Ouvrardianum Hand.-Mzt., xx, 203.
phyllostegium Hand.-Mzt., xx, 203.
var. *pilosum* Fletch. & Lauen., xx, 183*.
piepunense var. *pilosum* Comb., xviii, 225*; xx, 204.
polyanthum Hand.-Mzt., xx, 204.
pulchellum Hand.-Mzt., xx, 204.
var. *burmanicum* Fletch. & Lauen., xx, 197*.
racemosum Franch., xx, 204.
Rockii Fletch. & Lauen., xx, 185*.
Souliei Fin. & Gagnep., xx, 204.
var. *glabrum* Comber, xviii, 225*.
Stapfianum Hand.-Mzt., xx, 204.
stylosum Stapf, xx, 184.
var. *geniculatum* Fletch. & Lauen., xx, 184*.
subrosulatum Hand.-Mzt., xx, 204.
sungpanense Hand.-Mzt., xx, 205.
Szechenyianum Gay., xx, 205.
tanguticum Stapf, xx, 196, 205.
var. *trichocarpum* Hand.-Mzt., xx, 196, 205.
taronense Fletch. & Lauen., xx, 197*.

- Aconitum*—continued.
tatsienense Fin. & Gagnep., xx, 181, 205.
transsectum Diels, xx, 205.
tripartitum Fletch. & Lauen., xx, 195*.
vaginatatum Pritz., xx, 205.
Vilmorinianum Komar., xx, 205.
Wardii Fletch. & Lauen., xx, 188*.
Acrocephalus palmiensis Mukerjee, xix, 303*.
verbenaeifolius Mukerjee, xix, 303*.
Acroporium oxyporum Fleisch., xx, 100.
Additamenta ad Floram Anatoliae, III, xxi, 61.
Adenosacme longifolia Wall., xvi, 306.
Aecidium sino-rhododendri M. Wils., xxi, 301.
Aegean, Notes on the Summer Flora of the, xxi, 10.
Aegiceras corniculata Blanco, xx, 109.
Aerides vandarum Reichb., xxi, 150.
Aeschynanthus atrorubens Schlecht., xxi, 232.
bracteatus DC., xxi, 230.
var. *Peelii* C.B. Cl., xxi, 230.
grandiflorus Spreng., xxi, 231.
kermesinus Schlecht., xxi, 232.
microcardia Burt & Davidson, xxi, 231*.
parasiticus Wall., xxi, 231.
Paxtoni Lindl., xxi, 230.
Peelii Hook. f. & Thoms., xxi, 230.
var. *oblanceolatus* Anth., xviii, 190*.
stenosepalus Anth., xviii, 191*.
tenericaulis Diels, xxi, 232.
tubulosus Anth., xviii, 192*.
var. *angustilobus* Anth., xviii, 192*.
Aethionema saxatile var. *latifolium* Maire, xxi, 255.
Aextoxicon punctatum Ruiz & Pav., xix, 194.
Agapetes Brandisiana W. E. Ev., xv, 201*.
Bulleyana var. *tenuifolia* Anth., xviii, 18*.
burmanica W. E. Ev., xv, 199*, Plate CCXIX.
corallina Cowan, xviii, 36*.
Forrestii W. E. Ev., xv, 202*, Plate CCXX.
Lacei Craib, xv, 203.
oblonga Craib, xv, 204.
Unwinii W. E. Ev., xv, 205*, Plate CCXXI.
Wardii W. W. Sm., xv, 206.
yunnanensis Franch., xv, 206.
Agrimonia Eupatoria L., xxi, 247.
var. *intermedia* Batt., xxi, 259.
Agrostis Reuteri Boiss., xxi, 269.
stolonifera ssp. *eu-alba* Emb. & Maire, xxi, 269.
Agrostophyllum callosum Reichb., xxi, 150.
Aira flexuosa L., xviii, 251.
Algae of Stronsay, Marine, xx, 160.
Allia praesertim sinensis nova vel minus cognita, xvi, 135.
Allium anisopodium Ledeb., xvi, 144, 146.
Argyi Lévl., xvi, 146.
Bakeri Regel, xvi, 146.
Bodinieri Lévl., xvi, 146.
Bourgaei Rech. f., xxi, 142.
Bulleyanum Diels, xvi, 146, 147.
var. *tchongchanense* Airy-Sh., xvi, 139*, 147.
cannaeifolium Lévl., xvi, 146.
caput-Medusae Airy-Sh., xvi, 140*.
chalcophengos Airy-Sh., xvi, 137*.
Chanetii Lévl., xvi, 146.
cyathophorum Bur. & Franch., xvi, 143.
eusperma Airy-Sh., xvi, 137*.
Feddei Lévl., xvi, 146.
funcchiaefolium Hand.-Mzt., xvi, 140.
Giraudiasii Lévl., xvi, 116.
Grayi Regel, xvi, 146.
Henryi C. H. Wright, xvi, 143.
Hookeri Thwaites, xvi, 138.
var. *mulienae* Airy-Sh., xvi, 139.
Iatzen Lévl., xvi, 146.
japonicum Thunb., xvi, 147.
macranthum Baker, xvi, 147.
macrostemon Bunge, xvi, 135, 146.
var. *uratense* Airy-Sh., xvi, 136*, 146.
Mairei Lévl., xvi, 146.
margaritaceum Sibth. & Sm., xxi, 142.
var. *guttatum* Stev., xxi, 142.
Martini Lévl. & Vant., xvi, 116.
nanodes Airy-Sh., xvi, 141*.
odorum L., xvi, 146.
omiostema Airy-Sh., xvi, 144*, 145.
ophiopogon Lévl., xvi, 147.
paepalanthoides Airy-Sh., xvi, 142*.
paniculatum L., xxi, 142.
praelatitium Lévl., xvi, 147.
pyrrhorrhizum Air.-Sh., xvi, 141*.
simethis Lévl., xvi, 147.
Taqueti Lévl., xvi, 147.
tchongchanense Lévl., xvi, 147.
tenuissimum L., xvi, 144, 145.
Victorialis L., xvi, 146.
Zimmermannianum Gilg, xvi, 145.
Alyssum creticum L., xxi, 105.
fragillimum Rech. fil., xxi, 105.
lepidulum Nyárády, xxi, 105.
sphacioticum Boiss. & Heldr., xxi, 105.
spinousum L., xxi, 255.

- Amphicome arguta* Royle, xxi, 155, 156.
diffusa Sprague, xxi, 155, 156.
Anagallis Monelli var. *hispanica* Jah. & Maire, xxi, 263.
Anarrhinum fruticosum var. *typicum* Maire, xxi, 265.
Anchusa azurea Mill., xxi, 264.
caespitosa Lam., xxi, 134.
Ancylostemon concavus Craib, xxi, 194, 216, 217.
convexus Craib, xxi, 215, 217.
Mairei Craib, xxi, 216, 217.
notochlaena Craib, xxi, 215, 216.
purpureus Burtt & Davidson, xxi, 215, 216*.
saxatilis Craib, xxi, 215, 216.
trichanthus Burtt & Davidson, xxi, 216, 218*.
vulpinus Burtt & Davidson, xxi, 216, 217*.
- Androsace; Supplementary notes on Chinese and other species, xvi, 161.
 A revision of the Chinese species with remarks on other Asiatic species, xv, 259.
 An undescribed species from Yunnan, xv, 130.
- Androsace adenocephala* Hand.-Mzt., xv, 295*.
Aizoon var. *coccinea* Franch., xv, 276.
 var. *integra* Max., xv, 276.
 var. *purpurea* Pax, xv, 276.
 var. *rosea* Pax, xv, 276.
akbaitalensis Derg., xv, 282.
alaschanica Maxim., xv, 265, 289.
alchemilloides Franch., xv, 263, 276.
apus Franch., xv, 281; xvi, 164.
aurata Petitmg., xv, 267, 281; xvi, 164.
axillaris Franch., xv, 262, 275; xvi, 163.
bisulca Bur. & Franch., xv, 267, 280; xvi, 164.
brachystegia Hand.-Mzt., xv, 267, 285*.
brahmaputrae Hand.-Mzt., xvi, 164*.
bryomorpha Lipsky, xv, 281.
Bulleyana G. Forrest, xv, 263, 276.
 var. *purpurea* Hand.-Mzt., xv, 276.
carnea L., xv, 296.
Chamaejasme Host, xv, 285, 292.
 var. *alata* Rupr., xv, 282.
 var. *arctica* Kn., xv, 281.
 var. *capitata* Kn., xv, 281.
 var. *ciliata*, xvi, 164.
 var. *tibetica* Kn., xv, 283.
 var. *trichophila* Pax & Hoffm., xv, 281.
 var. *triflora* Kn., xv, 281.
- Androsace*—continued.
 var. *typica* Kn., xv, 281.
Chumbyi Hort., xv, 290.
coccinea Franch., xv, 276.
coronata Watt, xv, 282, 283.
cortusifolia Nakai, xv, 270.
Croftii Watt, xv, 272.
cuscutiformis Franch., xv, 262, 273.
dasyphylla Bge., xv, 279.
Delavayi Franch., xv, 208, 284; xvi, 164.
densa Pax, xv, 284.
dissecta Franch., xv, 262, 272; xvi, 163.
Duthiana Kn., xv, 279.
elatiior Pax, xv, 273.
elongata L., xv, 269, 297; xvi, 165.
 var. *mongolica* Kn., xv, 297.
 var. *typica* Kn., xv, 297.
Engleri Kn., xv, 269, 297; xvi, 161.
erecta Maxim., xv, 263, 297.
eritrichioides Gandgr., xv, 281.
euryantha Hand.-Mzt., xv, 265, 282.
ferruginea Watt, xv, 279; xvi, 163.
filiformis Retz., xv, 269, 297; xvi, 166.
foliosa Duby, xv, 278.
Forrestiana Hand.-Mzt., xv, 266, 293*; xvi, 165.
Gagnepainiana Hand.-Mzt., xv, 262, 272.
geraniifolia Watt, xv, 262, 273.
 var. *escaposa* Hand.-Mzt., xv, 274.
 var. *Hookeriana* Kn., xv, 273.
 var. *pedicellata* Kn., xv, 273.
 var. *setosa* Kn., xv, 273; xvi, 162, 163.
glabrata Hand.-Mzt., xv, 280.
globifera Duby, xv, 279; xvi, 163.
globiferoides Hand.-Mzt., xv, 279.
Gmelini Roem. & Schult., xv, 262, 272.
 var. *geophila* Hand.-Mzt., xv, 272; xvi, 163.
Graceae G. Forrest, xv, 260, 270.
gracilis Hand.-Mzt., xv, 261, 271; xvi, 162.
Gustavi Kn., xv, 284.
Harrissii Duthie, xv, 287.
hedraeantha Griseb., xv, 296.
Henryi Oliv., xv, 261, 270.
 var. *crassifolia* Kn., xv, 270.
 var. *ometensis* Kn., xv, 270.
Hookeriana Klatt, xv, 288, 290.
incana Lam., xv, 267, 280; xvi, 163.
integra Hand.-Mzt., xv, 263, 276.
intermedia Ledeb., xv, 297.
Jacquemontii Duby, xv, 279; xvi, 163.
kouytchensis Bonati, xv, 261, 271.
lactea L., xv, 296.

Androsace—continued.

- lactiflora* Pall., xv, 269, 297.
Lehmanniana Spreng., xv, 268, 281;
 xvi, 164.
Limprichtii Pax & Hoffm., 266, 289;
 xvi, 165.
 var. *laxiflora* Hand.-Mzt., xv,
 289.
longifolia Turcz., xv, 264, 288, 289;
 xvi, 165.
 var. *decipiens* Hand.-Mzt., xv,
 289.
lutea Hand.-Mzt., xv, 268, 292*.
Mairei Lévl., xv, 266, 287.
Mariae Kan., xv, 264, 288.
 var. *tibetica* Hand.-Mzt., xv, 288.
 var. *trachyloma* Hand.-Mzt., xvi,
 165.
microphylla Maxim., xv, 286.
mirabilis Franch., xv, 260, 269.
mollis Hand.-Mzt., xv, 268, 291.
mucronifolia Watt, xv, 289, 290.
 var. *typica* Kn., xv, 285, 286, 291.
nepalensis Derg., xv, 287.
obtusifolia All., xv, 296.
olympica Boiss., xv, 279.
 var. *glabrata* Trautv., xv, 280.
Paxiana Kn., xv, 261, 270.
phaeoblephara Hand.-Mzt., xv, 270*.
phrygia Gdgr., xv, 279.
Poissonii Kn., xv, 279; xvi, 164.
Prattiana Kn., xv, 294.
primuloides Duby, xv, 278.
refracta Hand.-Mzt., xvi, 162*.
rigida Hand.-Mzt., xv, 266, 290; xvi,
 165.
 var. *minor* Hand.-Mzt., xv, 279;
 xvi, 163.
robusta Hand.-Mzt., xv, 279; xvi,
 163.
Rockii W. E. Evans, xv, 130*, 268,
 296.
rotundifolia var. *dissecta* Franch.,
 xv, 272.
runcinata Hand.-Mzt., xvi, 161*.
sarmentosa Wall., xv, 278, 289;
 xviii, 305.
 var. *stenophylla* Petitmg., xv, 294.
 var. *thibetensis* Petitmg., xv, 294.
 var. *Watkinsii* Hook. f., xv, 278,
 289.
 var. *yunnanensis* Kn., xv, 292.
saxifragifolia Bge., xv, 261, 271; xvi,
 162.
sempervivoides Jacquem., xv, 289.
 var. *tibetica* Max., xv, 288.
septentrionalis L., xv, 269, 296; xvi,
 165.
similis Craib, xvi, 163.
spinulifera Kn., xv, 264, 294.
squarrosula Maxim., xv, 289.

Androsace—continued.

- stenophylla* Hand.-Mzt., xvi, 165.
stolonifera Franch., xv, 273.
strigillosa Franch., xv, 294.
 var. *spinulifera* Franch., xv, 294.
sublanata Hand.-Mzt., xv, 265, 295.
sutchuenensis Franch., xv, 262, 272.
tapete Maxim., xv, 268, 284.
tibetica var. *Mariae* Kn., xv, 288.
tonkinensis Bonati, xv, 278; xvi, 163.
triflora Ad., xv, 281.
umbellata Merr., xvi, 162.
villosa Linn., xv, 279, 280; xvi, 279.
 var. *arachnoidea* Kn., xv, 279.
 var. *aurata* Petitmg., xv, 281.
 var. *bisulca* Kn., xv, 280.
 var. *incana* Kn., xv, 280.
 var. *latifolia* Led., xv, 281, 283.
 var. *robusta* Kn., xv, 279.
 var. *zambalensis* Petitmg., xv, 283
 f. *globiferoides* Kn., xv, 279.
 f. *longiscapa* Kn., xv, 281.
villosa Maxim., xv, 280.
 var. *latifolia* Maxim., xv, 283.
Wilsoniana Hand.-Mzt., xv, 263, 275*
yargongensis Petitmg., xv, 267, 286;
 xvi, 164.
 var. *stenophylla* Hand.-Mzt., xv,
 287.
zambalensis Hand.-Mzt., xv, 268,
 283; xvi, 164.
Anemone Bonatiana var. *Geum* Lévl.,
 xviii, 229.
coelestina Franch., xviii, 226.
 var. *polygyna* Comber, xviii,
 226*.
 var. *truncata* Comber, xviii, 226*.
 f. *holophylla* Comber, xviii, 226*.
demissa Hook f. & Thoms.
 var. *chrysauges* Comber, xviii,
 227*.
 var. *fissisepala* Comber, xviii,
 228*.
Geum Lévl., xviii, 229.
 var. *multisecta* Comber, xviii,
 229*.
obtusiloba D. Don, xviii, 266.
 f. *patula* Craib, xviii, 305*.
ovalifolia Hand.-Mzt., xviii, 229.
tetrasepala Royle, xviii, 273.
trullifolia var. *campestris* Diels, xviii
 226.
 var. *holophylla* Diels, xviii, 226.
Anna ophiorrhizoides Burt & Davidson,
 xxi, 233.
submontana Pellegr., xxi, 232, 233.
Anomobryum polymorphum Dix., xix,
 290*.
Anthemis pedunculata ssp. *granulata*
 Maire, xxi, 261.
Anthogonium gracile Lindl., xxi, 149, 150.

- ANTHONY, J. The genus *Reevesia*, Lindl., xv, 121.
 A note on the genus *Reevesia* Lindl. in Java, xv, 237.
 Descriptions of some Asiatic *Phanerogams*, xv, 239.
 A key to the genus *Codonopsis*, Wall., with an account of two undescribed species, xv, 173.
 On *Vaccinium Donianum*, Wight, xviii, 13.
 Plants from Mesopotamia; A Distributional Note, xviii, 277.
 A remarkable Alpine *Lobelia* from Bhutan, xix, 175.
Anthyllis aegaea Turrill, xxi, 116.
Vulneraria L., xxi, 247, 258.
Warnieri Emb., xxi, 253, 258.
Antirrhinum majus ssp. *hispanicum* Maire, xxi, 253.
 subvar. *glabrescens* Maire, xxi, 254.
Apochoris pentapetala Duby, xvi, 110.
Aquilegia vulgaris L., xxi, 247.
 var. *Ballii* Lit. & Maire, xxi, 254.
Arabis alpina subsp. *caucasica* Briq., xxi, 105.
Arbutus Uredo L., xxi, 134.
Arceuthobium oxycedri M. Bieb., xviii, 305.
Arctium minus Bernh., xxi, 247.
 ssp. *atlanticum* Maire, xxi, 253, 262.
Ardisia alata Fletcher, xx, 111, 114.
 andamanica Kurz, xx, 111, 114.
 aprica Fletcher, xx, 114.
 arborescens A.DC., xx, 114.
 attenuata A.DC., xx, 112, 114.
 var. *pubescens* Fletcher, xx, 113, 114.
 betongensis Fletcher, xx, 111, 114.
 bractescens Ridl., xx, 114.
 Collinsae Fletcher, xx, 112, 114.
 colorata Roxb., xx, 111, 114.
 var. *salicifolia* King & Gamble, xx, 114.
 congesta Ridl., xx, 112, 114.
 cordulata Fletcher, xx, 110, 114.
 var. *appresso-hirsuta* Fletcher, xx, 114.
 var. *patulo-hirsuta* Fletcher, xx, 114.
 corymbifera Mez, xx, 110, 115.
 crenata Sims, xx, 110, 115.
 var. *angustifolia* Clarke, xx, 115.
 cymosa Blume, xx, 111, 115.
 eglandulosa Fletcher, xx, 112, 115.
 ferrugineo-pilosa Fletcher, xx, 112, 115.
 fimbriata Fletcher, xx, 110, 115.
 fulva King & Gamble, xx, 113, 115.
 var. *ciliata* Fletcher, xx, 113, 115.
Ardisia—continued.
 furva Ridl., xx, 113, 115.
 Garrettii Fletcher, xx, 114, 115.
 Helferiana Kurz, xx, 113, 115.
 var. *septentrionalis* Pitard, xx, 115.
 impressa Fletcher, xx, 111, 115.
 Kerrii Craib, xx, 111, 115.
 lanceolata Roxb., xx, 112, 115.
 langkawiensis King & Gamble, xx, 115.
 langsuanensis Fletcher, xx, 112, 115.
 lenticellata Fletcher, xx, 110, 115.
 littoralis Andr., xx, 114, 115.
 longipedicellata Fletcher, xx, 109, 115.
 maculosa Mez, xx, 109, 115.
 multipunctata Fletcher, xx, 113, 115.
 Murtonii Fletcher, xx, 111, 115.
 nervosa Fletcher, xx, 111, 115.
 odontophylla A. DC., xx, 110, 115.
 oxyphylla A. DC., xx, 112, 115.
 oxystemon Fletcher, xx, 111, 116.
 pedunculata Fletcher, xx, 110, 116.
 pendula Mez, xx, 113, 116.
 pendulifera Pitard, xx, 113, 116.
 var. *microsepala* Fletcher, xx, 113, 116.
 pilosa Fletcher, xx, 109, 116.
 porosa C. B. Cl., xx, 111, 116.
 puberula Fletcher, xx, 111, 116.
 punicea Fletcher, xx, 111, 116.
 quinqueгона Blume, xx, 112, 116.
 Rabillii Fletcher, xx, 109, 116.
 Ridleyi King & Gamble, xx, 110, 116.
 rigida Kurz, xx, 112, 116.
 rosea King & Gamble, xx, 109, 116.
 rubro-glandulosa Fletcher, xx, 112, 116.
 sanguinolenta Mez, xx, 113, 116.
 siamensis Fletcher, xx, 113, 116.
 solanacea Roxb., xx, 114, 116.
 stipitata Fletcher, xx, 110, 116.
 subpilosa Fletcher, xx, 113, 116.
 sumatrana Miq., xx, 112, 116.
 translucida Fletcher, xx, 110, 116.
 undulato-dentata Fletcher, xx, 111, 116.
 villosa Roxb., xx, 109, 116.
 virens Kurz, xx, 110, 116.
Arenaria armerina var. *elongata* Pau, xxi, 256.
 cretica Spreng., xxi, 106.
 ionandra var. *melanotricha* Comber, xviii, 229*.
 pungens var. *eriosepala* Emb., xxi, 256.
 serpyllifolia ssp. *eu-serpyllifolia* Briq., xxi, 256.
Aristea capitata Ker, xix, 191.
Aromadendron Baillonii Craib, xvi, 129.
spongocarpum Craib, xvi, 129.

- Artemisia atlantica* var. *maroccana* Maire, xxi, 261.
Arthrocnemum glaucum Ung-Sternb., xxi, 139.
Arundina bambusifolia Lindl., xxi, 150.
graminifolia Hochr., xxi, 149, 150.
Ascidia on the leaf of *Semecarpus Anacardium* Linn., xv, 54.
Ascomyces alni Berk. & Broom, xxi, 170.
alutaceus Thumen, xxi, 175.
betulae Magnus, xxi, 172.
bullatus Berk., xxi, 175.
caerulescens Mont. & Desm., xxi, 173.
deformans Berk., xxi, 178.
extensus Peck, xxi, 175.
rubrobrunneus Peck, xxi, 175.
tosquinetii Westendorp, xxi, 168, 169.
var. *strobilina* Rostrup, xxi, 170.
Asiatic Phanerograms, descriptions of some, xv, 239.
Primulaceae, some new, xv, 247.
Rhododendrons, New species and varieties of, xv, 305.
Asparagus aphyllus L., xxi, 141.
stipularis Forsk., xxi, 141.
Asperula cynanchica L., xxi, 260.
hirsuta f. *persquarrosa* Maire, xxi, 261.
idaea Hal., xxi, 121.
Tournefortii var. *Majori* Rech. f., xxi, 121.
Asplenium Ruta-muraria L., xxi, 254.
Trichomanes Huds., xxi, 254.
viride Huds., xxi, 254.
Astragalus angustifolius Lam., xxi, 116.
Ernestii Comber, xviii, 230*.
Ibrahimianus var. *Cossonianus* Emb. & Maire, xxi, 258.
Wilsonii N. D. Simpson, xviii, 230.
Attractylis L., xxi, 127.
conformis Barbey & Major, xxi, 127.
Attractylolobus erectifolius Dix., xix, 281*.
Avicennia, A comparative study of Indian species of, xviii, 159.
Avicennia alba Bl., xviii, 163, 164, Plate CCXLV, CCXLVI.
officinalis L., xviii, 163, Plate CCXLIII.
tomentosa Jacq., xviii, 163, 164, Plate CCXLIV.
Ballota alba L., xxi, 61.
borealis Schweig, xxi, 61.
foetida Lam., xxi, 61.
nigra subsp. *anatolica* Davis, xxi, 61, 63*.
ssp. *foetida* Hayek, xxi, 61, 63.
ssp. *kurdica* Davis, xxi, 62*.
ssp. *nigra*, xxi, 61.
ssp. *ruderalis* Briq., xxi, 61, 63.
Ballota—continued.
pseudodictamnus Benth., xxi, 135.
ruderalis Sw., xxi, 61.
vulgaris Hoffm. & Link, xxi, 61.
Bean, the identification of various species which may be used in the Manufacture of Meal, xviii, 7.
BECKER, W. New species of *Viola* from south-east Asia, xvi, 147.
Begonia, some new Chinese species of, xxi, 35.
Begonia anceps Irmsch., xxi, 35*.
crispula Irmsch., xxi, 38*.
dryadis Irmsch., xxi, 41*.
laciniata euta loc. *laevifolia* Irmsch., xxi, 43.
laminariae Irmsch., xxi, 40*.
macrotoma Irmsch., xxi, 41*.
miranda Irmsch., xxi, 36*.
obsolescens Irmsch., xxi, 37*.
psilophylla Irmsch., xxi, 39*.
Smithiana Yü, xxi, 44*.
Tsaii Irmsch., xxi, 42*.
villifolia Irmsch., xxi, 43*.
Yüii Irmsch., xxi, 36*.
Belis jaculifolia Salisb., xviii, 149.
lanceolata Sweet, xviii, 149.
Bellis caerulescens Cosson, xxi, 261.
Bentley & Trimen's Medicinal Plants, xxi, 157.
Berchemia racemosa Sieb. & Zucc., xxi, 303.
sinica Schneider, xxi, 303.
Bernardina Lysis Baudo, xvi, 110.
pumila Baudo, xvi, 118.
Bertiera racemosa K. Schum., xvi, 307.
spicata K. Schum., xvi, 306.
Tilia Buch-Ham., xvi, 250.
Bhutan, Botanical tours in, with special reference to the occurrence of the Genus *Primula*, xviii, 67.
Bilabium limans Miq., xxi, 196.
Biota orientalis Endl., xviii, 151.
BISWAS, K. A Comparative Study of Indian Species of *Avicennia*, xviii, 159.
Blackstonia perfoliata ssp. *grandiflora* Maire, xxi, 263.
Boea amplexicaulis Parish, xxi, 207.
burmanica Craib, xxi, 196.
Commersonii R. Br., xxi, 194.
hygrometrica R. Br., xxi, 194.
magellanica Lam., xxi, 194.
multiflora R. Br., xxi, 194.
primuloides Miq., xxi, 206.
BONATI, G., Scrofulariacées du Yunnan occidental récoltées par M. J. Rock, xv, 147.
Brachymenium argenteoides Dix., xix, 289*.
extenuatum Jaeg., xix, 289.

- Brachypodium phoenicoides* subvar. *eu-phoenicoides* St. Yves, xxi, 269.
subvar. *mucronatum* St. Yves, xxi, 269.
- Brachythecium Bellii* Par., xix, 296.
laxifolium Dix., xix, 296*.
- Brassia Gireoudiana* Reichb. f. & Warsc., xix, 329.
- Brassica cretica* var. *aegaea* Heldr. & Hal., xxi, 105.
- Breutelia dicranacea* Mitt., xix, 292.
elongata Broth., xx, 98.
indica Mitt., xix, 292.
- Briggsia aurantiaca* B. L. Burt, xxi, 235, 237*.
Kurzii W. E. Evans, xvi, 133*; xxi, 200.
longifolia Craib, xxi, 195.
musciicola Craib, xxi, 234.
Penlopi C. E. C. Fischer, xxi, 234, 236.
- Brothera Leana* C. M., xix, 281.
- Brotherella Harveyana* Dix., xix, 298.
- Bryum Gamblei* var. *aristifolium* Dix., xix, 290.
micro-caespitium Dix., xix, 290*.
spininervium Dix., xix, 291*.
- Buddleia acosma* Marq., xviii, 230.
Delavayi Gagnep., xviii, 230.
var. *tomentosa* Comber, xviii, 230*.
- incompta* W. W. Sm., xviii, 230.
- tibetica* var. *glandulifera* Marq., xviii, 230.
var. *truncatifolia* Marq., xviii, 230.
- truncatifolia* Lévl., xviii, 230.
- Bulbinella Rossii* Benth. & Hook. f., xix, 329.
- Bulbophyllum bicolor* Hook. f., xxi, 150.
macrobulbum J. J. Sm., xix, 273.
Mannii Reichb. f., xxi, 151.
- Bupleurum atlanticum* Murb., xxi, 260.
- BURT, B. L. Bentley & Trimen's Medicinal Plants, xxi, 157.
A Note of Typification, xxi, 163.
Studies in the Gesneriaceae of the Old World, xxi, 185, 193, 209, 234, 238.
- Phlomis Russeliana, xxi, 293.
Notes on Colchicum, xxi, 296.
- & DAVIDSON, R., Studies in the Gesneriaceae of the Old World, xxi, 213, 215, 229, 232.
- & GRIERSON, A. J. C. The name Incarvillea arguta, xxi, 155.
- Buxus sempervirens* L., xxi, 253.
var. *angustifolia* Loud., xxi, 267.
- Caeoma ficariae* Unger, xxi, 241.
radiatum Shirai, xxi, 301.
- Calamintha cretica* Benth., xxi, 135.
exigua Hal., xxi, 64.
incana Benth., xxi, 135.
Nepeta var. *Spruneri* Hayek, xxi, 64, 135.
- Calanthe angusta* Lindl., xxi, 149, 150.
biloba Lindl., xxi, 150.
brevicornu Lindl., xxi, 150.
var. *Wattii* Hook. f., xxi, 150.
gracilis Lindl., xxi, 149, 151.
- Calypothecium Urvilleanum* Broth., xxi, 102.
- Campanula cashmiriana* Royle, xv, 188.
filicaulis DC., xxi, 263.
var. *pseudo-radicosa* Lit. & Maire, xxi, 263.
Mairei Pau, xxi, 247, 263.
var. *anremerica* Lit. & Maire, xxi, 263.
purpurea Spreng., xv, 185.
thalictrifolia Spreng., xv, 186.
viridis Spreng., xv, 180.
- Campanumoea celebica* Blume, xv, 188, 189.
inflata Clarke, xv, 188.
japonica Sieb., xv, 182.
javanica Blume, xv, 188.
lanceolata Sieb., xv, 182.
parviflora Benth. & Hook. f., xv, 189.
pilosula Franch., xv, 181.
- Camptochaete ramulosa* Jaeg., xx, 98.
- Camptosema rubicundum* Hook & Arn., xix, 194.
- Campylidium pachytheca* Dix., xix, 295*.
- Campylopus Kirkii* Mitt., xx, 94.
- Canthium Thumbergianum* Steud., xvi, 280.
thyrsioidea Roem. & Schult., xvi, 280.
- Capparis rupestris* Sibth. & Sm., xxi, 105.
- Carduncellus Pomelianus* Batt., xxi, 262.
- Carduus macrocephalus* Desf., xxi, 262.
- Carex divisa* Huds., xxi, 268.
flacca Schreb., xxi, 268.
flava ssp. *eu-flava* Asch. & Graebn., xxi, 253, 269.
panicea L., xxi, 269.
- Carlina conformis* P. H. Davis, xxi, 127.
involutrata Poir., xxi, 262.
lanata L., xxi, 262.
- Carthamus alexandrinus* Bornm., xxi, 129.
Boissieri Hal., xxi, 128, 129.
creticus L., xxi, 128.
dentatus Vahl, xxi, 127, 128.
var. *ambiguus* Hayek, xxi, 128.
glaucus M. B., xxi, 129.
lanatus L., xxi, 128.
leucocaulos Sibth. & Sm., xxi, 128.
var. *subarachnoideus* P. H. Davis, xxi, 128.

Carthamus—continued.

- Rechingeri* P. H. Davis, xxi, 128*.
ruber Link, xxi, 128.
Sartorii Heldr., xxi, 128.
syriacus Dinsm., xxi, 129.
tenuis Bornm., xxi, 129.
Caryophyllata potentilloides Lam., xv, 49.
Catananche caerulea L., xxi, 247, 262.
Celastrus hirsutus Comber, xviii, 230*.
Celsia cilicia Boiss. & Heldr., xxi, 70.
horizontalis Moench, xxi, 70.
pyroliformis Boiss. & Heldr., xxi, 70.
trapifolia Stapf, xxi, 70.
Centaurea Calcitrapa L., xxi, 262.
idaea Boiss. & Heldr., xxi, 130.
incana Desf., xxi, 247, 262.
pullata L., xxi, 247.
 var. *typica* Maire, xxi, 262.
raphanina Sibth. & Sm. xxi, 130.
Centaurium pulchellum ssp. *laxiflorum*
 Jah. & Maire, xxi, 253, 263.
Cephalaria mediterranea Szabo, xxi, 121.
 var. *balearica* Szabo, xxi, 121,
 122.
 var. *Sieberi* Szabo, xxi, 121, 122.
Cephalotaxus drupacea Koch, xviii, 122.
 var. *sinensis* Rehd. & Wils., xviii,
 123.
filiformis Kn. & Perry, xviii, 122.
Fortunei Hook., xviii, 122, 123.
Griffithii Beiss., xviii, 122, 123.
Mannii Mast., xviii, 122.
Cerastium arvense L., xxi, 256.
latifolium L., xviii, 171.
Ceratoscyphus caeruleus Chun, xxi, 212.
Cerinth major L., xxi, 247.
 var. *macrosiphonia* Murb., xxi,
 265.
Cerium spicatum Lour., xvi, 114.
Chaetomitrium aneitense Broth. & Watts,
 xx, 100.
hebridense Dix., xx, 99*.
 CHAKRAVARTY, H. L. Studies on Indian
 Cucurbitaceae, xx, 121.
Chamaepeuce Alpini var. *camptolepis*
 Boiss., xxi, 130.
 CHATTERJEE, D. A Note on the Indian
 and Chinese species of the genus
Sibbaldia Linn., xix, 315.
Chelonopsis Forrestii Anth., xv, 239*.
 CHEN, FANG-HWAI. A new Chinese
Primula, xxi, 120.
Chenopodium murale L., xxi, 267.
opulifolium Schrader, xxi, 267.
 China to European Gardens, The Con-
 tribution of, xvi, 215.
 Chinese Species of *Aconitum*, xx, 181.
 Species of *Androsace*, with remarks
 on other Asiatic species, xv, 259.
 and other species of *Androsace*—
 Supplementary Notes on, xvi, 161.

Chinese—continued.

- and Himalayan Species of *Ilex*, notes
 on their distribution, xviii, 37.
 Species of *Lysimachia*, A Revision
 of, with a New System of the
 whole genus, xvi, 51.
 Species of *Lysimachia*, Supple-
 mentary Notes on, xvi, 167.
 Magnolieae, New or Noteworthy,
 xvi, 123.
 Silver Fir, A New, xviii, 1.
Chirita bifolia D. Don, xxi, 195.
Bilabium C.B. Cl., xxi, 196.
Blumei C.B. Cl., xxi, 195.
caerulea R. Br., xxi, 196.
Ceratoscyphus B. L. Burtt, xxi, 212*.
Forrestii Anth., xviii, 192*.
fusca C. B. Cl., xxi, 196.
hamosa R.Br., xxi, 196.
humilis Miq., xxi, 196.
limans B. L. Burtt, xxi, 196*.
pumila D. Don, xxi, 195, 210.
urticifolia D. Don, xxi, 212.
Chlorocodon Whitei Hook. f., xix, 329.
Chlorophyceae, xx, 164.
Chrysanthemum praeteritum Horwood:
 its Provenance, Taxonomy and
 allied species, xxi, 53.
Chrysanthemum densum Boiss., xxi, 57.
pectinatum Bornm., xxi, 60.
praeteritum Horwood, xxi, 54.
Chrysomyxa dietelii Sydow, xxi, 302.
expansa Diet., xxi, 302.
himalensis Barclay, xxi, 302.
rhododendri De Bary, xxi, 302.
Cicer incisum K. Maly, xxi, 116.
Cicerbita tenerrima Beauverd, xxi, 263.
Cichorium pumilum Jacq., xxi, 130.
spinosum L., xxi, 130.
Cirrhopetalum Mannii Mukerjee, xxi,
 151*.
Cirriphyllum alare Dix., xix, 297*.
cirrosium Grant, xix, 296.
Cirsium Acarna Moench, xxi, 262.
creticum Urv., xxi, 130.
flavispinum Boiss., xxi, 262.
morinifolium Boiss. & Heldr., xxi,
 130.
Cistus salviifolius L., xxi, 255.
Claopodium nervosum Heisch., xix, 295.
Clastobryum ceylonense Broth., xix, 298.
Clematis acuminata var. *multiflora*
 Comber, xviii, 234*.
chrysocoma var. *glabrescens* Comber,
 xviii, 234*.
fasciculiflora var. *angustifolia* Comber,
 xviii, 235.
flammula var. *genuina* Batt., xxi, 254.
Clematoclethra sp., xvi, 122.
Cocculus carolinus DC., xvi, 306.

- Codonopsis, A Key to the genus, xv, 173.
 Some notes on the genus, xvi, 149.
Codonopsis accrescentcalyx Lévl., xv, 182.
affinis Hook. f. & Thoms., xv, 175, 180.
albiflora Griff., xv, 188.
alpina Nannf., xvi, 155*.
Benthami Hook. f. & Thoms., xv, 176, 184.
bicolor Nannf., xvi, 155.
Bodinieri Lévl., xv, 182.
Bulleyana G. Forrest, xv, 177, 185; xvi, 155; xix, 194.
cardiophylla Diels, xv, 177, 187; xvi, 155.
cashmeriana Royle, xv, 188.
celebica Miq., xv, 188.
chimaliensis Anth., xv, 176, 184*.
clematidea Clarke, xv, 177, 187; xvi, 156.
convolvulacea Kurz, xv, 175, 177, 179.
 var. *hirsuta* Hand.-Mzt., xv, 178.
 var. *Limprichtii* Anth., xv, 178*.
 var. *pinifolia* Hand.-Mzt., xv, 178
 var. *typica* Anth., xv, 178*.
cordata Hassk., xv, 188.
cordifolia Kom., xv, 188.
deltoidea Chipp, xv, 176, 184.
dicentrifolia W. W. Sm., xv, 177, 187.
Draco Pampan., xv, 177, 187.
efilamentosa W. W. Sm., xv, 175, 179.
Farreii, Anth., xv, 176, 181*, PLATE CCXXVI; xvi, 157.
foetens Hook. f. & Thoms., xv, 177, 185; xvi, 157.
Forrestii Diels, xv, 175, 179.
gracilis Hook. f. & Thoms., xv, 188.
graminifolia Lévl., xv, 177.
Griffithii Clarke, xv, 180.
Henryi Oliv., xv, 175, 182.
inflata Hook. f. & Thoms., xv, 188.
japonica Miq., xv, 177, 187.
javanica Hook. f. & Thoms., xv, 188.
Kawakamii Hayata, xv, 177, 187; xvi, 157.
lanceolata Benth. & Hook. f. xv, 176, 182.
 var. *ussuriensis* Trautv., xv, 182.
leucocarpa Miq., xv, 189.
Limprichtii Lingelsh. & Borza, xv, 177.
lurida Lindl., xv, 180.
macrantha Nannf., xvi, 157*, PLATE CCXXIX.
macrocalyx Diels, xv, 176, 183.
 var. *coerulescens* Hand.-Mzt., xv, 183.
 var. *parviloba* Anth., xv, 183*.
Codonopsis—continued.
Mairei Lévl., xv, 179.
meleagris Diels, xv, 176, 185.
micrantha Chipp, xv, 175, 180.
minima Nakai, xv, 176, 182.
mollis Chipp, xv, 177, 186; xvi, 158.
nervosa Nannf., xvi, 158.
obtusata Nannf., xvi, 159.
ovata Benth., xv, 177, 186; xvi, 159.
parviflora Wall., xv, 189.
pilosa Chipp, xv, 182.
purpurea Wall., xv, 176, 185.
rosulata W. W. Sm., xv, 176, 185.
rotundifolia Royle, xv, 176, 180, 181; xix, 273.
silvestris Kom., xv, 176, 181.
subglobosa W. W. Sm., xv, 177, 185; xvi, 159.
subscaposa Kom., xv, 176, 185.
subsimplax Hook. f. & Thoms., xv, 176, 185.
Tangshen Oliv., xv, 176, 180.
thalictrifolia Wall., xv, 177, 186; xvi, 159.
truncata Wall., xv, 189.
tsinlingensis Pax & Hoffm., xv, 177, 187; xvi, 159, Plate CCXXX.
tubulosa Kom., xv, 176, 182.
ussuriensis Hemsl., xv, 176, 182.
vinciflora Kom., xv, 175, 179.
viridiflora Maxim., xv, 177, 187.
viridis Wall., xv, 176, 180.
 var. *hirsuta* Chipp, xv, 180.
Coeloglossum Mannii Reichb. f., xxi, 153.
Coelogyne barbata Griff., xxi, 151.
corymbosa Lindl., xxi, 150, 151.
fimbriata Lindl., xxi, 150, 151.
Hookeriana Lindl., xxi, 154.
longipes Lindl., xxi, 151.
ovalis Lindl., xxi, 151.
praecox Lindl., xxi, 154.
Colchicum, Notes on, xxi, 296.
Colchicum ancyrense B. L. Burtt, xxi, 299*.
Biebersteinii Rouy, xxi, 297, 298.
bifolium Freyn & Sint., xxi, 296, 198.
bulbocodioides M. Bieb., xxi, 297, 298.
hirsutum Stefanoff, xxi, 299, 300.
hungaricum Janka, xxi, 297, 298.
montanum L., xxi, 297, 298.
nivale Boiss. & Huet, xxi, 296.
serpentinum Misczenko, xxi, 297.
Szovitsii var. *bifolium* Bordz., xxi, 296.
 var. *nivale* Boiss. & Huet, xxi, 296.
Troodii Kotschy, xix, 194.
Coluria, The genus, xv, 47.
longifolia, Maxim., Note on, xvi, 134.

- Coluria elegans* Cardot, xv, 49, 50, Plate CCXIII; xvi, 134.
geoides Ledeb., xv, 47, 48, 49.
Henryi Batalin, xv, 49, 50.
longifolia Maxim., xv, 54; xvi, 134.
potentilloides R. Br., xv, 49.
Purdumii W. E. Evans, xv, 49, 52*, Plate CCXIV.
- COMBER, H. F. Notes on the distribution of certain Chinese and Himalayan Species of *Ilex* with descriptions of new Species, xviii, 37.
- Coniferae recorded by Hector Léveillé, in Flore du Kouy-tcheou, Notes on certain, xx, 103.
- Conifer Leaves, On the Value for Diagnostic Purposes of Certain of the Anatomical Features of, xix, 255.
- Convolvulus arvensis* L. var. *typicus* Fiori, xxi, 265.
sabatius f. *atlanticus* Pau & Font Quer, xxi, 265.
- COOPER, R. E. Botanical tours in Bhutan, with special reference to the Occurrence of the Genus *Primula*, xviii, 67.
- Corallodiscus lanuginosus* B. L. Burt, xxi, 199.
- Coridothymus capitatus* Reichb. fil., xxi, 135.
- Cornutia corymbosa* Burm., xix, 177.
- Cortusa Gmelini* Gaertn., xv, 272.
- Cotoneaster ambigua* Rehd. & Wils., xxi, 303.
Cooperi Marq., xviii, 64.
nummularia Fisch. & Meyer, xxi, 259.
rubens W. W. Sm., xxi, 303.
- COWAN, J. M. A New *Gordonia* from Yunnan, xvi, 184.
A New *Sarcosperma* from Burma, xvi, 222.
The Genus *Wendlandia*, xvi, 233.
Generis *Wendlandiae* Additamenta, xviii, 183.
A New Chinese *Wendlandia*, xviii, 303.
The History of the Royal Botanic Garden, Edinburgh, xix, 1.
The Prestons, xix, 63.
The Rhododendrons of Ceylon, South India and Manipur, xix, 157.
Some New Asiatic Rhododendrons discovered by Kingdon Ward, xix, 179.
Rhododendrons of Bhutan and Tibet collected by Ludlow and Sherriff, xix, 221.
- COWAN, J. M.—continued.
Records of Bhutan Rhododendrons found by Ludlow and Sherriff in 1937, xix, 315.
A New *Wendlandia* from Indo-China, xix, 323.
Rhododendrons of the Rh. sanguineum Alliance, xx, 55.
Some information on the Menzies and Jack Collections in the Herbarium, Royal Botanic Garden, Edinburgh, xxi, 219.
A Review of *Rhododendron giganteum* and its associated species, xxi, 279.
& DAVIDIAN, H. H. Some new Rhododendrons, xxi, 143.
& OTHERS. A Survey of the anatomy of the *Rhododendron* Leaf, xxi, 1.
- Crataegus oxyacantha* L., xxi, 259.
- Cremanthodium* from Tibet, A New, xix, 328.
- Cremanthodium Farreri* W. W. Sm., xix, 273.
oblongatum Clarke, xviii, 305.
reniforme Benth., xviii, 305.
Sherriffii Fletcher, xix, 328*.
- Crepis Gillii* var. *hirsuta* Anth., xviii, 193.
Sibthorpiana Boiss. & Heldr., xxi, 130.
tsarongensis Anth., xviii, 194*.
var. *chimiensis* Anth., xviii, 194*.
- Cryptochilus sanguineus* Wall., xxi, 151.
- Cryptomeria Fortunei* Otto & Diels, xviii, 150.
japonica Don, xviii, 150.
Kawaii Hayata, xviii, 150.
- Cucurbitaceae, Studies on Indian, xxi, 121.
- Cunninghamia lanceolata* Hook., xviii, 149.
sinensis R. Br., xviii, 149.
- Cupressus Duclouxiana* Hick., xviii, 150.
japonica L., xviii, 150.
sempervirens Franch., xviii, 150.
Thuia Tarq.-Toz., xviii, 151.
tortulosa Rehd. & Wils., xviii, 151.
- Cuscuta Epithymum* var. *micrantha* Boiss., xxi, 134.
triumvirati var. *Jahandiezii* Maire, xxi, 265.
- Cyananthus Delavayi* Franch., xviii, 305.
integer Benth., xix, 194.
macrocalyx Franch., xviii, 305.
Mairei Lévl., xv, 185.
monogyna Vahl, xxi, 265.
pedunculatus C.B. Cl. var. *crenatus*, xix, 194.
Wardii Marq., xviii, 305.

- Cyathothecium distichaceum* Dix., xix, 300*.
- Cymbidium elegans* Lindl., xxi, 149, 151.
giganteum Wall., xxi, 149.
grandiflorum Griff., xxi, 151.
madidum Lindl., xix, 274.
- Cynanchum yunnanense* Anth., xv, 240*.
- Cynara Hystrix* Ball, xxi, 262.
- Cypripedium elegans* Reichb., xix, 274.
- Dactylis glomerata* L., xxi, 247.
 var. *hispanica* Koch, xxi, 269.
- DANDY, J. E. New and noteworthy Chinese Magnoliaceae, xvi, 123.
- Daucus Carota* L., xxi, 247, 260.
 subsp. *maximus* Thell., xxi, 117.
- DAVIDIAN, H. H. New Rhododendrons from Nepal, xxi, 99.
 & COWAN, J. M. Some New Rhododendrons, xxi, 143.
- DAVIDSON, R., & BURTT, B. L. Studies in the Gesneriaceae of the Old World, xxi, 213, 215, 229, 232.
- DAVIS, P. H. Three new species from the Nearer East, xxi, 46.
 Additamenta ad Floram Anatoliae III, xxi, 61.
 Notes on the Summer Flora of the Aegean, xxi, 101.
 Mediterranean Itineraries, xxi, 271.
- Dehydration, A Simple Method of, xix, 272.
- Delphinium Georgei* Comber, xviii, 236*.
likiangense Franch., xix, 274.
macrocentron Oliv., xviii, 64.
pediforme Comber, xviii, 237*.
peregrinum ssp. *halteratum* Batt., xxi, 255.
pubescens DC., xxi, 254.
tsarongense Hand.-Mzt., xix, 329.
- Dendrobium candidum* Wall., xxi, 151.
cariniferum Reichb. f., xxi, 149, 151.
chrysotaxum Lindl., xxi, 151.
denudans D. Don, xxi, 151.
erriiflorum Griff., xxi, 151.
falcistrostrum R. D. Fitzg., xix, 194.
lituiiflorum Lindl., xxi, 151.
longicornu Lindl., xxi, 150, 151.
moschatum D. Don, xxi, 152.
nobile Lindl., xxi, 149, 152.
ochreatum Lindl., xxi, 149, 152.
porphyrochilum Lindl., xxi, 152.
pulchellum Roxb., xxi, 149, 152.
pumilum Roxb., xix, 194.
speciosum Sm., xix, 191.
transparens Lindl., xxi, 152.
- Desmodium Brownii* Schindl., xv, 131*.
Forrestii Schindl., xv, 131*.
- Desmogyne neriifolia* King & Prain, xv, 207.
- Diagnoses specierum novarum in herbario Horti Regii Botanici Edinburgensis cognitarum, DLI-DLXIX, xviii, 17; DLXX-DC, xviii, 189; DCI-DCXIII, xviii, 221.
- Dianthus actinopetalus* Fenzl, xxi, 106.
arboreus L., xxi, 106, 108, 109, 110, 111.
caryophyllus L., xxi, 247, 256.
fruticosus L., xxi, 106, 107, 109, 110, 111.
gaditanus Brot., xxi, 256.
rhodius Rech. fil., xxi, 111.
rupicola Biv., xxi, 111.
serrulatus var. *macranthus* Maire, xxi, 256.
- Diapensia, A Revision of the Genus, with special reference to the Sino-himalayan Species, xv, 209.
- Diapensia acutifolia* Hand.-Mzt., xv, 224
Bulleyana Forrest, xv, 229.
himalaica Hook. f. & Thoms., xv, 223, 224, 229.
 var. *acutifolia* W. E. Ev., xv, 227, 228*.
 var. *retusa* W. E. Ev., xv, 227, 228*, Plate CCXXIIb.
 var. *typica* W. E. Ev., xv, 227, 228.
 f. *candida* W. E. Ev., xv, 228*.
 f. *rubella* W. E. Ev., xv, 228*.
 f. *sulphurea* W. E. Ev., xv, 228*.
 f. *violacea* W. E. Ev., xv, 228*.
- japonica* Gmel., xv, 224.
lapponica L., xv, 223, 224.
 var. *genuina* Busch, xv, 224.
 var. *obovata* Schm., xv, 224.
obtusifolia Salis., xv, 224.
purpurea Diels, xv, 223, 229, Plate CCXXIIc.
 f. *albida* W. E. Ev., xv, 231*.
 f. *Bulleyana* W. E. Ev., xv, 231*.
 f. *rosea* W. E. Ev., xv, 231*.
Wardii W. E. Ev., xv, 223, 228*, Plate CCXXIIa; xviii, 64.
- Dichiloboea birmanica* Stapf, xxi, 196.
speciosa Stapf, xxi, 196.
- Dicranodontium uncinatum* Jaeg., xix, 281.
- Dicranostigma lactucoides* Hook. f. & Thoms., xviii, 64, 305.
- Dicranum orthophylloides* Dix., xix, 280*.
trichopodium Mitt., xx, 94.
- Didissandra begoniifolia* Lévl., xviii, 199.
elongata C. B. Cl., xxi, 197.
Forrestii Anth., xviii, 195*.
frutescens C. B. Cl., xxi, 199.
lanuginosa C. B. Cl., xxi, 196.
musculicola Diels, xxi, 235.
ornata C. B. Cl., xxi, 197.

- Didissandra*—continued.
rufa C. B. Cl., xxi, 197.
sericea var. *alba* Anth., xviii, 195*.
sesquifolia C. B. Cl., xxi, 197.
Didymocarpus aromaticus Wall., xxi, 198.
adenocarpus C. E. C. Fischer, xxi, 213.
Auricula S. Moore, xxi, 199, 206.
barbinervius C. B. Cl., xxi, 202.
bracteatus W. W. Sm., xxi, 213.
corchorifolius Wall., xxi, 199, 202, 204.
cordatus Jack, xxi, 202.
corniculatus Jack, xxi, 202.
crinitus Jack, xxi, 199, 200.
densifolius Ridley, xxi, 204.
dentatus Ridley, xxi, 204.
elongatus Jack, xxi, 197.
frutescens Jack, xxi, 197.
Gambleanus C. E. C. Fischer, xxi, 201.
hamosus Wall., xxi, 196.
heterophyllus Ridley, xxi, 203.
incanus C. B. Cl., xxi, 200, 201.
innominatus B. L. Burtt, xxi, 201*.
Kompsoboea C. B. Cl., xxi, 202.
Kurzii C. B. Cl., xxi, 199, 200.
lacunosus Hook. fil., xxi, 203.
lanuginosus Gamble, xxi, 201.
longipes C. B. Cl., xxi, 202, 203, 204.
madagascariensis C. B. Cl., xxi, 203.
minutus Hand.-Mzt., xxi, 205.
mollis Wall., xxi, 202.
multiflorus Wall., xxi, 194.
oblongus D. Don, xxi, 198.
oreocharis Hance, xxi, 205, 206.
paraboea C. B. Cl., xxi, 206.
paucinervius C. B. Cl., xxi, 202.
pectinatus Oliv., liv., xxi, 204.
perditus Ridley, xxi, 203.
platypus C. B. Cl., xxi, 200.
praeteritus Burtt & Davidson, xxi, 213*.
pumilus Ridley, xxi, 203.
puncticulatus Ridley, xxi, 203.
reptans Jack, xxi, 199, 204.
Rexii Hook. f., xxi, 208.
Rottlerianus Wall., xxi, 200, 201.
 var. *lanuginosus* C. B. Cl., xxi, 201.
 var. *tomentosus* C. B. Cl., xxi, 200.
 var. *Wightii* C. B. Cl., xxi, 200.
rufipes C. B. Cl., xxi, 202.
salicinus Ridley, xxi, 204.
serratifolius Ridley, xxi, 204.
serratus R. Br., xxi, 202.
speluncae Hand.-Mzt., xxi, 205.
tomentosus Wight, xxi, 200, 201.
Veitchianus W. W. Sm., xxi, 213.
Wightii Gamble, xxi, 200.
Didymodon ovatus Broth., xix, 286.
rufus Lor., xix, 285.
Digitalis cariensis Jaub. & Spach, xxi, 70.
 var. *glandulosa* Bornm., xxi, 70.
Davisiana Heywood, xxi, 71.
ferruginea L., xxi, 71, 134.
Heldreichii Jaub. & Spach, xxi, 71.
lutea var. *mesatlantica* Emb., xxi, 265.
 orientalis Lam., xxi, 72.
Dimorphotheca Barberae Harv., xviii, 306.
Dioon edule Lindl., xix, 194.
Dioscoreaceae, Secretory organs of, xv, 133.
Diotis Forrestii Anth., xviii, 196*.
 maritima Smith, xxi, 133.
DIXON, H. N. Notes on the Moss Collections of the Royal Botanic Garden, Edinburgh, xix, 279; xx, 93.
Don, George, his Herbarium Britannicum, xviii, 167.
Dorcoceras hygrometricum Bunge, xxi, 194.
DOVASTON, H. F. *Primula scotica* Hook. a relict species in Scotland, xxi, 289.
Draba hederifolia ssp. *Cossoniana* Maire, xxi, 253, 255.
Dracocephalum heterophyllum Benth., xix, 274.
 Renati Emb., xxi, 266.
Drimiopsis Kirkii Hook. f., xix, 187, Plate CCLV.
Drosera umbellata Lour., xvi, 162.
Dryadanthë Bungeana Ledeb., xix, 327.
Dryas geoides Pall., xv, 49.
Duthiella Wallichii C.M., xix, 292.
Dysophylla kachinensis Mukerjee, xix, 304*.
Echinops horridus Desf., xxi, 131.
 Ritro L., xxi, 130.
 spinosissimus Turra, xxi, 131.
 spinosus L., xxi, 131.
 strigosus L., xxi, 262.
 viscosus DC., xxi, 130.
 ssp. *bithynicus* Rech. fil., xxi, 130, 131.
 ssp. *creticus* Rech. fil., xxi, 130.
 ssp. *eu-viscosus* Rech. fil., xxi, 130.
 ssp. *glandulosus* Rech. fil., xxi, 130.
Echium diffusum Sibth. & Sm., xxi, 134.
 flavum Desf., xxi, 247, 265.
 pycnanthum ssp. *nanum* Jah. & Maire, xxi, 253, 264.
Ectropothecium Gunnii, Broth. & Watts, xxi, 100.
 hebridense Dix., 100*.
 sikkimense Ren. & Card., xix, 299.

Ectropothecium—continued.

- sodale* Mitt., xx, 101.
sydneyense Dix., xx, 97.
Embelia, Key to the Siamese species of,
xx, 117.
Embelia calcarea Fletcher, xx, 118.
coriacea A. DC., xx, 117, 118.
disticha Fletcher, xx, 117, 118.
ferruginea A. DC., xx, 117, 118.
grandifolia Fletcher, xx, 118.
impressa Fletcher, xx, 117, 118.
var. *serrata* Fletcher, xx, 118.
Kerrii Fletcher, xx, 118.
pulchella Mez, xx, 117, 118.
ribes Burm., xx, 117, 118.
sessiliflora Kurz, xx, 117, 118.
sootepensis Craib, xx, 118.
stricta Craib, xx, 117, 118.
subcoriacea Mez, xx, 118.
villosa Wall., 117, 118.
Encephalartos caffer Miq., xix, 195.
Endotrichella elegans Fisch., xx, 99.
Enkianthus deflexus var. *variegatus* Forr.,
xviii, 18.
Entodon luridus Griff., xix, 297.
plicatifolius Dix., xx, 100.
Ephedra campylopoda C. A. Mey., xxi,
105.
major ssp. *nebrodensis* St. Lager, xxi,
254.
Epilobium hirsutum L., xxi, 260.
parviflorum Schreb., xxi, 117.
Equisetum ramosissimum L., xxi, 254.
Eria coronaria Reichb. f., xxi, 150, 152.
excavata Lindl., xxi, 152.
ferruginea Teijsm. & Binn., xix, 329.
Erica verticillata Forsk., xxi, 134.
Erigeron Mairei Braun-Blanquet, xxi,
261.
Naudinii G. Nonnier, xxi, 261.
Erinacea Anthyllis Link, xxi, 257.
Eriolaena yunnanensis W. W. Sm., xv,
124.
Eriophorum alpinum L., xviii, 171.
Eriopsis rutidobulbon Hook., xix, 195.
Erodium cicutarium L'Hérit., xxi, 257.
Erpodium mangiferae C.M., xix, 292.
Erycibe floccosa Wallr., xxi, 241.
Eryngium tricuspidatum L., xxi, 247.
var. *subintegrum* Maire, xxi, 260.
triquetrum Vahl, xxi, 260.
* *Erysimum Bocconeii* Pers., xxi, 255.
Eulophia bicarinata Hook. f., xxi, 152.
campestris Lindl., xxi, 152.
Euonymus amygdalifolia Franch., xviii,
238.
clivicola W. W. Sm., xviii, 239.
cornuta Hemsl., xviii, 240, 243.
cornutoides Loes., xviii, 240, 243.
Forrestii Comber, xviii, 242*.
Georgei Comber, xviii, 242*.

Euonymus—continued.

- grandiflorus* Wall., xviii, 64.
roseoperulata Loes., xviii, 238.
taliensis Loes., xviii, 238.
Euphorbia Chamaesyce f. *pilosa* Thell
xxi, 267.
megatlantica Ball, xxi, 267.
nicaeensis All., xxi, 267.
Paralias L., xxi, 141.
Peplis L., xxi, 141.
pubescens Vahl, xxi, 247.
f. *intermedia* J. Vindt, xxi, 267.
quinquecornuta Comber, xviii, 243*.
rongchuensis Marq. & Shaw, xviii,
239.
Euphrasia drosocalyx Freyn, xxi, 172.
frutescens Sieber, xxi, 135.
fruticosa Sieber, xxi, 135.
pectinata Ten., xxi, 72.
salisburgensis Funck, xxi, 72.
tatarica Fischer, xxi, 72.
Willkommii Freyn, xxi, 73.
EVANS, W. E. A revision of the genus
Nomocharis, xv, 1.
The genus Coluria, R. Br., xv, 47.
An undescribed Androsace from
Yunnan, xv, 130.
An undescribed Nomocharis from
Upper Burma, with notes on some
recent gatherings of known species,
xv, 191.
Some interesting and undescribed
Vacciniaceae from Burma and
Western China, xv, 199.
A revision of the Genus Diapensia
with special reference to the Sino-
Himalayan species, xv, 209.
Briggsia Kurzii (Clarke) W. E.
Evans, xvi, 133.
Note on Coluria longifolia Maxim.,
xvi, 134.
George Don's Herbarium Britannicum,
xviii, 167.
Exoascus alni de Bary, xxi, 169, 170.
var. *strobilinus* Thumen, xxi, 170.
alnitorquus Sadebeck, xxi, 169, 170.
var. *alni-incanae* J. Kuhn, xxi,
170.
amentorum Sadebeck, xxi, 170.
amygdali Jaczewski, xxi, 178.
aureus Sadebeck, xxi, 166, 168.
betulae Fuckel, xxi, 172.
betulinus Sadebeck, xxi, 172.
bullatus Sadebeck, xxi, 175.
carpini Rostrup, xxi, 172.
cerasi Sadebeck, xxi, 178.
crataegi Sadebeck, xxi, 175.
deformans Fuckel, xxi, 178.
f. *cerasi* Fuckel, xxi, 178.
var. *potentillae* Farlow, xxi, 176

Exoascus—continued

- epiphyllus* var. *maculans* Sadebeck, xxi, 168.
flavo-aureus Cocconi, xxi, 166.
flavus Sadebeck, xxi, 168.
insititiae Sadebeck, xxi, 176.
johansonii Sadebeck, xxi, 168.
lapponicus Jaczewski, xxi, 172.
minor Sadebeck, xxi, 178.
populi Thumen, xxi, 166.
pruni Fuckel, xxi, 176.
pruni-acidae Jaczewski, xxi, 178.
rostrupianus Sadebeck, xxi, 176.
turgidus Sadebeck, xxi, 173.
wiesneti Rathay, xxi, 178.

- Faberia lancifolia* Anth., xviii, 196*.
Fabronia leptura Tayl. ex Dixon, xx, 95*.
Festuca elatior var. *atlantigena* St. Yves, xxi, 269.
Hystrix Boiss., xxi, 269.
Fissidens curvato-involutus Dix., xix, 279*.

- elamellosus* C.M., xx, 94.
homomallulus C.M., xx, 94.
pachyneuron Dix., xx, 93*.

- FLETCHER, H. R. A New Chinese Incarvillea, xviii, 310.

- On the Identity of *Premna corymbosa* Rottl. et Willd. and *P. integrifolia* Linn. xix, 177.

- A New *Cremanthodium* from Tibet, xix, 328.

- Keys to the Siamese Species of *Myrsinaceae*, xx, 106.

- The genus *Omphalogramma*, xx, 125.

- Potentillae* et *Sibbaldiae* Forrestianae et *Rockianae* in *Herbario Horti Regii Botanici Edinburgensis*, xx, 207.

- & LAUENER, L. A., Notes on some Chinese species of *Aconitum*, xx, 181.

- Foeniculum Piperitum* DC., xxi, 117.

- FOGGIE, A. A Note on *Genista fasselata* Decne., xix, 275.

- Foreauella orthothecia* Dix. & Varde, xix, 298.

- FORREST, G. Some new Asiatic *Primulaceae*, xv, 247.

- The Sections of the Genus *Primula*, xvi, 1.

- & TAGG, H. F. New Species and varieties of Asiatic *Rhododendrons*, xv, 305.

- Fragaria indica* Wall., xix, 325.

- Frankenia hirsuta* L. var. *hispida* Boiss., xxi, 105.

- Fraxinus xanthoxyloides* Wall., xxi, 263.

- Fritillaria flavida* Rendle, xv, 16.

- Gardneriana* Wall., xv, 16.

- lophophora* Bur. & Franch., xv, 11.

- oxypetala* Royle, xv, 7.

- Souliei* Franch., xv, 40.

- Stracheyi* Hook. f., xv, 16.

- yunnanensis* Franch., xv, 30.

- var. *tibetica* Franch., xv, 34.

- Fumana ericoides* Gaud., xxi, 255.

- Funaria pulchra* Dix. & Varde, xix, 288.

- Galeola Lindleyana* Reichb. f., xxi, 152.

- Galium canum* Req., xxi, 121.

- fruticosum* Willd., xxi, 121.

- incurvum* Sibth. & Smith, xxi, 121.

- Mollugo* L., xxi, 247.

- ssp. *Gerardi* Briq., xxi, 260.

- samoethracicum* Rech. fil., xxi, 121.

- Gasteria acinacifolia* Haw., xix, 187.

- cheilophylla* Bak., xix, 187.

- decipiens* Haw., xix, 187, Plate CCLV.

- Gaultheria notabilis* Anth., xviii, 18*.

- sinensis* Anth., xviii, 18*.

- var. *nivea* Anth., xviii, 20.

- Genista fasselata* Decne., A Note on, xix, 275.

- Genista acanthoclada* DC., xix, 275–277.

- fasselata* Decne., xix, 275, 277.

- var. *Bovilliana* Holmb., xix, 275,

- 277.

- Scorpius* DC., xxi, 257.

- sphacelata* Spach, xix, 275.

- Gentiana cachemirica* Decne., xviii, 306.

- ciliata* L., xxi, 253, 264.

- corymbifera* T. Kirk, xix, 191.

- depressa* Don, xix, 191.

- gilvostriata* Marq., xix, 191.

- grandis* H. Smith, xix, 329.

- Kurroo* Royle, xviii, 306.

- Loderi* Hook. f., xviii, 306.

- Makinoi* Kusn., xviii, 306.

- ornata* Wall., xviii, 64.

- saxosa* Forst., xviii, 306.

- setigera* Gray, xix, 191.

- Szechenyi* Kanitz, xix, 329.

- Genus *Taphrina* in Scotland, The, xxi, 165.

- Geodorum dilatatum* R. Br., xxi, 152.

- Geranium pyrenaicum* f. *typicum*

- Woronov, xxi, 257.

- Robertianum* ssp. *purpureum* Murb., xxi, 257.

- Gesneriaceae* of the Old World, Studies in the, xxi, 185, 193, 209, 213, 215,

- 229, 232, 234, 238.

- Geum* L., xv, 47.

- elatum* var. *humile* Royle, xv, 50.

- Laxmanni* Gaertn., xv, 49.

- potentilloides* Ait., xv, 49.

- Purdomii* Hort., xv, 52.

- Ginkgo biloba* L., xviii, 121.

- Globularia Nainii* Batt., xxi, 266.
Glossocomia clematidea Fisch., xv, 187.
hortensis Rupr., xv, 182.
lanceolata Regel, xv, 182.
tenera D. Don, xv, 186.
thalictrifolia Wall., xv, 186.
ussuriensis Rupr., xv, 182.
Gnaphalium luteo-album L., xxi, 261.
Gomphostemma Lacei Mukerjee, xix, 305*.
Goodyera foliosa Hook. f., xxi, 152.
Gordonia from Yunnan, A New, xvi, 184.
Gordonia chrysandra Cowan, xvi, 184*.
Gratiola officinalis L., xxi, 75.
Greenia Jackii Wight & Arn., xvi, 306, 307.
Wightiana Wight & Arn., xvi, 307.
GRIERSON, A. J. C., & BURTT, B. L.
The Name *Incarvillea arguta*, xxi, 155.
Gymnosporangium confusum Plowr., xxi, 303.
Habenaria acutifera Lindl., xxi, 152.
arietina Hook. f., xxi, 152.
dentata Schltr., xxi, 150, 152.
galeandra var. *major* Hook. f., xxi, 154.
geniculata D. Don, xix, 329; xxi, 150.
gracillima Hook. f., xxi, 153.
malintana Merrill, xxi, 150, 153.
pelorioides Par. & Reichb. f., xxi, 153.
reniformis Hook. f., xxi, 153.
tipulifera Par. & Reichb. f., xxi, 153.
HANDEL-MAZZETTI, H. A Revision of the Chinese Species of Androsace with remarks on other Asiatic species, xv, 259.
A Revision of the Chinese Species of *Lysimachia*, with a new system of the whole genus, xvi, 51.
Supplementary Notes on Chinese and other species of Androsace, xvi, 161.
Supplementary Notes on Chinese species of *Lysimachia*, xvi, 167.
Haplocladium Schimperii Thér., xix, 295.
stratosum Dix., xix, 295.
Haronga madagascariensis Choisy, xix, 329.
HAYES, S. F., AND OTHERS. A survey of the anatomy of the Rhododendron leaf in relation to the taxonomy of the genus, xxi, 1.
Hedera Helix ssp. *canariensis* Maire, xxi, 260.
Hedyotis Lawsoniae Steud., xvi, 306.
longidens Hance, xvi, 301.
macrophylla Wall., xvi, 307.
Hedysarum humile L., xxi, 258.
Helianthemum croceum Pers., xxi, 255.
Helichrysum arenarium DC., xxi, 132.
armenium DC., xxi, 132.
Aucheri Boiss., xxi, 132.
Heywoodianum P. H. Davis, xxi, 131*.
italicum var. *microphyllum* Boiss., xxi, 132.
Lentii Volk. & Hoffm., xviii, 306.
orientale DC., xxi, 132.
var. *Pichleri* Hayek, xxi, 132.
Helicodontiadelphus australiensis Dix., xx, 96.
Heliotropium europaeum var. *hebecarpum* Lindb., xxi, 264.
Helosciadium repens Koch, xxi, 260.
Hemiboea follicularis C. B. Cl., xxi, 205.
Henryi C. B. Cl., xxi, 205.
subcapitata C. B. Cl., xxi, 205.
Hemiphragma heterophyllum, Wall., The heterophylly of, xv, 61.
Henckelia crinita Spreng., xxi, 199.
elongata Spreng., xxi, 197.
frutescens Spreng., xxi, 196, 197.
incana Spreng., xxi, 200.
oblonga Spreng., xxi, 198.
HENDERSON, D. M. The genus *Taphrina* in Scotland, xxi, 165.
Urocystis floccosa in Britain, xxi, 241.
Notes on Chinese Rust Fungi, xxi, 301.
Herminium angustifolium Benth., xxi, 153.
Heterophylly of *Hemiphragma heterophyllum*, Wall., The, xv, 61.
HEYWOOD, V. H. *Chrysanthemum praeteritum*, its Provenance, Taxonomy and Allied Species, xxi, 53.
Hibiscus aridicola Anth., xv, 241*.
Trionum L., xxi, 253, 257.
Hieracium amplexicaule L., xxi, 262.
Himantoglossum hircinum ssp. *calcaratum* Soó, xxi, 141.
Hirschfeldia incana Lagrèze-Fossat, xxi, 255.
var. *hirta* O. E. Schulz, xxi, 255.
History of the Royal Botanic Garden, Edinburgh. The Early History, xix, 1. The Prestons, xix, 63.
Holcus lanatus L., xxi, 247, 269.
Homalothecium australiense Dix., xx, 96*.
HUTCHINSON, J. New species of Asiatic *Lepidote* *Rhododendrons*, xvi, 171.
Hyacinthus pycnanthus Baker, xviii, 306.
Hylocomium indicum Dix., xix, 299*.
Hymenostomum edulentum Besch., xix, 282.
Hyophila dendroides Dix., xix, 285*.

- Hypericum* from Turkey, New Species of, xxi, 181.
Hypericum amblyocalyx Coust. & Gand., xxi, 182.
aviculariifolium Jaub. & Spach, xxi, 184.
crispum L., xxi, 112.
Cuisinii Barbey, xxi, 112.
empetrifolium Willd., xxi, 112, 182.
fragile Heldr. & Sart., xxi, 183.
imbricatum Poulter, xxi, 183*.
Kelleri Bald., xxi, 112.
leprosum Boiss., xxi, 184.
minutum Davis & Poulter, xxi, 182*.
origanifolium Willd., xxi, 182.
pallens Banks & Sol., xxi, 182.
pumilio Bornm., xxi, 183.
Russegeri Keller, xxi, 182.
ternatum Poulter, xxi, 181*.
tomentosum L., xxi, 256.
trichocaulon Boiss. & Heldr., xxi, 122.
triquetrefolium Turra, xxi, 112.
Hypnum cupressiforme Hedw., xix, 299.
dolomiticum Milde, xix, 299.
Jacquemontii Br. & Schimp., xix, 295.
revolutum var. *dolomiticum* Moenk., xix, 299.
Hypochoeris leontodontoides var. *euleontodontoides* Maire, xxi, 262.
tenuiflora Boiss., xxi, 132.
- Ilex*, Notes on the Distribution of Certain Chinese and Himalayan Species, with descriptions of new Species, xviii, 37.
- Ilex Aquifolium* var. *chinensis* Loes., xviii, 42.
atrata W. W. Sm., xviii, 42.
bioritensis Hay., xviii, 41, 42.
var. *ciliospinosa* Comber, xviii, 41, 43*.
var. *integra* Comber, xviii, 41, 43*.
ciliospinosa Loes., xviii, 43.
crenata var. *scoriarum* W. W. Sm., xviii, 58.
Delavayi Franch., xviii, 43.
var. *exalata* Comber, xviii, 44*.
dipyrena Wall., xviii, 44.
var. *paucispinosa* Loes., xviii, 45.
embelioides Hook. f., xviii, 45.
excelsa Wall., xviii, 46.
Forrestii Comber, xviii, 46*.
var. *multiflora* Comber, xviii, 48*.
fragilis f. *Kingii* Loes., xviii, 48.
Franchetiana Loes., xviii, 48.
Georgei Comber, xviii, 50*.
var. *rugosa* Comber, xviii, 51*.
Hookeri King, xviii, 53.
hypotricha Loes., xviii, 53.
insignis Hook. f., xviii, 53.
intricata Hook. f., xviii, 53, 55.
- Ilex*—continued
f. *macrophylla* Comber, xviii, 53*.
longicaudata Comber, xviii, 54*.
macrocarpa Oliver, xviii, 54.
var. *genuina* Loes., xviii, 54.
micrococca Maxim., xviii, 55.
nothofagifolia Ward, xviii, 55.
oblata Comber, xviii, 55*.
Pernyi Franch., xviii, 41, 51, 57.
schweliensis Comber, xviii, 57*.
sikkimensis Kurz, xviii, 58.
var. *coccinea* Comber, xviii, 58*.
triflora var. *viridis* Loes., xviii, 58.
venulosa Hook. f., xviii, 58.
Wattii Loes., xviii, 60.
yunnanensis Franch., xviii, 60.
Impatiens barbata Comber, xviii, 244*.
ceratophora Comber, xviii, 245*.
chimiliensis Comber, xviii, 246*.
xanthina Comber, xviii, 248*.
Incarvillea diffusa Royle, xxi, 155, 156.
Forrestii Fletcher, xviii, 310*.
parasitica Roxb., xxi, 231.
Indigofera scabrida f. *alba* Comber, xviii, 249.
Inula Forrestii Anth., xviii, 197*.
heterolepis Boiss., xxi, 132.
montana var. *calycina* Batt., xxi, 261.
Wardii Anth., xviii, 197*.
yunnanensis Anth., xviii, 198*.
IRMSCHER, E. Ueber einige ostasiatische Saxifragen, xviii, 267.
Some new Chinese Species of Begonia, xxi, 35.
Isatis tinctoria L., xxi, 255.
Isometrum Farreri Craib, xxi, 205.
glandulosum Craib, xxi, 205.
Isopterygium Giraldui Broth., xix, 299.
Isothecium semitortum Dix., xix, 294*.
Ixora congesta Wall., xvi, 280, 312.
montana Miq., xvi, 280.
- Jack Collection in the Herbarium, Royal Botanic Garden, Edinburgh, some information on, xxi, 219.
Jasione humilis var. *lanuginella* Maire, xxi, 263.
Jasminum fruticans L., xxi, 263.
Jeffrey and the Oregon Expedition, John, xx, 1.
JOHNSTONE, J. T. John Jeffrey and the Oregon Expedition, xx, 1.
Juncus articulatus L., xxi, 142.
inflexus L., xxi, 268.
Juniperus cernua Roxb., xviii, 157.
chinensis L., xviii, 157.
var. *pendula* Franch., xviii, 157.
communis L., xviii, 152.
Coxii A. B. Jacks., xix, 266, Plate CCLVI.

Juniperus—continued.

- densa* Gordon, xviii, 152.
dimorpha Roxb., xviii, 157.
excelsa M. Bieb., xxi, 104.
Fargesii Kom., xviii, 153.
formosana Hayata, xviii, 151.
Lemeeana Lévl., xviii, 153.
macrocarpa Sibth. & Smith, xxi, 104.
Mairei Lem., xviii, 152.
morrisonicola Hay., xviii, 152.
oxycedrus L., xxi, 254.
phoenicea var. *eu-phoenicea* Maire & Weiller, xxi, 254.
pseudo-sabina Hook. f., xviii, 156.
recurva Buch.-Ham., xviii, 154.
 var. *squamata* Parl., xviii, 152.
rigida Beiss., xviii, 151.
squamata Buch.-Ham., xviii, 152.
 var. *Fargesii* Rehd. & Wils., xviii, 153.
 f. *Wilsonii* Rehd., xviii, 153.
taxifolia Masters, xviii, 152.
Thunbergii Hook. & Arn., xviii, 157.
thurifera L., xxi, 254.
Wallichiana Hook. f., xviii, 156.
 var. *meionocarpa* Hand.-Mazz., 156.
Jurinea *Cooperi* Anth., xviii, 21*.
Georgei Anth., xviii, 21*.
mirabilis Anth., xviii, 22*.
taraxactifolia Anth., xviii, 23*.

KEENAN, J., AND OTHERS. A survey of the anatomy of the *Rhododendron* Leaf in relation to the Taxonomy of the Genus, xxi, 1.

KEMP, E. E. Regeneration from mutilated leaves in Monocotyledons, xix, 187.

Kentranthus angustifolius ssp. *Battandieri* Maire, xxi, 261.

Keteleeria Davidiana Beissn., xviii, 137, Plate CCXLI; xix, 266, Plate CCLVI.

Esquirolii Lévl., xviii, 138.

Fabri Masters, xviii, 143.

formosana Hayata, xviii, 138.

sacra Beissn., xviii, 137.

KNAGG, M. M. B. Ascidia on the Leaf of *Semecarpus Anacardium* L., xv, 54.

The heterophylly of *Hemiphragma heterophyllum*, Wall., xvi, 61.

Knautia arvensis L., xxi, 247.

ssp. *Pau* Maire, xxi, 253.

var. *mauritanica* Batt., xxi, 261.

Labiatae from India, Burma, and Tibet, A New Decade of, xix, 303.

Labisia pumila var. *alata* Scheff., xx, 117.

Lactuca alpestris Rech. fil., xxi, 132.

amorgina Boiss. & Orph., xxi, 132.

Cooperi Anth., xviii, 198*.

tsarongensis W. W. Sm., xviii, 194.

f. *chimiliensis* W. W. Sm., xviii, 194.

viminea var. *chondrillifolia* Car. & St. Lager, xxi, 263.

virosa ssp. *eu-virosa* Maire, xxi, 263.

Larix chinensis Beiss., xviii, 129.

Griffithiana Carr., xviii, 130.

Griffithii Hook. f., xviii, 129, 130, Plate CCXLI; xix, 266, Plate CCLVII.

Potaninii Batal., xviii, 129, Plate CCXLI; xix, 266, Plate CCLVII.

sinensis Voss, xviii, 130.

thibetica Franch., xviii, 129.

Laurus nobilis L., xxi, 140.

Laxmannia geoides Fisch., xv, 49.

Leontodon hispanicus Poir., xxi, 247.

var. *maroccanus* Batt., xxi, 263.

Leonurus cardiaca L., xviii, 171.

Leptocodon gracilis Hook. f. & Thoms., xv, 188.

Leptodontium abbreviatum Dix., xix, 284*.

Leskea fulva Harv., xix, 298.

hyaloapiculata Dix., xix, 294*.

Leucanthemum arundanum var. *Mairei* Maire, xxi, 261.

Leucobryum aduncum Doz. & Molck., xx, 99.

aneitense Broth. & Watts, xx, 99.

conocladum Besch., xx, 99.

neo-caledonicum Besch., xx, 99.

Leucolepis acanthoneura Lind., xx, 94.

Libocedrus macrolepis Benth., xx, 104.

Liebigia speciosa DC., xxi, 195.

Ligustrum Thea Lévl. & Dunn, xvi, 244.

Lilium apertum Franch., xv, 30.

var. *thibeticum* Franch., xv, 33.

Franchetianum Lévl., xv, 38.

Henrici Franch., xv, 38.

lophophorum Franch., xv, 11.

nanum Klotzsch, xv, 16.

oxypetalum Baker, xv, 7, 16, 30.

triceps Klotzsch, xv, 7.

Limonium Frederici Rech. fil., xxi, 134.

graeca Poir., xxi, 134.

hyssopifolium Rech. fil., xxi, 134.

pigadiense Rech. fil., xxi, 134.

Sieberi O. Kuntze, xxi, 134.

Linaria origanifolia ssp. *flexuosa* Desf., xxi, 265.

tristis Mill., xxi, 265.

microcalyx Boiss., xxi, 134.

Lindbergia longinervis Card. & Dix., xix, 294.

Linum angustifolium Huds., xxi, 247, 257.

arborescens L., xxi, 112.

catharticum L., xxi, 247, 253, 257.

- Liparis bistrata* Par. & Reichb. f., xxi, 153.
distans C. B. Cl., xxi, 153.
paradoxa Reichb. f., xxi, 153.
Lobelia from Bhutan, A Remarkable Alpine, xix, 175.
Lobelia nubigena Anth., xix, 175*.
Lolium rigidum Gaud., xxi, 269.
Lonicera etrusca var. *Roeseri* Heldr., xxi, 121.
pyrenaica L., xxi, 260.
Lotus corniculatus L., xxi, 247, 258.
Lourya campanulata Baill., xix, 330.
Loxocarpus incanus R. Br., xxi, 200, 201.
Loxonia? alata Wall., xxi, 201.
Loxostigma begoniifolia Anth., xviii, 199*.
Forrestii Anth., xviii, 199*.
Luculia gratissima Lévl., xviii, 183.
Lycopus europaeus L., xxi, 64.
Lysimachia, A Revision of the Chinese Species, with a new system of the whole genus, xvi, 51.
 Supplementary Notes on Chinese Species, xvi, 167.
Lysimachia acroadenia Maxim., xvi, 108, 113, 114.
africana Engl., xvi, 116.
albescens Franch., xvi, 62, 105, 169.
Alfredi Hance, xvi, 64, 101.
alpestris Champ., xvi, 56, 121.
alternifolia Wall., xvi, 106.
anagalloides Sibth., xvi, 78.
argentata Bailey, xvi, 84.
asperulifolia Poir., xvi, 81.
atropurpurea L., xvi, 116.
 var. *Kindingeri* Adamov., xvi, 117.
 var. *longibracteata* Reg., xvi, 117.
 var. *thessala* Form., xvi, 116.
auriculata Hemsl., xvi, 65, 105, 116.
barystachys Bunge, xvi, 65, 108, 109.
Bodmieri Petitm., xvi, 86.
bracteata G. Forrest, xvi, 89.
Brittenii Kn., xvi, 60, 103.
brunelloides Pax & Hoffm., xvi, 89.
candida Lindl., xvi, 69, 119.
 ssp. *eucandida* Kn., xvi, 108, 119, 120.
 ssp. *microphylla* Forr., xvi, 119.
 ssp. *obovata* Kn., xvi, 119.
 ssp. *oppositifolia* Kn., xvi, 108.
 ssp. *samolina* Kn., xvi, 120.
 var. *leucantha* Mak., xvi, 120.
 var. *microphylla* Franch., xvi, 118.
capillipes Hemsl., xvi, 58, 74.
cephalantha Kn., xvi, 82, 83, 84, 90, 93, 94.
chenopodioides Watt, xvi, 65, 111.
chikungensis Bail., xvi, 108.
Lysimachia—continued
chilensis Kn., xvi, 51.
Christinae Hance, xvi, 63, 96, 100.
 var. *pubescens* Franch., xvi, 93, 96, 98, 103.
 var. *typica* Kn., xvi, 100.
chrysosplenoides Hand.-Mzt., xvi, 63, 100.
ciliata Linn., xvi, 80.
circaeoides Hemsl., xvi, 66, 113.
 var. *lyratifolia* Hand.-Mzt., xvi, 113.
 var. *Silvestrii* Pamp., xvi, 113.
clethroides Duby, xvi, 65, 108, 109.
congestiflora Hemsl., xvi, 62, 82, 84, 85, 93, 95, 168.
consobrina Hance, xvi, 114.
cordifolia Hand.-Mzt., xvi, 58, 76*.
coreana Nak., xvi, 103.
Cousiniana Coss., xvi, 78.
crispidens Hemsl., xvi, 66, 118, 120.
Crista-galli Pamp., xvi, 63, 98*.
cuspidata Blume, xvi, 75, 167.
 var. *glabrescens* Kn., xvi, 75.
 var. *hispida* Kn., xvi, 75.
daphnoides Hillebr., xvi, 122.
daurica Ledeb., xvi, 81.
debilis Wall., xvi, 92.
decurrens Forst., xvi, 67, 114.
decurrens Kn., xvi, 113.
 var. *platypetala* Kn., xvi, 114.
Delavayi Franch., xvi, 68, 117.
deltoides Wt., xvi, 61, 87, 92.
 var. *brunelloides* Hand.-Mzt., xvi, 88.
 var. *cinerascens* Franch., xvi, 88, 89.
 var. *cordifolia* Hook. f., xvi, 87.
 var. *glabra* Bonati, xvi, 89.
 var. *Metziana* Kn., xvi, 87.
 var. *typica* Kn., xvi, 87, 90.
drymariaefolia Franch., xvi, 63, 99.
dubia Soldr., xvi, 117.
Duclouxii Bonati, xvi, 105.
Eberhardtii Bonati, xvi, 92, 168.
Engleri Kn., 58, 75.
Ephemerum L., xvi, 112.
Esquirolii Bonati, xvi, 62, 91.
evalvis Wall., xvi, 70.
 var. *pedicellata* Kn., xvi, 70.
 var. *sessiliflora* Clke., xvi, 70.
excisa Hand.-Mzt., xvi, 65, 112.
Fargesii Franch., xvi, 63, 99.
Fauriei Lévl., xvi, 81.
 var. *stenophylla* Boiss., xvi, 81.
ferruginea Edgew., xvi, 92.
filifolia Forb., xvi, 122.
fistulosa Hand.-Mzt., xvi, 61, 84*.
foenum-graecum Hance, xvi, 57, 70, 71, 72.
foliosa Small, xvi, 81.

Lysimachia—continued.

- Forbesii* Rock, xvi, 122.
Fordiana Oliv., xvi, 62, 91.
Fortunei Maxim., xvi, 64, 108.
var. *pubescens* Pamp., xvi, 108.
fragrans Hayata, xvi, 74, 167.
Franchetii Kn., xvi, 61, 89, 168.
Fraseri Duby, xvi, 81.
fukienensis Hand.-Mzt., xvi, 64, 104, 168.
glandulosa Kn., xvi, 100.
glaucina Franch., xvi, 67, 115.
glaucophylla Hook., xvi, 107.
glutinosa Rock, xvi, 122.
graminea Hand.-Mzt., xvi, 80*.
grammica Hance, xvi, 63, 100, 102.
var. *maior* Pamp., xvi, 102.
grandiflora Hand.-Mzt., xvi, 57, 71*.
grandifolia Hemsl., xvi, 75.
Greeneana Hand.-Mzt., xvi, 80*.
gymnocephala Hand.-Mzt., xvi, 62, 95*.
Hemsleyana Maxim., xvi, 62, 89, 95, 96, 100.
Henryi Hemsl., xvi, 61, 83, 84, 85, 91.
heterogenea Klatt, xvi, 65, 107.
Hillebrandtii Hook. f., xvi, 122.
var. *Helleri* Kn., xvi, 122.
var. *maxima* Kn., xvi, 122.
var. *subherbacea* Hillebr., xvi, 122.
var. *venosa* Wawra, xvi, 122.
Hui Diels, xvi, 62, 94, 168.
humifusa Kn., xvi, 118.
hupehensis Pamp., xvi, 120.
hypericoides Hemsl., xvi, 59, 78.
inconspicua Miq., xvi, 119.
insignis Hemsl., xvi, 56, 69.
involutocrata Hemsl., xvi, 101.
japonica Thunb., xvi, 62, 90, 92, 93, 96.
var. *cephalantha* Franch., xvi, 93.
kamtschatica Gandgr., xvi, 121.
Keiskeana Miq., xvi, 113.
var. *kwangtungensis* Hand.-Mzt., xvi, 108.
Klattiana Hance, xvi, 60, 103.
Knuthii Petitm., xvi, 122.
lanceolata Wall., xvi, 80.
var. *angustifolia* Kn., xvi, 80.
var. *hybrida* Gray, xvi, 80.
lancifolia Craib, xvi, 58, 72, 167.
latronum Lévl., xvi, 100.
Legendrei Bonati, xvi, 100.
Leschenaultii Duby, xvi, 116.
leucantha Miq., xvi, 120.
Leveillei Petitm., xvi, 88.
lichiangensis G. Forrest, xvi, 67, 115.
Limprichtii Pax & Hoffm., xvi, 79.
lineariloba Hook. & Arn., xvi, 106, 119.

Lysimachia—continued.

- lobelioides* Wall., xvi, 68, 113, 118.
longipedicellata Hand.-Mzt., xvi, 80.
longifolia Pursh, xvi, 80.
longipes Hemsl., xvi, 59, 79, 167.
longispala Forb., xvi, 89, 122.
lubinioides Sieb. & Zucc., xvi, 106.
Lumellii Hand.-Mzt., xvi, 80*.
Lydgatei Hillebr., xvi, 122.
Mairei Lévl., xvi, 122.
mauritiana Lam., xvi, 64, 106, 169.
melampyroides Kn., xvi, 60, 100, 102.
membranacea Hand.-Mzt., xvi, 80.
mexicana Kn., xvi, 81.
microphylla Merr., xvi, 96.
multandra Franch., xvi, 108.
minoricensis Rodrig., xvi, 111.
mixta Merr., xvi, 81.
moupinensis Kn., xvi, 79.
Nebeliana Gilg, xvi, 106.
nemorum L., xvi, 78.
var. *moupinensis* Franch., xvi, 79.
nigrolineata Hemsl., xvi, 102.
nummularia L., xvi, 101.
nutans Nees, xvi, 116.
obovata Ham., xvi, 119.
omeiensis Hemsl., xvi, 59, 79.
ophelioides Hemsl., xvi, 59, 79.
ovalifolia Pax & Hoffm., xvi, 89.
paludicola Hemsl., xvi, 107.
paridiformis Franch., xvi, 50, 86, 91.
var. *elliptica* Franch., xvi, 86.
var. *stenophylla* Franch., xvi, 86.
parviflora Bak., xvi, 117.
parvifolia Franch., xvi, 68, 118, 119.
patungensis Hand.-Mzt., xvi, 59, 97*, 168.
Paxiana Kn., xvi, 107.
peduncularis Wall., xvi, 77.
pentapetala Bunge, xvi, 64, 110, 169.
Petitmenginii Bonati, xvi, 89.
phyllocephala Hand.-Mzt., xvi, 61, 83*.
Pierrei Petitm., xvi, 77.
platypetala Franch., xvi, 67, 114.
plicata Franch., xvi, 58, 76.
producta Fern., xvi, 81.
prolifera Klatt, xvi, 68, 118.
pseudotrichopoda Hand.-Mzt., xvi, 58, 71*.
pseudo-Henryi Pamp., xvi, 61, 84.
pterantha Hemsl., xvi, 63, 97, 168.
pteranthoides Bonati, xvi, 97.
pumila Franch., xvi, 68, 118.
punctata L., xvi, 103.
ssp. *verticillata* Boiss., xvi, 103.
var. *villosa* Klatt, xvi, 103.
pyramidalis Wall., xvi, 110.
quadrifolia L., xvi, 81.
quadriflora Petitm., xvi, 122.
quadriflora Sims, xvi, 80.

Lysimachia—continued.

- racemiflora* Bonati, xvi, 114, 169.
radicans Hook., xvi, 80.
ramosa Wall., xvi, 57, 75.
 var. *grandiflora* Franch., xvi, 71, 75.
 var. *zeylanica* Hook., xvi, 75.
reflexiloba Hand.-Mzt., xvi, 65, 111.
remota Petitm., xvi, 62, 90.
Remyi Hillebr., xvi, 122.
robusta Hand.-Mzt., xvi, 67, 116*.
siamensis Bonati, xvi, 92.
sikokiana Miq., xvi, 74.
Silvestrii Hand.-Mzt., xvi, 113.
simulans Hemsl., xvi, 74.
sinica Miq., xvi, 114.
Smithiana Craib, xvi, 93.
solanoides Hand.-Mzt., xvi, 58, 70*.
stellarioides Hand.-Mzt., xvi, 59, 78*.
stenosepala Hemsl., xvi, 65, 108.
stricta Ait., xvi, 81.
 var. *producta* A. Gr., xvi, 81.
sutchuensis Bonati, xvi, 91.
taliensis Bonati, xvi, 67, 115.
tengyuehensis Hand.-Mzt., xvi, 61, 82*.
terrestris var. *angustifolia* Chapm., xvi, 81.
thyrsiflora L., xvi, 55, 121.
tonsa Wood, xvi, 80.
 var. *simplex* Kn., xvi, 80.
trichopoda Franch., xvi, 58, 70.
trientaloides Hemsl., xvi, 60, 86.
tsarongensis Hand.-Mzt., xvi, 68, 117*.
umbrosa Gard., xvi, 87.
unguiculata Diels, xvi, 87.
validula Hand.-Mzt., xvi, 80.
Valbrayii Lévl., xvi, 118.
verruculosa Gilg, xvi, 119.
verticillata Hand.-Mzt., xvi, 80.
violascens Franch., xvi, 67, 115.
Volkensii Engl., xvi, 116.
vulgaris L., xvi, 59, 81.
 var. *davurica* Kn., xvi, 81.
Wilsoni Hemsl., xvi, 57, 75.
Woodii Schltr., xvi, 112.
yunnanensis Franch., xvi, 105.
Lysionotus ophiorrhizoides Hemsl., xxi, 233.
Lysis pentapetala Ktze., xvi, 110.
- MACLAGAN, J. F. A., & NELSON, A.
 Factors in the germination of
 Aira flexuosa, xviii, 251.
Macromitrium leptocarpum Broth., xix, 288.
pulchrum Besch., xxi, 99.
- Maesa crenata* Fletcher, xx, 108.
indica A. DC., xx, 108.
integrifolia Ridl., xx, 108.

Maesa—continued.

- lineolata* Fletcher, xx, 108.
montana A. DC., xx, 108.
paniculata A. DC., xx, 108.
 var. *pauciflora* Fletcher, xx, 108.
perlarius Merr., xx, 108.
permollis Kurz., xx, 107, 109.
ramentacea A. DC., xx, 107, 109.
sublancoolata Fletcher, xx, 108, 109.
Magnolia aulacosperma Rehd. & Wils., xvi, 123.
Baillonii Finet & Gagnep., xvi, 129.
Biondii Pamp., xvi, 123.
Campbellii Hook. f. & Thoms., xvi, 123.
Championii Benth., xvi, 124.
conspicua var. *emarginata* Finet & Gagnep., xvi, 123.
 var. *Fargesii* Finet & Gagnep., xvi, 123.
denudata var. *emarginata* Pamp., xvi, 125.
 var. *Fargesii* Pamp., xvi, 123.
excelsa Wall., xvi, 129.
globosa var. *sinensis* Rehd. & Wils., xvi, 125.
grandiflora Griff., xvi, 123.
Henryi Dunn, xvi, 125.
insignis Wall., xvi, 127.
kwangtungensis Merr., xvi, 128.
liliifera var. *Championii* Pamp., xvi, 124.
 var. *taliensis* Pamp., xvi, 126.
mollicomata W. W. Sm., xvi, 124.
Nicholsoniana Rehd. & Wils., xvi, 126.
parviflora var. *Wilsonii* Finet & Gagnep., xvi, 126.
pumila var. *Championii* Finet & Gagnep., xvi, 124.
rostrata W. W. Sm., xvi, 124.
Sargentiana Rehd. & Wils., xvi, 125.
 var. *robusta* Rehd. & Wils., xvi, 125.
sinensis Stapf, xvi, 125.
taliensis W. W. Sm., xvi, 126.
Wilsonii Rehd., xvi, 126.
- Magnolieae, New or Noteworthy
 Chinese, xvi, 123.
Magnusiella potentillae Sadebeck, xxi, 176.
Malaxis acuminata D. Don, xxi, 153.
latifolia Sm., xxi, 153.
Malope malacoides var. *pomariensis*
 Fauré & Maire, xxi, 256.
Malva silvestris ssp. *subcaulis* Maire,
 xxi, 257.
Manglietia Forrestii W. W. Sm., xvi, 126*, Plate CCXXVI.
Hookeri Cub. & Sm., xvi, 127.
insignis Bl., xvi, 127.

- Manglietia*—continued.
 var. *angustifolia* Hook. f. & Thoms., xvi, 127.
 var. *latifolia* Hook. f. & Thoms., xvi, 127.
moto Dandy, xvi, 128*.
rufibarbata Dandy, xvi, 128*.
Mantisalca salmantica var. *typica* Maire, xxi, 262.
Marrubium astracanicum Jacq., xxi, 64.
globosum Montbret & Auch., xxi, 64.
longifolium Huds., xxi, 64.
lutescens Boiss., xxi, 64.
multibracteum Humb. & Maire, xxi, 266.
rotundifolium Boiss., xxi, 64.
vulgare var. *lanatum* Benth., xxi, 266.
Mayaca Sellowiana Kunth, xix, 330.
Meconopsis Dhwojii Tayl., xviii, 64.
discigera Prain, xix, 192.
gracilipes Tayl., xix, 330.
longipetiolata Tayl., xix, 195.
robusta Hook. f., xix, 195.
superba Prain, xviii, 306.
Medicago lupulina var. *glandulosa* Rouy, xxi, 258.
sativa L., xxi, 258.
 Mediterranean Itineraries, xxi, 271.
Meiothecium secundifolium Dix., xx, 96*.
tenuirete Dix., xix, 298*.
Melica ciliata ssp. *Linnaei* Hack., xxi, 269.
Melissa officinalis L., xxi, 135.
 var. *villosa* Benth., xxi, 135.
Mentha longifolia Huds., xxi, 135, 247, 266.
longifolia X *rotundifolia* Huds., xxi, 266.
rotundifolia Huds., xxi, 136.
 Menzies Collection in the Herbarium, Royal Botanic Garden, Edinburgh some information on the, xxi, 219.
Merceyopsis macrocarpa Dix., xix, 287*.
minutissima Dix., xix, 286*.
Merendera Bulbocodium Ram., xxi, 297.
montana Lange, xxi, 297.
nivalis Stapf, xxi, 296.
 Mesopotamia, Plants from, xviii, 277.
Michelia alba DC., xvi, 129.
Baillonii Finet & Gagnep., xvi, 129.
doltsopa Buch.-Ham., xvi, 129.
excelsa Bl., xvi, 129.
fallax Dandy, xvi, 130*.
lanceolata Wils., xvi, 131.
lanuginosa Wall., xvi, 131.
longifolia Bl., xvi, 129.
 var. *racemosa* Bl., xvi, 129.
manipurensis Watt, xvi, 129.
phellocarpa Finet & Gagnep., xvi, 129.
Michelia—continued.
platypetala Hand.-Mzt., xvi, 130, 131.
sinensis Hemsl. & Wils., xvi, 132.
szechuanica Dandy, xvi, 131*.
velutina DC., xvi, 131.
Wilsonii Finet & Gagnep., xvi, 132.
Micromeria carminea Davis, xxi, 65.
cristata Gris., xxi, 64.
 ssp. *carminea* Davis, xxi, 65*.
 ssp. *cristata*, xxi, 64.
 ssp. *xylorrhiza* Davis, xxi, 64*.
Juliana Benth., xxi, 136.
xylorrhiza Boiss. & Heldr., xxi, 64.
Microstylis congesta Reichb. f., xxi, 153.
latifolia J. J. Sm., xxi, 153.
Wallichii Lindl., xxi, 153.
Milligania densiflora Hook. f., xix, 192.
Minuartia verna L., xxi, 256.
 var. *cretica* Hayek, xxi, 111.
Mniodendron Hellwigii Broth., xxi, 99.
 Monocotyledons from mutilated leaves, Regeneration of, xix, 187.
Morsdorffia speciosa Steud., xxi, 95.
 Moss Collections of the Royal Botanic Garden, Edinburgh, Notes on the, xix, 279; xx, 93.
 MUKERJEE, S. K. A Decade of New Labiatae from India, Burma and Tibet, xix, 303.
 An Enumeration of the Orchids of Ukhrul, Manipur, xxi, 149.
 MUNRO, J. M., & NELSON, A. The identification of various species of Bean, which may be used in the manufacture of Meal, xviii, 7.
 The Germination of *Spartina Townsendii*, xviii, 173.
Muraltia mixta DC., xix, 330.
Myosotis alpestris ssp. *albomarginata* Maire, xviii, 173.
 Myrsinaceae, Keys to the Siamese species of, xx, 106.
Myrsine semiserrata Wall., xx, 119.
 NANNFELDT, J. A. Some notes on the Genus *Codonopsis* Wall., xvi, 149.
Narcissus Watieri Jah. & Maire, xix, 330.
 NELSON, A., & MACLAGAN, J. F. A. Factors in the germination of *Aira flexuosa*, xviii, 251.
 & MUNRO, J. M. The identification of various species of Bean which may be used in the manufacture of Meal, xviii, 7.
 The Germination of *Spartina Townsendii*, xviii, 173.
Nepeta camphorata Boiss. & Heldr., xxi, 137.
Heldreichii Hal., xxi, 136.
italica L., xxi, 66.

Nepeta—continued.

- melissifolia* Lam., xxi, 136.
nuda ssp. *lydiae* Davis, xxi, 66*.
parnassica Heldr. & Sart., xxi, 136, 137.
pilimux P. H. Davis, xxi, 136*, 137.
sphaciotica P. H. Davis, xxi, 136*, 137.
Nomocharis, A Revision of the Genus, xv, 1.
 from Upper Burma, with notes on recent gatherings of known species, an undescribed, xv, 191.
Nomocharis aperta W. W. Sm. & W. E. Evans, xv, 7, 30, Plate CCVII, 197.
basilissa Farr., xv, 25*, Plates CCV, CCXIIa, 192.
euxantha W. W. Sm. & W. E. Evans, xv, 6, 14*, Plate CCI, 192.
 var. *imberbis* W. W. Sm. & W. E. Evans, xv, 15.
Farreri Cox, xv, 20.
flavida Balf. f., xv, 16.
Forrestii Balf. f., xv, 30.
Georgei W. E. Evans, xv, 193*.
Henrici Wils., xv, 7, 38, Plates CCIX, CCXIb, 194.
 f. *maculata* Evans, xv, 194.
 f. *typica* Evans, xv, 194.
leucantha Balf. f., xv, 27, 29.
lophophora Balf. f., xv, 6, 11; 197.
 var. *Wardii* W. W. Sm. & W. E. Evans, xv, 12.
Mairei Lévl., xv, 6, 27, Plates CCVI, CCXIb, 197.
 f. *candida* W. E. Evans, xv, 29.
 f. *leucantha* W. E. Evans, xv, 29.
meleagrina Franch., xv, 6, 23, Plates CCIX, CCXIa, 197.
nana Wils., xv, 6, 16, Plates CXCIX, CCb, CCII, CCIII, 195.
oxypetala Balf. f., 6, 7, 16, Plates CXCIX, CCa.
pardanthina Franch., xv, 6, 19, 20.
 var. *Farreri* W. E. Evans, xv, 20, 196.
saluenensis Balf. f., xv, 7, 33, Plate CCVIII.
 f. *purpurascens* W. E. Evans, xv, 36.
 f. *tricolor* W. E. Evans, xv, 37.
 f. *typica* W. E. Evans, xv, 36.
Souliei W. W. Sm. & W. E. Evans, xv, 7, 40, Plate CCX, 197; xviii, 306; xix, 192.
Strachevi Balf. f., xv, 45.
tricolor Balf. f., xv, 34, 37.
Wardii Balf. f., xv, 12.

Oberonia pyrulifera Lindl., xxi, 153.

Ochrobryum ceylanicum Besch., xix, 282.

Ochrobryum—continued

- Mittenii* C.M., xix, 282.
Nietneri C.M., xix, 282.
propaguliferum Dix., xix, 281*.
Wightii Besch., xix, 282.
Odontites Aucheri Boiss., xxi, 73.
cretica Boiss., xxi, 135.
frutescens Hall., xxi, 135.
glutinosa Benth., xxi, 73.
Linkii Heldr. & Sart., xxi, 135.
Rameauana Emberger, xxi, 253, 266.
Odontochilus pumilus Hook. f., xxi, 153.
Oldenburgia arbuscula DC., xix, 195.
Oldenlandia psychotrioides F. Muell., 306.
Omphalogramma, the genus, xx, 125.
Omphalogramma brachysiphon W. W. Sm., xix, 219; xx, 130.
burmanicum Fletcher, xx, 131*.
Coxii Balf. f., xv, 257; xx, 132.
Delavayi Franch., xx, 136.
elegans G. Forrest, xviii, 307; xx, 138.
Elwesiana Franch., xx, 140.
 var. *assamicum* Fletcher, xx, 141*.
Farreri Balf. f., xv, 255; xx, 143.
Forrestii Balf. f., xx, 145.
minus Hand.-Mzt., xix, 220; xx, 147.
pilosum Fletcher, xx, 150*.
Rockii W. W. Sm., xv, 97*; xix, 274.
Souliei Franch., xx, 120.
 var. *pubescens* Fletcher, xx, 153*.
tibeticum Fletcher, xx, 153*.
vincaeiflorum Franch., xx, 154.
Ononis antiquorum L., xxi, 258.
Centisia L., xxi, 257.
Columnae All., xxi, 257.
Natrix L., xxi, 116.
pusilla L., xxi, 257.
Onopordon bracteatum Boiss. & Heldr., xxi, 133.
Onosma Troodi Kotschy, xviii, 307.
 Orchids of Ukhrul, Manipur, enumeration of, xxi, 149.
Orchis latifolia L., xxi, 247, 268.
 Oregon Expedition, John Jeffrey and the, xx, 1.
Oreocharis Auricula C. B. Cl., xxi, 206.
Benthani C. B. Cl., xxi, 205, 206.
cinnamonea Anth., xviii, 200*.
elliptica Anth., xviii, 200*.
Georgei Anth., xviii, 202*.
Maximowiczii C. B. Cl., xxi, 206.
primuloides C. B. Cl., xxi, 206.
Oreoweisia laxifolia Par., xix, 302.
Origanum Dictamnus L., xxi, 137.
heracleoticum L., xxi, 67, 137.
 var. *trichocalycinum* Hal., xxi, 137.
Maru Hayek, xxi, 137.
X minoanum P. H. Davis, xxi, 137*.

Origanum—continued.

- Onites* L., xxi, 67, 137.
sipyleum L., xxi, 67, 137.
Tournefortii Sibth., xxi, 137.
Vetteri Briq. & Barb., xxi, 137.
Ormenis scariosa Lit. & Maire, xxi, 261.
 ORR, M. Y. On the secretory organs of the Dioscoreaceae, xv, 133.
 A New Chinese Silver Fir, xviii, 1.
 Taiwan in Burma—A New Record, xviii, 6.
 Plantae Chinenses Forrestianae: Coniferae, xviii, 119.
 Plantae Chinenses Forrestianae: Coniferae; Two additions and a correction, xviii, 275.
 On the Value for Diagnostic Purposes of Certain of the Anatomical features of Conifer Leaves, xix, 255.
 A Simple Method of Dehydration, xix, 272.
 Notes on certain Coniferae recorded by Hector Léveillé in Flore du Kouy-tchéou, xx, 103.
Orthomnion trichomitrium Wils., xix, 302.
Orthorrhynchium philippinense C.M., xx, 98.
Orthothecium intricatum Schimp., xix, 297.
Osyris alba L., xxi, 141.
Otanthus maritimus Hoffm. & Link, xxi, 133.
Otochilus alba Lindl., xxi, 153.
Oxypetalum coeruleum Decne., xix, 330.
Paonia Clusii F. C. Stern, xxi, 105.
Pamianthe peruviana Stapf, xix, 274.
Papaver Rhoeas L., xxi, 255.
rupifragum ssp. *atlanticum* Maire, xxi, 255.
Paphiopedilum Delenatii Guill., xix, 192.
Papillaria filipendula Jaeg., xx, 95.
Paraboea campanulata Ridley, xxi, 206.
Clarkei B. L. Burt, xxi, 206.
cordata Ridley, xxi, 202.
densifolia Henderson, xxi, 204.
salicina Ridley, xxi, 204.
Paronychia capitata Lam., xxi, 267.
macrosepala Boiss., xxi, 111.
Parrya xerophyta W. W. Sm., xviii, 249.
Pecteilis Susannae Raf., xxi, 153.
Pedicularis aequibarbis Hand.-Mzt., xv, 157.
alopeucros Franch., xv, 167.
angustiflora Limpr., xv, 147.
axillaris Franch., xv, 164.
cephalantha Franch., xv, 162.
comosa var. *Sibthorpii* Boiss., xxi, 73.
comptoniaefolia Franch., xv, 154.

Pedicularis—continued.

- crenata* var. *crenatiformis* Bonati, xv, 159.
cyathophylla Franch., xv, 153.
cyathophylloides Limpr., xv, 154.
Delavayi Franch., xv, 163.
densispica Franch., xv, 150.
 var. *Schneideri* Bonati, xv, 150.
dolichocymba Hand.-Mzt., xv, 156.
elegans Franch., xv, 155.
Elwesii Hook. f., xv, 164.
Evrardi Bonati, xv, 161.
filicula Hemsl., xv, 159.
flagellaris Benth., xv, 161.
Forrestiana Bonati, xv, 159.
gracilis Wall., xv, 165.
gruina Franch., xv, 162.
gyrorhyncha Franch., xv, 168.
habachanensis Bonati, xv, 151*.
Henryi Maxim., xv, 161.
hirtella Franch., xv, 150.
integrifolia Hook. f., xv, 168.
Labordei Vaniot, xv, 161.
lachnoglossa var. *macrantha* Bonati, xv, 158.
likiangensis Franch., xv, 148.
lineata Franch., xv, 148.
 var. *dissecta* Bonati, xv, 148.
Lipskyana Bonati, xv, 154.
longicaulis Franch., xv, 162.
longipetiolata Franch., xv, 163.
longiflora Rudolph, xv, 163.
lunglingensis Bonati, xv, 160*, 161.
lutescens var. *brevifolia* Bonati, xv, 155.
 var. *ramosa* Bonati, xv, 155.
macrocalyx Bonati, xv, 156*.
Magnini Bonati, xv, 149*.
mahoangensis Bonati, xv, 152*, 154.
Maxonii Bonati, xv, 166*.
obscura Bonati, xv, 149*.
oxycarpa Franch., xv, 163.
Pheulpini Bonati, xv, 165.
polyphyllodes Bonati, xv, 162.
pseudo-melampyriflora Franch., xv, 155.
pseudo-Steiningeri Bonati, xv, 157*.
recurva var. *polyantha* Bonati, xv, 158.
rex Clarke, xv, 151, 154.
 var. *parva* Bonati, xv, 151.
rhodotricha Maxim., xv, 157.
rigida Franch., xv, 155.
Rockii Bonati, xv, 152*, 154.
rupicola Franch., xv, 148.
sabaensis Bonati, xv, 166*.
salviaeflora Franch., xv, 150.
sigmoidea Franch., xv, 164.
siphonantha D. Don, xv, 164.
Smithiana Bonati, xv, 167.
stenantha Franch., xv, 147.

- Pedicularis*—continued.
subacaulis Bonati, xv, 165*.
superba Franch., xv, 153, 154.
tenuisecta Franch., xv, 161, 162.
trichoglossa Hook. f., xv, 157.
Truchetii Bonati, xv, 155*.
tsekouensis Bonati, xv, 147.
verbenaeifolia Franch., xv, 167.
Viali Franch., xv, 158.
Pentapterygium interdictum Hand.-Mzt., xv, 207.
var. *stenolobum* W. E. Ev., xv, 207*.
Perantha cordatula Craib, xxi, 206.
Forrestii Craib, xxi, 206.
minor Craib, xxi, 206.
Peristylus Mannii Mukerjee, xxi, 153*.
stenostachyus Kraenzlin, xxi, 153.
tipuliferus Mukerjee, xxi, 153*.
Petrodora Anth., xviii, 203*.
argentea Anth., xviii, 203*.
cordifolia Anth., xviii, 204*.
Petrocosmea Parryorum Fisch., xviii, 64.
Peucedanum alpinum Burt & Davis, xxi, 117.
Phaeophyceae, xx, 167.
Phajus flavus Lindl., xxi, 154.
maculatus Lindl., xxi, 154.
Wallichii Lindl., xxi, 149, 154.
Phaseolus aconitifolius Jacq., xviii, 8, 11.
angularis Willd., xviii, 8, 11.
calcaratus Roxb., xviii, 8, 11.
lunatus L., xviii, 8, 10.
Mungo L., xviii, 8, 11.
var. *radiatus* L., xviii, 8, 11.
vulgaris L., xviii, 10, 11.
Phlomis armeniaca Willd., xxi, 67.
burmanica Mukerjee, xix, 308*.
carica Rech. fil., xxi, 67.
floccosa D. Don, xxi, 138.
fruticosa L., xxi, 293.
grandiflora H. S. Thompson, xxi, 293.
lunarifolia var. *Russeliana* Sims, xxi, 293.
Pichleri Vierh., xxi, 138.
Russeliana Benth., xxi, 293, 294, 295.
viscosa auctt., xxi, 294, 295.
Youngusbandii Mukerjee, xix, 307*.
Phlox mesoleuca Gr., xix, 195.
Pholidota articulata Lindl., xxi, 154.
calceata Reichb. f., xxi, 154.
protracta Hook. f., xxi, 150, 154.
Phtheirospermum tenuisectum Bur. & Franch., xv, 147.
Phylloboea amplexicaulis C. B. Cl., xxi, 207.
sinensis Oliv., xxi, 196.
speciosa Ridl., xxi, 196.
Phyllomphax galeandra Schltr., xxi, 149, 154.
Picea ajanensis Mast., xviii, 133.
Alcockiana Mast., xviii, 131, 133.
ascendens Patschke, xviii, 133.
Balfouriana Rehd. & Wils., xviii, 132.
brachystyla Pritz., xviii, 133*.
complanata Mast., xviii, 133.
likiangensis Pritz., xviii, 131, Plate CCXLII.
var. *rubescens* Rehd. & Wils., xviii, 132.
pachyclada Patschke, xviii, 133.
Sargentiana Rehd. & Wils., xviii, 133.
Pieris macrocalyx Anth., xv, 241*.
Pimpinella Tragium Vill., xxi, 260.
var. *depressa* Boiss., xxi, 117.
Pinus Armandi Franch., xviii, 129.
Brutia Ten., xxi, 104.
densata Mast., xviii, 128.
densiflora Franch., xviii, 127.
var. *tabuliformis* Mast., xviii, 127.
excelsa var. *chinensis* Patschke, xviii, 129.
Fabri Voss, xviii, 144.
Griffithii Parl., xviii, 130.
halepensis Mill., xxi, 254.
Henryi Mast., xviii, 127.
insularis Endl., xviii, 128.
Kasya Royle, xviii, 128.
hasiana Griff., xviii, 128.
Khasya Brand., xviii, 128.
koraiensis Beiss., xviii, 129.
lanceolata Lamb., xviii, 149.
leucosperma Maxim., xviii, 127.
levis Lem. & Lévl., xviii, 129.
Mastersiana Hayata, xviii, 129.
nigra ssp. *Pallasiana* Holmboe, xxi, 104.
prominens Mast., xviii, 128.
quinquefolia David, xviii, 129.
sacra Voss, xviii, 137.
scipioniformis Mast., xviii, 129.
sinensis Mayr, xviii, 127.
var. *densata* Shaw, xviii, 128.
var. *yunnanensis* Shaw, xviii, 128, 275.
sylvestris L., xix, 266, Plate CCLVI.
tabulaeformis Carr., xviii, 127.
var. *densata* Rehd., xviii, 128.
Thunbergii Franch., xviii, 127.
Wilsoni Shaw, xviii, 127.
yunnanensis Franch., xviii, 128, 275.
Pistacia Lentiscus L., xxi, 116.
Pituranthos scoparius var. *junceus* Maire, xxi, 260.
Plagiothecium cochleatum Dix., xix, 299.
Plantae Chineses Forrestianae: Catalogue of all plants collected during his fourth expedition to Yunnan and E. Tibet, in the years 1917-1919, xvii, 1.
Coniferae, xviii, 119, 275.

- Plantago Coronopus* L., xxi, 247, 267.
major L., xxi, 267.
mauritanica Boiss. & Reut., xxi, 267.
palmata Hook. f., xix, 192.
- Plants new or noteworthy which have flowered during 1932, xviii, 64; during 1933, xviii, 305; during 1934, 1935, 1936, 1937, xix, 191, 194, 273, 329.
- Platycladus stricta* Spach, xviii, 151.
- Plectranthus*, A new species of Chinese, xx, 124.
- Plectranthus gesneroides* Sinclair, xx, 124*, Plate CCLXI.
- Pleione Hookeriana* O. Kuntze, xxi, 154.
praecox Don, xxi, 154.
- Pleurorthotrichum nukahivense* Dix., xx, 102*.
- Poa alpina* L., xxi, 269.
- Podocarpus Forrestii* Craib & W. W. Sm., xviii, 126.
macrophyllus Diels, xviii, 126.
sutchuenensis Franch., xviii, 137.
- Polycarpon polycarpoides* var. *peploides* J. Vindt, xxi, 256.
- Polygala rupestris* Pourr., xxi, 251.
- Polygonum aviculare* L., xxi, 140.
maritimum L., xxi, 140.
- Polypompholyx* sp., xix, 195.
- Polytrichum xanthopilum* Wils., xix, 302.
- Populus alba* L., xxi, 268.
nigra L., xxi, 246, 268.
- Potamogeton densus* var. *lancifolius* Mert. & Koch, xxi, 268.
var. *rigidus* Opiz, xxi, 268.
- Potentilla* from Upper Burma, A New, xx, 218.
- Potentilla* L., xv, 47.
albifolia Wall., xix, 326.
alchemilloides Lap., xxi, 253, 258.
ambigua Camb., xx, 207.
anserina L., xx, 207.
arbuscula D. Don, xx, 207.
var. *albicans* Hand.-Mzt., xx, 207.
var. *Bulleyana* Fletcher, xx, 208*.
var. *pumila* Hand.-Mzt., xx, 208.
articulata Franch., xx, 208.
axilliflora Hook. f., xix, 325.
brachystemon Hand.-Mzt., xix, 326.
chinensis ssp. *trigonodonta* Hand.-Mzt., xx, 209.
coriandrifolia D. Don, xviii, 307.
cristata Fletcher, xx, 218*.
Delavayi Franch., xx, 209.
dumosa Hand.-Mzt., xx, 209.
var. *stromatodes* Fletcher, xx, 209*.
eriocarpa Wall., xx, 209.
var. *tsarongensis* W. E. Evans, xx, 210.
fallens Card., xx, 210.
- Potentilla*—continued
Forrestii W. W. Sm., xx, 210.
fulgens Hook., xx, 210.
glabra Lodd., xx, 211.
var. *rhodocalyx* Fletcher, xx, 211*.
var. *subalbicans* Hand.-Mzt., xx, 211.
f. *ternata* Fletcher, xx, 211.
Griffithii Hook. f., xx, 212.
var. *velutina* Card., xx, 212.
Hemsleyana Th. Wolf, xx, 212.
hypargyrea Hand.-Mzt., xx, 212.
Kleimiana Wight, xx, 212.
lancinata Card., xx, 212.
var. *minor* Fletcher, xx, 213*.
leuconata D. Don, xx, 213.
macrosepala Card., xx, 213.
maura Th. Wolf, xxi, 247.
var. *glabrescens* Emb. & Maire, xxi, 258.
micropetala D. Don, xix, 326.
parvifolia Fisch., xx, 213.
var. *hypoleuca* Hand.-Mzt., xx, 213.
peduncularis D. Don, xx, 213.
perpusilla Hook. f., xix, 326.
perpusilloides W. W. Sm., xix, 326.
plurijuga Hand.-Mzt., xx, 214.
Purdomii N. E. Br., xv, 52.
purpurea Royle, xix, 327.
X Rehderiana Hand.-Mzt., xx, 214.
reptans L., xxi, 247, 258.
Salesoviana Steph., xx, 215.
shweliensis Fletcher, xx, 215*.
Sibbaldi Hall. f., xix, 326.
sikkimensis Prain, xix, 327.
speciosa Willd., xxi, 116.
stenophylla Diels, xxi, 215.
sulphurascens Hand.-Mzt., xxi, 216.
supina var. *egibbosa* Wolf, xx, 216.
tatsienluensis Wolf, xx, 216.
tetranda Bunge, xix, 327.
trullifolia Hook. f., xix, 327.
- Potentillae* et *Sibbaldiae* *Forrestianae* et *Rockianae*, xx, 207.
- Pouchetia africana* DC., xvi, 307.
- POULTER, B. A. New Species of *Hypericum* from Turkey, xxi, 181.
- Premna corymbosa*, Rottl. et Willd., and *Premna integrifolia* Linn., on the identity of, xix, 177.
- Premna corymbosa* Rottl. & Willd., xix, 177.
var. *angustior* Fletcher, xix, 178*.
var. *minor* Fletcher, xix, 178*.
var. *obtusifolia* Fletcher, xix, 178*.
integrifolia L., xix, 177, 178.
var. *angustior* Clarke, xix, 178.
var. *minor* Ridl., xix, 178.
var. *obtusifolia* P'ei, xix, 178.
serratifolia L., xix, 177.

- Primula*, Additional Species from the
 Burma-Tibet Frontier, xv, 299.
 Additions to the Genus, xvi, 223.
 Flora of Tibet, Additions to the, xix,
 309.
 New Species from S. W. China, A,
 xviii, 63.
 New species from Tibet, xv, 69.
scotica, a relict species in Scotland,
 xxi, 289.
 Wallichiana, O. Kuntze, What is,
 xviii, 67.
Primula adenantha Balf. f. & Cooper,
 xviii, 98.
advena W. W. Sm., xix, 311*.
 var. *concolor* W. W. Sm., xix,
 312*.
 var. *argentata* W. W. Sm., xix,
 312*.
aemula Balf. f. & Forrest, xvi, 233.
Agleniana Balf. f. & Forrest, xv, 247.
 var. *atrocrocea* Ward, xvi, 231.
 var. *thearosa* Ward, xvi, 231.
alpicola Stapf, xix, 215.
 var. *alba* W. W. Sm., xix, 215.
 var. *violacea* Stapf, xix, 216.
amabilis Balf. f. & Forrest, xvi, 223.
angustifolia Torr., xviii, 307.
aromatica W. W. Sm. & Forrest, xvi,
 223.
articulata W. W. Sm., xix, 309*.
 var. *sublinearis* W. W. Sm., xix,
 310*.
atricapilla Balf. f. & Cooper, xv, 75;
 xviii, 98.
atrodentata W. W. Sm., xv, 71;
 xviii, 97; xix, 202.
aureostellata Balf. f. & Cooper, xviii,
 96.
Baileyana Ward, xv, 82*.
barbatula W. W. Sm., xix, 201*.
Barnardoana W. W. Sm. & Ward,
 xix, 167*.
bathangensis Petitm., xix, 195.
bellidifolia King, xv, 76; xix, 205.
blandula W. W. Sm., xv, 299*.
blattariformis Franch., xvi, 223;
 xviii, 307.
Boothii Craib, xv, 80; xviii, 96; xix,
 208, 330.
bracteosa Craib, xviii, 96, Plate
 CCXXXIX.
Buryana Balf. f., xvi, 227; xviii, 65.
Calderiana Balf. f. & Cooper, xviii,
 65.
calthifolia W. W. Sm., xv, 300*.
candidissima W. W. Sm. & Forrest,
 xv, 250*.
capitata Hook., xviii, 97; xix, 202.
cardiophylla Balf. f. & W. W. Sm.,
 xvi, 227.
- Primula*—continued.
carnosula Balf. f. & Forrest, xv, 69.
Caveana W. W. Sm., xviii, 98; xix,
 207.
Cawdoriana Ward, xv, 87*.
cernua Franch., xvi, 223.
chamaedoron W. W. Sm., xix, 208*.
chamaethauma W. W. Sm., xv, 300*;
 xix, 209.
chapaensis Gagnep., xvi, 226, 230.
chasmophila Balf. f., xviii, 98.
chionota W. W. Sm., xv, 81*.
chlorodryas W. W. Sm., xvi, 223*,
 230.
chumbiensis W. W. Sm., xviii, 99.
chungensis Balf. f. & Ward, xv, 70.
Clarkei Watt, xix, 330.
Clutterbuckii Ward, xvi, 230; xix,
 192, 202.
concholoba Stapf & Sealy, xviii, 307.
concinna Watt, xviii, 97.
congestifolia G. Forrest, xviii, 96.
 Plate CCXXXVIII.
consocia W. W. Sm., xix, 167*, 207.
crispa Balf. f. & W. W. Sm., xvi, 227,
 231.
crispata Balf. f. & W. W. Sm., xviii,
 97; xix, 202, 310.
cuneifolia Ledeb., xviii, 307.
 var. *hakusanensis* Mak., xviii, 307.
 var. *heterodonta* Mak., xviii, 307.
deleiensis Ward, xvi, 231.
denticulata Smith, xix, 202.
Dianae Balf. f. & Cooper, xviii, 96.
Dickieana Watt, xix, 199.
 var. *Pantlingii* W. W. Sm. &
 Forrest, xv, 88.
dictyophylla W. W. Sm., xix, 168*.
didyma W. W. Sm., xvi, 228*, 231;
 xix, 193.
doshongensis W. W. Sm., xv, 72.
eburnea Balf. f. & Cooper, xviii, 98;
 xix, 219.
Edgeworthii Pax, xviii, 307.
Elizabethae W. W. Sm., xix, 205*.
elongata Watt, xviii, 98.
Emiliae Balf. f., xviii, 92.
erythrocarpa Craib, xv, 72; xviii,
 97, Plate CCXXXIX.
euosma var. *puralba* W. W. Sm., xv,
 250*.
euchaites W. W. Sm., xv, 301*.
eximia Greene, xviii, 65.
falcifolia Ward, xv, 76*.
farinosa L., xxi, 289, 290, 291.
fasciculata Balf. f. & Ward, xvi, 223.
Fauriei var. *samani-montana* Tatew.,
 xvi, 230.
fea Ward, xv, 302*.
filipes Watt, xviii, 96, 99; xix, 207.
flabellifera W. W. Sm., xix, 169*, 219.

Primula—continued

- flavicans* Hand.-Mzt., xvi, 230.
flexilipes Balf. f. & Forrest, xix, 195.
florida Balf. f. & Forrest, xviii, 307.
Florindae Ward, xv, 84*; xix, 216.
gemmifera Batal., xix, 311.
Genesteriana Hand.-Mzt., xix, 202.
geraniifolia Hook. f., xviii, 96.
glabra Klatt, xvi, 227; xviii, 97; xix, 203.
glacialis Franch., xvi, 223.
glomerata Pax, xvi, 227, 231.
gracilentia Dunn, xvi, 223.
gracilipes Craib, xvi, 227.
Griffithii Pax, xviii, 96.
Handeliana W. W. Sm. & Forrest, xvi, 45*.
Harroviana Balf. f. & Cooper, xviii, 98.
Hidakana Miyabe & Kudo, xvi, 229.
hilaris W. W. Sm., xix, 209*.
hispanica Willmot, xvi, 230.
Hookeri Watt, xviii, 96.
Hopeana Balf. f. & Cooper, xviii, 99; xix, 216.
Huana W. W. Sm., xix, 170*.
hyacinthina W. W. Sm., xix, 170*, 205.
hylobia W. W. Sm., xv, 251*.
ianthina Balf. f. & Cave, xix, 195.
incisa Franch., xvi, 223.
indobella Balf. f. & W. W. Sm., xviii, 97.
ingens W. W. Sm. & Forrest, xvi, 223; xix, 313.
Ingwerseniana Harris, xvi, 230.
involutrata Wall., xviii, 97.
ioessa W. W. Sm., xix, 216*.
irregularis Craib, xv, 81.
Jaffreyana King, xix, 207.
jesoana Miq., xviii, 308.
figmediana W. W. Sm., xix, 171*.
Jonardumi W. W. Sm., xv, 73; xix, 202, 310.
jucunda W. W. Sm., xix, 209*.
 var. *ponticula* W. W. Sm., xix, 210*.
kialensis Franch., xvi, 223.
kisoana var. *shikokiana* Mak., xvi, 229.
Klaveriana Forrest, xv, 252*.
kongboensis Ward, xv, 72*.
keichoensis W. W. Sm., xvi, 225*, 230.
laciniata Pax & Hoffm., xvi, 231.
laeta W. W. Sm., xix, 211*.
latisecta W. W. Sm., xv, 74*.
legionensis Willmott, xvi, 230.
leucochnoa Hand.-Mzt., xvi, 223.
Licentii W. W. Sm. & Forrest, xvi, 45*.

Primula—continued.

- limbata* Balf. f. & Forrest, xvi, 233.
Littledalei Balf. f. & Watt, xv, 83.
Lofthousei Harris, xvi, 230.
Ludlowii W. W. Sm., xix, 172*.
macrocarpa Maxim., xviii, 308.
macrophylla Don, xix, 206.
 var. *macrocarpa* Watt, xvi, 227; xviii, 98; xix, 206.
malvacea var. *alba* G. Forrest, xix, 196.
Maximowiczii var. *euprepes* W. W. Sm., xv, 79.
melanodonta W. W. Sm., xv, 303*; xix, 310.
Menziesiana Balf. f. & W. W. Sm., xviii, 98, Plate CCXXXVIII.
metria Balf. f. & Cooper, xviii, 98.
microdonta var. *alpicola* W. W. Sm., xv, 85*.
 f. *micromeres* W. W. Sm., xv, 86*.
micropetala Balf. f. & Cooper, xv, 76; xviii, 98.
Minkwitziae W. W. Sm., xviii, 181*, Plate CCXLVII.
minutiflora G. Forrest, xv, 271.
mishnuensis Ward, xvi, 231.
mollis Nutt., xviii, 96.
Moorcroftiana var. *flavida* W. W. Sm., xix, 172*.
Morsheadiana Ward, xv, 70*.
muliensis Hand.-Mzt., xvi, 223.
muscoideus Watt, xix, 203.
nepalensis W. W. Sm., xvi, 228*, 230.
ninguida W. W. Sm., xv, 77*.
nipponica Yatabe, xix, 196.
nivalis var. *macrocarpa* Pax, xv, 79.
Normaniana Ward, xvi, 229; xviii, 308; xix, 202.
obliqua W. W. Sm., xvi, 227; xviii, 98.
obtusifolia Royle, xviii, 98.
odontica W. W. Sm., xix, 199*.
orbicularis Hemsl., xvi, 223.
oreina Balf. f. & Cooper, xviii, 96.
orestora Craib & Cooper, xviii, 97.
Petelotii W. W. Sm., xvi, 226*, 230.
petrocharis Pax & Hoffm., xix, 203.
philoresia Balf. f. & Ward, xv, 74.
platycrana Craib, xviii, 97.
polonensis Ward, xvi, 231.
Prattii Hemsl., xvi, 223; xix, 196.
prenantha Balf. f. & W. W. Sm., xviii, 99; xix, 201.
pseudocapitata Ward, xv, 71.
pudibunda W. W. Sm., xv, 87, 253; xvi, 227; xviii, 99; xix, 218.
pulchella Franch., xv, 78; xviii, 308.
pulchelloides Ward, xv, 78.
pulchra Watt, xvi, 227.
pumilio Maxim., xix, 203.

Primula—continued

- Purdumii* Craib, xvi, 223.
pusilla Wall., xviii, 97.
 var. *flabellata* W. W. Sm., xix, 173*.
pygmaeorum Balf. f. & W. W. Sm., xv, 69.
reticulata Wall., xviii, 99.
rhodochroa W. W. Sm., xv, 75*; xix, 204.
rigida Balf. f. & Forrest, xv, 78.
Rockii W. W. Sm., xvi, 223*, 230; xviii, 308.
rotundifolia Wall., xix, 215.
Roylei Balf. f. & W. W. Sm., xv, 84; xviii, 96; xix, 211.
rubra Ward, xvi, 231.
rupicola Balf. f. & Forrest, xviii, 308.
Sandemaniana W. W. Sm., xix, 314*.
sapphirina Hook. f., xvi, 98.
scandinavica Bruun, xxi, 289, 290, 291.
scapigera Craib, xix, 196.
scotica Hook., xxi, 289, 290, 291.
Schlagintweitiana Pax, xviii, 65; xix, 193.
septemloba var. *minor* Ward, xvi, 229.
serratifolia Franch., xv, 253, Plate CCXXXIII.
 var. *roseo-tincta* Forrest, xv, 254.
 var. *unicolor* Forrest, xv, 255.
Sherriffae W. W. Sm., xix, 196.
sikkimensis Hook., xviii, 199.
 ssp. *subpinnatifida* W. W. Sm., xix, 173*.
 var. *cinerea* Watt, xv, 253.
 var. *lorifolia* W. W. Sm., xix, 313.
 var. *subpinnatifida* W. W. Sm., xix, 218*.
silensis Petitm., xvi, 223.
sinoplantaginea Balf. f., xix, 313.
sino-purpurea Balf. f., xv, 79.
siphonantha W. W. Sm., xv, 303*.
Smithiana Craib, xviii, 99.
soldanelloides Watt, xviii, 98.
sonchifolia var. *atrocoerulea* Forrest, xv, 255*.
stenocalyx var. *luteofarinosa* W. W. Sm., xvi, 225*.
Stirtoniana Watt, xviii, 97.
strumosa Balf. f. & Cooper, xviii, 98, Plate CCXXXIX; xix, 211.
subtropica Hand.-Mzt., xvi, 230.
subularia W. W. Sm., xix, 204*.
szechuanica Pax, xv, 80; xix, 206.
Takedana Tatewaki, xvi, 229.
tenella King, xviii, 98.
tenuiloba Pax, xviii, 97; xix, 204.
tibetica Watt, xv, 70; xix, 203, 311.
tsariensis W. W. Sm., xix, 211*.
 var. *porrecta* W. W. Sm., xix, 213*.

Primula—continued.

- Tsiangii* W. W. Sm., xviii, 63*.
umbratilis Balf. f. & Cooper, xviii, 98, Plate CCXXXVIII.
Valentiniana Hand.-Mzt., xv, 69; xix, 200.
vernicaosa Ward, xv, 81; xix, 213.
 var. *violacea* W. W. Sm., xix, 214*.
vinosa Stapf, xix, 218.
violacea W. W. Sm. & Ward, xvi, 223.
vittata Bur. & Franch., xix, 313.
Waddellii Balf. f. & W. W. Sm., xviii, 97.
Wallichiana O. Ktze., xviii, 274.
Walshii Craib, xv, 70; xviii, 97.
Waltoni Watt, xv, 87.
Whitei W. W. Sm., xv, 82; xviii, 96; xix, 214, 330.
Wigramiana W. W. Sm., xviii, 182*.
Wollastoni Balf. f., xvi, 227; xviii, 265.
xanthopa Balf. f. & Cooper, xviii, 97; Plate CCXXXVIII.
yargonensis Petitm., xix, 203.
yuparensis Tak., xvi, 231.
Primulaceae, from Southern Tibet, New, xix, 199.
 Some New Asiatic, xv, 247.
Primulas from the Himalaya, Tibet, China and Burma, New, xix, 167.
 Two New, xviii, 181.
Prunella vulgaris L., xxi, 247, 266.
Prunus Conradinae var. *trichogyna* Card., xxi, 301.
prostrata Labill., xxi, 258.
Pseudoleskea stratosia Jacq., xix, 295.
Pseudopyxis quadrifolia Koidz., xvi, 122.
Pseudospiridentopsis horrida Broth., xix, 292.
Pseudotsuga Davidiana Bertr., xviii, 137.
Forrestii Craib, xviii, 136, Plate CCXLII.
Pteridophyllum racemosum Sieb. & Zucc., xviii, 308.
Pterobryopsis nematosa Dix., xix, 292.
tumida Dix., xix, 292.
Wightii Broth., xix, 292.
Pterobryum australiense Dix., xx, 95*.
Pterocephalus depressus f. *ochroleucus* Lit. & Maire, xxi, 261.
Pterygiella Duclouxii Franch., xv, 147.
nigrescens Oliv., xv, 147.
Ptychomnion gracillimum Dix., xx, 98.
Puccinia coronata Corda, xxi, 303.
Pulicaria uliginosa Stev., xxi, 133.
Putoria brevifolia var. *Dyris* Jah. & Maire, xxi, 260.
Pycneus globosus Reichb., xxi, 142.
Pyrethrum densum Lab., xxi, 57.
pectinatum Turcz., xxi, 60.
pectinatum Bornm., xxi, 60.
pectinatum Hoffing. & Link, xxi, 60.

Quercus Ilex L., xxi, 268.

Randia Forrestii Anth., xviii, 204*.

shweliensis Anth., xviii, 205*.

Rapanea capitellata Mez, xx, 119.
nerifolia var. *yunnanensis* Walker,
xx, 119, 120.

Porteriana Mez, xx, 119, 120.

subpedicellata Fletcher, xx, 119, 120.

umbellulata Mez, xx, 119, 120.

Raxopitys Cunninghamii Nelson, xviii,
149.

Reevesia, A Note on the Genus, in
Java, xv, 237.

The Genus, xv, 121.

Reevesia Cavaleriei Lévl., xv, 124.

Esquirolii Lévl., xv, 129.

formosana Sprague, xv, 122, 123.

pubescens Mast., xv, 122, 124.

var. *siamensis* Anth., xv, 129*.

var. *typica* Anth., xv, 129*.

siamensis Craib, xv, 124.

sinica Wils., xv, 124.

thyrsoides Lindl., xv, 122, 123, 124.

var. *latifolia* Anth., xv, 237*.

Wallichii R. Br., xv, 122, 124, 237.

Reseda lutea ssp. *neglecta* Ball, xxi, 255.

Rhamnus eriocarpa O. Schwarz, xxi, 116.

graeca Boiss. & Heldr., xxi, 112, 115.

var. *argolica* Hal., xxi, 115.

lycioides L., xxi, 113.

cleoides L., xxi, 112.

ssp. *graeca* Davis, xxi, 113, 115.

ssp. *microphylla* Davis, xxi, 115.

ssp. *cleoides* xxi, 113.

ssp. *tauricola* Davis, xxi, 113.

var. *microphylla* Hal., xxi, 115.

var. *obovata* Hal., xxi, 115.

var. *sphaciotica* Hal., xxi, 115.

Pichleri Schneider & Bornm., xxi,
116.

prunifolia Sibth. & Sm., xxi, 116.

velutina Anth., xv, 244*.

Rhododendron bud and its relation to
the taxonomy of the genus, xix,
267.

giganteum and its associated species,
review of, xxi, 279.

of the *Glaucum* series, a new, xvi,
211.

three species of, xviii, 218.

Rhododendron aberrans Tagg & Forrest,
xv, 305*.

aeruginosum Hook. f., xix, 317.

aganniphum Balf. f. & Ward, xix,
249.

agglutinatum Balf. f. & Forrest, xix,
249, 268.

amandum Cowan, xix, 245*.

anthopogon D. Don, xix, 222, 316.

Rhododendron—continued

aperantum Balf. f. & Ward, xviii, 65;
xx, 66, 83.

arboreum Sm., xix, 159, 160, 162,
224, 317.

ssp. *Windsori* Cowan, xix, 224.

var. *Kingianum* Hook. f., xix, 162.

var. *nilagiricum* Clarke, xix, 160,
162.

var. *roseum* DC., xix, 161.

var. *zeylanicum* Millais, xix, 162.

argipeplum Balf. f. & Cooper, xix,
224.

argyrophyllum Franch., xxi, 9, Plate
III, IV.

var. *nankingense* Cowan, xxi,
148*.

arizelum Balf. f. & Forrest, xix, 196,
236.

asperulum Hutch. & Ward, xvi, 182*;
xxi, 10, Plate VII, VIII.

auritum Tagg, xviii, 218*, 308.

Baileyi Balf. f., xix, 320.

Bainbridgeanum Tagg & Forrest, xvi,
186*.

Balfourianum Diels var. *aganni-*
phoides Tagg & Forrest, xv, 306.

barbatum Wall., xix, 317.

basilicum Balf. f. & W. W. Sm., xix,
196.

Batemannii Hook. f., xix, 318.

Beanianum var. *compactum* Cowan,
xxi, 148*.

bullatum Franch., xxi, 9, Plate V, VI.

caesium Hutch., xviii, 308.

calciphilum Hutch. & Ward, xvi,
179*.

caloxanthum Balf. f. & Farrer, xix,
249.

camelliaeflorum Hook. f., xix, 227,
317.

campanulatum D. Don, xix, 228, 317.

campylocarpum Hook. f., xix, 250,
322.

campylogynum Franch., xix, 234.

catacosmum Balf. f., xv, 307*.

cerasinum Tagg, xvi, 188*; xix, 268.

chaetomallum var. *chamaephytum*
Cowan, xxi, 147*.

var. *glaucescens* Tagg & Forrest,
xvi, 189; xxi, 147.

var. *hemigymnum* Tagg & Forrest,
xvi, 189.

var. *xanthanthum* Tagg & Forrest,
xv, 308.

chionanthum Tagg & Forrest, xv,
300*.

chloranthum Balf. f. & Forrest, xxi,
8, Plate, I, II.

chlorops Cowan, xxi, 143*.

chrysolepis Hutch. & Ward, xvi, 172*.

Rhododendron—continued

- ciliatum* Hook. f., xix, 246.
ciliipes Hutch., xvi, 177*.
cinnabarinum Hook. f., xix, 318.
 var. *aestivale* Hutch., xxi, 148.
 var. *Blandfordiiflorum* Hook. f., xxi, 148.
 var. *pallidum* Hook. f., xxi, 148.
 var. *purpurellum* Cowan, xxi, 147*.
 var. *Roylei* Hook. f., xxi, 148.
circinnatum Cowan & Ward, xix, 179*.
citriniflorum Balf. f. & Forrest, xx, 64, 74.
commodum Balf. f. & Forrest, xviii, 65.
concatenans Hutch., xix, 234.
concinnoideus Hutch. & Ward, xvi, 180*.
consanguineum Cowan, xx, 64, 68*.
Coryanum Tagg & Forrest, xv, 99.
Cowanianum Davidian, xxi, 99*.
crassum Franch., xix, 246.
crebreflorum Hutch. & Ward, xvi, 173*.
crinigerum var. *euadenium* Tagg & Forrest, xvi, 190.
decorum Franch., xxi, 302.
Dekatanum Cowan, xix, 226*.
deleiensense Hutch. & Ward, xvi, 172*;
 xviii, 309.
dichroanthum Diels, xx, 66, 85.
dictyotum Balf. f., xv, 309*.
dignabile Cowan, xix, 241*;
 xxi, 146.
doshongense Tagg, xv, 310*.
dryophyllum Balf. f. & Forrest, xxi, 301.
dumicola Tagg & Forrest, xvi, 190*.
eclectum Balf. f. & Forrest, xix, 196.
Edgeworthii Hook. f., xix, 236, 319.
elaeagnoides Hook. f., xix, 243, 320.
elegantulum Tagg & Forrest, xv, 311*.
epapillatum Balf. f. & Cooper, xix, 240.
erosum Cowan, xix, 225*.
erythrocalyx Balf. f. & Forrest, xxi, 302.
eudoxum Balf. f. & Forrest, xx, 65, 76.
eurysiphon Tagg & Forrest, xvi, 191*.
exasperatum Tagg, xvi, 192*.
eximeum Nutt., xix, 319.
Falconeri Hook. f., xix, 319.
flavantherum Hutch. & Ward, xvi, 181*.
floccigerum var. *appropinquans* Tagg & Forrest, xv, 312.
Forrestii Balf. f., xxi, 144.
fragariflorum Ward, xvi, 179*;
 xix, 248.
fulgens Hook. f., xix, 228, 318.

Rhododendron—continued

- fulvastrum* Balf. f. & Forrest, xx, 65, 78.
fulvoides Balf. f. & Forrest, xix, 196.
fulvum Balf. f. & W. W. Sm., xix, 237.
galactinum Balf. f., xv, 103.
giganteum Forrest, xv, 106;
 xxi, 280-283, 285, 288.
 var. *seminudum* Tagg & Forrest, xv, 108;
 xxi, 281, 285-287.
glaucum Hook. f., xix, 237.
glischroides Tagg & Forrest, xvi, 194*.
 var. *arachnoideum* Tagg & Forrest, xvi, 196.
glischrum var. *adenosum* Cowan & Davidian, xxi, 147*.
grande Wight, xix, 238, 320.
Griffithianum Wight, xix, 237, 319.
gymnocarpum Balf. f., xv, 313*.
gymnogynum Balf. f. & Forrest, xix, 197.
haemaleum Balf. f. & Forrest, xx, 68.
Hardingii Forrest, xvi, 196*.
hemidartum Balf. f., xv, 314*.
hirtipes Tagg, xvi, 197*.
Hodgsonii Hook. f., xix, 237, 319.
hymenanthes f. *angustifolium* Makino, xvi, 200.
hypananthum Balf. f., xix, 316.
igneum Cowan, xix, 235*.
imperator Hutch. & Ward, xvi, 176*.
inopinum Balf. f., xv, 109.
insculptum Hutch. & Ward, xvi, 182*.
kasoense Hutch. & Ward, xvi, 181*.
Kendrickii Nutt., xix, 240.
Keysii Nutt., xix, 236, 318.
Kingianum Millais, xix, 162.
Kingianum Watt MSS, xix, 163.
Kingii Millais, xix, 162.
lacteum Rehd. & Wils., xv, 103.
lanatum Hook. f., xix, 228, 318.
 var. *luciferum* Cowan, xix, 228*;
 xxi, 145.
lanigerum Tagg, xvi, 199*.
laudandum Cowan, xix, 222*.
lepidotum Wall., xix, 244, 321.
Lindleyi T. Moore, xix, 246, 321.
Lowndesii Davidian, xxi, 99*.
Lopsangianum Cowan, xix, 250*.
luciferum Cowan, xxi, 145*.
Ludlowii Cowan, xix, 243*.
lysolepis Hutch., xvi, 175*.
Maddeni Hook. f., xix, 321.
magnificum Ward, xix, 320;
 xxi, 280, 283, 286-288.
Magorianum Balf. f., xv, 111.
Makinoi Tagg, xvi, 200, 201.
Meddianum var. *atrokermesinum* Forrest, xvi, 202.

Rhododendron—continued

- meageratum* Balf. f. & Forrest, xix, 227.
mekongense Franch., xix, 253.
Metternichii f. *angustifolium* Makino, xvi, 200.
microleucum Hutch., xviii, 309.
micromeres Tagg, xvi, 211*; xviii, 309; xix, 238.
minetes Tagg & Forrest, xv, 315*.
 var. *simulans* Tagg & Forrest, xv, 316.
miniatum Cowan, xix, 229*.
mishmiense Hutch. & Ward, xvi, 173*.
mollicomum var. *Rockii* Tagg, xv, 114.
neriiflorum Franch., xix, 248.
nilagiricum Zenker, xix, 160, 163.
nobile Wall., xix, 160.
notatum Hutch., xvi, 177*.
odoriferum Hutch., xviii, 65.
ombrocharis Balf. f. & Ward, xix, 240.
paludosum Hutch. & Ward, xvi, 175*; xix, 242.
pankimense Cowan & Ward, xix, 180*, 240.
paradoxum Balf. f., xv, 114.
parmulatum Cowan, xix, 182*; xx, 66, 85.
pendulum Hook. f., xix, 236.
peregrinum Tagg, xvi, 202*.
phaedropum Balf. f. & Farrer, xix, 248, 321.
platypodium Diels, xvi, 204, Plate CCXXXI.
pocophorum Tagg, xvi, 316*.
polyandrum Hutch., xviii, 309; xix, 321.
pomense Cowan & Davidian, xxi, 146*.
populare Cowan, xix, 251*.
prunum Tagg & Forrest, xv, 318*.
prophantum Balf. f. & Forrest, xviii, 65.
protistum Balf. f. & Forrest, xxi, 280, 283, 285–287.
pruniflorum Hutch. & Ward, xvi, 174*; xix, 238.
pudorosum Cowan, xix, 239*.
pumilum Hook. f., xix, 244.
Ramsdenianum Cowan, xix, 183.
recurvoides Tagg & Ward, xviii, 218*.
repens Balf. f. & Forrest, xix, 247.
 var. *chamaedoron* Tagg & Forrest, xv, 206.
 var. *chamaethauma* Tagg, xvi, 206.
 var. *chamae-Thomsonii* Tagg & Forrest, xvi, 206.
rhabdotum Balf. f. & Cooper, xix, 247, 321.
riparium Ward, xvi, 180*; xix, 249.

Rhododendron—continued.

- rivulare* Ward, xvi, 180.
Rollissonii Loudon, xix, 162.
rude Tagg & Forrest, xvi, 207*.
sanguineoides Cowan, xx, 64, 69.
sanguineum Franch., xx, 64.
 var. *didymoides* Tagg & Forrest, xvi, 208.
schizopeplum Balf. f. & Forrest, xxi, 301.
scopulorum Hutch., xvi, 178*.
seinghkuense Ward, xvi, 174.
selense Franch., xxi, 302.
semnoides Tagg & Forrest, xv, 116*.
setosum D. Don, xix, 320.
Sherriffii Cowan, xix, 231*.
sidereum Balf. f., xix, 197.
silvaticum Cowan, xix, 185*.
sinogrande Balf. f. & W. W. Sm.
 var. *boreale* Tagg & Forrest, xv, 119.
Smithii Nutt, xix, 317.
sperabile var. *weihsienense* Tagg & Forrest, xv, 319.
sperabiloides Tagg & Forrest, xv, 319*.
sphaeroblastum Balf. f. & Forrest, xxi, 301.
stenophyllum Makino, xvi, 200.
Taggianum Hutch., xvi, 178*; xviii, 66.
taronense Hutch., xvi, 178*.
telmateium Balf. f. & W. W. Sm., xix, 243.
termenium Balf. f. & Forrest, xx, 65, 80.
Thomsonii Hook. f., xix, 252, 322.
 var. *pallidum* Cowan, xix, 253.
 var. *candelabrum* Hook. f., xix, 322.
thyodocum Balf. f. & Cooper, xix, 244.
trichocladum Franch., xix, 253.
 var. *longipilosum* Cowan, xix, 186.
trichomiscum Balf. f. & Forrest, xix, 197.
triflorum Hook. f., xix, 254, 322.
trilectorum Cowan, xxi, 144*.
tsangpoense Hutch. & Ward, xvi, 175*; xviii, 66.
tsariense Cowan, xix, 232*.
tsarongense Balf. f. & Forrest, xix, 223.
uniflorum Hutch. & Ward, xvi, 176*.
uvarifolium var. *griseum* Cowan, xxi, 147*.
vellereum Tagg, xvi, 209*; xix, 249.
venator Tagg, xviii, 219*, 309.
vernicosum Franch., xxi, 143.
vesiculiferum Tagg, xvi, 208*.
vestitum Tagg & Forrest, xvi, 210*.
virgatum Hook. f., xix, 254, 322.

Rhododendron—continued

- Wallichii* Hook. f., xix, 233.
Wardii W. W. Sm., xxi, 302.
Wattii Cowan, xix, 163*.
Weldianum Rehd. & Wils., xix, 197.
Wightii Hook. f., xix, 320.
xanthocodon Hutch., xxi, 148.
zeylanicum Booth, xix, 162.
Rhododendrons, further new species and varieties of Asiatic, xvi, 185.
 new species and varieties of Asiatic, xv, 305.
 new species of Asiatic lepidote, xvi, 171.
 notes on Chinese, with descriptions of new species, xv, 99.
 of Bhutan and Tibet, collected by Ludlow and Sherriff, xix, 221.
 of Bhutan found by Ludlow and Sherriff in 1937, records of, xix, 145.
 of Ceylon, South India and Manipur, xix, 157.
 of the Rh. sanguineum alliance, xx, 157.
 some new, xxi, 143.
 some new Asiatic, discovered by Kingdon Ward, xix, 179.
Rhodohypoxis Bauri Nel, xix, 330.
Rhombospora sumatrana Miq., xvi, 276.
Rhynchosia calycina Guill., xix, 193.
Ribes himalayense var. *salwinense* Anth., xviii, 24*.
uva-crispa f. *glanduliferum* Lindb., xxi, 260.
Roettlera alata O. Kuntze, xxi, 201.
corchorifolia O. Kuntze, xxi, 204.
crinita O. Kuntze, xxi, 199.
hamosa O. Kuntze, xxi, 196.
incana Vahl, xxi, 200.
kompsoboea O. Kuntze, xxi, 202.
limans O. Kuntze, xxi, 196.
longipes O. Kuntze, xxi, 203.
madagascariensis O. Kuntze, xxi, 203.
Mannii K. Fritsch, xxi, 208.
oblonga O. Kuntze, xxi, 198.
paraboea O. Kuntze, xxi, 206.
pygmaea O. Kuntze, xxi, 202.
reptans O. Kuntze, xxi, 204.
sinensis O. Kuntze, xxi, 196.
urticifolia O. Kuntze, xxi, 195.
Rondeletia appendiculata Wall., xvi, 255, 311.
americana Heyne, xvi, 272, 312.
asiatica Blanco, xvi, 294.
cana Wall., xvi, 250.
cinerea Wall., xvi, 250.
coriacea Spreng., xvi, 271.
densiflora Blume, xvi, 304.
exserta Roxb., xvi, 249.
Hamiltoniana Heyne, xvi, 272, 312.

Rondeletia—continued

- Heyneana* Wall., xvi, 312.
Heynei Roem. & Sch., xvi, 250, 251.
ligustrina Wall., xvi, 242, 311.
nitida Wall., xvi, 311.
orissensis Roth, xvi, 250, 251.
Oryssensis Roth, xvi, 250.
paniculata Roxb., xvi, 283, 290, 307.
pendula Roxb., xvi, 302.
proxima Don, xvi, 305.
scandens Roxb., xvi, 307.
thyrsiflora Roth, xvi, 250, 251.
thyrsioidea Sw., xvi, 281, 309.
tinctoria Roxb., xvi, 264, 275, 276, 310.
Rorippa Nasturtium-aquaticum Hay., xxi, 255.
Rosa canina var. *Deseglesi* Christ, xxi, 259.
micrantha Sm. & Sow., xxi, 259.
Rubia laevis Poir., xxi, 247, 260.
Olivieri Rich., xxi, 121.
peregrina var. *intermedia* Grenier, xxi, 260.
Rubus ulmifolius Schott. f., xxi, 258.
 ssp. *anatolicus* Focke, xxi, 116.
Rumex crispus L., xxi, 267.
Ruta chalepensis var. *bracteosa* Boiss., xxi, 112.
Sabina chinensis Ant., xviii, 157.
recurva Ant., xviii, 154.
squamata Ant., xviii, 152.
Saintpaulia shumensis B. L. Burtt, xxi, 238*.
Salisburia adiantifolia Sm., xviii, 121.
Salix pedicellata Desf., xxi, 268.
purpurea L., xxi, 246, 268.
Salsola aegaea Rech. fil., xxi, 139.
canescens Boiss., xxi, 140.
carpatha P. H. Davis, xxi, 139*, 140.
Kali L., xxi, 140.
Salvia candidissima Vahl, xxi, 67.
Lacei Mukerjee, xix, 304*.
Sampacca excelsa O. Kuntze, xvi, 129.
lanuginosa O. Kuntze, xvi, 131.
longifolia O. Kuntze, xvi, 129.
Sansevieria zeylanica var. *Laurentii* N. E. Br., xix, 187, Plate CCLV.
Sanguisorba minor Scop., xxi, 259.
Sarcocapnos baetica var. *atlantis* Emb. & Maire, xxi, 255.
Sarcosperma from Upper Burma, A New, xvi, 222.
Sarcosperma kachinense Cowan, xvi, 222*.
Satureia alpina var. *macrantha* Lindb., xxi, 266.
 var. *parviflora* Maire, xxi, 266.
Biroi Javorka, xxi, 138.
Calamintha Scheele, xxi, 266.
cuneifolia Ten., xxi, 67.
spinosa L., xxi, 138.

- Satyrium nepalense* Don, xxi, 154.
Saurauja subspinoso Anth., xv, 244*; xviii, 66.
Saussurea Bodinieri Lévl., xviii, 208.
centiloba Hand.-Mzt., xviii, 205.
Delavayi f. *hirsuta* Anth., xviii, 205*.
denticulata Wall., xviii, 206.
dumetorum Anth., xviii, 206*.
fistulosa Anth., xviii, 206*.
Georgei Anth., xviii, 207*.
Kunthiana Clarke, xviii, 208.
Leveilleana Maire, xviii, 215.
Mairei Lévl., xviii, 216.
montana Anth., xviii, 208*.
polypodioides Anth., xviii, 209*.
pratensis Anth., xviii, 210*.
quercifolia var. *major* Anth., xviii, 210*.
Rockii Anth., xviii, 211*.
salwinensis Anth., xviii, 211*.
superba Anth., xviii, 212*.
 f. *pygmaea* Anth., xviii, 213*.
trullifolia var. *pinnatifracta* Anth., xviii, 213*.
tsarongensis Anth., xviii, 214*.
uniflora var. *sinensis* Anth., xviii, 215*.
Vanioti Lévl., xviii, 205.
villosa Franch., xviii, 215.
vittifolia Anth., xviii, 215*.
Wardii Anth., xviii, 216*.
yunnanensis var. *integrifolia* Franch., xviii, 216.
 var. *sessilifolia* Anth., xviii, 217*.
Saxifraga atrosanguinea Anth., xviii, 27*.
atuntsiensis W. W. Sm., xviii, 17.
Blinii Lévl., xviii, 217.
brachyphylla Franch., xviii, 25.
calcicola Anth., xviii, 32*.
cardiophylla Franch., xviii, 25.
cernua Lévl., xviii, 217.
Chaffanjonii Lévl., xviii, 217.
clavistaminea Engl. & Irmsch., xviii, 217.
consanguinea W. W. Sm., xviii, 32.
crassulifolia Engl., xviii, 30.
decussata Anth., xviii, 33*.
diversifolia f. *amplexifolia* Irmsch., xviii, 273.
 f. *angustibracteata* Engl. & Irmsch., xviii, 273.
 f. *foliata* Engl. & Irmsch., xviii, 273.
 f. *haematophylla* Franch., xviii, 273.
 f. *parviflora* Franch., xviii, 273.
dumetorum Balf. f., xviii, 217.
echinophora Lévl., xviii, 217.
filifolia Anth., xviii, 29*.
Gasterosteus Lévl., xviii, 217.
Saxifraga—continued
gemmaipara Franch., xviii, 217.
Georgei Anth., xviii, 33*.
glacialis var. *rubra* Anth., xviii, 31*.
globulifera Desf., xxi, 259.
hastigera Lévl., xviii, 25.
hemisphaerica Hook. f. & Thoms., xviii, 32.
Hirculus f. *minor* Engl., xviii, 26.
hispidula var. *Doniana* Engl., xviii, 28.
imparilis Balf. f., xviii, 217.
insolens Irmsch., xviii, 269*.
iochanensis Lévl., xviii, 217.
longifolia ssp. *Gaussonii* Emb., xxi, 253, 259.
loripes Anth., xviii, 31*.
Martini Lévl., xviii, 217.
montana var. *speciosa* Anth., xviii, 26*.
Moorcroftiana Wall., xviii, 25.
muliensis Hand.-Mzt., xviii, 32.
omphalodifolia Hand.-Mzt., xviii, 271.
oresbia Anth., xviii, 28*.
pallida f. *geoides* Anth., xviii, 24*.
pardanthina Hand.-Mzt., xviii, 271.
potentillaeflora Levl., xviii, 28.
Rockii Irmsch., xviii, 267*.
rufescens Balf. f., xviii, 217.
rupinarum Anth., xviii, 28*.
sarmentosa L., xviii, 217.
Smithiana Irmsch., xviii, 268*.
strigosa Wall., xviii, 217.
subaequifoliata Irmsch., xviii, 270*.
subrhombifolia Irmsch., xviii, 272*.
swertiaeflora Lévl., xviii, 25.
tsarongensis Anth., xviii, 29*.
uninervia Anth., xviii, 31*.
Saxifragen, ueber einige ostasiatische, xviii, 267.
Scabiosa cretica L., xxi, 122.
 ssp. *carpatha* P. H. Davis, xxi, 126.
 ssp. *minoana* P. H. Davis, xxi, 122, 125, 126.
 ssp. *occidentalis* P. H. Davis, xxi, 122, 125, 126.
 ssp. *variifolia* P. H. Davis, xxi, 122, 126.
 var. *heterophylla* Pasq., xxi, 125.
hymettia Boiss. & Spruner, xxi, 125.
Parielli var. *typica* Maire, xxi, 261.
sphaciotica Roem. & Schult., xxi, 127.
variifolia Boiss., xxi, 122, 126.
SCHINDLER, A. K. Two new Leguminosae, xv, 131.
Schizophragma crassa var. *elliptica* Anth., xviii, 34*.
Schlotheimia funiformis Dixon, xx, 94*.

- Schwetschkeopsis Fabronia* Broth., xix, 298.
Scilla autumnalis L., xxi, 141.
Scirpus palustris L., xviii, 171; xxi, 268.
pauciflorus L., xxi, 268.
Scolymus hispanicus var. *typicus* Maire, xxi, 262.
 Scrofulariacées du Yunnan occidental, récoltées par M. J. Rock, xv, 147.
Scrophularia Ballsii Heywood, xxi, 73*.
candelabrum Heywood, xxi, 74*.
canina var. *floribunda* Boiss., xxi, 75.
catartifolia Boiss. & Heldr., xxi, 75.
cilicica Heywood, xxi, 75*.
 var. *pubescens* Heywood, xxi, 76*.
cryptophila Boiss. & Heldr., xxi, 77.
depauperata Boiss., xxi, 78.
epicalycina Heywood, xxi, 78*.
Heldreichii Boiss., xxi, 79.
heterophylla Willd., xxi, 80.
Kotschyana Benth., xxi, 77, 79.
laxa Boiss. & Heldr., xxi, 82.
libanotica Boiss., xxi, 79.
 var. *oligantha* Heywood, xxi, 80*.
lucida L. ssp. *filicifolia* Rech. f., xxi, 81.
 ssp. *sphaerocarpa* Rech. f., xxi, 81.
lyrata Heywood, xxi, 81*.
myriophylla Boiss. & Heldr., xxi, 82.
nepetaefolia Boiss. & Heldr., xxi, 75.
nitida Richter, xxi, 80.
olympica Boiss., xxi, 83.
 var. *macrophylla* Freyn & Sint., xxi, 83.
praeterita Heywood, xxi, 83*.
rimarum Bornm., xxi, 84.
 var. *glabrescens* Bornm., xxi, 84.
rupestris var. *pinnatisecta* Heywood, xxi, 84*.
Scopolii var. *longirostrata* Heywood, xxi, 85*.
subaphylla Boiss., xxi, 85.
umbrosa Dumort., xxi, 86.
umbrosoides Heywood, xxi, 86*.
xanthoglossa Boiss., xxi, 87.
xylorrhiza Boiss. & Haussk., xxi, 87.
Scutellaria assamica Mukerjee, xix, 305*.
hirta Sibth. & Sm., xxi, 138.
orientalis ssp. *alpina* Schwarz, xxi, 67.
 var. *damnatensis* Lit. & Maire, xxi, 266.
 var. *porphyrantha* Lit. & Maire, xxi, 266.
 Secretory organs of the Dioscoreaceae, xv, 133.
Sedum acre ssp. *neglectum* Murb. xxi, 259.
album ssp. *gypsicolum* Maire, xxi, 259.
 var. *glanduliferum* Ball, xxi, 259.
sediforme Pau, xxi, 259.
Semecarpus Anacardium Linn., *Ascidia* on the Leaf of, xv, 54.
Senecio Doria L., xxi, 247.
 var. *canescens* Porta, xxi, 262.
fruticulosus Sibth. & Sm., xxi, 133.
gnaphalodes Sieber, xxi, 133.
Seseli corymbosum Boiss. & Heldr., xxi, 120.
crithmifolium Boiss., xxi, 117, 120.
gummiferum Sm., xxi, 117.
 ssp. *aegaeum* P. H. Davis, xxi, 118, 119, 120.
 ssp. *corymbosum* P. H. Davis, xxi, 118, 119, 120.
 ssp. *crithmifolium* P. H. Davis, xxi, 118, 119, 120.
 ssp. *gummiferum*, xxi, 118, 119.
 var. *resiniferum* Vel., xxi, 119.
nanum Duf., xxi, 260.
rigidum W. & K., xxi, 119.
Sestima ligustrioides Boiss. & Hoh., xvi, 304.
Setaria viridis P. Beauv., xxi, 247, 269.
 SHAW, H. K. AIRY. *Allia praesertim sinensis nova vel minus cognita*, xvi, 135.
Sibbaldia, A Note on the Indian and Chinese species of the Genus, xix, 325.
Sibbaldia axilliflora Chatterjee, xix, 325*.
cuneata Hornem., xix, 326.
macroptala Murawj., xx, 217.
melinotricha Hand.-Mzt., xix, 325; xx, 217.
microptala Hand.-Mzt., xix, 325; xx, 217.
parviflora Willd., xix, 326; xx, 217.
pentaphylla J. Krause, xix, 326; xx, 217.
perpusilla Chatterjee, xix, 326.
perpusilloides Hand.-Mzt., xix, 326; xx, 217.
potentilloides Cambess., xix, 326.
procumbens var. *tibetica* Hook. f. & Thoms., xix, 327.
purpurea Royle, xix, 327.
sikkimensis Chatterjee, xix, 327*.
tetrandra Bunge, xix, 327.
trullifolia Chatterjee, xix, 327.
Sideritis libanotica ssp. *linearis* Bornm., xxi, 67.
sipylea Boiss., xxi, 138.
syriaca L., xxi, 138.
tmolea Davis, xxi, 67*.
Sieversia, xv, 47.
geoides Spreng., xv, 49.
Silene Boryi var. *eu-Boryi* Maire, xxi, 256.
cucubalus var. *vulgaris* Briq., xxi, 256.
gigantea L., xxi, 111.
 Silver Fir, A New Chinese, xvi, 1.

- SINCLAIR, J. The Rhododendron bud and its relation to the Taxonomy of the genus, xix, 267.
A new species of Chinese Plectranthus, xxi, 124.
Marine Algae of Stronsay, xx, 160.
Siphonostegia syriaca Boiss., xxi, 98.
Smilax aspera L., xxi, 141.
 ssp. *mauritanica* Asch. & Gr., xxi, 141.
 excelsa L., xxi, 141.
SMITH, W. W. A New Omphalogramma from Yunnan, xv, 97.
The Contributions of China to European Gardens, xvi, 215.
Additions to the Genus *Primula*, xvi, 223.
A New *Primula* from S.W. China, xviii, 63.
Two New *Primulas*, xviii, 181.
What is *Primula Wallichiana*, xviii, 274.
New *Primulas* from the Himalaya, Tibet, China and Burma, xix, 167.
New *Primulaceae* from S. Tibet, xix, 199.
Additions to the *Primula* Flora of Tibet, xix, 309.
& FORREST, G. Some New Asiatic *Primulaceae*, xv, 247.
 The Section of the Genus *Primula*, xvi, 1.
& WARD, F. K. New Species of *Primula* from Tibet, xv, 69.
 Additional species of *Primula* from the Burma-Tibet frontier, xv, 299.
Solanum lysimachioides Wall., xvi, 122.
 nigrum L., xxi, 265.
Solms-laubachia xerophyta Comber, xviii, 249.
Sonchus maritimus L., xxi, 247.
 var. *aquaticus* Boiss., xxi, 263.
Spartina Townsendii, The Germination of, xviii, 173.
Spartina Townsendii Groves, xviii, 173.
Spathoglottis Fortunei Lindl., xxi, 149, 154.
 pubescens Lindl., xxi, 154.
SPENCE, D. H. N. The Vegetation and Flora of Bou Guemmez, Grand Atlas, Morocco, xxi, 243.
Spiraea salicifolia Pall., xviii, 171.
Spiranthes sinensis Ames, xxi, 154.
Stachys arvensis L., xxi, 266.
 cretica ssp. *anatolica* Rech. f., xxi, 69.
 megalodonta P. H. Davis, xxi, 46*.
 mucronata Spreng., xxi, 138.
 spinosa L., xxi, 138.
Staehelina fruticosa L., xxi, 133.
Stauroopsis undulatus Hook. f., xxi, 149, 154.
Steironema graminea A. Gr., xvi, 80.
 longipedicellata A. Gr., xvi, 80.
 Lunellii A. Gr., xvi, 80.
 membranacea A. Gr., xvi, 80.
 validula A. Gr., xvi, 80.
 verticillata A. Gr., xvi, 80.
Stereodon Harveyanus Mitt., xix, 298.
Stereophyllum fulvum Jaeg., xix, 298.
Stilbocarpa polaris A. Gr., xviii, 309.
Stimpsonia crispidens Hance, xvi, 120.
Streptocarpus caulescens Vatke, xxi, 208.
 Comptonii Mansfeld, xxi, 208.
 Cooksoni B. L. Burt, xxi, 240*.
 gracilis B. L. Burt, xxi, 208.
 Haygarthii N. E. Br., xxi, 208.
 polyanthus Hook., xxi, 208.
 prolixus N. E. Br., xxi, 208.
 Rexii Lindl., xxi, 208.
 Reynoldsii Verdoorn, xxi, 208.
Studies in the Gesneriaceae of the Old World, xxi, 185, 193, 209, 213, 215, 229, 232, 234, 238.
Styrax tibeticus Anth., xv, 245*.
Symphyanthra asiatica Nakai, xxi, 133.
 cretica DC., xxi, 133.
 ssp. *eucretica* Hayek, xxi, 133.
 ssp. *samoethracium* Hayek, xxi, 133.
 ssp. *sporadum* Hayek, xxi, 133.
Symphytum tuberosum L., xviii, 172.
Syrrhopodon Griffithii Mitt., xix, 282.
 Kindelii C. M., xx, 99.
TAGG, H. F., Notes on Chinese Rhododendrons with Descriptions of New Species, xv, 99.
Further new species and varieties of Asiatic Rhododendrons, xvi, 185.
A New Rhododendron of the Glaucum Series, xvi, 211.
Three Rhododendron Species, xviii, 218.
& FORREST, G. New Species and varieties of Asiatic Rhododendrons, xv, 305.
Taiwania in Burma, A New Record, xviii, 6.
Taiwania cryptomerioides Hay., xviii, 6, 149.
Talauma Kerrii Craib, xvi, 125.
 phellocarpa King, xvi, 129.
 spongocarpa King, xvi, 129.
Tanacetum densum Heywood, xxi, 57*.
 var. *syriacum* Hey., xxi, 57*.
 pectiniforme Heywood, xxi, 60*.
 praeteritum Heywood, xxi, 54*.
Taphrina in Scotland, The Genus, xxi, 165.

- Taphrina alni-incanae* Magnus, xxi, 170.
alnitorqua Tulasne, xxi, 169.
amentorum Rostrup, xxi, 166, 170.
amygdali Mix, xxi, 178.
auctumnalis Palm., xxi, 172.
aurea Fries, xxi, 166, 168.
bacteriosperma Johanson, xxi, 172.
betulae Johanson, xxi, 166.
 var. *auctumnalis* Sadebeck, xxi, 172.
betulina Rostrup, xxi, 166, 172, 173.
boycei Mix, xxi, 172.
bullata Tulasne, xxi, 166, 175.
caerulescens Tulasne, xxi, 166, 173.
carnea Johanson, xxi, 172.
carpina Johanson, xxi, 166, 172.
cerasi Sadebeck, xxi, 166, 169, 178.
crataegi Sadebeck, xxi, 166, 175.
deformans Tulasne, xxi, 166, 178.
flava Farlow, xxi, 172.
gilgii Hennings & Lindau, xxi, 178.
instititiae Johanson, xxi, 176.
johansonii Sadebeck, xxi, 166, 168.
lagerheimii Palm., xxi, 172.
lapponica Juel, xxi, 172.
marginata Lam. & Faut., xxi, 176.
media Palm., xxi, 169.
minor Sadebeck, xxi, 178.
padi Mix, xxi, 166, 179.
populina Fries, xxi, 166, 168.
potentillae Johanson, xxi, 166, 176.
pruni Tulasne, xxi, 166, 176, 179.
 var. *divaricata* Jaczewski, xxi, 176.
 var. *padi* Jaczewski, xxi, 179.
pseudocerasi Shirai, xxi, 178.
rhizophora Johanson, xxi, 168.
rostrupianus Giesenhagen, xxi, 175.
sadebeckii Johanson, xxi, 166, 168, 169, 170.
tormentillae Rostrup, xxi, 176.
tosquinetii Tulasne, xxi, 166, 169, 170.
turgida Giesenhagen, xxi, 173.
willeana Svendsen, xxi, 173.
Taxithelium nepalense Broth., xix, 298.
Taxodium japonicum Brongn., xviii, 150.
Taxus baccata L., xviii, 124.
 ssp. *Wallichiana* Pilg., xviii, 125.
 var. *chinensis* Pilg., xviii, 124.
 chinensis Rehd., xviii, 124; xix, 266, Plate CCLVIII.
 cuspidata Sieb. & Zucc., xix, 266, Plate CCLVIII.
 var. *chinensis* Rehd. & Wils., xviii, 124.
 Wallichiana Zucc., xviii, 125; xix, 266, Plate CCLVIII.
Tayloria subglabrata var. *spinosa* Dix., xix, 288.
Tecophilaea cyanocrocus Leyb., xix, 197.
Telephium Imperati L., xxi, 256.
Tetraphyllum bengalense C. B. Cl., xxi, 207.
Teucrium alpestre Sibth. & Sm., xxi, 138.
 var. *maius* Boiss. xxi, 138.
 brevifolium Schreb., xxi, 138.
 burmanicum Mukerjee, xix, 306*.
 Chamaedrys var. *gracile* Batt., xxi, 267.
 divaricatum ssp. *villosum* Rech. f., xxi, 138.
 heliotropifolium Barbey, xxi, 138, 139.
 Montbretii ssp. *heliotropifolium*, P. H. Davis, xxi, 138*.
 ssp. *pamphylicum*, P. H. Davis, xxi, 139*.
 var. *crenatum* P. H. Davis, xxi, 139*.
 musimonum Humb., xxi, 267.
 var. *virescens* Maire, xxi, 267.
Polium L., xxi, 267.
 var. *dumulosum* Rech. f., xxi, 139.
scordioides Schreb., xxi, 139.
shanicum Mukerjee, xix, 306*.
stachyophyllum P. H. Davis, xxi, 48*.
Thalictrum kiusianum Nak., xix, 274.
Thuidium orientale Mitt., xix, 295.
squarrosulum Ren. & Card., xix, 295.
Thuja acuta Moench, xviii, 151.
 orientalis L., xviii, 151; xx, 104.
 sutchuenensis Franch., xix, 266, Plate CCLVI.
Thymelaea hirsuta Endl., xxi, 140.
 virgata Endl., xxi, 247.
 var. *Broussonetii* Maire, xxi, 267.
Thymus Chaubardii var. *boeticus* Ronn., xxi, 69.
 Serpyllum L., xxi, 266.
 Tosevii Vel., xxi, 69.
Torreya Fargesii Franch., xviii, 123; xix, 266, Plate CCLVI.
 grandis Rehd. & Wils., xviii, 123.
Tortella ceylonensis Fleisch., xix, 284.
 Gonghii Dix., xix, 284*.
Tortula desertorum Broth., xix, 302.
Trachyphyllum fragilifolium Dix., xix, 297*.
Trachystigma Mannii C. B. Cl., xxi, 205.
Trichocaulon meloforme Marl., xix, 274.
Trichopus zeylanicus, Gaertn., A Study of the Anatomy of, xix, 135.
Trichopus zeylanicus Gaertn., xix, 135.
Trichosporum grandiflorum D. Don, xxi, 231.
Trichostelium neo-caledonicum Thér., xx, 100.
Trifolium fragiferum L., xxi, 258.
Trisepalum acutum C. B. Cl., xxi, 207.
 lineicapsa C. E. C. Fisch., xxi, 187.
 obtusum C. B. Cl., xxi, 207.
Trisetum flavescens P. Beauv., xxi, 269.
Tromsdorffia speciosa Blume, xxi, 195.

- Tropidia curculigoides* Lindl., xxi, 54.
Tsuga Brunomiana Mast., xviii, 135; xx, 104.
chinensis Pritz., xviii, 135.
dumosa var. *chinensis* Pritz., xviii, 135.
dura Downie, xviii, 135.
formosana Hayata, xviii, 135.
Forrestii Downie, xviii, 136.
Sieboldii Mast., xviii, 135.
yunnanensis Mast., xviii, 134, 135.
Typification, A Note on, xxi, 163.
- Urginea maritima* ssp. *maura* Maire, xxi, 268.
Urocystis floccosa in Scotland, xxi, 241.
Urocystis ficariae Henderson, xxi, 241*.
floccosa Henderson, xxi, 241*.
Urophyllum hirsutum Wight, xvi, 306.
Utricularia Dusenii Sylv., xix, 197.
- Vacciniaceae from Burma and Western China, Some interesting and undescribed, xv, 199.
- Vaccinium brachybotrys* Hand.-Mzt., xviii, 16.
Domianum Wight, xviii, 13, 16.
Duclouxii Hand.-Mazz., xviii, 16.
Forrestii Diels, xviii, 16.
Nummularia Hook. f. & Thoms., xv, 208.
pubicalyx var. *anomalum* Anth., xviii, 34*.
setosum Anth., xv, 246*.
venosum var. *hispidum* Clarke, xv, 208.
- Valantia aprica* Boiss. & Heldr., xxi, 121.
Vanda coerulea Lindl., xxi, 149, 154.
Parishii Veitch & Reichb. f., xxi, 154.
- Vegetation and Flora of Bou Gourmez, Grand Atlas, Morocco, xxi, 243.
- Verbascum amanum* Boiss., xxi, 85.
bellum Huber-Morath, xxi, 88.
Blattaria var. *brevipedicellatum* Hal., xxi, 88.
campestre Boiss. & Heldr., xxi, 88.
cariense Huber-Morath, xxi, 88.
cheiranthifolium Boiss., xxi, 88, 89.
var. *asperulum* Murb., xxi, 89.
var. *Heldreichii* Boiss., xxi, 89.
X V. orgyale Boiss. & Heldr., xxi, 95.
X V. sp., xxi, 95, 96.
chrysochaete Stapf, xxi, 89.
Davisianum Huber-Morath, xxi, 89*.
detersile Boiss. & Heldr., xxi, 90.
dumulosum Davis & Huber-Morath, xxi, 90*.
flavipannosum Huber-Morath, xxi, 91.
glomeratum Boiss., xxi, 91.
- Verbascum*—continued
glomerulosum Huber-Morath, xxi, 91.
inulifolium Huber-Morath, xxi, 91*.
isauricum Boiss. & Heldr., xxi, 92.
kastamunicum Murb., xxi, 92.
X kemerense Huber-Morath, xxi, 92.
lasianthum Boiss., xxi, 92.
leptocladum Boiss. & Heldr., xxi, 93.
leuconeurum Boiss. & Heldr., xxi, 93.
Meinckeanum Murb., xxi, 93.
mucronatum Lam., xxi, 93.
X V. sinuatum L., xxi, 95.
myriocarpum Boiss. & Heldr., xxi, 93.
nudatum Murb., xxi, 93, 96.
obtusifolium Huber-Morath, xxi, 93*.
orgyale Boiss. & Heldr., xxi, 94.
Pestalozzae Boiss., xxi, 94.
petrae Davis & Huber-Morath, xxi, 49*.
pycnostachyum Boiss. & Heldr., xxi, 95.
var. *uschakense* Murb., xxi, 95.
Reinzii Huber-Morath, xxi, 95.
sinuatum L., xxi, 95.
splendidum Boiss., xxi, 95.
symes Murb. & Rech. f., xxi, 95.
tauri Boiss. & Kotschy, xxi, 95.
- Verbena officinalis* L., xxi, 266.
Vernonia Forrestii Anth., xviii, 35*.
- Veronica Anagallis-aquatica* var.
anagalliformis Bor., xxi, 96.
var. *elata* Hoffmgg. & Link, xxi, 265.
aquatica Bernh., xxi, 96.
Beccabunga L., xxi, 96.
cariensis Boiss., xxi, 96.
catenata Pennell, xxi, 96.
conferta Boiss., xxi, 96.
cuneifolia Don, xxi, 96.
ssp. *isaurica* Davis, xxi, 96, 97*.
var. *villosa* Boiss., xxi, 96.
dichrus Schott & Kotschy, xxi, 97.
glaberrima Boiss. & Bal., xxi, 97.
oxycarpa Boiss., xxi, 97.
pilosa Römpf., xxi, 97.
surculosa Boiss., xxi, 97.
- Vesicularia calodictyon* Broth., xx, 101.
perviridis C. M., xx, 101.
- Vicia glauca* Presl, xxi, 258.
lathyroides L., xviii, 171.
- Viola* from S.E. Asia, New Species of, xvi, 147.
Viola nuda W. Beck., xvi, 148*.
saxifraga Maire, xxi, 256.
Unwinii W. Beck., xvi, 147*.
- Voitia Hookeri* Mitt., xix, 289.
stenocarpa Wils., xix, 289.
- Wahlenbergia clematidea* Schrenk, xv, 187.

Wahlenbergia—continued
dicentrifolia C. B. Cl., xv, 187.
lurida Schouw., xv, 180.
purpurea DC., xv, 185.
rotundifolia DC., xv, 180.
Roylei DC., xv, 186.
thalictrifolia DC., xv, 186.
viridis DC., xv, 180.
Waldsteinia Willd., xv, 47.
WARD, F. K. Narratives and observations on distribution of *Primulas*, xv, 89.
& SMITH, W. W. New Species of *Primula* from Tibet, xv, 69.
Additional Species of *Primula* from the Burma - Tibet Frontier, xv, 299.
WATSON, E. V. A Study of the anatomy of *Trichopus zeylanicus*, Gaertn., xix, 135.
Webera thyrsoides Roth, xvi, 280, 281.
Wendlandia, The Genus, xvi, 233.
A New Chinese, xviii, 303.
from Indo-China, A New, xix, 323.
Wendlandia acuminata Cowan, xix, 328*.
Amocana Cowan, xvi, 261, 277*, Plate CCXXXIV.
andamanica Cowan, xvi, 285, 295*, Plate CCXXXV.
angustifolia Hook. f., xvi, 261, 279, Plate CCXXXIV.
appendiculata Cowan, xvi, 249, 255*, Plate CCXXXIII.
arborescens Cowan, xvi, 285, 296*.
Augustinii Cowan, xvi, 286, 298*, Plate CCXXXV.
basistaminea F. Muell., xvi, 306.
bicuspidata Wight & Arn., xvi, 261, 273, Plate CCXXXIV.
bifaria Wall., xvi, 306.
bouwardioides Hutch., xvi, 303.
brachyantha Merrill, xvi, 285, 293, Plate CCXXXV.
buddleacea F. Muell., xvi, 284, 289, Plate CCXXXV.
buddleana Boerlage, xvi, 289.
budleoides Wall., xvi, 262.
Burkillii Cowan, xvi, 285, 297*, Plate CCXXXV; xviii, 188.
cambodiana Pitard, xvi, 303.
caroliniana Nutt., xvi, 306.
Cavaleriei Lévl., xvi, 260, 263, Plate CCXXXIII.
chinensis Merr., xvi, 288.
cinerea DC., xvi, 250.
coriacea DC., xvi, 260, 270, Plate CCXXXIV.
corymbosa Wall., xvi, 306.
dasythyrsa Miq., xvi, 284, 289, Plate CCXXXV; xviii, 186.

Wendlandia—continued
densiflora DC., xvi, 289, 303.
var. *tricantha* Miq., xvi, 289.
dentiflora DC., xvi, 304.
Dunniana Lévl., xvi, 287.
erythroxyton Cowan, xvi, 286, 299*, Plate CCXXXV.
exserta DC., xvi, 248, 249, 294, Plate CCXXXIII.
var. *grandis* Hook. f., xvi, 261, 308.
Feddei Lévl., xvi, 263.
ferruginea Pierre, xvi, 261, 278.
floribunda Craib, xvi, 267, Plate CCXXXIII.
formosana Cowan, xvi, 242, 247*, Plate CCXXXII; xviii, 183.
Gamblei Cowan, xvi, 260, 270*, Plate CCXXXIV.
glabrata DC., xvi, 247, 261, 272, 275, 279, Plate CCXXXIV.
var. *floribunda* Craib, xvi, 267.
var. *laevigata* Cowan, xvi, 277, Plate CCXXXIV; xviii, 184.
glomerulata Kurz, xvi, 248, 249, Plate CCXXXIII.
grandis Cowan, xvi, 260, 261*, Plate CCXXXIII.
Henryi Oliver, xvi, 301.
Heyneana Wall., xvi, 247, 260, 272, Plate CCXXXIV.
Jungluhiana Miq., xvi, 286, 300.
Kotschy Boiss., xvi, 304; xviii, 188.
laevigata Miq., xvi, 275.
laotica Pitard, xvi, 288.
Lauterbachii Valetton, xvi, 285, 296.
Lawii Hook. f., xvi, 280.
Lawsoniae DC., xvi, 306.
ligustrina Wall., xvi, 242, Plate CCXXXII; xviii, 183.
longidens Hutch., xvi, 301, Plate CCXXXII; xviii, 188.
longifolia DC., xvi, 306.
luzoniensis DC., xvi, 285, 289, 294, Plate CCXXXV; xviii, 187.
var. *membranifolia* Cowan, xvi, 294*, xviii, 137.
var. *syringoides* Cowan, xvi, 286, 295*, Plate CCXXXV; xviii, 187.
var. *Williamsii* Cowan, xviii, 188*.
malayana Don, xvi, 306.
membranifolia Elmer, xvi, 294.
Merrilliana Cowan, xviii, 303*.
montana K. Schum., xvi, 280.
multiflora DC., xvi, 294.
nervosa Merrill, xvi, 286, 298; xviii, 188.
nitens Wall., xvi, 243, 244, 264, 311.
nitens Hook. f., xvi, 242, 243, 244, 311, 312.

Wendlandia—continued

- nobilis* Geddes, xvi, 285, 293.
Notomiana Wall., xvi, 280, 312.
 var. *bicuspidata* Hook. f., xvi, 273.
 var. *zeylanica* Hook. f., xvi, 273.
ovata Merr., xviii, 184.
paedicalyx Pitard, xvi, 260, 261,
 Plate CCXXXIV.
paniculata DC., xvi, 285, 286, 290,
 291, 294, 296; xviii, 186.
 ssp. *nobilis* Cowan, xvi, 293*.
 ssp. *scabra* Cowan, xvi, 291*.
 var. *genuina* Valetton, xvi, 290.
papuana Lautb., xvi, 306.
pendula DC., xvi, 302, Plate
 CCXXXII; xviii, 188.
philippinensis Cowan, xvi, 261, 274*,
 Plate CCXXXIV.
photinifolia Pitard, xvi, 270, 305.
pilosa G. Don, xvi, 306.
populifolia Willd., xvi, 306.
proxima DC., xvi, 305.
psychotrioides F. Muell., xvi, 306.
puberula DC., xvi, 242, 245, 255,
 291, Plate CCXXXII.
racemosa G. Don, xvi, 307.
rotundifolia Hand.-Mazz., xvi, 285,
 297; xviii, 185, 188.
rufescens Miq., xvi, 289.
salicifolia Franch., xvi, 242, 244,
 Plate CCXXXII.
scabra Kurz, xvi, 285, 291, Plate
 CCXXX; xviii, 186.
 var. *dependens* Cowan, xvi, 285,
 292*.
scandens G. Don, xvi, 307.
secunda Griff., xvi, 307.
sibuyanensis Cowan, xvi, 286, 299*,
 Plate CCXXXV.
sikkimensis Cowan, xvi, 242, 246*,
 Plate CCXXXII.
speciosa Cowan, xvi, 249, 254*,
 xviii, 184.
 var. *Forrestii* Cowan, xvi, 255;
 xviii, 184.
spicata DC., xvi, 307.
subalpina W. W. Sm., xvi, 301, 302,
 Plate CCXXXII.
sulcata G. Don, xvi, 307.
sumatrana Miq., xvi, 276.
syringoides Cowan, xviii, 187*.
tenuiflora Miq., xvi, 276.
ternifolia Cowan, xvi, 261, 279*,
 Plate CCXXXIX.
tetrandra DC., xvi, 307.
Teysmanniana Miq., xvi, 306.

Wendlandia—continued

- Thorelii* Pitard, xvi, 261, 278.
thyrsioidea Steud., xvi, 261, 280,
 Plate CCXXXIII.
 var. *Lawii* Cowan, xvi, 282*.
tinctoria DC., xvi, 260, 264, Plate
 CCXXXIII; xviii, 184.
 ssp. *barbata* Cowan, xvi, 260,
 268*.
 ssp. *cinnamomea* Cowan, xvi,
 260, 266*.
 ssp. *floribunda* Cowan, xvi, 260,
 267*.
 ssp. *Handelii* Cowan, xvi, 260,
 267*, Plate CCXXXIII.
 ssp. *orientalis* Cowan, xvi, 260,
 268*, Plate CCXXXIV; xviii,
 184.
 var. *callitricha* Cowan, xvi, 265*;
 xviii, 184.
 var. *grandis* Hook. f., xvi, 262.
 var. *normalis* Hook. f., xvi, 264.
tonkiniana Pitard, xvi, 285, 293.
trichantha Miq., xvi, 289.
uvarifolia Hance, xvi, 284, 286,
 Plate CCXXXV; xviii, 185, 187.
 ssp. *chinensis* Cowan, xvi, 288*;
 xviii, 185.
 ssp. *Dunniana* Cowan, xvi,
 287*;
 xviii, 185.
 ssp. *laotica* Cowan, xvi, 288*;
 xviii, 185.
 ssp. *rotundifolia* Cowan, xviii,
 185*.
 ssp. *rufula* Cowan, xviii, 185*.
 ssp. *yunnanensis* Cowan, xvi,
 288*.
virgata G. Don, xvi, 307.
Wallichii Wight & Arn., xvi, 249,
 252.
 var. *pedicellata* Cowan, xvi, 254*.
Warburgii Merrill, xvi, 261, 273.
Wightiana Wall., xvi, 307, 313.
Williamsii Merrill, xvi, 285, 290;
 xviii, 186, 188.
Wendlandiae, Additamenta Generis,
 xviii, 183.
Wulfenia orientalis Boiss., xxi, 98.
Zamioculcas Boivinii Dcne., xix, 187.
Loddigesii Schott, xix, 187.
Ziziphora cleonioides Boiss., xxi, 69.
 taurica DC. ssp. *cleonioides* Davis,
 xxi, 69*.
Zygodon Wightii Dix. & Malta, xix, 288*.
Zygophyllum album L., xxi, 112.