

GENERAL INDEX TO VOLUME XXVIII

- Acanthophyllum minuartioides* (Jaub. & Spach) Bark., 23.
spergulifolium (Jaub. & Spach) Bark., 23.
- Acer assyriacum* Pojark., 10.
cappadocicum Gleditsch, 9.
 var. *stenocarpum* Yaltirik, 9.
cinerascens Boiss., 10.
divergens Pax var. *trilobum* Yaltirik, 16.
hyrcanum Fisch. & Mey., 9.
 subsp. *hyrcanum*, 9.
 subsp. *keckianum* (Pax) Yaltirik, 9.
 subsp. *sphaerocaryum* Yaltirik, 9.
 subsp. *tauricolum* (Boiss. & Bal.) Yaltirik, 9.
ibericum Bieb., 10.
monspessulanum L., 10.
 subsp. *cinerascens* (Boiss.) Yaltirik, 10.
 subsp. *ibericum* (M. Bieb.) Yaltirik, 10.
 subsp. *microphyllum* (Boiss.) Bornm., 10.
 subsp. *monspessulanum*, 10.
 subsp. *oksalianum* Yaltirik, 10.
tauricolum Boiss. & Bal., 9.
- Acinos rotundifolia* Pers., 154.
- Actinolema macrolema* Boiss., 201.
 f. *woronowii* Tamamsch., 201.
- AELLEN, PAUL. New Chenopodiaceae from Turkey, 29.
- Aeschynanthus* Jack, 219.
papuanus (Schlechter) B. L. Burtt, 223.
- Afridia nepetiformis* Duthie, 114.
- Agalmyna* Blume, 219, 223.
borneensis (Schlechter) B. L. Burtt, 224.
bracteata (Stapf) B. L. Burtt, 224.
clarkei (Elmer) B. L. Burtt, 224.
johannis-winkleri (Kraenzlin) B. L. Burtt, 224.
parasitica (Lam.) O. Kuntze, 219, 224.
rubra (Merrill) B. L. Burtt, 224.
staminea (Vahl) Blume, 220.
tuberculata Hook. f., 219.
- Agaricus deterrentis* Peck, 66.
erinaceellus Peck, 65.
limulatus Fr. per Weinm., 66.
muricatus Fr. per Fr., 66.
siparia Fr., 67.
- Ajuga*, 170.
- Alnus barbata* C. A. Meyer, 15.
glutinosa (L.) Gärtn., 15.
 subsp. *antitaurica* Yaltirik, 15.
 subsp. *barbata* (C. A. Meyer) Yaltirik, 15.
 subsp. *glutinosa* 15.
- Alnus glutinosa*—Continued.
 var. *barbata* (C. A. Meyer) Ledeb., 15.
Alopecurus geniculatus L., 187.
thracticus Penev & Kožuharov, 187.
- Alsine lydia* var. *kotschyana* Boiss., 19.
tenuifolia subsp. *kotschyana* (Boiss.) Holmboe, 19.
- Anagallis, the typification of the epithet *caerulea* in, 185.
- Anagallis arvensis* L., A cytotaxonomic study in Palestinian, 173.
- Anagallis arvensis* L., 173.
 subsp. *arvensis*, 175.
 subsp. *coerulea* (Schreb.) Vollmann, 176.
 subsp. *foemina* (Mill.) Schinz & Thell., 176.
 subsp. *latifolia* (L.) Br.-Bl. & Maire, 176.
 subsp. *phoenicea* (Scop.) Vollmann, 175.
 var. *arvensis*, 175.
 var. *coerulea* (L.) Gouan, 176.
 var. *latifolia* (L.) Lange, 176.
 β. *phoenicea* Gouan, 175.
 f. *azurea* Hylander, 176.
 f. *coerulea* Lüdi, 176.
caerulea (L.) Nathorst, 176.
foemina Miller, 176.
latifolia L., 176.
phoenicea Scopoli, 175.
- Aquilegia anemonoides* Willd., 265.
- Arenaria kotschyana* Fenzl subsp. *stenophylla* (Bornm.) McNeill, 17.
ledebouriana Fenzl var. *armeniaca* McNeill, 18.
 var. *parviflora* sensu McNeill, 18.
- pamphylica* Boiss. & Heldr. subsp. *alpestris* (McNeill) McNeill, 17.
 subsp. *kyrenica* McNeill, 18.
 subsp. *pamphylica*, 18.
 var. *alpestris* McNeill, 17.
 var. *pamphylica*, 18.
 var. *turcica*, 18.
- tmolea* Boiss. var. *stenophylla* (Bornm.) McNeill, 17.
 f. *stenophylla* Bornm., 17.
- Aster ageratoides*, a note on, and observations on *Aster* in the Philippine Islands, 227.
- Aster ageratoides* Turcz., 227.
 subsp. *ageratoides*, 227.
 subsp. *trinervius* Grierson, 227.
 var. *trinervius*, 227.
 var. *wattii* (C.B.Cl.) Grierson, 227.

- Aster ageratoides*—Continued.
baccharoides Steetz, 228.
luzonensis Elm., 230.
philippinensis S. Moore, 229.
trinervis Nees, 227.
trinervius Don, 227.
 subsp. *ageratoides* (Turcz.) Grierson, 227.
 subsp. *trinervius*, 227.
 var. *trinervius*, 227.
 var. *wattii* (C.B.Cl.) Grierson, 227.
- Atriplex davisii* Aellen, 30.
hastata L., 30.
patula L., 30.
tatarica L. var. *pseudo-ornata* Aellen, 30.
- Ballota limbata* Benth., 126.
Beautiful Costa Rican Kohleria, 291.
- Beta adanansis* Pamuk., 29.
maritima L. var. *grisea* Aellen, 30.
trojana Pamuk., 29.
- Betonica laevigata* D. Don, 104.
Betula alnus L. var. *glutinosa* L., 15.
- Bolanthus minuartioides* (Jaub. & Spach) Hub.-Mor., 23.
spergulifolius (Jaub. & Spach) Hub.-Mor., 23.
- Boletellus ananus* (Curt.) Murrill, 307.
chrysenteroides, 320.
russellii Frost., 320.
- Boleti*, records of and notes on their taxonomic position, 301.
- Boletus calopus* Fr., the status of, in North America, 317.
- Boletus albidus* Rocq., 320.
ananus Curt., 307.
bellinii Inz., 57, 61.
boudieri Quélet, 61.
calopus Fr., 317, 321.
 var. *calopus* Fr., 317, 321.
 var. *frustosus* (Snell & Dick) Miller & Watling, 322.
circinans leptopus Persoon, 59.
frustosus Snell & Dick, 317, 322.
granulatus var. *leptopus* (Pers.) Blum., 59.
inedulis (Murr.) Murr., 319.
olivaceus Fr., 321.
pachypus Fr., 317, 321.
parasiticus Fr., 301.
porosporus (Imler) Watling, 305.
pruinatus Fr. & Hok., 307.
sanguinescens, 310.
scaber, 310.
stellenbosensis v.d.Byl., 318.
subvelutipes Peck, 317.
zelleri, 309.
- BOOK REVIEWS
- Dictionary of flowering Plants and Ferns by J. C. Willis, revised by H. K. Airy Shaw, 87.
- BOOK REVIEWS—Continued.
Flora Iranica, ed. K. H. Rechinger, 332.
Flora of Karachi (coastal west Pakistan) by S. M. H. Jafri, 64.
Flora Kavkaza, ed. 2, vol. 7, Umbelliferae to Scrophulariaceae by A. A. Grossheim, 337.
Flora Palaestina, vol. 1, by M. Zohary, 334.
Flora of Turkey and the East Aegean Islands, vol. 2, by P. H. Davis, 330.
Floristic work in south west Asia: collective reviews, 329.
Handbook of the Coniferae and Ginkgoaceae by W. Dallimore & A. B. Jackson, ed. 4, 216.
Illustrations to the Flora of Delhi by J. K. Maheshwari, 24.
Indian Fossil Pteridophytes by K. R. Surange, 226.
Key to the Families of Flowering Plants of the World by J. Hutchinson, 326.
Nouvelle Flore du Liban et de la Syrie, vol. 1, by P. Mousterde, 335.
Spores—Ferns, vol. 1, by Clara S. Hires, 232.
Wild Flowers of the United States by H. W. Rickett, 162.
World Monograph of the Genera *Ascobolus* and *Saccobolus* by J. van Brummelen, 234.
- BOR, N. L. Two new grasses, 299.
- BRUMMITT, R. K. & CHAUDHRI, M. N. Materials for a Flora of Turkey: XV, Illecebraceae, 25.
- BURTT, B. L. Flora of Karachi (review), 64.
Identification of Flowering Plant Families (review), 326.
Studies in the Gesneriaceae of the Old World: XXVIII, The acquisition of *Cyrtandroidea*, 217; XXIX, A reconsideration of generic limits in tribe *Trichosporeae*, 219.
Typification of the epithet *caerulea* in *Anagallis* 185.
Willis re-modelled (review), 87.
- BURTT, B. L. & HILLIARD, O. M. Studies in the Gesneriaceae of the Old World: XXVII, New species and subspecies of *Streptocarpus*, 209.
- BURTT, B. L. & SMITH, R. M. *Mantisia Wardii*: a new Burmese species of *Zingiberaceae*, 287.
- Calamintha* Mill., 154, 170, 171.
rotundifolia (Pers.) Benth., 154.
Calicotome, Taxonomy and distribution of the genus, 275.
Calicotome cretica Presl, 282.
fontanesii Rothm., 275.

- Calicotome*—Continued.
grosii Pau & Font Quer, 275.
hispanica Rouy, 279.
infesta (Presl) Guss., 275.
intermedia Presl, 275.
ligustica (Burnat) Fiori, 280.
rigida (Viv.) Maire & Weiller, 279.
rigida (Viv.) Rothm., 275.
spinosa (L.) Link, 275.
 subsp. *hispanica* (Rouy) Rouy, 285.
 subsp. *infesta* (Presl) Rouy, 284.
 subsp. *ligustica* Burnat, 280.
 subsp. *villosa* (Poirot) Rouy, 282.
 var. *infesta* (Presl) Arcangeli, 277.
 var. *ligustica* Burnat ex Fiori & Paoletti, 277.
 var. *opistholepis* Rothm., 277.
 var. *spinosa*, 277.
villosa (Poirot) Link, 275.
 var. *cretica* (Presl) Rothm., 282.
 var. *genuina* (Rouy) Rothm., 282.
 var. *intermedia* (Presl) Ball, 277.
 var. *rigida* (Viv.) Béguinot & Vaccari, 278.
 var. *villosa*, 278.
Camphorosma lessingii Litw., 31.
monspeliaca L. subsp. *lessingii* (Litw.) Aellen, 31.
Caropodium meoides Stapf & Wettst., 202.
platycarpum (Boiss. & Hausskn.) Schischk., 202.
pterocarpum (Boiss.) Schischk. var. *schischkinii* Vinogr. & Tamamsch., 203.
Caryophyllaceae: Materials for a Flora of Turkey: XIV, 17.
Ceratium, a new, from the Amanus (Turkey), 233.
Cerastium amanum P. H. Davis, 233.
Cercis siliquastrum L., 12.
 subsp. *siliquastrum*, 12.
 subsp. *hebecarpa* (Bornm.) Yaltirik, 13.
 var. *hebecarpa* Bornm., 13.
Chamaesphacos, 171.
afghanicus Aitch. & Hemsl., 150.
brahuicus (Boiss.) Aitch. & Hemsl., 150.
persicus (Benth.) Aitch. & Hemsl., 149.
CHAUDHRI, M. N. & BRUMMITT, R. K.
 Materials for a Flora of Turkey: XV, Illecebraceae, 25.
Chenopodiaceae, New from Turkey, 29.
Chenopodium album L. subsp. *iranicum* Aellen, 30.
Chromosome numbers of *Spergula fallax* and *Hypertelis bowkeriana*, 189.
Contributions to the Taxonomy of woody Plants in Turkey, 9.
COODE, M. J. E., HUBER-MORATH, A. & CULLEN, J.
 Materials for a Flora of Turkey: XIII, *Silene* L., 1.
Coprinus bisporus J. Lange, 39.
congregatus (Bulliard per St. Amans) Fries, 40.
filamentifer Kühner, 40.
galericuliformis Losa ex Watling, 42.
gonophyllus Quélet, 43.
heptemerus M. Lange & A. H. Smith, 44.
heterosetulosus Loquin, 45.
martinii Favre ex Orton, 45.
miser (Karst.) Karst., 47.
plicatus var. *microsporus* Kühner, 52.
saichiae Reid, 48.
stercoreus Fries, 48.
subdisseminatus Morten Lange, 49.
utrifer Jossierand, 50.
vermiculifer Jossierand ex Dennis, 50.
COUSENS, J. E.
 A new edition of Dallimore and Jackson (review), 216.
Cruciferae, Physocardamum—A new genus of, from Turkey, 293.
CULLEN, J., HUBER-MORATH, A. & COODE, M. J. E.
 Materials for a Flora of Turkey: XIII, *Silene* L., 1.
Cyrtandra dolichocarpa Kraenzlin, 224.
Cyrtandroidea, acquisition of: Studies in the Gesneriaceae of the Old World: XXVIII, 217.
Cytisus intermedius Salzm. ex Steudel, 285.
lanigerus (Desf.) DC., 282.
 var. *rigidus* (Viv.) DC., 284.
spinus (L.) Lam., 280.
Cytological studies in Meconopsis, 191.
Cyto-Taxonomic study in Palestinian *Anagallis arvensis* L., 173.
DAVIS, P. H.
 A new *Cerastium* from the Amanus (Turkey), 233.
 A new Turkish Lily, 235.
 Materials for a Flora of Turkey: XVI, Geraniaceae, Linaceae, 35.
Dianthus actinopetalus Fenzl, 20.
 aristatus Boiss., 21.
 axilliflorus Fenzl, 20.
 brevicaulis Fenzl subsp. *setaceus* Reeve, 21.
 cous Boiss., 20.
 elegans D'Urv., 20.
 var. *actinopetalus* (Fenzl) Reeve, 20.
 var. *cous* (Boiss.) Reeve, 20.
 var. *elegans*, 20.
 hypochlorus Boiss. & Heldr., 21.
 leucophaeus Sibth. & Sm. var. *patens* Reeve, 20.

Dianthus--Continued.

- multipunctatus* Ser. var. *axilliflorus* (Fenzl) Boiss., 20.
- var. *gracilior* Boiss., 20.
- var. *subenervis* Boiss., 19.
- strictus* Banks & Sol., 19.
- var. *axilliflorus* (Fenzl) Reeve, 20.
- var. *gracilior* (Boiss.) Reeve, 19.
- var. *strictus*, 19.
- var. *subenervis* (Boiss.) Reeve, 19.
- zonatus* Fenzl, 21.
- var. *aristatus* (Boiss.) Reeve, 21.
- var. *hypochlorus* (Boiss. & Heldr.) Reeve, 21.
- var. *zonatus*, 21.

Dichocarpum, a revision of, 267.

- Dichocarpum* W. T. Wang & Hsiao, 270.
- sect. *Dalzielia* Tamura & Lauener, 270.
- sect. *Dichocarpum*, 270.
- sect. *Fargesia* Tamura & Lauener, 271.
- sect. *Hutchinsonia* W. T. Wang & Hsiao, 271.
- subsect. *Hutchinsonia*, 271.
- subsect. *Trachysperma* Tamura & Lauener, 272.
- series *Fargesiana* W. T. Wang & Hsiao, 271.
- series *Nipponica* Tamura & Lauener, 271.
- series *Numajiriana* Tamura & Lauener, 271.
- series *Stolonifera* Tamura & Lauener, 271.
- series *Sutchuenensis* W. T. Wang & Hsiao, 270.
- adiantifolium* (Hook. f. & Thoms.) W. T. Wang & Hsiao, 270.
- arisanense* (Hayata) W. T. Wang & Hsiao, 270.
- auriculatum* (Franch.) W. T. Wang & Hsiao, 270.
- basilare* W. T. Wang & Hsiao, 271.
- dalzielii* (Drumm. & Hutch.) W. T. Wang & Hsiao, 271.
- dicarpon* (Miq.) W. T. Wang & Hsiao, 271.
- fargesii* (Franch.) W. T. Wang & Hsiao, 271.
- franchetii* (Fin. & Gagnep.) W. T. Wang & Hsiao, 270.
- hakonense* (Mackawa & Tuyama ex Ohwi) W. T. Wang & Hsiao, 271.
- hypoglaucum* W. T. Wang & Hsiao, 271.
- nipponicum* (Franch.) W. T. Wang & Hsiao, 271.
- numajirianum* (Makino) W. T. Wang & Hsiao, 271.
- ohwianum* (Koidz.) Tamura & Lauener, 271.

Dichocarpum--Continued.

- pterigonocaudatum* (Koidz.) Tamura & Lauener, 271.
- stoloniferum* (Maxim.) W. T. Wang & Hsiao, 271.
- sutchuenense* (Franch.) W. T. Wang & Hsiao, 270.
- trachyspermum* (Maxim.) W. T. Wang & Hsiao, 272.
- trifoliolatum* W. T. Wang & Hsiao, 271.
- univalve* (Ohwi) Tamura & Lauener, 271.
- Dichrotrichum* (Reinw. ex) deVriese, 219, 223.
- sect. *Agalmiopsis* Schlechter, 223.
- borneense* Schlechter, 224.
- bracteatum* Stapf, 224.
- clarkii* Elmer, 224.
- johannis-winkleri* Kraenzlin, 224.
- praelongum* Kraenzlin, 224.
- Dimeria keenanii* Bor, 299.
- Dracocephalum*, 170.
- erectum* (Royle ex) Benth., 105.
- glechomifolium* Dunn, 106.
- govanianum* (Wall. ex) Benth., 104.
- Drepanocaryum sewerzowii* (Rgl.) Pojark., 118.
- Dryophila limulata* (Fr. per Weinm.) Quélet, 66.
- muricata* (Fr. per Fr.) Quélet, 67.
- Elsholtzia* Willd., 155, 170.
- ciliata* (Thunb.) Hylandei, 155.
- cristata* Willd., 155.
- patrinii* (Lepech.) Garcke, 155.
- Enemion* Rafin., 270.
- sect. *Enemion*, 270.
- sect. *Umbellata* Drumm. & Hutch., 270.
- bitermatum* Rafin., 270.
- hallii* (A. Gr.) Drumm. & Hutch., 270.
- occidentale* (Hook. & Arn.) Drumm. & Hutch., 270.
- var. *coloratum* (Greene) Drumm. & Hutch., 270.
- raddeanum* Regel, 270.
- stipitatum* (A. Gr.) Drumm. & Hutch., 270.
- Eremostachys* Bge., 155, 171, 172.
- podlechii* Hedge, 155.
- Erianthera rhomboidea* Benth., 90.
- Eriophyton afghanicum* Rech. f., 90.
- Erodium absinthoides* Willd., 36.
- subsp. *absinthoides*, 36.
- subsp. *armenum* (Trautv.) Davis, 36.
- subsp. *latifolium* (Davis & Roberts) Davis, 36.
- subsp. *haradjianii* (Davis) Davis, 36.
- var. *armenum* Trautv., 36.
- var. *latifolium* Davis & Roberts, 36.
- cedrorum* Schott & Ky., 37.
- subsp. *cedrorum*, 37.
- subsp. *salmonium* (Davis & Roberts) Davis, 37.

Erodium—Continued.

- haradjianii* P. H. Davis, 36.
salmoneum Davis & Roberts, 37.
sibthorpiatum Boiss., 36.
 subsp. *sibthorpiatum*, 36.
 subsp. *vetteri* (Barbey & Fors.-Maj.)
 Davis, 36.
 vetteri Barbey & Fors.-Maj., 37.
Euthamnus papuanus Schlechter, 223.

Faldermannia tenuior (L.) Ter.-Chatschat.,
152.

FEINBRUN, NAOMI & KOLLMANN, FANIA.
A cyto-Taxonomic study in Palestinian
Anagallis arvensis L., 173.

Flammula limulata (Fr. per Weinm.) Karst.,
66.

Flammulaster, The Genus, 65.

Flammulaster carpophiloides (Kühn.) Wat-
ling, 65.

delicatuloides (Kühn.) Watling, 68.

erinaceella (Peck) Watling, 65.

ferruginea (R. Maire apud Kühn.)
Watling, 66.

fusispora (P. D. Orton) Watling, 66.

gracilis (Fr. per Qué.) Watling, 68.

granulosa (J. Lange) Watling, 66.

harissonii (Dennis) Watling, 68.

limulata (Fr. per Weinm.) Watling, 66.

microspila (Romagn. apud Kühn.)
Watling, 68.

muricata (Fr. per Fr.) Watling, 66.

pusillima (P. D. Orton) Watling, 67.

rhombospora (Atk.) Watling, 67.

salciphila (Favre) Watling, 68.

siparia (Fr.) Watling, 67.

speireoides (Romagn. apud Kühn.)
Watling, 68.

subincarnata (Joss. & Kühn. apud
Kühn.) Watling, 67.

Flocculina carpophiloides (Kühn.) P. D.
Orton, 65.

erinaceella (Peck) P. D. Orton, 66.

ferruginea (R. - Maire apud Kühn.)
Orton, 66.

fusispora P. D. Orton, 66.

granulosa (J. Lange) P. D. Orton, 66.

limulata (Fr. per Weinm.) P. D. Orton,
66.

muricata (Fr. per Fr.) P. D. Orton, 67.

pusillima P. D. Orton, 67.

rhombospora (Atk.) P. D. Orton, 67.

salciphila (Favre) P. D. Orton, 68.

siparia (Fr.) P. D. Orton, 67.

subincarnata (Joss. & Kühn. apud
Kühn.) P. D. Orton, 67.

Frangula alnus Miller, 10.

 subsp. *pontica* (Boiss.) Davis &
 Yaltirik, 10.

pontica (Boiss.) Grubov, 10.

Fraxinus cilicica Lingel., 14.

kotschy Schneider, 14.

ornus L., 14.

 subsp. *cilicica* (Lingel.) Yaltirik, 14.

 subsp. *ornus*, 14.

petiolulata Boiss. & Kotschy, 14.

Fulvidula limulata (Fr. per Weinm.)
Romagn., 66.

Genista spinosa (L.) Poll., 280.

Geraniaceae, Materials for a Flora of
Turkey: XVI, 35.

Geranium asphodeloides Burm. fil. subsp.
sintenisii (Freyn) Davis, 36.

brutium Gasp., 35.

cinereum Vac. subsp. *subcaulescens*
 (L'Hérit. ex DC.) Hayek var. *elatus*
 P. H. Davis, 36.

molle L. subsp. *brutium* (Gasp.) Davis,
 35.

sintenisii Freyn, 36.

stepporum P. H. Davis, 35.

tuberosum L., 35.

 subsp. *deserti-syriacum*, P. H. Davis,
 35.

 subsp. *tuberosum*, 35.

 var. *linearifolium* Boiss., 35.

wiedemannii P. H. Davis, 36.

Gesneriaceae: Studies in Old World:
XXVII, New species and subspecies of

Streptocarpus, 209; XXVIII, The
acquisition of *Cyrtandroidea*, 217;

XXIX, A reconsideration of generic
limits in tribe *Trichosporeae*, 219.

GIBBS, P. E.

Taxonomy and distribution of the genus
Calicotome, 275.

GILLI, ALEXANDER.

Necranthus, new genus of *Orobanchaceae*
from Turkey, 297.

Giseke, The specimens of Paul Dietrich, in
the Edinburgh Herbarium, 73.

Glechoma hindostana Roth, 112.

Globba radicalis Roxb., 287.

Gontscharovia Boriss., 156, 171.

popovii (B. Fedtsch. & Gontsch.) Boriss.,
 156.

Grammosciadium aucheri Boiss., 201.

daucoides DC., 201.

platycarpum Boiss. & Hausskn., 202.

szovitsii Boiss., 201.

GRIERSON, A. J. C.

A note on *Aster ageratoides* and
observations on *Aster* in the

Philippine Islands, 227.

Gypsophila jaubertiana Boiss., 23.

leucochlaena Hub.-Mor., 21.

minuartioides (Jaub. & Spach) Boiss., 23.

paniculata L. var. *araratica* Hub.-Mor.,
 21.

spergulfolia (Jaub. & Spach) Boiss., 23.

Gypsophila--Continued.

- sphaerocephala* Fenzl & Tchiha. var.
syriaca (Schischk.) Hub.-Mor., 22.
syriaca Schischk., 22.
tuberculosa Hub.-Mor., 22.
virgata sensu Barkoudah, 22.
- HEDGE, I. C.
 American Wild Flowers (review), 162.
 Flora of Lebanon and Syria (review), 335.
 Flora of Palestine (review), 334.
 Flora of the Caucasus (review), 337.
 Floristic work in south-west Asia: collective reviews, 329.
 Physocardium: a new genus of Cruciferae from Turkey, 293.
 Studies in the Flora of Afghanistan: VIII, Labiatae, conclusions and key to genera, 163.
 The specimens of Paul Dietrich Giseke in the Edinburgh Herbarium, 73.
- HEDGE, I. C. & LAMOND, J. M.
 Studies in the Flora of Afghanistan: VII, Labiatae, Lam.-end, 89.
- HENDERSON, D. M.
 A discomycete monograph (review), 234.
 A miscellany of spores (review), 232.
 Indian fossil ferns (review), 226.
Heraclium daralaghezicum Takht., 206.
Herniaria glabra L., 26.
hirsuta L., 26.
pisidica Brummitt, 25.
saxatilis Brummitt, 25.
Heterochroa minuartioides Jaub. & Spach, 23.
spergulifolia Jaub. & Spach, 23.
- HILLIARD, O. M. & BURTT, B. L.
 Studies in the Gesneriaceae of the Old World: XXVII, New species and sub-species of Streptocarpus, 209.
- HUBER-MORATH, A., COODE, M. J. E. & CULLEN, J.
 Materials for a Flora of Turkey: XIII, *Silene* L., 1.
- HUBER-MORATH, A., MCNEILL, J. & REEVE, H.
 Materials for a Flora of Turkey: XIV, Caryophyllaceae, 17.
- Hygrophorus aureus* Arrh. apud Fr., 53.
bresadolae Quél. apud Bresadola, 52, 53.
coloratus Peck, 53.
hypothejus var. *aureus* (Fr.) Imler, 53.
speciosus Peck, 53.
 var. *kauffmannii* Hesler & Smith, 53.
- Hymenocrater*, 170.
Hypertelis bowkeriana, the chromosome number of, 189.
Hypogomphia, 169.
Hyssopus, 171.
- Illecebraceae: Materials for a Flora of Turkey, XV, 25.
Isodon plectranthoides (Schrad. ex) Benth., 133.
 Isopyrum, Dichocarpum and their allies, A Revision of, 267.
Isopyrum anemonoides, A note on, 265, 267.
Isopyrum L., 272.
 sect. *Isopyrum*, 272.
 sect. *Paropyrum* (Ulbr.) W. T. Wang & Hsiao, 272. r
anemonoides Kar. & Ki., 272.
dicarpon var. *univalve* Ohwi, 271.
fumarioides, 269.
ludlowii Tamura & Lauener, 272.
manshuricum Komar., 272.
ohwianum Koidz., 271.
pterigionocaudatum Koidz., 271.
thalictroides L., 272.
uniflorum Aitch. & Hemsl., 265.
Ixocomus bellinii (Inz.) Maire, 59.
placidus var. *bellinii* (Inz.) Konrad, 59.
 f. *pini-halepensis* Kallenbach, 59.
- Jordania minuartioides* (Jaub. & Spach) Boiss., 23.
spergulifolia (Jaub. & Spach) Boiss., 23.
- Kalidiopsis* Aellen, 31.
wagenitzii Aellen, 31.
Kalidium foliatum Wagenitz, 31.
 Kohleria, a beautiful Costa Rican, 291.
Kohleria allenii Standl. & L. Williams, 291.
 KOLLMANN, FANIA & FEINBRUN, NAOMI.
 A Cyto-taxonomic study in Palestinian *Anagallis arvensis* L., 173.
Krombolzia oxydabile Singer, 311, 313.
 KOZUHAROV, S. & PENEV, I.
 A new foxtail grass from Bulgaria, 187.
Kudrjaschevia korshinskyi (Lipsky) Pojark., 122.
- Labiatae: Studies in the Flora of Afghanistan: VII, Lam.-end, 89; VIII, Conclusions and key to genera, 163.
- Lagochilus*, 169.
Lallemantia, 169.
Lamium L., 89, 170, 172.
album L., 89, 90.
amplexicaule L., 89.
rhomboideum (Benth.) Benth., 89, 90.
- LAMOND, J. M.
 Dr. J. K. Maheshwari's "Illustrations to the Flora of Delhi" (review), 24.
 LAMOND, J. M. & HEDGE, I. C.
 Studies in the Flora of Afghanistan: VII, Labiatae, Lam.-end, 89.
- LAUENER, L. A. & TAMURA, M.
 A note on *Isopyrum anemonoides* Kar. & Kir., 265.
 A Revision of *Isopyrum*, *Dichocarpum* and their allies, 267.

- Leccinum aurantiacum*, 309.
 var. *sanguinescens*, 310.
 carpinii, 310.
 oxydabile (Singer) Singer, 311.
 percandidum, 309.
 roseofractum Watling, 313.
 testaceoscabrum, 309.
- Leonurus* L., 90, 172.
 cardiaca L., 90.
 dschungaricus Rgl., 143.
 nuristanicus Murata, 90.
- Lepiota rachodes*, 307.
 rhombospora Atk., 67.
- Leptopyrum* Reichb., 273.
 fumarioides (L.) Reichb., 273.
- Leucas* R. Br., 91, 172.
 capitata Desf., 91.
 cephalotes (Roth) Spreng., 91.
 mollissima (Wall. ex) Benth., 91.
 nutans Spreng., 91.
- Lilium ciliatum* P. H. Davis, 235.
- Lily, a new Turkish, 235.
- Limacium aureus*, 53.
- Linaceae: Materials for a Flora of Turkey: XVI, 35.
- Linum alpinum* Jacq. var. *glaucescens* Boiss., 38.
 austriacum L. subsp. *glaucescens* (Boiss.) Davis, 38.
 var. *glaucescens* (Boiss.) Davis, 38.
 balansae Boiss., 37.
 carnosulum Boiss. var. *empetrifolium* Schott & Kotschy ex Boiss., 38.
 elegans Spruner ex Boiss. var. *elatus* Hal., 37.
 empetrifolium (Boiss.) Davis, 38.
 flavum L. subsp. *scabrinerve* (Davis) Davis, 38.
 glaucum Boiss. & Noë, 38.
 hirsutum L., 38.
 subsp. *anatolicum* (Boiss.) Hayek, 38.
 subsp. *pseudoanatolicum* P. H. Davis, 38.
 subsp. *eglandulosum* P. H. Davis, 38.
 mucronatum Bertol., 37.
 subsp. *armenum* (Bordz.) Davis, 37.
 subsp. *gypsicola* P. H. Davis, 37.
 subsp. *pubifolium* (Davis) Davis, 37.
 subsp. *syriacum* (Boiss.) Davis, 37.
 var. *papilliferum* (Hub.-Mor. & Reese) Davis, 37.
 orientale Boiss. subsp. *armenum* Bordz., 37.
 papilliferum Hub.-Mor. & Reese, 37.
 scabrinerve P. H. Davis, 38.
 sulphureum Boiss. & Hausskn. ex Boiss., 37.
 subsp. *pubifolium* Davis, 37.
 subsp. *syriacum* (Boiss.) Davis, 37.
 syriacum Boiss. & Gaill. ex Boiss., 37.
- Linum*—Continued.
 tauricum Willd. subsp. *bosphori* P. H. Davis, 37.
- Lisaea armena* Schischk., 204.
 grandiflora Boiss., 204.
 heterocarpa (DC.) Boiss., 204.
 var. *syriaca* (Boiss.) Post, 204.
 papyracea Boiss., 204.
 syriaca Boiss., 204.
 syriaca auct. non. Boiss., 204.
- Lophanthus* Adans., 91, 170.
 lipskyanus Ik.-Gal. & Nevski, 91.
 schtschurowskianus (Rgl.) Lipsky var. *kulabensis* Lipsky, 91.
- Loxostigma* C.B.Cl., 222.
- Lycopus* L., 92, 168.
 europaeus L., 92.
- Lysionotus* G. Don, 222.
- Mantisia wardii*: a new Burmese species of Zingiberaceae, 287.
- Mantisia saltatoria* Sims, 287.
 spathulata (Roxb.) Roem. & Schult., 288.
 wardii Burt. & Smith, 288.
 wengeri C. E. C. Fischer, 288.
- Marrubium* L., 92, 171.
 alternidens Rech. f., 93.
 procerum Bge., 93, 94.
 vulgare L., 93.
- Materials for a Flora of Turkey: XIII, Silene, 1; XIV, Caryophyllaceae, 17; XV, Illecebraceae, 25; XVI, Geraniaceae, Linaceae, 35.
- McNEILL, J., HUBER-MORATH, A. & REEVE, H.
 Materials for a Flora of Turkey: XIV, Caryophyllaceae, 17.
- Meconopsis: Cytological studies in, 191.
- Meconopsis aculeata* Royle, 192, 193.
 betonicifolia Franch., 192, 193, 197.
 cambrica (L.) Vig., 192, 193.
 chelidonifolia Bur. & Franch, 192, 193, 197.
 x cookei, 193, 194.
 dhwojii G. Tayl., 192, 193.
 gracilipes G. Tayl., 192, 193.
 grandis Prain, 192, 193.
 horridula Hook f. & Thoms., 192, 193, 197.
 integrifolia (Maxim.) Franch., 192, 193, 196.
 latifolia (Prain) Prain, 192, 193, 197.
 longipetiolata G. Tayl., 192, 193, 194.
 napaulensis DC., 192, 193, 194.
 paniculata (D. Don) Prain, 192, 193.
 quintuplinervia Regel, 192, 193.
 regia G. Tayl., 192, 193.
 simplicifolia (D. Don) Walp., 192, 193, 194.
 villosa (Hook f.) G. Tayl., 192, 193, 197.

Mentha L., 94, 172.
afghanica Murata, 96.
arvensis L., 96.
incana Willd., 95.
longifolia (L.) Huds., 94.
 subsp. *himalaiensis* Briq., 95, 96.
 subsp. *longifolia* 95.
royleana (Wall. ex) Benth., 95.
spicata L., 96.
 var. *longifolia* L., 95.
sylvestris L. var. *stenostachya* Boiss., 95.
Micraeschynanthus Ridley, 222.
Micromeria Benth., 96, 172.
 biflora (Ham.) Benth., 96.
 subulifolia Rech. f., 96, 97.
MILLER, O. K. & WATLING, ROY.
The Status of *Boletus calopus* Fr. in
North America, 317.
Minuartia mesogitana (Boiss.) Hand.-
Mazz., 19.
 subsp. *kotschyana* (Boiss.) McNeill,
 19.
 subsp. *lydia*, 19.
 subsp. *turcomanica* (Schischk.)
 McNeill, 19.
 var. *kotschyana* (Boiss.) McNeill, 19.
 var. *turcomanica* (Schischk.)
 McNeill, 19.
turcomanica Schischk., 19.
Moluccella otostegioides Prain, 157.
Mollugo verticillata, 190.

Naucoria carpophila Fr. Romagnesi, 68.
carpophiloides Kühn., 65.
ferruginea R. Maire apud Kühn., 66.
fusispora (P. D. Orton) Romagn., 66.
delicatoides Kühn., 68.
granulosa J. Lange, 66.
microspila Romagn. apud Kühn., 68.
muricata var. *gracilis* (Fr. per Quél.)
Romagn., 68.
pusillima (P. D. Orton) Romagn., 67.
pygmaea (Bull. per Fr.) Gillet, 67.
rhombospora (Atk.) Favre, 67.
saliciphila Favre, 68.
speirroides Romagn. apud Kühn., 68.
speirroides Romagn., 67.
subincarnata Joss. & Kühn. apud Kühn.,
67.
siparia (Fr.) Gillet, 67.
 f. *umbonata* Romagn., 66.
wieslandri (Fr.) Sacc., 66, 68.
Necranthus: a new genus of Orobanch-
aceae from Turkey, 297.
Necranthus orobanchoides Gilli, 297.
Nepeta L., 97, 169, 170.
 bellevii Prain, 101, 115.
 brachyantha Rech. f. & Edelb., 100, 113.
 bracteata Benth., 98, 120.
 cabulica Rech. f., 115.
 calaminthoides Benth., 112.

Nepeta—Continued.

calaminthoides (Royle ex) Benth., 112.
cataria L., 100, 112.
ciliaris Benth., 123.
cinereo-violacea Rech. f. & Koeie, 113.
clarkei Hook f., 100, 105.
daenensis Boiss., 98, 120.
discolor Benth., 99, 104.
elliptica Benth., 99, 103.
erecta Benth., 100, 104.
eriosphaera Rech. f., 98, 122.
fallax Briq., 121.
farakulumensis Murata, 113.
floccosa Benth., 100, 105.
glechomifolia (Dunn) Hedge, 99, 106.
glutinosa Benth., 100, 101.
govaniata (Benth.) Benth., 100, 104.
graciliflora Benth., 123.
griffithii Hedge, 100, 114.
heterotricha Rech. f., 101, 117.
hindostana (Roth) Haines, 99, 100, 112.
honigbergeri Rech. f., 115.
juncea Benth., 101, 116.
koelzii Rech. f., 102.
korshinskiyi Lipsky, 100, 122.
laevigata (D. Don) Hand.-Mazz., 99,
104.
lagopsis Benth., 123.
lavandulacea Rech. f. & Koeie, 113.
leucocyanea Rech. f. & Koeie, 99, 107.
longibracteata Benth., 99, 101.
micrantha Bge., 99, 118.
minjanensis Rech. f., 107.
nuristanica Murata, 104.
oblanceolata Rech. f., 99, 103.
olgae Rgl., 101, 106.
oxicola Franch., 107.
pamirensis Franch., 99, 107.
paulsenii Briq., 102.
persica Boiss., 100, 117.
pinetorum Aitch. & Hemsl., 100, 115.
podostachys Benth., 99, 102.
prainii Duthie, 101, 117.
pseudofloccosa Pojark., 105.
pubescens Benth., 99, 103.
pungens (Bge.) Benth., 98, 119.
raphanorhiza Benth., 99, 121.
rechingeri Hedge, 119.
reniformis Briq., 121.
ruderalis (Buch. Ham. ex) Benth., 112.
rugosa Benth., 101, 113.
sabinei T. A. Schmidt, 104.
satureioides Boiss., 99, 120.
sewerzowii Rgl., 99, 118.
spathulifera Benth., 98, 121.
spicata Benth., 104.
suavis Stapf, 101, 114.
subincisa Benth. in DC., 102.
xylorhiza Rech. f., 101, 117.

New *Cerastium* from the Amanus (Turkey),
233.

- New Chenopodiaceae from Turkey, 29.
 New foxtail grass from Bulgaria, 187.
 New Turkish Lily, 235.
 Note on *Aster ageratoides* and observations on *Aster* in the Philippine Islands, 227.
 Note on *Isopyrum anemonoides* Kar. & Kir., 265.
 Notes on some British Agarics, 39.
- Observations on *Aster* in the Philippine Islands and a note on *Aster ageratoides*, 227.
Ocimum L., 123, 170.
basilicum L., 123.
Origanum L., 123, 171.
glaucum Rech. f. & Edelb., 124.
 var. *laxius* Rech. f. & Edelb., 124.
laxiflorum Royle, 125.
majorana L., 125.
vulgare L., 123.
 var. *glaucum* (Rech. f. & Edelb.) Hedge & Lamond, 123, 124.
 var. *vulgare*, 123.
 Orobanchaceae, *Necranthus*—a new genus from Turkey, 297.
Otostegia Benth., 125, 169.
aucheri Boiss., 125, 126.
limbata (Benth.) Boiss., 125, 126.
- Paraquilegia* Drumm. & Hutch., 265, 273.
afghanica Rech. f., 265.
anemonoides (Kar. & Kir.) N. Schipcz., 265.
anemonoides (Kar. & Kir.) Ulbr., 265.
anemonoides (Willd.) Ulbr., 273.
caespitosa (Boiss. & Hohen.) Drumm. & Hutch., 273.
chionophila Gilli, 273.
grandiflora (Fisch. ex DC.) Drumm. & Hutch., 266.
kareliniana (Drumm.) Nevski, 266.
kareliniana Nevski, 265.
microphylla (Royle) Drumm. & Hutch., 273.
uniflora (Aitch. & Hemsl.) Drumm. & Hutch., 265, 273.
- Paronychia adalia* Chaudhri, 28.
anatolica Czeczott, 28.
 subsp. *balansae* Chaudhri, 28.
arabica (L.) DC., 27.
 subsp. *euphratica* Chaudhri, 27.
caricae Chaudhri, 28.
mughlai Chaudhri, 28.
Paropyrum Ulbrich, 266, 272.
anemonoides (Kar. & Kir.) Ulbr., 265.
Pentapera sicula (Guss.) Klotzsch., 13.
 subsp. *libanotica* (Barbey) Yaltirik, 13.
 subsp. *sicula*, 13.
 var. *libanotica* Barbey, 13.
- Pentataenium daralaghezicum* (Takht.) Tamamsch., 206.
 PENEV, I. & KOZUHAROV, S.
 A new foxtail grass from Bulgaria, 187.
Perovskia Karel., 126, 169.
abrotanoides Karel., 126.
artemisioides Boiss., 126.
atriplicifolia Benth., 126, 127.
Petrosimonia nigdeensis Aellen, 33.
squarrosa (Schrenk) Bunge, 33.
Phaeomarasmius carpophiloides (Kühn.) Moser apud Gams, 65.
erinaceellus (Peck) Singer & Digilio, 65.
gracilis (Fr. per Quél.) Singer, 68.
granulosus (J. Lange) Singer, 66.
limulatus (Fr. per Weinm.) Singer, 66.
muricatus (Fr. per Fr.) Singer, 67.
pygmaeus (Bull. per Fr.) Singer, 67.
rhombosporus (Atk.) Moser apud Gams, 67.
saliciphila (Favre) Moser apud Gams, 68.
siparia (Fr.) Singer, 67.
harissonii Dennis, 68.
Phlomidioschema parviflorum (Benth.) Vved., 143.
Phlomis L., 128, 171, 172.
bracteosa (Royle ex) Benth., 129, 132.
bucharica Rgl., 129.
cancellata Bge., 129, 131.
canescens Rgl., 129, 132.
cashmeriana (Royle ex) Benth., 129, 130.
dichroa Rech. f., 130.
oblongata Schrenk, 143.
setigera (Falc. ex) Benth., 129, 131.
spectabilis (Falc. ex) Benth., 129, 132.
stewartii Hook f., 129, 131.
trineura Rech. f., 129, 130.
Pholiota erinaceellus (Peck) Peck, 65.
muricata (Fr. per Fr.) Kummer, 67.
muricata var. *gracilis* Quélet, 68.
Physocardium: a new genus of Cruciferae from Turkey, 293.
Physocardium Hedge, 293.
davisii Hedge, 293.
Pistacia atlantica Desf. var. *kurdica* Zoh., 11.
eurycarpa Yaltirik, 11.
Plectranthus L'Herit., 133, 171.
rugosus (Wall. ex) Benth., 133.
Porphyrellus amylosporus, 305.
Prunella L., 133, 171.
vulgaris L., 133.
Puccinellia ciliata Bor, 299.
- RATTER, J. A.
 The Chromosome numbers of *Spergula fallax* and *Hypertelis bowkeriana*, 189.
 Cytological studies in *Meconopsis*, 191.

- RECHINGER, K. H.
 Flora of Turkey vol. II (review), 330.
 Records of Boleti and notes on their taxonomic position, 301.
- REEVE, H., HUBER-MORATH, A. & McNEILL, J.
 Materials for a Flora of Turkey: XIV, Caryophyllaceae, 17.
 Revision of Isopyrum, Dichocarpum and their allies, 267.
- Rhamnus cathartica* L., 11.
kayacikii Yaltirik & Davis, 11.
pontica Boiss., 10.
- Ruscus*, a contribution to the Taxonomy of the Genus, 237.
- Ruscus* L., 237.
 series *Ramosae* Yeo, 237.
 series *Simplices* Yeo, 237.
- Ruscus aculeatus* L., 237.
 var. *angustifolius* Boiss., 261.
alexandrinus Gars., 252.
alexandrinus Motte, 238.
colchicus Yeo, 237.
humilis Salisb., 252.
hypoglossum L., 16, 237.
 subsp. *microglossum* (Bertol.) Arcangeli, 254.
 var. *angustifolius* Kunth, 254.
 var. *hypoglossum*, 16.
 var. *laticladodia* Yaltirik, 16, 252.
- hypophyllum* L., 237.
 subsp. *hypoglossum* (L.) Domin, 252.
 var. *hypoglossum* (L.) Baker, 252.
 var. *lanceolatus* Lowe, 259.
 var. *latifolius* Lowe, 259.
 f. *lanceolatus* Maire, 256.
 f. *normalis* Maire & Weiller, 256.
- hyrcanus* Woronow, 261.
lugubris Salisb., 256.
microglossus Bertoloni, 237.
ponticus Woronow, 237.
 var. *macrophyllus* Woronow ex Chernyakovska, 262.
streptophyllum Yeo, 237.
trifoliatus Mill., 256.
troadensis E. D. Clarke, 252.
- Russula hundelli* Singer, 55.
grata Britzelmayer, 54.
- Salsola* sect. *Aleuranthus* Iljin, 32.
 sect. *Cardiandra* Aellen, 32.
anatolica Aellen, 33.
inermis Forssk., 33.
stenoptera Wagenitz, 33.
- Salvia* L., 156, 169.
nemorosa L., 157.
plebeia R. Br., 157.
virgata Jacq., 157.
- Satureia* L., 134, 170.
hortensis L., 134.
popovii B. Fedtsch. & Gontsch., 156.
- Scleroderma aurantium*, 301.
verrucosum, 301.
- Scutellaria* L., 134, 171.
ariana Hedge, 134, 139.
edelbergii Rech. f., 135, 136.
ghorana Hedge, 135, 140.
glutinosa Benth., 134, 136.
heydei Hook. f., 134, 139.
koelzii Rech. f., 135.
leptosiphon Nevski, 134, 141.
linearis Benth., 134, 137.
litvinowii Bornm., 135, 137.
lorinjensis Rech. f. & Fitz, 135.
macrochlamys Rech. f. & Fitz, 134, 139.
multicaulis Boiss., 135.
 var. *cabulica* Boiss., 135.
neubaueri Rech. f., 135, 138.
nuristanica Rech. f., 135, 138.
petiolata Hemsl. & Lace, 135, 138.
poliochlora Rech. f. & Edelberg, 138.
polyadenia Rech. f., 136.
stocksii Boiss., 134, 141.
swatensis Murata, 136.
teucrifolia Dunn, 134, 137.
- Sideritis* L., 142, 171.
ciliata Thunb., 155.
montana L., 142.
- Silene*: Materials for a Flora of Turkey: XIII, 1.
- Silene aegyptiaca* (L.) L. fil. subsp. *ruderalis* Coode & Cullen, 8.
armena Boiss. var. *serrulata* (Boiss.) Coode & Cullen, 1.
azirensis Coode & Cullen, 4.
cartilaginea Hub.-Mor., 1.
caryophylloides Poir., 6.
 subsp. *caryophylloides*, 6.
 subsp. *echinus* (Boiss. & Heldr.) Coode & Cullen, 6.
 subsp. *eglandulosa* (Chowdh.) Coode & Cullen, 6.
 subsp. *masmenaea* (Boiss.) Coode & Cullen, 6.
 subsp. *stentoria* (Fenzl) Coode & Cullen, 6.
 subsp. *subulata* (Boiss.) Coode & Cullen, 6.
 var. *nardifolia* Boiss. ex Rohrb., 6.
commelinifolia auct. non Boiss., 5.
commutata Guss., 3.
delicatula Boiss. subsp. *pisidica* Coode & Cullen, 8.
dianthifolia var. *pumila* Chowdh., 6.
dichotoma Ehrh. subsp. *euxina* (Rupr.) Coode & Cullen, 8.
echinospermoides Hub.-Mor., 7.
echinus Boiss. & Heldr., 6.
euxina Rupr., 8.
inclinata Hub.-Mor., 4.
juncea sensu Hub.-Mor., 7.
leptoclada Boiss., 4.

- Silene*—Continued.
masmenaea Boiss., 6.
 var. *eglandulosa* Chowdh., 6.
nuncupanda Coode & Cullen, 6.
oligotricha Hub.-Mor., 5.
picta sensu Stapf, 7.
rigidula sensu Barbey, 7.
ruscifolia (Hub.-Mor. & Reese) Hub.-Mor., 5.
salsuginea Hub.-Mor., 3.
sangaria Coode & Cullen, 2.
sclerophylla Chowdh., 2.
scythicina Coode & Cullen, 6.
serrulata Boiss., 1.
squamigera Boiss. subsp. *vesiculifera* (Gay ex Boiss.) Coode & Cullen, 8.
stentoria Fenzl, 6.
subulata Boiss., 6.
surculosa Hub.-Mor., 2.
tenuiflora sensu Boiss., 7.
vesiculifera Gay ex Boiss., 8.
vulgaris (Moench) Garcke subsp. *macrocarpa* Turrill, 3.
 var. *commutata* Coode & Cullen, 3.
 var. *macrocarpa* (Turrill) Coode & Cullen, 3.
Siliquastrum orbiculatum Moench, 12.
 SMITH, R. M. & BURTT, B. L.
Mantisia wardii: a new Burmese species of Zingiberaceae, 287.
Myrniopsis armena Schischk., 205.
 var. *aucheri* Boiss., 205.
 var. *involuta* Tamamsch. & Fedorov, 205.
 Some relationships in the Floras of Transcaucasia, Anatolia and Iran: I, 201.
Spartium infestum Presl, 284.
lanigerum Desf., 282.
rigidum Viv., 284.
spinosum L., 280.
villosum Poir., 282.
Spergula fallax, the chromosome number of, 189.
Spergula arvensis L., 188.
fallax (Lowe) E. H. L. Krause, 188.
flaccida (Roxb.) Asch., 188.
morisonii Boreau, 188.
Stachyopsis M. Pop. & Vved., 142, 172.
maleolens (Rech. f.) Hedge, 142.
oblongata (Schrenk.) M. Pop. & Vved., 143.
Stachys L., 143, 170, 171, 172.
arvensis L., 143, 145.
floccosa Benth., 143, 144.
maleolens Rech. f., 142.
parviflora Benth., 143.
sericea (Wall. ex) Benth., 143, 144.
setifera C.A.M., 143, 144.
trinervis Aitch. & Hemsl., 143, 145.
 Status of *Boletus calopus* Fr. in North America, 317.
Stenodiptera platycarpa (Boiss. & Hausskn.) K.-Pol., 202.
Stenotaenia daralaghezica (Takht.) Schischk., 206.
macrocarpa Freyn & Sint., 206.
Streptocarpus: new species and subspecies of: Studies in the Gesneriaceae of the Old World: XXVII, 209.
Streptocarpus confusus Hilliard, 209.
 subsp. *lebomboensis* Hilliard & Burtt, 209.
erubescens Hilliard & Burtt, 210.
eylesii S. Moore, 210.
 subsp. *brevistylus* Hilliard & Burtt, 210.
hirticapsa B. L. Burtt, 211.
kungwensis Hilliard & Burtt, 212.
latens Hilliard & Burtt, 211.
leptopus Hilliard & Burtt, 212.
myoporoides Hilliard & Burtt, 213.
nimbicola Hilliard & Burtt, 214.
pogonites Hilliard & Burtt, 214.
primulifolius Gandoger, 215.
 subsp. *formosus* Hilliard & Burtt, 215.
 Studies in the Flora of Afghanistan: VII, Labiatae, Lam.-end, 89; VIII: Conclusion & Key to genera, 163.
 Studies in the Gesneriaceae of the Old World: XXVII, New species and subspecies of *Streptocarpus*, 209; XXVIII, The acquisition of *Cyrtandroidea*, 217; XXIX, A reconsideration of generic limits in tribe *Trichosporeae*, 219.
Suaeda cucullata Aellen, 32.
prostrata Pallas subsp. *anatolica* Aellen, 32.
Suillus bellinii from Majorca, 57.
Suillus albidipes (Peck) Singer, 62.
boudieri (Quélet) Watling, 61.
brevipes (Peck) Kuntze, 62.
granulatus subsp. *leptopus* (Pers.) Singer, 59.
placidus (Bon.) Singer, 62.
 TAMAMSCHIAN, SOPHIA.
 On some relationships in the Floras of Transcaucasia, Anatolia and Iran: I, 201.
 TAMURA, M. & LAUENER, L. A.
 A revision of *Isopyrum*, *Dichocarpum* and their allies, 267.
 A note on *Isopyrum anemonoides* Kar. & Kir., 265.
Tapeinanthus brahuicus Boiss., 150.
persicus (Boiss. ex) Benth., 149.
 Taxonomy and distribution of the genus *Calicotome*, 275.

- Tetradema* Schlechter, 219, 223.
clarkei (Elmer) Merrill, 224.
praelongum (Kraenzlin) Schlechter, 224.
rubrum (Merrill) Schlechter, 224.
- Teucrium* L., 145, 170.
edelbergii Rech. f., 146.
incanum Aitch. & Hemsl., 149.
polium L., 145, 147.
royleanum (Wall. ex) Benth., 146.
scordium L., 146.
 var. *glabrescens* (Murata) Hedge & Lamond, 147.
 var. *scordium*, 146.
 var. *serratum* (Benth.) Hedge & Lamond, 146.
serratum Benth., 146.
serratum sensu Prain, 147.
 var. *glabrescens* Murata, 147.
stocksianum Boiss., 147.
 var. *incanum* (Aitch. & Hemsl.) Hedge & Lamond, 149.
 var. *patulum* Hedge & Lamond, 148.
 var. *stocksianum*, 148.
toppinii Dunn & Williams, 149.
- Thuspeinanta* Durand, 149, 171.
brahuica (Boiss.) Briq., 150.
persica (Benth.) Briq., 149.
- Thymus* L., 150, 171.
afghanicus Ronn., 151.
biflorus Ham., 96.
koeianus Ronn., 150.
pseudalbanus Ronn., 151.
 var. *angustifrons* Ronn., 151.
 "Sp. Nov.", 151.
- Trichosporeae, a reconsideration of generic limits in tribe: Studies in the Gesneriaceae of the Old World, XXIX, 219.
- Trichosporum rubrum* Merrill, 224.
Turgenia heterocarpa DC., 204.
Two new grasses, 299.
- WATLING, ROY.
Notes on some British Agarics, 39.
Record of Boleti and notes on their taxonomic position, 301.
Suillus bellinii from Majorca, 57.
The genus *Flammulaster*, 65.
- WATLING, ROY & MILLER, O. K.
The status of *Boletus calopus* Fr. in North America, 317.
- WILLIAMS, LOUIS O.
A beautiful Costa Rican *Kohleria*, 291.
- Xerocomus porosporus* Immler, 303.
- YALTIRIK, FAIK.
Contributions to the Taxonomy of Woody Plants in Turkey, 9.
- YEO, P. F.
A contribution to the Taxonomy of the Genus *Ruscus*, 237.
- Zataria* Boiss., 152, 172.
bracteata Boiss., 152.
humilis Benth., 120.
multiflora Boiss., 152.
 var. *elator* Boiss., 152.
- Zingiberaceae: *Mantisia wardii*, a new Burmese species of, 287.
- Ziziphora* L., 152, 169.
 'glabrata group', 153.
 'tomentosa group', 154.
clinopodioides Lam., 153.
pungens Bge., 119.
tenuior L., 152.