

GENERAL INDEX TO VOLUME XXIX

Acosmium, A Review of Sweetia and, 347

- Acosmium* sect. *Acosmium*, 349
 sect. *Leptolobium*
 (Vog.) Yakovl., 350
 sect. *Mesitis*
 (Vog.) Yakovl., 354
 sect. *Praeclara*
 Yakovl., 355
bijugum (Vog.) Yakovl., 354
brachystachyum (Benth.)
 Yakovl., 354
dasy carpum (Vog.) Yakovl., 351
 subsp. *dasy carpum*, 351
 subsp. *glabratum* (Benth.)
 Yakovl., 351
diffusissimum (Mohlenb.)
 Yakovl., 350
fallax (Taub.) Yakovl., 350
glaziovianum (Harms) Yakovl.,
 352
inornatum (Mohlenb.) Yakovl.,
 355
lentiscifolium Schott, 350
lentiscifolium auct. non Schott,
 348
mohlenbrockii Yakovl., 352
nitens (Vog.) Yakovl., 353
panamense (Benth.) Yakovl., 353
parvifolium (Harms) Yakovl., 353
praeclarum (Sandwith) Yakovl.,
 355
stipulare (Harms) Yakovl., 354
subelegans (Mohlenb.) Yakovl.,
 353
tenuifolium (Vog.) Yakovl., 353
tomentellum (Mohlenb.) Yakovl.,
 352

- Aecidium* *akebiae* Hennings, 377
anceps Syd., 378
dubiosum Syd., 378
elaeagni Dietel, 379
impatiens-capensis Doidge, 377
machili Hennings, 381
mori Barclay, 382
rhodesicum Cummins, 378
royenae Cooke & Massee, 379

- Aeschynanthus* sect. *Diplotrichium*, 39
 sect. *Haplotrichium*, 39
 sect. *Holocalyx*, 39
 sect. *Microtrichium*, 39
 sect. *Polytrichium*, 39
ellipticus Lauterb. & K.
 Schum., 39, 43, 45

Aeschynanthus—Continued.

- evrardii* Pellegrin, 39, 43, 45
hosseusii Pellegrin, 39, 43,
 45
kermesinus Schlechter, 39,
 43, 45
lamponga Miq., 39, 43, 45
longiflorus (Bl.) DC, 39, 43,
 45
maculatus Lindl., 39, 43, 45
marmoratus T. Moore, 39,
 43, 45
nummularius (Burk. & S.
 Moore) K. Schum., 39,
 43, 45
Aeschynanthus *obconicus* C.B. Cl., 39, 43,
 45
pachyanthus Schlechter, 39,
 43, 45
parasitica (Lam.) O. Kuntze
 52, 53
parvifolius R. Br., 39, 43,
 45
perakensis Ridl., 39, 43, 45
praelongus Kraenzlin, 39,
 43, 45
pulcher (Bl.) G. Don, 39,
 43, 45
radicans Jack, 39, 43, 45
tricolor, Hook., 39, 43, 45
x splendidus T. Moore, 39,
 43, 45

Afghanistan, Botanical Literature
 of, 357

Agalmia Bl., 52

- borneensis* (Schlechter) B. L.
 Burt, 52
tuberculata Hook. f., 52

Agarics, Notes on British, III, 75

- Agaricus*, *aestuans* Fr., 124
atropunctus Pers. ex Fr., 134
comosus Fr., 112
heteroclitus Fr. ex Fr., 113
medullatus Fr., 105
pessundatus, 126
piluliformis Bull. ex Mérat, 116
resplendens Fr., 125
stans (Fr.) Karst., 126
subcoprophilus Britz., 121
subradiatus Schum. ex Secr., 131
virgineus Wulf. ex Fr., 132

- Amblystegium* *serpens* (Hedw.) B.&S. 234
Anastrabe and Bowkeria, 1

Anastrabe [E. Mey ex] Benth., 4
integerrima [E. Mey ex] Benth., 45
integerrima
 var. *serrulata* [E. Mey. ex Benth.] Hiern, 5
serrulata [E. Mey. ex] Benth., 5
Arisaema *filiforme*, 146
laminatum, 146
microspadix, 146
simplicifolium, 146
umbrinum Ridley, 144, 146
Asterophora, 75
Astragalus, Materials for a Flora of Turkey XVIII, 285
Astragalus sect. *Acanthophace* Bunge, 292
 sect. *Adiaspastus* Bunge, 295
 sect. *Alopecias* Bunge, 302
 sect. *Cystodes* Bunge, 308
 sect. *Dasyphyllium* Bunge, 288
 sect. *Hololeuce* Bunge, 303
 sect. *Hypoglottis* Bunge, 288
 sect. *Macrophyllum* Bunge, 298
 sect. *Malacothrix* Bunge, 291
 sect. *Megalocystis* Bunge, 301
 sect. *Melanocercis* Bunge, 308
 sect. *Myobroma* Bunge, 292
 sect. *Onobrychium* Bunge, 302
 sect. *Proselius* Bunge, 306
 sect. *Pterophorus* Bunge, 297
 sect. *Rhacophorus* Bunge, 296
 sect. *Stereothrix* Bunge, 289
 sect. *Trachycercis* Bunge, 303
albicalycinus Huber-Morath & Matthews, 308
angustifolius Lam.
 subsp. *longidens* Huber-Morath & Matthews, 308
atrocarpus Chamberlain & Matthews, 302
atropurpureus Boiss., 306
bashkalensis Chamberlain, 291
baytopianus Chamberlain & Matthews, 292
campylosema Boiss., 306
 subsp. *atropurpureus* (Boiss.) Chamberlain, 306
 subsp. *nigripilis* Huber-Morath & Chamberlain, 306
coadunatus Huber-Morath & Chamberlain, 288
comosoides Chamberlain, 291
coodei Chamberlain, 290
cymbibracteatus Huber-Morath & Chamberlain, 297
dasycarpus Chamberlain, 289
davisii Chamberlain & Matthews 308

Astragalus—Continued.

eriocephalus Willd.,
 subsp. *elongatus* Chamberlain & Matthews, 295
ermineus Matthews, 301
gevashensis Chamberlain & Matthews, 296
hakkiaricus Chamberlain & Matthews, 298
isauricus Huber-Morath & Matthews, 298
kirshehiricus Chamberlain, 297
latistipulatus Chamberlain, 288
maximus Willd. var. *dasysemius* Chamberlain & Matthews, 302
oocephalus Boiss.
 subsp. *stachyophorus* Huber-Morath & Chamberlain, 302
patnosicus Chamberlain, 297
pennatulus Huber-Morath & Chamberlain, 296
pithyusarum Bornm., 306
ramicaudex Chamberlain, 292
roseocalycinus Matthews, 295
sorgerae Huber-Morath & Chamberlain, 289
sparstipilis Huber-Morath & Chamberlain, 290
stenosemoides Bornm.
 ex Chamberlain & Matthews 303
syringus Chamberlain, 303
trifoliastrum Huber-Morath & Matthews, 301
yueksekovae Matthews, 295
Aulacomnium palustre (Hedw.) Schwaegr., 234
Aureoboletus cramesinus (Secr.) Watling, 265

Barbula cordata (Jur.) Dix., 262
Bartramia ithyphylla Brid., 234
Bolbitius subgenus *Pluteolus*, 79
 Boleti, records of, and notes on their taxonomic position: II, 265; III, 391
Boletus aereus Bull. ex Fries, 391
amabilis Peck, 392
citrinovirens Watling, 266
cyanescens Bull. ex Fr., 65
legaliae Pilat, 272
lupinus Fries, 271
purpureus Fries, 271
 var. *le galiae* Pilat, 272
sphaerosporus Peck, 67
satanoides Smotlacha, 270

BOOK REVIEWS

- Annotated glossary of botanical nomenclature (Regnum Vegetabile vol. 56) by R. McVaugh, R. Ross and F. A. Stafleu, 128
- B-P-H, Botanico-Periodicum, -Huntianum. ed. by G. H. M. Lawrence, A. F. G. Buchheim, G. S. Daniels and H. Dolezol, 139
- Der Hausschwamm und andere Bauholzpilze by Werner Bevendamm, 330
- Essays on form in plants by C. W. Wardlaw, 196
- Excursion Flora of the British Isles ed. 2 by Clapham, Tutin & Warburg, 74
- First checklist of the herbaceous flora of Malawi by Blodwen Binns, 224
- Flora Europaea vol. 2 ed. by Tutin et al., 283
- Flora of Greenland by T. W. Böcker, K. Holmen and K. Jakobsen, English translation by T. T. Elkington and M. C. Lewis, 31
- Flora of North America by John Torrey & Asa Gray, Reprint, 405
- Flowering plants: origin and dispersal by A. L. Takhtajan, 406
- Fungi. An introduction by Lilian E. Hawker, 74
- Golden Age of plant hunters by Kenneth Lemmon, 38
- Index to European taxonomic literature for 1966 (Regnum Vegetabile vol. 53) by R. K. Brummitt & I. K. Ferguson, 14
- Index to plant chromosome numbers for 1966 (Regnum Vegetabile vol. 55) by R. Ornduff et al, 128
- Introduction to plant taxonomy by C. Jeffrey, 156
- Komarov Botanical Institute: 250 years of Russian research by Stanwyn G. Shetler, 14
- Reliquiae Baldwinianae. Compiled by William Darlington, 405
- Story of the Royal Horticultural Society by Harold R. Fletcher, 328
- Supplement to the Dictionary of Gardening, Royal Horticultural Society, ed. P. Synge, 324
- Synopsis generum agaricalium (Die Gattungstypen der agaricales) by E. Horak, 209
- Taxonomic Literature (Regnum Vegetabile vol. 52) by F. A. Stafleu, 139
- Borago cretica* Willd., 169
- Botanical literature of Afghanistan, 357
- Bowkeria* and *Anastrabe*, 1
- Bowkeria* Harv., 7
- calceolarioides* Diels, 12
- citrina* Thode, 11
- cymosa* MacOwan, 12
- gerrardiana* [Harv. ex] Hiern, 8
- natalensis* Schinz, 9
- simpliciflora* MacOwan, 9
- triphylla* Harv., 7, 8
- triphylla* var. *pubescens* O. Kuntze 8
- var. *subglabra* O. Kuntze, 8
- velutina* [Harv. ex] Hiern, 9
- verticillata* (Eckl. & Zeyh.) Schinz, 7, 8
- BRECKLE, S.-W., FREY, W., & HEDGE, I. C. Botanical Literature of Afghanistan, 357
- Bryophyte Flora of Turkey, Contributions to the, VII, 233
- Bryophyte Flora of Turkey, Contributions to the, VIII, 235
- Buddleia, Notes on: I, 197; II, 199; III, 343
- Buddleia colvilei* Hook. f., 197
- subherbacea Keenan, 343
- Burmannia sphagnoides* Beccari, 147
- BURTT, B. L.
- Aids to the use of taxonomic literature (review), 139
- Form in plants (review), 196
- Herbaceous plants of Malawi (review), 224
- Revised supplement to R.H.S. Dictionary (review), 324
- Sarawak plants: I, 141
- BURTT, B. L. & ROSSER, E. M.
- Studies in the Gesneriaceae of the Old World XXX: anatomical characters in the tribe Trichosporeae, 39
- Caeoma heteromorphae* Doidge, 385
- Callicarpa anomala* (Ridley) B. L. Burtt, 149
- barbata* Ridley, 151
- havalandii* (King & Gamble) H. J. Lam., 151
- Camarophyllopsis* Herink, 136, 137
- schulzeri* (Bres.) Herink, 136
- Camarophyllus* (Fr.) Kummer, 136
- pratensis* (Pers. ex Fr.) Kummer, 136
- Camptothecium philippeanum* (Spruce) Kindb., 234
- sericeum* (Hepw.) Kindb., 234
- Cantharellus cibarius*, 83
- ferruginascens* P. D. Orton, 83
- Cassia, morphological notes on the genus, I, 185; II & III, 331

- Cassia alata*, 186
arnottiana, 186
artemisioides, 186
auriculata, 186
eremophila, 186
galeottiana, 186
marylandica, 186
obovata, 186
occidentalis, 186
pruinosa, 186
sturtii, 186
timorensis, 186
Ceratodon purpureus (Hedw.) Brid., 233
CHAMBERLAIN, D. F. New combinations
in *Pottia starkeana*, 403
CHAMBERLAIN, D. F. and MATTHEWS, V. A.
Materials for a Flora of Turkey XVIII:
Leguminosae-Astragalus, 285
Cheiloscyphus pallescens (Ehrh.) Dum., 262
Chroogomphus helveticus (Singer) Moser,
270
Cicer L., 311
echinospermum P. H. Davis, 312
isauricum P. H. Davis, 311
Cinclidotus aquaticus (Hedw.) B.S.G., 262
Clitocybe asterospora (Lange) Moser, 135,
136
borealis (M. Lange & Skifte)
Orton & Watling, 131, 136
Coleosporium bletiae Dietel, 383
pedicularidis Tai, 385
plectranthi Barclay, 381
Collybia subgenus *Tephrophana*, 75
inodora (Pat.) P. D. Orton, 85
Contributions to the bryophyte flora of
Turkey: VII, 233; VIII, 235
Coprinus acuminatus (Romagn.) P. D.
Orton, 86
atramentarius var. *acuminatus*
Romagn., 86
cothumatus Godey apud Gillet,
87
galericuliformis, 89
hemerbius, 89
hexagonosporus Joss., 88
leiocephalus P. D. Orton, 88, 89
miser, 89
plicatilis var. *microsporus* Kühner,
88
Cortinarius fulvidolilaceus P. D. Orton, 90
Cronartium gilgianum P. Hennings, 379
Cytogenetic studies in *Spergularia*: IV,
some further interspecific hybrids 213;
V, some interspecific hybrids involving
S. media, 225
DAVIS, P. H. Materials for a Flora of
Turkey XIX Leguminosae-Vicieae, 311
DAVIS, P. H. AND JONES, B. M. G.
Turkish Itineraries: IV, 203
Dicraeopetalum Harms, 354
stipulare Harms, 354
Dicranum bonjeani de Not., 262
scoparium Hedw., 233
cf. *strictum* Schleich., 262
tauricum Sapehin, 262
Drepanocladus fluitans (Hedw.) Warnst.,
262
Eccilia bisporigera P. D. Orton, 98
Elburzia: A New Genus of Cruciferae
from Iran, 181
Elburzia fenestrata (Boiss.) Hedge, 181
Encalypta rhabdocarpa Hedw., 233
Eurhynchium pulchellum (Hedw.) Jenn.,
var. *diversifolium* (B.S. &
G.) C. Jens., 234
Ferreira Allem., 348
spectabilis Allem., 348
var. *paraguariensis* Hassler,
348
f. *fruticosa* Chodat & Hassler,
349
First record of *Nectria radicola* in Britain,
263
Flocculina, 77
FREY, W., BRECKLE, S.-W. & HEDGE, I.C.
Botanical Literature of Afghanistan, 357
Fritillaria, new from Rhodes, 329
Fritillaria rhodia A. Hansen, 329
Fungal spores, studies in the morphology
of, I: 373
Fungi of Greece IV: species of *Uromyces*
and *Pileolaria*, 273
Galerina, 77
leucolepidota, 100
myriadophylla P. D. Orton, 101
Gesneriaceae of the Old World XXX,
studies in, 39
Geunsia anomala Ridley, 149
havilandii King & Gamble, 151
Gliophorus Herink, 136
psittacinus (Schaeff. ex Fr.)
Herink., 136
Godfrinia Maire, 136
conica (Scop. ex Fr.) Maire, 136
Gomphidius, 77
Grimmia apocarpa Hedw., 233
commutata Huben., 233
elatior Bruch., 233
Grimmia montana B.S.G., 262
trichophylla Grev. f.
subepilosa Podp., 262
Gymnostomum minutulum Schleicher ex
Schwägr., 403
Gymnostomum conicum Schleicher ex
Schwägr., 403
davallianum Sm., 403

Gyrodon, 77
 meruloides, 72
Gyroporus cyanescens (Fries) Quélet
 var. *cyanescens*, 65
 var. *violaceotinctus* Watling,
 63

HALLIDAY, G.
 Greenland's Flora (review), 32

HANSEN, A.
 A new *Fritillaria* from Rhodes, 329

HEDGE, I. C.
 Elburzia: a new genus of Cruciferae
 from Iran, 181
 European taxonomic literature (review),
 14
 Flora Europaea (review), 283
 Materials of a Flora of Turkey, XVII:
 Onobrychis & Hedysarum, 33
 Nomenclatural terms (review), 128
 Plant taxonomy for Everyman (review),
 156
 Two new species of *Lamium* from
 Nepal, 29

HEDGE, I. C., BRECKLE, S.-W. & FREY, W.
 Botanical literature of Afghanistan, 357

Hedysarum, Onobrychis and: Materials for
 A Flora of Turkey, XVII, 33

Hedysarum pycnostachyum Hedge &
 Huber-Morath, 37
 vanense Hedge & Huber-
 Morath, 36

Hemileia fadogiae Sydow, 384

HENDERSON, D. M.
 Rust fungi from various sources, 377
 Studies in the morphology of fungal
 spores I, 373
 Timber fungi (review), 330
 Two new *Puccinias* from South-West
 Asia, 389

HENDERSON, D. M. & PANTIDOU, M.
 Fungi of Greece IV: species of *Uro-*
 myces and *Pileolaria*, 273

HENDERSON, D. M. & PRENTICE, H. T.
 Contributions to the Bryophyte Flora
 of Turkey: VIII, 235

Heterocladium squarrosulum (Voit) Lindb.,
 234

HILLIARD, O. M.
 Bowkeria and Anastrabe: two woody
 South African Scrophulariaceae, 1

Hodophilus Heim., 136, 137
 foetens (Philips) Heim, 136

Homalomena sagittifolia [Junghuhn ex]
 Schott, 146

HUBER-MORATH, A. & ZOHARY, M.
 Materials for a Flora of Turkey XX,
 Leguminosae: Trifolieae, 321

Hygroaster Singer, 135

Hygrocybe, 131
 subgenus *Cuphophyllus* 131,
 137
 sect. *Amylohygrocybe* (Hesler &
 Smith) Orton & Watling,
 136
 sect. *Camarophylloopsis* (Herink)
 Orton & Watling, 137
 sect. *Cuphophyllus* (Donk)
 Orton & Watling, 131, 137
 sect. *Hygrocybe*, 131
 sect. *Hygrotrama* (Singer)
 Orton & Watling, 134, 137
 sect. *Neohygrocybe* (Herink)
 Orton & Watling, 137
 atropuncta (Fr.) Orton & Wat-
 ling, 134
 aurantiolutescens P. D. Orton
 103, 104
 berkeleyi (Orton), Orton &
 Watling, 131
 clivalis (Fr.) Orton & Watling,
 131
 colemanniana (Blox. apud
 Berk. & Br.) Orton &
 Watling, 131
 cinerea (Fr.) Orton & Watling,
 131
 conica (Scop. ex Fr.) Kummer,
 136
 conicoides (Orton) Orton &
 Watling, 131
 dennisiana (Singer) Orton &
 Watling, 137
 foetens (Philips apud Berk.
 & Br.) Orton & Watling,
 134
 fuscescens (Bres.) Orton &
 Watling, 132
 hymenoccephala (Smith & Hes-
 ler) Orton & Watling, 134
 lacma (Fr.) Orton & Watling,
 131
 langei, 103
 lepidopus (Rea) Orton & Wat-
 ling, 131
 leporina (Fr.) Orton & Wat-
 ling, 132
 metapodia (Fr. ex Fr.) Moser,
 136
 micacea (Berk. & Br.) Orton &
 Watling, 134
 nivea (Fr.) Orton & Watling,
 131
 ovina (Bull. ex Fr.) Kühn, 137
 pratensis (Pers. ex Fr.) Donk,
 137
 russocoriacea (Berk. & Miller)
 Orton & Watling, 131
 sciophanoides (Rea) Orton &
 Watling, 131

Hygrocybe—Continued.

- shulzeri* (Bres.) Joss., 137
subradiata (Sect.) Orton & Watling, 131
substrangulata (Orton) Orton & Watling, 131
subviolacea (Peck) Orton & Watling, 132
virginea (Fr.) Orton & Watling, 132
- Hygrophoraceae, A reconsideration of the classification of the, 129
- Hygrophorus*, 77
sect. *Amylohygrocybe* Hesler & Smith, 136
sect. *Camarophylloopsis* Hesler & Smith, 136
sect. *Hygrotrama* (Singer) Hesler & Smith, 136
sect. *Hygrocybe*, 131, 136
berkeleyi Orton, 131
colemannianus Bloxam apud Berkeley & Broome, 131
conicoides Orton, 131
cinereus Fr., 131
foetens Phillips apud Berkeley & Broome, 134
fornicatus H. *clivalis* Fr., 131
fuscescens Bres., 132
hymercephalus Smith & Hessler, 134
lepidopus Rea, 131
leporinus Fr., 132
micaceus Berk. & Br., 134
niveus Scop. ex Fr., 131
russocoriaceus Berk. & Miller, 131
sciophanoides Rea, 131
sciophanus S. Cke., 131
*subradiatus** *lacmus* Schum. ex Fr., 131
substrangulatus Orton, 131
subviolaceus Peck, 132
- Hygrotrama* Singer, 134, 136, 137
dennisianum Singer, 137
- Hypnum vaucheri* Lesq., 234

Inocybe, 77

JONES, B. M. G. & DAVIS, P. H.
Turkish Itineraries: IV, 203

KEENAN, J.
Notes on *Buddleia* I: rolyploid pattern in *B. Colvillei*, 197; II, pollen 199; III, a *Buddleia* of herbaceous habit, 343

Lamium, two new species from Nepal, 29
Lamium nepalense Hedge, 30
staintonii Hedge, 29

Lathyrus L., 317
aphaca L. var. *modestus* P. H. Davis, 319
phaselitanus Huber-Morath & Davis, 318
satdaghensis P. H. Davis, 317
tauricola P. H. Davis, 318

LAUENER, L. A.
Classica Botanica Americana (review), 405

Leccinum aurantiacum var. *quercinum*, 265
quercinum (Pilát) Green & Watling, 265
roseotinctum Watling, 267
variicolor Watling, 268

Lepiota medullata (Fr.) Quél., 105
Leptocarpum dasycarpum Vog.
Leptocarpum dasycarpum Vog. forma α Tul., 351

lanceolatum Tul., 351
Leptodictyum riparium (Hedw.) Warnst., 262

Leptolobium Vog., 349
Leptolobium Vog., sect. *Euleptolobium* Vog., 350
sect. *Mesitis* Vog., 354
bijugum Vog., 354
dasycarpum Vog., 351
elegans Vog., 353
var. *gradifolia* Vog., 351
var. *parvifolia* Vog., 353
nitens Vog., 353
nitidulum Miq., 353
tenuifolium Vog., 353
tortum Mart., 352

Leptonia, 78
Limacella medullata (Fr.) P. D. Orton, 105
ochraceoluta P. D. Orton, 106
Limacium (Fr. ex Fr.) Kummer, 136
Linariantha bicolor Burt & Smith, 141
Loxostigma C. B. Cl., 52
griffithii (Wight) C. B. Cl., 52, 55
Lysionotus D. Don, 52
serratus D. Don, 52
var. *pauciflorus* Maxim., 52

MATTHEWS, J. R.
Horticultural History (review), 328
MATTHEWS, V. A.
Soviet Botany (review), 14
MATTHEWS, V. A. & CHAMBERLAIN, D. F.
Materials for a Flora of Turkey XVIII: Leguminosae—*Astragalus*, 285
McNEILL, J.
New Species of *Minuartia*, 325
Marasmius, 78
Marasmius inodorus Pat., 85
Materials for a Flora of Turkey XVII: *Onobrychis* and *Hedysarum*, 33

- Materials for a Flora of Turkey XVIII:
Leguminosae—Astragalus, 285
- Materials for a Flora of Turkey XIX:
Leguminosae—Viciae, 311
- Materials for a Flora of Turkey XX:
Leguminosae—Trifolieae, 321
- Melampsora euphorbiae* Cast. 380
- Milesina pteridicola* Hirats. 384
- Minuartia* new species of, 325
sect. *Minuartia*
subsect. *Minuartia*, 325
subsect. *Xeralsine*, 326
isaurica McNeill, 325
nifensis McNeill, 326
valedictionis McNeill, 327
- Morphological notes on the genus *Cassia*:
I, 185; II, 331; III, 341
- MUIRHEAD, C. W.
Shorter British Flora (review), 74
Turkish species of *Sempervivum*, 15
- Naucoria*, 78
centunculus var. *laevigata* Favre.,
78
- Nectria radiculicola* in Britain, the first
record of, 263
- Neohygrocybe* Herink, 136, 137
ovina (Bull. ex Fr.) Herink,
136
(Herink) Orton & Watling,
137
- New combinations in *Pottia starkeana*, 403
- New *Fritillaria* from Rhodes, 329
- New species of *Minuartia*, 325
- Nolanea limosella* P. D. Orton, 108
- Notes on *Buddleia*: I, 197; II, 199; III, 343
- Nyssopsora echinata*, 374
- Onobrychis* and *Hedysarum*: materials for
a Flora of Turkey, XVII, 33
- Onobrychis argyrea* Boiss. subsp. *isaurica*
Hedge & Huber-Morath, 36
- Onobrychis densjuga* Hedge & Huber-
Morath, 33
- occulta* Hedge & Huber-
Morath, 34
- quadrijuga* Hedge & Huber-
Morath, 34
- sulphurea* Boiss. & Bal. var.
vanensis Hedge, 34
- OKPON, E. N. U.
Morphological notes on the genus
Cassia: I, 185; II, 331; III, 341
- ORTON, P. D.
Notes on British Agarics III, 75
- ORTON, P. D. & WATLING, R.
A reconsideration of the classification
of the Hygrophoraceae, 129
- Panaeolina*, 78
- Panaeolus speciosus* P. D. Orton, 108
- PANTIDOU, M. & HENDERSON, D. M.
Fungi of Greece IV: Species of Uro-
myces and *Pileolaria*, 273
- Paragyrodon*, 67
sphaerosporus (Peck) Singer,
67
- Paxillus involutus*, 61
rubicundulus P. D. Orton, 110
vernalis Watling, 60
- Pholiota comosa* (Fr.) Quél., 112, 113
destruens, 113
heteroclita (Fr. ex Fr.) Quél., 113
- Phragmidium rosae-moschatae* Dietel, 384
- Pileolaria terebinthi* (DC.) Cast., 273
- Pisum* L., 320
humile Boiss. & Noë, 320
sativum L. subsp. *elatius* (Bieb.)
Aschers. & Graebn., 320
var. *brevipedunculatum* Davis &
Meikle, 320
var. *elatius*, 320
var. *pumilio* Meikle, 320
- Pleurocybella*, 78
- Pleurotellus*, 78
acerosus, 78
candidissimus, 78
dictyorrhizus, 78
filicinus, 78
hypnophilus, 78
patelloides, 79
tremulus, 78
- Pleurotus*, 78
dryinus, 78
ligmatilis, 78
ostreatus, 78
porrigens, 78
tessulatus, 78
ulmarius, 78
- Plicatura*, 79
- Pluteolus*, 79
- Pluteus dryophiloides* P. D. Orton, 115
- Polygala monticola* Ridley, 148
oreotrepes B. L. Burt, 148
- Polytrichum juniperinum* Hedw., 233
- Porella baueri* (Schiffn.) Jens., 262
- Pottia algiriensis* Warnst., 403
arabica C. Müll., 403
conica (Schleicher ex Schwärg.)
Fürrn., 403
davalliana (Sm.) C. Jens., 403
macowaniana C. Müll., 403
microphylla Warnst., 403
minutula (Schleicher ex Schwärg.)
Fürrn., 403
minutula (Schleicher ex Schwärg.)
Fürrn. var. *conica* Schimper, 403
mutica Vent. var. *salina* (Warnst.)
Podp., 403

- Pottia*—Continued.
rufescens (Schultz.) Fühnr. ex Warnst.
 var. *angustifolia* Warnst., 403
rufescens Schultz. var. *conica* (Schleicher ex Schwägr.) Warnst., 403
salina Warnst., 403
Pottia starkeana, new combinations in, 403
Pottia starkeana (Hedw.) C. Müll., 403
 subsp. *conica* (Schleicher ex Schwägr.) Chamberlain, 403
 subsp. *minutula* (Schleicher ex Schwägr.) Chamberlain, 403
texana Wareham, 403
verrucosa Warnst. ex Rehn, 403
zealandioides Dixon & Sinsb., 403
 PRENTICE, H. T. & HENDERSON, D. M.
 Contributions to the bryophyte flora of Turkey VIII, 235
Procopiana Gusuleac, 157
creticum (Willd) Gusul., 169
euboica Runem., 167
Psathyrella hydrophila, 116
piluliformis (Bull. ex Mérat)
 P. D. Orton, 116
Pseudohiatula, 79
Psilocybe, 79
apelliculosa P. D. Orton, 82, 118
bullacea, 81, 83
callosa (Fr. ex Fr.) Quél., 82
caricicola P. D. Orton, 80, 119
coprophilla, 81
crobulus, 83
cyanescens, 80, 81
finetaria, 80, 81
graminicola (P. D. Orton) P. D. Orton, 80, 83
inquilina, 83
libertatis (Fr.) Møller, 82
luteonitens, 80
merdaria, 80, 81
merdicola, 81
montana, 82
muscorum, 83
percevalii (Berk. & Br.) P. D. Orton, 80, 81
physaloides, 82
pratensis P. D. Orton, 82, 120
rhombispora, 83
semilanceata, 80
squamosa (Pers. ex Fr.) P. D. Orton, 80, 81
subcoprophila (Britz.) Sacc, 81, 121
turficola Favre, 82
xeroderma Huysman, 82
Psilostemon creticum DC., 169
 Puccinias, two new from SW Asia, 389
Puccinia angelicae (Schum.) Fuckel, 386
canaliculata (Sch.) Lagerheim, 378
collettiana Barclay, 384
Puccinia—Continued.
coronata Corda, 380
dieteliana Sydow, 384
fagopyri Barclay, 383
ferruginea, 381
galopinae Cooke, 384
granularis Kalch. & Cooke, 380
henryana H. & P. Sydow, 382
hydrocotyles Cooke, 386
iridis Rabb., 380
maianthemii Dietel, 382
nanbuana Hennings, 386
nakonishikii Dietel, 380
parkerae Dietel & Holway, 385
phellopteri A. & H. Sydow, 386
phragmitis (Schum.) Kornicke, 380
pimpinellae (Str.) Rohl., 386
polygoni-amphibii Pers., 383
prostii, 374
quadricostata Henderson, 389
scutellariae Henderson, 389
striiformis West, 380
tabernaemontanae Cke., 377
tokyensis P. & H. Sydow, 386
zoyisiae Dietel, 384
Pucciniostele clarkiana (Barclay) Dietel, 385
 RATTER, J. A.
 Chromosome Counts (review), 128
 Cytogenetic studies in *Spergularia*: IV
 Some further interspecific hybrids 213;
 V, some interspecific hybrids involving *S. media*, 225
 Records of Boleti and notes on their taxonomic position: II, 265; III, 391
 Review of *Sweetia* and *Acosmium*, 347
 Revision of *Symphytum* L. in Turkey and Adjacent Areas, 157
Rhodocybe borealis M. Lange & Skifte, 131
Rhytidiadelphus triquetrus (Hedw.) Warnst., 234
 ROSSER, E. M. & BURTT, B. L.
 Studies in the Gesneriaceae of the Old World XXX: Anatomical characters in the tribe Trichosporeae, 39
 Roxburgh's "Plants of the Coast of Cord-mandel": Dates of Publication of Vol. 3, 211
 Rust Fungi from Various Sources, 377
Saelania glaucescens (Hedw.) Broth., 233
 Sarawak Plants I, 141
 Sempervivum, Turkish species of, 15
Sempervivum armenum Boiss. & Huet., 18
 var. *insigne* Muirhead, 19
artvinense Muirhead, 23
braunii Led. var. *glabrum* Medw., 18
brevipilum Muirhead, 26

Sempervivum—Continued.

- davisii* Muirhead, 23
- furseorum* Muirhead, 25
- georgicum* Gurgendze, 27
- gillianii* Muirhead, 26
- glabrifolium* Borissova, 20
- ispartae* Muirhead, 21
- minus* Turrill, 27
- staintonii* Muirhead, 20
- transcaucasicum* Muirhead, 27
- Simocybe laevigata* (Favre) P. D. Orton, 78
- SMITH, R. M.

Some early collectors (review), 38

- Spergularia, Cytogenetic studies in: IV, 213
- Spergularia, Cytogenetic studies in: V, 225
- Spergularia bocconii*, 218

- heldreichii*, 217
- media*, 226, 227, 231
- purpurea*, 217, 218, 226, 231
- rubra*, 217, 218
- rupicola*, 217

- Sphagnum subsecundum* var. *inundatum* (Russ.) C. Jens., 262

- Stropharia fimetaria*, 80
- luteonitens*, 80
- merdaria*, 80
- percevalii*, 80
- squamosa*, 80

- Suillus nubeschii* Singer, 272
- sphaerosporus* (Peck) Smith & Thiers, 67

- Sweetia and Acosmium, A review of, 347

- Sweetia* Spreng., 348
- sect. *Acosmium* (Schott.) Benth., 349
- sect. *Leptolobium* (Vog.) Benth., 350
- sect. *Mesitis* (Vog.) Benth., 354
- atrata* Mohlenb., 349
- bijuga* (Vog.) Benth., 354
- brachystachya* Benth., 354
- dasycarpa* (Vog.) Benth., 351
- var. *glabrata* Benth., 351
- var. *torta* Malme, 352
- diffusissima* Mohlenb., 350
- elegans* (Vog.) Benth., 351
- f. *oblongifolia* Chodat & Hassler, 353
- f. *ovalifolia* Chodat & Hassler, 353
- fallax* Taub., 350
- fruticosa* Spreng., 348
- var. *fruticosa*, 348
- var. *hassleri* Yakovl., 349
- var. *paraguariensis* (Hassler) Yakovl., 348
- glabrifolia* Benth., 351
- glazioviana* Harms, 352
- handroi* Mohlenb., 352
- inornata* Mohlenb., 355
- lentiscifolia* (Schott) Spreng., 350

Sweetia—Continued.

- nitens* (Vog.) Benth., 353
- panamensis* Benth., 353
- parvifolia* Harms, 353
- praeclara* Sandwith, 355
- subelegans* Mohlenb., 353
- tenuifolia* (Vog.) Benth., 353
- tomentella* Mohlenb., 352
- velutina* Mohlenb., 352
- Symphytum in Turkey and adjacent areas, a revision of, 157
- Symphytum abchasicum* Trautv., 179
- aintabicum* Huber-Morath & Wickens, 161, 174
- anatolicum* Boiss., 161, 162, 166
- armeniaceum* Buchnall, 162, 165
- asperrimum* Sims, 162
- asperum* Lepechin, 161, 162
- bornmuelleri* Buchnall, 161, 175
- brachycalyx* Boiss., 161, 175
- brochum* Bory & Chaub., 178
- bulbosum* Schimper, 160, 177
- bulbosum* sensu Guss., 178
- caucasicum* Bieb., 161, 170
- circinale* Runem., 161, 168
- clusii* C. C. Gmel., 177
- cordatum* Bieb., 178
- creticum* (Willd.) Runem., 161, 169
- davisii* Wickens, 162, 168
- donii* DC., 170
- echinatum* Ledeb., 162
- euboicum* (Runem.) Runem., 160, 167
- filipendulum* Bischoff, 177
- foliosum* Rehm., 176
- grandiflorum* DC., 160, 178
- var. *abchasicum* (Trautv.) Kuhn., 179
- var. *grandiflorum*, 178
- hajanstanum* Gviniaschvili, 161, 164
- ibericum* Steven in Bieb., 178
- jacquinianum* Tausch., 171
- kurdicum* Boiss. & Hausskn., 161, 171
- leonhardtianum* Pugsley, 176
- leonhardtianum* var. *longifolium* Pugsley, 176
- longipetiolatum* Wickens, 161, 179
- longisetum* Huber-Morath & Wickens, 162, 174
- macrolepis* Gay in Reich., 177
- majus* Guldénst. ex Leder, 162
- nodosum* Schum., 176
- officinale* L., 157
- orientale* L., 161, 162, 171
- ottomanum* Friv., 160, 167

Symphytum—Continued.

- palaestinum* Boiss., var. *palaestinum*, 161, 172
var. *dentatum* Boiss., 173
var. *majus* Bucknall, 173
var. *strigosum* Post ex Post, 173
patens Fries, 162
peregrinum Ledebour, 161, 163
pseudobulbosum Aznavour, 161
172
punctatum Gaudin, 177
racemosum Stephan ex Roem. & Schultes, 170
sepulcrale Boiss. & Bal., 162, 164
sicyosinum Candargy, 166
sylvaticum Boiss., 161, 166
tauricum Sims, 162, 171
tauricum Willd., 165
tuberosum L., 162
subsp. *nodosum* (Schur) Soo, 176
var. *clusii* Caruel, 177
var. *exsertum* Loisel, 177
var. *latifolium* G. Beck, 176
f. *longifolium* G. Beck, 176
tuberosum sensu Ucria, 178
zeyheri Schimper, 160, 178

Tephrocye fuscipes P. D. Orton, 122

Thalesia Mart., 352

Tortella fragilis (Hook. & Wils. ex Drumm.) Limpr., 233

tortuosa (Hedw.) Limpr., 233

israelis Biz. & Bil., 262

Tortula starkei Lindb. var. *davallii* Lindb., 403

TOWNSEND, C. C.

Contributions to the Bryophyte Flora of Turkey: VII, 233

Trachystemon creticum D. Don ex G. Don., 169

Trichocladus verticillatus Eckl. & Zeyh., 8

Tricholoma, 83

aestuans (Fr.) Gillet, 124

resplendens (Fr.) Karst., 125

stans (Fr.) Sacc., 126

Trifolieae: Materials for a Flora of Turkey XX, 321

Trifolium L., 321

apertum Bobrov var. *kilaenum*

Zoh. et Lern., 322

euxinum Zoh., 321

pachycalyx Zoh., 321

Trigonella L., 322

arenicola Huber-Morath, 322

Trigonella L.—Continued.

hierosolymitana auct., 322

kotschyi Fenzl. var. *hierosolymitana* (Boiss) Širj., 323

mesopotamica Huber-Morath, 322

Turkish Itineraries: IV, 203

Uredo dianellae Dietel, 382

gaultheriae (Syd.) Hiratsuka f., 379

kyllingae P. Hennings, 378

Uromyces anagyridis (Rouss.) Roum., 276

antholyzae Syd., 381

anthyllidis Schroet., 276

behenis (DC) Unger, 273

bidenticola Arth., 378

bonaveriae Syd., 277

dactylidis Otth., 276

dianthi (Pers.) Niessl., 274

doricus Maire, 274

fabae de Bary, 278

galegae (Opiz) Sacc., 277

geranii (DC) Lev., 275

glycyrrhizae (Rabh.) Magnus, 278

gurkeanus P. Henn., 277

gypsophilae Cooke, 275

hippocrepidis Mayor, 277

hymenocarpi O. Jaap, 277

limonii (DC) Lév., 280

muscari (Duby) Lév., 280

nerviphilus (Grognot) Hotson, 278

pisi (DC.) Otth., 279

polygoni - aviculariae (Pers.) Karst., 280

rumicis (Schum.) Wint., 280

seligeri Tranz. & Erem., 279

spartii-juncei Syd., 279

striatus Schroet., 279

thapsi (Opiz) Bubak, 280

trifolii (DC.) Lév., 280

veratri Schroeter, 382

verruculosus Schroeter, 275

Vicieae: Materials for a Flora of Turkey: XIX, 311

Vicia cracca L. subsp. *atroviolacea* (Bornm.) P. H. Davis, 313

glareosa P. H. Davis, 315

quadrijuga P. H. Davis, 316

splendens P. H. Davis, 314

tenuifolia Roth. var. *atroviolacea* Bornm., 313

WATLING, ROY

An agaricologist's God-send (review),
209

Introducing mycology (review), 74

New fungi from Michigan, 59

Records of Boleti and notes on their
taxonomic position: II, 265; III, 391

The first record of *Nectria radicularis*
in Britain, 263

The genus *Paragyrodon*, 67

WATLING, ROY & ORTON, P. D.

A reconsideration of the classification
of the *Hygrophoraceae*, 129

WICKENS, G. E.

A revision of *Symphytum* L. in Turkey
and Adjacent Areas, 157

WOOD, D.

Roxburgh's "Plants of the Coast of
Coromandel" Dates of Publication
of Vol. 3, 211

YAKOVLEV, G. P.

A Review of *Sweetia* and *Acosmium*,
347

Zingiber incomptum Burt & Smith, 152

pachysiphon Burt & Smith, 154

ZOHARY, M. & HUBER-MORATH, A.

Materials for a Flora of Turkey XX:
Leguminosae—*Trifolieae*, 321