

BOTANICAL LITERATURE OF AFGHANISTAN: SUPPLEMENT I

S.-W. BRECKLE,* W. FREY** & I. C. HEDGE

ABSTRACT. A supplement to an earlier botanical bibliography of Afghanistan deals, for the most part, with the years 1969 to the present. In the introduction attention is drawn to a selection of some of the most important references within different branches of botany in this region.

INTRODUCTION

Since we published a botanical bibliography of Afghanistan in 1969 (*Notes R.B.G. Edinb.* 29:357-371), a considerable number of new works have appeared and it is now an appropriate time to bring the original list up to date. Although most of the references given here are recent, we have also included several older ones which were either previously overlooked or else deliberately excluded because their Afghan content was limited. We have not attempted to include *all* the papers in which a reference to an Afghan plant occurs; to do so would make the bibliography much too bulky and defeat the main aim of the paper, which is to provide a general and reasonably comprehensive list of useful references.

As in the previous paper, the titles are given under three headings: I, references to Afghanistan; II, some references to adjacent countries; III, some useful maps, gazetteers, etc.

Inevitably, any bibliography which does not give some idea of the contents of the cited works is of limited value to the reader in that all entries appear to be of equal value; that is, it is difficult for someone not conversant with the literature of the area to recognise which are the important references and which are not. Although we have not tried to categorise the entries here, we thought that it would be useful for the general reader to draw attention to some of the titles that, within different branches of botany, are of special value for their content and as a source, from their own bibliographies, of further information; this both for Afghanistan and adjacent countries.

To the taxonomist and phytogeographer the modern Floras are, of course, of prime importance both for their own content and as a means of tracing pertinent earlier literature. *Flora Iranica*, under the active leadership of K. H. Rechinger, is the main source of taxonomic information about Afghan plants and, in addition, those of N Iraq, Iran and highland Pakistan. Of great value for other adjacent regions, and often for Afghanistan as well, are the following Floras: *Flora of W Pakistan* (ed. Nasir & Ali); *Flora Uzbek SSR* (ed. Vvedensky, 6 vols.)†; *Flora Kirghiz SSR* (ed. Nikitina, 11 vols.); *Flora Turkmen SSR* (ed. Schischkin, 7 vols.)†; *Flora Tadzhik SSR* (ed. Ovchinnikov); *Plantae Asiae Centralis* (ed. Grubov); *Conspectus Florae Asiae Mediae* (ed. Vvedensky). Of these Floras only those of the Kirghiz, Uzbek and Turkmen SSR are complete.

* Institut für Pharmazeutische Biologie der Universität, D-5300 Bonn, Nuss-Allee 6, Germany.

** Institut für Biologie, Spezielle Botanik, D-7400 Tübingen, Auf der Morgenstelle 1, Germany.

† Listed in our first paper (*Notes R.B.G. Edinb.* 29:357-371).

Useful accounts of the natural vegetation of Afghanistan are given by Volk (1954)* and, in more detail, by Freitag (1971a,b). Zohary's major work on geobotany (1973), although dealing but little with Afghanistan itself, gives a most valuable account of SW Asia as a whole. Of the many ecological papers, mention should be made of those by Gilli*, Pelt & Hayon et al. and Neubauer (1954)*. Some eco-physiological aspects are touched on in several papers by Breckle; climatic data can be found in Humlum et al. (1959)* and Kraus (1972). Flohn (1969) discusses the relationship between water-balance and climate in mountainous regions.

Although we are aware of little that has been written about Afghanistan's geological past, Kaever (1969, 1972) is worth consulting. Wirtz et al. (1964) deal with the geology, and palaeontology, of NE and C Afghanistan; the geological maps of Wittekindt & Weippert (1973) cover central and southern Afghanistan.

Plants and drugs of pharmaceutical importance in Afghanistan are dealt with by Volk (1955)* and Pelt et al. (1965)*; Parsa (1959-61) and Hocking (1958-62) are useful references for Iran and Pakistan respectively.

Botanical travelogues and some of the garden-worthy plants that are, or should be, grown in western Europe are the main themes of articles by Furse and Hewer.

Cryptogamic research in Afghanistan is still in its infancy and only a few groups have been studied, none in detail: Kitagawa (1964)*, Frey (1969-74), Froehlich (1955-64)* and Kilbertus & Bizot (1971) on bryophytes; Poelt & Wirth (1968)* and Poelt & Steiner (1971) on lichens [Steiner is currently working on a preliminary account of the lichen flora of the country]; Petrak (1953, 62, 66)*, Henderson (1970), Brandenburger & Steiner (1972) and Durrieu (1973) on fungi, mainly parasitic ones; Foged (1959)* on diatoms. These papers cover most of the available Afghan cryptogamic references. In Soviet Central Asia, however, there are some more substantial references: there is the Cryptogamic Flora of Kazakhstan (Nevodovsky et al., 1956-), a handbook of rust fungi of middle Asia (Korbonskaja, 1969), and the first volume of a lichen Flora covering all of the USSR (Abramov, 1971).

The contributions to botanical knowledge that local botanists in SW Asia can make are discussed by Davis & Hedge (1975). Although written primarily from a Turkish viewpoint, many of the points dealt with are equally valid for Afghanistan.

Two recent botanical bibliographies deal with Afghanistan's neighbours to the south and west: Kazmi (1970-71a) for Pakistan and Frey & Meyer (1971) for Iran. To the north, in the USSR, botanical literature extends, unlike Afghanistan, over a long period, and is extensive for almost all aspects of botany. Some of it, at least in western Europe, is difficult to trace and, one may add, to cite. Three references, cited in section II, those of Grubov et al. (1963, vol. 1 and 1971, vol. 6), Musaev (1968) and Kamelin (1973) contain large and useful bibliographies of Central Asia. Agakhanyantz & Sinkovskaya (1972) give numerous older natural history references to the Pamir region.

No doubt this supplement is not as fault-free and comprehensive as we would have wished. We would therefore welcome notice of our errors and omissions. We would also be pleased to receive reprints of all pertinent papers, especially those published in less well-known periodicals, in order to keep this botanical bibliography as up-to-date as possible.

Many colleagues—too many to list individually—have contributed towards this bibliography. We wish to acknowledge their help. One of us (W.F.) is grateful for financial assistance provided by the Sonderforschungsbereich 19 (Orientalistik) at the University of Tübingen.

I. REFERENCES TO AFGHANISTAN

- AFGHANZADA, A. (1970). Ecological conditions of forests in Afghanistan. *Stage d'études sur les études intégrées et l'écologie et l'aménagement des terrains de parcours*. C.A.Z.R.I. Jodhpur.
- AGAKHANYANTZ, O. E. (1964). Comparison of the Hammada-Desert in Pamir and of the western Hindukush. [In Russian]. *Dokl. Akad. Nauk Tadzhik. SSR* 7:43-47.
- , KRYSHANOVSKI, O. L. & MURATOV, M. B. (1963). Field research in Afghanistan. [In Russian]. *Vestnik Akad. Nauk SSSR* 11:100-103.
- ANON. (1969). *Bibliographie der Afghanistan-Literatur, 1945-1967*. Teil II: Literatur in orientalischen Sprachen und Ergänzungen in europäischen Sprachen. Hamburg.
- BANGA, O. (1961). Die Abstammung der westlichen Karotinmöhre. *Zeitschr. Pflanzenzücht.* 45:254-258.
- BARKOUDAH, Y. I. (1962). A revision of *Gypsophila*, *Bolanthus*, *Ankyropetalum* and *Phryna*. *Wentia* 9:1-203.
- BARNARD, P. D. W. (1967). Two new plants from the upper Triassic of NE Afghanistan. *Riv. ital. Paleont. Stratigr.* 73:723-726.
- BENNETT, E. (1973). Wheats of the Near-East—Afghanistan. In Frankel, O. H. (ed.). *Survey of crop genetic resources in their centres of diversity*. (First report). 22-24. FAO, IBP.
- BENTZER, B., BOTHMER, R. v. & WENDELBO, P. (1972). Chromosome morphology in Afghanian *Bellevialias* (Liliaceae). *Bot. Not.* 125:153-156.
- BOR, N. L. (1940). A note on *Deyeuxia munroi* (Boiss.) Bor. *Indian Forester* 66:418-420.
- BOTSCHANTZEV, V. P. (1972a). On *Parrya* R. Br., *Neurolooma* Andr., and some other genera (Cruciferae). [In Russian]. *Bot. Zhurn.* 57:664-673.
- (1972b). The genus *Strigosella* Boiss. and its relation to the genus *Malcolmia* R. Br. (Cruciferae). [In Russian]. *I.c.* 57:1033-1046.
- BOUREAU, E. & FURON, R. (1950). Note préliminaire sur des végétaux du lias du plateau iranien (Perse et Afghanistan). *Compt. Rend. somm. Séanc. Soc. Fr.* 1950:22-23.
- , FURON, R. & ROSSET, L. F. (1950). Contribution à l'étude des flores jurassiques d'Asie. I. Le plateau Iranien. *Mém. Mus. Hist. Nat.* 30:207-242.
- BRANDENBURGER, W. & STEINER, M. (1972). Parasitische Pilze aus Afghanistan. *Decheniana* 125:165-188.
- BRECKLE, S.-W. (1971a). Vegetation in alpine regions of Afghanistan. In Davis, P. H. et al., eds, *Plant Life of South-West Asia*: 107-116. Edinburgh.
- (1971b). Pflanzenleben in Südwest-Asien. Bericht über das Symposium zum Pflanzenleben Südwest-Asiens in Edinburgh, Juni 1970. *Naturwissensch. Rundschau* 24:349-350.

- (1971c). Die Beeinflussung der Vegetation durch hügelbauende Ameisen (*Cataglyphis bicolor* Fabricius) auf der Dasht-i-Khoshi (Ost-Afghanistan). *Ber. Deutsch. Bot. Ges.* 84:1–18.
- (1971d). Ökologie und Mikroklima in der alpinen Stufe des afghanischen Hindukusch. *l.c.* 84:721–730.
- (1971e). Ist *Diarrhron vesiculosum* (Thymelaeaceae) ein ökologisches Rätsel? Studien an Therophyten in der Steppe von Kabul/Afghanistan. I. Allgemeines, Morphologie und osmotische Verhältnisse. *Bot. Jahrb. Syst.* 90:550–561.
- (1972). Alpenrosen im Hindukusch? *Jahrbuch des Vereins zum Schutze der Alpenpflanzen und -Tiere e. V.* 37:140–146.
- (1973). Mikroklimatische Messungen und ökologische Beobachtungen in der alpinen Stufe des afghanischen Hindukusch. *Bot. Jahrb. Syst.* 93:25–55.
- (1974). Notes on Alpine and Nival Flora of the Hindukush/East-Afghanistan. *Bot. Not. (Lund)* 127:278–284.
- (1975). Ökologische Beobachtungen oberhalb der Waldgrenze des Safed Koh (Ost-Afghanistan). *Vegetatio*: in press.
- & FREY, W. (1974). Die Vegetationsstufen im Zentralen Hindukusch. *Afghanistan Journal* 1:75–80.
- , FREY, W. & HEDGE, I. C. (1969). Botanical literature of Afghanistan. *Notes R.B.G. Edinb.* 29:357–371.
- & KULL, U. (1971). Osmotische Verhältnisse und Zuckergehalte im Jahresgang bei Bäumen Ost-Afghanistans. I. *Quercus baloot* Griffith. *Flora* 160:43–59.
- & KULL, U. (1973). Ist *Diarrhron vesiculosum* (Thymelaeaceae) ein ökologisches Rätsel? Studien an Therophyten in der Steppe von Kabul/Afghanistan. II. Die Wirkung der Dürre auf Mineralstoffverhältnisse und Kohlenhydrathaushalt. *Bot. Jahrb. Syst.* 93:539–561.
- , MADEL, G. & SCHNEIDER, P. (1969). Biologische Wakhan-Exkursion Sommer 1968. I. Teil—Bericht der Biologischen Wakhan-Exkursion 1968. *Science (Kabul)* 5:3–5.
- & RASOUL, M. (1969). Ein Hybrid bei zentral-asiatischen Anemonen. *Naturwissenschaften* 56: 573–574.
- & RESHAD, M. (1971). Ökophysiologischer Tagesgang des Halophyten *Krascheninnikovia* in der Dasht-i-Nawor (Zentral-Afghanistan) an einem Strahlungstag. *Biol. Pl. (Praha)* 13:402–404.
- DAVIS, P. H. (1970). *Geranium*, sect. *Tuberosa*, revision and evolutionary interpretation. *Israel Journ. Bot.* 19:91–113.
- , HARPER, P. C. & HEDGE, I. C., eds, (1971). *Plant Life of South-West Asia*. Botanical Society of Edinburgh. 335 pp.
- DEML, I. (1972). Revision der Sektionen *Acanthophaea* Bunge und *Aegacantha* Bunge der Gattung *Astragalus* L. *Boissiera* 21:9–235.
- DIETERLE, A. (1973). Vegetationskundliche Untersuchungen im Gebiete von Band-i-Amir (Zentralafghanistan). *Dissertationes botanicae* 24. Lehre. 87 pp.
- DURRIEU, M. G. (1973). Les champignons phytopathogènes du centre de l'Afghanistan. Aspects biogéographiques. *Compt. Rend. Acad. Sci. Paris ser. D.* 276:541–544.

- DVOŘÁK, F. (1968). A contribution to the study of the genus *Clausia* Korn.-Tr. *Ann. Naturhist. Mus. Wien* 72:559-565.
- ECKBLAD, F. E. (1970). Gasteromycetes from Iraq, Iran and Afghanistan. *Nytt Mag. Bot.* 17:129-138.
- EHRENDORFER, F. (1960). *Olea aucheri* (Chev.) Ehrendf., eine bemerkenswerte Sippe des Formenkreises *Olea europaea* L. sensu lato. *Anz. Oest. Akad. Wiss. Wien math.-nat. Kl.* 97:155-158.
- EKBERG, L. (1969). Studies in the genus *Allium*, II. A new subgenus and new sections from Asia. *Bot. Not.* 122:57-68.
- (1970). Studies in the genus *Allium*, III. Wind dispersal of *Allium* bulbs. *l.c.* 123:115-118.
- ENDLICHER, S. & FENZL, E. (1836). *Sertum Cabulicum; enumeratio plantarum quas in itinere inter Dera Ghazee Khan et Cabul . . . collegit M. Honigberger. Accedunt novarum vel minus . . . Fasc. I.* Vienna.
- EYRE, V. (1842). Memoranda concerning some seeds sent from Cabul. *India Agric. Soc. Journ.* 1:202-203.
- (1843). Remarks on a few shrubs collected in Afghanistan. *l.c.* 2:98-99.
- FAIZYAR, A. (1971). *List of plant pests and diseases of economic importance in Afghanistan*. FAO. Cairo. 32 pp.
- FISCHER, D. (1970). Waldverbreitung, bäuerliche Waldwirtschaft und kommerzielle Waldnutzung im östlichen Afghanistan. *Afghanische Studien* 2. Meisenheim. 139 pp.
- FISCHER, M. (1972). Neue Taxa, Chromosomenzahlen und Systematik von *Veronica* subsect. *Acinifolia* (Römpf.) Stroh. *Oesterr. Bot. Zeit.* 121:413-437.
- FLOHN, H. (1969). Zum Klima und Wasserhaushalt des Hindukusch und der benachbarten Hochgebirge. *Erdkunde* 23:205-215.
- FREITAG, H. (1971a). Studies in the natural vegetation of Afghanistan. In Davis, P. H. et al., eds, *Plant Life of South-West Asia*: 89-106. Edinburgh.
- (1971b). Die natürliche Vegetation Afghanistans. (Beiträge zur Flora und Vegetation Afghanistans I). *Vegetatio* 22:285-344.
- (1971c). Zur Kenntnis afghanischer Plumbaginaceen. (Beiträge zur Flora und Vegetation Afghanistans II). *Ann. Naturhist. Mus. Wien* 75:67-75.
- (1972a). Interesting and new Labiatae and Capparidaceae from Afghanistan. (Beiträge zur Flora und Vegetation Afghanistans III). *Notes R.B.G. Edinb.* 31:351-357.
- (1972b). Neue Arten aus Afghanistan: *Amygdalus browiczii* und *Leontice silvatica*. (Beiträge zur Flora und Vegetation Afghanistans IV). *Bot. Jahrb. Syst.* 91:470-477.
- (1972c). Flora und Vegetation. In Kraus, W. *Afghanistan: Natur, Geschichte und Kultur, Staat, Gesellschaft und Wirtschaft*: 50-67. Erdmann Ländermonographie 3. Tübingen. 488 pp.
- (1975). The genus *Piptatherum* (Gramineae) in Southwest Asia. *Notes R.B.G. Edinb.* 33:341-408.
- & WENDELBO, P. (1970). The genus *Bellevalia* in Afghanistan. Studies in the flora of Afghanistan [XI]. *Israel Journ. Bot.* 19:220-224.
- FREY, W. (1969). Beiträge zur Moosflora Afghanistans I. *Bartramiaceae*. *Nova Hedwigia* 17:351-357.
- (1972). Beiträge zur Moosflora Afghanistans II. Die pleurokarpen Laubmoose. *Bryologist* 75:125-135.

- (1974). Die Lebermoose des Iran und Afghanistans. *Byrologist* 77:48–56.
- FURON, R. (1941). Géologie du Plateau Perse-Afghanistan-Balouchistan. *Mém. Mus. Hist. Nat. Serie C.* 7, 2:177–411.
- FURSE, P. (1965a). Irises in Iran and Afghanistan, 1964. *Iris Year Book* 1965: 100–112.
- (1965b). Tulips in Iran and Afghanistan, 1964. *Daffodil Tulip Year Book* 1966, 31:61–73.
- (1966a). Delphiniums in Turkey, Iran and Afghanistan. *Delphinium Society Year Book* 1966: 93–100.
- (1966b). Fritillaries in Iran and Afghanistan, 1964. *Lily Year Book* 1966 29:115–119.
- (1967). Tulips in Iran and Afghanistan, 1966. *Daffodil Tulip Year Book* 1968, 33:83–92.
- (1968a). Delphiniums in Iran and Afghanistan. *Delphinium Society Year Book* 1968: 75–82.
- (1968b). Iris in Turkey, Iran and Afghanistan. *Iris Year Book* 1968: 61–77.
- (1970). Exploring for Fritillaries in west and central Asia. *Lily Year Book* 1970, 33:111–115.
- (1971). Oncocyclus and Regelia Irises in Turkey, Iran and Afghanistan. *Iris Year Book* 1971: 119–132.
- (1972). Iris reticulata sect. or the genus Iridotictyum. *l.c.* 1972: 103–111.
- & FURSE, P. (1969). Flora of the Hindu Kush. *Bull. Alpine Gard. Soc. Gr. Brit.* 37:283–298.
- GILLI, A. (1964). Wald- und Weideprobleme in ariden Gegenden. *Acta Bot. Croat. vol. 4 extraord.*: 41–43.
- (1971a). Afghanische Pflanzengesellschaften. II. Die mesophilen und hygrophilen Pflanzengesellschaften im sommertrockenen Gebiet. *Vegetatio* 23:199–234.
- (1971b). Eine Sukzessionsaufnahme aus Afghanistan. *Ann. Naturhist. Mus. Wien* 75:77–81.
- GORLENKO, M. V. (1961). Fungi parasitici nonnulli curiosi ex Afghanistania. *Bot. Mater. Otd. Sporov. Rast. Bot. Inst. Komarova Akad. Nauk SSSR* 14: 241–243.
- GREY-WILSON, C. (1973a). Irises in Iran and Afghanistan. *Iris Year Book* 1973: 105–120.
- (1973b). A botanical trek in the Wakhan corridor. *Bull. Alpine Gard. Soc. Gr. Brit.* 41:315–322.
- (1974a). Some alpine of the central Hindu Kush. *l.c.* 42:61–67.
- (1974b). Some Irises seen in Afghanistan. *Journ. Roy. Hort. Soc.* 99: 169–172.
- (1974c). Some notes on the flora of Iran and Afghanistan. *Kew Bull.* 29:19–81.
- GRIERSON, A. J. C. (1967). The genus Psychrogeton (Compositae). *Notes R.B.G. Edinb.* 27:101–147.
- GRIFFITH, W. (1842). Extracts from a report on subjects connected with Afghanistan. *Ann. Nat. Hist.* 10:190–196.

- GUBANOV, I. A. & LIBIZOV, N. I. (1970). Les plantes d'intérêt pharmaceutiques et techniques d'Afghanistan. [In Russian]. *Rastit. Resursy SSSR* 6: 128-137.
- HADAČ, E. (1970). A plant collection from Hindu Kush. Plants collected by M. Daniel in the Vakhān region, NE Afghanistan. *Feddes Rep.* 81:457-479.
- HAMZAKHEYL, N. G. (1969). A preliminary survey of pomegranates in Afghanistan with some laboratory varietal analysis. *Fac. Agriculture, Kabul Univers. Tech. Bull.* 16. 13 pp.
- & SHIRZAD, B. M. (1971). The identification of Afghan pomegranate varieties. *Fac. Agriculture, Kabul Univers. Tech. Bull.* 21. 20 pp.
- HARBORNE, J. B. (1971). Hirsutin and gossypetin in *Dionysia*. *Phytochemistry* 10: 472-475.
- HASHIMOTO, T. (1964). Studies on Afghan plants (I). *Journ. Jap. Bot.* 39:25-30.
- HASSANYAR, A. S. (1970). *Ecological classification of Afghanistan*. [In Farsi]. Kabul, Faculty of Education. 35 pp.
- (1971). *The major terrestrial ecosystems of four regions of Afghanistan*. A research report. Kabul, Faculty of Agriculture. 34 pp.
- (1972). *Ecology of Central Afghanistan*. [In Farsi]. Kabul, Faculty of Education. 36 pp.
- HAYON, J. C., KILBERTUS, G. & PELT, J.-M. (1970). Flore et végétation d'un barrage de travertins en Afghanistan central (Ziarat de Band-i-Amir). *Compt. Rend. Acad. Sci. Paris. Ser. D* 270:3075-3078.
- , PELT, J.-M. & YOUNOS, CH. (1970a). Les formations végétales de la moyenne vallée du Kaboul et des massifs montagneux du Nuristan (Afghanistan). *Vegetatio* 20:279-306.
- , PELT, J.-M. & YOUNOS, CH. (1970b). Caractères écologiques et floristiques de deux stations halophiles d'Afghanistan. *l.c.* 20:307-328.
- HEDGE, I. C. (1970). Observations on the mucilage of *Salvia* fruits. *Notes R.B.G. Edinb.* 30:79-95.
- (1974). A further note on *Salvia tetradonta*. *Notes R.B.G. Edinb.* 33: 295-299.
- & WENDELBO, P. (1969). A note on the Rhododendrons of Afghanistan. *Rhododendron Camellia Year Book 1970*: 177-181.
- & WENDELBO, P. (1970). Some remarks on endemism in Afghanistan. *Israel Journ. Bot.* 19:401-417.
- & WENDELBO, P. (1972). Studies in the flora of Afghanistan XIII: various new taxa and records. *Notes R.B.G. Edinb.* 31:331-350.
- HENDERSON, D. M. (1970). Studies in the flora of Afghanistan XII: Uredinales, 2. *Notes R.B.G. Edinb.* 30:197-202.
- HERMAN, N. M., ZILLHARDT, J. & LALANDE, P. (1971). Recueil de données des Stations Météorologiques de l'Afghanistan. *Publ. de l'Inst. de Météorologie, Kaboul* No. 2. 58 pp.
- HEWER, T. F. (1970). An unusual means of propagation of a plant in the desert. *Journ. Roy. Hort. Soc.* 95:128-129.
- (1971). A botanical expedition to Iran and Afghanistan, 1969. *l.c.* 96: 403-412.
- (1973a). A botanical expedition to Iran and Afghanistan, 1971: part 1, *l.c.* 98:288-294.
- (1973b). A botanical expedition to Iran and Afghanistan, 1971: part 2, *l.c.* 98:341-348.

- HOOG, M. H. (1972). On the origin of Tulipa. *Lilies and other Liliaceae*: 47-64.
- JACQUEMIN-ROUSSARD, M. & KILBERTUS, G. (1971). Quelques lichens d'Afghanistan ébauche écologique. *Bull. Acad. Soc. Lorraines Sc.* 10:59-65.
- JAFRI, S. M. H. (1954). *Taxonomic study on the Capparidaceae and Cruciferae of West Pakistan, Afghanistan and the Northwest Himalayas*. Thesis, University of Edinburgh.
- (1956). A plea for taxonomic study on the flora of West Pakistan, Afghanistan and the Northwest Himalayas with special references to the Cruciferae. *Pak. Journ. Sc. (Lahore)* 8:97-98.
- JALAS, J. (1973). Thymus subsect. Pseudomarginati in the Himalayas and adjoining western mountain ranges, and in Caucasia. *Ann. Bot. Fenn.* 10:104-122.
- JANSSON, C.-A. (1961). Two new species of Rosularia from the Orient. *Acta Hort. Gotob.* 28:181-187.
- JUX, U. & KEMPF, E. K. (1971). Stauseen durch Travertinabsatz im zentral-afghanischen Hochgebirge. *Zeit. Geomorph., N.F., Suppl.* 12:107-137.
- KAEVER, M. (1969). Die Trias Afghanistans. Literaturbericht zur Geologie und Paläontologie Afghanistans: Teil 5. *Zentralbl. Geol. Paläont.* 1, 1:170-186.
- (1972). Geologie und Lagerstätten. In Kraus, W. *Afghanistan: Natur, Geschichte und Kultur, Staat, Gesellschaft und Wirtschaft*. Erdmann Ländermonographie 3:21-31. Tübingen.
- KESHTYAR, M. (1970). *Status of pasture development and management, vegetation survey and mapping in Afghanistan*. C.A.Z.R.I. Jodhpur.
- KIHARA, H. & TANAKA, M. (1958). Morphological and physiological variation among Aegilops squarrosa strains collected in Pakistan, Afghanistan and Iran. *Preslia (Praha)* 30:241-251.
- KILBERTUS, G. & BIZOT, M. (1971). Contribution à la connaissance de la flore des Muscinées d'Afghanistan. *Bull. Acad. Soc. Lorraines Sc.* 10:67-74.
- & PIERRE, J.-F. (1970). Étude hydrologique, microbiologique et algologique des eaux du Kaboul (Afghanistan). *l.c.* 9:433-448.
- KRAUS, W. (1972). *Afghanistan. Natur, Geschichte und Kultur, Staat, Gesellschaft und Wirtschaft*. Erdmann Ländermonographie 3. 448 pp. Tübingen.
- KULL, U. & BRECKLE, S.-W. (1972). Osmotische Verhältnisse und Zuckergehalte im Jahresgang bei Bäumen Ost-Afghanistans. II. Cercis griffithii und Pistacia cabulica. *Flora* 161:586-603.
- KUMLER, M. L. (1969). Plant distribution on hills surrounding Kabul, Afghanistan. *Trans. Ill. State Acad. Sci.* 62:141-153.
- LAMOND, J. M. (1970). The Afghanistan collections of William Griffith. *Notes R.B.G. Edinb.* 30:159-175.
- LAPPARENT, A. F. (1970). Paysages biogéographiques de l'Afghanistan. *Compt. Rend. Soc. Biogéograph.* No. 412. Paris.
- LEPPER, L. (1968). Zur Zytologie von Primula edelbergii Schwarz. *Wissensch. Zeitschr. Schiller Univ. Jena, math.-nat. Reihe* 17:355-357.
- LEUTE, G.-H. & SPETA, F. (1972). Umbelliferen-Studien zur "Flora Iranica", 1. *Oesterr. Bot. Zeitschr.* 120:289-311.
- LINCHEVSKY, I. A. (1941). Botanical results of the German Hindu Kush Expedition of 1935. [Review, in Russian]. *Sovetsk. Bot.* 1-2:192-193.
- LIPSCHITZ, S. JU. (1971). A note on the genus Pterachaenia (Benth.) Lipschitz. [In Russian]. *Bot. Zhurn.* 56:1150-1152.

- MATZKEVITZH, V. I. (1929). The carrot[s] of Afghanistan. [In Russian, with English summary]. *Bull. Appl. Bot. Gen. & Plant-Breeding* 20:517-562.
- MCNEILL, J. (1973). Gypsophila and Stellaria: An unexpected problem in generic delimitation. *Notes R.B.G. Edinb.* 32:389-395.
- MEHER-HOMJI, V. M., GUPTA, R. K. & FREITAG, H. (1973). Bibliography on "plant-ecology" in Afghanistan. *Excerpta Bot. Sect. B. Sociol.* 12:310-316.
- MOBAYEN, S. (1964). *Revision taxonomique du genre Acantholimon*. Thesis. Montpellier University, published in Tehran. 372 pp.
- MÖSCHL, W. (1966). De Cerastiis Florae Iranicae. *Oesterr. Akad. Wiss. Math.-Naturwiss. Kl. Sitzungsber., Abt. 1, Biol.* 175:159-217.
- MÜNTZING, A. (1950). Accessory chromosomes in rye populations from Turkey and Afghanistan. *Hereditas* 36:507-509.
- MUSTAFA, A. M. & GINAI, M. A. (1944). Apricot growing in Baluchistan with notes on Afghanistan and Iran. *Indian Journ. Hort.* 2:9-28.
- NAUMANN, C. M. (1974). Pamir und Wakhan; Kurzbericht zweier Expeditionen (1971 und 1972) nebst einigen allgemeinen Bemerkungen. *Afghanistan Journal* 1:91-104.
- NEUBAUER, H. F. (1974). Die Nuristanrebe, Herkunft der Edelrebe und Ursprung des Weinbaues. *Afghanistan Journal* 1:32-36.
- PABOT, H. (1958a). Seeds collected in Lebanon and Afghanistan. *Plant Introduction Newsletters*, (FAO Rome) 3/5, 1p.
- (1958b). *Note sur la végétation des terrains de parcours de la région d'Andkhui*. FAO-Report to the Government of Afghanistan. Kaboul. 3 pp.
- (1959). *Rapport au Gouvernement de l'Afghanistan sur l'amélioration des pâturages naturels*. FAO/ETAP—Report Nr. 1093. Rome. 57 pp.
- PAČYNA, A. (1970). A contribution to the knowledge of the flora of high Hindu Kush. *Fragm. Florist. Geobot. (Krakow)* 16:247-249.
- PAPP, C. (1942). Über die Verbreitung einiger Melica-Arten in Afghanistan. *Bulet. Grád. Bot. Muz. Bot. Univ. Cluj* 22:40.
- PELT, J.-M. (1967). Aperçus sur la végétation et la flore de l'Afghanistan. *Bull. Assoc. Philom. Alsace Lorraine* 13:227-231.
- , HAYON, J. C., MARLIN, P., & YOUNOS, CH. (1970a). La végétation d'une cuvette halophile du bassin de Bamian (Afghanistan central). *Comp. Rend. Acad. Sc. Paris, ser. D.* 271:320-323.
- , HAYON, J. C., MARLIN, P. & YOUNOS, CH. (1970b). La végétation de la vallée d'Hadjar (Afghanistan Central). *Bull. Soc. Bot. France* 117: 297-305.
- , JUNK, M. G. & YOUNOS, CH. (1967). Sur la teneur et la constitution alcaloïdique de quelques Ephedra récoltés en Afghanistan et en France. *Bull. Soc. Pharm. Nancy* 68:130-135.
- & YOUNOS, CH. (1971). Effets spasmodiques de quelques essences de labiées d'Afghanistan. *Bull. Soc. Pharm. Nancy* 88:15-24.
- , YOUNOS, CH. & HAYON, J. C. (1967a). Sur la constitution alcaloïdique de quelques Solanacées d'Afghanistan. I. Constitution des feuilles et valeur des espèces examinées (Datura et Jusquiames). *Annales Pharm. franc.* 25: 59-68.
- , YOUNOS, CH. & HAYON, J. C. (1967b). Sur la constitution alcaloïdique de quelques Solanacées d'Afghanistan. II. Comparaison de la constitution des feuilles et des graines de plusieurs espèces de Datura et de Jusquiames. *l.c.* 25:101-106.

- YOUNUS, CH. & LECTARD, P. (1972). Action fongique de quelques essences de labiées. *Bull. Soc. Pharm. Nancy* 93:21-31.
- YOUNUS, CH. & MORTIER, F. (1971). Etude pharmacodynamique de quelques huiles essentielles de labiées d'Afghanistan. *l.c.* 90:16-24.
- PETRAK, F. (1959). Über eine neue Art der Gattung *Pyrenopeziza* aus den Hochgebirgen Afghanistans. *Sydowia* 13:164-166.
- (1966). *Leptasteromella* n.gen., eine neue Gattung der phomoiden Sphaeropsideen. *l.c.* 20:235-238.
- (1968). Schedae ad Cryptogamas exsiccatas editae a Museo Historiae Naturalis Vindobonensi. *Ann. Naturhist. Mus. Wien*. 72:571-580.
- PODLECH, D. (1970). Neue und bemerkenswerte Arten aus Nordost-Afghanistan II. (Beiträge zur Flora von Afghanistan V). *Mitt. Bot. Staatssammlung. München* 8:165-189.
- (1973). Neue und bemerkenswerte *Astragalus*-Arten aus Afghanistan (Beiträge zur Flora von Afghanistan VI). *l.c.* 11:259-321.
- & DEML, I. (1970). Neue und bemerkenswerte Fabaceae aus Nordost-Afghanistan II. (Beiträge zur Flora von Afghanistan IV). *l.c.* 7:329-346.
- & DIETERLE, A. (1969). Chromosomenstudien an afghanischen Pflanzen. *Candollea* 24:185-243.
- POELT, J. & STEINER, M. (1971). Über einige parasitische gelbe Arten der Flechtengattung *Acarospora* (Lecanorales, Acarosporaceae). *Ann. Naturhist. Mus. Wien* 75:163-172.
- & WUNDER, H. (1970). *Anaptychia ulotrichoides* in Europa und ihre Gesamtverbreitung. *Herzogia* 1:459-463.
- POLATSCHKE, A. (1969). Cytotaxonomische Beiträge zur Flora Iranica. II: Eine weitere heterocarpe Crucifere—*Isatis boissieriana* Rchb. fil. *Ann. Naturhist. Mus. Wien* 73:99-101.
- RATHJENS, C. (1958). Mediterrane Beziehungen und Züge in der Landschaft Afghanistans. *Die Erde* 89:257-266.
- (1969). Verbreitung, Nutzung und Zerstörung der Wälder und Gehölzfluren in Afghanistan. *Jahrb. Südasien-Inst. Univ. Heidelberg* 3: 7-18.
- (1972). Fragen der horizontalen und vertikalen Landschaftsgliederung im Hochgebirgssystem des Hindukusch. In: Geocology of the high-mountain regions of Eurasia. Troll, C., ed., *Erdwissenschaftliche Forschung* 4: 205-219.
- (1974). Klimatische Jahreszeiten in Afghanistan. *Afghanistan Journal* 1:13-18.
- RATHLEF, H. (1942). Die Rosen der Deutschen Hindukusch-Expedition 1935. *Gartenbauwissenschaft* 16: 51-69.
- RAWAL, K. M. & CHLEDA, H. R. (1971). Phylogenetic relationships in *Cynodon*. II: *C. nlemfuensis*, *C. dactylon* vars. *afghanicus* and *aridus*. *Phyton (Buenos Aires)* 28:121-130.
- RECHINGER, K. H. [A comprehensive list of his numerous publications up to 1971, many of which have a bearing on the Afghan flora, is given by Riedl, H. in *Ann. Naturhist. Mus. Wien* 75:5-16, 1971].
- (1952). *Caryophyllaceae novae persicae, afghanicae et kurdicae*. *Bot. Jahrb. Syst.* 75:342-364.
- (1954). *Ranunculaceae novae afghanicae*. *Anz. Oest. Akad. Wiss. Wien math.-nat. Klasse* 1954, 8:71-77.

- (1968). Botanische Orientforschung 1937–1967 und die "Flora iranica". *Bustan* 9:29–32.
- ed., (— 1970a —). *Flora Iranica* nos. 67–100. With various authors. Graz. Alismataceae (no. 78, 1971). Alliaceae (no. 76, 1971). Amaranthaceae (no. 91, 1972). Amaryllidaceae (no. 67, 1970). Asclepiadaceae (no. 73, 1970). Betulaceae (no. 96, 1972). Butomaceae (no. 79, 1971). Cappariaceae (no. 68, 1970). Compositae-Cynareae 1: Cousinia (no. 90, 1972). Corylaceae (no. 97, 1972). Crassulaceae (no. 72, 1970). Eriocaulaceae (no. 89, 1971). Fagaceae (no. 77, 1971). Frankeniaceae (no. 99, 1972). Geraniaceae (no. 69, 1970). Gramineae (no. 70, 1970). Hippocastanaceae (no. 92, 1972). Hydrocharitaceae (no. 80, 1971). Juncaceae (no. 75, 1971). Juncaginaceae (no. 82, 1971). Monotropaceae (no. 74, 1972). Naiadaceae (no. 86, 1971). Potamogetonaceae (no. 83, 1971). Pyrolaceae (no. 93, 1972). Ruppiaceae (no. 84, 1971). Solanaceae (no. 100, 1972). Sphenocleaceae (no. 88, 1971). Staphyleaceae (no. 87, 1971). Thymelaeaceae (no. 95, 1972). Typhaceae (no. 71, 1970). Vitaceae (no. 74, 1970). Zannichelliaceae (no. 85, 1971). Zosteraceae (no. 81, 1971). Zygophyllaceae (no. 98, 1972).
- (1970b). Die mediterranean-iranischen Florenbeziehungen. *Feddes Rep.* 81: 223–227.
- (1971). Tiarocarpus, eine neue Gattung der Compositae-Cynareae aus Afghanistan. Notizen zur Orient-Flora 109. *Anz. Oest. Akad. Wiss. Wien math.-nat. Kl.* 1971:4–8.
- (1972). Pflanzenbilder aus dem Hindukusch. In *Hindukusch. Oesterreichische Forschungsexpedition in den Wakhan* 1970. Gratzl, K., Ed.: 117–122. Graz.
- RICHARDS, A. J. (1970). Taxonomic and nomenclatural notes on Taraxacum (Compositae). *Bot. Journ. Linn. Soc.* 65:37–45.
- RIEDL, H. (1969). Kritische Untersuchungen über die Gattung Eminium (Blume) Schott nebst Bemerkungen zu einigen anderen Aroideen der südwestasiatischen Flora. *Ann. Naturhist. Mus. Wien* 73:103–121.
- (1971). Übersicht über die ausdauernden und zweijährigen Arten der Gattung Arnebia Forssk. *l.c.* 75:209–222.
- (1972). Solenanthus micranthus H. Riedl, eine neue Boraginaceen Art aus Afghanistan. *l.c.* 76:635–638.
- & FREITAG, H. (1972). Drei neue Boraginaceen-Species der Flora von Afghanistan. *Oesterr. Bot. Zeitschr.* 120:137–142.
- ROCHAN, A. R. (1969). *Contribution à l'étude du Colchicum luteum Baker de l'Afghanistan*. Thèse Doct. Univ. Lyon, Sect. Pharm. 106 pp.
- RUDOLF, W. (1968). Beiträge archäologischer Untersuchungen zur Frage der primären Entstehungsgebiete sowie der Genzentren der alten europäischen Kulturpflanzen, besonders des Weizens und der Gerste. *Zeitschr. Pflanzenzücht.* 60:349–389.
- SA'AD, F. (1967). *The Convolvulus species of the Canary Islands, the Mediterranean region and the Near and Middle East*. Thesis, University of Utrecht, published Rotterdam. 288 pp.
- SAKAMOTO, S. & MURAMATSU, M. (1962). Chromosome number of Gramineae species collected in Pakistan, Afghanistan and Iran. *Chromosome Information Service* 3:32–33.
- SALMON, E. S. (1899). A new moss from Afghanistan. *Journ. Bot. (London)* 37:241–242.

- SCHULZ, O. E. (1933). Eine neue Lagotis-Art aus Afghanistan. *Feddes Rep.* 31:161-162.
- SCHWARZ, O. (1964). Primulas on the edge of the desert. *Bull. Alpine Gard. Soc. Gr. Brit.* 32:283-290.
- (1972). Beiträge zur Kenntnis der Gattung Primula. *Wissensch. Zeitschr. Fr. Schiller Univ. Jena, math.-nat. Reihe* 21:953-960.
- SERAFIMOV, S. (1971a). Nova species generis Amygdalus L. ex Afghanistania. *Bot. Mater. Gerb. Bot. Inst. Komarova Akad. Nauk SSR* 8:173-175.
- (1971b). A spontaneous hybrid of Amygdalus kuramica Korsh. and A. spinosissima Bge. from Afghanistan. *Compt. Rend. Acad. Sci. agric. Bulg.* 4:349-351.
- (1971c). Amygdalus scoparia sp. in Afghanistan. [In Russian]. *Dokl. Akad. Nauk Tadzhik. SSR* 14:51-52.
- (1972). Amygdalus bucharica Korsh. in Afghanistan. [In Russian]. *l.c.* 15:54-55.
- SINGER, R. (1959). New Basidiomycetes VI. *Mycologia* 51:375-400.
- SOEST, J. L. VAN (1970). New species of Taraxacum from Asia. *Acta Bot. Neerl.* 19:24-35.
- (1970). Taraxacum podlechii, eine neue Taraxacum-Art aus Nordost-Afghanistan. *Mitt. Bot. Staatssamml. München* 7:323-325.
- SPEER, E. O. (1971). Untersuchungen an einigen parasitischen Pilzen und ihren Wirtspflanzen. *Sydowia* 25:1-34.
- SUZUKA, O. (1953). Botanical observations in Pakistan and Afghanistan. *Rep. Kihara Inst. Biol. Res.* 6:72-78.
- (1955). Botanical observations in Pakistan and Afghanistan. *Pak. Journ. Forestry* 5:62-65.
- TAMURA, M. & LAUENER, L. A. (1968a). A note on Isopyrum anemonoides Kar. & Kir. *Notes R.B.G. Edinb.* 28:265-266.
- (1968b). A revision of Isopyrum, Dichocarpum and their allies. *l.c.* 28:267-273.
- TOGASHI, N. (1970). Flora of Nuristan. In Chuma, T., ed., *Alingar valley and Mir Samir*, 1966:108-110. Chiba.
- TROTTER, R. D. (1965). Some scarlet tulips of Persia, Afghanistan and Turkestan. *Daffodil Tulip Year Book* 30:181-183.
- UFER, M. (1956). Studien an afghanischen Weizen. *Zeitschr. Pflanzenzücht.* 36:133-152.
- UOTILA, P. (1973). Chromosome counts on Chenopodium L. from SE Europe and SW Asia. *Ann. Bot. Fenn.* 10:337-340.
- VAVILOV, N. I. (1925). The Afghanistan Expedition. *Izv. Gosud. Inst. Opyt. Agron.* 3:2-4, 82-90.
- VOLK, O. H. (1961). A survey of Afghan medicinal plants. *Pak. Journ. Sci. Industr. Res.* 4:232-238.
- WAGENITZ, G. (1969). Abgrenzung und Gliederung der Gattung Filago L. s.l. (Compositae-Inuleae). *Willdenowia* 5:395-435.
- (1970). Über die Verbreitung einiger Filago-Arten. *Feddes Rep.* 81:107-117.
- (1971). Zur taxonomischen Stellung und Nomenklatur von Micropus longifolius (Compositae-Inuleae). *Oesterr. Bot. Zeitsch.* 119:339-403.

- WALTER, H. (1974). *Die Vegetation Osteuropas, Nord-und Zentralasiens*. (Vegetationsmonographien der einzelnen Grossräume, vol. VII). Fischer-Verlag, Stuttgart. 452 pp.
- WENDELBO, P. (1963). Studies in oriental Liliiflorae 3-4. *Nytt Mag. Bot.* 10:81-84.
- (1970). New and noteworthy species of Primulaceae from the 'Flora Iranica' area. *Bot. Not.* 123:300-309.
- (1971a). On xeromorphic adaptations in the genus *Dionysia* (Primulaceae). *Ann. Naturhist. Mus. Wien* 75:249-254.
- (1971b). Some distributional patterns within the Flora Iranica area. In Davis, P. H. et al., eds, *Plant Life of South-West Asia* 29-41. Edinburgh.
- WIRTZ, D., HINZE, C., GABERT, G., BENDA, L., WEIPPERT, D. & FESEFELDT, K. (1964). Zur Geologie von Nordost-und Zentral-Afghanistan. *Beih. Geol. Jahrb.* 70. 241 pp.
- WUNDER, H. (1974). Schwarzfrüchtige, saxicole Sippen der Gattung *Caloplaca* (Lichenes, Teloschistaceae) in Mitteleuropa, dem Mittelmeergebiet und Vorderasien. *Bibliotheca Lichenologica* 3:195 pp. Cramer/Lehre.
- YOUNG, D. P. (1970). Notiz über einige südwest-asiatische *Epipactis*-Arten. *Die Orchidee, Sonderheft 1970*: 106-108.
- YOUNOS, M. C. (1971). *Étude des essences de quelques espèces de labiées d'Afghanistan*. Thèse (Doct. d'État) Fac. de Pharmacie, Nancy. 200 pp.
- , LORRAIN, M. & PELT, J.-M. (1972). Les essences de deux espèces du genre *Perovskia*: *Perovskia abrotanoides* Karel. et *P. atriplicifolia* Benth. *Pltes. méd. et phytothérapie* 6, 3:178-182.
- , MORTIMER, F. & PELT, J.-M. (1972). Contribution à l'étude chimique et pharmacologique des essences de labiées d'Afghanistan. I. Méthodes analytiques utilisées pour le dosage et le fractionnement des huiles essentielles. *l.c.* 6, 3:171-177.

II. SOME REFERENCES TO ADJACENT COUNTRIES

- ABRAMOV, I. I. ed., (1971). *Opredelitel lishainikov SSSR* (Handbook of the Lichens of the USSR) 1: *Pertusariaceae, Lecanoraceae and Parmeliaceae*. [In Russian]. Leningrad. Akad. Nauk SSR. 410 pp.
- AELLEN, P. (1939). Die *Atriplex*-Arten des Orients. *Bot. Jahrb. Syst.* 70:1-66.
- AGAKHANYANTZ, O. E. (1964). Pamir and Central-Asia. [In Russian]. *Izvest. Vsesojuzn. Geograf. Obsch. Kirgiz. Filich. Frunze* 96:103-108.
- (1965). New Aspects of the Pamir Palaeogeography. [In Russian]. *Izvest. Akad. Nauk SSR, geograph. ser.* 1965, 3:84-88.
- (1970). Sketch. Life on mountain slopes. [In Russian]. *Priroda, Izdat. Nauka* 1970, 11:89-95.
- & SINKOVSKAYA, A. S. (1972). *Bibliography of Pamir: the Nature. (Research before the Revolution)*. [In Russian]. Dushanbe. 57 pp.
- AHMAD, S. (1972). *Basidiomycetes of West Pakistan*. Biological Society of Pakistan. Monograph no. 6:1-141.
- & STEWART, R. R. (1958). *Grasses of West Pakistan I. Subfamily Panicoideae*. Lahore, Monogr. Biol. Soc. 157 pp.
- AKULSHINA, N. P. & SAIDOV, S. S. (1972). Caractéristique phytocénologique de la formation de *Cousinia stephanophora* C.W. dans la chaîne de

- montagne de Darwaz. [In Russian]. *Nauch. Dokl. Vyssh. Shk., biol. Nauk SSSR* 15:55-60.
- BAQUAR, S. R. & TASNIF, M. (1967). *Medicinal Plants of Southern West Pakistan*. P.C.S.I.R. Bull. Monograph no. 3, Karachi. 108 pp.
- BISWAS, K. (1933). The distribution of wild conifers in the Indian Empire. *Journ. Ind. Bot. Soc.* 12:24-47.
- BOBEK, H. (1952). Die klima-ökologische Gliederung von Iran. *Erdkunde* 6:65-84.
- BOR, N. L. (1960). *The grasses of Burma, Ceylon, India and Pakistan*. New York, Pergamon Press. 767 pp.
- BOTSCHANTZEV, V. P. (1969). The genus *Salsola*; a concise history of its development and dispersal. [In Russian]. *Bot. Zhurn.* 54:989-1001.
- CHAUDRI, I. I. (1963). Distribution of Gymnosperms in West Pakistan. *Vegetatio* 11:372-382.
- CHERNEVA, O. V. (1974). Courte analyse de la distribution géographique des espèces du genre *Cousinia* Cass. [In Russian]. *Bot. Zhurn.* 59:183-191.
- Conspectus Florae Asiae Mediae (1968—). See Vvedensky, A. I., ed. et al.
- CZEREpanov, S. K. (1973). *Additamenta et corrigenda ad Floram URSS*. (tomi I—XXX). Akad. Nauk SSR. Leningrad. 668 pp.
- DAVIS, P. H. & HEDGE, I. C. (1975). The Flora of Turkey: past, present and future. *Istfea* 1 (in press).
- DZHURAYEVA, Z. (1970). Lichens of the genus *Caloplaca* Th. Fr. in central Kopetdag. [In Russian]. *Izv. Akad. Nauk Turkmen., ser. Biol.* 5:40-45.
- FIELD, H. (1953-63). *Bibliographies on Southwestern Asia I-VIII with two botanical indexes* by Foster, R. J. University of Miami Press, Coral Gables.
- & LAIRD, E. M. (1968—). *Bibliography on Southwestern Asia*: supplement I (1968); suppl. II-III (1968); suppl. IV (1969); suppl. VI—with Clifton, B. J., (1970); suppl. VII (1972); suppl. VIII—with Clifton, B. J. (1972).
- Flora of Cryptogams of Kazakhstan (1956—). See Nevodovsky, G. S., ed., et al.
- Flora Iranica (—1970—). See Rechinger, K. H., ed. (in sect. I).
- Flora Kirghizskoj SSR (1950-1967). See Nikitina, F. W., ed.
- Flora Tadzhikskoj SSR (1957—). See Ovchinnikov, P. N., ed.
- Flora URSS (1963—). See Komarov, V. L., ed.
- Flora of W Pakistan (1970—). See Nasir, E. & Ali, S. I., eds.
- FREY, W. & MAYER, H.-J. (1971). Botanische Literatur über den Iran. *Bot. Jahrb. Syst.* 91:348-382.
- GJAERUM, H. B. & IQBAL, S. H. (1969). Some rust fungi from W Pakistan. *Nytt Mag. Bot.* 16:221-223.
- GLADYSHEV, A. I. & KAZAKOV, I. F. (1972). Structure et rendement en phytomasse des céréales géantes cespitueuses de la vallée de l'Amou-Darya. [In Russian]. *Izvest. Akad. Nauk Turkm. SSR, Biol. Nauk* 3:33-39.
- GOLOSKOV, B. P., ed. (1969-72). *Illyustrirovanniyi Opredelitel Rastenii Kazakstana* (Illustrated guide to the plants of Kazakhstan): 1 (1969); 2 (1972). [In Russian]. Akad. Nauk Kazakh. SSR. Alma-Ata.
- GONTSCHAROV, N. F. (1937). The floristic regions of Tadzhikistan and their vegetation. [In Russian]. In Aphanassiev, K. S. et al. *Flora Tadzhikistana* 5:7-94. [Only one volume published].
- GRUBOV, V. I. (1959). *Opyt botaniko-geographicheskogo raionirovaniya tsentral'noi Azii* (Tentamen divisionis botanico-geographicae Asiae centralis: 1-77) [In Russian]. Leningrad.

- ed., et al. (1963—). *Rastenija central'noj Azii (Plantae Asiae Centralis)*. [In Russian]. Vols. 1-6: vol. 1., Filicales and bibliography (1963); vol. 2, Chenopodiaceae (1966); vol. 3, Cyperaceae-Juncaceae (1967); vol. 4, Gramineae (1968); vol. 5, Verbenaceae-Scrophulariaceae (1970); vol. 6, Equisetaceae-Butomaceae, and addenda to bibliography (1971). Akad. Nauk SSR. Moscow-Leningrad.
- GUPTA, R. K. (1972). Boreal and arcto-alpine elements in the flora of Western Himalaya. *Vegetatio* 24:159-175.
- & MEHER-HOMJI, V. M. (1971). Bibliography on "plant-ecology" in Pakistan. *Excerpta Bot. Sect. B. Sociol.* 11:183-206.
- HARTMANN, H. (1972). Über die Vegetation des Karakorum. II. Rasen-und Strauchgesellschaften im Bereich der alpinen und der höheren subalpinen Stufe des Zentralkarakorum. Vegetationskundliche Ergebnisse der Schweizerischen Expedition zum Biafo-Gletscher 1962. *Vegetatio* 24: 91-157.
- HEYN, C. C. & DAFNI, A. (1971). Studies in the genus *Gagea* (Liliaceae). I: The platyspermous species in Israel and neighbouring areas. *Israel Journ. Bot.* 20:214-233.
- HOCKING, G. M. (1958-62). Pakistan Medicinal Plants. 1-4. *Qual. Plant. Mat. Vegetab.* 5:145-153; *l.c.* 6:121-136; *l.c.* 8:80-95; *l.c.* 9:103-119.
- HOPE, C. W. (1896). Ferns of the Chitral Relief Expedition. *Journ. Bot. (London)* 34:122-127.
- HUSAIN, S. A., HASANY, S. M. & AHMED, S. I. (1967). Some new records of fungi from West Pakistan. *Pak. Journ. Sc. Ind. Res.* 10:259-264.
- IKONNIKOV, S. (1971). Notulae ad floram Badachschanicam 1. *Bot. Mater. Gerb. Bot. Inst. Komarova Akad. Nauk SSR* 8:272-275.
- (1973). Notae de flora Badachschanica 2. *l.c.* 10:331-332.
- IVANOVA, N. A. (1939). The genus *Kobresia* Willd., morphology and system. [In Russian]. *Bot. Zhurn.* 24, no. 5-6.
- KAMELIN, R. V. (1965). Generic endemism of the flora of Central Asia. [In Russian]. *Bot. Zhurn.* 50:1702-1710. [English translation, Nat. Lend. Lib. Russian Trans. Service 4383].
- (1967). Some remarkable anomalies in the flora of the Central Asiatic mountain province. [In Russian]. *Bot. Zhurn.* 52:447-460. [English translation, Nat. Lend. Lib. Russian Trans. Service 4381].
- (1970). Specific phyto-geographical features in the flora of the Soviet part of the Kopet Dag range. [In Russian]. *Bot. Zhurn.* 55:1451-1463.
- (1973). *Florogeneticheskii analiz estestvennoy flor. gorn. srednei Azii (Flora-genetical analysis of the native flora of Central Asia)*. [In Russian]. Akad. Nauk SSR. Leningrad. 355 pp.
- KAZMI, S. M. A. (1970-71a). *Bibliography on the botany of West Pakistan and Kashmir and adjacent regions*: I, Taxonomy, 1-136; II, Palaeobotany, Phytogeography, Cytology and Palynology, 1-100; III, Morphology, Anatomy and Ecology, 1-87. Field Research Projects, Florida.
- (1970-71b). A revision of the Boraginaceae of West Pakistan and Kashmir. *Journ. Arn. Arb.* 51:133-184, 367-402, 499-520; 52:110-136, 334-363, 666-690.
- KAUL, R. N. (1970). *Afforestation in arid zones*. Monographiae Biologicae vol. 20. Junk/Den Haag. 435 pp.

- KHAN, S. A. & KAMAL, M. (1969). Additions to the parasitic fungi of West Pakistan: I. *Mycopathol. et Mycol. Appl.* 39:197-208.
- KLOTZ, G. (1966). Beiträge zur Flora und Vegetation Indiens. I. *Wissensch. Zeitschr. Martin Luther Univ. Halle-Wittenberg, math.-natw. Reihe* 15: 97-148.
- KOMAROV, V. L., ed. et al. (1963—). *Flora URSS* vols. 1-13, 15, 16, 17, 18, 19 & 24. English translation, Jerusalem.
- KORBONSKAJA, J. I. (1969). *Opredelitel Rzhavchinnykh Gribov Srednei Azii i Yuzhnogo Kazakhstana. (Handbook of Rust Fungi from Middle Asia and South Kazakhstan)*. [In Russian]. Akad. Nauk Tadzhik. SSR Dushanbe. 219 pp.
- KOROVIN, E. P. (1934). *Rastitelnost Srednei Azii i yuzhnogo Kazakhstana (Vegetation of Central Asia and of Southern Kazakhstan)*. [In Russian]. Tashkent. 479 pp.
- (1961, 62). *Op. cit.* 2nd edition: vol. 1, 452 pp. (1961); vol. 2, 547 pp. (1962).
- LAVRENKO, E. M. (1965). Subdivision into provinces of the Central-Asiatic and Irano-Turanian sub-regions of the Afro-Asiatic desert region. [In Russian]. *Bot. Zhurn.* 50:3-15.
- (1969). Über die Lage des eurasiatischen Steppengebietes in dem System der pflanzengeographischen Gliederung des aussertropischen Eurasiens. *Vegetatio* 19:11-20.
- (1973). On some structural peculiarities of the vegetation communities of the steppes of Central Asia. [In Russian]. *Bot. Zhurn.* 58:1603-1607.
- LUKANENKOVA, V. K. (1965). Inversions of temperature and the specific features of the altitudinal distribution of the vegetation on the southern Pamirs. [In Russian]. *Bot. Zhurn.* 50:350-360.
- (1971). Characteristics of the environment and the vegetation of the southern Pamir. [In Russian]. Ed. Korchagin, A. A. Izdat. Nauka 136 pp. Leningrad.
- MEHER-HOMJI, V. M. (1973). A phytoclimatic approach to the problems of mediterraneity in the Indo-Pakistan subcontinent. *Feddes Rep.* 83:757-788.
- MEUSEL, H. (1970). Mediterranean elements in the flora and vegetation of the west Himalayas. In Davis, P. H. et al., eds, *Plant Life of South-West Asia*: 53-72. Edinburgh.
- & SCHUBERT, R. (1971). Beiträge zur Pflanzengeographie des Westhimalajas: 1, Die Arealtypen. *Flora* 160:137-194; 2, Die Waldgesellschaften. *l.c.* 373-432; 3, Die pflanzengeographische Stellung und Gliederung des Westhimalajas. *l.c.* 573-606.
- MUSAEV, N. F. (1968). Northern distribution limits of characteristic components of the Turan desert flora. In Tolmachev, A. I., ed., *Distribution of the Flora of the USSR*: 84-129. English translation, Jerusalem.
- NAIR, P. K. K. (1965). *Pollen grains of western Himalayan plants*. London. 102 pp.
- NASIR, E. & ALI, S. I., eds, (1970—). *Flora of West Pakistan* no. 1-67—. Karachi/Rawalpindi. With various authors. Aizoaceae (no. 41, 1973). Alangiaceae (no. 50, 1973). Avertrhoaceae (no. 11, 1971). Avicenniaceae (no. 49, 1973). Brassicaceae (no. 55, 1973). Buddlejaceae (no. 56, 1974). Burseraceae (no. 26, 1972). Caesalpiniaceae (no. 54, 1974). Cannabaceae (no. 44, 1973). Capparidaceae (no. 34, 1973). Coriariaceae (no. 43, 1973).

- Corylaceae (no. 22, 1972). Datisceae (no. 37, 1973). Dilleniaceae (no. 42, 1973). Dioscoreaceae (no. 53, 1973). Elatinaceae (no. 19, 1972). Ericaceae (no. 5, 1971). Flacourtiaceae (no. 1, 1970). Frankeniaceae (no. 7, 1971). Goodeniaceae (no. 30, 1972). Grossulariaceae (no. 27, 1972). Guttiferae (no. 32, 1973). Hammamelidaceae (no. 2, 1970). Hydrangeaceae (no. 16, 1972). Illecebraceae (no. 47, 1973). Iteaceae (no. 9, 1971). Juglandaceae (no. 14, 1972). Juncaginaceae (no. 48, 1973). Linaceae (no. 21, 1972). Loranthaceae (no. 35, 1973). Magnoliaceae (no. 64, 1974). Malphigiaceae (no. 45, 1973). Martyniaceae (no. 13, 1972). Meliaceae (no. 17, 1972). Mimosaceae (no. 36, 1973). Molluginaceae (no. 40, 1973). Monotropaceae (no. 6, 1971). Morinaceae (no. 67, 1974). Moringaceae (no. 38, 1973). Oleaceae (no. 59, 1974). Oxalidaceae (no. 4, 1971). Parnassiaceae (no. 31, 1973). Pedaliaceae (no. 33, 1973). Philadelphaceae (no. 15, 1972). Phrymaceae (no. 46, 1973). Phytolaccaceae (no. 3, 1970). Platanaceae (no. 23, 1972). Plumbaginaceae (no. 28, 1972). Podophyllaceae (no. 57, 1974). Polemoniaceae (no. 8, 1971). Polygalaceae (no. 52, 1973). Portulacaceae (no. 51, 1973). Salvadoraceae (no. 29, 1972). Sapindaceae (no. 39, 1973). Sphenocleaceae (no. 25, 1972). Staphyleaceae (no. 24, 1972). Thymelaeaceae (no. 12, 1971). Umbelliferae (no. 20, 1972). Vahliaceae (no. 10, 1971). Zannichelliaceae (no. 18, 1972).
- NEVODOVSKY, G. S., ed. et al. (1956—). *Flora sporovykh rastenii Kazakhstana* (*Flora of the Cryptogamic plants of Kazakhstan*) [In Russian], vols. 1–5: vol. 1, Uredinales (1956); vol. 2, Ustaginales (1960); vol. 3, Erysiphaceae (1961); vol. 4, Heterobasidii and Autobasidii: Auriculariales, Tremellales, Dacryomycetales, Exobasidiales, Aphyllophorales (1964); vol. 5, Fungi Imperfecti (Deuteromycetes), Sphaeropsidales (1968). Akad. Nauk Kazakhst. SSR. Alma Ata.
- NIKITINA, F. W., ed. et al. (1950–67). *Flora Kirghizskoj SSR*. [In Russian], vols. 1–11: vol. 1, Filicales, Coniferae (1952); vol. 2, Gramineae, Cyperaceae (1950); vol. 3, Aroideae-Orchidaceae (1951); vol. 4, apetaloid dicots., etc. (1953); vol. 5, Centrospermae (1955); vol. 6, Ceratophyllaceae-Cruciferae (1955); vol. 7, Crassulaceae etc. (1957); vol. 8, Umbelliferae etc. (1959); vol. 9, Labiatae-Solanaceae (1960); vol. 10, Cuscutaceae-Lobeliaceae (1962); vol. 11, Compositae (1965). Supplement 1 (1967); Supplement 2 (1970). Akad. Nauk Kirghiz. SSR. Frunze.
- OVCHINNIKOV, P. N., ed. (1957—). *Flora Tadzhikskoj SSR* [In Russian], vols. 1–3: vol. 1, Filicales, Coniferae etc., Gramineae (1957); vol. 2, Cyperaceae and petaloid monocots (1963); vol. 3, apetaloid dicots, etc., Centrospermae (1968). Akad. Nauk SSR. Moscow-Leningrad.
- PARSA, A. (1959/61). Medicinal plants and drugs of plant origin in Iran. I–IV. *Qual. Pl. Mater. Veg.* 5: 375–394; 6: 69–96; 6: 137–156; 7: 65–136.
- PERSSON, C. (1938). A list of flowering plants from East-Turkestan and Kashmir. *Bot. Not.* 1938:267–317.
- Plantae Asiae Centralis (1963—). See Grubov, V. I., ed., et al.
- POPOV, M. G. (1927). A sketch of the history of the development of the flora of Middle Asia. [In Russian]. *Bull. Univ. Asie cent.* 15:239–292.
- QURAISHI, M. A. & KHAN, S. A. (—1972—). Flora of Peshawar District and Khyber Agency, vol. 2, pt. 1A: 22, 153–219. vol. 2, pt. 1B: 22, 323–383.
- & AHMAD, M. (1973). Distribution of Polyporaceae in W Pakistan. *Pak. Journ. Forestry* 23:283–289.

- RECHINGER, K. H., ed. (—1970—). *Flora Iranica* (nos. 67–100—). See sect. I.
- RODIN, L. E. (1958). Classification of the desert vegetation of Middle Asia. [In Russian]. *Bot. Zhurn.* 43:1–11.
- ROI, J. (1941). Phytogeography of Central Asia. *Bull. Fan. Mem. Inst. Biol.* 11:1–35.
- ROUSI, A. (1971). The genus *Hippophae* L. A taxonomic study. *Ann. Bot. Fenn.* 8:177–227.
- SCHMID, E., CZURDA, V., et al. (1932). Botanische Ergebnisse der Deutschen Zentralasien-Expedition. *Feddes Rep.* 31:1–76.
- STEWART, R. R. (1972). *An annotated catalogue of the vascular plants of West Pakistan and Kashmir*. In Nasir, E. & Ali, S. I., eds, *Flora of West Pakistan*. Karachi. 1028 pp.
- SUKACHEV, V. N. (1970). *Studies on the flora and vegetation of high mountain areas*. (Problems of botany, vol. 5). English translation. Jerusalem. 178 pp.
- VVEDENSKY, A. I., ed., et al. (1968—). *Opredelitel rastenij srednej Azii. (Conspectus Florae Asiae Mediae)*. [In Russian], vols. 1–3: vol. 1, Coniferae, Filicales etc., Gramineae (1968); vol. 2, petaloid monocots, dicots to Caryophyllaceae (1971); vol. 3, Salicaceae to Berberidaceae (1972). Akad. Nauk Uzbek SSR. Taschkent.
- WALTER, H. (1974/75). *Die Vegetation Osteuropas, Nord-und Zentralasiens*. See sect. I.
- ZAMAN, M. B. & KHAN, M. S. (appr. 1971/72). *Hundred drug plants of West Pakistan*. Pak. For. Instit., Medic. Plant Branch, Peshawar, publ. 7. 106 pp.
- ZOHARY, M. (1973). *Geobotanical foundations of the Middle East*. 2 vols. Stuttgart. 739 pp.

III. SOME USEFUL MAPS, GAZETTEERS, ETC.

- ADAMEC, L. W., ed. (1972, 1973). *Historical and political gazetteer of Afghanistan*: vol. 1, Badakhshan province and northeastern Afghanistan; vol. 2 Farah and southwestern Afghanistan. (With maps 1:300,000). Graz. Afghanistan Journal (1974—). Akad. Druck u. Verlagsanst. Graz.
- Carte de la végétation de la région méditerranéenne (1970). Explanatory notes. 90 pp. Arid Zone Research. UNESCO/FAO 30.
- FAO: 1965 Afghanistan—Survey of Land and Water Resources: vol. 1, General report, 191 pp.; vol. 2, Geology and topographical surveys, 159 + 29 pp.; vol. 3, Hydrology, 213 pp.; vol. 4, Soils and land classification, 184 pp.; vol. 5, Water control, irrigation and power, 92 pp.; vol. 6, Irrigation development—Hari Rud and Kabul basins, 125 pp.
- FURRER, H. (1955). Afghanistan 1:1,000,000 (geological maps). Afghanistan Geological Survey, Kabul.
- GRATZL, K., ed. (1972). Topographical map 1:25,000. Koh-e-Keshnikhan-Hoher Hindukusch, in: Hindukusch-Oesterreichische Forschungs-expedition in den Wakhan 1970. Kartograph. Anstalt Freytag-Berndt & Artaria/Wien.
- LABROUE, L., LEGRIS, P. & VIART, M. (1965). Bioclimats du sous-continent Indien. Inst. Franc. Pondichery, Trav. Sect. Scient. Techn. 3, 3. 32 pp. with 3 maps; 1:2,534,400.
- MOSER, G. (1973). Selsela Koh-e-Wakhan-Kleiner Pamir, 1:100,000. Exploration 75. Graz.

- TAKAGI, Y. (1969). Between Anjoman and Munjan, approx. 1:100,000. Gifu-ken, Japan.
- THORNTON, E. (1844). *A gazetteer of the countries adjacent to India*. 2 vols. W. H. Allen, London.
- USAF Operational Navigation Chart (1960-69). 1:500,000. Aeronautical chart and information center, United States Air Force, St. Louis. Sheets PC G-6A (north-west); PC G-6B (north-east); PC G-6C (central and east); PC G-6D (central and west); PC H-7B (south-west); PC H-8A (south-east).
- WITTEKINDT, H. & WEIPPERT, D. (1973). Geologische Karte 1:500,000. Zentral-und Südafghanistan. Geological Map of central and southern Afghanistan. 4 sheets and separate volume. 109 pp. Hannover.

Errata to Botanical Literature of Afghanistan

(Notes R.B.G. Edinb. 29:357-371, 1969).

- p. 357—Agachanjac, O. E. (1958); add p. 125-131.
- p. 358—Agachanjac, O. E. (1960); add p. 29-33.
- p. 358—Agachanjac, O. E. (1961); add p. 47-67.
- p. 358—Aitchison, J. E. T.; for "(1881-82)" read "(1880-82)".
- p. 359—Frey, W. (1968); for "Op. cit. I: 17-46. 51-56" read "Op. cit. II: 24-35".
- p. 361—For "Hermann, N. M." read "Herman, N. M.".
- p. 363—Leutelt, R. (1935)—delete the entry.
- p. 364—Petrak, F. (1953), for "Beiträge" read "Beitrag".
- (1963), for "Ein Beitrage" read "Ein Beitrag".
- (1966), for "Kleine Beiträg" read "Kleine Beiträge".