

GENERAL INDEX TO VOLUME 33

- Acanthaceae tribe Nelsonieae, studies in,
II: Foliar sclereids and stomata, 269
- Achillea absinthifolia* Boiss., 428
- aleppica* DC., 209
 subsp. *densa* (Blakelock) Hub.-Mor.,
 427
 subsp. *zederbaueri* (Hayek) Hub.-
 Mor., 427
 var. *ramosa* Bornm., 209
- amanicus* Rech. fil., 432
- anthemiformis* Freyn & Sint., 428
- anthemoides* Freyn & Sint., 428
- densa* Blakelock, 427
- densissima* [O. Schwarz ex] Bässler, 427
- goniocephala* Bornm., 210
- gypsicola* Hub.-Mor., 208
- magnifica* [Heimerl ex] Hub.-Mor., 208
 subsp. *densissima* (O. Schwarz ex
 Bässler) Hub.-Mor., 427
- nobilis* L.
 subsp. *kurdica* Hub.-Mor., 209
- pseudoaleppica* [Hauskn. ex] Hub.-
 Mor., 209
- sintenisii* Hub.-Mor., 210
- spinulifolia* Bornm., 210
- zederbaueri* Hayek apud Penther &
 Zederbauer, 427
- Aegialophila cretica* Boiss. & Heldr., 230
- Aeschynanthus, towards a revision of:
 Studies in the Gesneriaceae of the Old
 World, XXXIX, 471
- Aeschynanthus* Jack, 475
 sect. *Aeschynanthus*, 475
 sect. *Anisocalyx* Schlechter, 477
 sect. *Diplotrichium* Benth., 476
 sect. *Haplotrichium* Benth., 476
 sect. *Holocalyx* Benth., 475
 sect. *Microtrichium* C.B. Cl., 477
 sect. *Polytrichium* Benth., 477
- albidus* (Bl.) Steud., 479
- asclepioides* (Elm.) Burtt & Woods, 480
- atropurpureus* Van Houtte, 479
- breviflorus* Ridl., 482
- cardinalis* (Merrill) Schlechter, 486
- crassifolius* (Elmer) Schlechter, 486
- discolor* T. Moore, 479
- ellipticus* Lautb. & K. Sch., 524
- fecundus* P. Woods, 482
- fraserianus* Kraenzlin, 480
- guttatus* P. Woods, 486, 524
- hartleyi* P. Woods, 485
- hildebrandii* auctt., 484
- hosseusii* Pellegrin, 537
- horsfieldii* R. Br., 486
- irigaensis* (Merrill) Burtt & Woods, 486
- javanicus* Hook., 536
- lamponga* Miq., 536
- lineatus* Craib, 524
- lobbianus* Hook., 536
- longicatyx* Ridl., 486, 537
- longicaulis* R. Br., 481
- longiflorus* DC., 537
- magnificus* Stapf, 486
- marmoratus* T. Moore, 481
- miniacus* Burtt & Woods, 486
- miniatus* Lindl., 486
- motleyi* C.B.Cl., 479
- musaensis* P. Woods, 487
- myrmecophilus* P. Woods, 483
- nervosus* (Elmer) Schlechter, 486
- nummularius* (Burk. & S. Moore) K.
 Sch., 537
- obconicus* C. B. Cl., 536
- oblongifolius* (Roxb.) G. Don, 174
- papuanus* (Schltr.) B. L. Burtt, 524
- parasiticus* (Roxb.) Wall., 475
- parviflorus* (D. Don) Spreng., 537
- parviflorus* Ridl., 482
- parvifolius* R. Br., 537
- perakensis* Ridl., 537
- philippinensis* C. B. Cl., 486
- poilanei* Pellegrin, 484
- praelongus* Kraenzl., 536
- pulcher* (Blume) G. Don, 536
- purpurascens* Hassk., 479
- radicans* Jack, 536
- sikkimensis* Stapf, 537
- speciosus* Hook., 537
- x splendidus* T. Moore, 537
- stenocalyx* Kraenzl., 480
- trichocalyx* Kraenzl., 485
- tricolor* Hook. f., 537
- vinaceus* P. Woods, 488
- viridiflorus* Teysmann & Binnendijk, 482
- volubilis* Jack, 475
- zebrinus* Van Houtte, 481
- Afghanistan, Botanical literature of,
 Supplement I, 503
- Agalmyla asperifolia* Blume, 182
- borneensis* (Schlect.) B. L. Burtt, 537
- parasitica* (Lam.) Kuntze, 537
- Agarics, notes on some British: IV, 325
- Agrostis coerulescens* (Desf.) Poir., 365
- hotciformis* M. Bieb., 371
- miliacea* L., 362
- Allium desertorum and A. sindjarens in
 Palestine, 437
- Allium phaneranthum, a note on, 305

- Allium azaurenum* Gomb., 439
davisianum Feinbr., 305
descendens auct., 305
desertorum Forssk., 439
modestum Boiss., 439
phaneranthrum Boiss. & Hausskn., 305
sindjarens Boiss. & Hausskn. ex Regel, 439
Amphiscirpus nevadensis (Watson) Oteng-Yeboah, 308
Anacyclus, 410
creticus Linn., 213
nigellifolius Boiss.
 subsp. *orientalis* Grierson, 411
orientalis Linn., 213
pectinatus Bory & Chaub., 213
Ancylostemon convexus Craib, 538
Anemone, a new Himalayan species of, 491
Anemone smithiana Lauener & Panigrahi, 491
Antennaria rubicunda C. Koch, 239
Anthemis, 411
albida Boiss., 435
amblyolepis Eig, 216
anatolica Boiss., 428
anthemiformis (Freya & Sint.) Grierson, 428
antitaurica Grierson, 211
arenicola Boiss.
 var. *tenuisecta* Grierson, 428
 var. *urosperma* (Eig) Yavin, 428
argaea Boiss. & Bal., 428
argentea Eig.
 var. *microstephana* Eig, 428
biebersteiniana (Adams) Boiss., 216
 var. *marshalliana* (Willd.) Boiss, 214
 var. *pectinata* Boiss., 215
 var. *rudolphiana* (DC.) Boiss., 215
calcareae Sosn.
 var. *discoidea* Grierson, 211
candicans Boiss., 428
carpatia Willd., 435
carnea Boiss., 217
cassia Boiss., 428
 var. *sieheana* Eig, 428
coelopoda Boiss.
 var. *bourgaei* Boiss., 212
 var. *coelopoda*, 212
 var. *longiloba* Grierson, 212
cretica L., 213
 subsp. *absinthifolia* (Boiss.) Grierson, 428
 subsp. *albida* (Boiss.) Grierson, 435
 subsp. *anatolica* (Boiss.) Grierson, 428
 subsp. *argaea* (Boiss. & Bal.) Grierson, 428
 subsp. *candicans* (Boiss.) Grierson, 428
 subsp. *carpatia* (Willd.) Grierson, 435
 subsp. *cassia* (Boiss.) Grierson, 428
 subsp. *iberica* (Bieb.) Grierson, 428
 subsp. *leucanthemoides* (Boiss.) Grierson, 428
 subsp. *pontica* (Willd.) Grierson, 428
 subsp. *tenuiloba* (DC.) Grierson, 428
 subsp. *umbilicata* (Boiss. & Huet) Grierson, 428
creticus (L.) Nym., 213
euxina Boiss., 428
fulvida Grierson, 213
iberica Bieb., 428
kotschyana Boiss.
 var. *discoidea* (Bornm.) Grierson, 428
leucanthemoides Boiss., 428
marshalliana Willd., 214
 subsp. *biebersteiniana* (Adams) Grierson, 216
 subsp. *marshalliana*, 214
 subsp. *pectinata* (Boiss.) Grierson, 215
 subsp. *sosnowskyana* (Fedorov) Grierson, 215
 var. *rudolphiana* DC., 215
melanolepis Boiss., 216
melanoloma Trautv.
 subsp. *trapezuntica* Grierson, 411
montana Linn., 213
 subsp. *carpatia* (Willd.) Rouy, 435
orientalis (L.) Degen., 212
palestina Reut., 216
pauciloba Boiss.
 var. *microstephana* (Eig) Grierson, 428
 var. *sieheana* (Eig) Grierson, 428
pectinata (Bory & Chaub.) Boiss. & Reut., 213
pontica Willd., 428
nigrescens Willd., 216
rigida (Sibth. & Sm.) Boiss. ex Heldr., 213
rosea Sm., 217
 subsp. *carnea* (Boiss.) Grierson, 217
rudolphiana Adam, 215
scopulorum Rech. f., 428
sismondeana Clem., 217
sosnowskyana An. A. Fed., 215
tenuisecta Boiss., 428
tinctoria L.
 var. *euxina* (Boiss.) Grierson, 428
tomentosa L.
 subsp. *scopulorum* (Rech. f.) Grierson, 428
umbilicata Boiss. & Huet, 428
urosperma Eig, 428
ARGENT, G.
The major groups of palms (review), 502

- Aspidium jaculosum* Christ, 496
Aster amani Post, 430
amellus L.
 subsp. *ibericus* (Stev.) Grierson, 428
ibericus Stev., 428
Asteracantha longifolia Nees, 272
- Babactes* DC., 131
oblongifolia (Roxb.) DC., 174
Beccarinda cordifolia (Anthony) B. L. Burt, 538
Betonica annua L., 288
haussknechtii [Uechtr. ex] Hausskn., 292
officinalis L., 292
- BHATTACHARJEE, Reba
 Taxonomic studies in *Stachys*: New species and infra-specific taxa from Turkey, 275
- BHATTACHARJEE, Reba & DAVIS, P. H.
 Two new species from Iraq, 293
- Bignonia albida* Bl., 479
Bilabium Miq., 131
limans Miq., 183
- Bjerkandera adusta* (Willd.) Karst., 336
Blysmopsis Oteng-Yeboah, 309
rufa (Hudson) Oteng-Yeboah, 310
- Boea hemsleyana* B. L. Burt, 540
herbacea C.B. Cl., 540
hygroskopica F. Muell., 540
kerrii Craib, 524, 540
lawesii (F. Muell.) H. O. Forbes, 540
magellanica Lam., 540
reticulata Barnett, 540
speluncarum B. L. Burt, 540
- BOOK REVIEWS
 Biological Nomenclature by Charles Jeffrey, 444
 Drawings of British Plants by Stella Ross-Craig, 448
 Excelsa: journal of the Aloe, Cactus and Succulent Society of Rhodesia, 465
 The major groups of palms and their distribution by Harold E. Moore, 502
 Introduction to Biophysical Plant Physiology by Park S. Nobel, 436
 Numerical Taxonomy by P. H. A. Sneath and R. R. Sokal, 465
 Palms of Malaya by T. C. Whitmore, 268
 The plants of Southern New Jersey by Witmer Stone, 300
 Shedding of Plant Parts ed. T. T. Kozłowski, 465
 Botanical literature of Afghanistan; Supplement I, 503
- BOKHARI, M. H.
 A new record of *Cupressus* from SW Iran, 445
- Bolboschoenus* (Aschers.) Palla
 sect. *Bolboschoenus*, 316
 sect. *Lentischoenus* Oteng-Yeboah, 315
- Boletus edulis*
 subsp. *trispurus*, 326
- Bonnaya bifolia* (D. Don) Spreng., 185
pumila (D. Don) Spreng., 161
- BRECKLE, S.-W., FREY, W. & HEDGE, I. C.
 Botanical literature of Afghanistan: Supplement I, 503
- Briggsia aurantiaca* B. L. Burt, 538
kurzii (C. B. Cl.) W. E. Evans, 202
musciola (Diels) Craib, 538
- BURTT, B. L.
 Studies in the Gesneriaceae of the Old World, XXXVII: *Schizoboea*, the erstwhile African *Didymocarpus*, 265
 Excelsa (review), 465
 Shedding of plant parts (review), 465
- BURTT, B. L. & DICKSON, W. C.
 The morphology and relationships of *Seemannaralia* (Araliaceae), 449
- BURTT, B. L. & HILLIARD, O. M.
 Studies in the Gesneriaceae of the Old World, XXXVIII: A new species of *Streptocarpus* from East Africa, 467
- BURTT, B. L. & WOODS, P. J. B.
 Studies in the Gesneriaceae of the Old World, XXXIX: Towards a revision of *Aeschynanthus*, 471
- Busea asperifolia* (Blume) Miq., 182
- Cachrys L., new combinations in, as a genus distinct from *Hippomarathrum* Link, 441
- Cachrys asperula* (Boiss.) Herrnst. & Heyn, 443
 ssp. *haussknechtii* (Boiss.) Herrnst. & Heyn, 443
bucharica (Fedtsch.) Herrnst. & Heyn, 443
calligonoides (Rech. fil.) Herrnst. & Heyn, 443
corymbosa (Boiss.) Herrnst. & Heyn, 443
denticulata (Fisch. & Mey.) Herrnst. & Heyn, 443
hermonis (Boiss.) Herrnst. & Heyn, 443
latiloba (Korovin) Herrnst. & Heyn, 443
meliocarpoides (Boiss.) Herrnst. & Heyn, 443
 var. *arcis-romanae* (Boiss. & Huet) Herrnst. & Heyn, 443
pabularia (Lindl.) Herrnst. & Heyn, 443
peucedanifolia (Fenzl) Herrnst. & Heyn, 443
platychoena (Boiss. ex Tchih.) Herrnst. & Heyn, 443
tuberculata (Boiss. & Hausskn.) Herrnst. & Heyn, 443

- Cachrys*—continued
uechtritzi (Boiss. & Hausskn.) Herrnst. & Heyn, 443
uloptera (DC.) Herrnst. & Heyn, 443
Calosacme acuminata Wall., 174
amplectens Wall., 185
dimidiata Wall., 166
flava Wall., 161
grandiflora Wall., 178
macrophylla Wall., 167
Carduus, 411
arabicus [Jacq. ex] Murray
 subsp. *cinereus* (Bieb.) Kazmi, 429
 subsp. *marmoratus* (Boiss. & Heldr.) Kazmi, 429
cinereus Bieb., 429
cronius Boiss. & Heldr.
 subsp. *hypoleucus* (Bornm.) Kazmi, 429
hypoleucus Bornm., 429
marmoratus Boiss. & Heldr., 429
 subsp. *falcato-incurvus* P. H. Davis, 411
 subsp. *trojanus* P. H. Davis, 412
olympicus Boiss.
 subsp. *hypoleucus* (Bornm.) Davis, 429
onopordioides Fisch. ex Bieb.
 subsp. *turcicus* (Kazmi) Davis, 429
pycnoccephalus L., 413
 subsp. *breviphyllarius* P. H. Davis, 412
 subsp. *cinereus* (Bieb.) Davis, 429
 subsp. *marmoratus* (Boiss. & Heldr.) Davis, 429
turcicus Kazmi, 429
Carlina involucrata Poiret
 subsp. *libanotica* (Boiss.) Meusel & Kastner, 429
libanotica Boiss., 429
oligocephala Boiss. & Kotschy
 subsp. *pallescens* (Wettst.) Meusel & Kastner, 429
pallescens Wettst., 429
Centaurea
 sect. *Pseudoseridia* Wagenitz, 220
 sect. *Pteracantha* Wagenitz, 222
aegialophila Wagenitz, 230
antiochia Boiss.
 var. *praealta* (Boiss. & Bal.) Wagenitz, 429
bornmuelleri Hausskn., 227
brevifimbriata Hub.-Mor., 227
calcitrapa L.
 subsp. *cilicica* (Boiss. & Bal.) Wagenitz, 230
carneola Boiss., 229
cheiranthifolia Willd.
 var. *purpurascens* (DC.) Wagenitz, 230
cheirolepidoides Wagenitz, 221
cilicica Boiss. & Bal., 230
cretica (Boiss. & Heldr.) Nyman, 230
deflexa Wagenitz, 229
extrarosularis Hayek & Siehe, 231
fisheri Willd., 230
freynii Sint., 230
goniocala Boiss., 229
gracillima Wagenitz, 225
hakkariensis Wagenitz, 224
halkensis Fors.-Maj. & Barbey, 429
hedgei Wagenitz, 230
holtzii Wagenitz, 226
huber-morathii Wagenitz, 226
iconica Hub.-Mor., 231
inexpectata Wagenitz, 219
lactucifolia Boiss.
 subsp. *halkensis* (Fors.-Maj. & Barbey) Rech. fil., 429
 var. *halkensis* (Fors.-Maj. & Barbey) Wagenitz, 429
longifimbriata Wagenitz, 223
montana L.
 var. *purpurascens* DC., 230
nivea (Bornm.) Wagenitz
 var. *declinata* (Boiss.) Wagenitz, 229
pergamacea DC., 227
pichleri Boiss.
 subsp. *extrarosularis* (Hayek & Siehe) Wagenitz, 231
poluninii Wagenitz, 228
polypodiifolia Boiss.
 var. *szovitsiana* (Boiss.) Wagenitz, 229
praealta Boiss. & Bal., 429
pseudobehen Boiss., 229
pseudokotschyi Wagenitz, 220
ptosinopappoides Wagenitz, 225
pulcherrima Willd.
 var. *freynii* (Sint.) Wagenitz, 230
pyracantha Boiss., 229
 subsp. *carneola* (Boiss.) Wagenitz, 229
schischkinii Tzvelev, 227
sericea Wagenitz, 222
sipylea Wagenitz, 229
sivasica Wagenitz, 218
solstitialis L.
 subsp. *pyracantha* (Boiss.) Wagenitz, 229
spinosa L.
 var. *tragacanthoides* (Rech. fil.) Wagenitz, 429
szovitsiana Boiss., 229
 var. *pseudobehen* (Boiss.) Wagenitz, 229
taochia (Sosn.) Sosn., 230
tardiflora Wagenitz, 228
tragacanthoides Rech. fil., 429
variensis Wagenitz, 223
zeybekii Wagenitz, 218

- Ceratoscyphus* Chun, 132
Chamaemelum callosum Boiss. & Heldr., 435
fissurale Sosn., 435
kotschyi Boiss., 435
tchihatchewii Boiss., 435
 CHAMBERLAIN, D. F.
Scorzonera, in Davis, P. H. Materials for a Flora of Turkey XXX: Compositae I, 255
 Numerical taxonomy (review), 465
Cheirolepis declinata (Boiss.) Czerep., 229
Chirita (Gesneriaceae), a revision of, 123
Chirita [Buch. Ham. ex] D. Don, 129
 sect. *Bilabium* (Miq.) C. B. Cl., 131
 sect. *Euchirita* C. B. Cl., 131
 sect. *Liebigia* (Endl.) C. B. Cl., 131
acaulis Merrill, 202
acuminata Steud., 174
acuminata Wall. ex R. Br., 174
adenocalyx Chatterjee, 176
alba Ridley, 183
amplectens Steud., 185
anachoreta Hance, 164, 539
angusta (C. B. Cl.) Theobald & Grupe, 169
annamensis Pellegrin, 140
aratriformis D. Wood, 197
asperifolia (Blume) B. L. Burtt, 182, 539
balansae Drake, 146
barbata Sprague, 197
bicornuta Hayata, 202
bifolia D. Don, 184
bilabium C. B. Cl., 183
bimaculata D. Wood, 196, 524, 539
blumei C. B. Cl., 182
 var. *cordifolia* S. Moore, 183
bracteosa Drake, 139
bracteosa (Zoll. & Mor.) Miq., 182
brevipes C. B. Cl., 180
caerulea R. Br., 200, 524, 539
caliginosa C. B. Cl., 186, 539
calva C. B. Cl., 168
capitis Craib, 199
ceratosyphus B. L. Burtt, 202
chanetii Lévl., 202
chlamydata W. W. Sm., 202
clarkei Hook f., 155
colaniae Pellegrin, 136
communis Gardner, 202
corniculata Pellegrin, 158
cortusifolia Hance, 146
cristata (Dalzell) B. L. Burtt, 191
cyanea (Ridley) B. L. Burtt, 151
cynostyla B. L. Burtt, 148
dalzielii W. W. Sm., 202
diaphana Royle, 161
dielsii (Borza) B. L. Burtt, 154
dimidiata Steud., 166
dimidiata Wall. ex C. B. Cl., 166
dimidiata auct. non R. Br., 164
drakei B. L. Burtt, 139
dryas Dunn, 135
eberhardtii Pellegrin, 149
eburnea Hance, 138
edgeworthii DC., 161
elata Ridley, 189
elphinstonia Craib, 195
fauriei Franchet, 138
fimbrisepala Hand.-Mazz., 144
flava Steud., 161
flava Wall. ex R. Br., 161
forbesii S. Moore, 183
forbesii Ridley, 183
fordii (Hemsley) D. Wood, 142
forrestii Anthony, 163
fulva Barnett, 150
fusca (C. B. Cl.) O. Kuntze, 186
gemella D. Wood, 141
geoffrayi Pellegrin, 199
glabra auct., 168
glabra Miq., 183
glasgovii Ridley, 202
grandiflora Wall., 178
griffithii C. B. Cl., 202
hamosa R. Br., 191, 524, 539
 var. *finlaysoni* C. B. Cl., 191
 var. *unifolia* C. B. Cl., 191
heterostigma B. L. Burtt, 177
heterotricha Merrill, 137
heucherifolia (Hand.-Mazz.) D. Wood, 145
hookeri C. B. Cl., 173
horsfieldii R. Br., 182
 var. *scaberrima* (R. Br.) C. B. Cl., 182
humilis Miq., 202
insignis C. B. Cl., 157
integra Barnett, 151
involuta Craib, 199, 524, 539
juliae Hance, 143
kerrii Craib, 200
kurzii (C. B. Cl.) C. B. Cl., 202
lacei (W. W. Sm.) B. L. Burtt, 160
lachenensis C. B. Cl., 155
lacunosa (Hook. f.) B. L. Burtt, 151
lavandulacea Stapf, 198, 539
lilacina Lemaire, 202
longipedicellata B. L. Burtt, 172
macrophylla Wallich, 167, 539
 subsp. *tirapensis* Panigrahi, 167
macrosiphon Hance, 202
marcanii Craib, 193
martinii Lévl. & Vant., 202
micromusa B. L. Burtt, 194, 539
minuteserrulata Hayata, 164
minutihakata D. Wood, 149
mishmiensis [Debbarmar ex] Biswas, 156
mollissima Ridley, 188
monophylla C. B. Cl., 181
moonii Gardner, 171

Chirita—continued

- oblongifolia* (Roxb.) Sinclair, 174
obtusa C. B. Cl., 160
oculata Craib, 194
orbicularis W. W. Sm., 154
parvula Ridley, 186
peduncularis B. L. Burtt, 173
pellegriniana B. L. Burtt, 142
pinnatifidia (Hand.-Mazz.) B. L. Burtt, 202
poilanei Pellegrin, 147
 var. *villosa* Pellegrin, 147
polycarpa Steud., 202
polyneura Miq., 202
 var. *amabilis* C. B. Cl., 166
 var. *thomsonii* C. B. Cl., 161
primulacea C. B. Cl., 153
primuloides (Miq.) Ohwi, 202
pumila D. Don, 161, 539
purpureo-lineata (Kerr) D. Wood, 152
quercifolia D. Wood, 144
reptans Burtt & Panigrahi, 157
ridleyana S. Moore, 183
rotundata Barnett, 169
rotundifolia (Hemsley) D. Wood, 138
rupestris Ridley, 201
scaberrima R. Br., 182
scabra Royle ex C. B. Cl., 185
semicontorta Pellegrin, 147
sericea Ridley 187, 539
 var. *scortechinii* Ridley, 188
sericea Lévl. & Vant., 202
sinensis Lindl., 130, 135, 539
 var. *angustifolia* Dunn, 135
 var. *bodinieri* Lévl., 135
speciosa Kurz, 180, 539
spectabilis Miq., 202
 var. *pedicellata* C. B. Cl., 202
speluncae (Hand.-Mazz.) D. Wood, 141
sphagnicola Lévl. & Vant., 161
stolonifera Fischer & Kaul., 155
subcaulis (Hand.-Mazz.) B. L. Burtt, 202
ternifolia D. Don, 202
tibetica (Franchet) B. L. Burtt, 159
trailliana Forrest & Smith, 180
trispala Barnett, 153
tubulosa Craib, 190
umbricola W. W. Sm., 155
uniflora Ridley, 202
urticifolia Buch.-Ham. ex D. Don, 131, 177, 539
vestita D. Wood, 141
viola Ridley, 190
walkeri Gard., 170, 524, 539
 subsp. *parviflora* (C. B. Cl.) Theobald & Grupe, 171
 var. *parvifolia* C. B. Cl., 171
zeylanica Hook., 169, 539
 var. *augusta* C. B. Cl., 169
zollingeri C. B. Cl., 200

Chondrilla

- sect. *Arthrorynchus* Fisch. & Mey., 234
 spinosa Lamond & Matthews, 231
Chromosome numbers in the Gesneriaceae, V., 523
Chromosome numbers in the Gesneriaceae of the Old World, a survey of, 527
Chrysanthemum altense Sosn., 435
 alyssifolium Bornm., 434
 biebersteinianum Adams, 216
 coccineum Willd., 262
 haradjanii Rech. fil., 435
 heimerlei Nab., 434
 oxylepis Bordz., 260
 oxystegium Sosn., 435
 sipikorense Bornm., 260
 zahlbruckneri Nab., 435
Cicerbita boissieri (Rouy) C. Jeffrey, 429
 brevirostris (Schultz Bip. ex Vis. & Panč.) C. Jeffrey, 429
Cirsium, 413
 aduncum Fisch. & Mey. ex DC., 414
 subsp. *bashkalense* Davis & Parris, 414
 alatum (Gmelin) Bobrov, 414
 subsp. *pseudocreticum* Davis & Parris, 414
 baytopae Davis & Parris, 415
 boluense Davis & Parris, 415
 cassium Davis & Parris, 416
 cilicicum Davis & Parris, 416
 creticum (Lam.) d'Urv.
 subsp. *gaillardotii* (Boiss.) Davis & Parris, 429
 depilatum Boiss. & Bal.
 var. *glomeratum* Freyn & Sint., 430
 gaillardotii Boiss., 429
 hakkaricum Davis & Parris, 417
 lappaceum (Bieb.) Bieb.
 subsp. *tenuilobum* (C. Koch) Davis & Parris, 430
 libanoticum DC., 419
 subsp. *arachnoideum* Davis & Parris, 419
 subsp. *lycaonicum* (Boiss. & Heldr.) Davis & Parris, 430
 var. *lycaonicum* (Boiss. & Heldr.) Boiss., 430
 lycaonicum Boiss. & Heldr., 430
 poluninii Davis & Parris, 418
 pseudobracteosum Davis & Parris, 419
 pubigerum (Desf.) DC.
 var. *glomeratum* (Freyn & Sint.) Davis & Parris, 430
 rhizocephalum C. A. Meyer
 subsp. *sinuatum* (Boiss.) Davis & Parris, 430
 var. *sinuatum* Boiss., 430

- Cirsium*—continued
siculum Sprengel
 subsp. *gaillardotii* (Boiss.) Petrak, 429
simplex C. A. Meyer, 420
 subsp. *sadtaghense* Davis & Parris, 420
Codonocephalum inuloides Fenzl, 250
peacockianum Aitch. & Hemsl., 250
serratuloides Gilli, 250
 Compositae I: Materials for a Flora of Turkey, XXX, 207
 Compositae II: Materials for a Flora of Turkey, XXXI, 409
Conandron ramondoides Sieb. & Zucc., 538
Cordyceps militaris Fr., 338
Coriolus hirsutus (Wulf.) Quélet, 337
versicolor (L.) Quélet, 337
Courrantia chamonelloides Sch.-Bip., 253
Crepidotus cesatii (Rabenh.) Sacc., 334
Crepis aurea (L.) Cass.
 subsp. *olympica* (C. Koch) Lamond, 430
bupleurifolia (Boiss.) Freyn & Sint., 234
foetida L.
 subsp. *rheoadifolia* (M. Bieb.) Čelak., 234
fraasii Schultz Bip., 235
hakkarica Lamond, 235
olympica C. Koch, 430
 CULLEN, J.
 A field guide to Malayan Palms (review), 268
 Cupressus from SW Iran, a new record of, 445
Cupressus sempervirens L.
 var. *horizontalis* (Miller) Gordon, 445
Cussonia gerrardii Seem., 449
Cyclosorus biauritus (Bedd.) Ching, 498
jaculosus (Christ) H. Ito, 496
 Cyperaceae-Cyperoideae, four new genera in, 307
 Cyperaceae-Cyperoideae, taxonomic studies in, 311
Cyrtandra cordifolia Gaud., 536
ferruginosa St. J. & Storey, 536
garnotiana Gaud., 536
grandiflora Gaud., 536
latebrosa Hill, 536
mooreaensis G. W. Gillett, 536
oblongifolia (Blume) C. B. Cl., 536
paludosa Gaud., 536
pendula Blume, 536
propinqua C. N. Forbes, 536
radiciflora C. B. Cl., 536
sandei De Vries, 536
sandwicensis (Lév.) St. J. & Storey, 536
sororia Schltr., 536
splendens C. B. Cl., 536
stupanthia St. J. & Storey, 536
Daedalea quercina (L.) Fr., 337
Daldina concentrica (Bolt. ex Fr.) Ces. & De Not., 338
 DALE, J. E.
 Deep ploughing—or numerical plant physiology (review), 436
Damrongia purpurea-lineata Kerr, 152
 DANIN, A.
 Onopordum, in Davis, P. H. Materials for a Flora of Turkey; Compositae, I, 254
 DAVIS, P. H.
 Materials for a Flora of Turkey, XXX: Compositae I (compiled by), 207
 Materials for a Flora of Turkey, XXXI: Compositae II (compiled by), 409
 Carduus, in Davis, P. H. Materials for a Flora of Turkey, XXXI, Compositae II, 411
 DAVIS, P. H. & BHATTACHARJEE, Reba
 Two new species from Iraq, 293
 DAVIS, P. H. & KUPICHA, F. K.
 Helichrysum, in Davis, P. H. Materials for a Flora of Turkey XXX: Compositae I, 239
 DAVIS, P. H. & PARRIS, B. S.
 Cirsium, in Davis, P. H. Materials for a Flora of Turkey XXXI, Compositae II, 413
Dichiloboea speciosa (Ridl.) Stapf, 540
Dichrotrichum asperifolium (Blume) Benth., 182
 DICKISON, W. C. & BURTT, B. L.
 The morphology and relationships of Seemannaralia (Araliaceae), 449
Didissandra begoniifolia Lévl., 202
Didymocarpus Wall., 265
 subgen. *Chirita* (D. Don) Chun, 129
 sect. *Euchirita* (C. B. Cl.) Chun, 132
 sect. *Microchirita* (C. B. Cl.) Chun, 134
alternans Ridl., 539
anachoretus (Hance) Lévl., 164
anthonyanus Hand.-Mazz., 161
asperifolius (Blume) Bakh. f., 182
balansae Pellegrin, 142
bequaertii De Wild, 267
biserratus Barnett, 540
bombycinus Ridl., 539
brevipes (C. B. Cl.) Hand.-Mazz., 180
citrinus Ridl., 540
clarkei Lévl., 160
corchorifolius R. Br., 540
cortusifolius (Hance) Lévl., 146
cristatus Dalzell, 191
cruciformis Chun, 202
cyaneus Ridley, 151
dielsii Borza, 154
eburneus (Hance) Lévl., 138
fauriei (Franchet) Lévl., 138

- Didymocarpus*—continued
fimbrisepalus (Hand.-Mazz.) Hand.-Mazz., 144
flavescens Ridl., 539
floccosus Thw., 524, 540
fordii Hemsley, 142
forrestii (Anthony) Hand.-Mazz., 163
grandifolius (A. Dietr.) F. G. Dietr., 167
hedyotideus Chun, 202
heucherifolius Hand.-Mazz., 145
humilis (Miq.) B. L. Burtt, 202
innominatus B. L. Burtt, 540
juliae (Hance) Lévl., 143
kamerunensis Engl., 267
lacei W. W. Sm., 160
lacunosus Hook. f., 151
malayanus Hook. f., 539
martinii Lévl. & Vant., 202
minutesserrulatus (Hayata) Yamamoto, 164
minutus Hand.-Mazz., 141
mollissimus (Ridl.) Williams, 188
polycephalus Chun, 202
praeteritus Burtt & Davidson, 540
pumilus Ridl., 540
purpureus Ridl., 540
pygmaeus C. B. Cl., 191
reticulosus C. B. Cl., 539
rodgeri
 var. *siamensis* W. W. Sm., 540
rotundifolius Hemsley, 138
salviiflorus Chun, 202
secundiflorus Chun, 202
siamensis Barnett, 540
sinensis (Lindl.) Lévl., 135
sinohenryi Chun, 202
speciosus (Kurz) Hand.-Mazz., 180
speciosus Wall. ex C. B. Cl., 161
speluncae Hand.-Mazz., 141
stolzii Engl., 267
 var. *minor* Mansf., 267
swinglei Merrill, 202
tibeticus (Franchet) Hand.-Mazz., 159
tomentosus Wight, 540
traillianus (Forrest & Smith) Hand.-Mazz., 180
uniflorus (Franchet) Borza, 154
urticifolius (D. Don) Wonisch, 178
verecundus Chun, 202
viola (Ridl.) Williams, 190
zollingeri (C. B. Cl.) Backer & Bakhuizen van den Brink, 200
Dryopteris biaurita (Bedd.) C. Chr., 498
lebeufii (Baker) C. Chr., 498
- Echinops melitenensis* Hedge & Huber-Morath, 237
polyacanthus Iljin, 430
pungens Trautv.
 var. *adenocladus* Hedge, 239
 var. *polyacanthus* (Iljin) Hedge, 430
 var. *transcaucasicus* (Iljin) Hedge, 430
transcaucasicus Iljin, 430
Elytraria, 269
maritima J. K. Morton, 271
shaferi (P. Wilson) Leonard, 271
Epitrachys tenuiloba C. Koch, 430
Erigeron acer L.
 subsp. *pycnotrichus* (Vierh.) Grierson, 430
 caucasicus Stev.
 subsp. *venustus* (Botsch.) Grierson, 430
venustus Botsch., 430
Eriophorum L., 312
 subgen. *Eriophoropsis* (Palla) Raymond, 312
 subgen. *Eriophorum*, 312
 subgen. *Japonicus* (Koyama) Oteng-Yeboah, 312
 sect. *Eriophorum*, 312
 sect. *Lachnophorum* Nylander, 314
 sect. *Phyllanthella* Anderss., 312
japonicum Maxim., 312
vaginatatum L., 312
virginicum L., 312
Erioscirpus Palla, 314
 subgen. *Erioscirpus*, 314
 subgen. *Lachnophorum* (Nylander) Oteng-Yeboah, 314
comosus (Wall.) Palla, 314
microstachys (Boeck.) Palla, 314
- Fieldia australis* F. Muell., 543
Filago arvensis L., 432
Five Asiatic Thelypteris species re-interpreted, 495
Foliar sclereids and stomata; Studies in Acanthaceae tribe Nelsonieae, II, 269
Four new genera in Cyperaceae-Cyperoidae, 307
FREITAG, H.
 The genus Piptatherum (Gramineae) in southwest Asia, 341
FREY, W., HEDGE, I. C., & BRECKLE, S.-W.
 Botanical literature of Afghanistan: Supplement I, 503
Fuirena Rottb., 312
 subgen. *Fuirena* Rottb., 313
 subgen. *Pentasticha* (Turcz.) Oteng-Yeboah, 313
 subgen. *Vaginarina* (Pers.) Oteng-Yeboah, 313
 sect. *Pseudo-isolepis* (C. B. Clarke) Chermeson, 313
 sect. *Pseudoscirpus* (C. B. Clarke) Chermeson, 313
 sect. *Vaginarina* (Pers.) C. B. Clarke, 313

- Fuirena*—continued
pubescens (Poir.) Kunth, 313
scirpoidea Michx., 313
stricta Steud., 313
umbellata Rottb., 313
Funalia trogii (Berk.) Bond. & Sing., 337
 Fungi from Iran, larger, 333
 Further note on *Salvia tetradonta*, A, 295
- Galatella amani* (Post) Grierson, 430
Gaterina unicolor (Vahl ex Sommerf.) Singer, 334
Ganoderma applanatum (Pers.) Pat., 336
Garhadiolus angulosus Jaub. & Spach, 433
hamosus Boiss. & Hausskn., 433
 Genus *Piptatherum* (Gramineae) in South-west Asia, the, 341
 Gesneriaceae, chromosome numbers in the: V, 523
 Gesneriaceae of the Old World, Studies in the, XXXVIII: A new species of *Streptocarpus* from East Africa, 467
 Gesneriaceae of the Old World, Studies in the, XXXIX: towards a revision of *Aeschynanthus*, 471
 Gesneriaceae of the Old World, a survey of chromosome numbers in the, 527
Gnaphalium, 421
stewartii, 424
arenarium L., 239
supinum, 424
Gonatosemon boucheanum Regel, 178
 GRIERSON, A. J. C.
 Anthemis, in Davis, P. H. Materials for a Flora of Turkey XXX: Compositae I, 211; *Inula*, op. cit., 248; *Matricaria*, op. cit., 252; *Pulicaria*, op. cit., 255; *Tanacetum*, op. cit., 259. *Anacyclus*, in Davis, P. H. Materials for a Flora of Turkey XXXI: Compositae II, 410; *Anthemis*, op. cit., 411; *Gnaphalium*, op. cit., 421; *Inula*, op. cit., 425; *Logfia*, op. cit. 425; *Tanacetum*, op. cit., 427
 Nomenclature without tears (review), 444
- Haberlea rhodopensis* Friv., 524
 HEDGE, I. C.
 A revision of *Salvia* in Africa, including Madagascar and the Canary Islands, I
 HEDGE, I. C.
 Echinops, in Davis, P. H. Materials for a Flora of Turkey XXX: Compositae I, 237
 HEDGE, I. C.
 A further note on *Salvia tetradonta*, 295
 HEDGE, I. C., BRECKLE, S.-W. & FREY, W.
 Botanical literature of Afghanistan: Supplement I, 503
- Helichrysum anatolicum* Boiss., 240
arenarium (L.) Moench, 239
 subsp. *aucheri* (Boiss.) Davis & Kupicha, 239
 subsp. *erzincanicum* Davis & Kupicha, 240
 subsp. *rubicundum* (C. Koch) Davis & Kupicha, 239
 var. *plinthocalyx* C. Koch, 239
 var. *rosea* Trautv., 239
artvinense Davis & Kupicha, 240
aucheri Boiss., 239
niveum Boiss. & Heldr., 430
pamphylicum Davis & Kupicha, 430
plicatum DC., 240
 subsp. *plicatum*, 240
 subsp. *polyphyllum* (Ledeb.) Davis & Kupicha, 241
 subsp. *pseudoplicatum* (Nab.) Davis & Kupicha, 241
 var. *lacteam* Boiss., 241
polyphyllum Ledeb., 241
pseudoplicatum Nab., 241
rubicundum (C. Koch) Bornm., 239
undulatum Ledeb., 239
 subsp. *rubicundum* (C. Koch) Takht., 239
- Helicomycetes roseus* Link, 338
Hemiboea bicornuta (Hayata) Ohwi, 202, 538
subacaulis Hand.-Mazz., 202
Hemipappus canus C. Koch, 427
Henckelia bifolia (D. Don) Dietr., 185
grandifolia Dietr., 167
pumila (D. Don) Dietr., 161
urticifolia (Buch. Ham. ex D. Don) Dietr., 178
wallichiana Dietr., 178
 HERRNSTADT, Ilana & HEYN, Chaia C.
 New combinations in *Cachrys* L. as a genus distinct from *Hippomarathrum* Link, 441
Hexatheca fulva C. B. Cl., 536
 HEYN, Chaia C. & HERRNSTADT, Ilana
 New combinations in *Cachrys* L. as a genus distinct from *Hippomarathrum* Link, 441
Hieracium L., 242, 425
argaeum (Zahn) Sell & West, 430
auriculoides Lang, 432
bey pazariense Huber-Morath, 425
bithynicum (Zahn) Sell & West, 430
byzantinum (Boiss.) Zahn, 432
cryptonaeum (Bornm. & Zahn) Sell & West, 430
erythrocarpum Peter
 subsp. *cryptonaeum* Bornm. & Zahn, 430
 subsp. *karageollense* Zahn, 431
 subsp. *laxifurcans* Bornm. & Zahn, 431

Hieracium—continued

- subsp. *malloporeres* Bornm. & Zahn, 431
subsp. *stellidorsum* Bornm. & Zahn, 431
florentoides Arvet-Touvet, 432
gentiliforme (Zahn) Sell & West, 431
giresunense Huber-Morath, 245
hoppeanum Schults
subsp. *cilicicum* Naegeli & Peter, 432
subsp. *lydium* Bornm. & Zahn, 433
subsp. *pilisquamum* Naegeli & Peter, 433
subsp. *testimonialis* Naegeli & Peter, 433
subsp. *troicum* Zahn, 433
huber-morathii P. D. Sell & C. West, 244
idae (Zahn) Sell & West, 431
karagoellense (Zahn) Sell & West, 431
karakolense (Bornm. & Zahn) Sell & West, 431
lasiochaetum (Bornm. & Zahn) Sell & West, 431
laxifurcans (Bornm. & Zahn) Sell & West, 431
leithneri Heldr. & Sart.
subsp. *karakolense* Bornm. & Zahn, 431
leptodermum (Zahn) Sell & West, 431
macrogonum (Zahn) Sell & West, 431
maculatum Sm.
subsp. *leptodermum* Zahn, 431
magyaricum Naegeli & Peter
subsp. *megalomastix* Naegeli & Peter, 433
malloporeres (Bornm. & Zahn) Sell & West, 431
marmoricola P. D. Sell & C. West, 244
muricellum Fries
subsp. *macrogonum* Zahn, 431
murorum L.
subsp. *bithynicum* Zahn, 430
subsp. *subsilvularum* Zahn, 431
subsp. *tossianum* Zahn, 431
onosmopsis (Zahn) Sell & West, 431
pallidum Biv.
subsp. *argaeum* Zahn, 430
subsp. *lasiochaetum* Bornm. & Zahn, 431
subsp. *subvandasii* Bornm. & Zahn, 431
phrygiense Sell & West, 431
pilosella L.
subsp. *micradenia* Naegeli & Peter, 433
var. *byzantinum* Boiss., 432
pratense Tausch
subsp. *brevipilum* Naegeli & Peter, 432
procerum Fries, 432
pseudodontotrichum Huber-Morath, 246
ruprechtii Boiss., 433
sparsum Friv.
subsp. *idae* Zahn, 431
stellidorsum (Bornm. & Zahn) Sell & West, 431
subrosulatum Freyn & Sint.
subsp. *phrygium* Bornm. & Zahn, 431
subsilvularum (Zahn) Sell & West, 431
subvandasii (Bornm. & Zahn) Sell & West, 431
sylvaticum (L.) Grufberg
subsp. *gentiliforme* Zahn, 431
tamderense Huber-Morath, 246
tmoleum Huber-Morath, 247
tossianum (Zahn) Sell & West, 431
tshamkorijense Zahn
subsp. *onosmopsis* Zahn, 431
valdefrondosum (K. Maly & Zahn) Sell & West, 432
HILLIARD, O. M. & BURTT, B. L.
Studies in the Gesneriaceae of the Old World, XXXVIII: a new species of *Streptocarpus* from East Africa, 467
Hippomarathrum Link, new Combinations in *Cachrys* L. as a genus distinct from, 441
verbenacea Miller, 95
Horminum sativum Miller, 94
HOSSAIN, A. B. M. Enayet
Studies in Acanthaceae tribe *Nelsonieae*, II. foliar sclereids and stomata, 269
HUBER-MORATH, A.
Achillea in Davis, P. H., Materials for a Flora of Turkey XXX: Compositae I, 208
Hieracium in Davis, P. H., Materials for a Flora of Turkey XXXI: Compositae II, 425
Hygrophila auriculata (Schumacher.) Heine, 272
Hypholoma fasciculare (Huds. ex Fr.) Kummer, 336
Incarvillea oblongifolia Roxb., 174
Inula, 425
helenium L., 248
subsp. *helenium*, 249
subsp. *orgyalis* (Boiss.) Grierson, 249
subsp. *pseudohelenium* Grierson, 249
subsp. *turcoracemosa* Grierson, 249
subsp. *vanensis* Grierson, 249
inuloides (Fenzl) Grierson, 251
macrocephala Boiss., 251
odora L., 255
orgyalis Boiss., 249
peacockiana (Aitch. & Hemsl.) Korovin, 250
serratuloides (Gilli) Grierson, 250
thapsoides (Bieb. ex Willd.) Spr.
subsp. *australis* Grierson, 425

- Jerdonia indica* Wight, 525, 543
Jurinea depressa (Stev.) C. A. Meyer
 var. *pinnatisecta* Boiss., 432
Jurinea moschus (Habl.) Bobrov
 subsp. *pinnatisecta* (Boiss.) Danin & Davis, 432
- KOLLMANN, Fania
Allium desertorum and *A. sindjarense*
 in Palestine, 437
 A note on *Allium phaneranthrum*, 305
 KUPICHA, F. K.
Lampyropsis, in Davis, P. H., Materials
 for a Flora of Turkey: Compositae,
 I, 251
 KUPICHA, F. K. & DAVIS, P. H.
Helichrysum, in Davis, P. H., Materials
 for a Flora of Turkey XXX:
 Compositae, I, 239
- LACK, H.-W.
Picris, in Davis, P. H., Materials for a
 Flora of Turkey XXXI, Compositae
 II, 426
Lactuca boissieri Rouy, 429
glareosa Schott & Kotschy ex Boiss., 433
quercina L., 432
Lactucopsis brevirostris Schultz Bip. ex Vis.
 & Panč, 429
 LAMOND, J. M.
Crepis, in Davis, P. H., Materials for a
 Flora of Turkey XXX: Compositae
 I, 234
 LAMOND, J. M. & MATTHEWS, V. A.
Chondrilla, in Davis, P. H. Materials
 for a Flora of Turkey XXX:
 Compositae I, 231
Lamyropsis lycia Kupicha, 251
Lapsana alpina Boiss. & Bal., 432
communis L.
 subsp. *alpina* (Boiss. & Bal.) Sell, 432
 subsp. *grandiflora* (Bieb.) Sell, 432
grandiflora Bieb., 432
 Larger fungi from Iran, 333
 LAUENER, L. A.
 In and around the Pine Barrens (review),
 300
 Drawings of British Plants (review), 448
 LAUENER, L. A. & PANIGRAHI, G.
 A new Himalayan species of *Anemone*,
 491
Lentinus adhaerens (Alb. & Sch. ex Fr.) Fr.,
 334
Leontodon asperum (Waldst. & Kit.) Poiret
 var. *setulosus* Hal., 432
divaricatus Boiss., 432
froedinii Rech. fil.
 var. *setulosus* (Hal.) Kupicha, 432
oxylepis Boiss. & Heldr.
 var. *divaricatus* (Boiss.) Kupicha, 432
Leucocyclus formosus Boiss.
 subsp. *amanicus* (Rech. fil.) Hub.-
 Mor. & Grierson, 432
Liebigia Endl., 131
bracteosa Zoll. & Mor., 182
Logfia arvensis (L.) Holub, 432
davisii [Holub ex] Grierson, 425
Loxocarpus conicapsularis (C. B. Cl.) B. L.
 Burt, 524, 540
Loxostigma griffithii (Wight) C. B. Cl., 202
Lyonnetia tenuiloba DC., 428
Lysionotus albidus (Bl.) Bl., 479
serratus D. Don, 202, 537
- Marasmius alliaceus* (Jacquin ex Fr.) Fr.,
 336
rotula (Scop. ex Fr.) Fr., 336
Martynia lanceolata Moon, 171
 Materials for a Flora of Turkey: XXX,
 Compositae I, 207; XXXI, Compositae
 II, 409
Matricaria chamomilla L., 252
 var. *chamomilla*, 253
 var. *coronata* (Gay) Boiss., 253
 var. *courrantiana* (DC.) Fiori & Paol.
 253
 var. *kochiana* (Sch.-Bip.) Fiori &
 Paol., 253
 var. *recutita* (L.) Grierson, 253
coronata Gay apud W. Koch, 253
courrantiana DC., 253
kochiana Sch.-Bip., 253
meridionalis C. Koch, 253
pappulosa Margot & Reuter, 253
punctata Desr., 435
pusilla Willd., 253
pyrethroides DC., 253
recutita L., 253
 MATTHEWS, V. A.
Senecio, in Davis, P. H. Materials for a
 Flora of Turkey XXX: Compositae
 I, 256; *Sonchus*, op. cit., 258
 MATTHEWS, V. A. & LAMOND, J. M.
Chondrilla, in Davis, P. H., Materials
 for a Flora of Turkey XXX, Com-
 positae I, 231
Milium coerulescens Desf., 365
 var. *angustifolium* [Munro ex] Regel,
 369
 var. *kokanicum* Regel, 375
 var. *songoricum* (Trin. & Rupr.)
 Regel, 374
holciforme (M. Bieb.) Spreng.
 var. *songoricum* (Trin. & Rupr.)
 Griseb., 374
laterale [Munro ex] Regel, 393
thomasii Duby, 363
 MILNE, C.
 Chromosome numbers in the Gesneri-
 aceae: V, 523

- Mitraria coccinea* Cavan., 543
Monophyllaea horsfieldii R. Br., 538
 Morphology and affinities of *Pinus*
 canariensis, 317
 Morphology and relationships of *Seemann-*
 aralia (Araliaceae), The, 449
Mortsdorffia Steud., 131
 speciosa Steud., 182
Mulgedium quercinum (L.) C. Jeffrey, 432
- Negria rhabdothermum* F. Muell., 543
 Nelsonieae, Studies in Acanthaceae tribe,
 II: foliar sclereids and stomata, 269.
Nephrodium amboinense auctt., 499
 biauratum Bedd., 498
 extensum (Bl.) Moore
 var. *minor* Bedd., 499
 malabariense Fée, 497
 molle Desv. 499
 var. *amboinense* auctt., 499
 zeylanicum Fée, 499
 New Combinations in *Cachrys* L. as a
 genus distinct from *Hippomarathrum*
 Link, 441
 New Himalayan species of *Anemone*, A, 491
 New record of *Cupressus* from SW Iran, A,
 445
 New species of *Rhododendron* from
 Yunnan, A, 493
 Note on *Allium phaneranthum*, A, 305
 Notes on some British Agarics: IV, 325
- Onopordum turcicum* Danin, 254
Onosma, two new species of, 301
Onosma pygmaeum H. Riedl, 302
 subulifolium H. Riedl, 301
Opithandra acaulis (Merrill) B. L. Burtt, 202
 dalzielii (W. W. Sm.) B. L. Burtt, 202
 primuloides (Miq.) B. L. Burtt, 202, 538
Oreocharis sericae Lévl., 202
Ornithoboea wildeana Craib, 540
Oryzopsis aequiglumis [Duthie] Hook. f.,
 379
 alpestris Grig., 394
 angustifolium (Regel) Kitamura, 369
 asiatica Mez, 375
 barbellata (Mez) Bor, 391
 brachyclada Pilger, 398
 coerulescens (Desf.) Hack., 365
 var. *grandis* Pampanini, 372
 fasciculata (Hack.) Roshev., 379
 geminiramula Ohwi, 381
 gracilis (Mez) Pilger, 398
 holciformis (M. Bieb.) Hack., 371
 var. *blancheana* (Boiss.) Bornm., 366
 var. *kokanica* (Regel) Roshev., 375
 var. *songorica* (Trin. & Rupr.)
 Roshev., 375
 humilis Bor, 400
 kokanica (Regel) Roshev., 375
 kopetdagensis Roshev., 371
 lateralis auct., 398
 latifolia Roshev., 373
 microcarpa Pilg., 367
 var. *pubescens* Bor, 369
 miliacea (L.) Aschers. & Schweinf., 362
 molinioides (Boiss.) Hack., 383
 var. *pubiflora* (Hack.) Bornm., 393
 molinioides auct., 398
 munroi Stapf, 381
 pamiralaica Grig., 402
 pauciflora Beg. & Vacc., 362
 platyantha (Nevski) Grig., 396
 pubiflora Hack., 393
 purpurascens Hack., 401
 rechingeri Bor, 397
 sogdiana Grig., 393
 songorica (Trin. & Rupr.) B. Fedtsch.,
 375
 sphacelata (Boiss. & Buhse) Hack., 383
 stewartiana Bor, 381
 vavilovii Roshev., 393
 vicaria Grig., 367
 virescens (Trin.) Beck, 363
 wendelboi Bor, 400
 OTENG-YEBOAH, A. A.
 Four new genera in Cyperaceae-
 Cyperoideae, 307
 Taxonomic studies in Cyperaceae-
 Cyperoideae, 311
Otostegia tomentosa Rich.
 subsp. *tomentosa*, 112
Oxychlamys Schlechter, 475
- PAGE, C. N.
 Morphology and affinities of *Pinus*
 canariensis, 317
Panaeolus phalaenarum (Fr.) Quélet, 334
sphinctrinus (Fr.) Quélet, 334
Panax gerrardii Harv. ex Hook. fil., 449
 PANIGRAHI, G.
 Five Asiatic Thelypteris species re-
 interpreted, 495
 PANIGRAHI, G. & LAUENER, L. A.
 A new Himalayan species of *Anemone*,
 491
Paraboea capitata Ridl., 540
 vulpina Ridl., 540
Pentasticha Turcz., 313
Petrocosmea kerrii Craib, 538
 parryorum C. E. C. Fisch., 538
Peziza repanda Pers., 338
Phaeopappus declinatus Boiss., 229
 PHILIPSON, Melva N. & PHILIPSON, W. R.
 A new species of *Rhododendron* from
 Yunnan, 493
 PHILIPSON, W. R. & PHILIPSON, Melva N.
 A new species of *Rhododendron* from
 Yunnan, 493

- Picris*, 426
cyprica Lack, 426
Pilosella Hill, 242
x auriculoides (Láng) Sell & West, 432
x byzantina (Boiss.) Sell & West, 432
caespitosa (Dum.) Sell & West
 subsp. *brevipila* (Naegeli & Peter) Sell & West, 432
echinoides (Lumn.) C. H. & F. W. Schultz
 subsp. *procera* (Fries) Sell & West, 432
x florentoides (Arvet-Touvet) Sell & West, 432
hoppeana (Schultes) C. H. & F. W. Schultz
 subsp. *cilicica* (Naegeli & Peter) Sell & West, 432
 subsp. *isaurica* Huber-Morath, 245
 subsp. *lydia* (Bornm. & Zahn) Sell & West, 433
 subsp. *pilisquama* (Naegeli & Peter) Sell & West, 433
 subsp. *testimonialis* (Naegeli & Peter) Sell & West, 433
 subsp. *troica* (Zahn) Sell & West, 433
officinatum C. H. & F. W. Schultz
 subsp. *micradenia* (Naegeli & Peter) Sell & West, 433
piloselloides (Vill.) Sell & West
 subsp. *megalomastix* (Naegeli & Peter) Sell & West, 433
x ruprechtii (Boiss.) Sell & West, 433
Pinus canariensis, morphology and affinities of, 317
Pinus canariensis C. Smith, 317
roxburghii Sargent, 321
Piptatherum (Gramineae) in southwest Asia, the genus, 341
Piptatherum P. Beauv., 358
 sect. *Miliacaea* [Roshev. ex] Freitag, 361
 sect. *Piptatherum*, 364
 sect. *Virescentia* [Roshev. ex] Freitag, 363
 subsect. *Coerulescentia* [Roshev. ex] Freitag, 364
 subsect. *Holciformia* [Roshev. ex] Freitag, 370
 subsect. *Himalayana* [Roshev. ex] Freitag, 401
aequiglume (Hook. f.) Roshev., 377
 var. *aequiglume*, 379
 var. *fasciculatum* (Hack.) Freitag, 379
alpestre (Grig.) Roshev., 395
angustifolium (Regel) Boiss., 368
 var. *angustifolium*, 369
 var. *pubescens* (Bor) Freitag, 369
baluchistanicum Freitag, 389
barbellatum Mez, 391
binabium Pazij, 399
blancheanum [Desv. ex] Boiss., 365
coerulescens (Desf.) P. Beauv., 365
fasciculatum (Hak.) Roshev., 379
fedtschenkoi Roshev., 393
flaccidum Freitag, 387
 var. *flaccidum*, 388
 var. *pubescens* Freitag, 389
gracile Mez, 398
hilariae Pazij, 399
holciforme (M. Bieb.) Roem. & Schult., 370
 subsp. *holciforme*, 371
 subsp. *longiglume* Hausskn., 372
 var. *blancheanum* (Boiss.) Boiss., 365
 var. *epilosum* Freitag, 372
 var. *glabrum* Freitag, 372
 var. *holciforme*, 371
 var. *longiglume* Hausskn., 372
karataviense Roshev., 371
kokanicum (Regel) Roshev., 375
laterale (Regel) Roshev., 392
 subsp. *alpestre* (Grig.) Freitag, 394
 subsp. *laterale*, 393
 subsp. *verticillatum* Freitag, 394
latifolium (Roshev.) Nevski, 373
miliaceum (L.) Coss., 362
 subsp. *miliaceum*, 362
 subsp. *thomasi* (Duby) Boiss., 363
molinioides Boiss., 383
munroi (Stapf) Mez, 381
pamiralaicum (Grig.) Roshev., 402
platyanthum Nevski, 396
 var. *glabrum* Freitag, 397
 var. *platyanthum*, 396
pubiflorum (Hack.) Roshev., 393
purpurascens (Hack.) Roshev., 401
rechingeri (Bor) Freitag, 397
roshevitzianum Tzvelev, 398
schugnanicum Roshev., 400
sinense Mez, 379
sogdianum (Grig.) Roshev., 393
songoricum (Trin. & Rupr.) Roshev., 374
sphacelatum (Boiss. & Buhse) Boiss., 383
thomasi (Duby) Kunth, 363
tremuloides Ovch. & Chuk., 400
vavilovii (Roshev.) Roshev., 393
vicarium (Grig.) Roshev., 367
virescens (Trin.) Boiss., 363
Pluteus exiguus Pat., 336
Podospermum jacquinianum W. Koch, 433
Polypodium lebeufii Baker, 498
 semitagittatum Roxb., 500
Prangos arcis-romanae Boiss. & Huet, 443
asperula Boiss., 443
bucharica Fedtsch., 443
calligonoides Rech. fil., 443
corymbosa Boiss., 443
denticulata Fisch & Mey., 443

- Prangos*—continued
haussknechtii Boiss., 443
hermonis Boiss., 443
latiloba Korovin, 443
meliocarpoides Boiss., 443
pabularia Lindl., 000
peucedanifolia Fenzl, 443
platychloena Boiss. ex Tchih., 443
tuberculata Boiss. & Hausskn., 443
uechtritzi Boiss. & Hausskn., 443
uloptera DC., 443
Preanthes glareosa (Schott & Kotschy ex Boiss.) C. Jeffrey, 443
Psephellus freynii (Sint.) Bornm., 230
taochius Sosn., 230
Pseudoschoenus (C. B. Clarke) Oteng-Yeboah, 308
inanis (Thunb.) Oteng-Yeboah, 309
Pulicaria odora (L.) Reichb., 255
Pyrethrum aucherianum DC.
var. *glabrescens* Boiss., 260
carneum M. Bieb., 262
cilicicum Boiss., 434
depauperatum Post, 434
eginense Hausskn. ex Bornm., 434
germanicopolitanum Bornm. & Heimerl., 434
haussknechtii Bornm., 435
heterotomum Bornm., 435
kotschyi Boiss., 435
myriophyllum C. A. Meyer
var. *subvirescens* DC., 434
nitens Boiss. & Noë, 435
orientale Willd., 216
poterifolium Ledeb. apud Nordmann, 435
roseum Adams, 262
var. *chamaemelifolium* Somm. & Lev., 262
sorbifolium Boiss., 435
tomentellum Boiss., 435

Ramonda myconii (L.) Reichenb., 538
nathaliae Panciĉ & Petroviĉ, 538
serbica Panciĉ, 538
RATTER, J. A.
A survey of chromosome numbers in the Gesneriaceae of the Old World, 527
Rehmannia angulata (Oliver) Hemsl., 543
glutinosa (Gaertn.) Fisch. & Mey., 202
glutinosa (Gaertn.) Libosch. ex Steud., 543
Revision of *Salvia* in Africa including Madagascar and the Canary Islands, 1
Rhabdothermus solandri A. Cunn., 543
Rhagadiolus angulosus (Jaub. & Spach) Kupicha, 433
hamosus (Boiss. & Hausskn.) Kupicha, 433

Rhododendron from Yunnan, a new species of, 493
Rhododendron gemmiferum M. N. & W. R. Philipson, 493
Rhynchoglossum gardneri Theobald & Grupe, 538
notonianum (Wall.) B. L. Burtt, 538
obliquum Bl., 538
papuae Schlecht., 538
etuberculata Steud., 315
Rhynchotechum discolor (Maxim.) B. L. Burtt, 536
RIEDL, Harald
Two new species of *Onosma*, 301
Roettlera
subgen. *Chirita* (D. Don) K. Fritsch, 129
sect. *Bilabium* (Miq.) K. Fritsch, 132
sect. *Euchirita* (C. B. Cl.) K. Fritsch, 132
sect. *Gibbosaccus* (C. B. Cl.) K. Fritsch, 130
sect. *Liebigia* (Endl.) K. Fritsch, 132
sect. *Microchirita* (C. B. Cl.) K. Fritsch, 134
sect. *Schizoboea* K. Fritsch, 266
anachoreta (Hance) O. Kuntze, 164
bifolia (D. Don) O. Kuntze, 185
brevipes (C. B. Cl.) O. Kuntze, 180
caerulea (R. Br.) O. Kuntze, 200
caliginosa (C. B. Cl.) O. Kuntze, 186
calva (C. B. Cl.) O. Kuntze, 168
dimidiata (Wall. ex C. B. Cl.) O. Kuntze, 166
eburnea (Hance) O. Kuntze, 138
fusca (C. B. Cl.) O. Kuntze, 186
glabra (Miq.) O. Kuntze, 183
grandifolia (Dietr.) O. Kuntze, 167
hamosa (R. Br.) O. Kuntze, 191
hookeri (C. B. Cl.) O. Kuntze, 173
horsfieldii (R. Br.) O. Kuntze, 182
josephi O. Kuntze, 173
juliae (Hance) O. Kuntze, 143
kamerunensis (Engl.) Fritsch, 267
lachenensis (C. B. Cl.) O. Kuntze, 155
limans (Miq.) O. Kuntze, 183
monophylla (C. B. Cl.) O. Kuntze, 181
moonii (Gardner) O. Kuntze, 171
oblongifolia (Roxb.) O. Kuntze, 174
obtusata (C. B. Cl.) O. Kuntze, 160
primulacea (C. B. Cl.) O. Kuntze, 153
pumila (D. Don) O. Kuntze, 161
sinensis (Lindl.) O. Kuntze, 135
speciosa (Kurz) O. Kuntze, 180
tibetica Franchet, 159
uniflora Franchet, 154
urticifolia (Buch.-Ham. ex D. Don) O. Kuntze, 170
walkeri (Gardner) O. Kuntze, 171
Russula polychroma Singer ex Hora, 336

- Saintpaulia*, 542
amaniensis E. Roberts, 542
brevipilosa B. L. Burtt, 542
confusa B. L. Burtt, 542
difficilis B. L. Burtt, 542
diplotricha B. L. Burtt, 542
grandifolia B. L. Burtt, 542
grotei Engl., 542
intermedia B. L. Burtt, 542
ionantha Wendl., 542
magungensis E. Roberts, 542
orbicularis B. L. Burtt, 542
pendula B. L. Burtt, 542
shumensis B. L. Burtt, 542
teitensis B. L. Burtt, 542
tongwensis B. L. Burtt, 543
velutina B. L. Burtt, 543
Salvia in Africa, including Madagascar and the Canary Islands; A revision of, 1
Salvia abyssinica Jacq., 62
abyssinica Linn. fil., 101
acetabulosa Linn., 45
aegyptiaca Linn., 8, 37
aethiopis Linn., 112
africana Linn., 45, 113
afr. caerulea Linn., 45
afr. lutea Linn., 42
albicaulis Benth., 57
 var. *dregeana* (Benth.) Skan, 57
algeriensis Desf., 8, 109
 var. *mariae* Maire & Sennen, 109
ambigua Salisb., 101
angustifolia Salisb., 47
arachnoidea [de Noé ex] Walp., 86
argentea Linn., 8, 90
 subsp. *patula* (Desf.) Maire, 90
 var. *aurasiaca* (Pomel) Maire, 90
 var. *fontanesiana* Maire, 90
 var. *mesatlantica* Maire, 90
 var. *pomelii* Maire, 90
aride Salisb., 37
atlantica Pers., 90
aucheri Boiss., 27
 subsp. *blancoana* (Webb & Heldr.) Maire, 26
 var. *amethystea* Emberger & Maire, 27
 var. *aurasiaca* Maire, 27
 var. *claryi* Faure & Maire, 27
 var. *maurorum* (Ball) Maire, 27
 var. *mesatlantica* Maire, 27
 var. *oranensis* Maire, 27
 var. *reboudiana* Maire, 27
 var. *tananica* Maire, 27
aurasiaca Pomel, 90
aurea Linn., 8, 42
aurita Thunb., 8, 65
 var. *aurita*, 65
 var. *galpinii* (Skan) Hedge, 67
baccifera Etlinger, 23
balansae de Noé, 83
barbata Lam., 45
barrelieri Etlinger, 8, 103
 subsp. *pseudobicolor* (Battandier & Pitard) Maire, 104
bicolor Lam., 103
bicolor Desf.
 var. *barrelieri* (Etlinger) Maire, 104
 var. *dichroa* (Hook. fil.) Maire, 104
 var. *pallida* Maire, 104
 var. *pluripartita* (Pau) Maire, 104
blancoana Webb & Heldr., 26
bolleana de Noé, 83
botschantzevii Tschern., 87
brachycalyx Boiss., 112
bracteata Russ., 112
broussonetii Benth., 8, 83
burchellii N. E. Brown, 59
 var. *hispidula* Skan, 59
canariensis Linn., 8, 49
candelabrum Boiss.
 subsp. *blancoana* (Webb & Heldr.) Cuatr., 26
 subsp. *maurorum* Ball, 26
chamelaeagnea Berg., 54
chlorophylla Briq., 77
chudaei Battand. & Trab., 41
 var. *tefedestica* Maire, 41
 var. *tibestiensis* (A. Cheval) Maire, 41
clandestina Linn., 95
 var. *angustifolia* Benth., 96
cleistogama de Bary & Paul, 96
coccinea Etlinger, 114
collina Lowe, 95
colorata Linn., 42
congesta A. Rich., 101
commutata Benth., 53
comosa Salisb., 94
controversa auctt., 99
controversa Ten., 95
cooperi Skan, 74
crassifolia Jacq., 103
crispula Benth., 47
cryptoclada Baker, 31
dentata Aiton, 47
deserti Dcne., 40
dichroa Hook. fil., 103
dinteri Briq., 51
disermas Linn., 105
dolichorrhiza Caballero, 94
dolomitica Codd, 48
dominica Linn., 53
dregeana Benth., 57
eckloniana Benth., 42
farinacea Benth., 114
fleckii Gürke, 105
foetida Lam., 92
fruticosa Miller, 8, 23, 113
galpinii Skan, 67
garipensis E. Meyer, 51
gattefossei Emberger, 87

Salvia—continued

grahamii Benth., 115
granitica Hochst., 81
graveolens Vahl, 53
hastifolia Benth., 44
hildebrandtii Briq., 29
hispanorum Lagasca, 28
hochstetteri Baker, 62
horminoides Pourr., 95
horminum L., 94
 var. *viridis* (L.) Briquet, 94
inamoena Vahl, 103
incisa Benth., 74
indica Linn., 112
integerrima Mill., 45
interrupta Schousboe 8, 25
 subsp. *pau* (Maire) Maire, 25
involuta Cav., 115
jaminiana de Noé, 84
judaica Boiss., 112
lanata Salisb., 49
lanceolata Lam., 44
lanigera Desf., 99
lanigera Poir., 99
lanuginosa Burm. f., 45
lasiochachys Benth., 65
latifolia Vahl, 109
lavandulifolia Vahl, 28
leucantha Cav., 114
leucodermis Baker, 32
libanotica Boiss. & Gaill., 23
lobryana Azn., 23
macrorrhiza Chiov., 62
marginata Benth., 69
mariae Sennen, 109
marocana Battandier & Pitard, 110
maurorum (Ball) Ball, 26
merjamie Forssk., 8, 101
microphylla Kunth, 115
montana Salisb., 86
monticola Benth., 75
 var. *angustifolia* Skan, 80
moretii Battandier & Pitard, 8, 110
muirii L. Bolus, 35
 var. *grandiflora* L. Bolus, 35
multifida Sibth. & Sm., 95
namaensis Schinz, 59
natalensis Briq. & Schinz, 74, 75
nemorosa Linn., 116
nilotica [Juss. ex] Jacq., 8, 62
nivea Thunb., 44
nubia [Juss. ex] Murray, 101
nudicaulis Vahl, 101
 var. *congesta* (A. Rich.) Engler, 101
 var. *nubia* Baker, 101
 var. *pubescens* Benth., 101
oblongata Vahl, 95
obtusata Thunb., 69
ochroleuca Coss. & Bal., 96

officinalis Linn., 113
 subsp. *lavandulifolia* (Vahl) Cuatr., 28
 var. *hispanica* Boiss., 28
palaestina Benth., 88
pallidiflora Skan, 65
paniculata Linn., 54
parvifolia Baker, 35
parviflora Salisb., 62
patula Desf., 90
pau Maire, 25
peglerae Skan, 65
perrieri Hedge, 57
 subsp. *brevilabiata* Hedge, 58
 subsp. *perrieri*, 58
phlomooides Asso, 86
 var. *africana* Maire, 87
pluripartita Pau, 104
porphyrocalyx Baker, 31
pratensis Linn., 112
pseudobicolor Battandier & Pitard, 104
pseudojainiana Chevall., 8, 100
pyreniaca Vahl, 103
radula Benth., 107
raphanifolia Benth., 74
reflexa Hornem., 115
repens [Burch. ex] Benth.
 var. *keiensis* Hedge, 75
 var. *repens*, 74
 var. *transvaalensis* Hedge, 75
rigida Thunb., 47
rotundifolia Salisb., 45
rudis Benth., 74
rugosa Thunb., 105
 var. *angustifolia* Benth., 105
runcinata Linn. f., 75
 var. *crispa* Benth., 59
sabulicola Pomel., 96
scabra Linn. fil., 67
schenkii Briq., 74
schimperii Benth., 89
schlechteri Briq., 80
sclarea Linn., 93, 112
sessilifolia Baker, 29
 var. *auriculata* Hedge, 29
 var. *sessilifolia*, 29
sisymbriifolia Skan, 75
somalensis Vatke, 58
spinosa Linn., 8, 89
splendens Sellow ex Roem. & Schultes, 115
steingroeveri Briq., 51
stenodonta Briq., 29
stenophylla [Burch. ex] Benth., 77
suaveolens Pomel, 90
subsessilis Benth., 74
subspathulata Lehm., 45
sylvicola [Burch. ex] Benth., 65
tanarivensis Briq., 29
taraxacifolia [Coss. ex] Hook. f., 8, 34
tenuifolia Benth., 70

Salvia—continued

- tibestiensis* A. Cheval, 41
tingitana Etlinger, 8, 92
triangularis Thunb., 70
triloba Linn. fil., 23, 113
turdii A. Rich., 112
tysonii Skan, 71
undulata Benth., 45
verbenaca Linn., 8, 95
 subsp. *battandieri* Maire, 96
 subsp. *clandestina* (Linn.) Briquet, 96
 subsp. *clandestina* auctt. non (L.) Briq., 99
 subsp. *foetens* Maire, 96
 subsp. *ochroleuca* (Coss. & Bal.) Maire, 96
 subsp. *pseudojaminiana* (Chevall.) Maire, 100
 subsp. *verbenacoides* (Brot.) Pugsley
 var. *bicolor* Maire, 96
 var. *controversa* (Ten.) Briquet, 96
 var. *horminoides* (Pourr.) Briquet, 96
 var. *oblongata* (Vahl) Briquet, 96
 var. *serotina* Boiss., 95
 var. *vernalis* Boiss., 96
verbenacoides Brot., 95
verbenaeifolia Salisb., 95
verticillata Linn., 112
viridis Linn., 94
 var. *horminum* (L.) Batt. & Trab., 8, 95
woodii Gürke, 74
xerobia Briq., 77
Santolina rigida Sm., 213
Sarmienta repens Ruiz & Pavon, 543
Schizoboea, the erstwhile African Didymocarpus; Studies in the Gesneriaceae of the Old World XXXVII, 265
Schizoboea (K. Fritsch) B. L. Burtt, 266
 kamerunensis (Engl.) B. L. Burtt, 266
Schizophyllum commune Fr., 337
Schoenoplectus (Reichenb.) Pall, 314
 subgen. *Actaeogeton* (Reichenb.) Oteng-Yeboah, 315
 subgen. *Malacogeton* (Ohwi) Oteng-Yeboah, 315
 subgen. *Schoenoplectus*, 314, 315
etuberculatus (Steud.) Oteng-Yeboah, 315
 lacustris (L.) Palla, 315
Schoenus inanis Thunb., 309
 rufus Hudson, 310
Sclarea argentea Miller, 90
Scirpus L., 311
 subgen. *Schoenoplectus* (Reichenb.) Ohwi, 315
 subgen. *Trichophorum* (Pers.) Ohwi, 313
 sect. *Actaeogeton* Reichenb., 315
 sect. *Androcoma* (Nees) Benth. & Hook. f., 311
 sect. *Anthelophorum* Ohwi, 313
 sect. *Baeothryon* (Ehrh. ex A. Dietr.) Benth. & Hook. f., 313
 sect. *Bolboschoenus* Aschers., 315
 sect. *Euscirpus*, 315
 sect. *Japonici* Koyama, 312
 sect. *Lachnophorum* Nylander, 314
 sect. *Lineatus* (Beetle) Oteng-Yeboah, 311
 sect. *Malaeogeton* Ohwi, 315
 sect. *Pseudo-Schoenus* C. B. Clarke, 308
 sect. *Scirpus*, 311
 sect. *Vaginararia* (Pers.) Koyama, 313
etuberculatus (Steud.) O. Kuntze, 315
inanis (Thunb.) Steud., 309
junghuhnii Miq., 307
lineatus Mich., 311
mucronatus (L.) Palla, 315
nevadensis Watson, 308
paludosus A. Nelson, 315
spathaceus Hochst., 309
sylvaticus L., 311
Schraderia hastata Moench, 49
Sclarea tomentosa Miller, 49
Sclereids and stomata, foliar; studies in Acanthaceae tribe Nelsonieae II, 269
Scorzonera cana (C. A. Meyer) Hoffm.
 var. *alpina* (Boiss.) Chamberlain, 433
 var. *jacquinianum* (W. Koch) Chamberlain, 433
 var. *radicosa* (Boiss.) Chamberlain, 433
 cariensis Boiss., 434
 jacquiniana (W. Koch) Boiss.,
 var. *alpina* Boiss., 433
 lasiocarpa Chamberlain, 255
 mollis Bieb.
 subsp. *szowitzii* (DC.) Chamberlain, 433
 nutans Czeczott, 433
 pygmaea Sm.
 subsp. *nutans* (Czeczott) Chamberlain, 433
 radicosa Boiss., 433
 suberosa C. Koch
 subsp. *cariensis* (Boiss.) Chamberlain, 434
 szowitzii DC., 433
 violacea Chamberlain, 256
Seemannaralia (Araliaceae), the morphology and relationships of, 449
Seemannaralia R. Viguier, 449
 gerrardii (Seem.) Harms., 449
SELL, P. D. & WEST, C.
Hieracium, in Davis, P. H., Materials for a Flora of Turkey XXX:
Compositae I, 241

- Senecio argaeus* Boiss. & Bal., 434
aucheri DC., 434
bicolor (Willd.) Tod.
 var. *plattii* (Meikle) Matthews, 434
cineraria DC.,
 var. *plattii* Meikle, 434
davisii Matthews, 256
doriiformis DC
 subsp. *orientalis* (Fenzl) Matthews, 433
 var. *orientalis* (Fenzl) Hand.-Mazz., 434
hypochionaeus Boiss.
 var. *argaeus* (Boiss. & Bal.) Matthews, 434
integrifolius (L.) Clairv.
 subsp. *aucheri* (DC.) Matthews, 434
 subsp. *karsianus* Matthews, 257
nemorensis L.
 var. *orientalis* Fenzl, 434
platyphyllus DC.
 var. *glandulosus* Matthews, 257
taraxacifolius (Bieb.) DC.
 var. *discoideus* Matthews, 257
tauricolus Matthews, 258
Serrulata grandifolia P. H. Davis, 293
Sideritis balansae Boiss., 291
calycantha Bieb., 283
 SOEST, J. L. van
 Taraxacum, in Davis, P. H., Materials for a Flora of Turkey XXX: Compositae, I, 263
Sonchus erzincanicus Matthews, 258
Squaminita paradoxa (Smith & Singer) Bas, 330
Stachys, taxonomic studies in, I: new species and infra-specific taxa from Turkey, 275
Stachys adenocalyx C. Koch, 288
alpina L.
 subsp. *macrophylla* (Albow) Bhattacharjee, 277
angustifolia, 286
annua (L.) L., 288
 subsp. *ammophila* (Boiss. & Bl.) Samuels., 289
 subsp. *annua*, 288
 subsp. *cilicica* (Boiss.) Bhattacharjee 289
 var. *ammophila* Boiss. & Bl., 289
 var. *annua*, 288
 var. *cilicica* (Boiss.) Boiss., 289
 var. *lycaonica* Bhattacharjee, 289
arenaria Benth., 284
atherocalyx, 286
balansae Boiss. & Kotschy, 277
 subsp. *balansae*, 277
carduchorum Bhattacharjee, 277
balbissi Link, 288
balcanica P. W. Ball, 292
bayburtensis Bhattacharjee & Huber-Morath, 279
betonica Benth., 292
betonica Crantz, 288
bithynica Boiss., 276
boissieri Kapeller, 283
cataonica Bhattacharjee & Huber-Morath, 280
caucasica C. Koch, 284
chamaesideritis Boiss. & Bal., 281
cilicica Boiss., 289
citrina Boiss. & Heldr. apud Benth., 280
 subsp. *chamaesideritis* (Boiss.) Bhattacharjee, 250, 281
 subsp. *citrina*, 280, 281
 var. *chamaesideritis* Boiss., 281
congesta Urv., 284
daenensis Gandoger, 281
decumbens Willd. ex Benth, 288
distans Benth.
 var. *cilicica* Bhattacharjee & Huber-Morath, 287
euphratica Hayek, 284
germanica L., 275
 subsp. *bithynica* (Boiss.) Bhattacharjee, 276
 subsp. *germanica*, 276
 subsp. *heldreichii* (Boiss.) Hayek, 276
 subsp. *lusitanica* (Hoffmanns. & Link) Coutinho, 276
 subsp. *tymphaea* (Hausskn.) Bhattacharjee, 276
 var. *bithynica* (Boiss.) Boiss., 276
haussknechtii (Uechtr. ex Hausskn.) Hayek, 292
heldreichii Boiss., 276
heterodonta Zefirov, 276
huber-morathii Bhattacharjee, 278
iberica Bieb., 284
iranica Rech. fil., 281
iberica Bieb.,
 subsp. *georgica* Rech. fil., 284
 subsp. *iberica*, 284
 subsp. *stenostachya* (Boiss.) Rech. fil., 284
 var. *brachyodonta* Boiss., 284
 var. *densepilosa* Bhattacharjee, 284
 var. *iberica*, 284
 var. *pallidiflora* Boiss., 284, 287
iraquensis Bhattacharjee, 294
kurdica Boiss. & Hohen., 282
 var. *brevidens* [Bornmüller ex] Bhattacharjee, 283
 var. *kurdica*, 282
lanata Crantz, 276
lavandulifolia Vahl, 283
 var. *brachyodon* Boiss., 283
 var. *glabrescens* Bhattacharjee & Huber-Morath, 283
 var. *lavandulifolia*, 283

Stachys—continued

- leucoglossa* Griseb.
 var. *anatolica* Boiss., 287
lycia Gandoger, 281
macrophylla Albow, 277
maritima Urv., 288
masanderana Bornm. & Gauba, 277
megalodonta [Hausskn. & Bornm. ex] Davis, 282
memorabilis Klok., 284
micrantha C. Koch, 288
munzurdagensis Bhattacharjee, 290
neglecta Klok., 288
officinalis (L.) Trevisan, 292
 subsp. *balcanica* (P. W. Ball) Bhattacharjee, 292
 subsp. *officinalis*, 292
orientalis C. Koch, 283
penicillata Heldr. & Sart., 276
pisidica Boiss. & Heldr., 276
pseudopinardii Bhattacharjee & Huber-Morath, 281
pseudosideritis Bhattacharjee & Huber-Morath, 291
pubescens Ten., 288
ramosissima Montb. & Auch., 291
 var. *elazigensis* Bhattacharjee, 291
 var. *ramosissima*, 291
recta
 subsp. *subcrenata* (Nis.) Briq., 286
reinertii Heldr. ex Halácay, 276
rizëensis Bhattacharjee, 278
setifera C. A. Mey., 281
 subsp. *lycia* (Gandoger) Bhattacharjee, 281
 subsp. *setifera*, 281
shirini Parsa, 281
sintenisii Gandoger, 281
sparsipilosa Bhattacharjee & Huber-Morath, 287
stenostachya Boiss., 284
sublanata Fleisch. ex Nym., 276
subnuda Mont. & Auch.
 var. *kurdica* (Boiss. & Hohen.) Boiss., 282
tomentosa Bunge, 283
tymphaea Hausskn., 276
zurandica Rzazade, 283
Staurogyne aristata E. Hossain, 269
cremostachya Brem., 269
griffithiana (Nees) O. Kuntze, 269
kerrii E. Hossain, 269
merguensis (T. Anders.) O. Kuntze, 269
paludosa (Mangenot & Aké Assi) Heine, 271
pedicellata E. Hossain, 269
tenuispica Brem., 269
Stereum gausapatum Fr., 337
rugosum (Pers.) Fr., 337
 Stomata, foliar sclereids and; Studies in Acanthaceae tribe Nelsonieae II, 269

Streptocarpus from East Africa, a new species of; Studies in the Gesneriaceae of the Old World, XXXVIII, 467

Streptocarpus

- subgen. *Streptocarpus*, 540
baudertii L. L. Britten, 540
brevipilosa B. L. Burtt, 524
caeruleus Hilliard & Burtt, 540
caulescens Vatke, 542
 var. *pallescent* Engl., 542
confusus Hilliard, 540
cooksonii B. L. Burtt, 540
cyanandrus B. L. Burtt, 540
cyaneus S. Moore, 540
davyi S. Moore, 541
decipiens Hilliard & Burtt, 541
denticulatus Turrill, 541
dunnii Mast., 541
erubescens Hilliard & Burtt, 541
eylesii S. Moore, 541
 subsp. *brevistylus* Hilliard & Burtt, 541
galpinii Hook. f., 541
gardenii Hook., 541
glandulosissimus Engl., 542
goetzei Engl., 541
grandis N. E. Br., 541
haygarthii N. E. Br., 541
hildebrandtii Vatke, 541
hilsenbergii R. Br., 542
hirtinervis C. B. Cl., 541
holstii Engl., 542
johannis L. L. Britten, 541
kentaniensis Britten & Story, 541
kirkii Hook. f., 542
kungwensis Hilliard & Burtt, 541
micelmoriei B. L. Burtt, 541
micranthus C. B. Cl., 541
molweniensis Hilliard, 541
montanus Oliver, 541
muscosus C. B. Cl., 542
nobilis C. B. Cl., 542
oliganthus B. L. Burtt, 542
pendula B. L. Burtt, 542
polyanthus
 subsp. *comptonii* (Mansf.) Hilliard, 541
primulifolius Gand., 541
prolixus C. B. Cl., 541
rexii (Hook.) Lindl., 541
rimicola Story, 541
saundersii Hook., 541
saxorum Engl., 542
schliebenii Mansf., 525
solananthus Mansf., 541
stomandrus B. L. Burtt, 542
thompsonii R. Br.
 var. *bojeri* (R. Br.) C. B. Cl., 542
thysanotus Hilliard & Burtt, 467, 525
tongwensis B. L. Burtt, 543
umtaliensis B. L. Burtt, 541

- Streptocarpus*--continued
variabilis Humbert, 525, 541
velutina B. L. Burtt, 543
wendlandii Spreng. ex Damman, 541
Studies in Acanthaceae tribe Nelsonieae II:
foliar sclereids and stomata, 269
Studies in the Gesneriaceae of the Old
World XXXVII: Schizoboea, the erst-
while African Didymocarpus, 265;
XXXVIII: A new species of Strepto-
carpus from East Africa, 467; XXXIX:
towards a revision of Aeschynanthus,
471
Sumatroscurpus Oteng-Yeboah, 307
junghuhnii (Miq.) Oteng-Yeboah, 307
Survey of Chromosome numbers in the
Gesneriaceae of the Old World, 527
SWEENEY, Janis & WATLING, Roy
Larger fungi from Iran, 333
- Tanacetum*, 427
albipannosum Huber-Morath &
Grierson, 259
alysifolium (Bornm.) Grierson, 434
argenteum (Lam.) Willd.
subsp. *canum* (C. Koch) Grierson,
427, 434
subsp. *flabellifolium* (Boiss. & Heldr.)
Grierson, 434
var. *pumilum* Grierson, 427
argyrophyllum (C. Koch) Tzvel.
Grierson, 434
var. *polycephalum* (Schultz Bip.)
Grierson, 434
var. *subvirescens* (DC.) Grierson 434
balsamita L.
subsp. *balsamitoides* (Schultz Bip.)
Grierson, 434
balsamitoides Schultz Bip., 434
cadmeum (Boiss.) Heywood
subsp. *orientale* Grierson, 261
chiliophyllum (Fisch. & Mey.) Schultz
Bip.
var. *heimerlei* (Nab.) Grierson, 434
var. *monocephalum* Grierson, 427
cilicicum (Boiss.) Grierson, 434
coccineum (Willd.) Grierson, 262
subsp. *carneum* (MB.) Grierson, 262
subsp. *chamaemelifolium* (Somm. &
Lev.) Grierson, 262
subsp. *coccineum*, 262
densum (Labill.) Sch.-Bip.
subsp. *laxum* Grierson, 261
subsp. *sivasicum* Huber-Morath &
Grierson, 261
depauperatum (Post) Grierson, 434
eginense (Bornm.) Grierson, 434
flabellifolium Boiss. & Heldr., 434
germanicopolitanum (Bornm. &
Heimerl) Grierson, 434
haradjanii (Rech. fil.) Grierson, 435
hausknechtii (Bornm.) Grierson, 435
heterotomum (Bornm.) Grierson, 435
kotschyi (Boiss.) Grierson, 435
mucroniferum Huber-Morath &
Grierson, 260
nitens (Boiss. & Noë) Grierson, 435
oltense (Sosn.) Grierson, 435
oxylepis (Bordz.) Grierson, 260
oxystegium (Sosn.) Grierson, 435
polycephalum Schultz Bip., 434
poterifolium (Ledeb.) Grierson, 435
punctatum (Desr.) Grierson, 435
sorbifolium (Boiss.) Grierson, 435
tomentellum (Boiss.) Grierson, 435
zahlbruckneri (Nab.) Grierson, 435
Taraxacum buttleri van Soest, 263
microcephaloides van Soest, 263
uzunoglui van Soest, 264
Taxonomic studies in Cyperaceae-Cyper-
oideae, 311
Taxonomic studies in Stachys, I: New
species and infra-specific taxa from
Turkey, 275
Tetradema asperifolium (Blume) Schlechter,
182
Thelypteris species re-interpreted, five
Asiatic, 495
Thelypteris baurita (Bedd.) Reed., 498
jaculosa (Christ) Panigrahi, 496
latipinna (Hook. f. ex Bak.) K. Iwats.,
500
lebeufii (Baker) Panigrahi, 498
malabariensis (Fée) Panigrahi, 497
semisagittata (Roxb.) Panigrahi, 500
srilankensis Panigrahi, 499
subpubescens auct., 496
Titanotrichum oldhamii (Hemsl.) Solereder,
543
Trichophorum Pers., 313
subgen. *Anthelophorum* (Ohwi)
Oteng-Yeboah, 313
subgen. *Trichophorum*, 313
alpinum (L.) Pers., 313
subcapitatum (Thwaites) Ohwi, 313
Trichosporum D. Don, 475
albidum (Bl.) Nees, 479
asclepioides Elmer, 480
fraserianum (Kraenzl.) Merrill, 480
irigaense Merrill, 486
miniaturum Elmer, 486
motleyi (C. B. Cl.) O. Kuntze, 480
Trimorpha pycnotricha Vierh., 430
Tripleurospermum callosum (Boiss. & Heldr.)
E. Hossain, 435
fissurale (Sosn.) E. Hossain, 435
kotschyi (Boiss.) E. Hossain, 435
oreades (Boiss.) Rech. fil.
var. *tchihatchewii* (Boiss.) E.
Hossain, 435

Tromsdorffia Bl., 131
 speciosa Blume, 182
Two new species from Iraq, 293
Two new species of *Onosma*, 301

Urachne coerulescens (Desf.) Trin., 365
 grandiflora Trin., 371
 holciformis (M. Bieb.) C. Koch, 371
 sinaica Steud., 371
 songorica Trin. & Rupr., 374
 sphacelata Boiss. & Buhse, 383
 virescens Trin., 363

Vaginarina Pers., 313

WAGENITZ, G.
 Centaurea (Beiträge zur Kenntnis der
 Gattung *Centaurea* L. 2) in Davis,
 P. H. Materials for a Flora of
 Turkey XXX: Compositae I, 217.

WATLING, Roy
 Notes on some British Agarics: IV, 315
WATLING, Roy & SWEENEY, Janis
 Larger fungi from Iran, 333
WEST, C. & SELL, P. D.
 Hieracium, in Davis, P. H.,
 Materials for a Flora of Turkey
 XXX: Compositae I, 241
WOOD, D.
 A revision of *Chirita* (Gesneriaceae), 123
WOODS, P. J. B. & BURTT, B. L.
 Studies in the Gesneriaceae of the Old
 World, XXXIX: towards a revision
 of *Aeschynanthus*, 471

Yunnan, a new species of *Rhododendron*
from, 493

Zietenia orientalis Gléd., 283