

GENERAL INDEX TO VOLUME 35

- Acanthophyllum chloroleucum* Rech. f. & Aell., 357
sordidum Bge., 357
 Additional notes on *Alpinia* sect. *Myriocrater*, 195
Adenophora argyi Lévl., 248
axilliflora Borb., 248
bockiana Diels, 248
chanetii (Lévl.) Chamberlain, 248
polymorpha Ledeb.
 var. *chanetii* Lévl., 248
 var. *rhombofolia* Lévl., 249
radiatifolia Nakai, 249
 var. *abbreviata* (Lévl.) Nakai, 248
 var. *hirsuta* (Fr. Schmidt) Nakai, 249
rotundifolia Lévl., 248
sinensis DC.
 var. *pilosa* DC., 248
taquetii Lévl., 248
tetraphylla (Thunb.) Fischer, 249
 var. *abbreviata* (Lévl.) Chamberlain, 249
 var. *hirsuta* (Fr. Schmidt) Chamberlain, 249
 var. *tetraphylla*, 249
verticillata (Pallas) Fischer, 249
 var. *abbreviata* Lévl., 249
 var. *hirsuta* Fr. Schmidt, 249
wawreana Zahlbr., 248
Aecidium asperifolii Pers., 407
Aeschynanthus solomonensis P. Woods, 375
Aethionema apterocarpum Rech. f. & Aell., 356
 trinervia (DC.) Boiss.
 var. *apterocarpum* (Rech. f. & Aell.) Parsa, 356
Agapetes sprengelii G. Don, 255
vaccinioides Lévl., 255
 Agarics: VI, notes on British, 147
Agaricus albocyaneus Fries, 152
 pseudocyaneus Desmazières, 149, 152
Alangium faberi Oliv.
 var. *perforatum* (Lévl.) Rehder, 270
Alcea djahromi Parsa, 351
kuhsangnia Parsa, 351
sotudei Parsa, 351
Alhagi camelorum Fisch.
 var. *pluriarticulatum* Parsa, 355
Alkanna areolata Boiss.
 var. *sublaevis* Hub.-Mor., 297
tinctoria (L.) Tausch, 73
 subsp. *glandulosa* Hub.-Mor., 298
Alopecurus myosuroides Huds., 74
utriculatus Banks & Soland., 74
Alpinia sect. *Myriocrater*, additional notes on, 195
Alpinia aenea Burtt & Smith, 207
allughas (Retz.) Roscoe, 213
biakensis R. M. Smith, 205
celebica K. Schum., 199
conferta Burtt & Smith, 206
edanoi R. M. Smith, 200
eremochlamys K. Schum., 204
gigantiae Bl., 206
laxiseconda Burtt & Smith, 199
monopleura K. Schum., 199
myriocratera K. Schum., 206
nigra (Gaertn.) B. L. Burtt, 213
novae-hiberniae Burtt & Smith, 201
regia R. M. Smith, 203
rheedii Wight, 213
salamonensis Burtt & Smith, 206
unilateralis Burtt & Smith, 199
vulcanica Elm., 200
Althaea hiri Parsa, 351
Alyssopsis kotschy Boiss.
 var. *stenophyllus* Parsa, 350
Alyssum homalocarpum (F. & M.) Boiss., 356
 inflatum Nyár.
 var. *polycladum* (Rech. f.) Parsa, 356
nomismocarpum Rech. f., Aell. & Esfand., 356
polycladum Rech. f., 356
Ammi visnaga (L.) Lam., 72
Amomum curcuma Jacq., 213
 Anatomical observations on a desert group of *Salvia* species, 377
Anchusa L.
 subgen. *Hormuzakia* (Guşul.) Chamb., 298
 subgen. *Limbata* Chamb. & R. Mill., 298
 subgen. *Phyllocara* (Guşul.) Chamb., 298
angustissima C. Koch, 298
aspera Boiss., 298
azurea Miller
 var. *kurdica* (Guşul.) Chamb., 298
 var. *macrocarpa* (Boiss. & Hohen.) Chamb., 298
boissieri Bornm. & Guşul., 298
incana Ledeb., 298
italica Retz.
 var. *kurdica* Guşul., 298
 var. *macrocarpa* (Boiss. & Hohen.) Guşul., 298
leptophylla Roemer & Schultes
 subsp. *incana* (Ledeb.) Chamb., 298
 subsp. *tomentosa* (Boiss.) Chamb., 298

Anchusa—continued

- linearifolia* Hochst., 298
lorentii A. DC., 298
macrocarpa Boiss. & Hohen., 298
tomentosa Boiss., 298
Andrachne cavaleriei Lévl., 266
millietii Lévl., 267
Andromeda ovalifolia Wall., 258
Androsace erecta Maxim., 265
mairei Lévl., 265
Anisadenia pubescens Griff., 265
Anisophyllea cavaleriei Lévl., 254
Anthyllis vulneraria complex, the: a
 resumé, 1
Anthyllis abyssinica (Sagorski) Becker, 13
adriatica Beck, 20
affinis Britt., 27
ajmasiana (Pau) Roth., 25
albana Wettst., 16
alpestris (Kit. ex Schultes) Reichb., 30
alpicola Brügger, 30
argyrophylla Rothmaler, 14
arundana Boiss. & Reut., 13
asturiae Becker, 32
beibersteiniana (Taliev.) Juzepczuk, 16
boissieri Sagorski, 12
bonjeani Beck, 17
carpatica Pantocsek, 27
dillenii
 subsp. *hispida* (Boiss. & Reut.)
 Asch. & Graebn., 15
 subsp. *praepropera* (Kerner) Asch. &
 Graebn., 18
 subsp. *pulchella* (Vis.) Asch. &
 Graebn., 16
 subsp. *vulnerarioides* (All.) Asch. &
 Graebn., 17
 var. *praepropera* Kerner, 18
 var. *versicolor* Sagorski, 29
font-queri Rothmaler, 24
forondae Sennen, 18
gandogeri Sagorski, 24
hispida Boiss. & Reut., 15
hispidissima Sagorski, 25
illyrica Beck, 18
insularum Rothmaler, 18
irenae Juzepczuk, 25
kuzenuvae Juzepczuk, 33
lachnophora Juzepczuk, 12
linnaei (Sag.) Juzepczuk, 9
lusitanica Cullen & Pinto da Silva, 19
macrocephala Wenderoth, 10
maritima Schweigger ex Hagen, 10
 var. *corbieri* Salmon & Travis, 26
maura Beck, 20
nivalis (Willk.) Beck, 15
occidentalis Rothm., 20
polyphylla (DC.) G. Don f., 10
 var. *schiwereckii* (DC.) Sagorski, 10
praepropera (Kerner) Beck, 18
pulchella Visiani, 16
pyrenaica (Beck) Sagorski, 31
rosea Willk., 18
saharae Sagorski, 13
sampaiana Rothm., 18
scardica Wettst., 16
schiwereckii (DC.) Blocki, 10
serpentinicola Rech. f. & Goulimy, 12
spruneri (Boiss.) Beck, 18
 subsp. *iberica* Becker, 32
 var. *weldeniana* (Reichb.) Becker, 20
taurica Juzepczuk, 12
vulgaris (Koch) Kerner, 27
vulneria L., 9
 subsp. *abyssinica* (Sagorski) Cullen,
 13
 subsp. *alpestris* (Kit. ex Schultes)
 Asch. & Graebn., 30
 subsp. *argyrophylla* (Rothm.) Cullen,
 14
 subsp. *arundana* (Boiss. & Reut.)
 Vasc., 13
 subsp. *atlantis* Emb. & Maire, 15
 subsp. *boissieri* (Sagorski) Born-
 müller, 12
 subsp. *borealis* (Rouy) J alas, 34
 subsp. *bulgarica* (Sagorski) Cullen,
 11
 subsp. *carpatica* (Pant.) Nyman, 27
 subsp. *communis* (Rouy) J alas, 27
 subsp. *corbieri* (Salmon & Travis)
 Cullen, 26
 subsp. *fatmae* Font-Quer, 16
 subsp. *fennica* J alas, 34
 subsp. *forondae* (Sennen) Cullen, 18
 subsp. *fruticans* Emberger, 26
 subsp. *gandogeri* (Sagorski) Becker
 subsp. *hispidissima* (Sagorski) Cullen,
 25
 subsp. *iberica* (Becker) J alas, 32
 subsp. *inframensis* Cullen, 32
 subsp. *lapponica* (Hyl.) J alas, 33
 subsp. *linnaei* (Sag.) J alas, 9
 subsp. *lusitanica* (Cullen & Pinto da
 Silva) Cullen, 19
 subsp. *matris-filiae* Emb. & Maire,
 17
 subsp. *maritima* (Schweigger ex
 Hagen) Corb., 10
 subsp. *maura* (Beck) Lindb., 20
 subsp. *pindicola* Cullen, 18
 subsp. *polyphylla* (DC.) Nyman, 10
 subsp. *praepropera* (Kerner) Bornm.,
 18
 subsp. *pulchella* (Vis.) Bornm., 16
 subsp. *pyrenaica* (Beck) Cullen, 31
 subsp. *reuteri* Cullen, 15
 subsp. *rifana* (Emb. & Maire)
 Cullen, 14
 subsp. *saharae* (Sagorski) Maire, 13
 subsp. *spruneri* (Boiss.) Bornm., 18
 subsp. *stenophylloides* Cullen, 25

Anthyllis—continued

- subsp. *subscaposa* Cullen, 31
- subsp. *variegata* (Boiss.) Cullen, 13
- subsp. *vulgaris* (Koch) Corb., 27
- subsp. *vulneraria*, 9
- subsp. *vulnerarioides* (All.) Arc., 17
- subsp. *weldeniana* (Reichb.) Cullen, 20
- var. *affinis* (Britt.) Wohlf., 27
- var. *ajmesiana* Pau, 25
- var. *alpestris* [Kit. ex] Schultes, 30
- var. *calcicola* Schur., 30
- var. *carpatica* (Pant.) Nyman, 27
- var. *coccinea* L., 9
- var. *fennica* (Jalas) Cullen, 34
- var. *font-queri* (Rothm.) Cullen, 24
- var. *hispida* (Boiss. & Reut.) Willk., 15
- var. *kernerii* Sagorski, 9
- var. *langei* J alas, 9
- var. *lapponica* Hylander, 33
- var. *littorea* Sampaio, 32
- var. *maritima* (Schweigger ex Hagen) W. Koch, 10
- var. *maura* (Beck) Lindl., 20
- var. *polyphylla* DC., 10
- var. *pseudovulneraria* (Sagorski) Cullen, 28
- var. *rifana* Emb. & Maire, 14
- var. *schiwereckii* DC., 10
- var. *spruneri* Boiss., 18
- var. *stenophylla* Lange, 9
- var. *variegata* Boiss., 12, 13
- var. *versicolor* (Sagorski) Cullen, 29
- var. *vulgaris* Koch, 27
- var. *vulneraria*, 9
- var. *webbiana* sensu Boiss., 16
- var. *weldeniana* (Reichb.) Becker, 20
- vulnerarioides* (All.) Bonjean ex Reichb., 17
- webbiana* auct., 14
- var. *nivalis* Willk., 15
- weldeniana* Reichb., 20
- Arabis bryoides* Boiss.
- var. *rimarum* (Rech. f.) Parsa, 356
- rimarum* Rech. f., 356
- Ardisia bodinieri* Lévl., 269
- brevicaulis* Diels, 269
- castaneifolia* Lévl., 270
- cavaleriei* Lévl., 270
- crenata* Sims, 270
- crispa* (Thunb.) A. DC., 270
- var. *dielsii* (Lévl.) Walker, 270
- var. *taquetii* Lévl., 270
- dielsii* Lévl., 270
- discolor* Lévl., 270
- elegans* Andr., 270
- elegantissima* Lévl., 270
- esquirolii* Lévl., 266, 270
- faberi* Hemsl., 270
- henryi* Hems.
- var. *dielsii* (Lévl.) Walker, 270
- labordei* Lévl., 270
- mairei* Lévl., 270
- meziana* Lévl., 271
- perforata* Lévl., 270
- tenera* Mez., 271
- ARGENT, G. C. G.
- The wild bananas of Papua New Guinea, 77
- Arenaria balansae* Boiss.
- var. *minutissima* (Rech. f. & Esfand.) Parsa, 358
- minutissima* Rech. f. & Esfand., 358
- mirdamadii* Rech. f., 358
- rigida* M. Bieb.
- var. *mirdamadii* (Rech. f.) Parsa, 358
- Aristolochia* from SW Turkey, a new, 319
- Aristolochia poluninii* Davis & M. S. Khan, 319
- Ascolepis* observations on the genus, 391
- Ascolepis* [Nees ex] Steud.
- subgen. *Ascolepis*, 396
- subgen. *Platylepis* (Kunth) Oteng-Yeboah, 396
- brasiliensis* (Kunth) Clarke, 396
- capensis* (Kunth) Ridley, 396
- elata* Welw., 392
- pinguis* C. B. Clarke, 392
- protea* Welw., 392
- Asperula octonaria* Klokov, 73
- Astragalus abbas riazii* Parsa, 352
- ahouicus* Parsa, 352
- var. *pumilus* Parsa, 352
- aligudarzicus* Parsa, 353
- ammophilus* Kar. & Kir., 358
- angustidens* Parsa, 353
- apricus* Bge.
- var. *rarus* (Širj. & Rech. f.) Parsa, 359
- arakensis* Parsa, 353
- anseritifolius* Boiss.
- var. *elegantifolius* Parsa, 353
- ardahalicus* Parsa, 354
- ashuricus* Parsa, 354
- aulacolobus* Boiss.
- var. *multijugus* Parsa, 352
- aureus* Willd., 360
- var. *bracteolatus* Širj. & Rech. f., 360
- var. *pseudoreus* (Širj. & Rech. f.) Parsa, 360
- avicennicus* Parsa, 353
- bardsiricus* Parsa, 353
- behboudii* Širj. & Rech. f., 360
- borudjerdicus* Parsa, 353
- buchtormensis* Pall.
- var. *pseudobuchtormensis* (Širj. & Rech. f.) Parsa, 359
- caspicus* M. Bieb.
- var. *bornmuelleri* Širj., 360

Astragalus—continued

- var. *rahensis* (Širj. & Rech. f.) Parsa, 360
- var. *rosellus* (Širj. & Rech. f.) Parsa, 360
- var. *talarensis* (Širj. & Rech. f.) Parsa, 360
- chrysostachys* Boiss., 360
- var. *parisiensis* Širj. & Rech. f., 360
- chrysotrichus* Boiss., 352
- cyclophyllon* Beck
- var. *ordoudaricus* Parsa, 354
- cyrusianus* Parsa, 352
- djashmensis* Širj., Rech. f. & Aell., 359
- eriopodus* Boiss.
- var. *longepedunculatus* Parsa, 352
- faridanicus* Parsa, 354
- farmanfarmajani* Širj. & Rech. f., 359
- var. *flavus* Širj., 359
- ferdovsicus* Parsa, 353
- gandjehicus* Parsa, 354
- glaberrimus* Širj. & Rech. f., 358
- griseus* Boiss.
- var. *viridis* Parsa, 353
- gyzensis* Del., 359
- haematinus* Širj. & Rech. f., 359
- hamosus* L.
- var. *pumilus* Parsa, 352
- kashgakius* Parsa, 354
- kermanicus* Parsa, 354
- khadjouicus* Parsa, 354
- khayamicus* Parsa, 354
- lalezarensis* Bornm.
- var. *rubrolineatus* (Širj. & Rech. f.) Parsa, 361
- longemucronulatus* Širj. & Rech. f., 360
- longepedunculatus* Širj., Rech. f. & Aellen, 359
- lurorum* Bornm., 361
- var. *chamchidensis* Širj. & Rech. f., 361
- microphysa* Boiss.
- var. *durudensis* (Širj. & Rech. f.) Parsa, 361
- var. *paucijugus* Širj. & Rech. f., 361
- mucronifolius* Boiss.
- subsp. *robustus* Širj. & Rech. f., 361
- var. *brevidentatus* Širj. & Rech. f., 362
- var. *ovoideus* (Širj. & Rech. f.) Parsa, 361
- var. *robustus* (Širj. & Rech. f.) Parsa, 361
- var. *talimansurensis* (Rech. f.) Parsa, 361
- mollis* MB.
- var. *retusus* Parsa, 352
- movlavius* Parsa, 353
- nadirius* Parsa, 352
- naftabensis* Širj. & Rech. f., 360
- var. *brevipedunculatus* Širj. & Rech. f., 361

nicharensis Bge.

- var. *longepedunculatus* (Širj., Rech. f. & Aell.) Parsa, 359
- ophiocarpus* Benth.
- var. *glaberrimus* (Širj. & Rech. f.) Parsa, 358
- ovoideus* Širj. & Rech. f., 361
- pachystachys* Bge.
- var. *longemucronulatus* (Širj. & Rech. f.) Parsa, 360
- parmanicus* Parsa, 352
- parrowianus* Boiss. & Hausskn., 360
- pellitus* Bge.
- var. *orbicularis* Parsa, 353
- persicus* F. & M.
- var. *brevipedunculatus* (Širj. & Rech. f.) Parsa, 361
- var. *naftabensis* (Širj. & Rech. f.) Parsa, 360
- podosphaerus* Boiss. & Hausskn.
- var. *ulodjensis* (Širj. & Rech. f.) Parsa, 359
- ptychophyllus* Boiss., 361
- var. *longepedunculatus* Širj. & Rech. f., 361
- var. *xerxis* Širj. & Rech. f., 361
- rahensis* Širj. & Rech. f., 360
- rarus* Širj. & Rech. f., 359
- razicus* Parsa, 352
- remotijugus* Boiss.
- var. *pumilus* Parsa, 353
- rosellus* Širj. & Rech. f., 360
- rubrolineatus* Širj. & Rech. f., 361
- rugosus* Fisch.
- var. *humilis* Parsa, 353
- saadius* Parsa, 354
- samamensis* Boiss. & Buhse, 359
- schistocalyx* Bge., 359
- segazicus* Parsa, 354
- shahpouricus* Parsa, 352
- sharifii* Širj. & Rech. f., 360
- sirdjanicus* Parsa, 353
- subinduratus* Gontsch.
- var. *pseudoindurascens* (Širj. & Rech. f.) Parsa, 359
- talarensis* Širj. & Rech. f., 360
- talimansurensis* Rech. f., 361
- tenellus* Bge.
- var. *ovatifolius* Parsa, 354
- totchalensis* Bornm.
- var. *behboudii* (Širj. & Rech. f.) Parsa, 360
- ulodjensis* Širj. & Rech. f., 359
- viciifolius* DC.
- var. *haematinus* (Širj. & Rech. f.) Parsa, 359
- vulnerarioides* Allioni, 17

- Asyneuma* Griseb. & Schrenk, 49
davisii Quézel, 49
eximium Rech. f., 49
littifolium (Boiss. & Heldr.) Bornm.
 subsp. *eximium* (Rech. f.) Damboldt, 49
 subsp. *podanthoides* (Boiss. & Hausskn.) Damboldt, 49
michauxioides (Boiss.) Damboldt, 49
Atherosperma moschatum Labill., 144
Athruphyllum neritifolium (Sieb. & Zucc.) Hara, 273
seguinii (Lévl.) Nakai, 273
Atriplex patula L., 71
tatarica L., 71
Atropathe mairei (Lévl.) Lévl., 252
- BALAKRISHNAN, N. P.
 Cyrtandra and Cyrtandromoea on the Nicobar Islands, India, 115
 Bananas of Papua New Guinea, the wild, 77
 BAYTOP, A.
 Nonea, in Davis, P. H., Materials for a Flora of Turkey XXXIV, 299
 BAYTOP, A. & MILL, R. R.
 Lycium, in Davis, P. H., Materials for a Flora of Turkey XXXVI, 313
 BAYTOP, T. & MATHEW, B.
 Some observations on Turkish Crocus, 61
Biscutella alireza-dadjua Parsa, 350
Bladhia crenata (Sims) Hara, 270
 var. *taquetii* (Lévl.) Hara, 270
crispa Thunb.
 var. *taquetii* (Lévl.) Nakai, 270
lentiginosa (Ker) Nakai
 var. *taquetii* (Lévl.) Nakai, 270
Blysmopsis, 399
Blysmus, 399
Bobua anomala (Brand) Migo, 277
stellaris (Brand) Migo, 279
Bodinierella cavaleriei Lévl., 257
Boeica brachyandra Ridl., 370
guileana B. L. Burtt, 371
nutans Ridl., 372
tonkinensis (Kraenzlin) B. L. Burtt, 373
 BOKHARI, M. H. & HEDGE, I. C.
 Anatomical observations on a desert group of *Salvia* species, 377
 BOKHARI, M. H. & WENDELBO, P.
 Anatomy of *Dionysia* I: foliar sclereids, 131
 Bolbitiaceae 16: Conocybe sect. *Gigantae*, observations on the, 281
 BOOK REVIEWS
 Acta Ecologica Iranica vol. 1, 234
 British botanical and horticultural literature before 1800 by Blanche Henrey, 68
 Chemotaxonomy of plants by P. M. Smith, 117
 Compositae in Natal by O. M. Hilliard, 317
 Epiphytic orchids of Malawi by Brian Morris, 60
 Flora of Bangladesh nos. 1-5, 320
 Flora Europaea vol. 4 ed. T. G. Tutin et al., 194
 Geological Research, vol. 3. Exploration in the eastern Himalayas . . . Francis (Frank) Kingdon Ward (1885-1958) by U. Schweinfurth & H. Schweinfurth-Marby, 280
 Iranian Journal of Botany vol. 1, 234
 Journal of the Adelaide Botanic Gardens vol. 1, 390
 Red Book: native plant species to be protected in the USSR, ed. A. Takhtajan, 246
 Wild flowers of Malawi by Audrey Moriarty, 60
 Boraginaceae, materials for a Flora of Turkey, XXXIV, 297
Brachycodon Fedorov, 44
Brachycodonia Fedorov, 44
Brassica deflexa Boiss., 357
iranica Rech. f., Aell. & Esfand., 357
somalensis Hedge & Miller, 179
Buffonia capitata Rech. f., 358
kotschyana Boiss.
 var. *capitata* (Rech. f.) Parsa, 358
Bunium caroides (Boiss.) Bornm., 355
 BURTT, B. L.
 Studies in the Gesneriaceae of the Old World XLI: Notes on *Boeica* and *Didissandra*, 369
 The nomenclature of Turmeric and other Ceylon Zingiberaceae, 209
 Plants of Malawi (review), 60
 BURTT, B. L. & HILLIARD, O. M.
 Notes on some plants of Southern Africa chiefly from Natal: VI, 155
- Campanulaceae, materials for a Flora of Turkey XXXII, 39
Campanula L., 39
 subgen. *Brachycodonia* (Fedorov) Damboldt, 44
 subgen. *Campanula*, 40
 subgen. *Megalocalyx* Damboldt, 43
 subgen. *Quinqueloculares* (Boiss.) Charadze, 40
 subgen. *Rapunculus* (Fourr.) Charadze, 44
 subgen. *Roucela* (Dumort.) Damboldt, 43
 subgen. *Sicydon* (Feer) Damboldt, 43
 sect. *Alaria* Damboldt, 44
 sect. *Annuae* (Boiss.) Charadze, 43
 sect. *Campanula*, 40

Campanula—continued

- sect. *Cordifoliae* (Fomin) Charadze, 41
- sect. *Dictyocalyx* (Fedorov) Damboldt, 42
- sect. *Elatae* (Boiss.) Damboldt, 41
- sect. *Eucodon* A. DC., 40
- sect. *Involucratae* (Fomin) Charadze, 41
- sect. *Latilimbus* (Fedorov) Damboldt, 41
- sect. *Medium* Boiss., 40
- sect. *Megalocodon* Damboldt, 40
- sect. *Platysperma* Damboldt, 43
- sect. *Pterophyllum* Damboldt, 44
- sect. *Quinqueloculares* (Boiss.) Phitos, 40
- sect. *Rapunculus* (Fourr.) Boiss., 44
- sect. *Rupestres* (Boiss.) Charadze, 41
- sect. *Saxicolae* (Boiss.) Charadze, 41, 42
- sect. *Scapiflorae* (Boiss.) Charadze, 42
- sect. *Sibiricae* (Fomin) Charadze, 40
- sect. *Spicatae* (Fomin) Damboldt, 14
- sect. *Symphyandriiformes* (Fomin) Charadze, 41
- sect. *Trachelioideae* (Boiss.) Charadze, 40
- sect. *Tracheliopsis* (Buser) Damboldt, 42
- subsect. *Annuae* (Boiss.) Fedorov, 43
- subsect. *Cordifoliae* (Fomin) Fedorov, 41
- subsect. *Dictyocalyx* Fedorov, 42
- subsect. *Eucodon* (DC.) Fedorov, 40
- subsect. *Involucratae* (Fomin) Fedorov, 41
- subsect. *Latilimbus* Fedorov, 41
- subsect. *Oreocodon* Fedorov, 41, 42
- subsect. *Quinqueloculares* Boiss., 40
- subsect. *Rupestres* (Boiss.) Fedorov, 41
- subsect. *Saxicolae* (Boiss.) Rech. f. & Schiman-Czeika, 42
- subsect. *Scapiflorae* (Boiss.) Fedorov, 42
- subsect. *Symphyandriiformes* (Fomin) Fedorov, 41
- ser. *Alliariaefoliae* Kem.-Nath., 41
- ser. *Cordifoliae* Fomin, 41
- ser. *Involucratae* Fomin, 41
- ser. *Rapunculiformes* Fedorov, 44
- ser. *Rupestres* (Boiss.) Fomin, 41
- ser. *Scapiflorae* (Boiss.) Fomin, 42
- ser. *Sibiricae* Fomin, 40
- ser. *Spicatae* Fomin, 41, 42
- ser. *Symphyandraeformes* Fomin, 41
- ser. *Trachelioideae* (Boiss.) Fomin, 40
- bodinieri* Lévl., 250
- buseri* Damboldt, 47

- cavaleriei* Lévl., 248
- chanetii* Lévl., 248
- colorata* Wall., 249
- cordifolia* C. Koch, 45
- crassifolia* Hub.-Mor. & Simon, 49
- fruticulosa* (Schwarz & Davis) Damboldt, 49
- fulgens* Wall., 250
- glaucophylla* Damboldt, 49
- hohenackeri* Fisch. & Mey., 45
- lyrata* Lam.
- subsp. *icarica* [Runemark ex] Phitos, 44
- michauxioides* Boiss., 49
- neptaeifolia* Lévl. & Van., 249
- podanthoides* Boiss. & Heldr., 49
- ptarmicifolia* Lam.
- var. *capitellata* Damboldt, 49
- pubicalyx* (Davis) Damboldt, 47
- rapunculoides* L.
- subsp. *cordifolia* (C. Koch) Damboldt, 45
- sibirica* L.
- subsp. *hohenackeri* (Fisch. & Mey.) Damboldt, 45
- var. *hohenackeri* (Fisch. & Mey.) Fomin, 45
- sorgerae* Phitos, 45
- stricta* L.
- var. *alidagensis* Damboldt, 46
- telmessi* Huber-Morath & Phitos, 45
- tetraphylla* Thunb., 249
- triphylla* Thunb., 249
- tubulosa* (Boiss.) Engler, 47
- troegerae* Damboldt, 47
- verticillata* Pallas, 249
- Campanumoea japonica* Sieb. & Morr., 251
- javanica* Blume, 250
- labordei* Lévl., 250
- lanceolata* Sieb. & Zucc., 251
- violifolia* Lévl., 251
- Capsella rubella* Reuter, 72
- Cardamine uliginosa* Bieb., 72
- Carex distans* L., 74
- Carpinus betulus* L., 70
- Cassiope mairei* Lévl., 256
- selaginoides* Hook f. & Thoms., 256
- Catalogue of the names published by Hector Léveillé: X, 247; XI, 265
- Celastrus cavaleriei* Lévl., 273
- gemmatus* Loes, 271
- seguini* Lévl., 273
- Cerastium ligusticum* and *C. dominici* in Turkey, 315
- Cerastium brachypetalum* Pers., 316
- subsp. *roeseri* (Boiss. & Heldr.) Nyman, 316
- dominici* Favarger, 315
- glomeratum* Thuill., 71
- ligusticum* Viv., 315
- Ceratophyllum demersum* L., 71

- Cercidiphyllum japonicum* Sieb. & Zucc.
var. *japonicum*, 144
var. *magnificum* Nakai, 144
- CHAMBERLAIN, D. F.
Anchusa, in Davis, P. H., Materials for
a Flora of Turkey XXXIV, 298
Catalogue of the names published by
Hector Léveillé: X, 247
The identity of *Ferula assa-foetida* L.,
229
- Chelidonium majus* L., 71
Chenopodium album L., 71
 opulifolium [Schrader ex] Koch & Ziz, 71
Chesneya makranica Rech. f. & Esfand., 358
 parviflora Jaub. & Spach, 358
Chloranthus glaber (Thunb.) Makino, 270
Chorispora syriaca Boiss.
 var. *minuta* Parsa, 350
Chromosome counts in primitive angio-
sperms: II, 143
Chrozophora tinctoria (L.) A. Juss., 12
Cionura erecta (L.) Griseb., 72
Cithareloma gedrosiacum Rech. f. &
 Esfand., 356
 lehmannii Bge.
 var. *gedrosiacum* (Rech. f. & Esfand.)
 Parsa, 356
Cleome komia Parsa, 350
Clermontia carinifera Lévl., 250
 clermontioides (Gaudich) Heller, 250
 fauriei Lévl., 250
 fulva Lévl., 250
 gaudichaudii Hillebr., 250
 parviflora [Gaudich ex] A. Gray, 250
Clethra bodinieri Lévl., 256
 brammeriana Hand.-Mazz., 257
 cavaleriei Lévl., 256
 esquirolii Lévl., 256
 kaipoensis Lévl., 257
 kwangsiensis Hu, 257
 lineata Lévl., 256
 longebracteata Sleumer, 256
 pinfaensis Lévl., 257
 polyneura Li, 257
 sinica Hao, 256
Codonopsis accrescenticalyx Lévl., 251
 bodinieri Lévl., 251
 bulleyana [Forest ex] Diels, 250
 convolvulacea Kurz, 251
 forrestii Diels, 251
 graminifolia Lévl., 251
 lanceolata (Sieb. & Zucc.) Trautv., 251
 macrocalyx Diels
 var. *coerulescens* Hand.-Mazz., 251
 micrantha Chipp, 251
 pilosa Chipp, 251
 tubulosa Kom., 251
Coleosporium tussilaginus (Pers.) Lévl., 408
Conocybe
 sect. *Gigantae* Singer, 281, 293
 hebelomatoides Middlehoek & Reijnders,
 289
 intrusa (Peck) Singer, 289
Cornus oblonga Wall., 270
Coprinus bisporiger [Buller ex] P. D. Orton,
 147
 heterosetulosus [Locquin ex] Watling,
 153
 pseudoradiatus [Kühner & Josseland ex]
 Watling, 154
 triplex P. D. Orton, 147
 xenobius P. D. Orton, 148
Cortinarius intrusus Peck, 289
Corylus avellana L., 70
Cotoneaster coreanus Lévl., 278
 horizontalis Decne, 275
Crambe gracillima Rech. f., 357
Crambe hispanica L.
 var. *gracillima* (Rech. f.) Parsa, 357
Crataegus biloba Lévl., 278
 lyi Lévl., 278
Crocus, some observations on Turkish, 61
Crocus aerius Herb.
 var. *nubigenus* Herb., 65
 biflorus Miller
 var. *leichtlinii* D. Dewar, 62
 var. *pestalozzae* (Boiss.) Boiss., 65
 boissieri Maw, 65
 dispathaceus Bowles, 63
 flavus Weston
 subsp. *dissectus* T. Baytop & B.
 Mathew, 64
 fleischeri J. Gay, 61
 karduchorum [Kotschy ex] Maw, 66
 leichtlinii (D. Dewar) Bowles, 62
 mouradii Whittall, 64
 parviflorus Baker, 61
 pestalozzae Boiss., 65
CULLEN, J.
 The *Anthyllis vulneraria* complex: a
 résumé, 1
Curcuma domestica Val., 213
 longa L., 209
Cyananthus albiflorus Chamberlain, 252
 mairei Lévl., 250
 mairei (Lévl.) Cowan, 252
Cyanea blinii Lévl., 250
 coriacea (Gray) Hillebr.
 var. *fauriei* (Lévl.) Wimmer, 252
 var. *spathulata* Hillebr., 252
 fauriei Lévl., 252
 feddei Lévl., 252
 multispicata Lévl., 252
 salicina Lévl., 252
 spathulata (Hillebr.) Heller, 252
 sylvestris Heller, 252
 var. *sylvestris*, 252
Cyathodes imbricata Stschegl.
 var. *volcanica* Lévl., 263
Cyperus glaber L., 74
 serotinus Rottb., 74

- Cyrtandra acuminata* Kurz, 118
Cyrtandra and *Cyrtandromoea* on the
 Nicobar Islands, India, 115
Cyrtandra burtii Balakr., 115
Cyrtandromoea on the Nicobar Islands,
 India. *Cyrtandra* and, 115.
Cyrtandromoea decurrens C. B. Cl., 118
nicobarica Balakr., 118
- Dadjoua* Parsa, 351
pteranthoidea Parsa, 351
- DAMBOLDT, J.
 Materials for a Flora of Turkey XXXII:
 Campanulaceae, 39
- DAVIS, P. H.
 North African and other itineraries:
 1961-1975, 121
 Materials for a Flora of Turkey XXXIV:
 Boraginaceae, Gentianaceae,
 Solanaceae (compiled by), 297
- DAVIS, P. H. & KHAN, M. S.
 A new *Aristolochia* from SW Turkey, 319
Delissea clermontioides Gaudich, 250
fauriei Lévl., 252
Deutzia esquirolii (Lévl.) Rehder, 276
Dianthus fallax Rech. f. & Esfand., 357
orientalis Adams
 var. *fallax* (Rech. f. & Esfand.)
 Parsa, 357
Didissandra rufa C. B. Cl., 373
synaptica B. L. Burt, 374
Didymocarpus tonkinensis (Kraenzlin)
 Handel-Mazzetti, 373
 Dionysia I: foliar sclereids, anatomy of, 131
Diosphaera Buser, 42
tubulosa (Boiss.) Bornm., 47
Diospyros argyi Lévl., 275
bodinieri Lévl., 275
chaffanjoni Lévl., 275
dumetorum W. W. Sm., 275
esquirolii Lévl., 275
kaki L. f.
 var. *silvestris* Makino, 27
mairei Lévl., 275
mollifolia Rehder & Wils., 275
navillei Lévl., 275, 276
Doraena japonica Thunb., 272
Drusa glandulosa (Poir.) Bornm., 184
- Echinops*, in Palestine, the genus, 235
Echinops adenocaulos Boiss., 242
blancheanus Boiss., 241
gaillardotii Boiss., 242
glaberrimus DC., 240
lasioclinius Boiss., 241
macrochaetus Boiss., 242
phillistaus Feinbr. & Zohary, 240
polyceras Boiss., 241
viscosus DC.
 subsp. *macrolepis* (Boiss.) Feinbr.,
 244
 var. *macrolepis* Boiss., 244
Echium angustifolium Miller, 73
diffusum Sibth. & Sm., 73
 EDMONDSON, J. R.
Omphalodes, in Davis, P. H., *Materials*
 for a Flora of Turkey XXXIV, 300
Rochelia, *op. cit.*, 308
 Plant conservation in the USSR
 (review), 246
 EDMONDSON, J. R. & LACK, H. W.
 The Turkish and Caucasian collections
 of C. Koch I: Turkey, 321
Embelia blinii Lévl., 271
bodinieri Lévl., 271
cavaleriei Lévl., 271
dielsii Lévl., 271
esquirolii Lévl., 271
kapensis Lévl., 271
oblongifolia Hemsl., 271
pauciflora Diels, 271
 var. *blinii* (Lévl.) Walker, 271
rubrinervis Lévl., 271
rubro-violacea Lévl., 271
schlechteri Lévl., 271
valbrayi Lévl., 271
vaniotii Lévl., 257, 271
Enkianthus cavaleriei Lévl., 257
cerasiflora (Lévl.) Lévl., 257
chinensis Franch., 257
dunnii Lévl., 257
leveilleanus Craib, 257
xanthoxantha Lévl., 257
Ensete Horan., 80
calospermum (F. Muell.) Cheesman, 80
edule (Gmel.) Horan., 80
glaucum (Roxb.) Cheesman, 80
ventricosum (Welw.) Cheesman, 80
Eriobotrya seguinii (Lévl.) Card. ex
 Guillaum., 279
Erodium acaule (L.) Bercherer & Thell., 72
Erophila verna (L.) Chevall.
 subsp. *verna*, 72
Erysimum persepolitanum Boiss.
 var. *abbreviatum* Parsa, 350
Erythrochlamys Gürke, 184
cufodontii Lanza, 189
kelleri Briq., 187
leucosphaera Briq., 187
niveus Chiov., 189
nummularia (S. Moore) Hedge, 189
spectabilis Gürke, 187
Euphrasia, *Materials for a Flora of Turkey*
 XXXIII, 53
Euphrasia campestris Jord., 53
drosocalyx Freyn, 53
macrodonia Juz., 58
minima Jacq. ex DC., 54
 subsp. *davisii* P. F. Yeo, 54

- Euphrasia*—continued
ossica Juz., 59
rostkoviana Hayne
 subsp. *rostkoviana*, 58
salisburgensis Funck, 54
wilkommii Freyn, 54
Eurya aurea (Lévl.) Hu & L. K. Ling, 273
cavaleriei Lévl., 277
groffii Merrill, 272
- FAVARGER, CLAUDE
Cerastium ligusticum and *C. dominici*
 in Turkey, 315
- FEINBRUN, NAOMI
 The genus *Echinops* in Palestine, 235
Ferula assa-foetida L., the identity of, 229
Ferula assa-foetida L., 231
erubescens Boiss., 232
foetida (Bunge) Regel, 232
jaeschkeana Vatke
 subsp. *taenioloba* Rech. f. & Riedl,
 233
koelzii Rech. f. & Riedl, 232
narthex Boiss., 233
pseudalliacea Rech. f., 232
reza-dadjoua Parsa, 355
rubricaulis Boiss., 231
 Flora of European Turkey, Notes on the, 69
Fumaria kralikii Jordan, 71
 Fungi of Greece VII: new records of rust
 fungi, 407
- Galium glaucum* L., 73
Gaultheria laxiflora Diels, 257
leucocarpa Blume, 257, 271
yunnanensis (Franch.) Rehder, 257
Gentiana angulosa Bieb., 312
blepharophora E. Bordz., 310
longicarpa Gilli, 311
pontica Soltok., 312
vena L.
 subsp. *balcanica* Pritchard, 312
 subsp. *pontica* (Soltok.) Hayek, 312
 var. *pontica* (Soltok.) Kuzn., 312
Gentianella ciliata (L.) Borkh.
 subsp. *blepharophora* (E. Bordz.)
 Pritchard, 310
holosteoides [Schott & Kotschy ex]
 Pritchard, 310
umbellata (Bieb.) Holub, 311
 subsp. *longicarpa* (Gilli) Pritchard,
 311
Geranium molle L.
 subsp. *molle*, 72
 Gesneriaceae of the Old World, studies in
 the, XLI: Notes on *Boeica* and *Didis-*
sandra, 369; XLII: *Aeschynan-*
thus in the Solomon Islands,
 375
- Globularia trichosanthes* Fischer & C. A.
 Meyer, 73
Glumicalyx Hiern., 155
Glumicalyx alpestris (Diels) Hilliard &
 Burt, 169
 x *goseloides*, 171
apiculatus (E. Mey.) Hilliard & Burt,
 164
flanagani (Hiern) Hilliard & Burt, 168
goseloides (Diels) Hilliard & Burt, 172
lesuticus Hilliard & Burt, 166
montanus Hiern., 164
Gratiola officinalis L., 73
 GRIERSON, A. J. C.
 Compositae Terrae Natalis (review), 317
Gymnosporangium tremelloides Hartig, 408
Gypsophila honigbergeri (Fenzl) Boiss.
 var. *porphyrantha* (Rech. f. & Aell.)
 Parsa, 357
lurorum Rech. f., 357
polyclada Fenzl
 var. *lurorum* (Rech. f.) Parsa, 357
 var. *xanthochlora* (Rech. f.) Parsa, 357
porphyrantha Rech. f. & Aell., 357
xanthochlora Rech. f., 357
- Handeliadendron bodinieri* (Lévl.) Rehder,
 275
Haplophyllum affine (Aitch. & Hemsl.) Eug.
 Kor.
 var. *chorassanicum* (Rech. f., Aell. &
 Esfand.) Parsa, 358
chorassanicum Rech. f., Aell. & Esfand.,
 358
suaveolens (DC.) G. Don, 72
 HEDGE, I. C.
 Botanical publications in Iran (review),
 234
 South Australian Botany (review), 390
 HEDGE, I. C. & BOKHARI, M. H.
 Anatomical observations on a desert
 group of *Salvia* species, 377
 HEDGE, I. C. & MILLER, A. G.
 New and interesting taxa from NE
 tropical Africa, 179
Hedysarum ahilum Parsa, 354
callithrix Bge.
 var. *stenophyllum* (Rech. f. &
 Esfand.) Parsa, 362
ecbatanum Beck., 362
farinosum Parsa
 var. *elongatum* Parsa, 354
kurdicum Rech. f., 362
stenophyllum Rech. f. & Esfand., 362
Helianthemum cinereo-flavescens Rech. f.,
 Aell. & Esfand., 357
sessiliflorum (Desf.) Pers., 357
Hellenia allughas (Retz.) Willd., 213

- HENDERSON, D. M. & PANTIDUO, M.
Fungi, of Greece VII: new records of
rust fungi, 407
- HENDERSON, D. M. & PRENTICE, H. T.
The morphology of fungal spores:
Milesina blechni, 415
Heritiera plughas Retz., 213
Hesperis khorasanica Rech. f. & Aell., 356
matronalis L., 356
- HILLIARD, O. M. & BURTT, B. L.
Notes on some plants of Southern
Africa chiefly from Natal: VI, 155
Hippocrepis bornmuelleri Hausskn., 358
constricta Kunze
var. *bornmuelleri* (Hausskn.) Parsa,
358
Holostium umbellatum L., 71
Hopea lucida Thunb., 278
Hormuzakia Guşul., 298
- HUBER-MORATH, A.
Alkana, in Davis, P. H., Materials for
a Flora of Turkey XXXIV, 297
Hugeria vaccinioides (Lévl.) Hara, 255
Hyacinthus racemosus L., 74
Hyperaspis nummularia S. Moore, 189
- Identity of *Ferula assa-foetida*, the, 229
Ilex chinensis Sims, 271, 277
macrocarpa Oliv., 275
metabaptista Loes.
var. *myrsinoides* (Lévl.) Rehder, 271,
272
Illicium verum Hook. f., 144
Isatis pachycarpa Rech. f., Aell. & Esfand.,
356
tinctoria L.
var. *pachycarpa* (Rech. f., Aell. &
Esfand.) Parsa, 356
- JALAS, JAAKKO & KUKKONEN, ILKKA &
UOTILA, PERTTI
Notes on the flora of European Turkey,
69
- Jasione* L., 50
pontica (Boiss.) Hand.-Mazz., 51
supina Sieber, 50
subsp. *akmanii* Damboldt, 51
subsp. *pontica* (Boiss.) Damboldt, 51
subsp. *tmolea* (Stoj.) Damboldt, 51
var. *pontica* Boiss., 51
tmolea Stoj., 51
Juncellus serotinus (Rottb.) C. B. Clarke, 74
- KAM, YEE KIEW
The sequence of flower-opening in two
species of Zingiberaceae, 221
- KHAN, M. S. & DAVIS, P. H.
A new *Aristolochia* from SW Turkey,
319
- KIEW, KAM YEE
The sequence of flower-opening in two
species of Zingiberaceae, 221
Kickxia spuria (L.) Dumort., 73
Koch, C., The Turkish and Caucasian
collections of, I: Turkey, 321
Kua domestica Medik., 213
KUKKONEN, ILKKA & UOTILA, PERTTI &
JALAS, JAAKKO
Notes on the flora of European Turkey,
69
- LACK, H. W. & EDMONDSON, J. R.
The Turkish and Caucasian collections
of C. Koch I: Turkey, 321
Lamium amplexicaule L., 73
LAMOND, J. M.
Notes on Parsa's Flore de l'Iran vols.
8 and 9
Languas allughas (Retz.) Burkill, 213
LAUENER, L. A.
Catalogue of the names published by
Hector Léveillé: XI, 265
Frank Kingdon Ward (review), 280
Flora of Bangladesh (review), 320
Lavatera thuringiaca L.
var. *abbreviata* Parsa, 351
Legousia Durande, 50
Leucothoe griffithiana Clarke, 257
Léveillé, Hector, catalogue of the names
published by: X, 247; XI, 265
Lindelofia cerinthoides (Boiss.) Brand, 309
kurdica (Boiss.) Brand, 309
Linum gallicum L., 72
trigynum L., 72
Litsea chaffanjonii Lévl., 279
Lobelia cavaleriei Lévl., 253
esquirolii Lévl., 253
frutescens Miller, 247
seguinii Lévl. & Van., 253
Lotus laricus Rech. f., Aell. & Esfand., 358
makranicus Rech. f. & Esfand., 358
schimperii Steud., 358
stocksii Boiss., 358
Luzula forsteri (Sm.) DC., 74
Lycium anatolicum A. Baytop & R. Mill, 313
Lycopus europaeus L., 73
Lyonia ovalifolia (Wall.) Drude, 258
var. *lanceolata* (Wall.) Hand.-Mazz.,
258
villosa (Wall.) Rehder
var. *pubescens* (Franch.) Rehder, 258
Lysimachia atropurpurea L., 72
capillipes Hemsl.
var. *cavaleriei* (Lévl.) Hand.-Mazz.,
266
christinae Hance, 266
daphnoides (A. Gray) Hillebr.
var. *fauriei* Lévl., 266

- Lysimachia*—continued
esquirolii (Lévl.) Lauener, 266, 270
franchetiana Lévl., 267
franchetii R. Knuth, 267
hemsleyi Franch., 267
japonica Thunb.
 var. *courtoisii* Lévl., 266
lancifolia Craib, 266
latronum Lévl. & Van., 266
mairei Lévl., 267
millietii (Lévl.) Hand.-Mazz., 267
navillei (Lévl.) Hand.-Mazz., 267, 275
solanoides Hand.-Mazz., 267
sutchuenensis Bonati, 266
- Maesa aurea* Lévl., 271, 277
bodinieri Lévl. & Blin., 277
cavaleriei Lévl., 272
dunniana Lévl., 272
esquirolii Lévl., 272
japonica (Thunb.) Moritz, 258, 272
labordei Lévl., 272
martini Lévl., 272
myrsinoides Lévl., 272
scandens Lévl., 272
sinensis DC., 272
singuliflora Lévl., 272
tenera Mez, 272
- Malabaila sedov* Parsa, 355
Malcolmia glaberrima Rech. f. & Esfand., 356
 karelinii Lipsky
 var. *glaberrima* (Rech. f. & Esfand.) Parsa, 356
- Manulea*, 160
Marsdenia erecta (L.) R. Br., 72
- Materials for a Flora of Turkey XXXII:
 Campanulaceae, 39; XXXIII:
 Euphrasia, 53; XXXIV:
 Boraginaceae, Gentianaceae,
 Solanaceae, 313
- MATHEW, B. & BAYTOP, T.
 Some observations on Turkish Crocus,
 61
- Matthiola chenopodiifolia* F. & M.
 var. *porphyrantha* (Rech. f., Aell. & Esfand.) Parsa, 356
deserticola Rech. f., Aell. & Esfand., 356
dimolehensis Bak. f., 183
dumulosa Boiss. & Buhse
 var. *deserticola* (Rech. f., Aell. & Esfand.) Parsa, 356
elliptica DC., 183
erlangerana Engl., 183
porphyrantha Rech. f., Aell. & Esfand., 356
puntensis Hedge & Miller, 182
rivae Engl., 183
smithii Bak. f., 183
- Mattiastrum* (Boiss.) Brand, 303
 subgen. *Modestomattiastrum* (Brand) H. Riedl, 305
 sect. *Macromattiastrum* Brand, 303
 sect. *Modestomattiastrum* Brand, 305
amani Rech. f., 305
kurdistanicum Brand, 306
paphlagonicum Bornm., 304
polycarpum Rech. f., 308
scabridum Rech. f., 304
- Mazus pumilus* (Burm. f.) van Steenis, 253
- Medicago lupulina* L.
 var. *lupulina*, 72
- MEIKLE, R. D.
 Flora Europaea vol. 4 (review), 194
- Melilotus elegans* Salzmann, 351
- Melothria violifolia* Lévl., 251
- Michauxia l'Hérit.*, 50
- Micromeria myrtifolia* Boiss. & Hohen., 73
- Microtropis fokienensis* Dunn, 272
- Milesina blechni, the morphology of fungal spores, 415
- Milesina blechni* (Syd.) Syd., 415
- MILL, R. R.
 Paracaryum, in Davis, P. H., Materials for a Flora of Turkey XXXIV, 303;
 Solenanthus, op. cit., 308;
 Trachelanthus, op. cit., 309
- MILL, R. R. & BAYTOP, A.
 Lycium, in Davis, P. H., Materials for a Flora of Turkey XXXIV, 313
- MILLER, A. G. & HEDGE, I. C.
 New and interesting taxa from NE tropical Africa, 179
- MILNE, C. & RATTER, J. A.
 Chromosome counts in primitive angiosperms: II, 143
- Mitrasacme mairei* Lévl., 265
- Morina persica* L., 73
- Morphology of fungal spores: Milesina blechni, the, 415
- Musa* L., 83
 subgen. *Eumusa* Baker, 84
 sect. *Australimusa* Cheesman, 93
 sect. *Eumusa* (Baker) Cheesman, 84
 sect. *Ingentimusa* Argent, 111
 sect. *Musa*, 84
- acuminata* Colla
 subsp. *banksii* (F. Muell.) Simmonds, 87
angustigemma Simmonds, 106
balbisiana Colla, 84
banksii F. Muell., 87
 x *schizocarpa*, 92
boman Argent, 108
bukensis Argent, 101
calosperma F. Muell., 80
ensete Gmel., 80
erecta Simmonds, 97
glauca Roxb., 80
ingens Simmonds, 111

- Musa*—continued
lolodensis Cheesman, 106
 x *boman*, 110
maclayi F. Muell. ex Miklouho-Maclay, 93
 subsp. *ailuluai* Argent, 101
 subsp. *maclayi*
 var. *erecta* (Simmons) Argent, 97
 var. *maclayi*, 96
 var. *namatani* Argent, 97
paradisiaca L., 84
peekelii Lauterbach, 104
 subsp. *angustigemma* (Simmonds) Argent, 106
 subsp. *peekelii*, 104
schizocarpa Simmons, 89
textilis Née, 93
Muscari neglectum Guss., 74
Myriophyllum spicatum L., 72
Myrsine africana L., 272
cavaleriei Lévl., 272
chaffanjoni Lévl., 272
chevalieri Lévl., 272
esquirolii Lévl., 272
fauriei Lévl., 273
feddei Lévl., 272
lessertiana A. DC., 273
molokaiensis Lévl., 272, 275
neriifolia Sieb. & Zucc., 273
pukooensis (Lévl.) Hosaka, 274
sandwicensis A. DC. 274
 var. *mauiensis* Lévl., 274
 var. *punctata* Lévl., 274
seguinii Lévl., 273
semiserrata Wall., 273
vanioti Lévl., 274
Myrtus laurinus Retz., 277
- Naias minor* All., 74
Narthex polakii Stapf & Wettst., 232
assa-foetida (L.) Falconer, 233
 Natal, notes on some plants of southern Africa chiefly from: VI, 155
 New and interesting taxa from NE tropical Africa, 179
 New *Aristolochia* from SW Turkey, 319
 New Genus of Zingiberaceae from S India, 365
 New *Thymelaea* from Morocco, 345
 Nomenclature of turmeric and other Ceylon Zingiberaceae, 209
 Note on closed leaf-sheaths in Zingiberaceae-Zingiberoideae, 217
Nonea macrantha (H. Riedl) A. Baytop, 299
pulla (L.) DC.
 subsp. *macrantha* H. Riedl, 299
 subsp. *scabrisquamata* A. Baytop, 299
pulmonarioides Bornm., 299
 North African and other itineraries: 1961-1975, 121
- Notes on British Agarics: VI, 147
 Notes on Parsa's Flore de l'Iran vols 8 & 9, 349
 Notes on some plants of southern Africa chiefly from Natal: VI, 155
 Notes on the Flora of European Turkey, 69
- Observations on *Blysmus* and *Blysmopsis*, 399
 Observations on the Bolbitiaceae 16:
 Conocybe sect. *Gigantae*, 281
 Observations on the genus *Ascolepis*, 391
Ocimum tomentosum Oliv., 190
Odontites verna (Bellardi) Dumort.
 subsp. *serotina* (Dumort.) Corb., 73
Omphalodes cariensis Boiss., 307
luciliae Boiss., 300
 subsp. *cilicica* (Brand) Bornm., 301
 subsp. *kurdica* Rech. f. & H. Riedl, 302
 subsp. *luciliae*, 300
 subsp. *scopulorum* Edmondson, 300
 var. *cilicica*, 301
ripleyana Davis, 302
Onobrychis alyassinicus Parsa, 355
gaubae Bornm., 362
 var. *kalakensis* Širj. & Rech. f., 362
lahidjanicus Parsa, 355
sirdjanicus Parsa, 355
subacaulis Boiss., 362
 var. *grandiflora* Širj. & Rech. f., 362
Ononis pubescens L., 72
Onosma pulchrum H. Riedl, 302
Oreocharis tonkinensis Kraenzlin, 373
 ORTON, P. D.
 Notes on British Agarics: VI, 147
 OTENG-YEBOAH, A. A.
 Observations on the genus *Ascolepis*, 391
 Observations on *Blysmus* and *Blysmopsis*, 399
Oxalis corniculata L.
 var. *longepetiolata* Parsa, 351
Oxycoccoides japonicus (Miq.) Nakai
 var. *sinica* Nakai, 255
- Palura coreana* (Lévl.) Nakai, 278
 PANTIDOU, M. & HENDERSON, D. M.
 Fungi of Greece VII: new records of rust fungi, 407
Paracaryum (DC.) Boiss.
 subgen. *Mattiastrum* (Boiss.) R. Mill, 303
 subgen. *Modestomattiastrum* (Brand) R. Mill, 305
 sect. *Laxiflora* R. Mill, 304
 sect. *Macromattiastrum* (Brand) M. Popov, 304
 sect. *Mattiastrum* Boiss., 303
 sect. *Modestomattiastrum* (Brand) M. Popov, 304

- Paracaryum*—continued
amani (Rech. f.) R. Mill, 305
artvinense R. Mill, 305
calycinum Boiss. & Bal., 304
cariense (Boiss.) Boiss., 307
cristatum (Schreb.) Boiss.
 subsp. *carduchorum* R. Mill, 306
kurdistanicum (Brand) R. Mill, 306
lithospermifolium (Lam.) Grande, 306
 subsp. *cariense* (Boiss.) R. Mill
 var. *cariense*, 307
 var. *erectum* R. Mill, 307
myosotoides (Labill.) Boiss., 307
paphlagonicum (Bornm.) R. Mill, 304
polycarpum (Rech. f.) R. Mill, 308
racemosum (Schreb.) Britten
 var. *scabridum* (Rech. f.) R. Mill, 304
Paracautleya R. M. Smith, 367
 bhatii R. M. Smith, 368
Paradombeya sinensis Dunn, 267
Parsa's Flore de l'Iran vols 8 and 9, notes on, 349
Paspalum distichum auct. non L., 74
 paspaloides (Michx.) Scribner, 74
Phyllocara Guşul., 298
Phyllopodium, 160
Pieris bodinieri Lévl., 258
 buxifolia Lévl. & Van., 256
 cavaleriei Lévl. & Van., 257
 coreana Lévl., 254
 declouxii Lévl., 255
 divaricata Lévl., 253
 esquirolii Lévl. & Van., 256
 var. *discolor* Lévl. & Van., 256
 var. *leucocalyx* Lévl., 255
 fauriei Lévl., 254
 formosa (Wall.) D. Don, 258
 fortunati Lévl., 257
 gagnepainiana Lévl., 254
 henryi Lévl., 258
 kouyagensis Lévl., 258
 longicornu Lévl. & Van., 255
 lucida Lévl., 254
 mairei Lévl., 258
 martini Lévl., 254
 oligodonta Lévl., 258, 272
 ovalifolia (Wall.) D. Don, 258
 var. *denticulata* Lévl., 253
 repens Lévl., 254
 ulbrichii Lévl., 258
 vaccinium Lévl., 257
Pilosella hoppeana (Schultes) C. H. & F. W. Schultz
 subsp. *troica* (Zahn) Sell & West, 74
Pinus brutia Ten., 70
Planchonella sandwicensis (A. Gray) Pierre
 var. *spathulata* (Hillebr.) H. J. Lam, 272, 274, 275
Platylepis Kunth, 396
Plumbago esquirolii Lévl., 265
Polycarena, 161
Polygonum aviculare L., 71
 heterophyllum Lindman, 71
 pulchellum Lois., 71
Potamogeton crispus L., 74
 panormitanus Biv., 74
 pectinatus L., 74
Prangos haussknechtii Boiss.
 var. *puberula* Parsa, 355
PRENTICE, H. T. & HENDERSON, D. M.
 The morphology of fungal spores:
 Milesina blechni, 415
Primula balfourii Lévl., 269
 blinii Lévl., 267
 celsiiformis Balf. f., 267
 cephalantha Balf. f., 268
 delicata Forrest, 269
 delicatula Dunn, 269
 incisa Franch., 267
 leimonophila Balf. f., 269
 mairei Lévl., 268
 nemoralis Balf. f., 269
 obconica Hance, 268
 var. *cavaleriei* Lévl., 268
 oresbia Balf. f., 267
 petrophytes Balf. f., 269
 pirolaefolia Lévl., 268
 racemosa Lévl., 267
 ragotiana Lévl., 269
 sinuata Franch., 269
 spicata Franch., 269
 veitchiana Petitm., 268
 virginus Lévl., 269
PRITCHARD, N. M.
 Gentianaceae, in Davis, P. H., Materials for a Flora of Turkey XXXIV, 310
Prunus lvi Blin ex Lévl., 278
 mairei Lévl., 278
 paniculatus Thunb., 278
Psoralea bituminosa L., 72
Pterostyrax cavaleriei (Lévl.) Guillaumin, 276
 hispidus auct., 276
 leveillei (Fedde ex Lévl.) Chun, 276
 psilophyllum Diels ex Perkins
 var. *leveillei* (Fedde) Hara, 276
Puccinia aristolochiae (DC.) Winter, 408
 calcitrapae DC., 408
 carthami Corda, 408
 eryngii DC., 409
 hieracii Mart., 409
 jackyana Gaum., 409
 langenophorae Cooke, 409
 melitellae Pantidou & Henderson, 409
 opopanacis Ces., 410
 pimpinellae (Str.) Rohl, 410
 podospermi DC., 410
 verruca Thum., 410
Pycneus glaber (L.) Hayek, 74
Pyrola corbieri Lévl., 258
 decorata Andres, 258

Pyrus bulgarica Kuthath. & Sachok., 72
communis L.,
 subsp. *caucasica* (Fedorov) Browicz,
 72
elaeagrifolia auct., 72
syriaca Boiss.
 var. *inermis* Parsa, 355

Quercus frainetto Ten., 71
phillyreoides Gray, 272
pubescens Willd., 71
trojana Webb, 71
Quinquelocularia C. Koch, 40

Ranunculus ficaria L.
 subsp. *calthifolius* (Reichb.) Arc., 71
 subsp. *ficariformis* Rouy & Fouc., 71
macropus Boiss. & Buhse
 var. *papyrocarpus* (Rech. f., Aell &
 Esfand.) Parsa, 355
papyrocarpus Rech. f., Aell. & Esfand.,
 355
sphaerospermus Boiss. & Blanche, 71
trichophyllus Chaix, 71
zaghei Parsa, 350
Rapanea aurea Lévl., 273
lessertiana (A.DC.) Degener & Hosaka,
 273
neriifolia (Sieb. & Zucc.) Mez, 273
pukooensis (Lévl.) Degener & Degener,
 274
sandwicensis (A.DC.) Degener &
 Hosaka, 274
 var. *mauiensis* (Lévl.) Degener &
 Degener, 274
rugosum (L.) All., 72

Rapunculus Fourr., 44

RATTER, J. A. & MILNE, C.

Chromosome counts in primitive angio-
 sperms: II, 143

Reevesia esquirolii Lévl., 259
Rhamnella rubrinervis (Lévl.) Rehder, 271

Rhamnus coriaceifolius Lévl., 275
myrtillus Lévl., 272

Rhododendron albicaule Lévl., 259

argyi Lévl., 261

bachii Lévl., 259

blinii Lévl., 261

bodinieri Franch., 263

bureavii Franch., 259

caeruleum Lévl., 262

cavaleriei Lévl., 259

var. *chaffanjonii* Lévl., 263

chaffanjonii Lévl., 263

chrysocalyx Lévl., & Van., 259

cordatum Lévl., 262

crenatum Lévl., 262

dauricum L.

var. *mucronulatum* (Turcz.) Maxim.,
 261

decorum Franch., 259

denudatum Lévl., 260

duclouxii Lévl., 262

emarginatum Hemsl. & Wilson, 260

eriandrum Lévl., 262

esquirolii Lévl., 260

euonymifolium Lévl., 260

farinosum Lévl., 260

fastigiatum Franch., 260

feddei Lévl., 260

franchetianum Lévl., 259

fuchsiaeiflora Lévl., 262

fuchsiifolium Lévl., 260

giraudiasii Lévl., 259

hallaisanense Lévl., 263

irroratum Franch., 261

jahandiezii Lévl., 262

koutychense Lévl., 259

lacteum Franch., 261

leclerei Lévl., 262

lemeei Lévl., 261

leucandrum Lévl., 262

liliflorum Lévl., 261

lutescens Franch., 261

lyi Lévl., 261

mairei Lévl., 261

maximowiczianum Lévl., 261

missionarium Lévl., 261

moutsouense Lévl., 262

mucronatum (Bl.) G. Don, 261

mucronulatum Turcz., 261

nanum Lévl., 260

poukhanense Lévl., 263

racemosum Franch., 262

rarosquameum Balf. f., 262

rex Lévl., 262

rigidum Franch., 262

rubiginosum Franch., 262

rubro-punctatum Lévl. & Van., 263

seguinii Lévl., 263

siderophyllum Franch., 262

souliei Franch., 262

spinigerum Lévl., 259

spinuliferum Franch., 262

stamineum Franch., 263

tapelouense Lévl., 263

taquetii Lévl., 261

tatsienense Franch., 263

umbelliferum Lévl., 263

vaniotii Lévl., 260

yedoense Maxim.

var. *poukhanense* (Lévl.) Nakai, 263

yunnanense Franch., 263

RIEDL, H.

Onosma, in Davis, P. H., Materials for a
 Flora of Turkey XXXIV, 302

Robinia pseudacacia L., 72

- Rochelia disperma* (L. fil.) Koch
var. *microcalycina* (Bornm.)
Edmondson, 308
karsensis M. Popov, 308
microcalycina Bornm., 308
Rollandia fauriei Lévl., 252
Roucela Dumort., 43
Rubus kutchekintiaeus Parsa, 355
sotudehae Parsa, 355
zandjanicus Parsa, 355
Rust fungi, fungi of Greece VII: new records of, 407
- Salix alba* L., 70
Salvia species, anatomical observations on a desert group of, 377
Salvia aegyptiaca L., 378
deserti Dcne., 378
eremophila Boiss., 378
lacei Mukerjee, 378
macilentia Boiss., 378
santolinifolia Boiss., 378
tebesana Bge., 378
trichocalycina Benth., 378
Salvinia natans (L.) All., 70
Sarcococca hookeriana Baill.
var. *humilis* Redher & Wilson, 272
Saxifraga cartilaginea Willd.
var. *mazanderanica* (Rech. f.) Parsa, 362
mazanderanica Rech. f., 362
Scabiosa atropurpurea L., 74
Scaevola x blinii Lévl., 248
chamissoniana Gaudich.
var. *caerulescens* Lévl., 247
fauriei Lévl., 247
frutescens (Miller) Krause, 247
procera Hillebr., 248
Scaphochlamys kunstleri (Bak.) Holtt., 224
Schisandra propinqua Hook f. & Thoms.
var. *sinensis* Oliv., 271
rubriflora Rehder & Wilson, 144
Schoepfia jasminodora Sieb. & Zucc., 254
Scorodosma foetidum Bunge, 232
Scutellaria africana Hochst., 190
peregrina L., 190
Selago aggregata Rolfe, 177
apiculata E. Mey., 164
longituba Rolfe, 176
natalensis Rolfe, 176
nelsonii Rolfe, 176
nutans Rolfe, 169
wilmsii Rolfe, 177
Sequence of flower-opening in two species of Zingiberaceae, the, 221
Sherardia arvensis L., 73
Sicyodon Feer, 43
Sideritis montana L.
subsp. *montana*, 73
- Sideroxylon bodinieri* Lévl., 275
spathulatum Hillebr., 275
var. *molokaiense* (Lévl.) Rock, 275
wightianum Hook. & Arn., 275
Silene austro-iranica Rech. f., Aell. & Esfand., 357
behboudiana Rech. f. & Esfand., 358
chaetodontoides Parsa, 351
commelinifolia Boiss.
var. *pravitziana* (Rech. f. & Esfand. Parsa, 357
dictyoneura Rech. f. & Esfand., 357
koelzii Rech. f., 358
kotschy Boiss.
var. *effusissima* Boiss., 357
marschallii C. A. Mey.
var. *behboudiana* (Rech. f. & Esfand.) Parsa, 358
var. *koelzii* (Rech. f.) Parsa, 358
nurensis Boiss. & Hausskn.
var. *dictyoneura* (Rech. f. & Esfand.) Parsa, 357
pravitziana Rech. f., 357
Sinowilsonia henryi Hemsl., 144
Sisymbrium brassiciforme C. A. Meyer
var. *integerrimum* (Rech. f. & Aell.) Parsa, 358
integerrimum Rech. f. & Aell., 358
- SMITH, R. M.
Additional notes on *Alpinia* sect. *Myriocrater*, 195
A new genus of Zingiberaceae from S India, 365
Smyrnium creticum Miller, 72
orphanidis Boiss., 72
Solanaceae, materials for a Flora of Turkey XXXIV, 313
Solanum luteum Miller
subsp. *alatum* (Moench) Dostál, 73
Solenanthus cerinthoides Boiss., 309
var. *kurdicus* (Boiss.) Post, 309
formosus R. Mill, 308
kurdicus (Boiss.) Gürke, 309
Solomon Islands, studies in the Gesneriaceae of the Old World XLII: *Aeschynanthus* in the, 375
Some observations on Turkish *Crocus*, 61
Spartium junceum L., 72
SPEARING, J. K.
A note on closed leaf-sheaths in Zingiberaceae-Zingiberoideae, 217
Spirodela polyrhiza (L.) Schleiden, 74
Stachys annua (L.) L., 73
thirkei C. Koch, 73
Stellaria media (L.) Vill.,
subsp. *media*, 71
subsp. *pallida* (Dumort.) Aschers. & Graebn., 71
Stissera curcuma Giseke, 213
Strobilopsis Hilliard & Burt, 172
wrightii Hilliard & Burt, 173

- Stropharia aeruginosa*, 151
albocyanea (Fr.) Quélet, 152
cyanea (Bolt. ex Secr.) Toumikoski, 151
inuncta, 150
pseudocyanea (Desm.) P. D. Orton, 149, 152
- STUART, D. C.
 British botanical literature before 1800 (review), 68
- Studies in the Gesneriaceae of the Old World XLI: notes on *Boeica* and *Didissandra*, 369; XLII: *Aeschynanthus* in the Solomon Islands, 375
- Stylidium tenellum* Swartz, 247
- Styrax argyi* Lévl., 276
bodinieri Lévl., 276
cavaleriei Lévl., 276
esquirolii Lévl., 276
grandiflorus Griff., 276
japonicus Sieb. & Zucc., 276
leveillei Fedde ex Lévl., 276
touchanensis Lévl., 276
- Survey of the work of the Royal Botanic Garden Edinburgh in 1976, a, 419
- Sutera*, 161
- Suttonia apodocarpa* Lévl., 274
cuneata Lévl. & Faurie, 273
fauriei (Lévl.) Lévl., 273
flavida Lévl., 273
lessertiana (A. DC.) Mez, 273
mauiensis (Lévl.) Lévl., 274
meziana Lévl., 273
molokaiensis (Lévl.) Lévl., 274, 275
pukooensis Lévl., 273, 274
punctata (Lévl.) Lévl., 274
sandwicensis (A. DC.) Mez, 274
vanioti (Lévl.) Lévl., 274
- Symphyandra* A. DC., 41, 49
- Symplocos adenopus* Hance, 277
anomala Brand, 277
aurea Lévl., 278
balfourii Lévl., 277
bodinieri Brand, 277
bodinieri Lévl., 279
botryantha Franch., 279
caerulea Lévl., 279
caudata [Wall. ex] G. Don
 var. *macrantha* Hand.-Mazz., 279
cavaleriei Lévl., 279
cochinchinensis (Lour.) S. Moore
 subsp. *laurina* (Retz.) Noot., 271
 var. *laurina*, 277
coreana (Lévl.) Ohwi, 278
coronigera Lévl., 278
courtoisii Lévl., 277
dielsii Lévl., 277
dunniana Lévl., 279
ernestii Dunn, 278
esquirolii Lévl., 277
- fasciculata* Zoll.
 var. *chinensis* Brand, 279
- glomerata* [King ex] C.B. Cl., 277
 subsp. *glomerata*
 var. *adenopus* (Hance) Noot., 277
lanceifolia Sieb. & Zucc., 278
laurina [Wall. ex] G. Don, 277
 var. *bodinieri* (Brand) Hand.-Mazz., 277
lucida (Thunb.) Sieb. & Zucc., 278
mairei Lévl., 277, 279
martini Lévl., 279
paniculata (Lévl.) Rehder, 278
paniculata (Thunb.) Miq., 278
pinfaensis Lévl., 277
prainii Lévl., 277
punctata Brand, 279
ramosissima [Wall. ex] G. Don, 279
seguinii Lévl., 279
setchuensis Brand, 278
splendens Lévl., 279
stapfiana Lévl., 279
stellaris Brand, 279
sumuntia [Buch.-Ham. ex] D. Don, 279
vinoso-dentata Lévl., 277
xanthoxantha Lévl., 278
- TAN, H. K.
 A new *Thymelaea* from Morocco, 345
- Tetracentron sinense* Oliv., 144
- Tetraselago* Junell, 175
longituba (Rolfe) Hilliard & Burt, 176
natalensis (Rolfe) Junell, 176
nelsonii (Rolfe) Hilliard & Burt, 176
wilmsii (Rolfe) Hilliard & Burt, 177
- Teucrium spicatum* Hedge & Miller, 191
- Thymelaea* from Morocco, a new, 345
- Thymelaea gattefossei* H. K. Tan, 345
lanuginosa (Lam.) Brecher, 345
- Thymus atticus* Čelak., 73
striatus Vahl, 73
- Trachelanthus cerinthoides* (Boiss.) Kunze, 309
foliosum Tristram, 309
kurdicus Boiss., 309
- Tracheliopsis* Buser, 42
fruticulosa Schwarz & Davis, 49
pubicalyx Davis, 47
tubulosa (Boiss.) Buser, 47
- Trachelium tubulosum* Boiss., 47
- Trachelospermum axillare* Hook. f., 272
- Turkey, notes on the flora of European, 69
- Turkish and Caucasian collections of C. Koch: I, Turkey, 321
- Turkish Crocus, some observations on, 61
- Turmeric and other Ceylon Zingiberaceae, the nomenclature of, 209
- Typha angustata* Bory & Chaub., 74
australis Schum. & Thonn., 74

- Ulmus minor* Miller, 71
 UOTILA, PERTTI & JALAS, JAAKKO & KUKKONEN, ILKKA
 Notes on the flora of European Turkey, 69
Uredo ebeni Pantidou & Henderson, 411
Uromyces anthyllidis Schroet., 411
 doricus Maire, 411
 muscari (Duby) Lévl., 411
 ornithogali Lévl., 412
 proeminens (DC.) Lévl., 412
 punctatus Schroet., 412
 trifolii (DC.) Lévl., 413
Utricularia australis R. Br., 73

Vaccinium albidens Lévl. & Van., 253
 bracteatum Thunb., 253
 buxifolium (Lévl. & Van.) Lévl., 256
 calycinum Smith, 264
 cavaleriei Lévl. & Van., 254
 duclouxii (Lévl.) Hand.-Mazz., 256
 dunalianum Wight
 var. *urophyllum* Rehder & Wilson, 254
 fauriei Lévl., 254, 255, 264
 fragile Franch., 254
 foetidissimum Lévl. & Van., 254
 hamatidens Lévl., 255, 264
 japonicum Miq.
 var. *fauriei* (Lévl.) Sleumer, 255
 var. *japonicum*, 254
 var. *sinicum* (Nakai) Rehder, 255
 koreanum Nakai, 255
 mairei Lévl., 258
 malaccense Wight, 253
 mandarinorum Diels, 255
 var. *austrosinense* (Hand.-Mazz.) Metcalf, 256
 oligodontum Lévl., 272
 penduliflorum Gaud., 255
 pubicalyx Franch., 255
 var. *leucocalyx* (Lévl.) Rehder, 255
 repens (Lévl.) Rehder, 254
 siccum Lévl. & Van., 255
 sprengelii (G. Don) Sleumer, 255
 taquetii Lévl., 254
 triflorum Rehder, 256
 yunnanense Franch., 257
 var. *franchetiana* Lévl., 257
Valerianella carinata Loisel., 73
Veronica cymbalaria Bodard, 73
 hederifolia L.
 subsp. *triloba* (Opiz) Čelak, 73
Vicia lathyroides L., 72
Viola behboudiana Rech. f. & Esfand., 357
 stocksii Boiss.
 var. *behboudiana* (Rech. f. & Esfand.) Parsa, 357
Viscum album L.
 subsp. *album*, 71

Wahlenbergia mairei Lévl., 252
Walafrida apiculata (E. Mey.) Rolfe, 164
 WATLING, ROY
 Observations on the Bolbitaceae 16:
 Conocybe sect. Gigantae, 281
 WENDELBO, P. & BOKHARI, M. H.
 Anatomy of Dionysia 1: foliar sclereids, 131
 WILCOCK, C. C.
 Chemotaxonomy of plants (review), 177
 Wild bananas of Papua New Guinea, 77
 WOODS, P. J. B.
 Studies in the Gesneriaceae of the Old World XLII: Aeschynanthus in the Solomon Islands, 375

Xanthium strumarium L.
 subsp. *cavanillesii* (Schouw) D. Löve & Dansereau, 74
Xolisma ovalifolia (Wall.) Rehder, 258
 villosa (Wall.) Rehder
 var. *pubescens* (Franch.) Rehder, 258

 YEO, P. F.
 Materials for a Flora of Turkey XXXIII: Euphrasia, 53

Zaluzianskya, 160
 alpestris Diels, 169
 flanaganii Hiern, 168
 goseloides Diels, 172
Zenobia cerasiflora Lévl., 257
Zingiber spectabile Griff., 221
 sylvestre Gaertn., 214
 Zingiberaceae from S India, a new genus of, 365
 Zingiberaceae, the nomenclature of turmeric and other Ceylon, 209
 Zingiberaceae, the sequence of flower-opening in two species of, 221
 Zingiberaceae-Zingiberoideae, a note on closed leaf-sheaths in, 217