

GENERAL INDEX TO VOLUME 37

- Acleia belbeysia* DC., 420
Aconitum subgenus *Lycotconum*: II. A
 synopsis of, 431
Aconitum subgenus *Paraconitum*: I. A
 synopsis of, 113
Aconitum
 subgen. *Lycotconum* (DC.) Peterm., 431
 subgen. *Paraconitum* Rapcs., 115
 subgen. *Tuberaconitum* Rapcs., 434
 sect. *Alatospermum* Tamura, 117
 sect. *Curvicassidata* Nakai, 434, 451
 sect. *Euaconitum* C. A. Mey., 434
 sect. *Fletcherum* Tamura, 117
 sect. *Galeatum* Rapcs., 116
 sect. *Longicassidata* Nakai, 450, 451
 sect. *Longicassidata* [Steinb. ex] Nakai, 445
 sect. *Lycotconum* DC., 118, 451
 sect. *Umbrosa* [Steinb. ex] Nakai, 451
 sect. *Volubilia* Nakai, 434
 subsect. *Barbatum* Vorosh., 445
 subsect. *Eulycotconum* Vorosh., 451
 subsect. *Longicassidata* Tamura, 445
 subsect. *Micrantha* Tamura, 442
 subsect. *Palmata* Rapcs., 434
 subsect. *Scaposa* (W. T. Wang) Tamura, 119
 subsect. *Volubilia* Tamura, 434
 subsect. *Vulparia* Vorosh., 445, 451
 ser. *Ampelifolia* Vorosh., 434
 ser. *Brevicalcarata* Tamura & Lauener, 443
 ser. *Crassiflora* Tamura & Lauener, 123
 ser. *Kryloviana* Vorosh., 451
 ser. *Laevia* Tamura & Lauener, 433
 ser. *Longibracteolata* [Steinb. ex] Tamura & Lauener, 442
 ser. *Longicassidata* Steinb., 451
 ser. *Longicassidata* (Steinb. ex Nakai) Tamura & Lauener, 444
 ser. *Lycotconia* Tamura & Lauener, 451
 ser. *Micrantha* Steinb., 443
 ser. *Micrantha* [Steinb. ex] Tamura & Lauener, 442
 ser. *Moldavica* Vorosh., 451
 ser. *Pallida* Vorosh., 445
 ser. *Pedatifolia* Vorosh., 445
 ser. *Pubescentia* Steinb., 434
 ser. *Ranunculoidea* [Steinb. ex] Tamura & Lauener, 449
 ser. *Reclinata* Tamura & Lauener, 434
 ser. *Scaposa* W. T. Wang, 119, 123
 ser. *Umbrosa* Steinb., 450, 451
 ser. *Volubilia* (Nakai) Tamura & Lauener, 434
aggregatifolium [Chang ex] W. T. Wang, 123
ajanense Steinb., 450
albo-violaceum Kom., 436
 var. *erectum* W. T. Wang, 436
 var. *purpurascens* Nakai, 436
angustus (W. T. Wang) W. T. Wang, 455
apetalum (Huth) B. Fedtsch. ex Steinb., 443
atlanticum Coss., 459
barbatum auct. non Pers., 448
barbatum Pers., 445
 var. *barbatum*, 445
 var. *gmelinii* (Reichb.) Ledeb. ex Maxim., 446
 var. *puberulum* Ledeb., 447
besseranum Andrez., 449
brevicalcaratum auct. Edin., 454
brevicalcaratum (Fin. & Gagnep.) Diels, 444
 var. *brevicalcaratum*, 444
 var. *lauenerianum* (Fletcher) W. T. Wang, 444
 var. *parviflorum* Chen & Liu, 444
cavaleriei Lévl. & Van., 121
chloranthum Hand.-Mazz., 121
chrysopilum (Nakai) Nakai, 439
crassiflorum Hand.-Mazz., 123
crassifolium Steinb., 451
desoulavyi Kom., 442
excelsum auct. non Reichb., 453
excelsum Reichb., 452
ferox [Wall. ex] Ser.
 var. *moschatum* [Brühl ex] Duthie, 116
finetianum Hand.-Mazz., 439
fletcheranum G. Tayl., 117
fudjisanense Nakai, 436
gigas Lévl. & Van., 458
 var. *gigas*, 458
 var. *hondoense* [Nakai ex] Tamura & Lauener, 458
 var. *minus* (Nakai) Nakai, 450
gmelinii Reichb., 446
iranshahri H. Riedl, 455
jucundum Diels, 119
 var. *chloranthum* (Hand.-Mazz.) Hand.-Mazz., 121
kirinense Nakai, 448
 var. *australe* W. T. Wang, 449
 var. *kirinense*, 448
koisikawense Nakai, 440
krylovii Steinb., 456
laeve Royle, 433
 var. *curvipilosum* Tamura & Lauener, 433

Aconitum—continued

- var. *laeve*, 433
- lamarckii* [Reichb. ex] Spreng., 459
- lasiosomum* [Reichb. ex] Besser, 449
- lauenerianum* Fletcher, 444
- leptanthum* Reichb., 445
- leucanthum* [Andrz. ex] Schmalh., 449
- leucostomum* Vorosh., 454
 - var. *hopiense* W. T. Wang, 454
- loczyanum* Rapcs., 436
 - var. *pterochaule* (Koidz.) Ohwi, 440
- longe-cassidatum* Nakai, 439
- luridum* Hook. f. & Thoms., 117
- lycoctonum* auct. non L., 119, 436, 453
- lycoctonum* L., 452, 459
 - subsp. *genuina* f. *umbrosum* Korsh., 457
 - subsp. *neapolitanum* (Ten.) Lit. & Maire, 459
 - var. *atlanticum* (Coss.) Maire, 459
 - var. *barbatum* (Pers.) Fin. & Gagnep., 446
 - var. *brevicalcaratum* Fin. & Gagnep., 444
 - var. *ranunculoides* (Turcz.) Fin. & Gagnep., 119, 123, 450
 - var. *reraense* Lit. & Maire, 459
 - var. *volubile* Fin. & Gagnep., 439
 - var. (?) *β* Turcz., 450
- moldavicum* Hacquet, 452
 - subsp. *carpaticum* (DC.) Dost., 452
- var. *moldavicum*, 452
- var. *sinomontanum* (Nakai) Tamura & Lauener, 452
 - var. *sinomontanum* (Nakai) Tamura & Lauener f. *pilocarpum* (W. T. Wang) Tamura & Lauener, 454
- monticola* Steinb., 456
- moschatum* (Brühl ex Duthie) Stapf, 116
- neapolitanum* Ten., 459
- novoluridum* Munz, 117
- ochranthum* C. A. Mey., 447
- orientale* Mill., 455
- paishanense* Kitagawa, 457
- pallidum* auct. non Reichb., 457, 458, 459
- pallidum* Reichb., 449
- pauciflorum* Host, 460
- pekinense* Vorosh., 448
- pseudolaeve* Nakai, 437
 - var. *erectum* Nakai, 436, 437, 438
 - var. *erectum* Nakai f. *albidum* (Nakai) Nakai, 440
 - var. *flexuosum* Nakai, 437
 - var. *volubile* Nakai, 437, 439
- pterochaule* Koidz., 439
 - var. *albidum* (Nakai) Tamura ex Tamura & Lauener, 440
 - var. *glabrescens* [Tamura ex] Tamura & Lauener, 441
 - var. *pterochaule*, 439
- pteropus* Nakai, 441
- puchonroenicum* Uyeki & Satake, 456
- pyrenaicum* L., 445
- quelpaertense* Nakai, 438
- ranunculifolium* Reichb., 455
- ranunculoides* [Turcz. ex] Ledeb., 450
- reclinatum* A. Gray, 434
- rogoviczii* O. D. Wissjul, 449
- sajanense* Kumin, 443
- scaposum* Franch., 119
 - var. *chloanthum* (Hand.-Mazz.) Lauener & Tamura, 121
 - var. *efoliatum* Rapcs., 119
 - var. *hupehanum* Rapcs., 119
 - var. *patentipilum* W. T. Wang, 121
 - var. *pseudovaginatatum* Rapcs., 119
 - var. *scaposum*, 119
 - var. *vaginatum* (Pritz.) Rapcs., 119
- septentrionale* Koelle, 452
 - var. *alboviolaceum* Nakai f. *albidum* Nakai, 440
 - var. *β* *carpathicum* DC., 452
- sibiricum* Poir., 445
- sinanomontanum* Nakai, 440, 453
 - var. *angustius* W. T. Wang, 455
 - var. *pilocarpum* W. T. Wang, 454
- sioseanum* Migo, 440
- sioumense* Nakai, 439
- squarrosus* DC., 445
- sukaczewii* Steinb., 442
- tatewakii* Miyabe, 458
 - var. *vegetum* Miyabe, 458
- thelyphonum* auct. non Reichb., 459
- umbrosum* (Korsh.) Kom., 450, 457
 - var. *minus* Nakai, 450
- umbrosum* auct. non (Korsh.) Kom., 458
- vaginatum* Pritz., 119
 - var. *xanthanthum* Hand.-Mazz., 121
- vulparia* [Reichb. ex] Spreng., 459
- vulparia* Reichb.
 - subsp. *pauciflorum* (Host) Gayer, 460
 - var. *pauciflorum* (Host) G. Beck, 460
- wardii* Fletcher & Lauener, 454
 - var. *hopiense* (W. T. Wang) Tamura & Lauener, 454
 - var. *wardii*, 454
 - f. *flavidum* Fletcher & Lauener, 456
- Acronychia esquirolii* Lév., 130
- Aecidium aquilegiae* Pers., 491
 - var. *barbareae* Cooke (non DC.), 486
 - var. *clematidis* DC., 491
 - var. *elatinum* Alb. & Schw., 478
 - var. *glaucis* Dozy & Molk., 495
 - var. *hellebori* Fischer, 491
 - var. *poterii* Cooke, 480
- Aganosma cymosa* Hand.-Mazz., 129
- cymosa* (Roxb.) G. Don, 129
- navillei* (Lév.) Tsiang, 129
- schlecteriana* Lév., 129
- Agathotes nervosa* D. Don, 141
- Alchemilla retinervis* Buser, 270
- Alectra dunensis* Hilliard & Burt, 309

ALEXANDER, J. C. M.

The Mediterranean species of *Senecio*
sections *Senecio* and *Delphinifolius*, 387

Alliaria petiolata (M. Bieb.) Cavara &
Grande, 268

Alstonia esquirolii (Lévl.) Lévl., 130
mairei Lévl., 130

yunnanensis Diels, 130, 135

Alyssum dasycarpum [Steph. ex] Willd., 268

Alyxia bodinieri (Lévl.) Woodson, 130

myrtillaefolia (Gray ex Hillebr.) Lévl., 130
oliviformis Gaud.

var. *myrtillifolia* [Gray ex] Hillebr., 130
f. *myrtillifolia* (Gray ex Hillebr.) St.
John, 130

schlechteri Lévl., 130

Amsinckia intermedia Fisch. & Meyer, 142

Anagallis pumila Swartz, 306

Anaglypha latifolia S. Moore, 294

Anatolia, A new *Campanula* from, 265

Angelica sylvestris L., 271

Anisodus luridus Link & Otto, 148

stramonifolius (Wall.) G. Don, 148

Anisopappus latifolius (S. Moore) B. L.
Burtt, 294

Anisosciadium, 65

isosciadium Bornm., 65

lanatum Boiss., 65

orientale DC., 65

Annesorhiza

subgen. *Stenosemis* (Sond.) Drude, 324

angustifolia (Sond.) Drude, 324

caffra Eckl. & Zeyh., 325

caffra (Meisn.) Drude, 321

schlechteri Wolff, 319

teretifolia Drude, 325

Antherotoma naudinii Hook. f., 305

Antiotrema dunnianum (Diels) Hand.-
Mazz., 142

Antirrhoea esquirolii Lévl., 131

? *martini* Lévl., 131

Aphanostelma chinensis [Schltr. ex] Lévl.,
135

Arduina carandas (L.) K. Schum, 130

ARGENT, G. C. G.

The Flora of Moray, Nairn and East
Inverness (review), 160

Argyreia capitata (Vahl) Choisy, 144

rufo-hirsuta Lévl., 144

seguinii (Lévl.) Van ex Lévl., 144

Aristolochia blinii Lévl., 133

mairei Lévl., 133

viridifolia Lévl., 133

var. *occlusa* Lévl., 133

Arnebia hancockiana (Oliver) I. M.
Johnston, 142

Artemisia absinthium L., 271

Asperula, 244

sect. *Cynanchicae* (DC.) Boiss., 244

sect. *Glabella* Griseb., 248

sect. *Oppositifoliae* Schischkin, 248

caucasica Pobed., 248

lilaciflora Boiss., 245

subsp. *coa* (Rech. fil.) Ehrend., 245

subsp. *mutensis* Schönb.-Tem., 245

subsp. *phrygia* (Ehrend.) Schönb.-Tem.,
245

nitida Sm., 245

subsp. *hirtella* (Boiss.) Ehrend., 245

subsp. *mytilinica* Ehrend., 244

subsp. *subcapitellata* Ehrend., 245

var. *hirtella* Boiss., 245

var. *hirtella* sensu Rech., f., 244

phrygia (Bornm.) Ehrend., 245

stricta Boiss.

subsp. *elmaliensis* Schönb.-Tem., 246

subsp. *grandiflora* Schönb.-Tem., 246

subsp. *monticola* Ehrend., 246

var. *phrygia* Bornm., 245

var. *scabrida* Boiss., 245

taurina L., 248

subsp. *caucasica* (Pobed.) Ehrend., 248

virgata [Hub.-Mor. ex] Ehrend. &
Schönb.-Tem., 248

Astragalus aff. *amasiensis* (Freyn) Bornm.,
270

chrysoclhorus Boiss. & Ky., 270

macrocephus Boiss., 269

Atropanthe mairei (Lévl.) Lévl., 147

Azalea fragrans Adams, 328

Baeobotrys acuminata Wall. Cat., 341

BALAKRISHNAN, N. P. & BURTT, B. L.

Studies in the Gesneriaceae of the Old
World XLVI: A second *Cyrtandra* on
the Nicobar Islands, 153

BAYTOP, T., MATHEW, BRIAN & BRIGHTON,
C. A.

Taxonomic and cytological notes on
Asiatic Crocus, 469

BENNEL, A. P. & HENDERSON, D. M.

British rust fungi: additions and correc-
tions, 475

Berberoa mutabilis (Vent.) DC., 267

Bhutan: Notes relating to the flora of: II, 341

Bhutanese itineraries of William Griffith and
R. E. Cooper, 355

Biondia yunnanensis (Lévl.) Tsiang, 151

BOOK REVIEWS

Angiosperm classification and evolution,
K. Kubitzki (ed.), 59

Flora of Cyprus vol. 1 by R. D. Meikle, 73

Flora of Moray, Nairn and East Inverness
by Mary McCallum Webster, 160

Flora of Turkey and the east Aegean
islands vol. 6, ed. P. H. Davis *et al.*, 272

Flora Republicae Popularis Sinicae vol. 65
(2), Labiatae 1 & 2, by C. Y. Wu &
H. W. Li, 467

Flowering Plants of the World by V. H.
Heywood, D. M. Moore, I. B. K.
Richardson & W. T. Stearn, 339

- Genus *Tamarix* by Bernard R. Baum, 474
Herbaceous Flora of Dehra Dun by C. R. Baba, 112
Identification of flowering plant families (2nd edn) by P. H. Davis & J. Cullen, 380
Island of Mull—a survey of its flora and environment, A. C. Jermy & J. A. Crabbe (eds), 502
Nouvelle flore du Liban et de la Syrie vol. 3 (text) part 1 by P. Mouterde (ed. A. Charpin & W. Greuter), 284
Tropical trees and forests by F. Hallé, R. A. A. Oldeman & P. B. Tomlinson, 429
Vergleichende Chorologie der zentral europäischen Flora by H. Meusel, 326
BRIGHTON, C. A., BAYTOP, T. & MATHEW, BRIAN
Taxonomic and cytological notes on Asiatic *Crocus*, 469
British rust fungi: additions and corrections, 475
BRUNTON, D., GIBBS, P. E. & MARSHALL, D.
Studies on the cytology of *Oxalis tuberosa* and *Tropaeolum tuberosum*, 215
BURTT, B. L. & HILLIARD, O. M.
Notes on some plants of southern Africa chiefly from Natal: VIII, 285
BURTT, B. L.
Studies in the Gesneriaceae of the Old World XLV: A preliminary revision of *Monophyllaea*, 1
BURTT, B. L. & BALAKRISHNAN, N. P.
Studies in the Gesneriaceae of the Old World XLVI: a second *Cyrtandra* on the Nicobar Islands, 153
Butea buteiformis (Voigt) Grierson & Long, 346
minor Ham., 346

Caeoma euonymi (Gmel.) Schroet., 480
Calystegia japonica Choisy, 144
Camelina microcarpa Andr., 268
Campanula from Anatolia, A new, 265
Campanula damboldtiana Davis & Sorger, 265
Canscora lucidissima (Lévl. & Van.) Hand.-Mazz., 136
Capsicum anomalum Franch. & Sav., 151
Carduus tmoleus Boiss., 271
Carissa carandas L., 130
Catalogue of the names published by Hector Léveillé: XII, 125
Caucasia, The Turkish and Caucasian Collections of C. Koch II, 79
Celastrus oxyphyllus Wall., 341
Centaurium meyeri (Bge.) Druce, 137
Cephalaria foliosa Compton, 296
Cerastium indicum Wight & Arn., 293

Ceropegia balfouriana Schltr., 133
mairei (Lévl.) H. Huber, 133
Chamaecytisus austriacus (L.) Link., 269
CHAMBERLAIN, D. F.
The Flora of Mull (review), 502
CHAMBERLAIN, D. F. & CULLEN, J.
A preliminary synopsis of the genus *Rhododendron*: II, 327
Chenopodium vulvaria L., 269
Chionanthus coreanus Lévl., 126
retusa Lindl. & Paxton, 125
var. *coreana* (Lévl.) Nakai, 126
var. *fauriei* Lévl., 125
var. *mairei* Lévl., 125
Chrysomyxa abietis Unger, 479
rhododendri de Bary, 479
Coleosporium campanulae Cooke, 475
petasites Cooke, 475
rhinanthacearum Kickx., 475
sonchi (Str.) Tul., 475
tussilaginis (Pers.) Berk., 475
Commelina subulata Roth, 294
Conium maculatum L., 271
Convolvulus acetosaefolius Vahl., 146
argyi Lévl., 145
brasiliensis L., 145
capitatus Vahl., 144
nil L., 145
pennatus Desr., 146
purpureus L., 146
stoloniferus Cyr., 146
taquetii Lévl., 144
Cooper, R. E., The Bhutanese itineraries of William Griffith and, 355
COPPINS, B. J. & GILBERT, O. L.
George Johnston's lichen herbarium at the R.B.G., Edinburgh, 381
Corydalis solida (L.) Schwartz
subsp. *brachyloba* (Boiss.) Cullen & Davis, 267
Cotoneaster integerrimus Medik., 270
Crassocephalum flavum Decne, 420
sarcobasis (DC.) S. Moore, 295
Crawfurdia fasciculata Wall.
var. *monantha* Lévl., 142
Crocus asumaniae Mathew & Baytop, 469
Crocus, taxonomic and cytological notes on Asiatic, 469
Cronartium flaccidum (Alb. & Schw.) Wint., 479
ribicola J. C. Fischer, 479
Crucianella colchica Mandenova, 244
gilanica Trin.
subsp. *glauca* (A. Rich) Ehrend., 244
subsp. *pontica* (Ehrend.) Ehrend., 244
subsp. *remota* (Ehrend.) Ehrend., 244
subsp. *transcaucasia* (Ehrend.) Ehrend., 244
glauca [A. Rich. ex] DC, 244
subsp. *glauca* Ehrend., 244

- Crucianella*—continued
 subsp. *pontica* Ehrend., 244
 var. *genuina* Boiss., 244
sorgerae Ehrend., 243
Cryptolepis buchananii Roem. & Schult., 132, 133
 CULLEN, J.
 A preliminary survey of ptyxis (vernation) in the Angiosperms, 161
 CULLEN, J. & CHAMBERLAIN, D. F.
 A preliminary synopsis of the genus *Rhododendron*: II, 327
Cumminsiella mirabilissima (Peck) Nannf., 491
Cyananthus albiflorus Chamberlain, 147
Cynanchum alatum Wight & Arn., 133
argyi [Schltr. ex] Lévl., 133
auriculatum [Royle ex] Wight, 133
boudieri Lévl. & Van., 133
bodinieri [Schltr. ex] Lévl., 144
caudatum auct. non (Miq.) Max., 133
leveilleianum [Schltr. ex] Lévl., 134
mairei [Schltr. ex] Lévl., 133
mooreanum Hemsl., 133
officinale (Hemsl.) Tsiang & Zhang, 134
tylophoriodeum [Schltr. ex] Lévl., 133
verticillatum Hemsl., 134
yunnanense Lévl., 134
Cynoglossum basuticum [Weim. ex] Guillarmod, 287
cavaleriei Lévl., 142
spelaeum Hilliard & Burt, 287
Cyrtandra occidentalis Balakr. & Burt, 153
- Damnacanthus esquirolii* Lévl., 130
lancifolius (Makino) Koidzumi, 130
Daphne bodinieri Lévl., 130
 DAVIDIAN, H. H.
Rhododendron montroseanum, 338
 DAVIS, P. H.
 Flowering Plants of the World (review), 339
 DAVIS, P. H. & EDMONDSON, J. R.
 Flora of Turkey: a floristic bibliography, 273
 DAVIS, P. H. & SORGER, F.
 A new *Campanula* from Anatolia, 265
Delosperma repens L. Bolus, 305
Delphinium albiflorum DC., 267
apetalum Huth., 443
Dianthus cibrarius Clem., 269
Disclia rotundifolia Hiern, 313
Diclis reptans Benth., 311, 313
 var. *serratodentata* O. Kuntze, 311
 var. *subedentata* O. Kuntze, 313
rotundifolia (Hiern) Hilliard & Burt, 313
Dischidia esquirolii (Lévl.) Tsiang, 134
yunnanensis Lévl., 136, 151
Doronicum L., The genus in Iran, 67
- Doronicum* L.
 sect. *Doronicastrum* Cavill., 72
 sect. *Doronicum*, 72
 subsect. *Isaurica* Edmondson, 72
 subsect. *Macrophylla* Cavill., 67, 72
bracteatum Edmondson, 70
calicifolium Boiss. & Heldr., 72
catractarum Widder, 72
dolichotrichum Cavill., 70
hakkiaricum Edmondson, 68
hyrcanum Widder & Rech. fil., 68
macrophyllum [Fischer ex] Hornem.
 var. *psilocarpum* Boiss., 71
maximum Boiss. & Huet, 71
wendelboi Edmondson, 68
Drosophila glareosa Favre, 376
rigidipes (Peck) Murrill, 376
- Ecdysanthera rosea* Hook. & Arn., 131
Echinophora, 65
cinerea (Boiss.) Hedge & Lamond, 65
Echinophoreae, further notes on Umbelliferae-, 61
Echinospermum heteracanthum Ledeb., 288
lappula (L.) Lehm., 288
Echium connatum Lévl., 143
 EDMONDSON, J. R.
 The genus *Doronicum* L. in Iran, 67
 Mouterde continued (review), 284
 EDMONDSON, J. R. & DAVIS, P. H.
 Flora of Turkey: a floristic bibliography, 273
 EHRENDORFER, F. & SCHÖNBECK-TEMESY, E.
 Materials for a Flora of Turkey XXXVI: Rubiaceae II, 243
Ehretia acuminata R. Br.
 var. *obovata* (Lindl.) I. M. Johnston, 143
argyi Lévl., 143
dunniana Lévl., 143
esquirolii Lévl., 143
serrata Roxb.
 var. *obovata* Lindl., 143
Elatine triandra Schkuhr, 297
Endophyllum euphorbiae-sylvaticae (DC.) Wint., 492
Entada "Entity C" Brenan, 348
pursaetha DC.
 subsp. *sinohimalensis* Grierson & Long, 348
scandens sensu Baker, 348
Epilobium minutiflorum Hausskn., 270
Erigeron acer L.
 subsp. *acer*, 271
Erythraea chaneti Lévl., 137
meyeri Bge., 137
Esquirolia sinensis Lévl., 128
Euphorbia lucidissima Lévl. & Van., 136
Euphorbiopsis lucidissima (Lévl. & Van.) Lévl., 136

- FEINBRUN, NAOMI
A new iris from Israel, 75
Ferula rigidula DC., 271
Ferulago cinerea Boiss., 65
Ficus (?) *corymbigera* Lévl. & Van., 150
Fletcher, Harold Roy, 1907-1978. Regius Keeper 1956-1970. Her Majesty's Botanist in Scotland 1967-1978, 237
Flora of Turkey: a floristic bibliography, 273
Floristic patterns along the Western Ghats of India, 95
Fontanesia argyi Lévl., 126
fortunei Carr., 126
Frangula alnus Miller
subsp. *alnus*, 269
Fraxinus fauriei Lévl., 126
griffithii C.B.Cl., 126
Frommea obtusa (Str.) Arth., 481
Further notes on Umbelliferae-Echinophoreae, 61
- Galium basalticum* Ehrend. & Schönb.-Tem., 256
baytopianum Ehrend. & Schönb.-Tem., 254
brevifolium Sm.
subsp. *brevifolium*, 259
subsp. *insulare* Ehrend. & Schönb.-Tem., 260
campanelliferum Ehrend. & Schönb.-Tem., 250
capitatum sensu Barbey, 262
caudatum Boiss.
var. *chium* Boiss. & Orph., 259
exurgens Ehrend. & Schönb.-Tem., 263
fissurense Ehrend. & Schönb.-Tem., 249
floribundum Sm.
subsp. *airoides* [Hub.-Mor. ex] Ehrend. & Schönb.-Tem., 262
subsp. *floribundum*, 262
hierosolymitanum sensu Boiss., 263
huber-morathii Ehrend. & Schönb.-Tem., 253
hypoxylon Ehrend. & Schönb.-Tem., 255
incanum Sm.
subsp. *centrale* Ehrend., 257
isauricum Ehrend. & Schönb.-Tem., 259
longeapiculatum Hausskn., 263
margaceum Ehrend. & Schönb.-Tem., 249
nebulosum Boiss., 262
papilliferum Ehrend. & Schönb.-Tem., 253
parvulum [Hub.-Mor. ex] Ehrend. & Schönb.-Tem., 257
pseudocapitatum [Hub.-Mor. ex] Ehrend. & Schönb.-Tem., 262
pseudointricatum Cand., 262
radulifolium Ehrend. & Schönb.-Tem., 251
runcinatum Ehrend. & Schönb.-Tem., 263
scopulorum Schönb.-Tem., 252
- setuliferum* Ehrend. & Schönb.-Tem., 254
sorgerae Ehrend. & Schönb.-Tem., 257
stepparum Ehrend. & Schönb.-Tem., 259
tolosianum sensu Ehrend., 254
tortumense Ehrend. & Schönb.-Tem., 264
zabense Ehrend., 255
Gentiana aomorenensis Lévl., 139
auriculata Pallas, 139
axillariflora Lévl. & Van., 138
var. *naitoana* (Lévl. & Faurie) Koidz., 138
blinii Lévl., 137
bodinieri Lévl., 137
epichysantha Hand.-Mazz., 138
esquirolii Lévl., 138
fauriei Lévl. & Van., 139
makinoi Lévl. & Van., 137
mairei Lévl., 138
microdonta Franch. apud Hemsl., 137
naitoana Lévl. & Faurie, 138
nipponica Maxim., 137
panthaica Burkill, 138
var. *epichysantha* (Hand.-Mazz.) H. Sm., 138
phyllopoda Lévl., 137
reynieri Lévl., 138
rigescens Franch., 138
var. *japonica* Kusnez., 138
taquetii Lévl., 139
triflora Pall.
var. *japonica* (Kusnez.) Hara, 138
vaniotii Lévl., 138, 139
volubilis D. Don, 142
zollingeri Fawcett, 139
Gentianella auriculata (Pallas) Gillett, 139
George Johnston's lichen herbarium at the R.B.G., Edinburgh, 381
Gesneriaceae of the Old World, Studies in the, XLV: a preliminary revision of Monophyllaea, 1; XLVI: a second Cyrtandra on the Nicobar Islands, 153
GIBBS, P. E.
Angiosperm classification and evolution (review), 59
GIBBS, P. E., MARSHALL, D. & BRUNTON, D.
Studies on the cytology of *Oxalis tuberosa* and *Tropaeolum tuberosum*, 215
GILBERT, O. L. & COPPINS, B. J.
George Johnston's lichen herbarium at the R.B.G., Edinburgh, 381
Gladiolus dalenii Geel, 297
natalensis Hook., 297
psittacinus Hook., 297
pugioniformis Hilliard & Burtt, 299
Glumicalyx alpestris (Diels) Hilliard & Burtt, 315
var. *nutans* (Rolfe) Hilliard & Burtt, 315
Gongronema nepalense (Wall.) Decne, 135
yunnanense Lévl., 134
Gonioma kamassi E. Mey., 286
Grammatotheca bergiana (Cham.) Presl, 291

- GRIERSON, A.
The Herbs of Dehra Dun (review), 112
- GRIERSON, A. J. C. & LONG, D. G.
Notes relating to the flora of Bhutan: II, 341
- Griffith, William and R. E. Cooper, The Bhutanese itineraries of, 355
- GÜNER, A. & PEŞMEN, H.
New records from S W Anatolia (C3), 267
- Gymnosporia acuminata* [Hook. f. ex] Laws, 341
- Gymnosporangium asiaticum* [Miyabe ex] Yamada, 482
- clavariiforme* (Pers.) DC, 481
- confusum* Plowr., 481
- fuscum* DC., 481
- juniperi-virginianae* Schw., 482
- sabinae* [Dicks.] Wint., 481
- Gynura sarcobasis* DC., 295
- Halenia elliptica* D. Don
var. *grandiflora* Hemsl., 139
- var. *vaniotii* Lévl., 139
- Harold Roy Fletcher, 1907-1978. Regius Keeper 1956-1970. Her Majesty's Botanist in Scotland 1967-1978, 237
- HEDGE, I. C.
Chorology of C European plants (review), 326
- The Flora of Cyprus vol. 1 (review), 73
- The tangle of tamarisks (review), 474
- HEDGE, I. C. & LAMOND, J. M.
Further notes on Umbelliferae-Echinophoreae, 61
- HEDGE, I. C., LAUENER, L. A. & TAN, H. K.
The Flora of China (review), 467
- Helianthemum ledifolium* (L.) Miller
var. *lasiocarpum* (Willk.) Bornm., 268
- Herniaria micrantha* A. K. Jackson & Turrill, 269
- HENDERSON, D. M.
Harold Roy Fletcher 1907-1978. Regius Keeper 1956-1970. Her Majesty's Botanist in Scotland 1967-1978, 237
- HENDERSON, D. M. & BENNELL, A. P.
British rust fungi: additions and corrections, 475
- Hesperantha crocopsis* Hilliard & Burt, 302
- schlepeana* Hilliard & Burt, 302
- Heterostemma esquirolii* (Lévl.) Tsiang, 134
- HILLIARD, O. M. & BURTT, B. L.
Notes on some plants of southern Africa chiefly from Natal: VIII, 285
- Holboellia latifolia* Wall., 134
- Holostemma sinense* Hemsl., 135
- Holosteum umbellatum* L.
var. *umbellatum*, 268
- Horsfieldia* Chiffot, 21
- javanica* Chiffot, 43
- Hoya bhutanica* Grierson & Long, 353
- carnosa* auct. non R. Brown, 134
- cavaleriei* Lévl., 134
- esquirolii* Lévl., 134
- lyi* Lévl., 134
- Hoyopsis dielsii* Lévl., 135
- Hyalopsora adianti-capilli-veneris* Syd., 476
- Hypholoma rigidipes* Peck, 376
- rugeocephala* Atkinson, 376
- Hypoxis decumbens* L., 286
- Incarvillea argyi* Lévl., 146
- India, Floristic Patterns along the Western Ghats of, 95
- Indigofera cassioides* DC., 342
- cylindracea*, 345
- cylindracea* [Wall. ex] Baker, 342
- exilis* Grierson & Long, 342
- gerardiana* [Wall. ex.] Baker, 342
- heterantha* [Wall. ex] Brandis, 342
- leptostachya* DC., 342
- leptostachya* sensu Baker, 342
- pseudoreticulata* Grierson & Long, 345
- pulchella* sensu Baker, 342
- Ipomoea acetosaeifolius* (Vahl.) Roem & Schult., 146
- aquatica* Forsk., 145
- brasiliensis* (L.) Sw., 145
- chanetii* Lévl., 146
- fauriei* Lévl., 145
- hungaiensis* Lingelsh. & Borza, 145
- koloaensis* Lévl., 146
- martinii* Lévl., 145
- nil* (L.) Roth, 145
- pes-caprae* (L.) R. Br.
subsp. *brasiliensis* (L.) van Ooststr., 145
- purpurea* (L.) Roth., 146
- quamoclit* L., 146
- stolonifera* (Cyr.) J. F. Gmel., 146
- vaniotiana* Lévl., 145
- wilsonii* Gagnep., 145
- Iris, A new from Israel, 75
- Iris regis-uzziae* Feinbr., 75
- Jacobaea* (Cass.) Dumort., 394
- Jacquemontia ovalifolia* (Vahl.) Hall. f., 296
- Jasminum amplexicaule* [Buch.-Ham. ex] G. Don, 126
- beesianum* Forrest & Diels, 126
- blinii* Lévl., 127
- badinieri* Lévl., 128
- delafieldii* Lévl., 127
- duclouxii* (Lévl.) Rehder, 126, 131
- dumicolum* W. W. Sm., 126
- dunnianum* Lévl., 127
- esquirolii* Lévl., 126
- floridum* Bunge, 127
- humile* L., 127
- var. *siderophyllum* (Lévl.) Kobuski, 127
- lanceolarium* Roxb.
- var. *puberulum* Hemsl., 127

- Jasminum*—continued
laurifolium Roxb.
 var. *villosum* Lévl., 127
mairei Lévl., 127
 var. *siderophyllum* Lévl., 127
multiflorum (Burm. f.) Andrews, 126
nervosum Lour.
 var. *villosum* (Lévl.) Chia, 127
Jasminum polyanthum Franch., 127
prainii Lévl., 127
schneideri Lévl., 126
seguinii Lévl., 127
sinense Hemsl., 128
valbrayi Lévl., 126
 Johnston, George, Lichen herbarium at the R.B.G. Edinburgh, 381
- Kaempferia ethelea*, 325
Khadia acutipetala (N.E.Br.) N. E. Br., 306
Knowltonia transvaalensis Szyszyl., 307
 Koch, C. The Turkish and Caucasian Collections of, II: Caucasia, 79
Kruberia caffra Eckl. & Zeyh., 325
Kuhneola uredinis (Link) Arth., 481
Kunkelia nitens (Schw.) Arth., 481
- LACK, H. W.
 The Turkish and Caucasian Collections of C. Koch II: Caucasia, 79
Lacrymaria & *Panaeolus*, Studies in the genera, 369
Lacrymaria asperospora (Cleb.) Watling, 370
glareosa (Favre) Watling, 376, 378
rigidipes (Peck) Watling, 376, 378
rugeocephala (Atk.) Watling, 376, 378
sepulchralis (Singer, Smith & Guzmán) Watling, 376
subcinnamomea (Smith) Watling, 376
 cf. *subcinnamomea*, 379
velutina, (Pers. ex Fr.) Konrad & Maublanc, 370, 379
- LAMOND, J. M. & HEDGE, I. C.
 Further notes on Umbelliferae-Echinophoreae, 61
Lappula echinata Gilib., 288
 var. *heteracantha* (Ledeb.) O. Kuntze, 288
squarrosa (L.) Dumort.
 subsp. *heteracantha* (Ledeb.) Chater, 288
- Lapsana communis* L.
 subsp. *intermedia* (Bieb.) Hayek, 271
Lathyrus aureus (Stev.) Brandza, 270
- LAUENER, L. A.
 Catalogue of the names published by Hector Léveillé: XII, 125
- LAUENER, L. A. & TAMURA, M.
 A synopsis of *Aconitum* subgenus *Lycotomum*: II, 431
 A synopsis of *Aconitum* subgenus *Paraconitum*: I, 113
- Laurentia arabidea* (Presl) A.DC., 292
Lettsomia seguinii Lévl., 144
 Léveillé, Hector. Catalogue of the names published by: XII, 125
Ligustrum argyi Lévl., 128
bodinieri Lévl., 128
delavayanum Hariot, 128
 var. *ionandrum* (Diels) Lévl., 128
esquirolii Lévl., 128
fauriei (Lévl.) Nakai, 129
ionandrum Diels, 128
japonicum Thunb., 128
lucidum Ait., 128
 var. *esquirolii* Lévl., 128
mairei Lévl., 129
phillyrea Lévl., 128
quihoui Carr., 128
sinense Lour.
 var. *myrianthum* (Diels) Hoefk., 128
taquetii Lévl., 128
thea Lévl., 128
vanioti Lévl., 126
Limnanthemum coreanum Lévl., 140
esquirolii Lévl., 140
parvifolium auct., 140
taquetii Lévl., 140
Linum austriacum L.
 subsp. *austriacum*, 269
Lithospermum albiflorum Van., 143
hancockianum Oliver, 142
komarovianum Lévl., 142
mairei Lévl., 142
officinale L., 143
Lomatogonium forrestii (Balf. f.) Fern, 140
- LONG, D. G.
 The Bhutanese itineraries of William Griffith and R. E. Cooper, 355
 LONG, D. G. & GRIERSON, A. J. C.
 Notes relating to the flora of Bhutan: II, 341
Lonicera cavaleriei Lévl., 128
rehderi Lévl., 128
Lycotomum ajanense Steinb., 450
ajanense (Steinb.) Nakai, 451
 var. *sachalinense* Nakai, 451
albo-violaceum (Kom.) Nakai, 436
 var. *fuscescens* Nakai, 436
 var. *purpurascens* (Nakai) Nakai, 436
barbatum (Pers.) Nakai, 446
chrysopilum (Nakai) Nakai, 439
excelsum (Reichb.) Nakai, 452
fudjisanense (Nakai) Nakai, 436
gigas (Lévl. & Van.) Nakai, 458
 var. *minus* (Nakai) Nakai, 451
 var. *tatewakii* (Miyabe) Nakai, 458
kirinense (Nakai) Nakai, 448
 var. *villipes* Nakai, 448
koisikawense (Nakai) Nakai, 440
loczyanum (Rapcs.) Nakai, 436, 440
longicassidatum (Nakai) Nakai, 439
ochranthum (C. A. Mey.) Nakai, 448

Lycoctonum—continued

- paishanense* (Kitagawa) Nakai, 457
 var. *hondoense* Nakai, 459
 var. *minus* (Nakai) Nakai, 451
pseudolaeva (Nakai) Nakai, 437
 var. *volubile* Nakai, 436, 437, 440
 f. *flexuosum* (Nakai) Nakai, 436
pterochaete (Koidz.) Nakai, 439
pteropus (Nakai) Nakai, 441
puchonroenicum Uyeki & Satake, 456
quelapaertense (Nakai) Nakai, 438, 440
ranunculoides auct. non (Turcz.) Nakai, 456
ranunculoides (Turcz. ex Ledeb.) Nakai, 450
scaposum (Franch.) Nakai, 119
shansiense Nakai, 453
sibiricum (Poir.) Nakai, 446, 448
sinomontanum (Nakai) Nakai, 453
siromense (Nakai) Nakai, 439
togashii Nakai, 453

- Maesa scandens* Lévl., 147
Mairella yunnanensis Lévl., 147
Mandragora caulescens C.B.Cl., 147
Manulea elliotensis [Overkott ex] Guillarmod, 315
 paniculata Benth., 315
 platystigma Hilliard & Burt, 315
Marsdenia cavaleriei (Lévl.) Hand.-Mazz. ex Woodson, 135
 oreophila W. W. Sm., 134
 stenantha Hand.-Mazz., 135
 tenacissima (Roxb.) Wight & Arn., 135
 yunnanensis (Lévl.) Woodson, 134, 135
 MARSHALL, D., BRUNTON, D. & GIBBS, P. E. Studies on the cytology of *Oxalis tuberosa* and *Tropaeolum tuberosum*, 215
 Materials for a flora of Turkey XXXVI: Rubiaceae II, 243
 MATHEW, BRIAN, BRIGHTON, C. A. & BAYTOP, T. Taxonomic and cytological notes on Asiatic *Crocus*, 469
Maytenus oxyphylla Grierson & Long, 341
 Mediterranean species of *Senecio* sections *Senecio* and *Delphinifolius*, 387
Meizotropis buteiformis [buteaeformis] Voigt, 346
Melampsora allii-fragilis Kleb., 481
 betulina Desm., 479
 epitea Thüm.
 var. *epitea*, 480
 hypericorum Wint., 479
 larici-populina Kleb., 479
 lini (Ehrenb.) Desm., 479
 padi (Kze. & Schm.) Wint., 478
 populnea (Pers.) Karst., 480
 vacciniorum (Link.) Schroet., 479
 vitellinae (DC.) Thüm., 480

- Melampsorella caryophyllacearum* Schroet., 478
 symphyti Bub., 478
Melampsoridium betulinum (Fr.) Kleb., 479
 hiratsukanum Ito, 478
Meliosma pinnata (Roxb.) Walp.
 subsp. *arnottiana* (Walp.) Bens., 126
Melodinus bodinieri Lévl., 132
 cavaleriei Lévl., 132
 chaffanjonii Lévl., 131
 duclouxii Lévl., 126, 131
 dunnii Lévl., 132
 edulis Lévl., 131
 esquirolii Lévl., 131
 flavus Lévl., 131
 fusiformis [Champ. ex] Benth., 151
 ? *fusiformis* Champ., 129
 hemsleyanus Diels., 131
 sinensis (Hemsl.) H. H. Hu, 135
Melodium dunnii Lévl., 132
Menyanthes indica L., 140
Mesembryanthemum acutipetalum N.E.Br., 306
 putterillii L. Bolus, 306
Metaplexis cavaleriei Lévl., 135
 hemsleyana Oliv., 151
 sinensi (Hemsl.) H. H. Hu, 135
Milesia magnusiana (Jaap) Faull, 476
Milesina blechni Syd., 476
 kriegeriana (Magn.) Magn., 476
 vogesiana Syd., 476
 whitei (Faull) Hirats., 476
Minuartia hybrida (Vill.) Schischk.
 subsp. *turcica* McNeill, 268
Mitreola pedicellata Benth., 143
Moenchia mantica (L.) Bartl.
 subsp. *caerulea* (Boiss.) Clapham, 268
 Monophyllaea, Studies in the Gesneriaceae of the Old World XLV: A preliminary revision of, 1
Monophyllaea R. Br., 20
 subgen. *Monophyllaea*, 22
 subgen. *Moultonia* (Balf. fil. & W. W. Sm.) B. L. Burt, 22
 andersonii B. L. Burt, 50
 anthocrena B. L. Burt, 35
 beccarii C.B.Cl., 28
 brevipes S. Moore, 30
 caulescens B. L. Burt, 45
 cupiflora B. L. Burt, 53
 var. *aggregata* B. L. Burt, 54
 var. *cupiflora*, 53
 elongata B. L. Burt, 48
 eymae B. L. Burt, 30
 finisterrae Schlechter, 56
 fissilis B. L. Burt, 52
 furcipila Ohwi, 34
 var. *pustulata* Ohwi, 34
 glabra Ridley, 38
 glandulosa B. L. Burt, 49

Monophyllaea—continued

- glauca* C.B.Cl., 25
 var. *beccarii* (C.B.Cl.) B. L. Burtt, 28
 var. *boraginea* B. L. Burtt, 28
 var. *glauca*, 26
 var. *hirta* B. L. Burtt, 26
 var. *versipes* B. L. Burtt, 28
hirtella Miq., 47
hirticalyx Franch., 39
horsfieldii R. Br., 43
 var. *hendersonii* B. L. Burtt, 45
 var. *horsfieldii*, 43
hottae B. L. Burtt, 50
insignis B. L. Burtt, 54
 var. *insignis*, 55
 var. *rubriflora* B. L. Burtt, 55
johannis-winkleri Kraenzlin, 32
kostermansii B. L. Burtt, 38
leuserensis B. L. Burtt, 46
longipes Kraenzlin, 41
merrilliana Kraenzlin, 32
 aff. *merrilliana* Kraenzlin, 34
papuana Lauterb., 56
patens Ridl., 39
pendula B. L. Burtt, 47
pygmaea C.B.Cl., 43
ramosa B. L. Burtt, 36
sarangica B. L. Burtt, 43
selaborensis B. L. Burtt, 42
singularis (Balf. fil. & W. W. Sm.) B. L. Burtt, 37
 var. *semiflorens* B. L. Burtt, 37
 var. *singularis*, 37
stellata B. L. Burtt, 35
tenuis B. L. Burtt, 41
tetrasepala B. L. Burtt, 31
wildeana B. L. Burtt, 57
Moultonia Balf. fil. & W. W. Sm., 21, 22
singularis Balf. fil. & W. W. Sm., 37

Natal, Notes on some plants of southern Africa chiefly from: VIII, 285
 New *Campanula* from Anatolia, 265
 New records from SW Anatolia (C3), 267
Nicandra anomala Link. & Otto, 148
 Notes on some plants of southern Africa chiefly from Natal: VIII, 285
 Notes relating to the flora of Bhutan: II, 341
Nothocestrum longifolium A. Gray, 147
Nycterinia lychnidea D. Don, 316
Nymphoides coreana (Lévl.) Hara, 140
indica (L.) O. Kuntze, 140

- Ochrospora ariae* (Fuck.) Ramsb., 476
Omphalodes bodinieri Lévl., 143
cavaleriei Lévl., 143
esquirolii Lévl., 144
mairei Lévl., 144
vaniotii Lévl., 144
Onobrychis caput-galli (L.) Lam., 270
Ononis sessilifolia Bornm., 270

- Ophelia bimaculata* Sieb. & Zucc., 140
macroserpa C.B.Cl., 141
Ophiorrhiza esquirolii Lévl., 127
Orlaya daucoides (L.) Greuter, 271
Osmanthus delavayi Franch., 128
Osmothamnus DC., 327
fragrans (Adams) DC., 328
pallidus (Turcz. ex) DC., 328
Oxalis tuberosa and *Tropaeolum tuberosum*, Studies on the cytology of, 215

- Paederia yunnanensis* (Lévl.) Rehder, 134
Panaeolus castaneifolius (Murrill) Smith, 377
joeniseccii (Pers. ex Fr.) Schroet., 377, 378
Panaeolus, Studies in the genera *Lacrymaria* &, 369
Parameria esquirolii Lévl., 131
Parnassia palustris L., 271
Paronychia arabica (L.) DC
 aff. subsp. *euphratica* Chaudhri, 269
Pentstemon esquirolii Lévl., 134
Pentstemon officinalis Hemsl., 134
Periploca aetnensis Lévl., 131, 135
 PEŞMEN, H. & GÜNER, A.
 New records from S. W. Anatolia (C3), 267

- Peucedanum* L., 320
caffrum (Meisn.) Phillips, 321
connatum [E. Mey ex] Sond., 321
magalismontanum Sond., 321
 aff. *magalismontanum* Sond., 322
meisnerianum [MacOwan ex] Engl., 321
platycarpum [E. Mey. ex] Sond., 322
schlechterianum Wolff, 322
wilmsianum Wolff, 323
Pharbitis hispida (Zucc.) Choisy, 146
nil (L.) Choisy, 145
Phragmidium bulbosum (Str.) Schlect., 480
fusiforme Schroet., 481
mucronatum (Pers.) Schlect., 480
rosae-pimpinellifoliae Diet., 480
rubi-idaei (DC.) Karst., 480
sanguisorbae (DC.) Schroet., 480
tuberculatum J. Müller, 480
violaceum (C. F. Schultz) Wint., 480
Phyllitis sagittata (DC.) Guinea & Heywood, 267
Physalis alkekengi L., 147
 var. *anthoxantha* Lévl., 147
angulata L., 148
bodinieri Lévl. & Van., 147
cavaleriei Lévl., 148
esquirolii Lévl., 148
fauriei Lévl. & Van., 147, 148
minima L., 147
pubescens L., 148
repens Nakai, 148
stramonifolia Wall., 148
Platydesma fauriei Lévl., 147
Pleurogyne bodinieri Lévl., 141
forrestii Balf. f., 140

- Pleurogyne*—continued
mairei Lévl., 141
 var. *rubropunctata* Lévl., 141
patens Lévl., 140
vanioti Lévl., 141
Podocarpus nerifolius D. Don., 130
Polycnemum arvense L., 269
Polygonum setosum Jacq., 269
Porana esquirolii Lévl., 146
gagnepainiana Lévl., 146
racemosa Roxb., 146
sinensis Hemsl., 146
Potentilla argyrophylla [Wall. ex] Lehm., 352
 353
 var. *leucochroa* Hook. f., 353
armerioides (Hook. f.) Grierson & Long,
 350
articulata sensu Fletcher, 350
atrosanguinea Lodd., 352
 var. *argyrophylla* (Lehm.) Grierson &
 Long, 353
 var. *cataclines* (Lehm.) Wolf, 353
biflora Schlecht.
 var. *armerioides* (Hook. f.) Hand.-
 Mazz., 350
detommasii Ten., 270
fruticosa L.
 var. *armerioides* Hook. f., 350
inclinata Vill., 270
sibbaldii Hall. f.
 var. *micrantha* Hook. f., 353
 Preliminary survey of ptyxis (vernation) in
 the Angiosperms, 161
 Preliminary synopsis of the genus *Rhododen-*
dron: II, 327
Prunus divaricata Ledeb.
 subsp. *divaricata*, 270
Psathyrella rigidipes (Peck) A. H. Smith, 376
rugeocephala (Atk.) Smith, 376
sepulchralis Singer, Smith & Guzmán, 376
subcinnamomea Smith, 376
Psilocybe asperospora Clel., 370
 Ptyxis (vernation), A preliminary survey in
 the Angiosperms, 161
Puccinia acetosae Körnicke, 484
aegopodii Röhl., 484
allii Rud., 486
antirrhini Diet. & Holw., 484
apii Desm., 484
arenariae (Schum.) Wint., 482
argentata (C. F. Schultz) Wint., 483
asparagi DC., 487
brachypodii Otth, 488
 var. *arrhenatheri* (Kleb.) Cummings &
 Greene, 489
 var. *brachypodii*, 489
 var. *poae-nemoralis* (Otth) Cummings &
 Greene, 489
brunellarum-moliniae Cruchet, 490
calcitrapae DC., 485
caricina DC., 488
carthami Corda, 485
chrysanthemi Roze, 485
clintonii Peck.
 var. *sylvaticae* Savile, 484
coronata Corda, 489
erechthitis McAlp., 486
eriophori Thuem., 487
fergussonii Berk. & Br., 482
festucae Plowr., 484
gentianae Röhl., 484
glomerata Grev., 485
graminis Pers., 489
 subsp. *graminicola*, 489
 subsp. *graminis*, 489
 var. *graminis*, 489
 var. *stakmanii*, 489
helianthi Schw., 485
holcina Eriks., 491
horiana P. Henn., 486
hydrocotyles Cooke, 484
iridis Rabh., 487
kusanoi Diet., 488
lagenophorae Cooke, 486
lapsanae Fuck., 486
longicornis Pat. & Hariot, 488
malvacearum Mont., 482
menthae Pers., 485
microsora Körnicke, 488
nemoralis Juel, 490
obscura Schroet., 487
oxalidis (Lév.) Diet. & Ellis, 483
pazschkei Diet., 483
pelargonii-zonalis Doidge, 482
poa-nemoralis Otth, 490
poarum Niels., 490
polygoni-amphibii
 var. *convolvuli* Arth., 484
porri (Sow.) Wint., 487
primulae Duby, 484
prostii Duby, 487
pygmaea Ericks., 490
recondita Rob. & Desm., 491
 f. sp. *agrostidis* Oud., 491
 f. sp. *bromina* Eriks., 491
 f. sp. *holcina* Eriks., 491
 f. sp. *persistens* Plowr., 491
 f. sp. *tritici* Eriks. & Henn., 491
saxifragae Schlecht., 483
schismi Bub., 491
schroeteri Pass., 487
senecionis Lib., 485
smyrnii Biv.-Bernh., 484
tanacetii DC., 486
thymi (Fuck.) Karst., 485
veronicae Schroet.
 f. sp. *spicatae* Gäum., 485
veronicae-longifoliae Savile, 485
vincae Berk., 484
Pucciniastrum areolatum (Fr.) Otth, 478
epilobii Otth, 478
goeppertianum (Kühn) Kleb., 478

- Pucciniastrum*—continued
guttatum (Schroet.) Hyl., Jørst. & Nannf., 478
vaccinii (Wint.) Jørst., 478
Pycnocycla, 61
aitchisonii Rech. f. & Riedl, 63
aucherana [Dcne. ex] Boiss.
var. *aucherana*, 64
var. *mesomorpha* (Rech. f., Aell. & Esfand.) Hedge & Lamond, 64
caespitosa [Boiss. & Hausskn. ex] Boiss., 63
glauca Lindl., 62
mesomorpha Rech. f., Aell. & Esfond., 64
musiformis Hedge & Lamond, 63
nodiflora [Dcne. ex] Boiss., 63
prostrata Hedge & Lamond, 62
spinosa [Dcne. ex] Boiss.
var. *aitchisonii* (Rech. f. & Riedl) Hedge & Lamond, 63
tomentosa Dcne., 63
Pycnostachys urticifolia Hook., 304
Pycnostelma esquirolii Lévl., 130
- Quamoclit pinnata* (Desr.) Bojer, 146
- Ranunculus heterorhizus* Boiss. & Kotschy, 267
- RAO, ROLLA SESHAGIRI
Floristic Patterns along the Western Ghats of India, 95
- Rapuntium arabideum* Presl, 292
- RATTER, J. A.
A family identification pocketbook (review), 380
- Reseda lutea* L., 307
- Rhododendron, A preliminary synopsis of the genus: II, 327
- Rhododendron*
subgen. *Eurhododendron* Sleumer, 328
subgen. *Hymenanthes* (Bl.) K. Koch, 328
subgen. *Lepidorrhodium* Koehne, 327
subgen. *Rhododendron*, 327
sect. *Hymenanthes* Bl., 328
sect. *Pogonanthum* D. Don, 327
sect. *Osmothamnus* (DC.) Maxim., 327
subsect. *Arborea* Sleumer, 328
subsect. *Argyrophylla* Sleumer, 328
subsect. *Auriculata* Sleumer, 329
subsect. *Campanulata* Sleumer, 329, 331, 332
subsect. *Caroliniana* Sleumer, 328
subsect. *Falconera* Sleumer, 330
subsect. *Floribunda* Sleumer, 328
subsect. *Fortunea* Sleumer, 330
subsect. *Fulgensia* Chamberlain, 331, 336
subsect. *Fulva* Sleumer, 331
- subsect. *Grandia* Sleumer, 331
subsect. *Griersoniana* [Davidson ex] Chamberlain, 332
subsect. *Lanata* Chamberlain, 332, 337
subsect. *Neriiflora* Sleumer, 332
subsect. *Parishia* Sleumer, 335
subsect. *Pontica* Sleumer, 335
subsect. *Venatora* Chamberlain, 336, 337
ser. *Anthopogon*, 327
ser. *Arboreum*, 328
ser. *Auriculatum*, 329
ser. *Campanulatum*, 329, 331, 332
ser. *Cephalanthum*, 327
ser. *Falconeri*, 330
ser. *Fortunei*, 330
ser. *Fulvum*, 331
ser. *Grande*, 331
ser. *Griersonianum*, 332
ser. *Irroratum*, 335
ser. *Neriiflorum*, 332
ser. *Ponticum*, 335
subser. *Arboreum*, 328
subser. *Argyrophyllum*, 328
subser. *Parishii*, 335
acraium Balf. f. & Sm., 327
adamsii Rehder, 328
adenopodum Franchet, 328
adoxum Balf. f. & Forr., 331
aemulorum Balf. f., 333
aeruginosum Hook. f., 329
agapetum Balf. f. & Ward, 335
agetum Balf. f. & Forr., 333
albertstenianum Forr., 332
anthopogon Don, 327
subsp. *anthopogon*, 327
subsp. *hypenanthum* (Balf. f.) Cullen, 327
anthopogonoides Maxim., 327
aperantum Balf. f. & Ward, 332
apodectum Balf. f. & W. W. Sm., 332
araliiforme Balf. f. & Forr., 331
arboreum Sm., 328
subsp. *arboreum*, 328
subsp. *campbelliae* (Hook. f.) Tagg, 328
subsp. *cinnamoneum* (Lindley) Tagg, 328
subsp. *delavayi* (Franchet) Chamberlain, 328
subsp. *nilagiricum* (Zenker) Tagg, 328
subsp. *zeylanicum* (Booth) Tagg, 328
var. *album* Wallich, 328
var. *cinnamoneum*, 328
var. *delavayi*, 328
var. *peramoenum* (Balf. f. & Forr.) Chamberlain, 328
var. *roseum* Lindley, 328
argyrophyllum Franchet, 329
subsp. *argyrophyllum*, 329
subsp. *hypoglauca* (Hemsl.) Chamberlain, 329

Rhododendron—continued

- subsp. *nankingense* (Cowan) Chamberlain, 329
- subsp. *omeiense* (Rehder & Wilson) Chamberlain, 329
- var. *nankingense* Cowan, 329
- var. *omeiense* Rehder & Wilson, 329
- arizelum* Balf. f. & Forr., 330
- asmenistum* Balf. f. & Forr., 334
- asteium* Balf. f. & Forr., 333
- asterochnoum* Diels, 336
- aureum* Georgi, 335
- var. *aureum*, 335
- var. *hypopitys* (Pojark.) Chamberlain, 335
- auriculatum* Hemsl., 329
- baeticum* Boiss. & Reuter, 335
- basilicum* Balf. f. & W. W. Sm., 330
- batemanii* Hook. f., 329
- beanianum* Cowan, 332
- brachycarpum* [D. Don ex] G. Don, 335
- subsp. *brachycarpum*, 335
- var. *roseum* Kordz., 335
- subsp. *fauriei* (Franchet) Chamberlain, 335
- brachycarpum* G. Don
- var. *lutescens* Kordz., 335
- brunneifolium* Balf. f. & Forr., 333
- burtii* P. Woods, 157
- calophytum* Franchet, 330
- var. *calophytum*, 330
- var. *openshawianum* (Rehder & Wilson) Chamberlain, 330
- campanulatum* D. Don, 329
- subsp. *aeruginosum* (Hook. f.) Chamberlain, 329
- subsp. *campulatum*, 329
- var. *aeruginosum* [Hook. f. ex] Cowan, 329
- var. *campbellii* Millais, 329
- campbelliae* Hook. f., 328
- cardiobasis* Hand.-Mazz., 331
- carolinianum* Rehder, 328
- catawbiense* Michaux, 335
- catocosum* [Balf. f. ex] Tagg, 332
- caucasicum* Pallas, 335
- cephalanthoides* Balf. f. & Sm., 327
- cephalanthum* Franchet, 327
- subsp. *cephalanthum*, 327
- subsp. *platyphyllum* (Franchet ex Balf. & Sm.) Cullen, 327
- var. *crebreflorum* (Hutch. & Ward) Cowan & Davidian, 327
- var. *nmaisense* (Hutch. & Ward) Cowan & Davidian, 327
- var. *platyphyllum* [Franchet ex] Diels, 327
- citriniflorum* Balf. f. & Forr., 332
- subsp. *aureolum* Cowan, 332
- subsp. *rupens* Cowan, 332
- var. *citriniflorum*, 332
- var. *horaeum* (Balf. f. & Forr.) Chamberlain, 332
- chaetomallum* Balf. f. & Forr., 333
- var. *glaucescens* Tagg & Forr., 333
- var. *hemigynum* Tagg & Forr., 333
- var. *xanthanthum* Tagg & Forr., 335
- chalanidstum* Balf. f. & Forr., 332
- chamaethomsonii* (Tagg & Forr.) Cowan & Davidian, 332
- var. *chamaedoron* (Tagg & Forr.) Chamberlain, 332
- var. *chamaethauma* (Tagg) Cowan & Davidian, 332
- var. *chamaethomsonii*, 332
- chamaetortum* Balf. f. & Ward, 327
- chapmanii* A. Gray, 328
- chengianum* Fang, 330
- chientanum* Fang, 329
- chihsinianum* Chun & Fang, 329
- chionanthum* Tagg & Forr., 332
- chlorops* Cowan, 336
- chrysanthum* Pallas, 335
- var. *nikomontanum* Komatzu, 335
- clivicolum* Balf. f. & Sm., 327
- cloiophorum* Balf. f. & Forr., 334
- subsp. *asmenistum* (Balf. f. & Forr.) Tagg, 334
- coelicum* Balf. f. & Farrer, 332
- collettianum* Aitchison & Hemsley, 327
- cookeanum* Davidian, 335
- coriaceum* Franchet, 330
- coryanum* Tagg & Forr., 329
- coryphaeum* Balf. f. & Farr., 331
- crebreflorum* Hutch. & Ward, 327
- cremnophilum* Balf. f. & Sm., 328
- cuthbertii* Small, 328
- daphniflorum* Diels, 327
- davidii* Franchet, 330
- decorum* Franchet, 330
- degronianum* Carrière, 335
- delavayi* Franchet, 328
- dendritrichum* Balf. f. & Forr., 331
- denudatum* Lévl., 329
- diaprepes* Balf. f. & W. W. Sm., 330
- dichroanthum* Diels, 332
- subsp. *apodectum* (Balf. f. & W. W. Sm.) Cowan, 332
- subsp. *dichroanthum*, 332
- subsp. *herpesticum* (Balf. f. & Ward) Cowan, 332
- subsp. *scyphocalyx* (Balf. f. & Forr.) Cowan, 332
- subsp. *septentrionale* Cowan, 332
- dimidiatum* Balf. f., 336
- diphrocalyx* Balf. f., 332
- discolor* Franchet, 330
- eclectum* x *pocophorum*, 333
- elliottii* Watt, 335
- epipastum* Balf. f. & Forr., 333
- erastum* Balf. f. & Forr., 332
- erigynum* Balf. f. & W. W. Sm., 335

Rhododendron—continued

- erubescens* Hutch., 331
euanthum Balf. f. & W. W. Sm., 331
euchaites Balf. f. & Forr., 333
euchroum Balf. f. & Ward., 332
eudoxum Balf. f. & Forr., 332
 subsp. *asteium* (Balf. f. & Forr.) Tagg, 333
 subsp. *brunneifolium* (Balf. f. & Forr.) Tagg, 333
 subsp. *epipastum* (Balf. f. & Forr.) Tagg, 333
 subsp. *glaphyrum* (Balf. f. & Forr.) Tagg, 335
 subsp. *mesopolium* (Balf. f. & Forr.) Tagg, 333
 subsp. *pothinum* (Balf. f. & Forr.) Tagg, 334
 subsp. *temenium* (Balf. f. & Forr.) Tagg, 334
 subsp. *trichomiscum* (Balf. f. & Forr.) Tagg, 331
 var. *brunneifolium* (Balf. f. & Forr.) Chamberlain, 333
 var. *eudoxum*, 332
 var. *mesopolium* (Balf. f. & Forr.) Chamberlain, 333
eximium Nuttall, 330
facetum Balf. f. & Ward, 335
faithae Chun, 330
falconeri Hook. f., 330
 subsp. *eximium* (Nuttall) Chamberlain, 330
 subsp. *falconeri*, 330
 var. *eximum* (Nuttall) Hook. f., 330
fargesii Franchet, 331
farinosum Lévl., 329
fauriei Franchet, 330
 var. *lutescens* (Kordz.) Takada, 335
fictolactum Balf. f., 330
flinckii Davidian, 332
floccigerum Franchet, 333
 subsp. *appropinquans* (Tagg & Forr.) Chamberlain, 333
 subsp. *floccigerum*, 333
 var. *appropinquans* Tagg & Forr., 333
floribundum Franchet, 329
fokinense Franchet, 329
fordii Hemsl., 329
formosanum Hemsl., 329
forrestii Balf. f., 333
 subsp. *chaetomallum* (Balf. f. & Forr.) Chamberlain, 333
 subsp. *forrestii*, 333
 subsp. *papillatum* Chamberlain, 333
 var. *repens* (Balf. f. & Forr.) Cowan & Davidian, 333
 var. *tumescens* Cowan & Davidian, 333
fortunei Lindley, 330
 subsp. *discolor* (Franchet) Chamberlain, 330
 subsp. *fortunei*, 330
 subsp. *mesopolium* (Balf. f. & Forr.) Cowan, 332
 subsp. *trichophlebium* (Balf. f. & Forr.) Cowan, 333
fulvoldes Balf. f. & Forr., 331
fulvum Balf. f. & W. W. Sm., 331
galactinum [Balf. f. ex] Tagg, 330
x geraldii (Franchet) Chamberlain, 330
giganteum [Forr. ex] Tagg, 331
 var. *seminudum* Tagg & Forr., 331
glanduliferum Franchet, 330
glaphyrum Balf. f. & Forr., 335
gracilipes Fr., 329
grande Wight, 331
griersonianum Balf. f. & Forr., 332
griffithianum Wight, 330
gymnocarpum [Balf. f. ex] Tagg, 333
gymnomiscum Balf. f. & Ward, 328
haematodes Franchet, 333
 subsp. *chaetomallum* Balf. f. & Forr., 333
 subsp. *haematodes*, 333
 subsp. *chaetomallum* x *stewartianum*, 335
haemaleum Balf. f. & Forr., 334
haematocheilum Craib, 331
haemonium Balf. f. & Cooper, 327
haofui Chun & Fang, 329
hedyosmum Balf. f., 328
hemidartum [Balf. f. ex] Tagg, 334
x hemigynum (Tagg & Forr.) Chamberlain, 333
hemsleyanum, 330
herpesticum Balf. f. & Ward, 332
hexamerum Hand.-Mazz., 331
himertum Balf. f. & Forr., 334
 subsp. *poliopeplum* (Balf. f. & Forr.) Tagg, 334
hodgsonii Hook. f., 330
hორაეum Balf. f. & Forr., 332
houlstonii Hemsl. & Wilson, 330
huianum Fang, 330
hunnewellianum Rehder & Wilson, 329
 subsp. *hunnewellianum*, 329
 subsp. *rockii* (Wilson) Chamberlain, 329
hymenanthes Makino, 335
hypenanthum Balf. f., 327
hyperythrum Hayata, 335
hypoglaucom Hemsl., 329
hypopitys Pojark., 335
insigne Hemsl. & Wilson, 329
jantgzwense Balf. f. & Forr., 332

Rhododendron—continued

- japonicum* (A. Gray) Suringar, 335
japonicum (Blume) Schneider, 335
 var. *japonicum*, 335
 var. *pentamerum* (Maxim.) Hutch., 335
kongboense Hutchinson, 327
kwangfuense Chun & Fang, 330
kyawi Lace & W. W. Sm., 335
lacteum Franchet
 var. *macrophyllum* Franchet, 330
lanatum Hook. f., 332
 var. *luciferum* Cowan, 332
lanigerum Tagg, 328
laudandum Cowan, 327
 var. *laudandum*, 327
 var. *temoense* [Kingdon Ward ex] Cowan & Davidian, 327
lediodos Balf. f. & Sm., 328
lepidanthum Balf. f. & Sm., 328
leucolasium Diels, 329
leucopetalum Balf. f. & Forr., 334
limprichtii Diels, 331
liratum Balf. f. & Forr., 332
longipes Rehder & Wilson, 329
 var. *chienianum* (Fang) Chamberlain, 329
 var. *longipes*, 329
lucidum Franchet, 331
luciferum (Cowan) Cowan, 332
macabeanum [Watt ex] Balf. f., 331
macrophyllum [D. Don ex] G. Don, 335
magnificum Ward, 331
makinoi Tagg, 336
mallosum Balf. f. & Ward, 333
mandarinorum Diels, 330
mannoneplum Balf. f. & Forr., 334
maximum L., 335
 var. *album* Pursh, 335
 var. *purpureum* Pursh, 335
megaphyllum Balf. f. & Forr., 330
mesopolium Balf. f. & Forr., 333
metternichii Sieb. & Zucc., 335
 var. *heptamerum* Maxim., 335
 var. *pentamerum* Maxim., 335
microgynum Balf. f. & Forr., 333
miniatum Cowan, 331
minus Michx., 328
 var. *chapmanii* (A. Gray) Duncan & Pullen, 328
 var. *minus*, 328
mollianum Koorders, 338
mollyanum Cowan & Davidian, 331
mombeigii Rehder & Wilson, 331
montroseanum Davidian, 331, 338
mutabile Webb, 329
nebrites Balf. f. & Forr., 334
neriiflorum Franchet, 333
 subsp. *agetum* (Balf. f. & Forr.) Tagg, 333
 subsp. *euchaites* (Balf. f. & Forr.) Tagg, 333

- subsp. *neriiflorum*, 330
 subsp. *phoenicodum* (Balf. f. & Farrer) Tagg, 330
nervulosum Sleum.
 var. *exuberans* Sleum., 159
nikomontanum (Komatzu) Nakai, 335
x nikomontanum (Komatzu) Ohwi, 335
nilagiricum Zenker, 328
niphargum Balf. f. & Ward, 331
niveum Hook. f., 328
nmaiense Hutch. & Ward, 327
nobile Wallich, 329
openshawianum Rehder & Wilson, 330
orbiculare Decne., 331
 subsp. *cardiobasis* (Hand.-Mazz.) Chamberlain, 331
 subsp. *orbiculare*, 331
oreodoxa Franchet, 331
 var. *fargesii* (Franchet) Chamberlain, 331
 var. *oreodoxa*, 331
parmulatum Cowan, 333
parishii Clarke, 335
peramoenum Balf. f. & Forr., 328
peregrinum Tagg, 336
perulatum Balf. f. & Forr., 333
phoenicodum Balf. f. & Farrer, 333
piercei Davidian, 333
pilovittatum Balf. f. & W. W. Sm., 328
pingianum Fang, 329
planetum Balf. f., 336
platyphyllum [Franchet ex] Balf. & Sm., 327
platypodium Diels, 331
pocophorum [Balf. f. ex] Tagg, 334
 var. *hemidartum* (Tagg) Chamberlain, 334
 var. *pocophorum*, 334
pogonophyllum Cowan & Davidian, 327
poliopeplum Balf. f. & Forr., 334
ponticum L., 335
 var. *brachycarpum* Boiss., 335
ponticum x caucasicum, 335
porphyrophyllum Balf. f. & Forr., 332
potaninii Batalin, 336
pothinum Balf. f. & Forr., 334
praestans Balf. f. & W. W. Sm., 331
praeteritum Hutch., 331
praevernium Hutch., 330
preptum Balf. f. & Forr., 330, 331
primuliflorum Bur. & Franchet, 327
 var. *cephalanthoides* (Balf. f. & Sm.) Cowan & Davidian, 328
 var. *lepidanthum* (Balf. f. & Sm.) Cowan & Davidian, 328
procerum Salisb., 335
prophantum Balf. f. & Forr., 335
protistum Balf. f. & Forr., 331
 var. *giganteum* (Tagg) Chamberlain, 331
 var. *protistum*, 331
pudorosum Cowan, 331

Rhododendron—continued

- punctatum* Andrews, 328
 var. 3 Ker, 328
puniceum Roxb., 328
purpureum (Pursh) D. Don, 335
purshii G. Don, 335
pyrrhoanthum Balf. f., 336
radium Balf. f. & Sm., 328
rarile Balf. f. & W. W. Sm., 330
regale Balf. f., 330
reginaldii Balf. f., 331
repens Balf. f. & Forr., 332, 333
 var. *chamaedoron* Tagg & Forr., 332
 var. *chamaethauma* Tagg, 332
 var. *chamaethomsonii* Tagg & Forr., 332
rex Lévl., 330
 subsp. *arizelum* (Balf. f. & Forr.) Chamberlain, 330
 subsp. *fictolacteam* (Balf. f.) Chamberlain, 330
 subsp. *rex*, 330
rhantum Balf., f. & W. W. Sm., 331
ririei Hemsl. & Wilson, 329
rockii Wilson, 329
roseotinctum Balf. f. & Forr., 334
rothschildii Davidian, 330
rotundifolium Davidian, 331
rufescens Franchet, 327
sanguineum Franchet, 334
 subsp. *aizoides* Cowan, 334
 subsp. *atrorubrum* Cowan, 334
 subsp. *cloiophorum* (Balf. f. & Forr.) Cowan, 334
 subsp. *consanguineum* Cowan, 334
 subsp. *didymoides* (Tagg. & Forr.) Cowan, 334
 subsp. *didymum* (Balf. f. & Forr.) Cowan, 334
 subsp. *haemaleum* (Balf. f. & Forr.) Cowan, 334
 subsp. *himertum* (Balf. f. & Forr.) Cowan, 334
 subsp. *masaeum* [Balf. f. ex] Cowan, 334
 subsp. *roseotinctum* (Balf. f. & Forr.) Cowan, 334
 subsp. *sanguineum*, 334
 var. *cloiophorum* (Balf. f. & Forr.) Chamberlain, 334
 var. *didymoides* Tagg & Forr., 334
 var. *haemaleum* (Balf. f. & Forr.) Chamberlain, 334
 var. *himertum* (Balf. f. & Forr.) Chamberlain, 334
 var. *sanguineum*, 334
 var. *sanguinoides* Cowan, 334
sargentianum Rehder & Wilson, 327
schistocalyx Balf. f. & Forr., 335
scyphocalyx Balf. f. & Forr., 332
seminoides Tagg & Forr., 330
semmum Balf. f. & Forr., 331
serotinum Hutch., 336
serpens Balf. f. & Forr., 332
sheltonii Hemsl. & Wilson, 331
sherriffii Cowan, 331
sidereum Balf. f., 331
sikangense Fang, 336
silvaticum Cowan, 328
simiarum Hance, 329
 subsp. *simiarum*, 329
 subsp. *youngae* (Fang) Chamberlain, 329
sinofalconeri Balf. f., 330
sinogrande Balf. f. & W. W. Sm., 331
 var. *boreale* Tagg & Forr., 331
smirnowii Trautv., 335
x sochadzeae Char & Davlian, 335
sperabile Balf. f. & Farrer, 334
 var. *sperabile*, 334
 var. *weihsiense* Tagg & Forr., 334
sperabiloides Tagg & Forr., 334
sphaeranthum Balf. f. & Sm., 328
sutchuenense Franchet, 330, 331
 var. *geraldii* Hutch., 330
sutchuenense x *praevernium*, 330
temenium Balf. f. & Forr., 333, 334
 subsp. *albipetalum* Cowan, 333
 subsp. *chrysanthum* Cowan, 334
 subsp. *dealbatum* Cowan, 334
 subsp. *gilvum* Cowan, 334
 subsp. *glaphyrum* (Balf. f. & Forr.) Cowan, 335
 subsp. *pothinum* (Balf. f. & Forr.) Cowan, 334
 subsp. *rhodanthum* Cowan, 333
 var. *dealbatum* (Cowan) Chamberlain, 334
 var. *gilvum* (Cowan) Chamberlain, 334
 var. *temenium*, 334
thayerianum Rehder & Wilson, 329
torquatum Balf. f. & Farrer, 332
trichomiscum Balf. f. & Forr., 332
trichophlebium Balf. f. & Forr., 332
trichostomum Franchet, 328
 var. *hedyosmum*, 328
 var. *ledoides*, 328
 var. *radinum* (Balf. f. & Sm.) Cowan & Davidian, 328
trilectorum Cowan, 335
tsariense Cowan, 332
tsarongense Balf. f. & Forr., 328
ungernii Trautv., 336
uvarifolium Diels, 331
 var. *griseum* Cowan, 331
venator Tagg, 336
vernicosum Franchet, 331
wallichii Hook. f., 329
wallichii x *arboreum*, 329
watsonii Hemsl. & Wilson, 331
wattii Cowan, 331
windsorii Nuttall, 328

Rhododendron—continued

- x *xanthanthum* (Tagg & Forr.) Chamberlain, 335
- yakusimanum* Nakai, 336
 - subsp. *makinoi* (Tagg) Chamberlain, 336
 - subsp. *yakusimanum*, 336
- youngae* Fang, 329
- zeylanicum* Booth, 328

Rhododendrons, Two Bornean, 157

- Richardia* L., 307
 - brasilensis* Gomes, 308
 - scabra* L., 308

ROLLA SESHAGIRI RAO

- Floristic patterns along the Western Ghats of India, 95

Rosa heckeliana Tratt.

- subsp. *orientalis* (Dupont) Meikle, 270
- iberica* Steven, 270

Rotala capensis (Harv.) Fernandes & Diniz, 304

- dinteri* Koehne, 305

Rubiaceae II, Materials for a Flora of Turkey, XXXVI, 243

- Ruschia putterillii* (L. Bolus) L. Bolus, 306
- Rust fungi, British: additions and corrections, 475

Scaligeria capillifolia Post, 271

- SCHÖNBECK-TEMESY, E. & EHRENDORFER, F. Materials for a Flora of Turkey XXXVI: Rubiaceae II, 243

Scopolia anomala (Link & Otto) Airy-Shaw, 148

- lurida* (Link & Otto ex Nees) Dunal, 148
- mairai* Lévl., 148
- stramonifolia* (Wall.) Shrestha, 148

Secamone esquirolii [Schltr. ex] Lévl., 135

- sinica* Hand.-Mazz., 135

Sedum cepaea L., 270

Selago nutans Rolfe, 315

Senecio, the Mediterranean species of sections Senecio and Delphinifolius, 387

Senecio

- subgen. *Jacobaea* Cass., 394
- subgen. *Obaejaca* Cass., 394
- sect. *Obaejacae* DC., 394
- sect. *Obaejacoideae* DC., 394
- sect. *Senecio*, 394
- sect. *Delphinifolius* Reichenb., 421

aegyptius L., 419

- var. *aegyptius*, 419
- var. *discoideus* Boiss., 419
- var. *verbenaeifolius* (Jacq.) Boiss., 419

aethnensis [Jan. ex] DC., 398

alboranicus Maire, 410

apulus Tenore, 400

arabicus L., 419

atlanticus Boiss. & Reut., 405

auriculatus Desf., 418

auritus Willd., 418

balansae Boiss. & Reut., 397

belbeysius Del., 420

belbeyticus Poiret, 420

byrnensis Hilliard, 295

calverti Boiss., 418

caroli-malyi Horvatić, 402

chalancei Humb., 395

chrysanthemifolius Poiret, 398

clavifolia Pomel, 420

coronopifolius Desf., 412

subsp. *massaicus* Maire, 416

var. *calycalatus* Emb. & Maire, 413

var. *subdentatus* (Ledeb.) Boiss., 413

crassifolius Willd., 400

var. *giganteus* Caballero, 400

var. *pinguiculus* (Pomel) Batt. & Trab., 400

cyrenaicus (Dur. & Barr.) Borzi, 407

decaisnei DC., 420

delphinifolius Vahl, 421

desfontainei Druce, 413

desquamatus Willd., 410

difficilis Dufour, 410

duriaei J. Gay, 394

erraticus Bertol., 395

exsquameus Brot., 410

flavus (Decne) Sch. Bip., 420

foeniculaceus Ten., 418

fradinii Pomel, 402

gallicus Vill., 410

subsp. *coronopifolius* Maire, 413

subsp. *hesperidium* (Jahandiez, Maire & Weiller) Maire, 415

subsp. *mauritanicus* (Pomel) Maire, 402

var. *ex-mauritanicus* Maire, 403

var. *lanigerus* (Batt.) Maire, 403

var. *araneosus* Emb. & Maire, 398

var. *laxiflorus* (Viv.) DC., 413

var. *mauritanicus* (Pomel) Pau, 402

var. *sonchifolius* Ball, 413

glaucescens Sprengel, 396

glaucus L., 411

subsp. *coronopifolius* (Maire) Alexander, 412

subsp. *glaucus*, 412

hesperidium Jahandiez, Maire & Weiller, 415

hoggariensis Batt. & Trab., 417

humilis Desf., 400

var. *pedunculosis* DC., 400

incrassatus Guss., 400

joppensis Dinsm., 412

kebdanicus Maire & Sennen, 403

krashennikovii Schischk., 414

laciniatus Bertol., 396

laxiflorus Viv., 412

leucanthemifolius Poiret, 399

subsp. *crassifolius* (Willd.) Batt., 400

subsp. *poiretanus* Maire, 400

var. *casablancae* Alexander, 405

var. *cyrenaicus* Dur. & Barr., 407

var. *fradinii* (Pomel) Batt., 402

Senecio—continued

- var. *lanigerus* Batt., 402
- var. *latisectus* Pau & Font Quer, 403
- var. *leucanthemifolius*, 400
- var. *major* Ball, 405
- var. *pau* Maire, 402
- var. *pectinatus* Guss., 400
- var. *pedunculatus* Fiori, 400
- var. *pinnatifidus* Fiori, 402
- var. *pygmaeus* (DC.) Fiori, 402
- var. *reichenbachii* Fiori, 400
- var. *typicus* Fiori, 400
- var. *vernalis* (Waldst. & Kit.) Alexander, 403
- var. *vernus* (Biv.) Fiori, 407
- lividus* L., 418
- marmorae* Moris, 400
- massaicus* (Maire) Maire, 416
- mauritanicus* Pomel, 402
- minutus* DC., 422
- montanus* Willd., 396
- nebrodensis* auct., 396
- nebrodensis* L., 394
 - var. *aurasiacus* Batt. & Trab., 397
 - var. *glabratus* DC., 396
 - var. *sardous* Fiori, 405
 - var. *siculus* Fiori, 397
- paradoxus* Hoppe, 396
- peduncularis* Griseb., 403
- pedunculatus* Edgew., 414
- petraeus* Boiss. & Reuter, 417
- pigiculus* Pomel, 400
- polycephalus* Ledeb., 403
- pygmaeus* DC., 402
- rapistroides* DC., 403
- rodriguezii* Willk., 408
- rupeellii* Sch. Bip., 413
- rupestris* Waldst. & Kit., 396
- salisii* Gay, 400
- salzmannii* Rouy, 400
- scheuzeri* Gaudin, 410
- squalidus* L., 395
 - subsp. *araneosus* (Emb. & Maire) Alexander, 398
 - subsp. *aurasiacus* (Batt. & Trab.) Alexander, 397
 - subsp. *squalidus*, 396
- squalidus* sensu Willd., 410
- subdentatus* Ledeb., 412
- sylvaticus* L., 418
- triflorus* L., 419
- trilobus* L., 420
- tymphrestus* Boiss. & Heldr., 418
- verbenaefolius* Jacq., 419
- vernalis* Waldst. & Kit., 403
 - var. *carnosus* Post, 412
- vernus* Biv., 407
- viscosus* L., 418
- vulcanicus* Boiss., 415
- vulgaris* L., 408

Seneciotypus Dumort, 394

- Seseli cafferum* Meisn., 321
- Sibbaldia cuneata* [Hornem. ex] O. Kuntze, 353
 - var. *micrantha* (Hook. f.) Grierson & Long, 353
- Silene armena* Boiss.
 - aff. var. *armena*, 269
 - biauriculata* Clarke, 140
 - capitellata* Boiss., 269
 - esquirolii* Lévl., 140
 - lycaonica* Chowdh., 269
- Sindechites esquirolii* (Lévl.) Woodson, 131
- henryi* Oliver, 131
- Solanum aculeatissimum* Jacq., 149
- alatum* Moench, 149
- anodontum* Lévl. & Van., 151
- bodinieri* Lévl. & Van., 149
- capsicastrum* [Link ex] Schauer, 150
- capsicoides* All., 149
- cavaleriei* Lévl. & Van., 149
- chenopodiifolium* Lévl., 149
- ciliatum* Lam., 149
- cornutum* Lam., 149
- diflorum* Vell., 150
- dunnianum* Lévl., 150
- erianthum* D. Don, 150
- fauriei* Lévl., 150
- Solanum ganchouenense* Lévl., 150
- heudesii* Lévl., 149
- mairei* Lévl., 150
- nigrum* L., 150
- nodiflorum* Jacq., 150
- surattense* Burm. f., 150
- verbascifolium* auct. non L., 150
- xanthocarpum* Schrad. & Wendl., 150
- Solidago virgaurea* L.
 - subsp. *virgaurea*, 271
- Sophora benthamii*, 346
- bhutanica* Ohashi, 346
- wightii* Baker
 - subsp. *bhutanica* (Ohashi) Grierson & Long, 348
- Sorbus torminalis* (L) Crantz
 - var. *pinnatifida* Boiss., 270
 - var. *torminalis*, 270
- SORGER, F. & DAVIS, P. H.
 - A new Campanula from Anatolia, 265
- Spergularia rubra* (L.) J. & C. Presl, 268
- Stenosemis* [E. Mey. ex] Sond., 324
- angustifolia* [E. Mey. ex] Sond., 324
- caffra* (Eckl. & Zeyh.) Sond., 325
- teretifolia* E. Mey., 325
- Stephanotis yunnanensis* Lévl., 135
- STEVENS, P. F.
 - Tropical trees and forests (review), 429
 - Studies in the genera *Lacrymaria* & *Panaeolus*, 369
 - Studies in the Gesneriaceae of the Old World XLV: a preliminary revision of Mono-

- phyllea, 1; XLVI: a second *Cyrtandra* on the Nicobar Islands, 153
 Studies on the cytology of *Oxalis tuberosa* and *Tropaeolum tuberosum*, 215
Suffrenia capensis Harv., 304
 Survey of the work of the Royal Botanic Garden Edinburgh in 1977, 221
 Survey of the work of the Royal Botanic Garden Edinburgh in 1978, 503
Sutera elliotensis Hiern, 315
 SW Anatolia (C3), New records from, 267
Swertia albobviolacea Lévl., 141
angustifolia [Buch.-Ham. ex] D. Don, 140
 var. *pulchella* Burkill, 140
biauriculata Lévl., 140
bimaculata (Sieb. & Zucc.) Hook. f. & Thomas. ex C.B.Cl., 140
cavaleriei Lévl., 141
cincta Burkill, 141
decora Franch., 141
esquirolii Lévl., 140
macrosperma (C.B.Cl.) C.B.Cl., 141
mairei Lévl., 140
nervosa (D. Don) C.B.Cl., 141
patens Burkill, 141
scandens Lévl., 141
 Synopsis of *Aconitum* subgenus *Lycotomum*: II, 431
 Synopsis of *Aconitum* subgenus *Paraconitum*: I, 113
Syringa fauriei Lévl., 129
 mairei (Lévl.) Rehder, 129
- TAKHTAJAN, ARMEN
 Flora of Turkey Vol. 6 (review), 272
Tamarix parviflora DC., 269
 TAMURA, M. & LAUENER, L. A.
 A synopsis of *Aconitum* subgenus *Lycotomum*: II, 431
 A synopsis of *Aconitum* subgenus *Paraconitum*: I, 113
Tarennia mollissima (Hook. & Arn.) Merrill, 143
 Taxonomic and cytological notes on Asiatic *Crocus*, 469
Thalictrum orientale Boiss., 267
 The genus *Doronicum* L. in Iran, 67
Trachelospermum axillare Hook f., 131, 135
 bodinieri (Lévl.) Woodson, 132
 cathayanum C. K. Schneid., 132
 cavaleriei Lévl., 132, 133
 dunnii (Lévl.) Lévl., 132
 esquirolii Lévl., 131
 gracilipes Hook. f., 132
 navillei Lévl., 129
 rubrinerve Lévl., 132
Trachyspora intrusa (Grev.) Arth., 495
Tragopogon buphthalmoides (DC.) Boiss. var. *buphthalmoides*, 271
Transschelia discolor (Fuck.) Tranz. & Litv., 491
 pruni-spinosae (Pers.) Diet., 492
Trichodesma calycosum Collett & Hemsl., 143
 hemsleyana Lévl., 143
Trigonotis bodinieri (Lévl.) Lévl., 143
 cavaleriei (Lévl.) Hand.-Mazz., 143
 macrophylla Van., 144
 mairei (Lévl.) I. M. Johnston, 144
 peduncularis Benth.
 var. *macrophylla* (Van.) Lévl., 144
Triosteum himalayanum [Wall. ex] Roxb., 143
Tripterospermum volubile (D. Don) Hara, 142
Tropaeolum tuberosum, Studies on the cytology of *Oxalis tuberosa* and, 215
Tubocapsicum anomalum (Franch. & Sav.) Makino, 151
 Turkish and Caucasian collections of C. Koch II: Caucasia, 79
 Two Bornean *Rhododendrons*, 157
Tylophora argyi [Schltr. ex] Lévl., 133, 135
 cavaleriei Lévl., 133
 dielsii (Lévl.) H.H.Hu, 135
 floribunda Miq., 135
 hoyopsis Lévl., 135
 kerrii Craib, 136
 leveilleana [Schltr. ex] Lévl., 136
 sp., 136
Tysonia africana Bolus, 289
 glochidiata R. Mill, 289
- Umbelliferae-Echinophoreae, Further notes on, 61
Uredo behnickiana P. Henn., 495
 epidendri P. Henn., 495
 goodyerae Tranz., 478
Uromyces aecidiiformis (Str.) Rees, 494
 aloes (Cooke) Magn., 494
 ambiguus (DC.) Fuck., 494
 appendiculatus (Pers.) Unger, 492
 behenis (DC.) Unger, 492
 betae Kickx., 492
 dactylidis Otth, 495
 dianthi (Pers.) Niessl., 492
 fallens (Arth.) Barth., 493
 ficariae Tul., 492
 gentianae Arth., 494
 geranii (DC.) Fries, 492
 limonii (DC.) Berk., 494
 lineolatus (Desm.) Schroet., 495
 minor Schroet., 493
 muscaria (Duby) Graves, 495
 nervophilus (Grognot) Hotson, 493
 pisi-sativi (Pers.) Liro, 493
 polygoni-aviculariae (Pers.) Karst., 494
 rumicis (Schum.) Wint., 494
 salicorniae de Bary, 492
 scrophulariae Fuck., 494
 sparsus (Schum. & Kze.) Cooke, 492

Uromyces—continued
transversalis (Thuem.) Wint., 494
trifolii (R. A. Hedw. ex DC.) Fuck., 493
trifolii-repentis Liro, 493
valerianae Fuck., 494
viciae-fabae (Pers.) Schroet., 493

Valerianella balansae Matthews, 271
carinata Lois, 271
Viburnum opulus L., 271

Wahlenbergia androsacea A.DC., 292
banksiana A.DC., 292
galpinii Phillips, 293
lobulata Brehmer, 293
monotropa Killick, 293
pinnata Compton, 293

WATLING, ROY
Studies in the genera *Lacrymaria* & *Panaeolus*, 369

Watsonia natalensis Eckl., 297
Wendlandia salicifolia [Franch ex] Costello, 128
Western Ghats of India, Floristic patterns along, 95
Wikstroemia bodinieri (Lévl.) Lévl., 130
hemsleyana Lévl., 130
WOODS, P. J. B.
Two Bornean *Rhododendrons*, 157
Wrightia schlechteri Lévl., 132
sikkimensis Gamble, 132

Xanthogalum purpurascens Lallemand, 271

Zaluzianskya lychnidea (D. Don) Walp., 316
rubrostellata Hilliard & Burt, 317
turritella Hilliard & Burt, 318