

GENERAL INDEX TO VOLUME 39

- Azalea ferruginosa* Pallas, 107
fragrans Adams, 167
lapponica Linnaeus, 107
makinoi (Tagg) Makino, 311
var. *muranoana* Makino, 311
parvifolia (Adams) Kuntze, 107
- CHAMBERLAIN, D. F.
Revision of *Rhododendron* II. Subgenus
Hymenanthes, 209
- CULLEN, J.
Revision of *Rhododendron* I. Subgenus
Rhododendron sections *Rhododendron*
& *Pogonanthum*, 1
- Hymenanthes* Blume, 219
japonica Blume, 309
- Osmothamnus* De Candolle, 156
fragrans (Adams) De Candolle, 167
pallidus De Candolle, 167
- Plinthochroma* Dulac, 110
- Revision of *Rhododendron* I. Subgenus
Rhododendron sections *Rhododendron*
& *Pogonanthum*, 1
- Revision of *Rhododendron* II. Subgenus
Hymenanthes, 209
- Rhododendron* Linnaeus
subg. *Eurhododendron* K. Koch, 22
subg. *Eurhododendron* auct. pl., 219
subg. *Hymenanthes* (Blume) K. Koch, 219
subg. *Keysia* [Nuttall] Hooker, 123
subg. *Lepidorrhodium* Koehne, 22
subg. *Pseudazalea* Sleumer, 151
subg. *Pseudorhodorastrum* Sleumer, 80
subg. *Rhododendron*, 22
subg. *Rhodorastrum* (Maximowicz) C.B.
Clarke, 111
sect. *Keysia* (Nuttall) Maximowicz, 123
sect. *Lapponica* (Balfour f.) Philipson &
Philipson, 92
sect. *Leiorrhodium* Rehder, 219
sect. *Lepidorrhodium* (Koehne) Rehder,
22
sect. *Lepipherum* G. Don, 23
sect. *Osmothamnus* (De Candolle)
Maximowicz, 156
sect. *Pogonanthum* G. Don, 156
sect. *Ponticum* G. Don, 219
sect. *Rhabdorrhodion* Sleumer, 129
sect. *Rhodobotrys* Sleumer, 80
sect. *Rhododendron*, 23
sect. *Rhodorastrum* Maximowicz, 111
sect. *Setosa* Philipson & Philipson, 92
sect. *Trachyrhodium* Sleumer, 80
- subsect. *Arborea* Sleumer, 328
subsect. *Afghanica* Cullen, 156
subsect. *Argyrophylla* Sleumer, 317
subsect. *Auriculata* Sleumer, 240, 374
subsect. *Baileya* Sleumer, 150
subsect. *Barbata* Sleumer, 283
subsect. *Barbata* sensu Sleumer, 379
subsect. *Boothia* (Hutchinson) Sleumer,
133
subsect. *Camelliiflora* (Hutchinson)
Sleumer, 138
subsect. *Campanulata* Sleumer, 368, 371
subsect. *Campylocarpa* Sleumer, 262
subsect. *Campylogyna* (Hutchinson)
Sleumer, 145
subsect. *Caroliniana* (Hutchinson)
Sleumer, 91
subsect. *Cinnabarina* (Hutchinson)
Sleumer, 122
subsect. *Edgeworthia* (Hutchinson)
Sleumer, 25
subsect. *Falconera* Sleumer, 251
subsect. *Ferruginea* Sleumer, 110
subsect. *Floribunda* Sleumer, 317
subsect. *Fortunea* Sleumer, 224
subsect. *Fragariflora* Cullen, 119
subsect. *Fulgensia* Chamberlain, 414
subsect. *Fulva* Sleumer, 366
subsect. *Genestieriana* (Cowan &
Davidian) Sleumer, 146
subsect. *Glaucia* (Hutchinson) Sleumer,
139
subsect. *Glischra* (Tagg) Chamberlain,
283
subsect. *Grandia* Sleumer, 241
subsect. *Griersoniana* [Davidian ex]
Chamberlain, 374
subsect. *Heliolepidia* (Hutchinson)
Sleumer, 87
subsect. *Irrorata* Sleumer, 290
subsect. *Lactea* Sleumer, 333
subsect. *Lanata* Chamberlain, 368
subsect. *Lapponica* (Balfour f.) Sleumer,
92
subsect. *Lepidota* (Hutchinson) Sleumer,
148
subsect. *Maculifera* Sleumer, 267
subsect. *Maddeniana* (Hutchinson) Sleumer,
29
subsect. *Martiniana* Sleumer, 274
subsect. *Micrantha* (Hutchinson)
Sleumer, 132
subsect. *Monantha* Cullen, 59
subsect. *Moupinensia* Sleumer, 57
subsect. *Neriflora* Sleumer, 384
subsect. *Parishia* Sleumer, 375
subsect. *Pontica* Sleumer, 305

Rhododendron Linnaeus—continued

- subject. *Rhododendron*, 110
- subject. *Rhodorastra* (Maximowicz) Cullen, 111
- subject. *Saluenensia* (Hutchinson) Sleumer, 114
- subject. *Scabrifolia* (Hutchinson) Cullen, 80
- subject. *Selensia* Sleumer, 274
- subject. *Souliea* Sleumer, 262
- subject. *Taliensia* Sleumer, 333
- subject. *Tephropepla* (Cowan & Davidian) Sleumer, 126
- subject. *Thomsonia* Sleumer, 416
- subject. *Trichoclada* (Balfour f.) Cullen, 151
- subject. *Triflora* (Hutchinson) Sleumer, 61
- subject. *Uniflora* (Hutchinson) Sleumer, 120
- subject. *Venatora* Chamberlain, 290
- subject. *Virgata* (Hutchinson) Cullen, 129
- subject. *Williamsiana* Chamberlain, 260, 478
- ser. *Anthopogon* sensu auct., 156
- ser. *Auriculatum* sensu Tagg, 240
- ser. *Boothia* sensu Hutchinson, 126, 133
- ser. *Burjatica* Malyshev, 92
- ser. *Camelliaeflorum* sensu Hutchinson, 138
- ser. *Campanulatum* sensu Tagg, 368, 371
- ser. *Campylogynum* sensu Hutchinson, 145
- ser. *Carolinianum* sensu Hutchinson, 91
- ser. *Cephalanthum* sensu Hutchinson, 156
- ser. *Cinnabarinum* sensu Hutchinson, 123
- ser. *Dauricum* sensu Hutchinson, 111
- ser. *Edgeworthii* sensu Hutchinson, 25
- ser. *Falconeri* sensu Tagg, 251
- ser. *Ferrugineum* sensu Hutchinson, 110
- ser. *Fortunei* sensu Tagg, 224
- ser. *Fulvum* sensu Tagg, 366
- ser. *Glaucophyllum* Cowan & Davidian, 139
- ser. *Glaucum* sensu Hutchinson, 139, 146
- ser. *Grande* sensu Tagg, 241
- ser. *Griersonianum* Davidian, 374
- ser. *Heliopsis* sensu Hutchinson, 87
- ser. *Lacteum* sensu Tagg, 333
- ser. *Lapponica* Balfour f. 92
- ser. *Lepidotum* sensu Hutchinson, 120, 148, 150
- ser. *Maddenii* (Hutchinson) Sleumer, 29
- ser. *Micranthum* (Hutchinson) Sleumer, 132
- ser. *Moupinensis* Sleumer, 58
- ser. *Neriiflorum* sensu Tagg, 384
- ser. *Parvifolia* Busch, 92
- ser. *Ponticum* sensu Tagg, 305
- ser. *Saluenense* sensu Hutchinson, 114
- ser. *Scabrifolium* Hutchinson, 80

- ser. *Taliense* sensu Tagg, 333
- ser. *Trichocladum* Balfour f. 151
- ser. *Triflorum* sensu Hutchinson, 61
- ser. *Uniflorum* sensu Cowan & Davidian, 120
- ser. *Virgatum* Hutchinson, 129
- subser. *Arboreum* sensu Tagg, 328
- subser. *Argyrophyllum* sensu Tagg, 317
- subser. *Barbatum* sensu Tagg, 379
- subser. *Campylocarpum* sensu Tagg, 262
- subser. *Cerasinum* Cowan & Davidian, 416
- subser. *Genestierianum* Cowan & Davidian, 146
- subser. *Glischrum* Tagg, 283
- subser. *Irroratum* sensu Tagg, 290
- subser. *Maculiferum* sensu Tagg, 267
- subser. *Parishii* sensu Tagg, 375
- subser. *Selense* sensu Tagg, 274
- subser. *Souliea* sensu Tagg, 262
- subser. *Tephropeplum* Cowan & Davidian, 126
- subser. *Thomsonii* sensu Tagg, 416
- subser. *Williamsianum* Cowan & Davidian, 260
- aberconwayi* Cowan, 293
- aberrans* Tagg & Forrest, 354
- achroanthum* Balfour f. & Smith, 109
- acraium* Balfour f. & Smith, 165
- adamsii* Rehder, 167
- adansonii* Pepin, 315
- adenogynum* Diels, 340
- adenophorum* Balfour f. & W. W. Smith, 340
- adenopodium* Franchet, 318
- adenostemonum* Balfour f. & W. W. Smith, 298
- adenosum* Davidian, 284
- admirabile* Balfour f. & Forrest, 299
- adoxum* Balfour f. & Forrest, 230
- adroserum* Balfour f. & Forrest, 299
- aechmophyllum* Balfour f. & Forrest, 68
- aemulorum* Balfour f., 386
- aeruginosum* Hooker f., 373
- afghanicum* Aitchison & Hemsley, 156
- aganniphum* Balfour f. & Kingdon Ward, 354
- var. *aganniphum*, 356
- var. *flavorufum* (Balfour f. & Forrest) Chamberlain, 357
- agapetum* Balfour f. & Kingdon-Ward, 377
- agastum* Balfour f. & W. W. Smith, 301
- agetum* Balfour f. & Forrest, 409
- agglutinatum* Balfour f. & Forrest, 352
- aiolopeplum* Balfour f. & Forrest, 353
- aiolosalpinx* Balfour f. & Farrer, 426
- aishropeplum* Balfour f. & Forrest, 344
- albertsenianum* Forrest, 413
- albicaule* Lévêillé, 234
- album* Buchanan-Hamilton, 331
- algarvense* Page, 313

Rhododendron Linnaeus—continued

- alpicola* Rehder & Wilson, 106
var. *strictum* Rehder & Wilson, 106
alutaceum Balfour f. & W. W. Smith, 348
var. *alutaceum*, 349
var. *iodes* (Balfour f. & Forrest)
Chamberlain, 350
var. *rusotinctum* (Balfour f. & Forrest)
Chamberlain, 350
amandum Cowan, 42
amaurophyllum Balfour f. & Forrest, 117
ambiguum Hemsley, 78
amesiae Rehder & Wilson, 76
amphichlorum Ingram, 170
amundsenianum Handel-Mazzetti, 100
anhweiense Wilson, 273
annae Franchet, 293
anthopogon D. Don, 158
subsp. *anthopogon*, 159
subsp. *hypenanthum* (Balfour f.) Cullen,
160
var. *haemonium* (Balfour f. & Cooper)
Cowan & Davidian, 159
anthopogonoides Maximowicz, 164
anthosphaerum Diels, 303
aperantum Balfour f. & Kingdon Ward, 400
apiculatum Rehder & Wilson, 75
apodectum Balfour f. & W. W. Smith, 394
araiophyllum Balfour f. & W. W. Smith, 294
araliiforme Balfour f. & Forrest, 230
arboreum Smith, 328
subsp. *arboreum*, 329
subsp. *campbelliae* (Hooker f.) Tagg, 330
subsp. *cinnamomeum* (Lindley) Tagg, 329
var. *cinnamomeum*, 330
var. *roseum* Lindley, 331
subsp. *delavayi* (Franchet) Chamberlain,
331
var. *delavayi*, 331
var. *peramoenum* (Balfour f. &
Forrest) Chamberlain, 331
subsp. *nilagiricum* (Zenker) Tagg, 331
subsp. *zeylanicum* (Booth) Tagg, 332
var. *album* Wallich, 331
argenteum Hooker f., 244
argipeplum Balfour f. & Cooper, 381
argyrophyllum Franchet, 325
subsp. *argyrophyllum*, 325
subsp. *hypoglaucum* (Hemsley)
Chamberlain, 325
subsp. *nankingense* (Cowan)
Chamberlain, 326
subsp. *omeiense* (Rehder & Wilson)
Chamberlain, 325
var. *cupulare* Rehder & Wilson, 325
var. *leiandrum* Hutchinson, 326
var. *nankingense* Cowan, 326
var. *omeiense* Rehder & Wilson, 325
arizelum Balfour f. & Forrest, 256
artosquameum Balfour f. & Forrest, 71
ashleyi Coker, 316
asmenistum Balfour f. & Forrest, 399
asteium Balfour f. & Forrest, 403
asterochnoum Diels, 229
astrocalyx Balfour f. & Forrest, 265
atentsiense Handel-Mazzetti, 48
atjehense Sleumer, 298
aucklandii Hooker f., 237
augustinii Hemsley, 72
subsp. *augustinii*, 72
subsp. *chasmanthum* (Diels) Cullen, 73
subsp. *hardyi* (Davidian) Cullen, 74
subsp. *rubrum* (Davidian) Cullen, 73
var. *chasmanthum* (Diels) Davidian, 73
var. *rubrum* Davidian, 73
var. *yui* Fang, 72
f. *grandifolia* Franchet, 73
f. *subglabra* Franchet, 73
aureum Franchet, 127
aureum Georgi, 313
var. *aureum*, 313
var. *hypopitys* (Pojarkova) Chamberlain,
313
auriculatum Hemsley, 241
auritum Tagg, 128
axium Balfour f. & Forrest, 278
baeticum Boissier & Reuter, 313
baileyi Balfour f., 151
bainbridgeanum Tagg & Forrest, 277
balfourianum Diels, 341
var. *aganniphoides* Tagg & Forrest, 341
barbatum [Wallich ex] G. Don, 380
barkamense Chamberlain, 363, 478
basilicum Balfour f. & W. W. Smith, 253
batangense Balfour f., 106
batemannii Hooker f., 374
bathyphyllum Balfour f. & Forrest, 348
bauhiniiflorum Hutchinson, 78
beanianum Cowan, 386
var. *compactum* Cowan, 387
beesianum Diels, 365
beimaense Balfour f. & Forrest, 281
benthamianum Hemsley, 75
bergii Davidian, 73
bhotanicum C. B. Clarke, 37
bijiangense T. L. Ming, 410
bivelatum Balfour f., 170
blandfordiiflorum W. J. Hooker, 124
blandulum Balfour f. & W. W. Smith, 280
blepharocalyx Franchet, 96
blinii Léveillé, 79
blumei Nuttall, 430
bonvalotii Bureau & Franchet, 418
boothii Nuttall, 134
brachyandrum Balfour f. & Forrest, 425
brachyanthum Franchet, 144
subsp. *brachyanthum*, 144
subsp. *hypolepidotum* (Franchet) Cullen,
144
var. *hypolepidotum* Franchet, 144
brachycarpum [D. Don ex] G. Don, 307
subsp. *brachycarpum*, 307

Rhododendron Linnaeus—continued

- subsp. *fauriei* (Franchet) Chamberlain, 307
- subsp. *tigerstedtii* Nitzelius, 307
- var. *lutescens* Koidzumi, 313
- var. *roseiflorum* Miyoshi, 307
- var. *roseum* Koidzumi, 307
- brachysiphon* Hutchinson, 33
- bracteatum* Rehder & Wilson, 88
- brettii* Hemsley & Wilson, 268
- brevinerve* Chun & Fang, 292
- brevistylum* Franchet, 90
- brevitubum* Balfour f. & Cooper non J. J. Smith, 33
- brunneifolium* Balfour f. & Forrest, 403
- bullatum* Franchet, 26
- bulu* Hutchinson, 104
- bureavii* Franchet, 338
- burjaticum* Malyshev, 106
- burrifolium* Balfour f. & Forrest, 287
- butyricum* Kingdon Ward, 135
- caeruleo-glaucum* Balfour f. & Forrest, 145
- caeruleum* Lévêillé, 69
- caesium* Hutchinson, 152
- calciphilum* Hutchinson & Kingdon Ward, 116
- californicum* Hooker f., 317
- callimorphum* Balfour f. & W. W. Smith, 262
 - var. *callimorphum*, 263
 - var. *myiagrum* (Balfour f. & Forrest) Chamberlain, 263
- calophyllum* Nuttall, 33
- calophytum* Franchet, 228
 - var. *calophytum*, 229
 - var. *openshawianum* (Rehder & Wilson) Chamberlain, 229
- calostrotum* Balfour & Kingdon Ward, 115
 - subsp. *calostrotum*, 115
 - subsp. *keleticum* (Balfour f. & Forrest) Cullen, 116
 - subsp. *riparioides* Cullen, 116
 - subsp. *riparium* (Kingdon Ward) Cullen, 116
 - var. *calciphilum* (Hutchinson & Kingdon Ward) Davidian, 116
- caloxanthum* Balfour f. & Farrer, 264
- calvescens* Balfour f. & Forrest, 275
 - var. *calvescens*, 275
 - var. *duseimatum* (Balfour f. & Forrest) Chamberlain, 275
- camelliiflorum* Hooker, 138
- campanulatum* D. Don, 372
 - subsp. *aeruginosum* (Hooker f.) Chamberlain, 373
 - subsp. *aeruginosum* × *wightii*, 373
 - subsp. *campanulatum*, 373
 - subsp. *campanulatum* × *wightii*, 373
 - var. *aeruginosum* [Hooker f. ex] Cowan & Davidian, 373
 - var. *campbellii* Millais, 374
- campanulatum* × *arboresum*, 373

- campbelliae* Hooker f., 330
- campylocarpum* Hooker f., 263
 - subsp. *caloxanthum* (Balfour f. & Farrer) Chamberlain, 264
 - subsp. *campylocarpum*, 263
 - subsp. *telopeum* (Balfour f. & Forrest) Chamberlain, 264
- campylogynum* Franchet, 145
 - var. *celsum* Davidian, 146
 - var. *charopoeum* (Balfour f. & Forrest) Davidian, 146
 - var. *cremastum* (Balfour f. & Forrest) Davidian, 146
 - var. *eupodium* Ingram, 170
 - var. *leucanthum* Ingram, 170
 - var. *myrtilloides* (Balfour f. & Kingdon Ward) Davidian, 146
- × *candelabrum* Hooker f., 420
- cantabile* (Balfour f.) ex Hutchinson, 108
- capitatum* Maximowicz, 107
- capitatum* sensu Franchet, 100
- cardiobasis* Sleumer, 238
- cardoeoides* Balfour f. & Forrest, 71
- carneum* Hutchinson, 55
- carolinianum* Rehder, 92
- catacosmum* [Balfour f. ex] Tagg, 389
- catapastum* Balfour f. & Forrest, 90
- catawbiense* Michaux, 316
- caucasicum* Pallas, 312
 - var. *stramineum* J. Hooker, 312
- cephalanthoides* Balfour f. & Smith, 165
- cephalanthum* Franchet, 161
 - subsp. *cephalanthum*, 162
 - subsp. *platyphyllum* (Franchet ex Balfour f. & Smith) Cullen, 162
 - var. *crebreflorum* (Hutchinson & Kingdon Ward) Cowan & Davidian, 162
 - var. *nmaiense* (Hutchinson & Kingdon Ward) Cowan & Davidian, 162
 - var. *platyphyllum* [Franchet ex] Diels, 162
- ceraceum* Balfour f. & W. W. Smith, 299
- cerasiflorum* Kingdon Ward, 146
- cerasinum* Tagg, 418
- cerinum* Balfour f. & Forrest, 135
- cerochitum* Balfour f. & Forrest, 301
- chaetomallum* Balfour f. & Forrest, 391
 - var. *chamaephytum* Cowan, 408
 - var. *glaucescens* Tagg & Forrest, 391
 - var. *hemigynum* Tagg & Forrest, 389
- chalarocladum* Balfour f. & Forrest, 278
- chamaethomsonii* (Tagg & Forrest) Cowan & Davidian, 406
 - var. *chamaedoron* (Tagg & Forrest) Chamberlain, 406
 - var. *chamaethauma* (Tagg) Cowan & Davidian, 407
 - var. *chamaethomsonii*, 406
- chamaetortum* Balfour f. & Kingdon Ward, 162
- chamaezelum* Balfour f. & Forrest, 100

Rhododendron Linnaeus—continued

- chameunum* Balfour f. & Forrest, 117
- chapaense* Dop, 35
- chapmannii* Gray, 92
- charianthum* Hutchinson, 66
- charidotes* Balfour f. & Farrer, 119
- charitopes* Balfour f. & Farrer, 141
 - subsp. *charitopes*, 141
 - subsp. *tsangpoense* (Kingdon Ward) Cullen, 143
- charitostreptum* Balfour f. & Kingdon Ward, 144
- charopoeum* Balfour f. & Forrest, 145
- chartophyllum* Franchet, 67
 - f. *praecox* Diels, 67
- chasmanthoides* Balfour f. & Forrest, 73
- chasmanthum* Diels, 73
- chawchiense* Balfour f. & Farrer, 303
- cheilanthum* Balfour f. & Forrest, 95
- chengianum* Fang, 235
- chiengshienanum* Fang, 78
- chienenanum* Fang, 319
- chihsinianum* Chun & Fang, 241
- chionanthum* Tagg & Forrest, 390
- chionophyllum* Diels, 325
- chlanidotum* Balfour f. & Forrest, 392
- chloranthum* Balfour f. & Forrest, 155
- chlorops* Cowan, 430
- chrysanthum* Pallas, 313
 - var. *nikamontanum* Komatsu, 313
- chryseum* Balfour f. & Forrest, 109
- chrysodoron* [Tagg ex] Hutchinson, 135
- chrysolepis* Hutchinson & Kingdon Ward, 170
- chunienii* Chun & Fang, 40
- ciliatum* Hooker, 41
- ciliicalyx* Franchet, 51
- ciliicalyx* aggregate, 50
- ciliipes* Hutchinson, 48
- cinereum* Balfour f. & Forrest, 95
- cinnabarinum* Hooker, 123
 - subsp. *cinnabarinum*, 124
 - subsp. *tamaense* (Davidian) Cullen, 124
 - subsp. *xanthocodon* (Hutchinson) Cullen, 124
 - var. *blandfordiiflorum* (Hooker) Hort, 124
 - var. *pallidum* Hooker, 124
 - var. *purpurellum* Cowan, 124
 - var. *roylei* (Hooker) Hort, 124
- cinnamoneum* [Wallich ex] G. Don, 330
- circinnatum* Cowan & Kingdon Ward, 370
- citriniflorum* Balfour f. & Forrest, 392
 - subsp. *aureolum* Cowan, 392
 - var. *citriniflorum*, 392
 - var. *horaeum* (Balfour f. & Forrest) Chamberlain, 392
- citriniflorum* × *temenium*, 393

- clementinae* Forrest, 358
- clivicolum* Balfour f. & Smith, 165
- cloiophorum* Balfour f. & Forrest, 398
 - subsp. *asmenistum* (Balfour f. & Forrest) Tagg, 399
- coccinopeplum* Balfour & Forrest, 346
- codonanthum* Balfour f. & Forrest, 337
- coelicum* Balfour f. & Farrer, 389
- coeloneuron* Diels, 361
- collettianum* Aitchison & Hemsley, 158
- colletum* Balfour f. & Forrest, 365
- comisteum* Balfour f. & Forrest, 346
- commodum* Balfour f. & Forrest, 135
- compactum* Hutchinson, 102
- complexum* Balfour f. & Smith, 99
- concatenans* Hutchinson, 124
- concinnooides* Hutchinson & Kingdon Ward, 61
- concinnum* Hemsley, 75
 - var. *benthamianum* (Hemsley) Davidian, 75
 - var. *pseudoyanthinum* (Hutchinson) Davidian, 75
- confertissimum* Nakai, 107
- cookeanum* Davidian, 271
- coombense* Hemsley, 75
- cooperi* Balfour f., 139
- cordatum* Léveillé, 266
- coriaceum* Franchet, 258
- corruscum* Ridley, 294
- coryanum* Tagg & Forrest, 324
- coryphaeum* Balfour f. & Forrest, 247
- cosmetum* Balfour f. & Forrest, 119
- costulatum* Franchet, 34
- cowanianum* Davidian, 150
- coxianum* Davidian, 57
- crassum* Franchet, 34
- crebreflorum* Hutchinson & Kingdon Ward, 162
- cremastum* Balfour f. & Forrest, 145
- cremnastes* Balfour f. & Farrer, 149
- cremnophilum* Balfour f. & Smith, 165
- crenulatum* [Hutchinson ex] Sleumer, 43
- crinigerum* Franchet, 288
 - var. *crinigerum*, 288
 - var. *euadenium* Tagg & Forrest, 288
- croceum* Balfour f. & W. W. Smith, 265
- cruentum* Léveillé, 338
- cubittii* Hutchinson, 55
- cucullatum* Handel-Mazzetti, 345
- cuffeanum* Hutchinson [Craibex], 46
- cuneatum* Smith, 95
- cupressens* Nitzelius, 351
- curvistylum* Kingdon Ward, 143
- cuthbertii* Small, 92
- cyanocarpum* (Franchet) W. W. Smith, 423
 - var. *eriphyllum* [Balfour f. & W. W. Smith ex] Tagg, 423
- cyclium* Balfour f. & Forrest, 263
- cymbomorphum* Balfour f. & Forrest, 281
- dabanshanense* Fang & Wang, 360

Rhododendron Linnaeus—continued

- dalhousiae* Hooker, 37
 var. *dalhousiae*, 37
 var. *rhabdotum* (Balfour f. & Cooper) Cullen, 37
damascenum Balfour f. & Forrest, 146
daphniflorum Diels, 161
dasycladoides Handel-Mazetti, 277
dasycladum Balfour f. & W. W. Smith, 279
dasypetalum Balfour f. & Forrest, 100
dauricum Linnaeus, 112
 var. *mucronulatum* (Turczaninow) Maximowicz, 113
davidii Franchet, 228
davidsonianum Rehder & Wilson, 66
decorum Franchet, 230
deflexum Griffith, 77
degronianum Carrière, 310
 var. *yakushmanum* (Nakai) Kitamura, 311
dekatanum Cowan, 136
delavayi, 331
deleense Hutchinson & Kingdon Ward, 128
dendricola Hutchinson, 48
dendritrichum Balfour f. & Forrest, 368
dendrocharis Franchet, 58
denudatum Léveillé, 321
depile Balfour f. & Forrest, 71
desquamatum Balfour f. & Forrest, 90
detersile Franchet, 337
 × *detonsum* Balfour f. & Forrest, 341
diacritum Balfour f. & Smith, 104
diaprepes Balfour f. & W. W. Smith, 233
dichroanthum Diels, 393
 subsp. *apodectum* (Balfour f. & W. W. Smith) Cowan, 394
 subsp. *dichroanthum*, 394
 subsp. *herpesticum* (Balfour f. & Kingdon Ward) Cowan, 394
 subsp. *scyphocalyx* (Balfour f. & Forrest) Cowan, 394
 subsp. *septentrionale* Cowan, 394
dichropeplum Balfour f. & Forrest, 352
dictyotum [Balfour f. ex] Tagg, 354
didymum Balfour f. & Forrest, 399
dielsianum Handel-Mazzetti, 85
dignabile Cowan, 365
dimidiatum Balfour f., 430
dimitrium Balfour f. & Forrest, 428
diphrocalyx Balfour f., 287
discolor Franchet, 234
dolerum Balfour f. & Forrest, 279
doshongense Tagg, 357
drumonium Balfour f. & Smith, 104
dryophyllum Balfour f. & Forrest, 351
dryophyllum sensu Cowan & Davidian, 353
dubium King & Gamble, 294
duclouxii Léveillé, 85
dumicola Tagg & Forrest, 338
dumulosum Balfour f. & Forrest, 352
duseimatum Balfour f. & Forrest, 276
eclectum Balfour f. & Forrest, 425
 var. *bellatulum* [Balfour f. ex] Tagg, 425
 var. *brachyandrum* (Balfour f. & Forrest) Cowan & Davidian, 425
 var. *eclectum*, 425
edgeworthii Hooker, 26
elaeagnoides Hooker, 149
elegantulum Tagg & Forrest, 339
elliottii Watt, 379
emaculatum Balfour f. & Forrest, 365
epapillatum Balfour f. & Cooper, 304
epipastum Balfour f. & Forrest, 403
erastum Balfour f. & Forrest, 405
erandrum [Léveillé ex] Hutchinson, 69
erileucum Balfour f. & Forrest, 63
eriogynum Balfour f. & W. W. Smith, 377
eritimum Balfour f. & W. W. Smith, 303
erosum Cowan, 382
erubescens Hutchinson, 240
erythrocalyx Balfour f. & Forrest
 subsp. *docimum* [Balfour f. ex] Tagg, 281
 × *erythrocalyx* Balfour f. & Forrest, 280
esetulosum Balfour f., 281
euanthum Balfour f. & W. W. Smith, 230
eucallum Balfour f. & Forrest, 281
euchaïtes Balfour f. & Forrest, 409
euchroum Balfour f. & Kingdon-Ward, 413
eudoxum Balfour f. & Forrest, 401
 subsp. *asteium* (Balfour f. & Forrest) Tagg, 403
 subsp. *brunneifolium* (Balfour f. & Forrest) Tagg, 403
 subsp. *epipastum* (Balfour f. & Forrest) Tagg, 403
 subsp. *glaphyrum* (Balfour f. & Forrest) Tagg, 405
 subsp. *mesopolium* (Balfour f. & Forrest) Tagg, 403
 subsp. *pothinum* (Balfour f. & Forrest) Tagg, 404
 subsp. *temenium* (Balfour f. & Forrest) Tagg, 404
 subsp. *trichomiscum* (Balfour f. & Forrest) Tagg, 401
 var. *brunneifolium* (Balfour f. & Forrest) Chamberlain, 403
 var. *eudoxum*, 401
 var. *mesopolium* Balfour f. & Forrest, 403
euryisiphon Tagg & Forrest, 426
exasperatum Tagg, 382
excellens Hemsley & Wilson, 36
excelsum Chevalier, 300
eximium Nuttall, 260
exquisetum Hutchinson, 71
exquisitum T. L. Ming, 272
faberi Hemsley, 359
 subsp. *faberi*, 359
 subsp. *prattii* (Franchet) Chamberlain, 359
faberioides Balfour f., 359
facetum Balfour f. & Kingdon Ward, 377

Rhododendron Linnaeus—continued

- faithae* Chun, 233
- falconeri* Hooker f., 259
 - subsp. *eximium* (Nuttall) Chamberlain, 260
 - subsp. *falconeri*, 260
- fargesii* Franchet, 240
- farinosum* Léveillé, 321
- fastigiatum* Franchet, 100
- faucium* Chamberlain, 421
- fauriei* Franchet, 307
 - var. *rufescens* Nakai, 307
- ferrugineum* Linnaeus, 110
 - subsp. *kotschyi* (Simonkai) Hayek, 111
- ficulactaeum* Balfour f., 255
- fimbriatum* Hutchinson, 97
- fissotectum* Balfour f. & Forrest, 356
- fittianum* Balfour f., 113
- flavantherum* Hutchinson & Kingdon Ward, 60
- flavidum* Franchet, 101
 - var. *flavidum*, 101
 - var. *psilostylum* Rehder & Wilson, 101
- flavrofum* Balfour f. & Forrest, 357
- fletcheranum* Davidian, 42
- fleuryi* Dop, 54
- flinckii* Davidian, 369
- floccigerum* Franchet, 410
 - subsp. *appropinquans* (Tagg & Forrest) Chamberlain, 410
 - var. *appropinquans* Tagg & Forrest, 410
- floribundum* Franchet, 320
- fokiense* Franchet, 320
- fordii* Hemsley, 320
- formosanum* Hemsley, 324
- formosum* Wallich, 46
 - var. *formosum*, 46
 - var. *inaequale* (Hutchinson) Cullen, 46
 - var. *johnstoneanum* Brandis, 47
 - var. *salicifolium* C. B. Clarke, 46
 - var. *veitchianum* (Hooker) Kurz, 55
- forrestii* [Balfour f. ex] Diels, 407
 - subsp. *forrestii*, 407
 - subsp. *papillatum* Chamberlain, 408
 - var. *repens* (Balfour f. & Forrest) Cowan & Davidian, 407
- forrestii* × *haematodes*, 408
- fortunei* Lindley, 234
 - subsp. *discolor* (Franchet) Chamberlain, 234
 - subsp. *fortunei*, 234
- foveolatum* Rehder & Wilson, 258
- fragariflorum* Kingdon Ward, 119
- fragrans* (Adams) Maximowicz, 167
- fragrans* sensu Franchet, 168
- franchetianum* Léveillé, 231
- fuchsiflorum* Léveillé, 85
- fulgens* Hooker f., 415
- fulvastrum* Balfour f. & Forrest
 - subsp. *epipastum* (Balfour f. & Forrest) Cowan, 403
 - subsp. *mesopolium* (Balfour f. & Forrest) Cowan, 403
 - subsp. *trichomiscum* (Balfour f. & Forrest) Cowan, 402
 - subsp. *trichophlebium* (Balfour f. & Forrest) Cowan, 402
- fulvoldes* Balfour f. & Forrest, 366
- fulvum* Balfour f. & W. W. Smith, 366
- fumidum* Balfour f. & Smith, 89
- galactinum* [Balfour f. ex] Tagg, 257
- gemmiferum* Philipson & Philipson, 80
- genestierianum* Forrest, 148
 - × *geraldii* (Hutchinson) Ivens, 227
- gibsonii* Paxton, 46
- giganteum* [Forrest ex] Tagg, 250
 - var. *seminudum* Tagg & Forrest, 250
- giraudissii* Léveillé, 231
- glanduliferum* Franchet, 229
- glaphyrum* Balfour f. & Forrest, 405
- glauc-aureum* Balfour f. & Forrest, 145
- glaucopleum* Balfour f. & Forrest, 356
- glaucophyllum* Rehder, 140
 - var. *glaucophyllum*, 140
 - var. *luteiflorum* Davidian, 141
 - var. *tubiforme* Cowan & Davidian, 141
- glaucum* Hooker non Sweet, 140
- glischroides* Tagg & Forrest, 286
- glischrum* Balfour f. & W. W. Smith, 284
 - subsp. *glischroides* (Tagg & Forrest) Chamberlain, 286
 - subsp. *glischrum*, 286
 - subsp. *rude* (Tagg & Forrest) Chamberlain, 286
 - var. *adenosum* Cowan & Davidian, 284
- globigerum* Balfour f. & Forrest, 350
- gloeoblastum* Balfour f. & Forrest, 266
- glomerulatum* Hutchinson, 99
- gracilipes* Franchet, 325
- grande* Wight, 244
- gratum* T. L. Ming, 253
- griersonianum* Balfour f. & Forrest, 374
- griffithianum* Wight, 237
 - var. *aucklandii* (Hooker f.) Hooker f., 237
- gymnanthum* Diels, 299
- gymnocarpum* [Balfour f. ex] Tagg, 396
- gymnogynum* Balfour f. & Forrest, 303
- gymnomiscum* Balfour & Kingdon Ward, 165
- habrotrichum* Balfour f. & W. W. Smith, 287
- haemaleum* Balfour f. & Forrest, 397
- haematocheilum* Craib, 238
- haematodes* Franchet, 390
 - subsp. *chaetomallum* (Balfour f. & Forrest) Chamberlain, 391
 - subsp. *haematodes*, 390
 - var. *calycinium* Franchet, 390
 - var. *hypoleucum* Franchet, 390
- haemonium* Balfour f. & Cooper, 159
- hanceanum* Hemsley, 128
- haofui* Chun & Fang, 320
- hardingii* Tagg, 294

Rhododendron Linnaeus—continued

- hardyi* Davidian, 74
- harrovianum* Hemsley, 77
- headfortianum* Hutchinson, 38
- hedyosmum* Balfour f., 169
- hedythamnium* Balfour f. & Forrest, 263
 - var. *eglandulosum* Handel-Mazzetti, 263, 423
- heishuense* Fang, 66
- helirolepis* Franchet, 89
 - var. *brevistylum* (Franchet) Cullen, 90
 - var. *helirolepis*, 89
- helvolum* Balfour f. & Forrest, 353
- hemidartum* [Balfour f. ex] Tagg, 387
- × *hemigynum* (Tagg & Forrest) Chamberlain, 388
- hemitrichotum* Balfour f. & Forrest, 83
- hepsleyanum* Wilson, 235
- heptamerum* Balfour f., 303
- herpesticum* Balfour f. & Kingdon Ward, 394
- hesperium* Balfour f. & Forrest,
- hexamerum* Handel-Mazzetti, 230
- × *hillieri* Davidian, 393
- himertum* Balfour f. & Forrest, 398
 - subsp. *poliopeplum* (Balfour f. & Forrest) Tagg, 398
- hippophaeoides* Balfour f. & Smith, 96
 - var. *hippophaeoides*, 97
 - var. *occidentale* Philipson & Philipson, 97
- hirsuticostatum* Handel-Mazzetti, 73
- hirsutum* Linnaeus, 111
- hirtipes* Tagg, 283
- hodgsonii* Hooker f., 259
- hookeri* Nuttall, 422
- horaeum* Balfour f. & Forrest, 392
- horlickianum* Davidian, 54
- hormophorum* Balfour f. & Forrest, 68
- hormophorum* Hort., 68
- houlstonii* Hemsley & Wilson, 234
- huianum* Fang, 228
- huidongense* T. L. Ming, 377
- hunnewellianum* Rehder & Wilson, 322
 - subsp. *hunnewellianum*, 323
 - subsp. *rockii* (Wilson) Chamberlain, 323
- hutchinsonianum* Fang, 76
- hylaenum* Balfour f. & Farrer, 421
- hylothreptum* Balfour f. & W. W. Smith, 303
- hymenanthes* Makino, 309
- hypenanthum* Balfour f., 160
- hyperythrum* Hayata, 306
- hypoglaucum* Hemsley, 325
- hypolepidotum* [Franchet] Balfour f., 144
- hypophaeum* Balfour f. & Forrest, 66
- hypopitys* Pojarkova, 313
- hypotrichum* Balfour f. & Forrest, 71
- idoneum* Balfour f. & Smith, 104
- igneum* Cowan, 126
- imberbe* Hutchinson, 430
- impeditum* Balfour f. & Forrest, 102
- imperator* Kingdon Ward, 122
- inaequale* Hutchinson, 46
- inaequale* × *intermedium* Tausch, 111
- inopinum* Balfour f., 431
- insigne* Hemsley & Wilson, 327
- intortum* Balfour f. & Forrest, 353
- intricatum* Franchet, 96
- invictum* Balfour f. & Farrer, 88
- ioanthum* Balfour f., 67
- iochanense* Léveillé, 83
- iodes* Balfour f. & Forrest, 350
- irroratum* Franchet, 296
 - subsp. *irroratum*, 296
 - subsp. *kontumense* (Sleumer) Chamberlain, 298
 - subsp. *pogonostylum* (Balfour f. & W. W. Smith) Chamberlain, 297
- iteaphyllum* Hutchinson, 46
- ixeuenticum* Balfour f. & W. W. Smith, 288
- jahandiezii* Léveillé, 67
- jangtzowense* Balfour f. & Forrest, 394
- japonicum* (Blume) Schneider, 308
 - var. *japonicum*, 309
 - var. *pentamerum* (Maximovicz) Hutchinson, 310
- jenkinsii* Nuttall, 33
- johnstoneanum* Hutchinson, 47
- johnstoneanum* aggregate, 46
- jucundum* Balfour f. & W. W. Smith, 280
- kansuense* Millais, 431
- kasoense* Hutchinson & Kingdon Ward, 60
- keiskei* Miquel, 78
- keleticum* Balfour f. & Forrest, 116
- kendrickii* Nuttall, 302
- keysii* Nuttall, 126
 - var. *unicolor* Hutchinson, 126
- kiangsiense* Fang, 40
- kialense* Franchet, 360
- kingdonii* Merrill, 116
- kirkii* Millais, 234
- kongboense* Hutchinson, 163
- kontumense* Sleumer, 298
- korthalsii* Miquel, 296
- kotschyi* Simonkai, 111
- kuluense* Chamberlain, 284
- kwangfuense* Chun & Fang, 234
- kyawi* Lace & W. W. Smith, 376
- lacteum* Franchet, 362
 - var. *macrophyllum* Franchet, 255
- laetevirens* [Balfour f. ex] Hutchinson, 75
- lampropelum* Balfour f. & Forrest, 346
- lanatoides* Chamberlain, 370, 478
- lanatum* Hooker f., 369
 - var. *luciferum* Cowan, 369
- lancifolium* Hooker f., 380
- lancifolium* Moench, 313
- langbianense* [Chevalier ex] Dop, 298
- lanigerum* Tagg, 332
- lapidosum* T. L. Ming, 298
- lapponicum* (Linnaeus) Wahlenberg, 107
- lasiopodum* Hutchinson, 51
- laticostum* Ingram, 78

Rhododendron Linnaeus—continued

- latifolium* Hoffmannsegg, 316
laudandum Cowan, 160
 var. *laudandum*, 160
 var. *temoense* Cowan & Davidian, 160
laxiflorum Balfour f. & Forrest, 293
leclerei Léveillé, 90
ledebourii Pojarkova, 112
ledoides Balfour f. & Smith, 168
leei Fang, 359
leihungense Balfour f. & Forrest, 66
leishanicum Fang & S. S. Chang, 261
lemeei Léveillé, 79
lepidanthum Balfour f. & Smith, 165
lepidostylum Balfour f. & Forrest, 152
lepidotum [Wallich ex] G. Don, 149
leprosum Balfour f., 90
leptocarpum Nuttall, 170
leptoclados Dop, 53
leptopeplum Balfour f. & Forrest, 302
leucandrum Léveillé, 67
leucaspis Tagg, 138
leucolasium Diels, 323
leucopetalum Balfour f. & Forrest, 399
levinei Merrill, 40
levistratum Balfour f. & Forrest, 352
liliflorum Léveillé, 38
lindleyi Moore, 37
liratum Balfour f. & Forrest, 394
litangense [Balfour f. ex] Hutchinson, 102
lithophilum Balfour f. & Kingdon Ward, 153
lithophilum × *lochmum* Balfour f., 80
litiense Balfour f. & Forrest, 266
longesquamatum Schneider, 268
longiflorum Nuttall, 244
longipes Rehder & Wilson, 319
 var. *chienianum* (Fang) Chamberlain, 319
 var. *longipes*, 319
longistylum Rehder & Wilson, 129
lophophorum Balfour f. & Forrest, 352
lophotogynum Balfour f. & Forrest, 153
lopsangianum Cowan, 420
lowndesii Davidian, 149
lucidum Franchet, 230
lucidum Nuttall, 139
luciferum (Cowan) Cowan, 369
ludlowii Cowan, 122
ludwigianum Hosseus, 57
lukiangense Franchet, 299
luteiflorum [Davidian] Cullen, 141
lutescens Franchet, 79
lyi Léveillé, 53
macabeanum [Watt ex] Balfour f., 251
macranthum Griffith, 33
macrocarpos Griffith, 170
macrophyllum [D. Don ex] G. Don, 317
maculiferum Franchet, 272
 subsp. *anhweiense* (Wilson) Chamberlain, 272
 subsp. *maculiferum*, 272
maddenii Hooker, 33
 subsp. *crassum* [Franchet] Cullen, 34
 subsp. *maddenii*, 33
 var. *longiflora* Watson, 33
 var. *obtusifolia* Hutchinson, 55
magnificum Kingdon Ward, 250
magorianum Balfour f., 431
mairei Léveillé, 362
makinoi Tagg, 311
mallotum Balfour f. & Kingdon Ward, 386
mandarinorum Diels, 234
manipurense Balfour f. & Watt, 35
mannophorum Balfour f. & Forrest, 399
manopeplum Balfour f. & Forrest, 281
martinianum Balfour f. & Forrest, 281
maximowiczianum Léveillé, 431
maximum L., 316
 var. *album* Pursh, 316
 var. *purpureum* Pursh, 316
meddianum Forrest, 423
 var. *atrokermesinum* Tagg, 423
 var. *meddianum*, 423
megacalyx Balfour f. & Kingdon ward, 40
megaphyllum Balfour f. & Forrest, 253
megeratum Balfour f. & Forrest, 136
mekongense Franchet, 154
 var. *longipilosum* (Cowan) Cullen, 155
 var. *mekongense*, 154
 var. *melinathum* [Balfour f. & Kingdon Ward] Cullen, 155
 var. *rubrolineatum* [Balfour f. & Forrest] Cullen, 155
melinathum Balfour f. & Kingdon Ward, 155
mengtsense Balfour f. & W. W. Smith, 292
mesopolium Balfour f. & Forrest, 403
metrium Forrest, 278
metternichii Siebold & Zuccarini, 309
 subsp. *pentamerum* (Maximovicz) Sugimoto, 310
 subsp. *yakushmanum* (Nakai) Sugimoto, 311
 var. *heptamerum* Maximovicz, 309
 var. *hondoense* Nakai, 309
 var. *intermedium* Sugimoto, 311
 var. *kyomaruense* Yamazaki, 310
 var. *micranthum* Nakai, 309
 var. *pentamerum* Maximovicz, 310
 f. *angustifolium* Makino, 311
 var. *yakushmanum* (Nakai) Ohwi, 311
micranthum Turczaninow, 132
microgynum Balfour f. & Forrest, 395
microleucum Hutchinson, 103
micromeres Tagg, 134
mimetes Tagg & Forrest, 341
 var. *simulans* Tagg & Forrest, 343
miniatum Cowan, 415
minus Michaux, 91
 var. *chapmanii* (Gray) Duncan & Pullen, 92
 var. *minus*, 92
minyaense Philipson & Philipson, 103
mirabile Kingdon Ward, 148

Rhododendron Linnaeus—continued

- mishmiense* Hutchinson & Kingdon Ward, 134
missionarum Lévêillé, 51
mollicomum Balfour f. & Smith, 84
 var. *rockii* Tagg, 84
mollyanum Cowan & Davidian, 246
mombeigii Rehder & Wilson, 368
monanthum Balfour f. & Smith, 60
monosematum Hutchinson, 270
montroseanum Davidian, 246
morii Hayata, 273
morseadianum Millais, 431
motsouense Lévêillé, 83
moupinense Franchet, 58
mucronulatum Turczaninow, 113
 var. *acuminatum* Hort., 113
 var. *albiflorum* Nakai, 113
 var. *ciliatum* Nakai, 113
muliense Balfour f. & Forrest, 109
mussoi Franchet, 265
myiagrum Balfour f. & Forrest, 263
myrtifolium Schott & Kotschy, 111
myrtilloides Balfour & Kingdon Ward, 146
nakaii Komatsu, 310
nakotiltum Balfour f. & Forrest, 363
nankotaisanense Hayata, 274
nanthammum Balfour f. & Forrest, 278
nanum Lévêillé, 100
nebrities Balfour f. & Forrest, 398
neriiflorum Franchet, 408
 subsp. *agetum* (Balfour f. & Forrest) Tagg, 409
 subsp. *euchaites* (Balfour f. & Forrest) Tagg, 409
 subsp. *neriiflorum*, 409
 subsp. *phaedropum* (Balfour f. & Farrer) Tagg, 409
 subsp. *phoenicodum* (Balfour f. & Farrer) Tagg, 409
nhatragense Dop, 428
nigroglandulosum Nitzelius, 340
nigropunctatum Franchet, 100
 × *nikomontanum* (Komatsu) Nakai, 313
nilagiricum Zenker, 331
ninguenense Handel-Mazzetti, 296
ninguenense sensu Sleumer, 298
niphargum Balfour f. & Kingdon Ward, 368
niphobum Balfour f. & Farrer, 426
nishiokae Hara, 382
nitens Hutchinson, 116
nitidulum Rehder & Wilson, 98
 var. *nitidulum*, 98
 var. *nubigenum* Rehder & Wilson, 98
 var. *omeiense* Philipson & Philipson, 98
nivale Hooker, 105
 subsp. *australe* Philipson & Philipson, 106
 subsp. *boreale* Philipson & Philipson, 106
 subsp. *nivale*, 105
niveum Hooker f., 332
nmaiense Hutchinson & Kingdon Ward, 162
nobile Wallich, 373, 380
notatum Hutchinson, 48
nutallii Booth, 36
oblongum Griffith, 237
obovatum Hooker, 149
obscurum [Franchet ex] Balfour f., 67
ochraceum Rehder & Wilson, 269
odoriferum Hutchinson, 35
officinale Salisbury, 313
oleifolium Franchet, 130
ombrachares Balfour f. & Kingdon Ward, 301
openshawianum Rehder & Wilson, 229
oporinum Balfour f. & Kingdon Ward, 89
orbiculare Decaisne, 237
 subsp. *cardiobasis* (Sleumer) Chamberlain, 238
 subsp. *orbiculare*, 237
oreinum Balfour f., 106
oreodoxa Franchet, 238
 var. *fargesii* (Franchet) Chamberlain, 238
 var. *oreodoxa*, 238
 var. *shensiense* Chamberlain, 240, 478
oreotrepes Smith, 69
oresbium Balfour f. & Kingdon ward, 106
oresterum Balfour f. & Forrest, 266
orthocladum Balfour f. & Forrest, 103
 var. *longistylum* Philipson & Philipson, 103
 var. *microleucum* (Hutchison) Philipson & Philipson, 103
 var. *orthocladum*, 103
osmerum Balfour f. & Forrest, 108
oslotrichum Balfour f. & Forrest, 153
pachypodum Balfour f. & Smith, 53
pachysanthum Hayata, 274
pachytrichum Franchet, 270
pagophilum Balfour f. & Kingdon Ward, 278
 × *pallescens* Hutchinson, 80
paludosum Hutchinson & Kingdon Ward, 105
palustre Turczaninow, 107
pankimense Cowan & Kingdon Ward, 302
panteumorphum Balfour f. & W. W. Smith, 281
papillatum Balfour f. & Cooper, 304
paradoxum Balfour f., 431
parishii C. B. Clarke, 375
parmulatum Cowan, 400
parryae Hutchinson, 57
parviflorum Dumont de Courset, 313
parviflorum Schmidt, 107
parvifolium Adams, 107
patulum Kingdon Ward, 121
pemakoense Kingdon-Ward, 121
pendulum Hooker, 27
pennivenium Balfour f. & Forrest, 301
pentamerum (Maximovicz) Matsumura, 310
peramabile Hutchinson, 96
peramoenum Balfour f. & Forrest, 331
peregrinum Tagg, 431

Rhododendron Linnaeus—continued

- persicinum* Handel-Mazzetti, 303
perulatum Balfour f. & Forrest, 395
petelotii Dop, 301
petrocharis Diels, 59
phaeochlorum Balfour f. & Forrest, 71
phaedropum (Balfour f. & Farrer) Tagg, 410
phaeochrysum Balfour f. & W. W. Smith, 350
 var. *agglutinatum* (Balfour f. & Forrest) Chamberlain, 352
 var. *levistratum* (Balfour f. & Forrest) Chamberlain, 352
 var. *phaeochrysum* 351
phoenicodum Balfour f. & Farrer, 409
pholidotum Balfour f. & Smith, 90
piercei Davidian, 387
pilicalyx Hutchinson, 53
pilovittatum Balfour f. & W. W. Smith, 331
pingianum Fang, 326
planetum Balfour f., 432
platypodum Diels, 236
plebeium Balfour f. & Smith, 89
pleistanthum Wilding, 68
pocophorum [Balfour f. ex] Tagg, 387
 var. *hemidartum* (Tagg) Chamberlain, 387
 var. *pocophorum*, 387
poecilodermum Balfour f. & Forrest, 344
pogonophyllum Cowan & Davidian, 161
pogonostylum Balfour f. & W. W. Smith, 298
polifolium Franchet, 97
poliopeplum Balfour f. & Forrest, 398
polyandrum Hutchinson, 33
polycladum Franchet, 102
polylepis Franchet, 76
pomense Cowan & Davidian, 363
ponticum L., 313
 subsp. *baeticum* (Boissier & Reuter) Handel-Mazzetti, 315
 var. *brachycarpum* Boissier, 315
populare Cowan, 419
porphyroblastum Balfour f. & Forrest, 346
porphyrophyllum Balfour f. & Forrest, 405
porrosquameum Balfour f. & Forrest, 90
potaninii Batalin, 428
pothinum Balfour f. & Forrest, 404
praestans Balfour f. & W. W. Smith, 247
praeteritium Hutchinson, 240
praevernium Hutchinson, 227
prasinocalyx Balfour f. & Forrest, 266
pratitii Franchet, 359
preptum Balfour f. & Forrest, 257
primuliflorum Bureau & Franchet, 165
 var. *cephalanthoides* (Balfour f. & Smith) Cowan & Davidian, 165
 var. *lepidanthum* (Balfour & Smith) Cowan & Davidian, 165
primulinum Hemsley, 101
principis Bureau & Franchet, 357
pritzelianum Diels, 132
probum Balfour f. & Forrest, 278
procerum Salisbury, 316
pronum Tagg & Forrest, 358
prophantum Balfour f. & Forrest, 377
propinquum Tagg, 109
prostratum Smith, 117
proteoides Balfour f. & W. W. Smith, 346
protistum Balfour f. & Forrest, 248
 var. *giganteum* (Tagg) Chamberlain, 250
 var. *protistum*, 250
pruniflorum Hutchinson, 143
przewalskii Maximowicz, 360
pseudochrysanthum Hayata, 273
pseudociliicalyx Hutchinson, 51
pseudocilipes Cullen, 50
pseudoyanthinum Hutchinson, 75
psilostylum (Rehder & Wilson) Balfour f., 101
pubescens Balfour f. & Forrest, 84
pubicostatum T. L. Ming, 337
pubigerum Balfour f. & Forrest, 71
pudorosum Cowan, 247
punctatum Andrews, 92
 var. 3 Ker, 92
pumilum Hooker, 120
puniceum Roxburgh, 329
puralbum Balfour f. & W. W. Smith, 266
purdormii Rehder & Wilson, 429
purpureum (Pursh) G. Don, 316
purshii G. Don, 316
pyncocladum Balfour f. & Smith, 104
pyrhoanthum Balfour f., 432
racemosum Franchet, 82
 var. *rigidum* (Franchet) Rehnelt, 69
radendum Fang, 169
radicans Balfour f. & Forrest, 116
radinum Balfour f. & W. W. Smith, 168
ramosissimum Franchet, 106
ramsdenianum Cowan, 302
rarile Balfour f. & W. W. Smith, 233
rarosquameum Balfour f., 69
ravum Balfour f. & Smith, 95
recurvoides Tagg & Kingdon Ward, 288
recurvum Balfour f. & Forrest, 344
 var. *oreonastes* Balfour f. & Forrest, 344
regale Balfour f. & Kingdon Ward, 253
reginaldii Balfour f., 238
repens Balfour f. & Forrest, 407
 var. *chamaedoron* Tagg & Forrest, 406
 var. *chamaethauma* Tagg, 407
 var. *chamaethomsonii* Tagg & Forrest, 406
rex Léveillé, 255
 subsp. *arizelum* (Balfour f. & Forrest) Chamberlain, 256
 subsp. *fictolacteam* (Balfour f.) Chamberlain, 255
 subsp. *rex*, 255
rhabdotum Balfour & Cooper, 37
rhaibocarpum Balfour f. & W. W. Smith, 279
rhanthum Balfour f. & W. W. Smith, 230
rigidum Franchet, 69

Rhododendron Linnaeus—continued

- riparium* Kingdon Ward, 116
- ririei* Hemsley & Wilson, 328
- rivulare* Kingdon Ward, 116
- rockii* Wilson, 323
- roseatum* Hutchinson, 51
- roseotinctum* Balfour f. & Forrest, 399
- rosthornii* Diels, 132
- rothschildii* Davidian, 252
- rotundifolium* David, 237
- roxieanum* Forrest, 344
 - var. *cucullatum* (Handel-Mazzetti) Chamberlain, 345
 - var. *globigerum* (Balfour f. & Forrest) Chamberlain, 350
 - var. *roxieanum*, 344
- roxieoides* Chamberlain, 347, 478
- roylei* Hooker, 124
- rubiginosum* Franchet, 90
- rubriflorum* Kingdon Ward, 146
- rubrolineatum* Balfour f. & Forrest, 155
- rubropunctatum* Hayata, 306
- rubro-punctatum* Lévillé & Vant., 67
- rude* Tagg & Forrest, 286
- rufescens* Franchet, 161
- rufosquamosum* Hutchinson, 47
- rufum* Balalin, 361
- rupicola* W. W. Smith, 108
 - var. *chryseum* (Balfour f. & Kingdon Ward) Philipson & Philipson, 109
 - var. *mulienae* (Balfour f. & Forrest) Philipson & Philipson, 109
 - var. *rupicola*, 109
- russum* Balfour f. & Forrest, 108
- rusotinctum* Balfour f. & Forrest, 350
- salignum* Hooker, 149
- saluenense* Franchet, 117
 - subsp. *chameunum* (Balfour & Forrest) Cullen, 117
 - subsp. *saluenense*, 117
- sanguineum* Franchet, 396
 - subsp. *aisoides* Cowan, 398
 - subsp. *cloiophorum* (Balfour f. & Forrest) Cowan, 399
 - subsp. *consanguineum* Cowan, 399
 - subsp. *didymoides* (Tagg & Forrest) Cowan, 399
 - subsp. *didymum* (Balfour f. & Forrest) Cowan, 399
 - subsp. *haemaleum* (Balfour f. & Forrest) Cowan, 398
 - subsp. *himertum* (Balfour f. & Forrest) Cowan, 398
 - subsp. *leucopetalum* (Balfour f. & Forrest) Cowan, 399
 - subsp. *mesaeum* [Balfour f. ex] Cowan, 398
 - subsp. *roseotinctum* (Balfour f. & Forrest) Cowan, 399
 - subsp. *sanguineum*, 396
 - var. *cloiophorum* (Balfour f. & Forrest) Chamberlain, 398
 - var. *didymoides* Tagg & Forrest, 399
 - var. *haemaleum* (Balfour f. & Forrest) Chamberlain, 397
 - var. *himertum* (Balfour f. & Forrest) Chamberlain, 398
 - var. *sanguineum*, 397
- subsp. *sanguinioides* Cowan, 397
- saravanense* Dop., 53
- sargentianum* Rehder & Wilson, 162
- scabrifolium* Franchet, 84
 - var. *pauciflorum* Franchet, 85
 - var. *scabrifolium*, 85
 - var. *spiciferum* (Franchet) Cullen, 85
- schistocalyx* Balfour f. & Forrest, 379
- schizopeplum* Balfour f. & Forrest, 356
- sciaphilum* Balfour f. & Kingdon Ward, 26
- sclerocladum* Balfour f. & Forrest, 95
- scintillans* Balfour f. & Smith, 102
- scopulorum* Hutchinson, 43
- scottianum* Hutchinson, 53
- scyphocalyx* Balfour f. & Forrest, 394
- searsiae* Rehder & Wilson, 76
- seingkuense* Kingdon Ward, 27
- selense* Franchet, 279
 - subsp. *dasycladum* (Balfour f. & W. W. Smith) Chamberlain, 279
 - subsp. *duseimatum* (Balfour f. & Forrest) Tagg, 276
 - subsp. *jucundum* (Balfour f. & W. W. Smith) Chamberlain, 280
 - subsp. *selense*, 278
 - subsp. *setiferum* (Balfour f. & Forrest) Chamberlain, 280
- var. *duseimatum* (Balfour f. & Forrest) Cowan & Davidian, 276
- var. *pagophilum* (Balfour f. & Kingdon Ward) Cowan & Davidian, 278
- var. *probum* (Balfour f. & Forrest) Cowan & Davidian, 278
- semanteum* Balfour f., 102
- semilunatum* Balfour f. & Forrest, 155
- semnoides* Tagg & Forrest, 253
- semnum* Balfour f. & Forrest, 247
- serotinum* Hutchinson, 432
- serpens* Balfour f. & Forrest, 405
- setiferum* Balfour f. & Forrest, 280
- setosum* D. Don, 109
- sheltonii* Hemsley & Wilson, 230
- shensiense* R. C. Ching, 240
- shepherdii* Nuttall, 302
- sherriffii* Cowan, 416
- shweliense* Balfour f. & Forrest, 143
- sichotense* Pojarkova, 112
- sidereum* Balfour f., 246
- siderophyllum* Franchet, 67
- sigillatum* Balfour f. & Forrest, 353
- sikangense* Fang, 271
- silvaticum* Cowan, 332

Rhododendron Linnaeus—continued

- simiarum* Hance, 320
 subsp. *youngae* (Fang) Chamberlain, 319
simulans (Tagg & Forrest) Chamberlain, 343
sinofalconeri Balfour f., 260
sinogrande Balfour f. & W. W. Smith, 245
 var. *boreale* Tagg & Forrest, 245
sinolepidotum Balfour f., 149
sinonuttallii Balfour f. & Forrest, 36
sinovirgatum Hort., 130
smilesii Hutchinson, 55
smirnowii Trautvetter, 312
smithii [Nuttall ex] Hooker f., 381
 × *sochadzeae* Char & Davlianidze, 315
sordidum Hutchinson, 143
souliei Franchet, 266
spanotrichum Balfour f. & W. W. Smith, 293
sparsiflorum Nuttall, 139
speciosum Salisbury, 313
sperrabile Balfour f. & Farrer, 411
 var. *sperabile*, 411
 var. *weihsienae* Tagg & Forrest, 412
sperabiloides Tagg & Forrest, 412
sphaeranthum Balfour f. & Smith, 168
sphaeroblastum Balfour f. & Forrest, 343
spiciferum Franchet, 85
spilanthum Hutchinson, 97
spilotum Balfour f. & Farrer, 429
spinuliferum Franchet, 85
spodopeplum Balfour f. & Farrer, 128
spooneri Hemsley & Wilson, 231
squarrosus Balfour f., 90
stenophyllum Makino, 311
stenoplastum Balfour f. & Forrest, 90
stereophyllum Balfour f. & Smith, 66
stewartianum Diels, 426
 var. *aiolosalpinx* (Balfour f. & Farrer) Cowan & Davidian, 426
 var. *tantulum* Cowan & Davidian, 426
stictophyllum Balfour f., 106
strigillosum Franchet, 270
subansiriense Chamberlain, 422
suberosum Balfour f. & Forrest, 68
succothii Davidian, 382
sulfureum Franchet, 135
sulfureum sensu Diels, 60
supranubium Hutchinson, 53
surasianum Balfour f. & Craib, 56
sutchuenense Franchet, 226
 var. *geraldii* Hutchinson, 227
syncanthum Balfour f. & W. W. Smith, 69
syncollum Balfour f. & Forrest, 352
taggianum Hutchinson, 38
taliense Franchet, 343
tamaense Davidian, 124
tanastylum Balfour f. & Kingdon Ward, 300
 var. *pennivenium* (Balfour f. & Forrest) Chamberlain, 301
 var. *tanastylum*, 301
tapeinum Balfour f. & Farrer, 136
tapelouense Léveillé, 66
tapetiforme Balfour f. & Kingdon Ward, 99
taquetii Léveillé, 113
taronense Hutchinson, 48
tatsienense Franchet, 65
tawangense Sahni & Naithani, 410
telmateium Balfour f. & W. W. Smith, 104
telopeum Balfour f. & Forrest, 264
temenium Balfour f. & Forrest, 404
 subsp. *albipetalum* Cowan, 402
 subsp. *chrysanthum* Cowan, 404
 subsp. *dealbatum* Cowan, 405
 subsp. *gilvum* Cowan, 404
 subsp. *glaphyrum* (Balfour f. & Forrest) Cowan, 405
 subsp. *pothinum* (Balfour f. & Forrest) Cowan, 404
 subsp. *rhodanthum* Cowan, 402
 var. *dealbatum* (Cowan) Chamberlain, 405
 var. *gilvum* (Cowan) Chamberlain, 404
 var. *temenium*, 404
tephropeplum Balfour f. & Farrer, 128
thayerianum Rehder & Wilson, 323
theiochromum Balfour f. & W. W. Smith, 135
theiophyllum Balfour f. & Forrest, 352
thomsonii Hooker f., 419
 subsp. *candelabrum* (Hooker f.) Chamberlain, 420
 subsp. *lopsangianum* (Cowan) Chamberlain, 420
 subsp. *thomsonii*, 419
 var. *candelabrum* (Hooker f.) C. B. Clarke, 420
 var. *cyanocarpum* Franchet, 423
 var. *pallidum* Cowan, 420
thymifolium Maximowicz, 97
thydocum Balfour f. & Cooper, 151
timeteum Balfour f. & Forrest, 71
torquatium Balfour f. & Farrer, 394
traillianum Forrest & W. W. Smith, 354
 × var. *dictyotum* (Tagg) Chamberlain, 354
 var. *traillianum*, 354
trichanthum Rehder, 74
trichocalyx Ingram, 78
trichocladum Franchet, 153
 var. *longipilosum* Cowan, 155
trichomiscum Balfour f. & Forrest, 401
trichophlebium Balfour f. & Forrest, 401
trichophorum Balfour f., 75, 80
trichopodium Balfour f. & Forrest, 71
trichostomum Franchet, 168
 var. *hedyosmum* (Balfour f.) Cowan & Davidian, 168
 var. *ledoides* (Balfour f. & Smith) Cowan & Davidian, 168
 var. *radinum* (Balfour f. & Smith) Cowan & Davidian, 168
triflorum Hooker, 77
 var. *bauhiniiflorum* (Watt ex Hutchinson) Cullen, 78

Rhododendron Linnaeus—continued

- var. *mahogani* Hutchinson, 77
- var. *triflorum*, 77
- trilectorum* Cowan, 401
- triploaevium* Balfour f. & Forrest, 350
- tritifolium* Balfour f. & Forrest, 350
- truncatulum* Balfour f. & Forrest, 281
- tsaii* Fang, 95
- tsangpoense* Kingdon Ward, 143
 - var. *curvistylum* Cowan & Davidian, 143
 - var. *pruniflorum* (Hutchinson) Cowan & Davidian, 143
- tsangpoense* Balfour f. & Forrest, 165
- tsariense* Cowan, 370
- ungernii* Trautvetter, 311
- uniflorum* Kingdon Ward, 121
 - var. *imperator* (Kingdon Ward) Cullen, 122
 - var. *uniflorum*, 122
- uvarifolium* Diels, 368
- valentinianum* Hutchinson, 42
 - var. *changii* Fang, 42
- veitchianum* Hooker, 55
- vellereum* Hutchinson, 358
- venator* Tagg, 290
- venosum* Nuttall, 432
- vernicosum* Franchet, 230
- versicolor* Chun & Fang, 320
- vesiculiferum* Tagg, 286
- vestitum* Tagg & Forrest, 280
- vicarium* Balfour f., 106
- vicinum* Balfour f. & Forrest, 353
- villosum* Hemsley & Wilson, 74
- vilmorinianum* Balfour f., 72
- violaceum*, Rehder & Wilson, 106
- virgatum* Hooker, 130
 - subsp. *deifolium* (Franchet) Cullen, 130
 - subsp. *virgatum*, 130
- viridescens* Hutchinson, 154
- viscidifolium* Davidian, 420
- wallaceanum* Millais, 432

- wallichii* Hooker f., 373
- wallichii* × *arboresum* Smith, 374
- walongense* Kingdon Ward, 48
- wardii* W. W. Smith, 265
 - var. *puralbum* (Balfour f. & W. W. Smith) Chamberlain, 266
 - var. *wardii*, 265
- wasonii* Hemsley & Wilson, 362
- watsonii* Hemsley & Wilson, 251
- wattii* Cowan, 242
- websteranum* Rehder & Wilson, 97
 - var. *websteranum*, 98
 - var. *yulongense* Philipson & Philipson, 98
- weldianum* Rehder & Wilson, 361
- wightii* Hooker f., 365
- williamsianum* Rehder & Wilson, 261
- wiltonii* Hemsley & Wilson, 362
- windsorii* Nuttall, 329
- wongii* Hemsley & Wilson, 80
- wrayi* King & Gamble, 294
 - var. *ellipticum* Ridley, 294
 - var. *minor* Ridley, 294
- wuense* Balfour f., 359
- × *xanthanthum* Tagg & Forrest, 393
- xanthinum* Balfour f. & Smith, 153
- xanthocodon* Hutchinson, 124
- xanthoneuron* Léveillé, 321
- xanthostephanum* Merrill, 127
- yakushmanum* Nakai, 310
 - subsp. *makinoi* (Tagg) Chamberlain, 311
 - subsp. *yakushmanum*, 311
- yanthinum* Bureau & Franchet, 75
 - var. *lepidanthum* Rehder & Wilson, 75
- yaragongense* Balfour f., 106
- youngae* Gang, 319
- yungchangense* Cullen, 53
- yungningense* Balfour f., 99
- yunnanense* Franchet, 67
- yunnanense* aggregate, 65
- zaleucum* Balfour f. & Smith, 63
- zeylanicum* Booth, 332