

# CATALOGUE OF THE NAMES PUBLISHED BY HECTOR LEVEILLE: INDEX

L. A. LAUENER

This Index contains all the names published in Parts I—XVII of the Catalogue and the Errata & Emendata I & II. It broadly follows the pattern set by Rehder in his Index to the ligneous plants described by L  veill  . The L  veill   name is given first and when it is a synonym it is italicized, followed by the correct name in roman type; after this volume and page number in *Notes RBG Edinb.* are given. The year of publication is omitted since this can be found in the list of papers at the beginning of the index. All authorities are cited except where L  veill   is the sole author.

The *Pelea* species of L  veill   were not treated separately in the Catalogue since they were dealt with in toto in the paper by B. C. Stone (1967); the *Pelea* species in this Index, therefore, were taken from Stone's paper. Also included in the Index are the references in my paper on Faurie's Hawaiian types at the British Museum.

## LIST OF PARTS

|      |                    |      |                    |
|------|--------------------|------|--------------------|
| I    | 23: 573-596 (1961) | X    | 35: 247-264 (1977) |
| II   | 24: 73-78 (1962)   | XI   | 35: 265-279 (1977) |
| III  | 26: 333-346 (1966) | XII  | 37: 125-151 (1978) |
| IV   | 27: 1-10 (1966)    | XIII | 38: 453-485 (1980) |
| V    | 27: 265-292 (1967) | XIV  | 40: 157-203 (1982) |
| VI   | 30: 239-294 (1970) | XV   | 40: 345-358 (1982) |
| VII  | 31: 397-435 (1972) | XVI  | 40: 475-505 (1983) |
| VIII | 32: 93-116 (1972)  | XVII | 41: 165-179 (1983) |
| IX   | 34: 327-402 (1976) |      |                    |

Errata & Emendata I, 40: 204 (1982); II, 41: 181 (1983)

LAUENER, L. A. Faurie's Hawaiian types at the British Museum. *Notes RBG Edinb.* 38: 495-497 (1980).

STONE, BENJAMIN C. Identity of the *Pelea* species (Rutaceae) described by H. L  veill  : Studies in Hawaiian Rutaceae, VIII. *Notes RBG Edinb.* 27: 259-264 (1967).

## INDEX TO FAMILIES

|                  |                  |                 |                  |
|------------------|------------------|-----------------|------------------|
| Acanthaceae      | 38: 474          | Capparaceae     | 26: 340          |
| Amaranthaceae    | 40: 192          | Caprifoliaceae  | 32: 98           |
| Anacardiaceae    | 27: 291          | Caryophyllaceae | 26: 344          |
| Annonaceae       | 24: 73           | Celastraceae    | 27: 273          |
| Apocynaceae      | 37: 129          | Chenopodiaceae  | 40: 193          |
| Aquifoliaceae    | 27: 272; 41: 182 | Chloranthaceae  | 40: 347          |
| Araliaceae       | 32: 94; 41: 186  | Combretaceae    | 31: 397          |
| Aristolochiaceae | 40: 345          | Compositae      | 34: 327; 40: 204 |
| Asclepiadaceae   | 37: 133          | Convolvulaceae  | 37: 144          |
| Balanophoraceae  | 40: 358          | Coriariaceae    | 27: 292          |
| Begoniaceae      | 31: 432          | Cornaceae       | 32: 97           |
| Berberidaceae    | 24: 73           | Crassulaceae    | 30: 290          |
| Betulaceae       | 41: 165          | Cruciferae      | 26: 333          |
| Bignoniaceae     | 38: 473          | Cucurbitaceae   | 31: 429          |
| Bixaceae         | 26: 342          | Dipsacaceae     | 32: 116          |
| Boraginaceae     | 37: 142          | Ebenaceae       | 35: 275          |
| Campanulaceae    | 35: 248          | Elaeagnaceae    | 40: 356          |

|                  |                  |                  |                  |
|------------------|------------------|------------------|------------------|
| Epacridaceae     | 35: 263          | Pedaliaceae      | 38: 473          |
| Ericaceae        | 35: 256          | Phrymaceae       | 38: 485          |
| Euphorbiaceae    | 40: 475          | Phytolaccaceae   | 40: 193          |
| Fagaceae         | 41: 166          | Piperaceae       | 40: 346          |
| Gentianaceae     | 37: 136; 41: 188 | Pittosporaceae   | 26: 342          |
| Geraniaceae      | 27: 265          | Plantaginaceae   | 40: 190          |
| Gesneriaceae     | 38: 463          | Plumbaginaceae   | 35: 265          |
| Goodeniaceae     | 35: 247          | Polygalaceae     | 26: 343          |
| Haloragaceae     | 30: 294          | Polygonaceae     | 40: 194          |
| Hamamelidaceae   | 30: 293          | Portulacaceae    | 27: 1            |
| Hernandiaceae    | 40: 353          | Primulaceae      | 35: 265          |
| Hypericaceae     | 27: 1            | Ranunculaceae    | 23: 574          |
| Illiciaceae      | 23: 595          | Rhamnaceae       | 27: 277          |
| Juglandaceae     | 40: 504          | Rosaceae         | 30: 254          |
| Labiatae         | 40: 157          | Rubiaceae        | 32: 103; 41: 187 |
| Lauraceae        | 40: 348          | Rutaceae         | 27: 268          |
| Leguminosae      | 30: 239          | Sabiaceae        | 27: 290          |
| Lentibulariaceae | 38: 462          | Salicaceae       | 41: 172          |
| Linaceae         | 27: 265; 41: 182 | Santalaceae      | 40: 358          |
| Loganiaceae      | 37: 136; 38: 453 | Sapindaceae      | 27: 287; 41: 183 |
| Loranthaceae     | 40: 357          | Sapotaceae       | 35: 275          |
| Lythraceae       | 31: 400          | Saxifragaceae    | 30: 283          |
| Magnoliaceae     | 23: 596; 41: 181 | Schisandraceae   | 23: 595          |
| Malpighiaceae    | 27: 265          | Scrophulariaceae | 38: 455          |
| Malvaceae        | 27: 7; 41: 182   | Simaroubaceae    | 27: 270          |
| Melastomataceae  | 31: 398          | Solanaceae       | 37: 147          |
| Meliaceae        | 27: 270          | Sterculiaceae    | 27: 8            |
| Menispermaceae   | 24: 73           | Stylidiaceae     | 35: 247          |
| Myoporaceae      | 38: 480          | Styracaceae      | 35: 276          |
| Myricaceae       | 40: 505          | Theaceae         | 27: 5            |
| Myrsinaceae      | 35: 269          | Thymelaeaceae    | 40: 354          |
| Myrtaceae        | 31: 298; 41: 183 | Tiliaceae        | 27: 9            |
| Nyctaginaceae    | 40: 192          | Umbelliferae     | 32: 93           |
| Nymphaeaceae     | 24: 75           | Urticaceae       | 40: 486          |
| Oleaceae         | 27: 271          | Vacciniaceae     | 35: 253          |
| Oleaceae         | 37: 125          | Valerianaceae    | 32: 116          |
| Onagraceae       | 31: 401          | Verbenaceae      | 38: 481          |
| Orobanchaceae    | 38: 462          | Violaceae        | 26: 341          |
| Papaveraceae     | 24: 76           | Vitaceae         | 27: 281          |
| Passifloraceae   | 31: 429          |                  |                  |

*Abelia bodinieri* nom. nud. = *A. myrtilloides* Rehder 32: 98

*cavaleriei* 32: 98

*deutziaefolia* (Lévl.) Lévl. = *A. graebneriana* Rehder var. *deutziaefolia* (Lévl.) Lauener 32: 98

*mairei* = *A. schumannii* (Graebn.) Rehder 32: 98

*verticillata* = *A. graebneriana* Rehder var. *deutziaefolia* (Lévl.) Lauener 32: 98

*Abutilon cavaleriei* = *A. indicum* (L.) Sweet. 27: 7

*esquirolii* = *Urena repanda* Roxb. 27: 8

*Acacia cavaleriei* = *A. delavayi* Franch. 30: 239

*Acanthopanax bodinieri* = *Brassaiaopsis ciliata* Dunn 32: 94

*esquirolii* = *Brassaiaopsis glomerulata* (Bl.) Regel 32: 94

*Acer bodinieri* = *A. mono* Maxim. var. *tricuspid* (Rehder) Rehder 27: 288

*cavaleriei* = *A. davidii* Franch. 27: 287

*coriaceifolium* 27: 287

*crataegifolius* = *A. davidii* Franch. 27: 287

*cucullobracteatum* = *A. rufinerve* Sieb. & Zucc. 27: 289

*dielsii* = *Dipteronia sinensis* Oliver 27: 289

*fauriei* = *A. negundo* L. 27: 288

*hayatae* Lévl. & Van. = *A. miyabei* Maxim. 27: 288

- hayatae* Lévl. & Van. var. *glabra* Lévl. & Van. = *A. mono* Maxim. 27: 288  
*lasiocarpum* Lévl. & Van. = *A. caudatum* Wall. ssp. *ukurunduense* (Trautv. & Mey.) E. Murray 27: 287  
*mairei* = *Pterocarya stenoptera* DC. 27: 288; 40: 504  
*oblongum* Wall. ap. DC. var. *erythrocarpum* = *A. paxii* Franch. 27: 288  
*palmatum* Thunb. var. *plicatum* = *A. argutum* Maxim. 27: 287  
*paxii* Franch. var. *integrifolia* = *A. oblongum* Wall. ap. DC. 27: 288  
*pellucidobracteatum* = *A. tschonoskii* Maxim. 27: 289  
*prainii* = *A. fabri* Hance 27: 288  
*stachyophyllum* = *A. davidii* Franch. 27: 287  
*trifidum* Thunb. var. *formosanum* [Hayata ex] Lévl. = *A. buergerianum* Miq. ssp. *formosanum* (Hayata ex Koidz.) E. Murray & L. A. Lauener 27: 287  
*Achyranthes fauriei* Lévl. & Van. = *A. bidentata* Bl. var. *tomentosa* (Honda) Hara 40: 192  
*hamata* Lévl. & Van. = *Cyathula capitata* Moquin 40: 192  
*Aconitum bodinieri* Lévl. & Van. = *A. carmichaelii* Debx. 23: 574  
*bullatifolium* 23: 574  
*cavaleriei* Lévl. & Van. 23: 575  
*coriaceum* = *A. racemosum* Franch. 23: 576  
*delavayi* Franch. var. *coreanum* = *A. coreanum* (Lévl.) Rap. 23: 575  
*duclouxii* 23: 575  
*episcopale* = *A. delavayi* Franch. var. *leiocarpum* Fin. & Gagnep. 23: 575  
*fauriei* Lévl. & Van. = *A. chinese* Paxt. 23: 575  
*gigas* Lévl. & Van. 23: 576  
*luteum* Lévl. & Van. p.p. = *A. barbatum* Pers. 23: 574  
*luteum* Lévl. & Van. p.p. = *A. kusnezoffii* Rchb. 23: 576  
*lycoctonum* L. var. *circinatum* = *A. jucundum* Diels 23: 576  
*mairei* = *A. vilmorinianum* Komar. 23: 577  
*napellus* L. var. *alimum* = *A. napiforme* Lévl. & Van. 23: 576  
*napiforme* Lévl. & Van. 23: 576  
*neo-sachalinense* 23: 576  
*zigzag* Lévl. & Van. 23: 577  
*Acronychia esquirolii* = *Alstonia yunnanensis* Diels 27: 268; 37: 130  
*Actinidia arguta* (Sieb. & Zucc.) Planch. var. *dunnii* = *A. purpurea* Rehder 27: 5  
*dielsii* = *A. fortunatii* Finet & Gagnep. 27: 5  
*rubus* 27: 6  
*Actinostemon chaffanjonii* 31: 432  
*Adenophora argyi* = *A. axilliflora* Borb. 35: 248  
*polymorpha* Ledeb. var. *chanetii* 35: 248  
*polymorpha* Ledeb. var. *rhombifolia* = *A. tetraphylla* (Thunb.) Fischer var. *hirsuta* (Fr. Schmidt) Chamberlain 35: 249  
*rotundifolia* = *A. axilliflora* Borb. 35: 248  
*taquetii* 35: 248  
*verticillata* (Pallas) Fischer var. *abbreviata* = *A. tetraphylla* (Thunb.) Fischer var. *abbreviata* (Lévl.) Chamberlain 35: 249  
*Adina fauriei* = *A. rubella* Hance 32: 103  
*Aeginetia mairei* 38: 462  
*Aeschynanthus dunnii* = *Phlogacanthus pubinervis* T. Anders. 38: 463, 478  
*esquirolii* = *Symingtonia populnea* (R. Br. ex Griff.) van Steenis 30: 294 = *Exbucklandia populnea* (R. Br. ex Griff.) R. W. Brown 38: 463  
*Aganosma schlechteriana* 37: 129  
*Agapetes vaccinoidea* = *Vaccinium japonicum* Miq. var. *sinicum* (Nakai) Rehder 35: 255  
*Ageratum sandwicense* 34: 330  
*Ailanthus esquirolii* 27: 270  
*Ainsliaea cavaleriei* 34: 284  
*hayatae* = *A. latifolia* (D. Don) Sch. Bip. var. *nimborum* (Hand.-Mazz.) Kitamura 34: 384  
*mairei* 34: 385  
*ovalifolia* Van. = *A. pertyoides* Franch. var. *albotomentosa* Beauverd f. *ovalifolia* (Van.) Beauverd 34: 385  
*pertyoides* Franch. var. *sparsiflora* (Van.) Lévl. = *A. pertyoides* Franch. f. *sparsiflora* (Van.) Beauverd 34: 385

- pteropoda* DC. var. *incana* [Van. ex] Lévl., nom. nud. = *A. latifolia* (D. Don) Sch. Bip. 34: 384
- pteropoda* DC. f. *ovalifolia* (Van.) Lévl. = *A. pertyoides* Franch. var. *albotomentosa* Beauverd f. *ovalifolia* (Van.) Beauverd 34: 385
- sparsiflora* Van. = *A. pertyoides* Franch. var. *pertyoides* f. *sparsiflora* (Van.) Beauverd 34: 385
- spicata* Van. = *A. latifolia* (D. Don) Sch. Bip. var. *obovata* (Franch.) Grierson & Lauener 34: 385
- yunnanensis* Franch. var. *macilenta* [Van. ex] Lévl., nom. nud. = *A. yunnanensis* Franch. 34: 386
- Ajuga chanelii* Lévl. & Van. = *A. ciliata* Bge. var. *chanetii* (Lévl. & Van.) C. Y. Wu & C. Chen 40: 158
- devestita* Lévl. & Van. = *A. decumbens* Thunb. 40: 158
- fauriei* Lévl. & Van. = *A. decumbens* Thunb. 40: 158
- labordei* Van. = *A. nipponensis* Makino var. *pallascens* (Maxim.) C. Y. Wu & C. Chen 40: 158
- mairei* = *A. forrestii* Diels 40: 158
- Akebia cavaleriei* = *Stauntonia obovata* Hemsl. 24: 75
- chaffanjonii* = *A. trifoliata* (Thunb.) Koidz. var. *australis* (Diels) Rehder 24: 73
- lobata* Decne. var. *chaffanjonii* (Lévl.) Lévl. = *A. trifoliata* (Thunb.) Koidz. var. *australis* (Diels) Rehder 24: 73
- Albizia esquirolii* = *A. kalkora* (Roxb.) Prain 30: 239
- Alchornea mairei* = *Tragia involucrata* L. 40: 485
- vanioti* = *Croton tigilium* L. 40: 477
- Allomorphia bodinieri* = *Blastus cavaleriei* Lévl. & Van. 31: 397
- cavaleriei* Lévl. & Van. = *Phyllagathis cavaleriei* (Lévl. & Van.) Guillaum. 31: 400
- Alnus fauriei* Lévl. & Van. 41: 165
- mairei* = *A. nepalensis* D. Don 41: 165
- Astonia esquirolii* (Lévl.) Lévl. = *A. yunnanensis* Diels 37: 130
- mairei* 37: 130
- Alyxia myrtillaefolia* (Gray ex Hillebr.) Lévl. = *A. oliviformis* Gaud. f. *myrtillifolia* (Gray ex Hillebr.) St. John 37: 130
- schlechteri* 37: 130
- Anaphalis chanelii* (Lévl.) Lévl. = *A. sinica* Hance 34: 347
- esquirolii* (Lévl.) Lévl. = *A. adnata* DC. 34: 346
- mairei* = *A. nepalensis* (Spreng.) Hand.-Mazz. 34: 347
- mairei* var. *pulverulenta* = *A. nepalensis* (Spreng.) Hand.-Mazz. 34: 347
- sericeo-albida* (Van.) Lévl. = *A. adnata* DC. 34: 346
- Andrachne bodinieri* = *Leptopus chinensis* (Bunge) Pojark. 40: 482
- cavaleriei* = *Lysimachia capillipes* Hemsl. var. *cavaleriei* (Lévl.) Hand.-Mazz. 35: 266; 40: 476
- esquirolii* = *Leptopus esquirolii* (Lévl.) P. T. Li 40: 482
- hypoglauca* = *Leptopus esquirolii* (Lévl.) P. T. Li 40: 482
- millietii* = *Lysimachia millietii* (Lévl.) Hand.-Mazz. 35: 267; 40: 476
- persicariifolia* = *Leptopus esquirolii* (Lévl.) P. T. Li 40: 482
- Androsace mairei* 35: 265
- Anemone begoniifolia* Lévl. & Van. 23: 577
- bicolor* = *A. demissa* Hook. f. & Thoms. 23: 577
- bodinieri* = *A. begoniifolia* Lévl. & Van. 23: 577
- boissiae* Lévl. & Van. = *Urophysa henryi* (Oliv.) Ulbrich 23: 595
- bonatiana* = *A. trullifolia* Hook. f. & Thoms. 23: 578
- bonatiana* var. *geum* (Lévl.) Lévl. = *A. obtusiloba* D. Don ssp. *ovalifolia* Brühl 23: 578
- esquirolii* (1911) = *A. begoniifolia* Lévl. & Van. 23: 577
- esquirolii* Lévl. & Van. (1910) = *A. rivularis* Buch.-Ham. 23: 578
- geum* = *A. obtusiloba* D. Don ssp. *ovalifolia* Bruhl 23: 578
- mairei* = *A. millefolium* Hemsl. & Wils. 23: 578
- saniculifolia* = *A. rivularis* Buch.-Ham. 23: 578
- scabiosa* Lévl. & Van. = *A. hupehensis* Lemoine var. *japonica* (Thunb.) Bowles & Stearn 23: 577
- Anisopappus candelabrum* = *Myriactis nepalensis* Less. 34: 331
- Anisophyllea cavaleriei* = *Vaccinium foetidissimum* Lévl. & Van. 31: 397; 35: 254

- Anthriscus boissieu* = *Chaerophyllum villosum* (Wall. ex) DC. 32: 93  
*Antidesma seguinii* Lévl. = *A. microphyllum* Hemsl. 40: 476  
*Antirrhoea esquirolii* = *Ecdysanthera rosea* Hook. & Arn. 32: 103; 37: 131  
*martini* = *Sindechites henryi* Oliv. 32: 103; 37: 131  
*Aphanostelma chinensis* [Schltr. ex] Lévl. = *Metaplexis sinensis* (Hemsl.) H. H. Hu 37: 135 =  
*Metaplexis hemsleyana* Oliv. 37: 151  
*Apios bodinieri* 30: 239  
*cavaleriei* = *A. fortunei* Maxim. 30: 240  
*esquirolii* (Lévl.) Lévl. = *Nogra grahamii* (Wall. ex Benth.) Merrill 30: 250  
*martini* Lévl. = *Dumasia villosa* DC. 30: 244  
*Aquilegia fauriei* (1902) 23: 578 = *Dictamnus dasycarpus* Turcz. 27: 268; 41: 181  
*fauriei* Lévl. & Van. (1906) = *A. flabellata* Sieb. & Zucc. 23: 579  
*Arabis cebennensis* DC. var. *coreana* = *Cardamine komarovii* Nakai 26: 337  
*chanetii* = *Orychophragmus violaceus* (L.) O. E. Schulz 26: 339  
*charbonnelii* = *Sisymbrium irio* L. 26: 340  
*fauriei* = *A. stelleri* DC. var. *japonica* (A. Gray) Fr. Schm. 26: 333  
*Aralia bodinieri* = *Nothopanax delavayi* (Franch.) Harms 32: 95  
*labordei* = *Toddalia asiatica* (L.) Lam. 27: 269; 32: 94  
*mairei* = *Tetrapanax papyriferus* (Hook.) C. Koch 32: 96  
*Ardisia bodinieri* = *A. brevicaulis* Diels 35: 269  
*castaneifolia* = *A. faberi* Hemsl. 35: 270  
*cavaleriei* = *A. faberi* Hemsl. 35: 270  
*crispa* (Thunb.) A.DC. var. *taquetii* = *A. crenata* Sims 35: 270  
*dielsii* = *A. crispa* (Thunb.) A.DC. var. *dielsii* (Lévl.) Walker 35: 270  
*discolor* = *Cornus oblonga* Wall. 32: 97; 35: 270  
*elegantissima* = *A. elegans* Andr. 35: 270  
*esquirolii* = *Lysimachia esquirolii* (Lévl.) Lauener 35: 266, 270 = *L. lancifolia* Craib 40: 204  
*labordei* = *A. crenata* Sims 35: 270  
*mairei* = *Chloranthus glaber* Makino 35: 270 = *Sarcandra glabra* (Thunb.) Nakai 40: 347  
*meziana* = *A. tenera* Mez. 35: 271  
*perforata* = *Alangium faberi* Oliv. var. *perforatum* (Lévl.) Rehder 32: 97; 35: 270  
*Argyreia rufo-hirsuta* = *A. capitata* (Vahl) Choisy 37: 144  
*seguinii* (Lévl.) Van. ex Lévl. 37: 144  
*Aristolochia blinii* = *Ceropegia mairei* (Lévl.) Huber 37: 133; 40: 345  
*bonatii* = *A. setchuenensis* Franch. 40: 345  
*feddei* 40: 345  
*mairei* = *Ceropegia mairei* (Lévl.) Huber 37: 133; 40: 345  
*viridiflora* = *Ceropegia mairei* (Lévl.) Huber 37: 133; 40: 346  
*viridiflora* var. *occlusa* = *Ceropegia mairei* (Lévl.) Huber 37: 133; 40: 346  
*Artabotrys esquirolii* p.p. = *Holboellia coriacea* Diels 24: 73, 74  
*esquirolii* p.p. = *Desmos cochinchinensis* Lour. 24: 73  
*Artemisia argyi* Lévl. & Van. 34: 353  
*cannabifolia* = *A. selangensis* Turcz. var. *cannabifolia* (Lévl.) Pamp. 34: 355  
*cannabifolia* var. *nigrescens*, nom. nud. = *A. selangensis* Turcz. var. *cannabifolia* (Lévl.) Pamp. 34: 355  
*feddei* Lévl. & Van. 34: 353  
*jeffreyana* = *A. igniaria* Maxim. var. *yunnanensis* (J. F. Jeffrey) Pamp. 34: 354  
*lancea* Van. 34: 354  
*mairei* 34: 355  
*potentillaeifolia* = *A. santolinifolia* [Turcz. ex] Bess. 34: 355  
*septemlobata* Lévl. & Van. = *A. lactiflora* [Wall. ex] DC. 34: 354  
*sieversiana* Willd. var. *blinii* 34: 356  
*tongchouanensis* = *A. japonica* Thunb. 34: 354  
*yunnanensis* = *A. pleiocephala* Pamp. f. *yunnanensis* Pamp. 34: 355  
*Asarum arrhizoma* 40: 346  
*cavaleriei* 40: 346  
*Aspidopterys cavaleriei* 27: 265  
*dunniana* = *A. cavaleriei* 27: 265  
*esquirolii* 27: 265  
*hypoglauca* = *Tripterygium hypoglaucum* (Lévl.) Lévl. ex Hutchinson 27: 265, 277

- Aster argyi* = *A. panduratus* [Nees ex] Walp. 34: 339  
*blinii* = *A. ageratoides* Turcz. var. *ovatus* (Franch. & Sav.) Hand.-Mazz. 34: 336  
*bodinieri* = *A. brachytrichus* Franch. 34: 337  
*breviscapus* Van. = *Erigeron breviscapus* (Van.) Hand.-Mazz. 34: 341  
*candelabrum* Van. = *A. panduratus* [Nees ex] Walp. 34: 339  
*cavaleriei* Van. & Lévl. = *A. albescens* (DC.) Koehne 34: 336  
*chaneti* Lévl. & Van. = *A. tripolium* L. 34: 340  
*coriaceifolius* Lévl. & Van. = *Vernonia saligna* DC. 34: 329  
*costei* = *A. asteroides* (DC.) O. Ktze. ssp. *costei* (Lévl.) Grierson 34: 336  
*curvatus* Van. = *A. gerlachii* Hance 34: 338  
*depauperatus* Van. & Lévl. = *Heteropappus hispidus* (Thunb.) Less. 34: 333  
*doronicifolium* = *A. fuscescens* Bur. & Franch. 34: 337  
*esquirolii* = *Picris hieracioides* L. ssp. *japonica* (Thunb.) Krylov 34: 387  
*fauriei* Lévl. & Van. (May 1909) = *A. tataricus* L. f. var. *fauriei* (Lévl. & Van.) Kitamura 34: 340  
*fauriei* Van. & Lévl. (July 1909) = *A. spathulifolius* Maxim. 34: 340  
*feddei* Lévl. & Van. = *A. spathulifolius* Maxim. 34: 340  
*flabellum* Van. = *A. fastigiatus* Fisch. 34: 337  
*franchetianus* = *Boltonia integrifolia* (Turcz. ex DC.) Lauener 34: 334  
*fusanensis* Lévl. & Van. = *Heteropappus hispidus* (Thunb.) Less. 34: 333  
*harrowianus* Diels var. *pycnophyllus* Lévl. = *A. pycnophyllus* Diels ex W. W. Sm. 34: 339  
*hayatae* Van. & Lévl. = *Heteropappus hispidus* (Thunb.) Less. 34: 333  
*horridifolius* Van. & Lévl. = *A. maackii* Regel 34: 338  
*kómarovi* Van. & Lévl. = *A. scaber* Thunb. 34: 339  
*korsakoviensis* Lévl. & Van. = *A. glehnii* Fr. Schmidt 34: 338  
*laticorymbus* Van. = *A. ageratoides* Turcz. var. *laticorymbus* (Van.) Hand.-Mazz. 34: 336  
*lofouensis* Lévl. & Van. = *Pentanema indicum* (L.) Ling var. *hypoleucum* (Hand.-Mazz.) Ling 34: 348  
*macilentus* Van. = *Inula nervosa* DC. 34: 348  
*macrodon* Lévl. & Van. = *Boltonia incisa* (Fisch.) Miq. 34: 334  
*macrolophus* Van. & Lévl. = *A. tripolium* L. 34: 340  
*mairei* = *A. oreophilus* Franch. 34: 339  
*marchandii* 34: 338  
*menelii* 34: 338  
*micranthus* Van. & Lévl. = *A. fastigiatus* Fisch. 34: 337  
*micranthus* Van. & Lévl. var. *achilleiformis* = *A. fastigiatus* Fisch. 34: 337  
*millefolius* Van. = *Heteropappus altaicus* (Willd.) Novopkr. var. *millefolius* (Van.) Grierson & Lauener 34: 332  
*nakaii* Van. & Lévl. = *A. tataricus* L. f. 34: 340  
*nigrescens* Van. = *A. ageratoides* Turcz. var. *holophyllus* Maxim. 34: 335  
*papposissimus* = *A. tripolium* L. 34: 340  
*quelpaertensis* Van. & Lévl. = *A. ageratoides* Turcz. 34: 335  
*rupicola* Van. & Lévl. = *Heteropappus hispidus* (Thunb.) Less. 34: 333  
*tricapitatus* Van. = *A. oreophilus* Franch. 34: 339  
*ursinus* = *Heteropappus hispidus* (Thunb.) Less. var. *ursinus* (Lévl.) Grierson & Lauener 34: 334  
*vanioti* Lévl. = *A. oreophilus* Franch. 34: 339  
*Astilbe thunbergii* (Sieb. & Zucc.) Miq. var. *aethusifolius* = *Aruncus dioicus* (Walt.) Fern. var. *aethusifolius* (Lévl.) Hara 30: 254, 283  
*thunbergii* (Sieb. & Zucc.) Miq. var. *taquetii* = *A. taquetii* (Lévl.) Koidz. 30: 283  
*Astragalus bodinieri* = *A. graveolens* (Buch.-Ham. ex) Benth. 30: 240  
*cavaleriei* = *Gueldenstaedtia verna* (Georgi) A. Boriss. 30: 245  
*esquirolii* = *Gueldenstaedtia yunnanensis* Franch. 30: 246  
*hamulosus* = *A. bhotanensis* Baker 30: 240  
*mairei* = *Hedysarum sikkimense* [Benth. ex] Baker 30: 246  
*Atropanthe mairei* (Lévl.) Lévl. = *Cyananthus albiflorus* Chamberlain 35: 252; 37: 147  
*Baccaurea cavaleriei* = *Cleidiocarpon cavaleriei* (Lévl.) Airy Shaw 40: 477  
*esquirolii* = *Sapium rotundifolium* Hemsl. 40: 485  
*Balanophora cavaleriei* = *B. abbreviata* Bl. 40: 358  
*esquirolii* = *B. harlandii* Hook f. 40: 358

- Barleria cavaleriei* = *B. cristata* L. 38: 474  
*cristata* L. var. *mairei* (Lévl.) Lévl. = *B. cristata* L. 38: 474  
*crotalaria* = *Morina delavayi* Franch. 32: 116; 38: 474  
*mairei* = *B. cristata* L. 38: 474  
*Barthea blinii* = *Plagiopetalum esquirolii* (Lévl.) Rehder 31: 400  
*cavaleriei* p.p. = *Bredia esquirolii* (Lévl.) Lauener 31: 398  
*cavaleriei* p.p. = *Plagiopetalum esquirolii* (Lévl.) Rehder 31: 400  
*esquirolii* = *Bredia esquirolii* (Lévl.) Lauener 31: 398  
*Bauhinia altefissa* p.p. = *B. faberi* Oliv. 30: 240  
*altefissa* p.p. = *B. yunnanensis* Franch. 30: 241  
*aurea* 30: 240  
*cavaleriei* = *B. faberi* Oliv. 30: 240  
*rocheri* = *B. touranensis* Gagnep. 30: 241  
*Begonia belli* = *B. porteri* Lévl. & Van. 31: 435  
*bulbosa* = *B. grandis* Dry. 'conta sinensis (A.DC.) Irmsch.' 31: 433  
*cavaleriei* 31: 432  
*cavaleriei* var. *pinfaensis* p.p. 31: 433  
*cavaleriei* var. *pinfaensis* p.p. = *B. cavaleriei* 31: 432  
*edulis* 31: 433  
*edulis* var. *henryi* = *B. laciniata* Roxb. 'euta principalis Irmsch.' 31: 434  
*erubescens* = *B. grandis* Dry. 'conta evansiana (Andr.) Irmsch.' 31: 433  
*esquirolii* = *B. cavaleriei* 31: 432  
*gemmirhiza* 31: 433  
*labordei* 31: 434  
*mairei* = *B. henryi* Hemsl. 31: 434  
*martinii* = *B. grandis* Dry. 'conta sinensis (A.DC.) Irmsch.' 31: 433  
*parvula* 31: 434  
*pedatifida* 31: 434  
*pedatifida* var. *kewensis* = *B. lipingensis* Irmsch. 31: 434  
*polyantha* = *B. labordei* 31: 434  
*porteri* 31: 435  
*yunnanensis* 31: 435  
*yunnanensis* var. *hypoleuca* = *B. yunnanensis* 31: 435  
*Berberis bicolor* 24: 74  
*bodinieri* = *B. wilsoniae* Hemsl. 24: 74  
*cavaleriei* (1911) 24: 74  
*cavaleriei* (1914) = *Gymnosporia esquirolii* 24: 74; 27: 277  
*elegans* = *Mahonia leveilleana* Schneider 24: 75  
*esquirolii* = *Gymnosporia esquirolii* 24: 74; 27: 277  
*ganpinensis* = *Mahonia ganpinensis* (Lévl.) Fedde 24: 75  
*Berchemia alnifolia* = *Corylopsis alnifolia* (Lévl.) Schneider 27: 277 = *C. platypetala* Rehder & Wils. 30: 293  
*cavaleriei* = *Sageretia henryi* Drumm. & Sprague 27: 281  
*chaneti* = *Sageretia theezans* (L.) Brongn. 27: 281  
*Betula fauriei* [Lévl. ex] Nakai, nom. nud. = *B. chinensis* Maxim. 41: 166  
*punctata* [Lévl. ex] Nakai, nom. nud. = *B. schmidtii* Regel 41: 166  
*vulcani* = *B. ermanii* Cham. var. *subcordata* Koidz. 41: 166  
*Bidens minuscula* Lévl. & Van. = *B. tripartita* L. var. *repens* (D. Don) Sherff 34: 351  
*robertianifolia* Lévl. & Van. = *B. biternata* (Lour.) Merr. & Sherff 34: 350  
*taquetii* Lévl. & Van. = *B. tripartita* L. 34: 351  
*Bilevillea chinensis* (L.) Lévl. p.p. = *Blumea riparia* (Bl.) DC. 34: 345  
*chinensis* (L.) Lévl. p.p. = *Blumea riparia* (Bl.) DC. var. *megacephala* Randeria 34: 345  
*granulatifolia* = *Blumea lanceolaria* (Roxb.) Druce 34: 344  
*martini* Van. nom. inval. = *Blumea riparia* (Bl.) DC. 34: 345  
*Biophytum esquirolii* 27: 265  
*Bistorta milletii* = *Polygonum milletii* (Lévl.) Lévl. 40: 199  
*Blastus cavaleriei* Lévl. & Van. 31: 398  
*dunnianus* 31: 398  
*lyi* = *Fordiophyton faberi* Stapf 31: 399  
*mairei* = *Bredia yunnanensis* (Lévl.) Diels 31: 399  
*marchandii* = *Blastus cochinchinensis* Lour. 31: 398

- yunnanensis* = *Bredia yunnanensis* (Lévl.) Diels 31: 399  
*Blumea bodinieri* Van. = *B. lacera* (Burm. f.) DC. 34: 344  
*cavaleriei* Lévl. & Van. = *B. hieracifolia* (D. Don) DC. var. *hamiltonii* (DC.) C.B. Cl. 34: 344  
*compactiflora* Lévl. & Van. = *Conyza japonica* (Thunb.) DC. 34: 341  
*conyzoides* Lévl. & Van. = *Conyza leucantha* (D. Don) Ludlow & Raven 34: 342  
*duclouxii* Van. = *B. lacera* (Burm. f.) DC. 34: 344  
*esquirolii* Lévl. & Van. = *Vernonia cinerea* (L.) Less. 34: 328  
*globata* Van. = *Conyza japonica* (Thunb.) DC. 34: 341  
*lecomtei* Van. & Lévl. = *Blumeopsis falcata* (D. Don) Merr. 34: 345  
*hongkongensis* Van. = *Blumea clarkei* Hook. f. 34: 343  
*martiniana* Van. 34: 344  
*vaniotiana* = *B. fistulosa* (Roxb.) Kurz 34: 343  
*velutina* (Lévl. & Van.) Lévl. = *B. lacera* (Burm. f.) DC. 34: 344  
*Bodiniera thalictrifolia* Lévl. & Van. = *Boenninghausenia albiflora* (Hook.) Meissn. 23: 579; 27: 268  
*Bodinierella cavaleriei* = *Enkianthus chinensis* Franch. 35: 257  
*Boea cavaleriei* Lévl. & Van. = *Rhabdotheramnopsis sinensis* Hemsl. 38: 472  
*chaffanjonii* = *Paraboea sinensis* (Oliv.) B. L. Burtt 38: 471  
*darrisii* = *Ornithoboea feddei* (Lévl.) B. L. Burtt 38: 470  
*esquirolii* Lévl. & Van. (not seen) 38: 463  
*feddei* = *Ornithoboea feddei* (Lévl.) B. L. Burtt 38: 470  
*mairei* = *Streptocarpus clarkeanus* (Hemsl.) Hilliard & Burtt 38: 472  
*martinii* (Lévl.) Lévl. = *Paraboea martinii* (Lévl.) B. L. Burtt 38: 470  
*rubicunda* = *Rhabdotheramnopsis sinensis* Hemsl. 38: 472  
*rufescens* Franch. var. *seguinii* (Lévl.) Lévl. = *Paraboea rufescens* (Franch.) B. L. Burtt 38: 471  
*Boehmeria amarantus* = *Acroglochin persicarioides* (Poir.) Moq. 40: 193, 486  
*blinii* 40: 486  
*bodinieri* = *Laportea bulbifera* (Sieb. & Zucc.) Wedd. 40: 500  
*cavaleriei* = ?*Pilea trinervia* Wight 40: 502  
*esquirolii* = *Maoutia puya* (Hook.) Wedd. 40: 500  
*martinii* = *Pilea martinii* (Lévl.) Hand.-Mazz. 40: 501  
*maugereti* Lévl. & Van. = *B. clidemioides* Miq. var. *diffusa* (Wedd.) Hand.-Mazz. 40: 486  
*vanioti* = *Pilea notata* C. H. Wright 40: 502  
*Boenninghausenia brevipes* (Franch.) Lévl. = *B. sessilicarpa* 27: 268  
*sessilicarpa* 27: 268  
*Brassica antiquorum* = *B. napus* L. var. *chinensis* (L.) O. E. Schulz 26: 334  
*argyi* = *B. juncea* (L.) Czern. 26: 334  
*oleracea* L. race *napus* L. var. *hongnoensis* = *B. napus* L. 26: 334  
*oleracea* L. race *napus* L. var. *tsiekentsiensis* = *B. napus* L. var. *chinensis* (L.) O. E. Schulz 26: 335  
*oleracea* L. var. *suttoniana* = *B. oleracea* L. 26: 335  
*oleracea* L. var. *suttoniana* sub-var. *gemmifera* = *B. oleracea* L. 26: 335  
*oleracea* L. var. *suttoniana* sub-var. *millecapitata* = *B. oleracea* L. 26: 335  
*oleracea* L. var. *taquetii* = *B. rapa* L. 26: 335  
*rapa* L. race *campestris* L. var. *colza* = *B. rapa* L. 26: 335  
*rapa* L. race *campestris* L. var. *rutabaga* = *B. rapa* L. 26: 335  
*rapa* L. race *napus* L. var. *pseudocolza* = *B. napus* L. 26: 334  
*rapa* L. race *rapa* L. em. Metzger var. *rutabaga* = *B. rapa* L. 26: 335  
*taquetii* = *B. integrifolia* (West) O. E. Schulz 26: 334  
*Bredia bodinieri* = *Blastus cavaleriei* Lévl. & Van. 31: 398  
*cavaleriei* Lévl. & Van. = *Fordiophyton faberi* Stapf 31: 399  
*mairei* = *Fordiophyton faberi* Stapf 31: 399  
*soneriloides* = *Oxyspora paniculata* DC. 31: 400  
*Bridelia tristis* (Lévl.) Lévl. = *Rhamnus napalensis* (Wall.) M. A. Lawson 40: 476; 41: 183  
*Bryonia helleri* = *Ilex anomala* Hook. & Arn. 38: 495; 41: 182  
*Buddleia mairei* = *B. paniculata* Wall. 38: 454  
*mairei* f. *albiflora* = *B. paniculata* Wall. 38: 454  
*plectranthoidea* = *Elsholtzia fruticosa* (D. Don) Rehder 38: 454; 40: 165  
*truncatifolia* = *B. crispa* Benth. 38: 453

- Buxus bodinieri* 40: 476  
*cephalantha* Lévl. & Van. 40: 477  
*megistophylla* 40: 477  
*myrica* 40: 477
- Calamintha albiflora* Van. = *Nepeta cataria* L. 40: 173  
*argyi* = *C. confinis* Hance 40: 159  
*cavaleriei* Lévl. & Van. = *Melissa axillaris* (Benth.) Bakh. f. 40: 171  
*chinensis* Benth. var. *souliei* = *Clinopodium umbrosum* (Bieb.) C. Koch var. *souliei* (Lévl.) McKean 40: 161  
*clinopodium* Benth. var. *umbrosa* (Benth.) Dunn f. *argyi* (Lévl.) Lévl. = *C. confinis* Hance 40: 159  
*clipeata* Van. = *Mosla chinensis* Maxim. 40: 172  
*coreana* = *Clinopodium urticifolium* (Hance) C. Y. Wu ex H. W. Li 40: 162  
*esquirolii* = *Coleus esquirolii* (Lévl.) Dunn 40: 162  
*fauriei* Lévl. & Van. = *C. ussuriensis* Regel & Maack 40: 160  
*polycephala* Van. = *Clinopodium umbrosum* (Bieb.) C. Koch 40: 160  
*radicans* Van. p.p. = *C. confinis* Hance 40: 159  
*radicans* Van. p.p. = *C. gracilis* Benth. 40: 159  
*taquetii* Lévl. & Van. p.p. = *C. ussuriensis* Regel & Maack 40: 160  
*taquetii* Lévl. & Van. p.p. = *Mosla dianthera* (Buch.-Ham. ex Roxb.) Maxim. var. *nana* (Hara) Ohwi 40: 172  
*tsacapensis* = *Clinopodium umbrosum* (Bieb.) C. Koch 40: 160  
*umbrosa* (Bieb.) Benth. var. *shibetchense* = *Clinopodium umbrosum* (Bieb.) C. Koch var. *shibetchensis* (Lévl.) McKean 40: 161
- Callicarpa bodinieri* 38: 481  
*cavaleriei* = *Ilex chinensis* Sims 27: 272; 38: 481  
*dunniana* = *C. macrophylla* Vahl 38: 482  
*esquirolii* (9: 325, 1911) = *Caryopteris paniculata* (Kurz.) C.B. Cl. 38: 483  
*esquirolii* (9: 456, 1911) = *Dichroa febrifuga* Lour. 30: 285; 38: 482  
*feddei* = *C. bodinieri* 38: 481  
*lyi* = *C. bodinieri* var. *lyi* (Lévl.) Rehder 38: 481  
*macrophylla* Vahl var. *kouytchensis* = *C. macrophylla* Vahl 38: 482  
*mairei* = *C. bodinieri* var. *giraldii* (Hesse ex Rehder) Rehder 38: 481  
*martini* = *C. paniculata* (Kurz) C.B. Cl. 38: 483  
*panduriformis* p.p. = *C. longipes* Dunn 38: 482  
*panduriformis* p.p. = *C. rubella* Lindl. var. *hemsleyana* Diels 38: 482  
*seguini* = *C. bodinieri* 38: 481  
*taquetii* = *C. dichotoma* (Lour.) K. Koch 38: 481
- Caltha palustris* L. f. *gigas* = *C. fistulosa* Schipcz. 23: 579
- Camellia costei* 27: 6
- Campanula bodinieri* nom. nud. = *C. fulgens* Wall. 35: 250  
*cavaleriei* nom. nud. = *Adenophora bockiana* Deils 35: 248  
*chanetii* = *Adenophora chanetii* (Lévl.) Chamberlain 35: 248  
*nepetaefolia* nom. nud. p.p. = *C. colorata* Wall. 35: 249  
*nepetaefolia* nom. nud. p.p. = *C. cana* Wall. 35: 249
- Campanumoea labordei* = *C. javanica* Blume 35: 250  
*violifolia* = *Codonopsis micrantha* Chipp 35: 251
- Campylotheca rutifolia* = *Bidens hillebrandiana* (Drake) Deg. ex Sherff 34: 351
- Canthium cavaleriei* 32: 103  
*dunniunum* = *Lasianthus hartii* Franch. 32: 109  
*henryi* = *Prismatomeris henryi* (Lévl.) Rehder 32: 113  
*labordei* = *Prismatomeris labordei* (Lévl.) Merrill ex Rehder 32: 113
- Capparis bodinieri* = *C. acutifolia* Sw. ssp. *bodinieri* (Lévl.) Jacobs 26: 340  
*masaikai* p.p. = *Reevesia pubescens* Mast. 26: 340; 27: 9  
*masaikai* p.p. = *C. sikkimensis* Kurz ssp. *masaikai* (Lévl.) Jacobs 26: 341
- Capsella bursa-pastoris* (L.) Medik. var. *coreana* = *C. bursa-pastoris* (L.) Medik. 26: 336
- Caragana komarovii* = *C. franchetiana* Kom. 30: 241
- Cardamine argyi* = *C. lyrata* Bunge 26: 337  
*calthifolia* 26: 336  
*fauriei* = *C. amariformis* Nakai 26: 336

- glechomifolia* = *C. violifolia* O. E. Schulz 26: 338  
*impatiens* L. var. *fumaria* 26: 336  
*nakaiana* = *C. impatiens* L. 26: 336  
*potentillifolia* 26: 337  
*taquetii* = *C. acutata* Thunb. ssp. *regelia* (Miq.) Hara 26: 338  
*Carlemannia henryi* = *C. tetragona* Hook. f. 32: 103  
*Carpesium erythrolepis* = *C. divaricatum* Sieb. & Zucc. 34: 348  
*gigas* Lévl. & Van. = *Artemisia sieversiana* Wills. 34: 356  
*hieracioides* = *C. glossophyllum* Maxim. 34: 349  
*taquetii* = *C. triste* Maxim. 34: 349  
*verbascifolium* = *C. cernuum* L. var. *lanatum* [Thoms. ex] C.B. Cl. 34: 348  
*Carpinus esquirolii* nom. nud. = *Engelhardia spicata* [Lesch. ex] Bl. var. *integra* (Kurz) Manning ex van Steen. 40: 504; 41: 166  
*laxiflora* Bl. var. *chartacea* = *C. laxiflora* Bl. 41: 166  
*pinfaensis* Lévl. & Van. = *C. seemeniana* Diels 41: 166  
*Carriera dunniana* 26: 342  
*Caryopteris esquirolii* = *Pogostemon glaber* Benth. 38: 483; 40: 179  
*fluminis* = *Colquhounia seguinii* Van. 38: 483; 40: 162  
*mairei* = *Teucrium palmatum* [Benth. ex] Hook. f. 38: 483; 40: 188  
*Cassiope mairei* = *C. selaginoides* Hook. f. & Thoms. 35: 256  
*Castanea bodinieri* Lévl. & Van. = *Castanopsis hystrix* (Hook. f. & Thoms.) A.DC. 41: 168  
*fauriei* Lévl. & Van. = *Castanopsis cuspidata* (Thunb.) Schottky 41: 167  
*Castanopsis asymetrica* = *C. eyrei* (Champ.) Tutch. 41: 167  
*cameliifolia* = *Gordonia axillaris* (Ker) Szyszyl 27: 7; 41: 166  
*cavaleriei* = *Sloanea sinensis* (Hance) Hu 27: 10 = *S. hemsleyana* (Ito) Rehder & Wilson 41: 166  
*yunnanensis* (Franch.) Lévl. = *Castanea mollissima* Bl. 41: 166  
*Cavaleria enkianthoidea* = *Ribes laurifolium* Jancz. 30: 287, 293  
*Cavaleriella cordata* = *Aspidopterys esquirolii* 27: 265; 32: 98  
*dunniana* = *Dipelta yunnanensis* Franch. 32: 98  
*Celastrus bodinieri* = *Ilex chinensis* Sims 27: 272, 273  
*cavaleriei* (1914) = *Myrsine semiserrata* Wall. 27: 273; 35: 273  
*cavaleriei* (1916) = *C. rosthornianus* Loes. 27: 274  
*clemacanthus* = *C. flagellaris* Rupr. 27: 273  
*discolor* = *Sabia parviflora* Wall. var. *nitidissima* 27: 273, 291  
*esquiroliana* = *Frangula crenata* (Sieb. & Zucc.) Miq. 27: 273, 278  
*esquirolii* = *Sabia parviflora* Wall. var. *nitidissima* 27: 273, 291  
*euonymoidea* nomen pro syn. = *Grewia feddei* (Lévl.) Burret 27: 10, 273  
*feddei* p.p. = *Grewia feddei* (Lévl.) Burret 27: 10, 273  
*feddei* p.p. = *Grewia henryi* Burret 27: 10, 273  
*kouytchensis* = *Frangula crenata* (Sieb. & Zucc.) Miq. 27: 274, 278  
*lyi* = *Rhamnus esquirolii* 27: 274, 279  
*mairei* = *Sabia yunnanensis* Franch. var. *mairei* (Lévl.) Chen 27: 274, 291  
*salicifolia* = *Ilex macrocarpa* Oliv. 27: 272, 274  
*seguini* = *Myrsine semiserrata* Wall. 27: 274; 35: 273  
*suaveolens* = *Ilex suaveolens* (Lévl.) Loes. 27: 273, 274  
*tristis* = *Rhamnus napalensis* (Wall.) M. A. Lawson 27: 274, 279; 40: 476  
*yunnanensis* = *Premna parvilimba* P'ei 27: 274; 38: 484  
*Celtis bodinieri* = *C. tetrandra* Roxb. ssp. *sinensis* (Pers.) Y. C. Tang 40: 487  
*bungeana* Bl. var. *heterophylla* = *C. biondii* Pamp. var. *heterophylla* (Lévl.) Schneider 40: 487  
*cavaleriei* = *C. biondii* Pamp. var. *cavaleriei* (Lévl.) Schneider 40: 486  
*mairei* = *C. bungeana* Bl. 40: 487  
*polycarpa* = *Bischofia polycarpa* (Lévl.) Airy Shaw 40: 476, 487  
*Centaurea missionis* = *Serratula chinensis* S. Moore 34: 384  
*Cephalanthus cavaleriei* = *Uncaria scandens* (Sm.) Huthc. 32: 115  
*esquirolii* = *Camptotheca acuminata* Decne. 32: 97, 103  
*navillei* = *Neonauclea navillei* (Lévl.) Rehder 32: 111  
*Cerastium mairei* = *Arenaria trichophora* Franch. var. *angustifolia* Franch. 26: 345  
*Cheirodendron trigynum* (Gaud.) Heller var. *mauiense* 38: 395; 41: 186  
*trigynum* (Gaud.) Heller var. *hawaiiensis* = *C. trigynum* (Gaud.) Heller 38: 495; 41: 186  
*trigynum* (Gaud.) Heller var. *kauaiensis* = *C. fauriei* Hochr. 38: 495; 41: 186

- Chelidonium cavaleriei* = *Eomecon chionantha* Hance 24: 78  
*Chenopodium mairei* p.p. = *C. album* 40: 193  
*mairei* p.p. = *C. giganteum* D. Don 40: 193  
*Chionanthus coreanus* = *C. retusa* Lindl. & Paxton var. *coreana* (Lévl.) Nakai 37: 126  
*retusa* Lindl. & Paxton var. *fauriei* = *C. retusa* Lindl. & Paxton 37: 125  
*retusa* Lindl. & Paxton var. *mairei* = *C. retusa* Lindl. & Paxton 37: 125  
*Chirita chanetii* = *Rehmannia glutinosa* (Gaertn.) Libosch ex Fisch. & Mey. 38: 460, 465  
*sericea* Lévl. & Van. (1906)-non Ridl. (1905) = *Oreocharis sericea* (Lévl.) Lévl. 38: 470  
*sinensis* Lindl. var. *bodinieri* = *C. sinensis* Lindl. 38: 466  
*sphagnicola* Lévl. & Van. = *C. pumila* D. Don 38: 465  
*Chloranthus esquirolii* = *Sarcandra glabra* (Thunb.) Nakai 40: 347  
*Chrysanthemum chanetii* = *Dendranthema nakdongense* (Nakai) Tzvel. 34: 353  
*indicum* L. var. *coreanum* = *Dendranthema indicum* (L.) Des Moul. 34: 352  
*Chrysosplenium cavaleriei* Lévl. & Van. = *C. nepalense* D. Don var. *cavaleriei* (Lévl. & Van.)  
Hara 30: 284  
*dunnianum* Lévl. & Van. = *C. lanuginosum* Hook. f. & Thoms. var. *dunnianum* (Lévl. & Van.) Hara 30: 284  
*esquirolii* = *C. hydrocotylifolium* Lévl. & Van. 30: 283  
*hydrocotylifolium* Lévl. & Van. 30: 283  
*pseudofauriei* 30: 284  
*subargenteum* Lévl. & Van. = *C. delavayi* Franch. 30: 283  
*Cimicifuga mairei* = *C. foetida* L. 23: 579  
*taquetii* 23: 580  
*Cinnamomum bodinieri* 40: 348  
*cavaleriei* = *C. porrectum* (Roxb.) Kosterm. 40: 349  
*esquirolii* = *Cocculus laurifolius* DC. 24: 73; 40: 349  
*mairei* 40: 349  
*taquetii* = *C. camphora* (L.) Presl 40: 348  
*Circaea bodinieri* nom. nud. = *C. cordata* Royle 31: 407  
*coreana* = *C. mollis* Sieb. & Zucc. 31: 407  
*coreana* var. *sinensis* n.v. 31: 408  
*delavayi* = *C. erubescens* Franch. & Sav. 31: 407  
*lutetiana* L. race *erubescens* (Franch. & Sav.) Lévl. = *C. erubescens* Franch. & Sav. 31: 407  
*lutetiana* L. race *erubescens* (Franch. & Sav.) Lévl. var. *mairei* = *C. alpina* L. ssp. *imaicola*  
(Asch. & Magnus) Kitamura 31: 406  
*lutetiana* L. f. *hirtopetiolata* n.v. 31: 408  
*lutetiana* L. f. *pseudocordata* n.v. 31: 408  
*lutetiana* L. var. *intermedia* = *C. × intermedia* Ehrh. 31: 407  
*lutetiana* L. var. *taquetii* = *C. mollis* Sieb. & Zucc. 31: 407  
*mollis* Sieb. & Zucc. var. *maximowiczii* = *C. quadrisulcata* (Maxim.) Franch. & Sav. 31: 407  
*pacifica* Asch. & Magnus f. *dentata* = *C. alpina* L. ssp. *pacifica* (Asch. & Magnus) Raven 31: 407  
*Cirsium bodinieri* (Van.) Lévl. = *C. japonicum* DC. 34: 374  
*cavaleriei* (Lévl.) Lévl. 34: 373  
*cerberus* (Van.) Lévl. 34: 373  
*forrestii* (Diels) Lévl. 34: 373  
*griseum* 34: 373  
*hawaiense* (Lévl.) Lévl. = *C. arvense* (L.) Scop. 34: 372  
*korsakoviense* Lévl. & Van. = *C. kamtschaticum* [Ledeb. ex] DC. 34: 375  
*leduci* (Franch.) Lévl. 34: 375  
*lineare* (Maxim.) Lévl. 34: 375  
*mairei* (Lévl.) Lévl. = *C. griseum* 34: 373  
*monocephalum* (Van.) Lévl. = *C. provostii* Franch. var. *monocephalum* (Van.) Petr. 34: 376  
*taliensis* (J. F. Jeffrey) Lévl. 34: 376  
*Citrus cavaleriei* Lévl. ap. *Cavalerie* = *C. ichangensis* Swingle 27: 268  
*Cladrastis fauriei* = *Maackia fauriei* (Lévl.) Takeda 30: 249  
*Clarkia lancifolia* nom. nud. = *C. rhomboidea* Dougl. 31: 409  
*Clausena dunniana* = *C. dentata* (Willd.) Roem. var. *dunniana* (Lévl.) Swingle 27: 268  
*esquirolii* = *Glycosmis esquirolii* (Lévl.) Tanaka 27: 269  
*Clematis bathiei* = *C. orientalis* L. ssp. *simensis* (Fresen.) H. Perr. 23: 583  
*bi-perrieri* = *C. ibarensis* Baker ssp. *edentata* (Baker) H. Perr. 23: 581

- cavaleriei* Lévl. & Porter = *C. chinensis* Osbeck 23: 580  
*chanetii* = *C. kirilowii* Maxim. var. *chanetii* (Lévl.) Hand.-Mazz. 23: 582  
*clarkeana* Lévl. & Van. 23: 581  
*coreana* = *C. fusca* Turcz. 23: 581  
*coriigera* = *C. connata* DC. 23: 581  
*dioscoreifolia* Lévl. & Van. = *C. maximowicziana* Franch. & Sav. var. *robusta* (Carr.) Nakai 23: 582  
*drakeana* Lévl. & Van. = *C. uncinata* Champ. 23: 584  
*duclouxii* = *C. lancifolia* Bur. & Franch. 23: 582  
*esquirolii* Lévl. & Van. = *C. loureiriana* DC. var. *subpeltata* (Wall.) Hand.-Mazz. 23: 582  
*finetiana* Lévl. & Van. 23: 581  
*funnebris* Lévl. & Van. = *C. chinensis* Osbeck 23: 580  
*gagnepainiana* Lévl. & Van. = *C. uncinata* Champ. 23: 584  
*kuntziana* Lévl. & Van. = *C. montana* [Buch.-Ham. ex] DC. 23: 583  
*mairei* = *C. ranunculoides* Franch. var. *tomentosa* Finet & Gagnep. 23: 583  
*martini* = *C. gouriana* [Roxb. ex] DC. 23: 581  
*oligocarpa* Lévl. & Van. = *C. chinensis* Osbeck 23: 580  
*perrieri* = *C. ibarensis* Baker ssp. *edentata* (Baker) H. Perr. 23: 581  
*perrieri* var. *parvifolia* = *C. ibarensis* Baker ssp. *edentata* (Baker) H. Perr. 23: 581  
*philippiana* = *C. ranunculoides* Franch. 23: 583  
*splendens* Lévl. & Van. p.p. = *C. lechenaultiana* DC. 23: 582  
*splendens* Lévl. & Van. p.p. = *C. rubifolia* Wright 23: 584  
*urophylla* Franch. var. *heterophylla* = *C. ranunculoides* Franch. var. *tomentosa* Finet & Gagnep. 23: 583  
*vaniotii* Lévl. & Porter 23: 584  
*vitalba* L. var. *argenteilucida* Lévl. & Van. = *C. grata* Wall. var. *argenteilucida* (Lévl. & Van.) Rehder 23: 581  
*vitalba* L. var. *ganpiniana* Lévl. & Van. = *C. brevicaudata* DC. var. *ganpiniana* (Lévl. & Van.) Hand.-Mazz. 23: 580  
*vitalba* L. var. *micrantha* Lévl. & Van. = *C. gouriana* [Roxb. ex] DC. 23: 581  
*Clematoclethra racemosa* = *Gouania javanica* Miq. 27: 6, 278  
*Clermontia carinifera* 35: 250  
*fauriei* = *C. clermontioides* (Gaud.) Heller 35: 250; 38: 495  
*fulva* 35: 250  
*Clerodendrum bodinieri* = *C. mandarinorum* Diels 38: 484  
*bodinieri* var. *cavaleriei* (Lévl.) Lévl. = *C. mandarinorum* Diels 38: 484  
*cavaleriei* = *C. mandarinorum* Diels 38: 484  
*darrisii* = *C. japonicum* (Thunb.) Sweet 38: 484  
*esquirolii* (11: 298, 1912) = *Tacca chantrieri* André 38: 484  
*esquirolii* (11: 302, 1912) = *C. japonicum* (Thunb.) Sweet 38: 484  
*leveillei* [Fedde ex] Lévl. = *C. japonicum* (Thunb.) Sweet 38: 484  
*Clethra bodinieri* 35: 256  
*cavaleriei* 35: 256  
*esquirolii* = *C. cavaleriei* 35: 256  
*kaipoensis* 35: 257  
*lineata* = *C. cavaleriei* 35: 256  
*pinfaensis* = *C. kaipoensis* 35: 257  
*Cnicus bodinieri* Van. = *Cirsium japonicum* DC. 34: 374  
*cavaleriei* = *Cirsium cavaleriei* (Lévl.) Lévl. 34: 373  
*cerberus* Van. = *Cirsium cerberus* (Van.) Lévl. 34: 373  
*hawaiensis* = *Cirsium arvense* (L.) Scop. 34: 372; 38: 495  
*korsakoviensis* (Lévl. & Van.) Lévl. & Van. = *Cirsium kamtschaticum* [Ledeb. ex] DC. 34: 375  
*mairei* = *Cirsium griseum* 34: 373  
*monocephalus* Van. = *Cirsium provostii* Franch. var. *monocephalum* (Van.) Petr. 34: 376  
*nakaianus* Lévl. & Van. = *Cirsium japonicum* DC. var. *nakaianum* (Lévl. & Van.) Kitamura 34: 374  
*rhinoceros* Lévl. & Van. = *Cirsium rhinoceros* (Lévl. & Van.) Nakai 34: 376  
*taquetii* Lévl. & Van. = *Cirsium japonicum* DC. 34: 374

- uninervius* Lévl. & Van. = *Cirsium lineare* (Thunb.) Sch. Bip. var. *uninervium* (Lévl. & Van.) Petr. 34: 375  
*Codonopsis accrescenticalyx* = *C. tubulosa* Kom. 35: 251  
*bodinieri* = *C. lanceolata* (Sieb. & Zucc.) Benth. & Hook. f. ex Trautv. 35: 251  
*graminifolia* Lévl. = *C. convolvulacea* Kurz 35: 251  
*mairei* = *C. forrestii* Diels 35: 251  
*Colquhounia seguinii* Van. 40: 162  
*Convolvulus argyi* = *Ipomoea aquatica* Forsk. 37: 145  
*taquetii* = *Calystegia japonica* Choisy 37: 144  
*Conyza blinii* 34: 341  
*dunniana* = *C. blinii* 34: 341  
*mollis* = *Anaphalis bulleyana* (J. F. Jeffrey ex Diels) Chang 34: 346  
*velutina* (Lévl. & Van.) Lévl. = *Blumea lacera* (Burm. f.) DC. 34: 344  
*Coprosma fauriei* Lévl. 38: 495 = *C. stephanocarpa* Hillebr. 41: 186  
*parvifolia* = *C. stephanocarpa* Hillebr. 38: 495; 41: 186  
*Copitis teeta* Wall. var. *chinensis* (Franch.) Finet & Gagnep. subvar. *rhizomatosa* = *C. teeta* Wall. var. *chinensis* (Franch.) Finet & Gagnep. 23: 584  
*Corchorus cavaleriei* = *Helicteres glabriuscula* [Wall. ex] Masters 27: 8, 91  
*oenotheroides* = *Indigofera* sp. 27: 9 = *I. oenotheroides* (Lévl.) Lauener 30: 246  
*polygonatum* = *Tricyrtis* sp. 27: 9  
*Cornus amblardi* = *C. paucinervis* Hance 32: 97  
*bodinieri* nom. nud. = *C. macrophylla* Wall. 32: 97  
*capitata* [Wall. ex] Roxb. var. *hypoleuca* = *C. capitata* [Wall. ex] Roxb. 32: 97  
*esquirolii* = *Adina racemosa* (Sieb. & Zucc.) Miq. 32: 97, 103  
*fauriei* = *C. canadensis* L. 32: 97  
*rosea* = *C. monbeigii* Hemsl. 32: 97  
*Corydalis aegopodioides* Lévl. & Van. 24: 76  
*asterostigma* 24: 76  
*cavaleriei* Lévl. & Van. 24: 76  
*chanetii* 24: 76  
*chelidoniifolia* Lévl. & Van. = *C. shearerii* S. Moore 24: 78  
*clematis* 24: 76  
*daucifolia* Lévl. & Van. = *C. cheilanthifolia* Hemsl. 24: 76  
*duclouxii* Lévl. & Van. 24: 76  
*erythrocarpa* = *Dicentra torulosa* Hook. f. & Thoms. 24: 78  
*esquirolii* 24: 76  
*feddeana* 24: 77  
*feddei* [Lévl. ex] Fedde = *C. feddeana* 24: 77  
*fumaria* Lévl. & Van. 24: 77  
*hallaisanensis* = *C. lineariloba* Sieb. & Zucc. 24: 77  
*heterodonta* 24: 77  
*iochanensis* 24: 77  
*lofouensis* 24: 77  
*mairei* 24: 77  
*martinii* 24: 78  
*petroselinifolia* 24: 78  
*Corylopsis cavaleriei* = *C. multiflora* Hance 30: 293  
*Cotoneaster blinii* = *Photinia blinii* (Lévl.) Rehder 30: 258  
*bodinieri* = *Docynia delavayi* (Franch.) Schneider 30: 255  
*coreanus* = *Symplocos paniculata* (Thunb.) Miq. 30: 254; 35: 278  
*esquirolii* = *Photinia esquirolii* (Lévl.) Rehder 30: 258  
*mairei* = *C. franchetii* Boiss. 30: 254  
*mairei* var. *albiflora* = *C. franchetii* Boiss. 30: 254  
*Crataegus academicae* = *Xylosma racemosum* (Sieb. & Zucc.) Miq. 26: 342; 30: 254  
*argyi* = *C. cuneata* Sieb. & Zucc. 30: 255  
*biloba* = *Symplocos paniculata* (Thunb.) Miq. f. *biloba* (Lévl.) Rehder 30: 254 = *S. paniculata* (Thunb.) Miq. 35: 278  
*bodinieri* = *C. scabrifolia* (Franch.) Schneid. 30: 255  
*cavaleriei* Lévl. & Van. = *Malus sieboldii* (Regel) Rehder 30: 257  
*chantcha* = *C. cuneata* Sieb. & Zucc. 30: 255  
*coreanus* = *C. pinnatifida* Bunge 30: 255

- lyi* nomen = *Symplocos paniculata* (Thunb.) Miq. 30: 255; 35: 278  
*pomasae* = *Deutzia glabrata* Kom. 30: 255, 284  
*stephanostyla* Lévl. & Van. = *C. cuneata* Sieb. & Zucc. 30: 255  
*taquetii* = *Malus sieboldii* (Regel) Rehder 30: 257  
*Crawfordia fasciculata* Wall. var. *monantha* = *Tripterospermum volubile* (D. Don) Hara 37: 142  
*Crepis blinii* (1914)–non (1915) = *Youngia blinii* (Lévl.) Lauener 34: 388  
*blinii* (1915)–non (1914) = *Youngia fusca* (Babcock) Babcock & Stebbins 34: 389  
*bodinieri* 34: 387  
*chanetii* = *Senecio pseudosonchus* Van. var. *borealis* (Herder) S. Y. Hu 34: 366  
*charbonnelii* = *Lactuca tatarica* (L.) C. A. Meyer 34: 396  
*hieracium* = *Prenanthes sinensis* (Hemsl.) Stebbins ex Babcock 34: 397  
*mairei* = *Youngia mairei* (Lévl.) Babcock & Stebbins 34: 389  
*molokaiensis* p.p. = *Hypochaeris radicata* L. 34: 393  
*molokaiensis* p.p. = *Hypochaeris glabra* L. 38: 495  
*pseudovirens* = *Ixeris chinensis* (Thunb.) Kitagawa ssp. *versicolor* (Fisch. ex Link) Kitamura 34: 390  
*stolonifera* = *Ixeris stebbinsiana* Hand.-Mazz. 34: 392  
*taquetii* (Lévl. & Van.) Lévl. = *Youngia japonica* (L.) DC. 34: 389  
*taraxacifolia* Thuill. var. *vanioti* = *Ixeris chinensis* (Thunb.) Kitagawa ssp. *versicolor* (Fisch. ex Link) Kitamura 34: 390  
*vanioti* nom. nud. = *Ixeris chinensis* (Thunb.) Kitagawa ssp. *versicolor* (Fisch. ex Link) Kitamura 34: 390  
*Crotalaria alata* = *C. bialata* Schrank 30: 242  
*bodinieri* = *C. ferruginea* [Grah. ex] Benth. 30: 242  
*cavaleriei* = *Flemingia semialata* [Roxb. ex] Aiton 30: 245  
*duboisii* = *Polygala arillata* Buch.-Ham. 26: 343; 30: 242  
*esquirolii* = *C. tetragona* Andr. 30: 242  
*mairei* = *C. capitata* [Benth. ex] Baker 30: 242  
*Cucubalus baccifer* L. var. *cavaleriei* = *C. baccifer* L. 26: 345  
*Cucumis argyi* = *Momordica charantia* L. 31: 431  
*courtoisii* = *Thladiantha nudiflora* Hemsl. 31: 431  
*mairei* = *Lagenaria siceraria* (Molina) Standley 31: 430  
*Cudrania bodinieri* = *Capparis cantoniensis* Lour. 26: 340; 40: 487  
*Cynanthus mairei* = *Codonopsis bulleyana* [Forrest ex] Diels 35: 250  
*Cyanea blinii* = *Clermontia parviflora* [Gaud. ex] A. Gray 35: 250  
*fauriei* = *Cyanea coriacea* (A. Gray) Rock var. *fauriei* (Lévl.) E. Wimm. 35: 252; p.p. = *C. coriacea* var. *fauriei* 38: 495; p.p. = *C. coriacea* var. *hardyi* (Rock) E. Wimm. 38: 495  
*feddei* = *C. sylvestris* Heller 35: 252, 38: 495  
*multispicata* 35: 252; 38: 495  
*salicina* 35: 252; 28: 496  
*Cyathodes imbricata* Stschegl. var. *volcanica* 35: 263  
*Cynanchum argyi* [Schltr. ex] Lévl. = *C. mooreanum* Hemsl. 37: 133  
*bodinieri* [Schltr. ex] Lévl. nom. nud. = *C. officinale* (Hemsl.) Tsiang & Zhang 37: 134  
*boudieri* Lévl. & Van. = *C. auriculatum* [Royle ex] Wight 37: 133  
*leveilleum* [Schltr. ex] Lévl. = *C. verticillatum* Hemsl. 37: 134  
*mairei* [Schltr. ex] Lévl. = *C. alatum* Wight & Arn. 37: 133  
*tylophoroideum* [Schltr. ex] Lévl. nom. nud. = *C. mooreanum* Hemsl. 37: 133  
*yunnanense* = *Paederia yunnanensis* (Lévl.) Rehder 32: 112; 37: 134  
*Cynoglossum cavaleriei* = *Antiotrema dunnianum* (Diels) Hand.-Mazz. 37: 142  
*Cyrtandra asaroides* p.p. = *C. oenobarba* Mann 38: 466, 496  
*asaroides* p.p. = *C. oenobarba* Mann var. *petiolaris* Wawra 38: 466, 496  
*fauriei* = *C. lysiosepala* (A. Gray) C.B. Cl. var. *fauriei* (Lévl.) Rock 38: 466, 496  
*hillii* = *Rhynchochelys obovatum* (Griff.) B. L. Burtt 38: 472  
*kamoloensis* = *C. grayana* Hillebr. 38: 466, 496  
*oahuensis* 38: 466, 496  
*vaniotii* 38: 467  
*wainihaensis* 38: 467, 496  
*Dalbergia cavaleriei* 30: 242  
*esquirolii* 30: 242

- Damnanthus esquirolii* = *Carissa carandas* L. 32: 105; 37: 130  
*Daphne argyi* = *Myrica rubra* Sieb. & Zucc. 40: 354, 505  
*bodinieri* (1914) = *Alyxia schlechteri* 37: 130; 40: 354  
*bodinieri* (1915) = *D. tangutica* Maxim. 40: 355  
*cavaleriei* = *D. papyracea* [Wall. ex] Steudel 40: 354  
*esquirolii* 40: 354  
*feddei* 40: 354  
*leuconeura* Rehder var. *mairei* Rehder & Lévl. = *D. esquirolii* 40: 354  
*mairei* = *D. papyracea* [Wall. ex] Steudel 40: 354  
*martinii* = *D. feddei* 40: 354  
*salicina* = *Wikstroemia salicina* (Lévl.) Lévl. & Blin 40: 355  
*Daphniphyllum cavaleriei* = *Nyssa sinensis* Oliver 32: 98; 40: 477  
*Delissea fauriei* 35: 252  
*Delphinium bonatii* = *D. grandiflorum* L. 23: 585  
*cavaleriense* Lévl. & Van. = *D. anthriscifolium* Hance 23: 584  
*cerefolium* Lévl. & Van. = *D. anthriscifolium* Hance 23: 584  
*elatum* L. var. *palmatum* = *D. maackianum* Regel var. *palmatum* (Lévl.) Nakai 23: 585  
*eristylum* 23: 585  
*esquirolii* Lévl. & Van. = *D. yunnanense* (Franch.) Franch. 23: 586  
*lycoctonifolium* = *D. maackianum* Regel var. *palmatum* (Lévl.) Nakai 23: 585  
*minutum* Lévl. & Van. = *D. anthriscifolium* Hance var. *calleryi* (Franch.) Finet & Gagnep. 23: 584  
*robertianum* Lévl. & Van. = *D. anthriscifolium* Hance var. *calleryi* (Franch.) Finet & Gagnep. 23: 584  
*tenii* 23: 586  
*trichophorum* Franch. f. *brevungue* = *D. delavayi* Franch. 23: 585  
*trichophorum* Franch. var. *tibeticum* 23: 586  
*Dendropanax moribiferum* 32: 95  
*Dentaria bodinieri* = *Cardamine bodinieri* (Lévl.) Lauener 26: 336  
*Derris tonkinensis* Gagnep. var. *esquirolii* 30: 243  
*Desmodium barbigerrum* = *D. concinnum* DC. 30: 243  
*bodinieri* = *D. podocarpum* DC. 30: 244  
*cavaleriei* = *D. gangeticum* (L.) DC. 30: 243  
*esquirolii* 30: 243  
*oxalidifolium* p.p. = *D. griffithianum* Benth. 30: 244  
*oxalidifolium* p.p. = *D. gyroides* (Roxb. ex Link) DC. 30: 244  
*Deutzia chaffanjonii* nom. nud. = *D. esquirolii* (Lévl.) Rehder 30: 284  
*chanetii* = *Philadelphus pekinensis* Rupr. 30: 286  
*coreana* 30: 284  
*cyanocalyx* 30: 284  
*esquirolii* nom. nud. = *D. esquirolii* (Lévl.) Rehder 30: 284  
*fauriei* = *D. glabrata* Kom. 30: 284  
*funnebris* = *Brandisia racemosa* Hemsl. 30: 284; 38: 456  
*mollis* var. *erythrocalyx* in herb. = *Philadelphus henryi* Koehne 30: 286  
*Dianthus fauriei* Lévl. & Van. = *D. superbus* L. 26: 345  
*Dichroa henryi* = *D. febrifuga* Lour. 30: 285  
*Dichrocephala ampliloba* Lévl. & Van. = *D. benthamii* C.B. Cl. 34: 331  
*bodinieri* Van. = *D. benthamii* C.B. Cl. 34: 331  
*leveillei* Van. = *Myriactis nepalensis* Less. 34: 331  
*minutiflora* "minutifolia" Van. = *Cyathocline lyrata* Cass. 34: 331  
*Didissandra beauverdiana* = *Briggsia beauverdiana* (Lévl.) Craib 38: 464  
*begoniifolia* 38: 467  
*cavaleriei* Lévl. & Van. = *Loxostigma cavaleriei* (Lévl. & Van.)  
B. L. Burtt 38: 468  
*elegantissima* Lévl. & Van. = *Briggsia elegantissima* (Lévl. & Van.) Craib 38: 464  
*fritschii* Lévl. & Van. = *Briggsia fritschii* (Lévl. & Van.) Craib 38: 464  
*notochlaena* Lévl. & Van. = *Ancylostemon notochlaena* (Lévl. & Van.) Craib 38: 463  
*pinfaensis* = *Briggsia pinfaensis* (Lévl.) Craib 38: 464  
*stolonifera* Lévl. & Van. = *Mazus longipes* Bonati 38: 457, 467  
*Didymocarpus anachoreta* (Hance) Lévl. = *Chirita anachoreta* Hance 38: 465  
*cavaleriei* (Lévl. & Van.) Lévl. (1906) = *Loxostigma cavaleriei* (Lévl. & Van.) B. L. Burtt 38: 468

- cavaleriei* (1911) = *Anna ophiorrhizoides* (Hemsl.) Burt & Davidson 38: 463  
*clarkei* = *Chirita obtusa* C.B. Cl. 38: 465  
*cortusifolia* (Hance) Lévl. = *Chirita cortusifolia* Hance 38: 465  
*eburnea* (Hance) Lévl. = *Chirita eburnea* Hance 38: 465  
*elegantissima* (Lévl. & Van.) Lévl. = *Briggsia elegantissima* (Lévl. & Van.) Craib 38: 464  
*esquirolii* = *Lysionotus serratus* D. Don 38: 469  
*fauriei* (Franch.) Lévl. = *Chirita eburnea* Hance 38: 465  
*fritschii* (Lévl. & Van.) Lévl. = *Briggsia fritschii* (Lévl. & Van.) Craib 38: 464  
*hemsleyanus* 38: 468  
*juliae* (Hance) Lévl. = *Chirita juliae* Hance 38: 465  
*macrosiphon* (Hance) Lévl. 38: 468  
*mairei* = *Ancylostemon mairei* (Lévl.) Craib 38: 463  
*martinii* = *Paraboea martinii* (Lévl.) B. L. Burt 38: 470  
*mihieri* (Franch.) Lévl. = *Briggsia mihieri* (Franch.) Craib 38: 464  
*nigrescens* Lévl. & Van. = *Petrocodon* sp. 38: 471  
*notochlaena* (Lévl. & Van.) Lévl. = *Ancylostemon notochlaena* (Lévl. & Van.) Craib 38: 463  
*saxatilis* (Hemsl.) Lévl. = *Ancylostemon saxatilis* (Hemsl.) Craib 38: 463  
*seguinii* Lévl. & Van. = *Paraboea rufescens* (Franch.) B. L. Burt 38: 471  
*sericeus* = *Oreocharis sericea* (Lévl.) Lévl. 38: 470  
*sesquifolia* (C.B. Cl.) Lévl. = *Didissandra sesquifolia* C.B. Cl. 38: 467  
*sinensis* (Lindl.) Lévl. = *Chirita sinensis* Lindl. 38: 466  
*speciosa* (Hemsl.) Lévl. = *Briggsia speciosa* (Hemsl.) Craib 38: 465  
*violacea* 38: 468  
*Diospyros argyi* = *D. kaki* L. var. *silvestris* Makino 35: 275  
*bodinieri* = *Ilex macrocarpa* Oliv. 27: 272; 35: 275  
*chaffanjonii* = *Cotoneaster horizontalis* Decne. 30: 254; 35: 275  
*esquirolii* 35: 275  
*mairei* = *D. dumetorum* W. W. Sm. 35: 275  
*navillei* = *Lysimachia navillei* (Lévl.) Hand.-Mazz. 35: 267, 275  
*Dischidia yunnanensis* = *Tylophora* sp. 37: 136 = *Biondia yunnanensis* (Lévl.) Tsiang 37: 151  
*Distylium dunnianum* = *D. buxifolium* (Hance) Merr. 30: 293  
*× Dodonaea fauriei* = *D. viscosa* (L.) Jacq. 27: 289  
*Draba mairei* = *D. yunnanensis* Franch. 26: 338  
*Dracocephalum cavaleriei* = *Meehania urticifolia* (Miq.) Makino var. *angustifolia* (Dunn) Hand.-Mazz. 40: 169  
*esquirolii* = *Meehania urticifolia* (Miq.) Makino var. *angustifolia* (Dunn) Hand.-Mazz. 40: 169  
*fargesii* = *Meehania urticifolia* (Miq.) Makino 40: 169  
*kaitcheense* = *Meehania urticifolia* (Miq.) Makino var. *angustifolia* (Dunn) Hand.-Mazz. 40: 169  
*mairei* = *Meehania urticifolia* (Miq.) Makino var. *pinetorum* (Hand.-Mazz.) Hand.-Mazz. 40: 170  
*pinfaense* = *Meehania urticifolia* (Miq.) Makino var. *angustifolia* (Dunn) Hand.-Mazz. 40: 169  
*radicans* Van. = *Meehania urticifolia* (Miq.) Makino var. *angustifolia* (Dunn) Hand.-Mazz. 40: 169  
*simplex* Van. p.p. = *Meehania urticifolia* (Miq.) Makino var. *angustifolia* (Dunn) Hand.-Mazz. 40: 169  
*simplex* Van. p.p. = *Meehania urticifolia* (Miq.) Makino var. *pinetorum* (Hand.-Mazz.) Hand.-Mazz. 40: 170  
*stachydifolium* = *Meehania urticifolia* (Miq.) Makino var. *angustifolia* (Dunn) Hand.-Mazz. 40: 169  
*Driessenia sinensis* = *Pouzolzia hirta* (Bl.) Hassk. 31: 399; 40: 502  
*Drymaria cerastium* = *Arenaria trichophora* Franch. 26: 344  
*mairei* (Lévl.) Lévl. = *Arenaria trichophora* Franch. var. *angustifolia* Franch. 26: 345  
*Dubautia fauriei* = *D. laxa* Hook. & Arn. 34: 352  
*Dysophylla esquirolii* = *D. stellata* (Lour.) Benth. 40: 163  
*fauriei* = *D. stellata* (Lour.) Benth. 40: 163  
*mairei* = *Elsholtzia pilosa* (Benth.) Benth. 40: 166  
*martini* Van. = *D. linearis* Benth. 40: 163  
*Dysoxylum esquirolii* = *Chukrasia tabularis* A. Juss. 27: 270

- Echinocarpus cavaleriei* = *Euonymus subtrinervis* Rehder 27: 9, 276  
*erythrocarpa* = *Euonymus acanthocarpus* Franch. 27: 9, 274  
*esquirolii* = *Euonymus subtrinervis* Rehder 27: 9, 276  
*hederaerhiza* = *Euonymus aculeatus* Hemsl. 27: 9, 274  
*Echium connatum* = *Triosteum himalayanum* [Wall. ex] Roxb. 32: 101; 37: 143  
*Eclipta dentata* Lévl. & Van. = *Wedelia prostrata* Hemsl. 34: 349  
*Ehretia argyi* = *E. acuminata* R. Br. var. *obovata* (Lindl.) I. M. Johnston 37: 143  
     *dunniana* 37: 143  
*esquirolii* (1914) = *Tarenna mollissima* (Hook. & Arn.) Merrill 32: 115; 37: 143  
*esquirolii* (1913) n.v. 37: 143  
*Elaeagnus argyi* 40: 356  
     *chetaiensis* nom. nud. 40: 356  
     *coreana* = *E. umbellata* Thunb. var. *coreana* (Lévl.) Lévl. 40: 357  
     *umbellata* Thunb. var. *coreana* (Lévl.) Lévl. 40: 357  
*Elatostema bodinieri* = *E. cuspidatum* Wight 40: 488  
     *mairei* nom. nud. = *E. monandrum* (Buch.-Ham. ex D. Don) Hara 40: 488  
     *piluliferum* 40: 489  
     *taquetii* = *Pellionia radicans* (Sieb. & Zucc.) Wedd. 40: 501  
*Eleutherococcus bodinieri* = *Schefflera compacta* D. G. Frodin 32: 96  
     *mairei* = *Aralia chinensis* L. var. *nuda* Nakai 32: 94  
     *melanocarpa* = *Aralia melanocarpa* (Lévl.) Lauener 32: 94  
*Elsholtzia alopecuroides* Lévl. & Van. = *E. communis* (Coll. & Hemsl.) Diels 40: 164  
     *argyi* = *E. ciliata* (Thunb.) Hylander 40: 163  
     *bodinieri* Van. 40: 163  
     *bodinieri* Van. var. *lavandulispica* = *E. heterophylla* Diels 40: 165  
     *cavaleriei* Lévl. & Van. = *Rostrinucula sinensis* (Hemsl.) C. Y. Wu 40: 179  
     *communis* (Coll. & Hemsl.) Diels var. *alopecuroides* nom. nud. = *E. communis* (Coll. & Hemsl.) Diels 40: 164  
     *dielsii* = *E. fruticosa* (D. Don) Rehder 40: 165  
     *feddei* = *E. ciliata* (Thunb.) Hylander 40: 163  
     *labordei* Van. = *E. rugulosa* Hemsl. 40: 166  
     *lampradena* = *E. ochroleuca* Dunn 40: 166  
     *lavandulaespica* (Lévl.) Lévl. = *E. heterophylla* Diels 40: 165  
     *lychnitis* = *Plectranthus ternifolius* D. Don 40: 178  
     *mairei* = *E. rugulosa* Hemsl. 40: 166  
     *monostachys* Lévl. & Van. = *Agastache rugosa* (Fisch. & Mey.) O. Kuntze 40: 157  
     *pseudo-cristata* Lévl. & Van. = *E. ciliata* (Thunb.) Hylander 40: 163  
     *souliei* (March 1911) = *E. ciliata* (Thunb.) Hylander 40: 163  
     *souliei* (April 1911) = *E. fruticosa* (D. Don) Rehder 40: 165  
     *tristis* Lévl. & Van. = *E. fruticosa* (D. Don) Rehder 40: 165  
*Embelia blinii* = *E. pauciflora* Diels var. *blinii* (Lévl.) Walker 35: 271  
     *bodinieri* = *E. oblongifolia* Hemsl. 35: 271  
     *cavaleriei* = *Ilex metabaptista* Loes. var. *myrsinoides* (Lévl.) Rehder 27: 272; 35: 271  
     *dielsii* = *E. pauciflora* Diels var. *blinii* (Lévl.) Walker 35: 271  
     *esquirolii* = *Celastrus gemmatus* Loes. 27: 273; 35: 271  
     *kapoensis* = *E. pauciflora* Diels var. *blinii* (Lévl.) Walker 35: 271  
     *rubrinervis* = *Rhamnella rubrinervis* (Lévl.) Rehder 27: 278; 35: 271  
     *rubroviolacea* = *Ilex chinensis* Sims 27: 272; 35: 271  
     *schlechteri* = *E. pauciflora* Diels 35: 271  
     *valbrayi* = *Schisandra propinqua* (Wall.) Baill. var. *sinensis* Oliv. 23: 596; 35: 271  
     *vanioti* = *Gaultheria leucocarpa* Bl. 35: 257, 271  
*Engelhardia esquirolii* = *E. spicata* (Lesch. ex) Bl. var. *integra* (Kurz) Manning ex van Steenis 40: 504  
*Enkianthus cavaleriei* = *E. dunnii* 35: 257  
     *cerasiflora* (Lévl.) Lévl. = *E. chinensis* Franch. 35: 257  
     *dunnii* 35: 257  
     *xanthoxantha* = *E. dunnii* 35: 257  
*Epilobium alaskae* = *E. adenocaulon* Hausskn. 31: 409  
     *alpinum* L. var. *gavei* 31: 417  
     *alpinum* Lévl. (non L.) ssp. *villarsii* p.p. = *E. amurense* Hausskn. 31: 410  
     *alpinum* Lévl. (non L.) ssp. *villarsii* p.p. = *E. foucaudianum* 31: 412

- arcuatum* = *E. pyrricholophum* Franch. & Sav. 31: 415  
*arechavaletae* = *E. brasiliense* Hausskn. 31: 411  
*athlespermum* = *E. anagallidifolium* Lam. 31: 410  
*× atrichum* = *E. glaberrimum* Barbey var. *fastigiatum* (Nutt.) Trel. 31: 413  
*barbeyanum* 31: 410  
*beauverdianum* = *E. cylindricum* D. Don 31: 412  
*blinii* 31: 410  
*boissieri* Lévl. nomen-non Hausskn. 31: 417  
*× brittonii* 31: 417  
*canadense* = *E. lactiflorum* Hausskn. 31: 413  
*canadense* var. *albescens* 31: 417  
*cavaleriei* 31: 411  
*christii* = *E. cylindricum* D. Don 31: 412  
*chrysocoma* = *E. pyrricholophum* Franch. & Sav. 31: 415  
*congdoni* = *E. watsonii* Barbey var. *franciscanum* (Barbey) Jepson 31: 417  
*cordouetii* = *E. brevifolium* D. Don ssp. *trichoneurum* (Hausskn.) Raven 31: 411  
*coreanum* = *E. cephalostigma* Hausskn. 31: 411  
*dielsii* 31: 412  
*duclouxii* = *E. wallichianum* Hausskn. 31: 416  
*esquirolii* = *E. brevifolium* D. Don ssp. *trichoneurum* (Hausskn.) Raven 31: 411  
*fauriei* 31: 412  
*foucaudianum* 31: 412  
*gansuense* = *E. amurense* Hausskn. 31: 410  
*hakkodense* = *E. pyrricholophum* Franch. & Sav. var. *curvatopilosum* Hara 31: 790  
*helodes* = *E. meridense* Hausskn. var. *helodes* (Lévl.) Sam. 31: 414  
*× herveyi* 31: 417  
*hirsutum* L. var. *africanum* = *E. hirsutum* L. 31: 413  
*imbricatum* 31: 417  
*junceum* Forst. f. var. *caninum* = *E. cinereum* A. Rich. 31: 411  
*junceum* Forst. f. var. *corymbosum* = *E. cinereum* A. Rich. 31: 411  
*kilimandscharensis* = *E. stereophyllum* Fres. 31: 416  
*komarovianum* 31: 413  
*× lemayi* 31: 417  
*× lloydii* 31: 417  
*lucens* = *E. foucaudianum* 31: 412  
*madagascariense* = *E. salignum* Hausskn. 31: 416  
*mairei* = *E. wallichianum* Hausskn. ssp. *souliei* (Lévl.) Raven 31: 417  
*makinoense* = *E. pyrricholophum* Franch. & Sav. var. *curvatopilosum* Hara 31: 415  
*× meyi* 31: 417  
*mexicanum* [Moc. & Sesse ex] DC. var. *paulsenii* = *E. barchycarpum* Presl 31: 411  
*miguelse* = *E. obscurum* Schreb. 31: 414  
*miyabei* = *E. amurense* Hausskn. 31: 410  
*montanum* L. var. *thellungianum* 31: 417  
*muelleri* = *E. cinereum* A. Rich. 31: 412  
*muellerianum* = *E. pallidiflorum* [Sol. ex] A. Cunn. 31: 414  
*nakaianum* = *E. pyrricholophum* Franch. & Sav. 31: 415  
*neriifolium* = *E. angustifolium* L. 31: 410  
*ostenfeldii* = *E. mexicanum* [Moc. & Sesse ex] DC. 31: 414  
*paddoense* = *E. leptocarpum* Hausskn. var. *macounii* Trel. 31: 414  
*palmeri* = *E. adenocaulon* Hausskn. var. *parishii* (Trel.) Munz 31: 410  
*parviflorum* Schreb. var. *menezesi* = *E. parviflorum* Schreb. 31: 414  
*perrieri* = *E. salignum* Hausskn. 31: 416  
*prainii* 31: 415  
*prostratum* = *E. pyrricholophum* Franch. & Sav. var. *curvatopilosum* Hara 31: 415  
*punctatum* = *E. glandulosum* Lehm. var. *asiaticum* Hara 31: 413  
*pyrricholophum* Franch. & Sav. var. *anoleucolophum* = *E. pyrricholophum* Franch. & Sav. 31: 415  
*quadrangulum* = *E. pyrricholophum* Franch. & Sav. 31: 415  
*? × reedii* = *E. hornemannii* Reichb. 31: 413  
*rouyanum* = *E. pyrricholophum* Franch. & Sav. var. *curvatopilosum* Hara 31: 415  
*sadae* = *E. laxum* Royle 31: 414

- salignum* Hausskn. race *madagascariense* (Lévl.) Lévl. = *E. salignum* Hausskn. 31: 416  
*salignum* Hausskn. race *neriophyllum* (Hausskn.) Lévl. = *E. salignum* Hausskn. 31: 416  
 × *sargenti* 31: 417  
*schinzii* = *E. salignum* Hausskn. 31: 416  
*sinense* 31: 416  
 ?*smithii* = *E. clavatum* Trel. var. *glareosum* (G. N. Jones) Munz 31: 412  
*souliei* = *E. wallichianum* Hausskn. ssp. *souliei* (Lévl.) Raven 31: 417  
*tetragonum* L. ssp. *gilloti* = *E. obscurum* Schreb. 31: 414  
*tetragonum* L. ssp. *tournefortii* (Michx.) Lévl. 31: 416  
*tonkinense* = *Stylidium tenellum* Swartz 31: 416; 35: 247  
*treleasianum* 31: 416  
*yabei* = *E. cephalostigma* Hausskn. 31: 411  
*Epimedium cavaleriei* = *Stauntonia cavaleriana* Gagnep. 24: 75  
*komarovi* = *E. acuminatum* Franch. 24: 74  
*Eranthis vaniotiana* = *Sanicula rubriflora* [F. Schmidt ex] Maxim. 23: 586, 32: 94  
*Erigeron bellidioides* Benth. & Hook. var. *integrifolius* (Franch. ex) Lévl. 34: 341  
*dielsii* = *E. breviscapus* (Van.) Hand.-Mazz. 34: 341  
*mairei* = *Conyza stricta* Willd. var. *pinnatifida* Kitamura 34: 342  
*multiradiatus* Benth. & Hook. f. var. *platyphyllus* (Franch. ex) Lévl. 34: 341  
*Eriolaena esquirolii* = *Burretiodendron esquirolii* (Lévl.) Rehder 27: 8, 9  
*sterculiacea* = *E. malvacea* (Lévl.) Hand.-Mazz. 27: 8  
*Erythraea chaneti* = *Centaureum meyeri* (Bge.) Druce 37: 137  
*Erythrina mairei* = *Dumasia villosa* DC. 30: 244  
*Erythrospermum cavaleriei* = *Celastrus hindsii* Benth. 26: 342; 27: 273  
*Esquirolia sinensis* = *Ligustrum lucidum* Ait.  
*Esquirolia violifolia* (Lévl.) Lévl. = *Neomartinella violifolia* (Lévl.) Pilger 26: 339  
*Eucommia ulmoides* Oliv. var. *yunnanensis* nom. nud. = *E. ulmoides* Oliv. 41: 181  
*Eugenia esquirolii* = *Decaspermum fruticosum* J. R. & G. Forst. 31: 397  
*Euonymus bicolor* = *E. rehderianus* Loes. 27: 276  
*blinii* (Fedde, Rep. Sp. Nov. 1914) p.p. = *E. forbesianus* Loes. 27: 275  
*blinii* (Fedde, Rep. Sp. Nov. 1914) p.p. = *E. uniflorus* Lévl. & Van. 27: 276  
*blinii* (Fl. Kouy-Tchéou, 1914) = *E. subtrinervis* Rehder 27: 276  
*bodinieri* = *E. hamiltonianus* Wall. var. *lanceifolius* (Loes.) Blakelock 27: 275  
*cavaleriei* = *E. dielsianus* Loes. var. *latifolius* Loes. 27: 275  
*cavaleriei* (Lévl.) Lévl. = *E. subtrinervis* Rehder 27: 276  
*centidens* 27: 275  
*coreanus* = *E. hamiltonianus* Wall. var. *maackii* (Rupr.) Komarov 27: 276  
*croisnieri* = *E. forbesianus* 27: 275  
*darrisii* = *E. hamiltonianus* Wall. var. *maackii* (Rupr.) Komarov 27: 276  
*distichus* 27: 275  
*erythrocarpa* (Lévl.) Lévl. = *Euonymus acanthocarpus* Franch. 27: 274  
*esquirolii* 27: 275  
*feddei* = *Glyptopetalum feddei* (Lévl.) Ding Hou 27: 277  
*hypoleuca* = *Mallotus philippinensis* (Lam.) Muell. Arg. 27: 276; 40: 483  
*leclerei* 27: 276  
*mairei* p.p. = *E. grandiflorus* Wall. 27: 275  
*mairei* p.p. = *E. yunnanensis* Franch. 27: 276  
*proteus* = *E. rehderianus* Loes. 27: 276  
*provincarii* = *Pittosporum brevicalyx* (Oliv.) Gagnep. 26: 342; 27: 276  
*rugosa* = *E. hamiltonianus* Wall. 27: 275  
*uniflorus* Lévl. & Van. 27: 276  
*vaniotii* = *E. forbesianus* Loes. 27: 275  
*Eupatorium japonicum* Thunb. var. *heterophyllum* nom. nud. = *E. heterophyllum* DC. 34: 330  
*mairei* = *E. heterophyllum* DC. 34: 330  
*Euphorbia bodinieri* Lévl. & Van. = *E. oreophila* Miq. 40: 480  
*cavaleriei* Lévl. & Van. = *E. pilosa* L. 40: 480  
*chrysocoma* Lévl. & Van. 40: 478  
*chrysocoma* Lévl. & Van. var. *glaucochylla* Lévl. & Van. = *E. sikkimensis* Boiss. 40: 481  
*cruenta* Lévl. nom. nud. = *E. griffithii* Hook. f. 40: 479  
*cyanophylla* 40: 478  
*duclouxii* Lévl. & Van. = *E. wallichii* Hook. f. 40: 481

- erythrocoma* = *E. griffithii* Hook. f. 40: 479  
*esquirolii* Lévl. & Van. = *E. oreophila* Miq. 40: 480  
*fauriei* Lévl. & Van. = *E. pekinensis* Boiss. var. *fauriei* (Lévl. & Van.) Hurusawa 40: 480  
*fauriei* Lévl. & Van. var. *filiformis* = *E. pekinensis* Boiss. var. *fauriei* (Lévl. & Van.) Hurusawa 40: 480  
*hillebrandii* 40: 479  
*labbei* = *E. pilosa* L. 40: 480  
*lucidissima* Lévl. & Van. = *Canscora lucidissima* (Lévl. & Van.) Hand.-Mazz. 37: 136; 40: 479  
*mairei* = *E. bupleuroides* Diels 40: 478  
*multiformis* Hook. & Arn. var. *microphylla* = *E. multiformis* Hook. & Arn. 40: 479  
*nakaiana* = *E. esula* L. 40: 478  
*octoradiata* Lévl. & Van. = *E. lunulata* Bunge 40: 479  
*pinus* = *E. prolifera* Buch.-Ham. 40: 480  
*regina* 40: 480  
*rubriflora* = *E. griffithii* Hook. f. 40: 479  
*takouensis* Lévl. & Van. = *E. lunulata* Bunge 40: 479  
*taquetii* Lévl. & Van. = *E. sieboldiana* Moor. & Decne. 40: 481  
*Euphorbiopsis lucidissima* (Lévl. & Van.) Lévl. = *Canscora lucidissima* (Lévl. & Van.) Hand.-Mazz. 37: 136; 40: 481  
*Eurya cavaleriei* = *Symplocos laurina* Wall. 27: 6 = *S. cochinchinensis* (Lour.) S. Moore ssp. *laurina* (Retz.) Noot. 35: 277  
*esquirolii* = *Litsea kobuskiana* Allen 27: 6; 40: 351  
*Evodia lyi* = *Miliusa sinensis* Finet & Gagnep. 24: 73; 27: 269  
*chaffanjonii* = *Euscaphis japonica* (Thunb.) Kanitz 27: 269, 289  
*odorata* = *Zanthoxylum rhesoides* Drake 27: 270
- Faberia blinii* = *Youngia blinii* (Lévl.) Lauener 34: 388  
*cavaleriei* = *Prenanthes cavaleriei* (Lévl.) Stebbins ex Lauener 34: 397  
*hieracium* Lévl.) Lévl. = *Prenanthes sinensis* (Hemsl.) Stebbins ex Babcock 34: 397  
*Fatsia cavaleriei* = *Trevesia palmata* (Roxb.) Vis. 32: 96  
*Ficus acanthocarpa* Lévl. & Van. = *F. henryi* [Warb. ex] Diels 40: 493  
*asymetrica* Lévl. & Van. = *F. cyrtophylla* [Wall. ex] Miq. 40: 490  
*blinii* Lévl. & Van. = *F. nervosa* [Heyne ex] Roth 40: 495  
*bodinieri* Lévl. & Van. = *F. sarmentosa* [Buch.-Ham. ex] J. E. Sm. var. *impressa* (Champ.) Corner 40: 496  
*bonatii* = *F. tikoua* Bur. 40: 498  
*botryoides* Lévl. & Van. = *F. sarmentosa* [Buch.-Ham. ex] J. E. Sm. var. *lacrymans* (Lévl.) Corner 40: 496  
*cantonensis* [Bodinier ex] Lévl. = *F. hederacea* Roxb. 40: 493  
*cavaleriei* Lévl. & Van. p.p. = *F. heteromorpha* Hemsl. 40: 493  
*cavaleriei* Lévl. & Van. p.p. = *F. variolosa* [Lindl. ex] Benth. 40: 499  
*chaffanjonii* Lévl. & Van. = *F. sarmentosa* [Buch.-Ham. ex] J. E. Sm. var. *nipponica* (Fr. & Sav.) Corner 40: 497  
*congesta* [Lévl. & Van. ex] Lévl. p.p. = *F. gasparriniana* Miq. var. *viridescens* (Lévl. & Van.) Corner 40: 492  
*congesta* [Lévl. & Van. ex] Lévl. p.p. = *F. trivialis* Corner 40: 499  
*corymbifera* Lévl. & Van. = *Solanum erianthum* D. Don 37: 150; 40: 490  
*cuneata* Lévl. & Van. p.p. = *F. heteromorpha* Hemsl. 40: 493  
*cuneata* Lévl. & Van. p.p. = *F. trivialis* Corner 40: 499  
*cuneata* Lévl. & Van. var. *congesta* Lévl. & Van. (not seen) 40: 490  
*cyaneus* Lévl. & Van. = *F. gasparriniana* Miq. var. *viridescens* (Lévl. & Van.) Corner 40: 492  
*cyaneus* Lévl. & Van. var. *viridescens* Lévl. & Van. = *F. gasparriniana* Miq. var. *viridescens* (Lévl. & Van.) Corner 40: 492  
*duclouxii* Lévl. & Van. p.p. = *F. sarmentosa* [Buch.-Ham. ex] J. E. Sm. var. *duclouxii* (Lévl. & Van.) Corner 40: 496  
*duclouxii* Lévl. & Van. p.p. = *F. sarmentosa* [Buch.-Ham. ex] J. E. Sm. var. *luducca* (Roxb.) Corner 40: 497  
*esquiroliana* 40: 491  
*esquirolii* Lévl. & Van. = *F. gasparriniana* Miq. var. *esquirolii* (Lévl. & Van.) Corner 40: 491

- fauriei* Lévl. & Van. = *F. sarmentosa* [Buch.-Ham. ex] J. E. Sm. var. *thunbergii* (Maxim.) Corner 40: 498
- fauriei* Lévl. & Van. var. *macrocarpa* = *F. sarmentosa* [Buch.-Ham. ex] J. E. Sm. var. *thunbergii* (Maxim.) Corner 40: 498
- fecundissima* Lévl. & Van. = *F. concinna* (Miq.) Miq. 40: 489
- feddei* Lévl. & Van. = *F. glaberrima* Bl. 40: 492
- fortunati* Lévl. & Van. = *F. sarmentosa* [Buch.-Ham. ex] J. E. Sm. var. *nipponica* (Fr. & Sav.) Corner 40: 497
- hederifolia* = *F. sarmentosa* [Buch.-Ham. ex] J. E. Sm. var. *thunbergii* (Maxim.) Corner 40: 498
- hirtaeformis* Lévl. & Van. = *Actinidia eriantha* Benth. 27: 5; 40: 494
- hypoleucogramma* Lévl. & Van. = *F. orthoneura* Lévl. & Van. 40: 495
- jamini* Lévl. & Van. = *F. laevis* Bl. 40: 495
- kingiana* p.p. = *F. glaberrima* Bl. 40: 492
- kingiana* p.p. = *F. stenophylla* Hemsl. var. *macropodocarpa* (Lévl. & Van.) Corner 40: 498
- kouytchense* Lévl. & Van. = *F. heteromorpha* Hemsl. 40: 493
- laceratifolia* Lévl. & Van. = *F. gasparriniana* Miq. var. *laceratifolia* (Lévl. & Van.) Corner 40: 491
- lacrymans* = *F. sarmentosa* [Buch.-Ham. ex] J. E. Sm. var. *lacrymans* (Lévl.) Corner 40: 496
- lageniformis* Lévl. & Van. = *F. formosana* Maxim. 40: 491
- laus-esquirolii* p.p. = *F. esquiroliana* 40: 491
- laus-esquirolii* p.p. = *F. hirta* Vahl 40: 494
- letaqui* Lévl. & Van. = *F. hispida* L.f. 40: 494
- longepedata* Lévl. & Van. = *F. sarmentosa* [Buch.-Ham. ex] J. E. Sm. var. *luducca* (Roxb.) Corner 40: 497
- macrocarpa* Lévl. & Van. = *F. auriculata* Lour. 40: 489
- macropodocarpa* Lévl. & Van. = *F. stenophylla* Hemsl. var. *macropodocarpa* (Lévl. & Van.) Corner 40: 498
- mairiei* = *F. heteromorpha* Hemsl. 40: 493
- marchandii* = *Capparis acutifolia* Sw. ssp. *viminea* Jacobs 26: 340; 40: 495
- martini* Lévl. & Van. = *F. sarmentosa* [Buch.-Ham. ex] J. E. Sm. var. *impressa* (Champ.) Corner 40: 496
- micheelii* = *F. tinctoria* Forst. f. ssp. *gibbosa* (Bl.) Corner 40: 499
- neo-esquirolii* nom. nud. = *F. esquiroliana* 40: 491
- nerium* Lévl. & Van. = *F. stenophylla* Hemsl. 40: 498
- ouangliense* = *Aglaia tetrapetala* (Pierre) Pellegr. 27: 270; 40: 495
- pandurata* [Lévl. & Van. ex] Lévl. - non Hance = *F. heteromorpha* Hemsl. 40: 493
- pinfaensis* Lévl. & Van. = *F. heteromorpha* Hemsl. 40: 493
- porteri* Lévl. & Van. = *F. hirta* Vahl 40: 494
- pseudobotryoides* Lévl. & Van. = *F. tinctoria* Forst. f. ssp. *parasitica* (Willd.) Corner 40: 499
- pseudo-erecta* Lévl. & Van. p.p. = *F. erecta* Thunb. 40: 490
- pseudo-piriformis* Lévl. & Van. p.p. = *F. erecta* Thunb. f. *sieboldii* (Miq.) Corner 40: 491
- pseudoreligiosa* = *F. concinna* (Miq.) Miq. 40: 489
- retusiformis* = *F. microcarpa* L. f. 40: 495
- rhomboidalis* Lévl. & Van. = *F. tinctoria* Forst. f. ssp. *parasitica* (Willd.) Corner 40: 499
- rojasii* 40: 495
- rufipes* Lévl. & Van. p.p. = *Psychotria prainii* 32: 114; 40: 496
- rufipes* Lévl. & Van. p.p. = *F. sarmentosa* [Buch.-Ham. ex] J. E. Sm. var. *nipponica* (Fr. & Sav.) Corner 40: 497
- salix* = *Salix babylonica* 40: 496; 41: 173
- sambucixylon* = *F. hispida* L. f. 40: 494
- schinzii* = *F. abelii* Miq. 40: 489
- seguinii* = *F. sarmentosa* [Buch.-Ham. ex] J. E. Sm. var. *nipponica* (Fr. & Sav.) Corner 40: 497
- stapfii* = *F. gasparriniana* Miq. var. *viridescens* (Lévl. & Van.) Corner 40: 492
- suberosa* Lévl. & Van. = *F. glaberrima* Bl. 40: 492
- taquetii* p.p. = *F. erecta* Thunb. 40: 490
- taquetii* p.p. = *F. erecta* Thunb. f. *sieboldii* (Miq.) Corner 40: 491
- tenii* = *F. geniculata* Kurz 40: 492
- trichopoda* = *F. sarmentosa* [Buch.-Ham. ex] J. E. Sm. var. *luducca* (Roxb.) Corner 40: 497
- vanioti* = *Aglaia tetrapetala* (Pierre) Pellegr. 27: 270; 40: 499

- Flacourtia cavaleriei* = *Xylosma racemosum* (Sieb. & Zucc.) Miq. var. *kwangtungense* (Metcalfe) Rehder 26: 342
- Fontanesia argyi* = *F. fortunei* Carr. 37: 126
- Fordiophyton cavaleriei* (Lévl.) Guillaum. var. *violacea* = *Bredia esquirolii* (Lévl.) Lauener 31: 399
- Fragaria mairei* = *F. nilgerrensis* [Schlechtend. ex] Gay var. *mairei* (Lévl.) Hand.-Mazz. 30: 256
- Fraxinus fauriei* = *Meliosma oldhamii* Miq. 27: 290 = *Meliosma pinnata* (Roxb.) Walp. ssp. *arnottiana* (Walp.) Beus. 37: 126
- Fuchsia liebmanni* = *F. paniculata* Lindl. 31: 418
- Galium argyi* Lévl. & Van. = *Rubia argyi* (Lévl. & Van.) Hara 32: 114
- blinii* = *Galium asperifolium* [Wall. ex] Roxb. var. *sikkimense* (Gdgr.) Cuf. 32: 106
- bodinieri* = *G. asperifolium* [Wall. ex] Roxb. var. *sikkimense* (Gdgr.) Cuf. 32: 106
- ?*cavaleriei* = *G. asperifolium* [Wall. ex] Roxb. var. *sikkimense* (Gdgr.) Cuf. 32: 106
- comarii* 32: 107
- cuneatum*, nomen = *G. asperifolium* [Wall. ex] Roxb. var. *sikkimense* (Gdgr.) Cuf. 32: 106
- esquirolii* = *G. asperifolium* [Wall. ex] Roxb. var. *sikkimense* (Gdgr.) Cuf. 32: 106
- hongnoense* = *G. aparine* L. 32: 105
- mairei* = *G. elegans* [Wall. ex] Roxb. var. *velutinum* Cuf. 32: 107
- martinii* Lévl. & Van. 32: 107
- quinatum* 32: 107
- remotiflorum* Lévl. & Van. = *G. bungei* Steud. var. *punduanoides* Cuf. 32: 106
- taquetii* = *G. trifidum* L. var. *brevipedunculatum* Regel 32: 108
- venosum* = *G. trachyspermum* A. Gray f. *hispidum* (Matsuda) Ohwi 32: 108
- Gardenia schlechteri* = *G. jasminoides* Ellis 32: 108
- Geissaspis cavaleriei* = *Flemingia cavaleriei* (Lévl.) Lauener 30: 244
- Gentiana aomorenensis* = *G. zollingeri* Fawcett 37: 139
- axillariflora* Lévl. & Van. = *G. triflora* Pall. var. *japonica* (Kusnez.) Hara 37: 138
- blinii* 37: 137
- bodinieri* 37: 137
- esquirolii* = *G. rigescens* Franch. apud Hemsl. 37: 138
- fauriei* Lévl. & Van. = *Gentiana auriculata* (Pallas) Gillett 37: 139
- mairei* = *G. panthaica* Burkill var. *epichysantha* (Hand.-Mazz.) H. Sm. 37: 138
- makinoi* Lévl. & Van. = *G. nipponica* Maxim. 37: 137
- naitoana* Lévl. & Faurie = *G. triflora* Pall. var. *japonica* (Kusnez.) Hara 37: 138
- phyllopoda* = *G. microdonta* Franch. apud Hemsl. 37: 137
- reyneiri* = *G. panthaica* Burkill 37: 138
- taquetii* = *G. zollingeri* Fawcett 37: 139
- vaniotii* p.p. 37: 139
- vaniotii* p.p. = *G. rigescens* Franch. apud Hemsl. 37: 138
- Geophila yunnanensis* = *Hydrocotyle sibthorpioides* Lam. 32: 93, 108
- Geranium eriophorum* = *G. robertianum* L. 27: 265
- lavergneanum* = *G. sibiricum* L. 27: 266
- lavergneanum* var. *cinerascens* = *G. sibiricum* L. 27: 266
- mairei* = *G. sinense* Franch. 27: 265
- robertianum* L. var. *eriophorum* (Lévl.) Lévl. = *G. robertianum* L. 27: 265
- Gerbera bonatiana* (Beauverd) Beauverd f. *cavaleriei* (Van. & Lévl.) Lévl. = *G. anandria* (L.) Sch. Bip. 34: 386
- cavaleriei* Van. & Lévl. = *G. anandria* (L.) Sch. Bip. 34: 386
- Geum fauriei* 30: 256
- ranunculoides* = *G. aleppicum* Jacq. var. *bipinnatum* (Batal.) Hand.-Mazz. 30: 256
- sachalinense* = *G. fauriei* 30: 256
- Glochidion bodinieri* = *G. puberum* (L.) Hutch. 40: 481
- cavaleriei* = *Illicium majus* Hook. f. & Thoms. 23: 595; 40: 481
- esquirolii* = *G. eriocarpum* Champ. 40: 481
- vanioti* = *Orixa japonica* Thunb. 27: 269; 40: 481
- Glycyrrhiza mairei* = *Tephrosia purpurea* (L.) Pers. 30: 252
- Gnaphalium artemisiifolium* = *Leontopodium artemisiifolium* (Lévl.) Beauverd 34: 346
- chanetii* = *Anaphalis sinica* Hance 34: 357
- esquirolii* = *Anaphalis adnata* DC. 34: 346
- sericeo-albidum* Van. = *Anaphalis adnata* DC. 34: 346

- Gongronema yunnanense* = *Marsdenia oreophila* W. W. Sm. 37: 134  
*Gouldia cirrhopetiolata*, name rejected—38: 496, 41: 187  
*Grewia cavaleriei* 27: 9  
     *chanetii* = *G. biloba* G. Don var. *parviflora* (Bge.) Hand.-Mazz. 27: 9  
     *esquirolii* nomen pro syn. = *G. henryi* Burret 27: 10  
*Gueldenstaedtia australis*? nom. nud. 30: 245  
     *longiscapa* (Franch.) Lévl. = *G. verna* (Georgi) A. Boriss. 30: 245  
*Gynura bodinieri* = *G. pseudochina* (L.) DC. 34: 360  
     *cavaleriei* = *G. procumbens* (Lour.) Merr. 34: 360  
     *dielsii* = *G. nudibasis* (Lévl. & Van.) Lauener & Ferguson 34: 359  
     *esquirolii* = *Senecio lonchophyllus* Hand.-Mazz. 34: 364  
     *hemsleyana* = *G. ovalis* (Ker-Gawl.) DC. var. *pinnatifida* Hemsl. 34: 359  
     *hieracifolia* = *Senecio lonchophyllus* Hand.-Mazz. 34: 364  
     *ovalis* (Ker-Gawl.) DC. var. *hemsleyana* (Lévl.) Lévl. = *G. ovalis* (Ker-Gawl.) DC. var. *pinnatifida* Hemsl. 34: 359  
     *pinnatifida* Van.-non DC. = *G. japonica* (Thunb.) Juel 34: 358  
     *permaptera* = *Emilia sonchifolia* (L.) DC. 34: 360  
     *vaniotii* = *G. japonica* (Thunb.) Juel 34: 358
- Halenia vaniotii* = *H. elliptica* D. Don var. *grandiflora* Hemsl. 37: 139  
*Halorrhagis esquirolii* nom. nud. = *Rotala rotundifolia* (Ham. ex Roxb.) Koehne 30: 294; 31: 401  
*Hancea cavaleriei* = *Hanceola cavaleriei* (Lévl.) Kudo 40: 166  
     *hemsleyana* = *Plectranthus macranthus* Hook. f. 40: 177  
     *labordei* = *Hanceola labordei* (Lévl.) Y. Z. Sun ex H. W. Li 40: 167  
     *mairei* = *Hanceola mairei* (Lévl.) Y. Z. Sun ex H. W. Li 40: 167  
     *prainiana* = *Plectranthus macranthus* Hook. f. 40: 177  
*Hedyotis bodinieri* = *Oldenlandia bodinieri* (Lévl.) Chun 32: 111  
     *coreana* 32: 108  
     *esquirolii* = *Oldenlandia hedyotideia* (DC.) Hand.-Mazz. 32: 111  
     *mairei* = *Viburnum congestum* Rehder 32: 101, 109  
     *yunnanensis* = *Viburnum foetidum* Wall. var. *rectangulatum* (Graebn.) Rehder 32: 102, 109  
*Helicteres cavaleriei* (Lévl.) Lévl. = *H. glabriuscula* [Wall. ex] Masters 27: 8  
*Helwingia argyi* Lévl. & Van. = *Stemona japonica* (Bl.) Miq. 32: 97  
*Hemiboea cavaleriei* 38: 468  
     *esquirolii* = *H. cavaleriei* 38: 468  
     *himalayensis* 38: 468  
     *marmorata* = *H. subcapitata* C. B. Cl. 38: 468  
*Hemsleya esquirolii* = *Actinostemma biglandulosum* Hemsl. 31: 429  
*Heptapleurum bodinieri* = *Schefflera bodinieri* (Lévl.) Rehder 32: 95  
     *cavaleriei* = *Schefflera venulosa* (Wight & Arn.) Harms 32: 96  
     *dunnianum* = *Schefflera delavayi* (Franch.) Harms 32: 96  
     *esquirolii* = *Macropanax rosthornii* (Harms) Wu ex Hoo 34: 95  
     *tripteris* = *Brassaiopsis tripteris* (Lévl.) Rehder 32: 95  
*Hernandia sinensis* = *Iodes ovalis* Bl. var. *vitiginea* (Hance) Gagnep 27: 271 = *Iodes vitiginea* (Hance) Hemsl. 40: 353  
*Herpestis fauriei* = *Bacopa monnieri* (L.) Pennell 38: 455  
*Hibiscus bellicosus* = *Abelmoschus esquirolii* (Lévl.) S. Y. Hu 27: 7  
     *bodinieri* = *Abelmoschus crinitus* Wall. 27: 7  
     *bodinieri* var. *brevicalyculata* = *Abelmoschus esquirolii* (Lévl.) S. Y. Hu 27: 7  
     *cavaleriei* = *Abelmoschus crinitus* Wall. 27: 7  
     *esquirolii* = *Abelmoschus esquirolii* (Lévl.) S. Y. Hu 27: 7  
     *fauriei* = *H. schizopetalus* (Dyer) Hook. f. 27: 8; 38: 496  
     *labordei* 27: 8  
*Hieracium perrieri* = *Tolpis capensis* (L.) Sch. Bip. 34: 386  
     *sinense* Van. = *H. umbellatum* L. 34: 393  
*Hippuris fauriei* = *H. tetraphylla* L. f. 30: 294  
*Hiptage cavaleriei* = *Eriobotrya cavaleriei* (Lévl.) Rehder 27: 265; 30: 255  
     *esquirolii* = *Photinia bodinieri* 27: 265; 30: 258  
*Hoya cavaleriei* = *Holboellia latifolia* Wall. 24: 75; 37: 134

- esquirolii* = *Dischidia esquirolii* (Lévl.) Tsiang 37: 134  
 lyi 37: 134  
*Hoyopsis dielsii* = *Tylophora dielsii* (Lévl.) H. H. Hu 27: 277; 37: 135  
*Hydrangea arborescens* = *H. scandens* (L. f.) Ser. ssp. *chinensis* (Maxim.) McClintock 30: 285  
*davidii* Franch. var. *arborescens* (Lévl.) Lévl. = *H. scandens* (L. f.) Ser. ssp. *chinensis* (Maxim.) McClintock 30: 285  
*kamienskii* = *H. paniculata* Sieb. 30: 285  
*maximowiczii* = *H. aspera* D. Don ssp. *robusta* (Hk. f. & Thoms.) McClintock 30: 285  
*sachalinensis* = *H. paniculata* Sieb. 30: 285  
*taquetii* = *Schizophragma hydrangeoides* Sieb. & Zucc. 30: 289  
*tiliaefolia* = *H. anomala* D. Don ssp. *petiolaris* (Sieb. & Zucc.) McClintock 30: 285  
*villosa* Rehder var. *mairei* = *H. aspera* D. Don ssp. *strigosa* (Rehder) McClintock 30: 285  
*Hypocoum millefolium* Lévl. & Van. = *H. leptocarpum* Hook. f. & Thoms. 24: 78  
*Hypericum argyi* Lévl. & Van. = *H. patulum* Thunb. 27: 4  
*bachii* = *H. monanthemum* [Hook. f. & Thoms. ex] Dyer 27: 4  
*bodinieri* = *H. napaulense* Choisy 27: 4  
*bonatii* Lévl. & Van. 27: 2  
*cavaleriei* = *H. japonicum* Thunb. 27: 3  
*centiflorum* = *H. mairei* (1912) 27: 4  
*dielsii* Lévl. & Van. = *H. erectum* Thunb. var. *erectum* f. *vaniotii* (Lévl.) Kimura 27: 2  
*dominii* = *H. laxum* (Bl.) Koidzumi 27: 4  
*erectum* Thunb. var. *axillare* = *H. erectum* Thunb. 27: 2  
*erectum* Thunb. ssp. *vanioti* = *H. erectum* Thunb. var. *erectum* f. *vaniotii* (Lévl.) Kimura 27: 2  
*erectum* Thunb. race *vanioti* = *H. erectum* Thunb. var. *erectum* f. *vaniotii* (Lévl.) Kimura 27: 2  
*esquirolii* = *H. sampsonii* Hance 27: 5  
*hemsleyanum* Lévl. & Van. 27: 3  
*henryi* Lévl. & Van. 27: 3  
*japonicum* Thunb. var. *plurinervium* = *H. japonicum* Thunb. 27: 3  
*kelleri* 27: 3  
*kouytchense* 27: 3  
*lateriflorum* = *H. seniawinii* Maxim. 27: 5  
*longifolium* = *H. ascyron* L. 27: 1  
*mairei* (1912) 27: 4  
*mairei* (1915) = *H. monanthemum* [Hook. f. & Thoms. ex] Dyer 27: 4  
*makinoi* = *H. oliganthum* Franch. & Sav. 27: 4  
*matsumurae* = *H. hakonense* Franch. & Sav. 27: 2  
*mororanense* Keller f. *tetragynum* = *H. yezoense* Maxim. 27: 5  
*nakaianum* = *H. erectum* Thunb. 27: 2  
*perforatum* L. var. *microphyllum* = *H. perforatum* L. 27: 5  
*porphyrandrum* = *H. yezoense* Maxim. 27: 5  
*sachalinense* = *H. ascyron* L. 27: 1  
*taquetii* Lévl. & Van. = *H. japonicum* Thunb. 27: 3  
*vaniotii* nom. nud. = *H. erectum* Thunb. var. *erectum* f. *vaniotii* (Lévl.) Kimura 27: 2  
*yabei* Lévl. & Van. (1906) = *H. laxum* (Bl.) Koidzumi 27: 3  
*yabei* (1908) = *H. ascyron* L. 27: 1  
*Hypochaeris mairei* = *Picris divaricata* Van. 34: 387  
*Hypoestes bodinieri* = *Peristrophe bivalvis* (L.) Merr. 38: 478
- Ilex corallina* Franch. f. *loeseneri*, nomen = *I. corallina* Franch. 27: 272  
*corallina* Franch. var. *loeseneri* [Lévl. ex] Rehder = *I. corallina* Franch. 27: 272  
*dunniana* = *I. intermedia* [Loes. ex] Diels var. *fangii* (Rehder) S. Y. Hu 27: 272  
*fargesii* Franch. var. *bodinieri* Loes. apud Lévl. = *I. metabaptista* Loes. var. *myrsinoides* (Lévl.) Rehder 27: 272  
*purpurea* Hassk. var. *leveilleana* Loes. in Lévl. = *I. pedunculosa* Miq. 27: 273  
*Illicium cavaleriei* (Lévl.) Lévl. = *I. majus* Hook. f. & Thoms. 23: 595  
*Illigera dunniana* = *I. rhodantha* Hance var. *dunniana* (Lévl.) Kubitzki 40: 353  
*Impatiens bachii* 27: 266  
*blinii* 27: 266

- centiflora* = *I. radiata* Hook. f. 27: 267  
*cordata* = *I. delavayi* Franch. 27: 266  
*dichrocarpa* 27: 267  
*?gagnepainii* Hook. f. & Lévl. = *I. aquatilis* Hook. f. 27: 266  
*hookeriana* = *I. lemeii* 27: 267  
*lemeii* 27: 267  
*mairei* 27: 267  
*tongchouanensis* = *I. aquatilis* Hook. f. 27: 266  
*valbrayana* = *I. desmantha* Hook. f. 27: 267  
*vaniotiana* 27: 267  
*Incarvillea argyi* = *Ipomoea quamoclit* L. 37: 146; 38: 473  
*Indigofera bodinieri* = *I. stachyodes* Lindl. 30: 248  
*cavaleriei* = *I. atropurpurea* [Buch.-Ham. ex] D. Don 30: 246  
*craibiana* = *I. reticulata* Franch. 30: 247  
*dosua* Buch.-Ham. var. '*stachyoides*' (Lindl.) Lévl. = *I. stachyodes* Lindl. 30: 248  
*esquirolii* 30: 246  
*mairei* = *Sophora velutina* Lindl. 30: 252  
*thirionni* = *Derris* sp. 30: 243  
*vaniotii* p.p. = *I. szechuensis* Craib 30: 248  
*vaniotii* p.p. 30: 248  
*Inula esquirolii* = *I. nervosa* DC. 34: 348  
*exsiccata* = *Blumea alata* (D. Don) DC. 34: 343  
*kouyangensis* nom. nud. = *Senecio nagensium* C.B. Cl. 34: 364  
*taquetii* = *Helianthus tuberosus* L. 34: 350  
*vernoniiformis* = *Senecio nagensium* C.B. Cl. 34: 364  
*Ipomoea chanetii* = *I. purpurea* (L.) Roth 37: 146  
*fauriei* = *I. pes-caprae* (L.) R. Br. ssp. *brasiliensis* (L.) van Ooststr. 37: 145 = *I. stolonifera* (Cyrill.) J. F. Gmel. 38: 496  
*koloaensis* = *I. stolonifera* (Cyr.) J. F. Gmel. 37: 146  
*martinii* 37: 145  
*vaniotiana* = *I. nil* (L.) Roth 37: 145  
*Isodendron fauriei* = *I. pyrifolium* Gray 26: 341 = *Gouania fauriei* (Lévl.) St. John 41: 182  
*Isopyrum cavaleriei* Lévl. & Van. = *Asteropyrum cavaleriei* (Lévl. & Van.) Drumm. & Hutch. 23: 579  
*trichophyllum* = *Thalictrum foeniculaceum* Bunge 23: 592  
*tuberosum* = *Semiaquilegia adoxides* (DC.) Makino 23: 590  
*Itea bodinieri* = *I. yunnanensis* Franch. 30: 286  
*esquirolii* = *I. yunnanensis* Franch. 30: 286  
*Ixora cavaleriei* = *I. henryi* 32: 109  
*henryi* 32: 109  
  
*Jasminum argyi* = *J. floridum* Bunge 37: 127  
*blinii* = *J. polyanthum* Franch. 37: 127  
*bodinieri* = *J. sinense* Hemsl. 37: 128  
*delafeldii* = *J. polyanthum* Franch. 37: 127  
*dunnianum* = *J. lanceolarium* Roxb. var. *puberulum* Hemsl. 37: 127  
*esquirolii* = *J. amplexicaule* [Buch.-Ham. ex] G. Don 37: 126  
*laurifolium* Roxb. var. *villosum* = *J. nervosum* Lour. var. *villosum* (Lévl.) Chia 37: 127  
*mairei* = *J. humile* L. 37: 127  
*mairei* var. *siderophyllum* = *J. humile* 37: 127  
*prainii* 37: 127  
*schneideri* = *J. duclouxii* (Lévl.) Rehder 37: 126  
*seguinii* 37: 127  
*valbrayi* = *J. beesianum* Forrest & Diels 37: 126  
*Jussiaea bertonii* = *Ludwigia decurrens* Walt. 31: 419  
*erecta* L. f. *brachyphylla* (Mich.) Lévl. = *Ludwigia brachyphylla* (Mich.) Hara 31: 419  
*fauriei* = *L. epilobioides* Maxim. 31: 420  
*japonica* = *L. epilobioides* Maxim. 31: 420  
*octofila* DC. var. *anastomosans* (DC.) Lévl. = *Ludwigia anastomosans* (DC.) Hara 31: 419  
*octofila* DC. var. *elegans* (Camb.) Lévl. = *Ludwigia elegans* (Camb.) Hara 31: 419  
*octofila* DC. f. *longifolia* (DC.) Lévl. = *Ludwigia longifolia* (DC.) Hara 31: 420

- paraguayensis* Lévl. — non Chodat = *Ludwigia lagunae* (Morong) Hara ssp. *paraguayensis* (Chodat) Lauener 31: 420
- parmentieri* = *Ludwigia epilobioides* Maxim. 31: 420
- peruviana* L. var. *caparosa* (Camb.) Lévl. = *Ludwigia caparosa* (Camb.) Hara 31: 419
- peruviana* L. var. *elegans* (Camb.) Lévl. = *Ludwigia elegans* (Camb.) Hara 31: 419
- peruviana* L. var. *longifolia* (DC.) Lévl. ex Bertoni = *Ludwigia longifolia* (DC.) Hara 31: 420
- philippiana* = *Ludwigia epilobioides* Maxim. 31: 420
- prostrata* (Roxb.) Lévl. = *Ludwigia prostrata* Roxb. 31: 421
- prostrata* (Roxb.) Lévl. var. *fauriei* (Lévl.) Lévl. = *Ludwigia epilobioides* Maxim. 31: 420
- prostrata* (Roxb.) Lévl. var. *microphylla* = *Ludwigia epilobioides* Maxim. 31: 420
- prostrata* (Roxb.) Lévl. var. *parmentieri* (Lévl.) Lévl. = *Ludwigia epilobioides* Maxim. 31: 420
- prostrata* (Roxb.) var. Lévl. *philippiana* (Lévl.) Lévl. = *Ludwigia epilobioides* Maxim. 31: 420
- repens* L. var. *bodinieri* = *Ludwigia adscendens* (L.) Hara 31: 419
- repens* L. var. *clarenciana* = *Ludwigia peploides* (Kunth) Raven ssp. *montevidensis* (Spreng.) Raven 31: 421
- socotrensis* 31: 422
- stuckertii* = *Ludwigia uruguayensis* (Camb.) Hara 31: 421
- suffruticosa* L. var. *bonariensis* (Mich.) Lévl. = *Ludwigia bonariensis* (Mich.) Hara 31: 419
- suffruticosa* L. var. *scabra* (Willd.) Lévl. ex Bertoni = *Ludwigia octovalvis* (Jacq.) Raven ssp. *sessiliflora* (Mich.) Raven 31: 421
- suffruticosa* L. race *salicifolia* (Kunth) Lévl. = *Ludwigia octovalvis* (Jacq.) Raven 31: 421
- Kadsura cavaleriei* = K. *coccinea* (Lem.) A. C. Smith 23: 595
- Kadua herbacea* = *Hedyotis cookiana* Steud. var. *herbacea* (Lévl.) Fosb. 38: 496; 41: 187
- Labordea fauriei* = *Pisonia umbellifera* (J. R. & G. Forst.) Seemen 38: 454, 496; 40: 192
- Lactuca allariaefolia* Lévl. & Van. = L. *raddeana* Maxim. 34: 395
- beauverdiana* = *Ixeris gracilis* (DC.) Stebbins 34: 391
- biauriculata* Van. & Lévl. = *Ixeris polycephala* Cass. 34: 392
- blinii* = *Prenanthes blinii* (Lévl.) Kitagawa 34: 396
- bonatii* (Beauverd) Lévl. = *Cicerbita bonatii* Beauverd 34: 396
- cavaleriei* = L. *indica* L. 34: 394
- crepidioides* Van. = *Ixeris chinensis* (Thunb.) Kitagawa ssp. *versicolor* (Fisch. ex Link) Kitamura 34: 390
- diversifolia* Van. = L. *sororia* Miq. 34: 395
- erythrocarpa* Van. = *Youngia erythrocarpa* (Van.) Babcock & Stebbins 34: 388
- hallaisanensis* = *Ixeris chinensis* (Thunb.) Kitagawa ssp. *versicolor* (Fisch. ex Link) Kitamura 34: 390
- hoatiensis* Lévl. & Van. = L. *indica* L. 34: 394
- kouyangensis* = L. *indica* L. 34: 394
- lignea* Van. = *Crepis lignea* (Van.) Babcock 34: 387
- multipes* Lévl. & Van. = L. *tatarica* (L.) C. A. Meyer 34: 396
- nakaiana* Lévl. & Van. = L. *raddeana* Maxim. 34: 395
- nummularifolia* Lévl. & Van. = *Ixeris stolonifera* A. Gray 34: 392
- pseudosenecio* Van. = *Youngia japonica* (L.) DC. ssp. *elstonii* (Hochr.) Babcock & Stebbins 34: 389
- pseudosonchus* = L. *atropurpurea* Franch. 34: 394
- quercus* Lévl. & Van. = *Crepidiastrum lanceolatum* (Houtt.) Nakai f. *pinnatilobum* (Maxim.) Nakai 34: 392
- rubrolutea* Van. = *Ixeris chinensis* (Thunb.) Kitagawa 34: 390
- saligna* L. var. *teniana* (Beauverd) Lévl. = *Cicerbita cyanea* (Don) Beauverd var. *teniana* 34: 396
- senecio* Lévl. & Van. p.p. = *Youngia chelidoniifolia* (Makino) Kitamura 34: 388
- senecio* Lévl. & Van. p.p. = *Youngia sonchifolia* (Bunge) Maxim. 34: 390
- sonchus* Lévl. & Van. = L. *raddeana* Maxim. var. *elata* (Hemsl.) Kitamura 34: 395
- strigosa* Lévl. & Van. = *Ixeris chinensis* (Thunb.) Kitagawa ssp. *strigosa* (Lévl. & Van.) Kitamura 34: 390

- taquetii* Lévl. & Van. = *Youngia japonica* (L.) DC. 34: 389  
*taraxacum* Lévl. & Van. = *Youngia japonica* (L.) DC. 34: 389  
*thirionii* = *L. sororia* Miq. 34: 395  
*vanioti* = *L. raddeana* Maxim. 34: 395  
*Lamium?* *coronatum* Van. = *Paraphlomis javanica* (Bl.) Prain ex Back. & Bakh. f. var. *coronata* (Van.) C. Y. Wu & H. W. Li 40: 174  
*kouyangense* Van. = *Stachys kouyangensis* (Van.) Dunn 40: 186  
*Lasianthus dunniana* Lévl. = *L. hookeri* [Clarke ex] Hook. f. 32: 109  
*esquirolii* 32: 109  
*Lathyrus esquirolii* = *Arachis hypogaea* L. 30: 240  
*fauriei* = *Vicia hirticalycina* Nakai 30: 253  
*vaniotii* 30: 248  
*Leea dielsii* = *Ampelopsis chaffanjonii* (Lévl.) Rheder 27: 282  
*theifera* = *Ampelopsis cantoniensis* (Hook. & Arn.) Planch. 27: 282  
*Leontopodium japonicum* Thunb. var. *sandwicense* Lévl. = *Gnaphalium japonicum* Thunb. 34: 347; 38: 496  
*Leptodermis chaneti* = *L. oblonga* Bunge 32: 110  
*esquirolii* = *L. potaninii* Batal. 32: 110  
*mairei* Lévl. = *L. pilosa* (Franch.) Diels var. *glabrescens* H. Winkl. 32: 110  
*moisouensis* = *L. potaninii* Batal. var. *glauca* (Diels) H. Winkl. 32: 110  
*tongtchouanensis* = *L. potaninii* Batal. var. *tomentosa* H. Winkl. 32: 110  
*Lespedeza blinii* = *Campylotropis polyantha* (Franch.) Schindl. 30: 241  
*bodinieri* (Schindl.) Lévl. = *Campylotropis bodinieri* Schindl. 30: 241  
*dichromoxylon* = *Campylotropis polyantha* (Franch.) Schindl. var. *leiocarpa* (Pamp.) Pet.-Stib. 30: 241  
*fauriei* = *L. daurica* (Laxm.) Schindl. 30: 249  
*junceae* Pers. var. *personii* = *L. juncea* Pers. 30: 249  
*monnayeri* = *L. fasciculiflora* Franch. 30: 249  
*pampaninii* = *L. forrestii* Schindl. 30: 249  
*schindleri* = *L. capitata* Michx. 30: 248  
*Lettsomia seguinii* = *Argyrea seguinii* (Lévl.) Van. ex Lévl. 37: 144  
*Leucas acloquei* = *Stachys oblongifolia* Benth. 40: 187  
*barbeyana* = *Plectranthus drogotschiensis* Hand.-Mazz. 40: 176  
*Leucosceptrum bodinieri* Lévl. & Van. = *Rostrinucula sinensis* (Hemsl.) C. Y. Wu 40: 179  
*Leveillea chinensis* (L.) Van. = *Blumea riparia* (Bl.) DC. & B. *riparia* (Bl.) DC. var. *megacephala* Randeria 34: 345  
*martini* Van. = *Blumea riparia* (Bl.) DC. 34: 345  
*procera* (DC.) Van. = *Blumea procera* DC. 34: 345  
*riparia* (Bl.) Van. = *Blumea riparia* (Bl.) DC. 34: 345  
*vestita* (DC.) Van. = *Blumea procera* DC. 34: 345  
*Ligustrum argyi* = *L. quihaii* Carr. 37: 128  
*bodinieri* = *L. sinense* Lour. var. *myrianthum* (Diels) Hoefk. 37: 128  
*cavaleriei* = *Jasminum sinense* Hemsl. 37: 128  
*delavayanum* Hariot var. *ionandrum* (Diels) Lévl. = *L. delavayanum* Hariot 37: 128  
*esquirolii* = *L. lucidum* Ait. 37: 128  
*lucidum* Ait. var. *esquirolii* = *L. lucidum* 37: 128  
*mairei* = *Syringa mairei* (Lévl.) Rehder 37: 129  
*phillyrea* = *Osmanthus delavayi* Franch. 37: 128  
*taquetii* = *L. japonicum* Thunb. 37: 128  
*thea* Lévl. & Dunn = *Wendlandia salicifolia* [Franch. ex] Costello 32: 115; 37: 128  
*vanioti* = *Fraxinus griffithii* C. B. Cl. 37: 126  
*Limnanthemum coreanum* = *Nymphoides coreana* (Lévl.) Hara 37: 140  
*esquirolii* = *Nymphoides indica* (L.) O. Kuntze 37: 140  
*taquetii* = *Nymphoides indica* (L.) O. Kuntze 37: 140  
*Limnophila cavaleriei* Van. = *L. connata* (Buch.-Ham. ex D. Don) Hand.-Mazz. 38: 456  
*Lindenbergia urticifolia* Lehm. var. *cavaleriei* [Lévl. ex] Bonati = *L. muraria* (Roxb.) Brühl 38: 456  
*Lindera bodinieri* = *L. communis* Hemsl. 40: 349  
*camphorata* = *Sassafras tzumu* (Hemsl.) Hemsl. 40: 353  
*cavaleriei* = *Nothaphoebe cavaleriei* (Lévl.) Yang 40: 352  
*dielsii* (Lévl.) Lévl. = *Litsea cubeba* (Lour.) Pers. 40: 350

- esquirolii* = *Litsea sericea* (Nees) Hook. f. 40: 351  
*yunnanensis* = *L. communis* Hemsl. 40: 349  
*Linum cavaleriei* = *Sopubia trifida* [Buch.-Ham. ex] D. Don 27: 265; 38: 460  
*Lipochaeta asymetrica* = *Bidens asymmetrica* (Lévl.) Sherff 34: 350  
*fauriei* = *L. lobata* (Gaudich.) DC. 34: 350 = *L. fauriei* 38: 496  
*variolosa* = *L. succulenta* DC. var. *decurrens* (A. Gray) Sherff 34: 349 = *L. succulenta* (Hook. & Arn.) DC. 38: 496  
*Lithospermum albiflorum* Van. = *L. officinale* L. 37: 143  
*komarovinum* = *Amsinckia intermedia* Fisch. & Meyer 37: 142  
*mairei* = *Arnebia hancockiana* (Oliver) I. M. Johnston 37: 142  
*Litsea cavaleriei* = *Lindera communis* Hemsl. 40: 349  
*chaffanjonii* = *Symplocos stellaris* Brand 35: 279; 40: 349  
*coreana* p.p. 40: 350  
*coreana* p.p. = *Persea thunbergii* (Sieb. & Zucc.) Kosterm. 40: 353  
*dielsii* (Lévl.) Lévl. = *L. cubeba* (Lour.) Pers. 40: 350  
*dunniana* 40: 351  
*esquirolii* = *Lindera communis* Hemsl. 40: 349  
*mairei* = *Myrica nana* Cheval. 40: 351, 505  
*myricopsis* = *Myrica esculenta* (Buch.-Ham. ex) D. Don 40: 351, 505  
*touyunensis* = *Lindera megaphylla* Hemsl. f. *trichoclada* (Rehder) Cheng 40: 350  
*undulatifolia* = *Neolitsea undulatifolia* (Lévl.) Allen 40: 352  
*Lobelia cavaleriei* 35: 253  
*esquirolii* = *Mazus pumilus* (Burm. f.) van Steenis 35: 253; 38: 457  
*seguinii* Lévl. & Van. 35: 253  
*Lonicera acrophila* = *L. lanceolata* [Wall. ex] Roxb. 32: 99  
*androsaemifolia* = *Woodfordia fruticosa* (L.) S. Kurz 31: 401; 32: 99  
*buxifolia* = *L. pileata* Oliver 32: 100  
*cavaleriei* = *Jasminum sinense* Hemsl. 32: 99; 37: 128  
*esquirolii* 32: 99  
*fauriei* Lévl. & Van. = *L. japonica* Thunb. 32: 99  
*fragilis* 32: 99  
*guillonii* Lévl. & Van. = *L. macrantha* Spreng. var. *guillonii* (Lévl. & Van.) Lauener & Ferguson 32: 100  
*gynopogon* 32: 99  
*mairei* = *L. yunnanensis* Franch. 32: 101  
*menelii* = *Phlogacanthus pubinervis* T. Anders. 32: 100; 38: 478  
*missionis* p.p. = *L. ligustrina* [Wall. ex] Roxb. 32: 100  
*missionis* p.p. = *L. pileata* Oliver 32: 100  
*pampaninii* 32: 100  
*rehderi* = *Jasminum sinense* Hemsl. 32: 100; 37: 128  
*rocheri* = *L. trichopoda* Franch. 32: 100  
*vaccinium* = *Wikstroemia vaccinium* (Lévl.) Rehder 32: 101; 40: 356  
*Lopezia glazioui* = *Diplusodon virgatus* Pohl 31: 400, 419  
*Lophanthus argyi* = *Anisomeles indica* (L.) O. Kuntze 40: 159  
*rugosus* Fisch. & Mey. var. *fragrantissimus* = *Agastache rugosa* (Fisch. & Mey.) O. Kuntze 40: 157  
*Loranthus cavaleriei* = *Taxillus cavaleriei* (Lévl.) Danser 40: 357  
*esquirolii* = *Tolypanthus esquirolii* (Lévl.) Lauener 40: 357  
*Loxocalyx vaniotiana* = *Paraphlomis javanica* (Bl.) Prain ex Back. & Bakh. f. var. *coronata* (Van.) C. Y. Wu & H. W. Li 40: 174  
*Ludwigia bertonii* 31: 421  
*palustris* (L.) Ell. var. *liebmannii* = *L. palustris* (L.) Ell. 31: 421  
*palustris* (L.) Ell. var. *ovalis* (Miq.) Lévl. = *L. ovalis* Miq. 31: 421  
*Lycopus cavaleriei* = *L. ramosissimus* (Makino) Makino 40: 168  
*coreanus* p.p. = *L. ramosissimus* (Makino) Makino 40: 168  
*coreanus* p.p. = *L. uniflorus* Michx. 40: 168  
*europaeus* L. var. *sinensis* = *L. ramosissimus* (Makino) Makino 40: 168  
*Lysimachia daphnoides* (A. Gray) Hillebr. var. *fauriei*. 35: 266  
*franchetiana* nom. nud. = *L. franchetii* R. Knuth 35: 267  
*japonica* Thunb. var. *courtoisii* nom. nud. = *L. christinae* Hance 35: 266

- latronum* Lévl. & Van. = *L. christinae* Hance 35: 266  
*mairei* = *Paradombeya sinensis* Dunn 27: 9; 35: 267  
*Lysionotus cavaleriei* (1909)-non (1911)-n.v. 38: 469  
*cavaleriei* (1911)-non (1909) = *L. pauciflorus* Maxim. var. *linearis* Rehder 38: 469  
*Lythrum argyi* = *L. salicaria* L. 31: 400  
*salicaria* L. var. *mairei* = *L. salicaria* L. 31: 400  
  
*Machilus camphoratus* = *Cinnamomum caudifer* Kosterm. 40: 348  
*cavaleriei* = *Alseodaphne cavaleriei* (Lévl.) Kosterm. 40: 348  
*dominii* = *Cinnamomum porrectum* (Roxb.) Kosterm. 40: 349  
*dunnianus* = *Nothaphoebe cavaleriei* (Lévl.) Yang 40: 352  
*mairei* = *Nothaphoebe cavaleriei* (Lévl.) Yang 40: 352  
*Maesa aurea* = *Symplocos cochinchinensis* (Lour.) S. Moore ssp. *laurina* (Retz.) Noot. 35: 271, 277  
*blinii* = *Rhamnus blinii* (Lévl.) Rehder 27: 279; 35: 271  
*bodinieri* Lévl. & Blin = *Symplocos cochinchinensis* (Lour.) S. Moore ssp. *laurina* (Retz.) Noot. 35: 271, 277  
*cavaleriei* = *M. japonica* (Thunb.) Moritz ex Zoll. 35: 272  
*dunniana* = *M. japonica* (Thunb.) Moritz ex Zoll. 35: 272  
*esquirolii* = *M. japonica* (Thunb.) Moritz ex Zoll. 35: 272  
*labordei* = *M. japonica* (Thunb.) Moritz ex Zoll. 35: 272  
*martini* = *M. tenera* Mez 35: 272  
*myrsinoides* = *Ilex metabaptista* Loes. var. *myrsinoides* (Lévl.) Rehder 27: 272; 35: 272  
*scandens* = *Trachelospermum axillare* Hook. f. 35: 272; 37: 131  
*singuliflora* = *Quercus phillyreoides* A. Gray 35: 272 = *Q. phillyracoides* A. Gray ssp. *fokienensis* (Nakai) Mentis. 41: 171  
*Magnolia martinii* = *Michelia martinii* (Lévl.) Lévl. 23: 596  
*Mairella yunnanensis* = *Mandragora caulescens* C.B. Cl. 37: 147; 38: 462  
*Mallotus cavaleriei* = *Discoledion rufescens* (Franch.) Pax & Hoffm. 40: 478  
*esquirolii* (Fedde, Rep. Sp. Nov. 9: 327, 1911-non 9: 461, 1911) 40: 482  
*esquirolii* (Fedde, Rep. Sp. Nov. 9: 461, 1911-non 9: 327, 1911) = *M. barbatus* Muell. Arg. 40: 482  
*millietii* 40: 483  
*neo-cavaleriei* = *Deeringia amaranthoides* (Lam.) Merrill 40: 193, 483  
*Malva hawaiiensis* = *M. moschata* L. 27: 8; 38: 496  
*Marlea bodinieri* = *Alangium faberi* Oliver 32: 97  
*cavaleriei* = *Gardneria multiflora* Mak. 32: 97; 38: 454  
*Martinella violifolia* = *Neomartinella violifolia* (Lévl.) Pilger 26: 339  
*Martinia polymorpha* Van. = *Boltonia indica* (L.) Benth. 34: 334  
*Matricaria coreana* Lévl. & Van. = *Dendranthema littorale* (Maekawa) Tzvel. ssp. *coreana* (Lévl. & Van.) Lauener 34: 352 = *D. coreanum* (Lévl. & Van.) Lauener ssp. *coreanum* 40: 204  
*Mazus spicatus* Van. 38: 457  
*Melastoma cavaleriei* = *M. normale* D. Don 31: 399  
*esquirolii* = *M. normale* D. Don 31: 399  
*mairei* = *Osbeckia crinita* [Benth. ex] C.B. Cl. 31: 399  
*Meliosma cavaleriei* = *Ampelopsis chaffanjonii* (Lévl.) Rehder 27: 283, 290  
*Melodinus bodinieri* = *Trachelospermum bodinieri* (Lévl.) Woodson 37: 132  
*cavaleriei* = *Trachelospermum dunnii* (Lévl.) Lévl. 37: 132  
*cavaleriei* p.p. = *Trachelospermum gracilipes* Hook. f. 37: 132  
*chaffanjonii* = *Trachelospermum axillare* Hook. f. 37: 131  
*duclouxii* = *Jasminum duclouxii* (Lévl.) Rehder 37: 126, 131  
*dunnii* = *Trachelospermum dunnii* (Lévl.) Lévl. 37: 132  
*edulis* = *M. seguinii* 37: 131 = *M. fusiformis* [Champ. ex] Benth. 37: 151  
*esquirolii* = *M. seguinii* 37: 131 = *M. fusiformis* [Champ. ex] Benth. 37: 151  
*flavus* = *M. seguinii* 37: 131 = *M. fusiformis* [Champ. ex] Benth. 37: 151  
*seguinii* 37: 131 = *M. fusiformis* [Champ. ex] Benth. 37: 151  
*Melodium dunnii* = *Trachelospermum dunnii* (Lévl.) Lévl. 37: 132  
*Melodorum retusum* = *Fissistigma retusum* (Lévl.) Rehder 24: 73  
*Melothria argyi* = *Zehneria mysorensis* (Wight & Arn.) Arn. 31: 432  
*bodinieri* = *Zehneria mysorensis* (Wight & Arn.) Arn. 31: 432

- mairei* = *Thladiantha henryi* Hemsl. 31: 431  
*pustulata* = *Thladiantha henryi* Hemsl. 31: 431  
*touchanensis* = *Coccinia grandis* (L.) Voigt 31: 430  
*violifolia* = *Codonopsis micrantha* Chipp 31: 430; 35: 251  
*Mentha malinvaldi* Lévl. & Van. = *Elsholtzia kachinensis* Prain 40: 165  
*Mercurialis acanthocarpa* = *Speranskia cantonensis* (Hance) Pax & K. Hoffm. 40: 485  
*Mespilus esquirolii* = *Actinidia eriantha* Benth. 27: 5; 30: 257  
*Metaplexis cavaleriei* = *Marsdenia tenacissima* (Roxb.) Wight & Arn. 37: 135  
*Michelia cavaleriei* = *M. leveilleana* Dandy 23: 596  
*martinii* (Lévl.) Lévl. 23: 596  
*Microthamnus bodinieri* = *Nyssa sinensis* Oliver 27: 278; 32: 98  
*cavaleriei* = *Rhamnella martinii* (Lévl.) Schneider 27: 278  
*franchetiana* p.p. = *Tripterygium hypoglaucum* (Lévl.) Lévl. ex Hutchinson 27: 277, 278  
*franchetiana* p.p. = *Berchemia giralddiana* Schneider 27: 277  
*mairei* p.p. = *Berchemia yunnanensis* Franch. 27: 277  
*mairei* p.p. = *Berchemia giralddiana* Schneider 27: 277  
*taquetii* = *Euonymus alatus* (Thunb.) Regel 27: 274, 278  
*Microtaena coreana* = *Caryopteris divaricata* (Sieb. & Zucc.) Maxim. 38: 483; 40: 171  
*esquirolii* = *M. insuavis* (Hance) Prain ex Briq. 40: 171  
*mollis* = *M. insuavis* (Hance) Prain ex Briq. 40: 171  
*Millettia blinii* = *M. dielsiana* Harms 30: 249  
*bodinieri* = *M. dielsiana* Harms 30: 249  
*cavaleriei* = *Campylotropis velutina* (Dunn) Schindl. 30: 241  
*dunniana* = *M. dielsiana* Harms 30: 249  
*esquirolii* = *Sophora praseri* Prain ssp. *mairei* (Pamp.) Yakovl. 30: 251  
*fragrantissima* = *M. dielsiana* Harms 30: 249  
*gentiliana* 30: 250  
*Mimulus bodinieri* Van. = *M. nepalensis* Benth. ssp. *bodinieri* (Van.) McKean 38: 458  
*Mitrasacme lutea* = *M. pygmaea* R. Br. var. *malaccensis* (Wight) Hara 38: 454  
*mairei* = *Androsace erecta* Maxim. 35: 265; 38: 454  
*Mitreola bodinieri* (Lévl.) Lévl. = *M. pedicellata* Benth. 38: 455  
*darrisii* (Lévl.) Lévl. = *M. pedicellata* Benth. 38: 455  
*Morinda esquirolii* = *Macaranga esquirolii* (Lévl.) Rehder 32: 110; 40: 482  
*Morus calva* = *Coriaria sinica* Maxim. 27: 292; 40: 501  
*cavaleriei* = *M. australis* Poir. 40: 500  
*integrifolia* = *Cudrania tricuspidata* (Carr.) Bur. 40: 488  
*inuitata* = *M. australis* Poir. 40: 500  
*mairei* = *Acalypha mairei* (Lévl.) Schneider 40: 475, 501  
*Mosla argyi* = *M. scabra* (Thunb.) C. Y. Wu & H. W. Li 40: 172  
*cavaleriei* = *M. dianthera* (Buch.-Ham. ex Roxb.) Maxim. 40: 172  
*coreana* = *M. chinensis* Maxim. 40: 172  
*taquetii* nom. nud. = *M. dianthera* (Buch.-Ham. ex Roxb.) Maxim. 40: 172  
*Mucuna bodinieri* = *M. birdwoodiana* Tutcher 30: 250  
*esquirolii* 30: 250  
*mairei* = *M. sempervirens* Hemsl. 30: 250  
*martinii* = *M. cochinchinensis* (Lour.) A. Chev. 30: 250  
*terrens* 30: 250  
*Mussaenda bodinieri* = *M. pubescens* Ait. f. 32: 110  
*cavaleriei* = *Emmenopterys henryi* Oliver 32: 105  
*esquirolii* 32: 110  
*mairei* = *Emmenopterys henryi* Oliver 32: 105  
*Myoporum fauriei* = *M. sandwicense* A. Gray var. *fauriei* (Lévl.) Kraenzl 38: 480, 496  
*Myosurus heldreichii* 23: 586  
*Myriactis candelabrum* (Lévl.) Lévl. = *M. nepalensis* Less. 34: 331  
*Myrica cavaleriei* = *Quercus engleriana* Seem. 40: 505; 41: 169  
*darrisii* = *Antidesma microphyllum* Hemsl. 40: 476, 505  
*esquirolii* = *Podocarpus neriifolia* D. Don 40: 505  
*mairei* = *Vaccinium pubicalyx* Franch. 35: 255; 40: 505  
*rapaneoidea* = *Distylium buxifolium* (Hance) Merr. 30: 293; 40: 505  
*seguini* = *Distylium buxifolium* (Hance) Merr. 30: 293; 40: 505

- Myrsine cavaleriei* = *Eurya groffii* Merrill 27: 6; 35: 272  
*chaffanjonii* = *Microtropis fokiensis* Dunn 27: 277; 35: 272  
*chevalieri* = *Sarcococca hookeriana* Baill. var. *humilis* Rehder & Wilson 35: 272; 40: 485  
*esquirolii* = *Maesa japonica* (Thunb.) Moritz ex Zoll. 35: 272  
*fauriei* = *Rapanea lessertiana* (A.DC.) Degener & Hosaka 35: 272; 38: 496  
*feddei* = *Ilex metabaptista* Loes. var. *myrsinoides* (Lévl.) Rehder 27: 272; 35: 272  
*molokaiensis* = *Planchonella sandwicensis* (A. Gray) Pierre var. *spathulata* (Hillebr.) H. J. Lam 35: 272, 275 = *P. sandwicensis* (A. Gray) Pierre var. *molokaiensis* (Lévl.) Lauener 38: 496  
*sandwicensis* A. DC. var. *mauiensis* = *Rapanea sandwicensis* (A.DC.) Degener & Hosaka var. *mauiensis* (Lévl.) Degener & Degener 35: 274; 38: 496  
*sandwicensis* A.DC. var. *punctata* = *Rapanea sandwicensis* (A.DC.) Degener & Hosaka 35: 274; 38: 496  
*seguinii* 35: 273  
*vanioti* = *Rapanea sandwicensis* (A.DC.) Degener & Hosaka 35: 274; 38: 496  
  
× *Nania fauriei* = *Metrosideros collina* (J. R. & G. Forst.) A. Gray ssp. *polymorpha* (Gaud.) Rock var. *fauriei* (Lévl.) Rock 38: 496 = *M. polymorpha* Gaud. var. *incana* (Lévl.) St. John 41: 184  
× *feddei* = *Metrosideros collina* (J. R. & G. Forst.) A. Gray ssp. *polymorpha* (Gaud.) Rock var. *glaberrima* (Lévl.) Rock 38: 496 = *M. tremuloides* (Heller) P. Knuth 41: 185  
*macropus* Hook. var. *microphylla* 41: 185  
*polymorpha* (Gaud.) Heller var. *glaberrima* p.p. = *Metrosideros tremuloides* (Heller) P. Knuth 38: 496; 41: 185  
*polymorpha* (Gaud.) Heller var. *glaberrima* p.p. = *Metrosideros collina* ssp. *polymorpha* var. *incana* (Lévl.) Rock 38: 496 = *M. polymorpha* Gaud. var. *incana* (Lévl.) St. John 41: 184  
*polymorpha* (Gaud.) Heller var. *glaberrima* p.p. = *Metrosideros polymorpha* Gaud. var. *glaberrima* (Lévl.) St. John 41: 183  
*polymorpha* (Gaud.) Heller var. *incana* = *Metrosideros polymorpha* Gaud. var. *incana* (Lévl.) St. John 41: 184  
*polymorpha* (Gaud.) Heller var. *nummularifolia* = *Metrosideros polymorpha* Gaud. 41: 183  
*polymorpha* (Gaud.) Heller var. *sessilis* [Faurie ex] Lévl. = *Metrosideros polymorpha* Gaud. var. *imbricata* (Rock) St. John 41: 184  
*Nanocnide closii* Lévl. & Van. = *Acalypha brachystachya* Hornem. 40: 475, 501  
*Nasturtium kouytchense* Lévl. & Van. 26: 339  
*Neillia glandulocalyx* = *N. sinensis* Oliv. var. *caudata* Rehder 30: 257  
*Nepeta bodinieri* Van. = *N. cataria* L. 40: 173  
*fauriei* = *N. subsessilis* Maxim. 40: 174  
*ferrei* = *Lamium tuberiferum* (Makino) Ohwi 40: 167  
*pratensis* 40: 173  
*souliei* 40: 173  
*spicata* Benth. var. *incana* = *N. laevigata* (D. Don) Hand.-Mazz. 40: 173  
*urticifolia* = *Meehania urticifolia* (Miq.) Makino 40: 169  
*vaniotiana* = *N. tenuifolia* Benth. 40: 174  
*Nuphar bonatii* Lévl. & Van. 24: 75  
*Nymphaea esquirolii* Lévl. & Van. 24: 75  
  
*Ocimum aureoglandulosum* Van. = *Caryopteris terniflora* Maxim. 1 38: 483; 40: 174  
*Oenothera albicaulis* Pursh race *transiens* var. *gypsophila* (Eastw.) Lévl. = *O. pallida* Lindl. ssp. *gypsophila* (Eastw.) Munz & Klein 31: 426  
*albicaulis* Pursh race *transiens* var. *melanosperma* = *O. californica* (Wats.) Wats. 31: 422  
*albicaulis* Pursh race *transiens* var. *pallida* (Britton) Lévl. = *O. pallida* Lindl. 31: 426  
*albicaulis* Pursh race *transiens* var. *tigrina* = *O. pallida* Lindl. ssp. *runcinata* (Engelm.) Munz & Klein 31: 426  
*albicaulis* Pursh race *transiens* var. *xanthosperma* = *O. albicaulis* Pursh 31: 422  
*albicaulis* Pursh var. *trigrina* subvar. *coquimbensis* (Gay) Lévl. = *O. coquimbensis* Gay 31: 422  
*andina* Nutt. f. *tripetala* = *Camissonia andina* (Nutt.) Raven 31: 403  
*arabifolia* nom. nud. = *Camissonia hirtella* (Greene) Raven 31: 405

- argentinae* Lévl. & Thell. nom. nud. = *O. indecora* Camb. 31: 424  
*auricula* nom. illeg. 31: 408  
*auricula* var. *bottae* (Spach) Lévl. = *Clarkia bottae* (Spach) Lewis & Lewis 31: 408  
*auricula* var. *tenella* (Cav.) Lévl. = *Clarkia tenella* (Cav.) Lewis & Lewis 31: 409  
*auricula* var. *tenella* (Cav.) Lévl. subvar. *williamsoni* (Dur. & Hilg.) Lévl. = *Clarkia williamsonii* (Dur. & Hilg.) Lewis & Lewis 31: 409  
*auricula* var. *tenella* (Cav.) Lévl. subvar. *williamsoni* (Dur. & Hilg.) Lévl. f. *vimineiformis* = *Clarkia purpurea* (Curtis) Nelson & McBride ssp. *viminea* (Douglas) Lewis & Lewis 31: 409  
*auricula* var. *whitneyi* (A. Gray) Lévl. = *Clarkia amoena* Lehm. ssp. *whitneyi* (Gray) Lewis & Lewis 31: 408  
*autraini* = *Camissonia hirtella* (Greene) Raven 31: 405  
*barbeyana* = *O. multicaulis* Ruiz & Pav. 31: 426  
*brachycarpa* A. Gray var. *graminifolia* = *O. graminifolia* (Lévl.) Lévl. 31: 424  
*brachycarpa* A. Gray var. *wrightii* (A. Gray) Lévl. = *O. brachycarpa* A. Gray 31: 422  
*brachycarpa* A. Gray var. *stenophylla* nom. nud. = *O. graminifolia* (Lévl.) Lévl. 31: 424  
*brevipes* A. Gray race *parryi* (S. Wats.) Lévl. = *Camissonia parryi* (S. Wats.) Raven 31: 406  
*brevipes* A. Gray var. *scapoidea* (Torr. & Gray) Lévl. = *Camissonia scapoidea* (Torr. & Gray) Raven 31: 406  
*breweri* nom. nud. = *Clarkia breweri* (A. Gray) Greene 31: 408  
*caespitosa* Nutt. race *johnsoni* (Parry) Lévl. = *O. primiveris* A. Gray 31: 427  
*caespitosa* Nutt. var. *primiveris* (A. Gray) Lévl. = *O. primiveris* A. Gray 31: 427  
*chamaeneroides* A. Gray var. *lorta* = *Camissonia minor* (A. Nels.) Raven 31: 406  
*cheiranthifolia* [Hornem. ex] Spreng. var. *contorta* (Dougl.) Lévl. = *Camissonia contorta* (Dougl.) Kearney 31: 405  
*cheiranthifolia* [Hornem. ex] Spreng. f. *delicatula* = *Camissonia bistorta* (Nutt. ex Torr. & Gray) Raven 31: 404  
*cleistogama* (Curran) Lévl. = *Boisduvalia cleistogama* Curran 31: 402  
*communis* race *biennis* (L.) Lévl. var. *cruciata* (Nutt.) Lévl. = *O. parviflora* L. 31: 427  
*communis* race *biennis* (L.) Lévl. var. *hookeri* (Torr. & Gray) Lévl. = *O. hookeri* Torr. & Gray 31: 424  
*communis* race *biennis* (L.) Lévl. var. *jamesii* (Torr. & Gray) Lévl. = *O. jamesii* Torr. & Gray 31: 425  
*communis* race *biennis* (L.) Lévl. var. *jamesii* (Torr. & Gray) Lévl. f. *parviflora* (L.) Lévl. = *O. parviflora* L. 31: 427  
*communis* race *biennis* (L.) Lévl. var. *jamesii* (Torr. & Gray) Lévl. f. *canescens* Torr. & Gray Lévl. = *O. strigosa* (Rydb.) Mack & Bush ssp. *canovirens* (Steele) Munz 31: 428  
*communis* race *biennis* (L.) var. *jamesii* (Torr. & Gray) Lévl. f. *suaveolens* (Desf.) Lévl. = *O. suaveolens* Pers. 31: 428  
*communis* race *erosa* (Lehm.) Lévl. 31: 429  
*communis* race *viroseana* = *O. erythrosepala* Borbás 31: 423  
*crassifolia* Greene var. *leptocarpa* (Greene) Lévl. = *Camissonia californica* (Nutt. ex Torr. & Gray) Raven 31: 404  
*densiflora* (S. Wats.) Lévl. var. *imbricata* (Greene) Lévl. = *Boisduvalia densiflora* (Lindl.) S. Wats. 31: 402  
*drummondii* Hook. var. *helleriana* = *O. drummondii* Hook. 31: 423  
*elegans* (Dougl.) Lévl. = *Clarkia unguiculata* Lindl. 31: 409  
*eucharidium* = *Clarkia breweri* (A. Gray) Greene 31: 408  
*eulobus* = *Camissonia californica* (Nutt. ex Torr. & Gray) Raven 31: 404  
*fischeri* nom. nud. = *Clarkia breweri* (A. Gray) Greene 31: 408  
*fruticosa* L. race *spachiana* (Torr. & Gray) Lévl. = *O. spachiana* Torr. & Gray 31: 427  
*fruticosa* L. race *spachiana* (Torr. & Gray) Lévl. var. *glauca* (Michx.) Lévl. = *O. tetragona* Roth ssp. *glauca* (Michx.) Munz 31: 428  
*fruticosa* L. race *spachiana* (Torr. & Gray) Lévl. var. *glauca* (Michx.) Lévl. f. *angustifolia* = *O. fruticosa* L. 31: 424  
*fruticosa* L. race *spachiana* (Torr. & Gray) Lévl. var. *glauca* (Michx.) Lévl. f. *diversifolia* = *O. fruticosa* L. 31: 424  
*fruticosa* L. race *spachiana* (Torr. & Gray) Lévl. var. *glauca* (Michx.) Lévl. f. *hirsuta* Lévl. = *O. pilosella* Raf. 31: 427  
*fruticosa* L. race *spachiana* (Torr. & Gray) Lévl. var. *glauca* (Michx.) Lévl. f. *sessilicarpa* = *O. pilosella* Raf. 31: 427

- fruticosa* L. race *spachiana* (Torr. & Gray) Lévl. var. *maculata* Lévl. 31: 429  
*gauraeiflora* Torr. & Gray race *boothii* (Dougl. ex lehm.) Lévl. = *Camissonia boothii* (Dougl. ex lehm.) Raven 31: 404  
*gauraeiflora* Torr. & Gray var. *caput-medusae* = *Camissonia nevadensis* (Kell.) Raven 31: 406  
*gauraeiflora* Torr. & Gray var. *hitchcockii* = *Camissonia boothii* (Douglas ex lehm.) Raven ssp. *alyssoides* (Hook. & Arn.) Raven 31: 404  
*gayophytum* race *philippiana* f. *caesia* (Torr. & Gray) Lévl. = *Gayophytum racemosum* Torr. & Gray 31: 418  
*gayophytum* race *philippiana* f. *densifolia* (Phil.) Lévl. = *Gayophytum humile* Juss. 31: 418  
*gayophytum* race *philippiana* f. *robusta* (Phil.) Lévl. = *Gayophytum micranthum* (Presl.) Hook. & Arn. 31: 418  
*gayophytum* race *treleasiana* f. *diffusa* (Torr. & Gray) Lévl. = *Gayophytum diffusum* Torr. & Gray 31: 418  
*gayophytum* race *treleasiana* f. *eriosperma* (Coville) Lévl. = *Gayophytum eriospermum* Coville 31: 418  
*gayophytum* race *treleasiana* f. *lasiosperma* (Greene) Lévl. = *Gayophytum diffusum* Torr. & Gray ssp. *parviflorum* Lewis & Szwedkowski 31: 418  
*gayophytum* race *treleasiana* f. *ramosissima* (Torr. & Gray) Lévl. p.p. = *Gayophytum ramosissimum* Torr. & Gray 31: 419  
*genistifolia* nom. nud. = *Camissonia crassifolia* (Greene) Raven 31: 405  
*glabella* Nutt. race *commixta* [Guffroy ex] Lévl. = *Boisduvalia glabella* (Nutt.) Walp. 31: 402  
*gracilis* (Phil.) Lévl. = *Gayophytum micranthum* (Presl.) Hook. & Arn. 31: 418  
*graminifolia* (Lévl.) Lévl. 31: 424  
*hartwegii* Benth. var. *fendleri* (Gray) Gray subvar. *filifolia* (Eastw.) Lévl. = *Calyophus hartwegii* (Benth.) Raven ssp. *filifolius* (Eastw.) Towner & Raven 31: 403  
*hartwegii* Benth. var. *fendleri* (A. Gray) A. Gray subvar. *lavandulaefolia* (Torr. & Gray) Lévl. = *Calyophus lavandulifolius* (Torr. & Gray) Raven 31: 403  
*hartwegii* Benth. var. *tubicola* (A. Gray) Lévl. = *Calyophus tubicola* (A. Gray) Raven 31: 403  
*heribaudi* = *Gaura mutabilis* Cav. 31: 418  
*hirta* Link var. *jonesii* = *Camissonia hirtella* (Greene) Raven 31: 405  
*jonesii* = *Camissonia hirtella* (Greene) Raven 31: 405  
*kuntziana* = *O. nana* Griseb. 31: 426  
*lancifolia* nom. nud. = *Clarkia rhomboidea* Dougl. 31: 409  
*lyrata* = *O. rosea* [L'Her. ex] Ait. 31: 427  
*mandoni* = *O. nana* Griseb. 31: 426  
*meyeri* nom. nud. = *Clarkia breweri* (A. Gray) Greene 31: 408  
*missouriensis* Sims race *fremontii* (S. Wats.) Lévl. = *O. fremontii* S. Wats. 31: 423  
*missouriensis* Sims race *nortoni* = *O. missouriensis* Sims var. *oklahomensis* (Norton) Munz 31: 425  
*missouriensis* Sims f. *intermedia* = *O. missouriensis* Sims 31: 425  
*polymorpha* 31: 422  
*polymorpha* race *longiflora* (L.) Lévl. = *O. longiflora* L. 31: 425  
*polymorpha* race *longiflora* (L.) Lévl. var. *nocturna* (Jacq.) Lévl. = *O. laciniata* Hill var. *nocturna* (Jacq.) Munz 31: 425  
*polymorpha* race *longiflora* (L.) Lévl. var. *sellowii* (Link & Otto) Lévl. = *O. longiflora* L. 31: 425  
*polymorpha* race *mollissima* (L.) Lévl. = *O. mollissima* L. 31: 425  
*polymorpha* race *mollissima* (L.) Lévl. var. *arechavaetae* = *O. indecora* Camb. 31: 424  
*polymorpha* race *mollissima* (L.) Lévl. var. *brachysepala* (Spach) Lévl. = *O. stricta* [Ledeb. ex] Link 31: 428  
*polymorpha* race *mollissima* (L.) Lévl. var. *ihdecora* (Camb.) Lévl. = *O. indecora* Camb. 31: 424  
*polymorpha* race *odorata* (Jacquin) Lévl. = *O. odorata* Jacq. 31: 426  
*polymorpha* race *odorata* (Jacquin) Lévl. var. *magellanica* (Phil.) Lévl. = *O. stricta* [Ledeb. ex] Link 31: 428  
*polymorpha* race *odorata* (Jacquin) Lévl. var. *undulata* (Ait.) Lévl. = *O. odorata* Jacquin 31: 426  
*polymorpha* ssp. *odorata* (Jacquin) Lévl. = *O. odorata* Jacquin 31: 426  
*polymorpha* race *propinqua* (Spach) Lévl. p.p. = *O. affinis* Camb. 31: 422  
*polymorpha* race *propinqua* (Spach) Lévl. p.p. = *O. mollissima* L. 31: 425

- polymorpha* race *propinqua* (Spach) Lévl. var. *berteriana* (Spach) Lévl. = *O. affinis* Camb. 31: 422
- polymorpha* race *propinqua* (Spach) Lévl. var. *ibari* (Phil.) Lévl. = *O. odorata* Jacquin 31: 426
- polymorpha* race *stricta* (Ledeb. ex Link) Lévl. = *O. stricta* [Ledeb. ex] Link 31: 428
- primuloidea* p.p. = *Camissonia ovata* (Nutt. ex Torr. & Gray) Raven 31: 406
- primuloidea* p.p. = *Camissonia subcaulis* (Pursh) Raven 31: 406
- prismatica* nom. illeg. 31: 408
- prismatica* var. *amoena* (Lehm.) Lévl. = *Clarkia amoena* Lehm. 31: 408
- prismatica* var. *biloba* (Dur.) Lévl. = *Clarkia biloba* (Dur.) Nelson & Macbride 31: 408
- prismatica* var. *dasycarpa* (Phil.) Lévl. = *Clarkia tenella* (Cav.) Lewis & Lewis 31: 409
- prismatica* var. *gayana* (Spach) Lévl. = *Clarkia tenella* (Cav.) Lewis & Lewis ssp. *tenuifolia* (Cav.) Moore & Lewis 31: 409
- prismatica* var. *quadrivulnera* (Douglas) Lévl. = *Clarkia purpurea* (Curtis) Nelson & Macbride ssp. *quadrivulnera* (Dougl.) Lewis & Lewis 31: 408
- prismatica* var. *tenuifolia* (Cav.) Lévl. = *Clarkia tenella* (Cav.) Lewis & Lewis ssp. *tenuifolia* (Cav.) Moore & Lewis 31: 409
- prismatica* var. *viminea* (Douglas) Lévl. = *Clarkia purpurea* (Curtis) Nelson & Macbride ssp. *viminea* (Douglas) Lewis & Lewis 31: 409
- pulchella* (Pursh) Lévl. = *Clarkia pulchella* Pursh 31: 408
- pulcherrima* (Greene) Lévl. 31: 409
- pulcherrima* (Greene) Lévl. var. *brauntoni* = *Clarkia purpurea* (Curtis) Nelson & Macbride ssp. *quadrivulnera* (Douglas) Lewis & Lewis 31: 408
- pyramidalis* = *O. heterophylla* Spach 31: 424
- pyramidalis* var. *heterophylla* (Spach) Lévl. = *O. heterophylla* Spach 31: 424
- pyramidalis* var. *lindheimeri* = *O. heterophylla* Spach 31: 424
- rhomboidea* (Douglas) Lévl. = *Clarkia rhomboidea* Douglas 31: 409
- serrulata* Nutt. var. *integrifolia* = *Calylophus serrulatus* (Nutt.) Raven 31: 403
- serrulata* Nutt. var. *maculata* = *Calylophus drummondianus* Spach 31: 403
- x serrulatoidea* = *Calylophus tubicula* (A. Gray) Raven 31: 403
- shimeki* Lévl. & Guffr. = *O. speciosa* Nutt. 31: 427
- sinuata* L. race *coronopifolia* (Torr. & Gray) Lévl. = *O. coronopifolia* Torr. & Gray 31: 422
- sinuata* L. race *coronopifolia* (Torr. & Gray) Lévl. var. *minima* (Pursh) Lévl. = *O. laciniata* Hill 31: 425
- sinuata* L. race *humifusa* (Nutt.) Lévl. = *O. humifusa* Nutt. 31: 424
- sinuata* L. race *humifusa* (Nutt.) Lévl. var. *drummondii* (Hook.) Lévl. = *O. drummondii* Hook. 31: 423
- sinuata* L. race *humifusa* (Nutt.) Lévl. var. *drummondii* (Hook.) Lévl. subvar. *helleriana* (Lévl.) Lévl. = *O. drummondii* Hook. 31: 423
- sinuata* L. race *pinnatifida* (Nutt.) Lévl. = *O. albicaulis* Pursh 31: 422
- sinuata* L. race *pinnatifida* (Nutt.) Lévl. var. *bicolor* Lévl. = *O. albicaulis* Pursh 31: 422
- speciosa* Nutt. var. *serrulatiformis* nom. nud. = *O. speciosa* Nutt. 31: 427
- speciosa* Nutt. f. *subintegrifolia* = *O. speciosa* Nutt. 31: 427
- speciosa* Nutt. f. *variegata* = *O. speciosa* Nutt. 31: 427
- speciosoides* = *O. speciosa* Nutt. 31: 427
- spiralis* Hook. f. *arcuata* = *Camissonia cheiranthifolia* (Hornem. ex Spreng.) Raimann 31: 404
- spiralis* Hook. f. *clypeata* = *Camissonia cheiranthifolia* (Hornem. ex Spreng.) Raimann 31: 404
- spiralis* Hook. f. *viridescens* (Hook.) Lévl. = *Camissonia cheiranthifolia* (Hornem. ex Spreng.) Raimann ssp. *suffruticosa* (S. Wats) Raven 31: 405
- subulata* Ruiz. & Pav. race *concinna* (D. Don) Lévl. = *Boisduvalia subulata* (Ruiz. & Pav.) Raimann 31: 402
- taraxacifolia* (Hort. ex Sweet) Lévl. & Guffr. = *O. triloba* Nutt. 31: 428
- taraxacifolia* (Hort. ex Sweet) Lévl. & Guffr. var. *ecristata* (M. E. Jones) Lévl. = *O. flava* (A. Nels.) Garrett
- tetraptera* Cav. var. *immutabilis* = *O. tetraptera* Cav. 31: 428
- tetraptera* Cav. var. *immutabilis* f. *chenopodifolia* = *O. tetraptera* Cav. 31: 428
- tetraptera* Cav. var. *immutabilis* f. *depauperata* = *O. kunthiana* (Spach) Munz 31: 425
- tetraptera* Cav. var. *immutabilis* f. *roseoidea* = *O. kunthiana* (Spach) Munz 31: 425
- tetraptera* Cav. var. *rosea* nom. nud. = *O. kunthiana* (Spach) Munz 31: 425

- tetrapteroides* = *O. speciosa* Nutt. 31: 427  
*tocornalii* (C. Gay) Lévl. = *Boisduvalia subulata* (Ruiz & Pav.) Raimann 31: 402  
*× torreyoides* = *Boisduvalia stricta* (A. Gray) Greene 31: 402  
*torulosa* 31: 404  
*torulosa* race *helianthemiflora* = *Camissonia campestris* (Greene) Raven 31: 404  
*torulosa* f. *chilensis* (D. Diedr.) Lévl. = *Camissonia dentata* (Cav.) Reiche 31: 405  
*torulosa* f. *cruciata* (S. Wats.) Lévl. = *Camissonia contorta* (Douglas) Kearney 31: 405  
*torulosa* f. *mixta* = *C. contorta* (Douglas) Kearney 31: 405  
*torulosa* f. *permixta* = *Camissonia campestris* (Greene) Raven 31: 404  
*trichocalyx* Nutt. f. *aculis* = *O. deltoides* Torr. & Frem. ssp. *piperi* (Munz) Klein 31: 423  
*trichocalyx* Nutt. f. *albicauloidea* = *O. neomexicana* (Small) Munz 31: 426  
*trichocalyx* Nutt. f. *heterophylla* = *O. deltoides* Torr. & Frem. ssp. *ambigua* (S. Wats.) Klein 31: 423  
*trichocalyx* Nutt. f. *mollis* = *O. deltoides* Torr. & Frem. 31: 423  
*trichocalyx* Nutt. f. *refracta* = *O. deltoides* Torr. & Frem. 31: 423  
*volkmanni* (Phil.) Lévl. & Guffr. = *Boisduvalia subulata* (Ruiz & Pav.) Raimann 31: 402  
*wislizeni* = *O. pallida* Lindl. ssp. *runcinata* (Engelm.) Munz & Klein 31: 426  
*Omphalodes bodinieri* = *Mitreola pedicellata* Benth. 37: 143; 38: 455  
*cavaleriei* = *Trigonotis cavaleriei* (Lévl.) Hand.-Mazz. 37: 143  
*esquirolii* = *Trigonotis cavaleriei* (Lévl.) Hand.-Mazz. 37: 143  
*mairei* = *Trigonotis mairei* (Lévl.) I. M. Johnston 37: 144  
*vaniotii* = *Trigonotis cavaleriei* (Lévl.) Hand.-Mazz. 37: 143  
*Ophiorrhiza bodinieri* = *O. cantoniensis* Hance 32: 111  
*cavaleriei* = *O. japonica* Bl. 32: 112  
*darrisii* = *Cynoctonum pedicellatum* (Benth.) Rob. 32: 111; 38: 455  
*esquirolii* = *Jasminum prainii* 32: 111; 37: 127  
*labordei* = *O. japonica* Bl. 32: 112  
*mairei* = *Neanotis mairei* (Lévl.) Lauener & Ferguson 32: 110  
*marchandii* = *Cynoctonum pedicellatum* (Benth.) Rob. 32: 112; 38: 455  
*pellucida* = *Clarkella nana* (Edgew.) Hook. f. 32: 104  
*seguinii* = *O. cantoniensis* Hance 32: 111  
*violaceo-flammea* = *O. cantoniensis* Hance 32: 111  
*Oreocharis bodinieri* = *Dasydesmus bodinieri* (Lévl.) Craib 38: 467  
*cavaleriei* 38: 469  
*esquirolii* (Fedde, Rep. Sp. Nov. 9: 329, 1911) 38: 469  
*esquirolii* (Fedde, Rep. Sp. Nov. 9: 447, 1911) = *O. leveilleana* Fedde 38: 470  
*mairei* = *Tremacron mairei* Craib 38: 473  
*micrantha* = *Didymocarpus stenanthos* C.B. Cl. 38: 468  
*notochlaena* (Lévl. & Van.) Lévl. = *Anclostemon notochlaena* (Lévl. & Van.) Craib 38: 463  
*primuloides* (1911) = *O. primuloides* (Miq.) C.B. Cl. (1883) = *Opithandra primuloides* (Miq.) B.L. Burt 38: 469  
*sericea* (Lévl.) Lévl. 38: 470  
*squamigera* = *O. henryana* Oliv. 38: 469  
*Origanum vulgare* L. f. *albiflora* = *O. vulgare* L. 40: 174  
*vulgare* L. var. *lutescens* = *O. vulgare* L. 40: 174  
*Ormosia esquirolii* = *Styphnolobium japonicum* (L.) Schott 30: 252  
*Orobanche bodinieri* = *O. coerulescens* Steph. 38: 462  
*feddei* = *O. coerulescens* Steph. 38: 462  
*mairei* = *O. coerulescens* Steph. 38: 462  
*Orthosiphon bodinieri* Van. = *Plectranthus lophanthoides* (Buch.-Ham. ex D. Don) Grierson & Long 40: 177  
*delavayi* = *Teucrium ornatum* Hemsl. 40: 187  
*glabrescens* Van. = *Plectranthus lophanthoides* (Buch.-Ham. ex D. Don) Grierson & Long 40: 177  
*mairei* = *O. wulfenoides* (Diels) Hand.-Mazz. 40: 174  
*Oxalis corniculata* L. var. *trichocaulon* 27: 268  
*Oxyris mairei* = *O. sinensis* Hemsl. 40: 195  
*Oxyspora (Allomorpha) cavaleriei* = *Fordiophyton faberi* Stapf 31: 399  
*cavaleriei* = *Phyllagathis cavaleriei* (Lévl. & Van.) Guillaum. 31: 400

- Pachysandra axillaris* Forbes & Hemsl. var. *kouytchensis* = *P. stylosa* Dunn var. *kouytchensis* (Lévl.) Robbins 40: 483  
*bodinieri* = *P. stylosa* Dunn var. *tricarpa* (Hayata) Robbins 40: 483  
*mairei* = *Sarcococca hookeriana* Baill. var. *humilis* Rehder & Wils. 40: 485  
*Paederia bodinieri* (1914) = *Gardneria multiflora* Makino 32: 112; 38: 454  
*bodinieri* (1915) = *P. yunnanensis* (Lévl.) Rehder 32: 112  
*cavaleriei* 32: 112  
*dunniana* = *P. scandens* (Lour.) Merrill 32: 112  
*esquirolii* = *P. scandens* (Lour.) Merrill 32: 112  
*mairei* = *P. scandens* (Lour.) Merrill 32: 112  
*tomentosa* Bl. var. *mairei* (Lévl.) Lévl. = *P. scandens* (Lour.) Merrill 32: 112  
*tomentosa* Bl. var. *purpureo-coerulea* Lévl. & Van. = *P. yunnanensis* (Lévl.) Rehder 32: 112  
*Paeonia mairei* 23: 586  
*Paliurus mairei* = *Zizyphus mairei* (Lévl.) K. Browicz & L. A. Lauener 27: 281  
*Parameria esquirolii* = *Sindechites henryi* Oliver 37: 131  
*Parnassia esquirolii* 30: 286  
*mairei* = *P. delavayi* Franch. 30: 286  
*petitmenginii* 30: 286  
*wightiana* Wall. var. *martini* = *P. wightiana* Wall. 30: 286  
*Passiflora seguini* = *P. cupiformis* Mast. 31: 429  
*Patrinia villosa* (Thunb.) Juss. var. *japonica* = *P. villosa* (Thunb.) Juss. 32: 116  
*villosa* (Thunb.) Juss. var. *sinensis* = *P. villosa* (Thunb.) Juss. 32: 116  
*Pavetta esquirolii* = *Clerodendron foetidum* Bunge 32: 113 = *C. bungei* Steud. 38: 483  
*Pedicularis bodinieri* [Van. ex] Bonati = *P. henryi* Maxim. 38: 458  
*colletti* Prain var. *nigra* [Van. ex] Bonati = *P. nigra* (Van. ex Bonati) Bonati 38: 459  
*crassicaulis* [Van. ex] Bonati = *P. resupinata* L. ssp. *crassicaulis* (Van. ex Bonati) Tsoong 38: 459  
*ganpinensis* [Van. ex] Bonati 38: 458  
*labordei* [Van. ex] Bonati 38: 458  
*macrantha* (Bonati) Lévl. = *P. lachnoglossa* Hook. f. 38: 458  
*nigra* (Van. ex Bonati) Bonati 38: 459  
*rex* C.B. Cl. var. *pseudocyathus* [Van. ex] Bonati = *P. rex* C.B. Cl. ssp. *pseudocyathus* (Van. ex Bonati) Tsoong 38: 459  
*Pelea acutivalvata* = *P. macropus* Hillebr. 27: 260; 38: 496  
*fauriei* = *P. clusiifolia* var. *fauriei* (Lévl.) St. John & Hume 27: 260; 38: 496  
*feddei* 27: 260; 38: 496  
*foetida* = *P. molokaiensis* Hillebr. 27: 260; 38: 496  
*grandipetala* = *P. peduncularis* 27: 260  
*hillebrandii* = *P. anisata* Mann 27: 260; 38: 496  
*leveillei* [Faurie ex] Lévl. 27: 261  
*nodosa* = *P. anisata* Mann? 27: 261  
*oahuensis* 27: 261  
*peduncularis* 27: 261; 38: 496  
*penduliflora* = *P. peduncularis* 27: 262  
*sessilis* = *P. parvifolia* Hillebr. var. *sessilis* (Lévl.) B.C. Stone 27: 262; 38: 496  
*singuliflora* = *P. peduncularis* 27: 262; 38: 496  
*subpeltata* = *P. anisata* Mann 27: 262  
*waianaensis* p.p. = *P. clusiifolia* Gray var. *crassiloba* B.C. Stone 27: 262  
*waianaensis* p.p. = *P. peduncularis* 27: 262  
*Pellionia bodinieri* = *Elatostema oblongifolium* [Fu ex] W. T. Wang 40: 488  
*cavaleriei* = *P. radicans* (Sieb. & Zucc.) Wedd. 40: 501  
*esquirolii* = *Elatostema parvum* (Bl.) Miq. 40: 489  
*mairei* = *Elatostema monandrum* (Buch.-Ham. ex D. Don) Hara 40: 488  
*myrtillus* = *Elatostema myrtillus* (Lévl.) Hand.-Mazz. 40: 488  
*Pentace esquirolii* = *Burretiodendron esquirolii* (Lévl.) Rehder 27: 9  
*virginis* = *Tripterium hypoglaucom* (Lévl.) Rehder 27: 10, 277  
*Pentasacme esquirolii* = *Heterostemma esquirolii* (Lévl.) Tsiang 37: 134  
*Peperomia esquirolii* = *P. dindygulensis* Miq. 40: 347  
*fauriei* 38: 496; 40: 347  
*helleri* = *P. mapulehuana* Yuncker 38: 496; 40: 347  
*refractifolia* = *P. cookiana* DC. 38: 496; 40: 347

- Perilla cavaleriei* = *P. frutescens* (L.) Britt. var. *acuta* (Thunb.) Kudo 40: 175  
*Periploca astacus* = *Trachelospermum axillare* Hook. f. 37: 131, 135  
*Persicaria chinensis* (L.) H. Gross var. *siamensis* = *Polygonum chinense* L. 40: 196  
*duclouxii* (Lévl. & Van.) H. Gross var. *hypoleuca* = *Polygonum campanulatum* Hook. f. var. *fulvidum* Hook. f. 40: 196  
*gentiliana* = *Polygonum longisetum* De Bruyn 40: 198  
*hosseussii* = *Polygonum barbatum* L. var. *staginum* (Buch.-Ham. ex Meisn.) Steward 40: 195  
*kukenthalii* = *Polygonum viscosum* [Buch.-Ham. ex] D. Don 40: 202  
*vaniotiana* = *Polygonum lapathifolium* L. 40: 198  
*Pertya bodinieri* Van. 34: 386  
*esquirolii* = *Ainsliaea elegans* Hemsl. var. *tomentosa* Mattf. 34: 384  
*Petasites mairei* = *P. tricholobus* Franch. 34: 356  
*vaniotii* = *P. tricholobus* Franch. 34: 356  
*Petrocosmea cavaleriei* p.p. 38: 471  
*cavaleriei* p.p. = *P. martinii* (Lévl.) Lévl. 38: 472  
*mairei* 38: 471  
*martinii* (Lévl.) Lévl. 38: 472  
*Philadelphus coronarius* L. var. *chinensis* = *P. sericanthus* Koehne 30: 287  
*Phylodrum cavaleriei* = *Utricularia bifida* L. 38: 462  
*Phlomis esquirolii* = *Leucas ciliata* Benth. 40: 168  
*souliei* = *P. tatsienensis* Bur. & Franch. 40: 175  
*Photinia bodinieri* 30: 258  
*cavaleriei* (1907) = *P. beauverdiana* Schneid. 30: 257  
*cavaleriei* (1912) = *P. crassifolia* 30: 258  
*crassifolia* 30: 258  
*mairei* = *P. lasiogyna* (Franch.) Schneid. 30: 258  
*rosifoliolata* = *Cotoneaster glaucophylla* Franch. 30: 254  
*rubrolutea* = *Malus sieboldii* (Regel) Rehder 30: 257  
*Phryma esquirolii* = *P. leptostachya* L. var. *oblongifolia* (Koidz.) Honda 38: 485  
*Phyllanthodendron cavaleriei* = *P. dunnianum* 40: 484  
*dunnianum* 40: 484  
*dunnianum* var. *hypoglauca* = *P. dunnianum* 40: 484  
*Phyllanthus argyi* = *Securinega suffruticosa* (Pall.) Rehder 40: 485  
*franchetianus* 40: 484  
*mairei* = *P. emblica* L. 40: 484  
*sandwicensis* Muell. Arg. var. *hypoglauca* Lévl. = *Breynia disticha* Forst. f. f. *nivosa* (W.G. Sm.) Croiz. 40: 476  
*Physisalis alkekengi* L. var. *anthoxantha* = *P. alkekengi* L. 37: 147  
*bodinieri* Lévl. & Van. = *P. minima* L. 37: 147  
*cavaleriei* = *P. pubescens* L. 37: 148  
*esquirolii* = *P. pubescens* L. 37: 148  
*fauriei* Lévl. & Van. p.p. = *P. minima* L. 37: 147  
*fauriei* Lévl. & Van. p.p. = *P. repens* Nakai 37: 148  
*Phytolacca esquirolii* = *Mallotus kweichowensis* Lauener & W.T. Wang 40: 193, 483  
*Picris divaricata* Van. 34: 387  
*mairei* = *P. hieracioides* L. ssp. *japonica* (Thunb.) Krylov 34: 387  
*Pieris bodinieri* = *P. formosa* (Wall.) D. Don 35: 258  
*buxifolia* Lévl. & Van. = *Vaccinium triflorum* Rehder 35: 256  
*cavaleriei* Lévl. & Van. = *Leucothoe griffithiana* C.B. Cl. 35: 257  
*coreana* = *Vaccinium bracteatum* Thunb. 35: 253  
*divaricata* = *Vaccinium bracteatum* Thunb. 35: 253  
*duclouxii* = *Vaccinium sprengelii* (G. Don) Sleumer 35: 255  
*esquirolii* Lévl. & Van. = *Vaccinium sprengelii* (G. Don) Sleumer 35: 255  
*esquirolii* Lévl. & Van. var. *discolor* Lévl. & Van. = *Vaccinium sprengelii* (G. Don) Sleumer 35: 255  
*esquirolii* Lévl. & Van. var. *leucocalyx* = *Vaccinium pubicalyx* Franch. var. *leucocalyx* (Lévl.) Rehder 35: 255  
*fauriei* = *Vaccinium bracteatum* Thunb. 35: 253  
*fortunati* = *Gaultheria leucocarpa* Bl. 35: 257  
*gagnepainiana* = *Vaccinium fragile* Franch. 35: 254

- henryi* = *Lyonia villosa* (Wall.) Rehder var. *pubescens* (Franch.) Rehder 35: 258  
*kouyangensis* = *Lyonia ovalifolia* (Wall.) Drude 35: 258  
*longicornu* Lévl. & Van. = *Vaccinium sprengelii* (G. Don) Sleumer 35: 255  
*lucida* = *Vaccinium bracteatum* Thunb. 35: 253  
*mairei* = *Lyonia ovalifolia* (Wall.) Drude 35: 258  
*mairei* var. *parvifolia* = *Lyonia ovalifolia* (Wall.) Drude 35: 258  
*martinii* = *Vaccinium dunalianum* Wight var. *urophyllum* Rehder & Wils. 35: 254  
*oligodonta* = *Maesa japonica* (Thunb.) Moritz ex Zoll. 35: 258, 272  
*ovalifolia* (Wall.) G. Don var. *denticulata* = *Vaccinium bracteatum* Thunb. 35: 253  
*repens* = *Vaccinium fragile* Franch. 35: 254  
*ulbrichii* = *Lyonia ovalifolia* (Wall.) Drude 35: 258  
*Pilea blinii* = *P. plataniflora* C. H. Wright 40: 502  
*cavaleriei* 40: 501  
*peplodes* Hook. & Arn. var. *cavaleriei* p.p. = *P. cavaleriei* 40: 501  
*peplodes* Hook. & Arn. var. *cavaleriei* p.p. = *P. crassifolia* Hance 40: 501  
*Piptanthus esquirolii* MSS. = *Polygala arillata* Buch.-Ham. 26: 343; 30: 250  
*Pipturus hawaiiensis* 38: 496; 40: 502  
*Pirus bodinieri* = *Decaspermum fruticosum* J.R. & G. Forst. 30: 259; 31: 397  
*brunnea* (1912) = *Photinia villosa* (Thunb.) DC. 30: 258  
*brunnea* (1916) nomen = *Lindera glauca* (Sieb. & Zucc.) Bl. 30: 259  
*cavaleriei* = *Stranvaesia davidiana* Decne. 30: 283  
*esquirolii* = *Malus sieboldii* (Regel) Rehder 30: 257  
*feddei* = *Photinia amphidoxa* 30: 257  
*keissleri* (Schneider) Lévl. = *Sorbus keissleri* (Schneider) Rehder 30: 281  
*koehnei* = *Sorbus hemsleyi* (Schneider) Rehder 30: 281  
*mairei* = *Pyrus calleryana* Decne. 30: 263  
*mokpoensis* = *Photinia villosa* (Thunb.) DC. var. *coreana* (Decne.) Rehder 30: 259  
*(Cydonia) ruffolia* = *Dodonaea indica* (Wall.) Decne. 30: 255  
*sinensis* Lindl. var. *maximowicziana* (Lévl.) Rehder = *Photinia villosa* (Thunb.) DC. f.  
*maximowicziana* (Lévl.) Rehder 30: 259  
*spectabilis* Ait. var. *albescens* = *Photinia villosa* (Thunb.) DC. 30: 258  
*subcrataegifolia* = *Malus sieboldii* (Regel) Rehder 30: 257  
*taquetii* = *Amelanchier asiatica* (Sieb. & Zucc.) Endl. ex Walp. 30: 254  
*vanioti* = *Amelanchier asiatica* (Sieb. & Zucc.) Endl. ex Walp. 30: 254  
*Pittosporum cavaleriei* = *P. glabratum* Lindl. var. *neriifolium* Rehder & Wils. 26: 342  
*fauriei* = *P. glabrum* Hook. & Arn. 26: 342; 38: 496  
*hillebrandii* 26: 343  
*trigonocarpum* 26: 343  
*Plantago cavaleriei* 40: 191  
*coreana* = *P. asiatica* L. var. *coreana* (Lévl.) Lauener & Ferguson 40: 190  
*fauriei* = *P. princeps* Cham. & Schlechtend. 40: 191  
*gaudichaudiana* = *P. princeps* Cham. & Schlechtend. 38: 496; 40: 191  
*gigas* = *P. major* L. ssp. *intermedia* (Gilib.) Arcangeli 40: 191  
*gigas* var. *cavaleriei* (Lévl.) Lévl. = *P. cavaleriei* 40: 191  
*major* L. var. *gigas* (Lévl.) Lévl. = *P. major* L. ssp. *intermedia* (Gilib.) Arcangeli 40: 191  
*taquetii* = *P. asiatica* L. var. *yakusimensis* (Masam.) Ohwi 40: 191  
*Platydesma fauriei* = *Nothocestrum longifolium* A. Gray 27: 269; 37: 147; 38: 497  
*oahuensis* = *P. campanulatum* Mann 27: 269 = *P. spathulatum* (A. Gray) B.C. Stone 38: 497  
*Plectranthus cavaleriei* = *P. coetsa* [Buch.-Ham. ex] D. Don var. *cavaleriei* (Lévl.) McKean 40: 176  
*chamaedrys* = *Triumfetta annua* L. 27: 10; 40: 176  
*coreanus* Van. = *P. inflexus* (Thunb.) Vahl ex Benth. 40: 176  
*esquirolii* = *P. lophanthoides* (Buch.-Ham. ex D. Don) Grierson & Long 40: 177  
*hanceiformis* = *Teucrium bidentatum* Hemsl. 40: 187  
*mairei* = *P. coetsa* [Buch.-Ham. ex] D. Don var. *cavaleriei* (Lévl.) McKean 40: 176  
*moslifolius* = *P. nervosus* Hemsl. 40: 178  
*provicarii* 40: 178  
*sculponeatus* Van. 40: 178  
*Pleurogyne bodinieri* = *Swertia decora* Franch. 37: 141  
*mairei* = *Swertia patens* Burkill 37: 141  
*mairei* var. *rubropunctata* = *Swertia patens* Burkill 37: 141

- patens* = *Lomatogonium forrestii* (Balf. f.) Fern. 37: 140  
*vanioti* = *Swertia patens* Burkill 37: 141  
*Pleuropterum weyrichii* (F. Schmidt) H. Gross var. *vulcanicum* = *Polygonum weyrichii* (F. Schmidt ex) Maxim. 40: 202  
*Plumbago esquirolii* = *Anisadenia pubescens* Griff. 35: 265; 41: 182  
*Podophyllum cavaleriei* = *Pilea peperomioides* Diels 24: 75; 40: 502  
*esquirolii* = *Dysosma pleiantha* (Hance) Woodson 24: 74  
*Pogostemon lavandulaespicus* = *Elsholtzia heterophylla* Diels 40: 165  
*Polygala dunniana* 26: 343  
*pyramidalis* = *P. longifolia* Poir. 26: 344  
*taquetii* = *P. japonica* Houtt. 26: 343  
*Polygonum bodinieri* 40: 196  
*bonatii* = *Fagopyrum gracilipes* (Hemsl.) Dammer 40: 194  
*cavaleriei* = *P. strigosum* R. Br. var. *hastato-sagittatum* (Makino) Steward 40: 201  
*chaneti* = *P. bungeanum* Turcz. 40: 196  
*darrisii* = *P. sagittifolium* Lévl. & Van. 40: 201  
*dielsii* = *P. paradoxum* 40: 199  
*duclouxii* Lévl. & Van. = *P. campanulatum* Hook. f. var. *fulvidum* Hook. f. 40: 196  
*esquirolii* = *P. paniculatum* Bl. var. *rude* (Meisn.) Steward 40: 199  
*fauriei* Lévl. & Van. = *P. dissitiflorum* Hemsl. 40: 197  
*gentilianum* (Lévl.) Lévl. = *P. longisetum* De Bruyn 40: 198  
*gloriosum* = *P. pinetorum* Hemsl. 40: 200  
*grossii* = *Fagopyrum leptopodum* (Diels) Hebd. var. *grossii* (Lévl.) Lauener & Ferguson 40: 195  
*kinashii* Lévl. & Van. = *P. longisetum* De Bruyn 40: 198  
*komarovii* = *P. lapathifolium* L. 40: 198  
*kukenthalii* (Lévl.) Lévl. = *P. viscosum* [Buch.-Ham. ex] D. Don 40: 202  
*labordei* Lévl. & Van. = *Fagopyrum dibotrys* (D. Don) Hara 40: 194  
*mairei* = *Fagopyrum urophyllum* (Bur. & Franch.) H. Gross 40: 195  
*marretii* = *P. suffultum* Maxim. 40: 201  
*martini* Lévl. & Van. p.p. = *P. japonicum* Meisn. 40: 198  
*martini* Lévl. & Van. p.p. = *P. longisetum* De Bruyn 40: 198  
*milletii* (Lévl.) Lévl. 40: 199  
*ophioglossum* = *P. macrophyllum* D. Don 40: 199  
*panduriforme* Lévl. & Van. = *P. runcinatum* [Buch.-Ham. ex] D. Don 40: 200  
*paradoxum* 40: 199  
*posumbu* Buch.-Ham. var. *pseudobarbatum* = *P. viscoferum* Makino 40: 202  
*punctatum* = *P. hydropiper* L. 40: 197  
*pyramidale* = *P. lapathifolium* L. 40: 198  
*sagittatum* L. var. *hallaisanense* = *P. sagittatum* L. 40: 200  
*sagittifolium* Lévl. & Van. 40: 201  
*statice* = *Fagopyrum statice* (Lévl.) H. Gross 40: 195  
*taquetii* 40: 201  
*thunbergii* Sieb. & Zucc. var. *coreana* = *Polygonum debile* Meisn. 40: 197  
*thunbergii* Sieb. & Zucc. var. *hastato-trilobum* Maxim. subvar. *eciliolatum* = *P. praetermissum* Hook. f. 40: 200  
*thunbergii* Sieb. & Zucc. var. *spicatum* = *P. strigosum* R. Br. var. *hastato-sagittatum* (Makino) Steward 40: 201  
*tristachyum* = *Fagopyrum dibotrys* (D. Don) Hara 40: 194  
*vaniotianum* (Lévl.) Lévl. = *P. lapathifolium* L. 40: 198  
*yunnanensis* (H. Gross) Lévl. (1916) = *P. macrophyllum* D. Don 40: 199  
*yunnanense* (1908) = *Reynoutria japonica* Houtt. 40: 202  
*zigzag* Lévl. & Van. = *P. emodi* Meisn. var. *dependens* Diels 40: 197  
*Populus bonatii* 41: 173  
*macranthela* Lévl. & Van. = *P. adenopoda* Maxim. 41: 173  
*rotundifolia* Griff. var. *macranthela* (Lévl. & Van.) Lévl. = *P. adenopoda* Maxim. 41: 173  
*Porana esquirolii* = *P. sinensis* Hemsl. 37: 146  
*gagnepainiana* = *P. racemosa* Roxb. 37: 146  
*Portulaca vilmosiana* 27: 1  
*Potentilla aegopodiifolia* = *P. cryptotaeniae* Maxim. 30: 260  
*bodinieri* = *P. kleiniana* Wight & Arn. 30: 260  
*dolichopogon* = *P. ambigua* Camb. 30: 259

- fauriei* = *P. supina* L. ssp. *paradoxa* (Nutt. ex Torr. & Gray) Sojak 30: 261  
*lespedeza* = *P. arbuscula* D. Don 30: 259  
*longepetiolata* = *P. centigrana* Maxim. 30: 260  
*mairei* = *Sibbaldia micropetala* (D. Don) Hand.-Mazz. 30: 281  
*martini* = *P. siemersiana* Lehm. 30: 260  
*millefolium* = *P. stenophylla* (Franch.) Diels 30: 261  
*rosulifera* = *P. centigrana* Maxim. 30: 260  
*Premna bodinieri* = *P. puberula* Pamp. 38: 484  
*cavaleriei* 38: 484  
*esquirolii* = *Viburnum congestum* Rehder 32: 101; 38: 484  
*mairei* = *Meliosma cuneifolia* Franch. 27: 290 = *M. dilleniifolia* (Wall. ex Wight & Arn.) Walp. ssp. *cuneifolia* (Franch.) Beus. var. *multinervia* Beus. 38: 484  
*martini* = *P. puberula* Pamp. 38: 484  
*merinoi* = *Hydrangea aspera* D. Don ssp. *strigosa* (Rehder) McClintock 30: 285; 38: 484 in error as *H. aspera* D. Don ssp. *robusta* (Hook. f. & Thoms.) McClintock  
*valbrayi* = *Viburnum foetidum* Wall. var. *ceanothoides* (Wight) Hand.-Mazz. 32: 102; 38: 485  
*Prenanthes chaffanjonii* = *Crepis napifera* (Franch.) Babcock 34: 388  
*fauriei* Van. & Lévl. = *Hololeion maximowiczii* Kitamura var. *fauriei* (Van. & Lévl.) Kitamura 34: 393  
*graminifolia* Van. & Lévl. = *Hololeion maximowiczii* Kitamura var. *fauriei* (Van. & Lévl.) Kitamura 34: 393  
*hieracifolia* = *Lactuca raddeana* Maxim. var. *elata* (Hemsl.) Kitamura 34: 395  
*macilentus* Van. & Lévl. 34: 397  
*Primula balfourii* = *P. spicata* Franch. 35: 269  
*blinii* = *P. incisa* Franch. 35: 267  
*mairei* 35: 268  
*obconica* Hance var. *cavaleriei* nom. nud. = *P. obconica* Hance 35: 268  
*pirolaeifolia* = *P. veitchiana* Petitm. 35: 268  
*racemosa* = *P. celsiiformis* Balf. f. 35: 267  
*ragotiana* = *P. sinuata* Franch. 35: 269  
*virginis* 35: 269  
*Prosopis esquirolii* = *Pterolobium punctatum* Hemsl. 30: 251  
*Prunella stolonifera* Lévl. & Giraudias = *P. vulgaris* L. 40: 179  
*Prunus daemonifuga* = *P. persica* (L.) Batsch. 30: 262  
*(Padus) diamantinus* = *P. maackii* Rupr. var. *diamantia* (Lévl.) Koehne 30: 262  
*dunniana* = *P. wilsonii* (Diels ex Schneider) Koehne var. *leiobotrys* Koehne 30: 263  
*fauriei* = *P. padus* L. 30: 262  
*lyi* [Blin. ex] Lévl. nomen = *Symplocos paniculata* (Thunb.) Miq. 30: 261; 35: 278  
*mairei* = *Symplocos paniculata* (Thunb.) Miq. 30: 262; 35: 278  
*makinoensis* = *P. mume* Sieb. & Zucc. var. *microcarpa* Makino 30: 262  
*myrtacea* = *P. discadenia* Koehne 30: 261  
*nakaii* = *P. japonica* Thunb. var. *nakaii* (Lévl.) Rehder 30: 261  
*occultipes* (Koehne) Lévl. = *P. conradinae* Koehne 30: 261  
*odontocalyx* = *P. serrula* Franch. 30: 262  
*persica* (L.) Batsch. var. *lasiocalyx* = *P. persica* (L.) Batsch. 30: 262  
*persica* (L.) Batsch. var. *longistyla* 30: 262  
*seoulensis* = *P. padus* L. var. *seoulensis* (Lévl.) Nakai 30: 262  
*taquetii* Lévl. & Van. = *Rhamnus taquetii* (Lévl. & Van.) Lévl. 27: 281; 30: 262  
*vaniotii* 30: 263  
*Psychotria esquirolii* = *P. rubra* (Lour.) Poir. 32: 114  
*henryi* 32: 113  
*prainii* 32: 114  
*Pterocarya esquirolii* = *Koelreuteria bipinnata* Franch. 40: 504; 41: 183  
*laruei* = *P. macroptera* Batal. var. *insignis* (Rehder & Wilson) Manning 40: 504  
*Pueraria argyi* = *P. lobata* (Willd.) Ohwi 30: 251  
*bodinieri* = *P. lobata* (Willd.) Ohwi 30: 251  
*caerula* = *P. lobata* (Willd.) Ohwi 30: 251  
*chaneti* = *Phaseolus radiatus* L. 30: 250  
*koten* = *P. lobata* (Willd.) Ohwi 30: 251  
*seguini* = *Dunbaria pulchra* Benth. 30: 244

*Pulicaria kouyangensis* Van. = *Senecio nagensium* C.B. Cl. 34: 364

*Pycnostelma esquirolii* = *Alstonia yunnanensis* Diels 37: 130, 135

*Pyrola corbieri* 35: 258

*Quercus argyi* = *Castanopsis chinensis* Hance 41: 167

*brunnea* = *Castanopsis hystrix* (Hook. f. & Thoms.) A.DC. 41: 168

*carpostachys* = *Q. acuta* Thunb. 41: 169

*castanopsis* = *Castanopsis neo-cavaleriei* A. Camus 41: 168

*cavaleriei* = *Castanopsis neo-cavaleriei* A. Camus 41: 168

*cepifera* p.p. = *Castanopsis eyrei* (Champ.) Tutcher 41: 167

*cepifera* p.p. = *Lithocarpus spicatus* Rehder & Wils. 41: 169

*coreana* [Lévl. in litt. ex] Nakai, nom. nud. = *Q. serrata* Thunb. 41: 172

*cryptoneuron* = *Castanopsis cryptoneuron* (Lévl.) A. Camus ex Rehder 41: 167

*dunniana* = *Sageretia rugosa* Hance 27: 281; 41: 169

*franchetiana* = *Castanopsis tibetana* Hance 41: 169

*funnebris* nom. nud. = *Q. mongolica* [Fisch. ex] Ledeb. 41: 170

*funnebris* var. *glabra* nom. nud. = *Q. mongolica* [Fisch. ex] Ledeb. 41: 170

*guyavaefolia* = *Q. semecarpifolia* Smith ssp. *glabra* (Franch.) Hand.-Mazz. 41: 171

*kasaiensis* nom. nud. = *Q. acuta* Thunb. 41: 169

*kasaimok* [Lévl. in litt. ex] Nakai, nom. nud. = *Q. acuta* Thunb. 41: 169

*mairei* = *Lithocarpus megalophyllus* Rehder & Wils. 41: 169

*pinfaensis* = *Castanopsis fargesii* Franch. 41: 168

*prainiana* = *Q. helferiana* DC. 41: 170

*pseudoglaucha* [Lévl. in litt. ex] Nakai, nom. nud. = *Q. acuta* Thunb. 41: 169

*quelpaertensis* [Lévl. in litt. ex] Nakai, nom. nud. = *Q. acuta* Thunb. 41: 169

*taquetii* [Lévl. ex] Nakai, nom. nud. = *Q. glauca* Thunb. 41: 170

*trinervis* = *Castanopsis eyrei* (Champ.) Tutcher 41: 167

*undulatifolia* nom. nud. = *Q. mongolica* [Fisch. ex] Ledeb. 41: 170

*vaniotii* = *Q. glauca* Thunb. 41: 170

*Raillardia fauriei* = *R. ciliolata* DC. 34: 358 = *Dubautia ciliolata* (DC.) Keck var. *laxiflora* (DC.) Keck 38: 497

*Ranunculus (Callianthemum) bonatii* = *Callianthemum pimpinelloides* (D. Don) Hook. f. & Thoms. 23: 579

*coreanus* = *R. ternatus* Thunb. 23: 589

*crucilobus* = *R. acris* L. 23: 586

*crucilobus* var. *glabratus* = *R. acris* L. 23: 586

*fauriei* = *R. gmelinii* DC. 23: 588

*felixii* 23: 588

*ficariifolius* Lévl. & Van. 23: 588

*ficariifolius* Lévl. & Van. var. *crenatus* Lévl. & Van. = *R. ficariifolius* Lévl. & Van. 23: 588

*ficariifolius* Lévl. & Van. var. *erythrosepalus* = *R. ficariifolius* Lévl. & Van. 23: 588

*ficariifolius* Lévl. & Van. var. *ovalifolius* Lévl. & Van. = *R. ficariifolius* Lévl. & Van. 23: 588

*labordei* Lévl. & Van. 23: 588

*mairei* (1913) = *R. yunnanensis* Franch. 23: 590

*mairei* (1914) = *R. ficariifolius* Lévl. & Van. 23: 588

*novus* Lévl. & Van. = *R. acris* L. var. *nipponicus* Hara 23: 587

*petiolatus* Lévl. & Van. = *R. cantoniensis* DC. 23: 587

*pseudoparviflorus* = *R. diffusus* DC. 23: 587

*repens* L. var. *lopouensis* = *R. ficariifolius* Lévl. & Van. 23: 588

*repens* L. var. *quelpaertensis* = *R. quelpaertensis* (Lévl.) Nakai 23: 589

*sceleratus* L. var. *depressus* nom. nud. = *R. sceleratus* L. var. *sinensis* Lévl. & Van. 23: 589

*sceleratus* L. var. *sinensis* Lévl. & Van. 23: 589

*silerifolius* = *R. cantoniensis* DC. 23: 587

*sodiroy* = *R. dichotomus* [Moc. & Sesse ex] DC. 23: 587

*taquetii* = *R. ternatus* Thunb. 23: 589

*trichophyllus* Chaix. var. *chanetii* = *R. trichophyllus* Chaix. 23: 590

*vaniotii* = *R. ficariifolius* Lévl. & Van. 23: 588

*Rapanea aurea* = *Eurya nitida* Korth. 27: 7 = *Eurya aurea* (Lévl.) Hu & L. K. Ling 35: 273

*Raphanus chanetii* = *Orychophragmus violaceus* (L.) O. E. Schulz 26: 339

*courtoisii* = *Orychophragmus violaceus* (L.) O. E. Schulz 26: 339

- macropoda* = *R. sativus* L. 26: 339  
*monnetii* = *Chorispora tenella* (Pall.) DC. 26: 338  
*taquetii* = *R. sativus* L. 26: 339  
*Reevesia cavaleriei* Lévl. & Van. = *R. pubescens* Mast. 27: 9  
*esquirolii* = *Rhododendron cavaleriei* 27: 9; 35: 259  
*Rehmannia chaneti* (Lévl.) Lévl. = *R. glutinosa* (Gaertn.) Libosch. ex Fisch. & Mey. 38: 460  
*Rhamnus bodinieri* 27: 279  
*cavaleriei* (May 1911) = *R. heterophylla* Oliver 27: 279  
*cavaleriei* (Dec. 1911) = *R. leveilleana* Fedde, 27: 279  
*coriaceifolius* = *Sideroxylon wightianum* Hook. & Arn. 27: 279; 35: 275  
*esquirolii* 27: 279  
*hamatidens* 27: 279  
*martini* = *Rhamnella martinii* (Lévl.) Schneider 27: 278  
*myrtillus* = *Myrsine africana* 27: 279; 35: 272  
*pasteuri* = *Gardneria multiflora* Makino 27: 280; 38: 454  
*pseudofrangula* = *Frangula crenata* (Sieb. & Zucc.) Miq. 27: 278  
*pruniformis* 27: 280  
*schneideri* 27: 280  
*serpyllifolia* 27: 280  
*taquetii* (Lévl. & Van.) Lévl. 27: 281  
*Rhododendron albicaule* = *R. decorum* Franch. 35: 259  
*argyi* = *R. mucronatum* (Bl.) G. Don 35: 261  
*bachii* 35: 259  
*blinii* = *R. lutescens* Franch. 35: 261  
*caeruleum* = *R. rigidum* Franch. 35: 262  
*cavaleriei* 35: 259  
*cavaleriei* var. *chaffanjonii* = *R. stamineum* Franch. 35: 263  
*chrysocalyx* Lévl. & Van. 35: 259  
*cordatum* = *R. souliei* Franch. 35: 262  
*crenatum* = *R. racemosum* Franch. 34: 262  
*cruentum* = *R. bureavii* Franch. 35: 259  
*denudatum* 35: 260  
*duclouxii* = *R. spinuliferum* Franch. 35: 262  
*eriandrum* Lévl. apud Hutchinson = *R. rigidum* Franch. 32: 262  
*esquirolii* 35: 260  
*euonymifolium* = *R. emarginatum* Hemsl. & Wilson 35: 260  
*farinosum* 35: 260  
*feddei* 35: 260  
*franchetianum* = *R. decorum* Franch. 35: 259  
*fuchsiaeflora* = *R. spinuliferum* Franch. 35: 262  
*fuchsiifolium* 35: 260  
*giraudiasii* = *R. decorum* Franch. 35: 259  
*hallaisanense* = *R. yedoense* Maxim. var. *poukhanense* (Lévl.) Nakai 35: 263  
*jahandiezii* = *R. siderophyllum* Franch. 35: 262  
*kouytchense* nom. nud. = *R. chrysocalyx* Lévl. & Van. 35: 259  
*leclerei* = *R. rubiginosum* Franch. 35: 262  
*lemeei* = *R. lutescens* Franch. 35: 261  
*leucandrum* = *R. siderophyllum* Franch. 35: 262  
*liliiiflorum* 35: 261  
*lyi* 35: 261  
*mairei* = *R. lacteum* Franch. 35: 261  
*maximowiczianum* = *R. irroratum* Franch. 35: 261  
*missionarium* 35: 261  
*moutsouense* = *R. racemosum* Franch. 35: 262  
*nanum* = *R. fastigiatum* Franch. 35: 260  
*poukhanense* = *R. yedoense* Maxim. var. *poukhanense* (Lévl.) Nakai 35: 263  
*rex* 35: 262  
*rubropunctatum* Lévl. & Van. = *R. yunnanense* Franch. 35: 263  
*seguinii* = *R. yunnanense* Franch. 35: 263  
*spinigerum* = *R. chrysocalyx* Lévl. & Van. 35: 259  
*tapelouense* = *R. tatsienense* Franch. 35: 263

- taquetii* = *R. mucronulatum* Turcz. 35: 261  
*umbelliferum* 35: 263  
*vaniotii* = *R. esquirolii* 35: 260  
*xanthoneuron* = *R. denudatum* 35: 260  
*Rhus argyi* = *Pistacia chinensis* Bunge 27: 292  
*blinii* = *Cipadessa cinerascens* (Pellegr.) Hand.-Mazz. 27: 271, 292  
*bodinieri* = *Choerospondias axillaris* (Roxb.) B. L. Burtt & A. W. Hill 27: 292  
*bofillii* = *Meliosma oldhamii* Miq. 27: 290, 292  
*cavaleriei* = *Eurocorymbus cavaleriei* (Lévl.) Rehder & Hand.-Mazz. 27: 289, 292  
*echinocarpa* p.p. = *R. punjabensis* Stewart var. *sinica* (Diels) Rehder & Wils. 27: 292  
*echinocarpa* p.p. = *R. trichocarpa* Miq. 27: 292  
*esquirolii* = *R. punjabensis* Stewart var. *sinica* (Diels) Rehder & Wils. 27: 292  
*gummifera* = *Pistacia chinensis* Bunge 27: 292  
*mairei* = *R. punjabensis* Stewart var. *sinica* (Diels) Rehder & Wils. 27: 292  
*Rhynchosia argyi* = *Glycine soja* Sieb. & Zucc. 30: 245  
*Rhynchospermum taquetii* = *R. verticillatum* [Reinw. ex] Bl. 34: 332  
*Rodgersia prillieuxii* = *Astilbe rivularis* (Buch.-Ham. ex) D. Don 30: 283  
*Rollandia fauriei* = *Cyanea spathulata* (Hillebr.) Heller 35: 252; 38: 497  
*Rosa adenoclada* 30: 263  
*argyi* = *R. laevigata* Michx. 30: 264  
*banksiae* Ait. f. *aculeata* nomen = *R. banksiae* Ait. 30: 263  
*banksiae* Ait. f. *albiflora* nomen = *R. banksiae* Ait. 30: 263  
*banksiae* Ait. f. *subinermis* Focke ap. Lévl., nomen = *R. banksiae* Ait. 30: 263  
*banksiae* Ait. f. *luteiflora* nomen = *R. banksiae* Ait. f. *lutea* Lindl. 30: 263  
*blinii* = *R. multiflora* Thunb. var. *carnea* Thory 30: 266  
*bodinieri* Lévl. & Van. = *R. cymosa* Tratt. 30: 264  
*cavaleriei* = *R. cymosa* Tratt. 30: 264  
*chaffanjonii* Lévl. & Van. = *R. cymosa* Tratt. 30: 264  
*charbonneaui* = *R. longicuspis* Bertol. 30: 264  
*clavigera* = *R. brunonii* Lindl. 30: 263  
*duclouxii* = *R. odorata* Sweet var. *gigantea* (Collet ex Crép) Rehder & Wils. 30: 266  
*esquirolii* Lévl. & Van. = *R. cymosa* Tratt. 30: 264  
*fauriei* p.p. = *R. acicularis* Lindl. 30: 263  
*fauriei* p.p. = *R. maximowicziana* Regel 30: 265  
*gechouitangensis* = *R. odorata* Sweet 30: 266  
*gentiliana* Lévl. & Van. 30: 264  
*gentiliana* Lévl. & Van. var. *adenoclada* (Lévl.) Lévl. = *R. adenoclada* 30: 263  
*iochanensis* = *R. sertata* Rolfe 30: 267  
*korsakoviensis* = *R. acicularis* Lindl. 30: 263  
*lebrunei* = *R. multiflora* Thunb. var. *carnea* Thory 30: 266  
*lucidissima* 30: 265  
*macrophylla* Lindl. var. *hypoleuca* = *R. multiflora* Thunb. var. *cathayensis* Rehder & Wils. 30: 266  
*mairei* 30: 265  
*marretii* 30: 265  
*mokanensis* = *R. multiflora* Thunb. var. *mokanensis* (Lévl.) Rehder 30: 266  
*nakaiana* = *R. multiflora* Thunb. var. *adenophora* Franch. & Sav. 30: 265  
*oulengensis* = *R. odorata* Sweet 30: 266  
*parmentieri* = *R. davidii* Crép. var. *elongata* Rehder & Wils. 30: 264  
*patrum* = *R. cymosa* Tratt. 30: 264  
*quelpaertensis* = *R. multiflora* Thunb. var. *quelpaertensis* (Lévl.) Rehder & Wils. 30: 266  
*rubus* Lévl. & Van. 30: 267  
*rubus* Lévl. & Van. var. *yunnanensis* = *R. rubus* Lévl. & Van. 30: 267  
*sericea* Crép. f. *aculeata* Focke ap. Lévl. nomen = *R. omeiensis* Rolfe 30: 267  
*sericea* Crép. f. *eglandulosa* Focke ap. Lévl. nomen = *R. omeiensis* Rolfe 30: 267  
*sericea* Crép. f. *inermis* Focke ap. Lévl. nomen = *R. omeiensis* Rolfe 30: 267  
*sorbus* = *R. omeiensis* Rolfe 30: 267  
*taquetii* p.p. = *R. acicularis* Lindl. 30: 263  
*taquetii* p.p. = *R. wichuraiana* Crép. 30: 267  
*tongchouanensis* = *R. odorata* Sweet 30: 266  
*willmottiana* = *R. longicuspis* Bertol. 30: 264

- Rubia chinensis* Regel & Maack var. *esquirolii* (Lévl.) Lévl. = *R. schumanniana* Pritz. 32: 114  
*cordifolia* L. var. *maillardi* (Lévl. & Van.) Lévl. = *R. schumanniana* Pritz. var. *maillardii*  
 (Lévl. & Van.) Hand.-Mazz. 32: 115  
*esquirolii* = *R. schumanniana* Pritz. 32: 114  
*maillardi* Lévl. & Van. = *R. schumanniana* Pritz. var. *maillardii* (Lévl. & Van.) Hand.-Mazz.  
 32: 115  
*Rubus alnifolius* 30: 268  
*ampellophyllus* = *R. crataegifolius* Bunge f. *makinoensis* (Lévl. & Van.) Koidz. 30: 270  
*ampliflorus* Lévl. & Van. = *R. tephrodes* Hance var. *ampliflorus* (Lévl. & Van.)  
 Hand.-Mazz. 30: 280  
*andropogon* = *R. multibracteatus* Lévl. & Van. 30: 276  
*arbor* Lévl. & Van. = *R. malifolius* Focke 30: 275  
*argyi* = *R. hirsutus* Thunb. 30: 272  
*asper* [Wall. ex] Don var. *myriadenus* (Lévl. & Van.) Lévl. = *R. sumatranus* Miq. 30: 280  
*blinii* 30: 268  
*bodinieri* = *R. buergeri* Miq. 30: 269  
*bonatii* = *R. foliolosus* D. Don 30: 271  
*boudieri* = *R. foliolosus* D. Don 30: 271  
*calycacanthus* 30: 269  
*calycacanthus* var. *buergerifolia* = *R. calycacanthus* 30: 269  
*cavaleriei* Lévl. & Van. = *R. setchuenensis* Bur. & Franch. 30: 279  
*chaffanjonii* Lévl. & Van. = *R. amphidasys* Focke 30: 268  
*coreanus* Miq. var. *kouyichensis* (Lévl.) Lévl. = *R. coreanus* Miq. 30: 270  
*coreanus* Miq. var. *nakaianus* = *R. coreanus* Miq. 30: 270  
*crataegifolius* Bunge var. *subcrataegifolius* Lévl. & Van. = *R. microphyllus* L. f. var.  
*subcrataegifolius* (Lévl. & Van.) Ohwi 30: 276  
*croceacanthus* 30: 270  
*damienii* 30: 271  
*darrisii* = *R. calycacanthus* 30: 269  
*diamantina* = *R. sachalinensis* var. *diamantinus* (Lévl.) Lauener & Ferguson 30: 279  
*duclouxii* = *R. delavayi* Franch. 30: 271  
*esquirolii* 30: 271  
*fauriei* Lévl. & Van. = *R. palmatus* Thunb. var. *coptophyllus* (A. Gray) Koidz. 30: 277  
*féddei* Lévl. & Van. 30: 271  
*franchetianus* = *R. fragarioides* Bertol. var. *adenophora* Franch. 30: 272  
*gentilianus* Lévl. & Van. 30: 272  
*grossularia* Lévl. & Van. = *R. microphyllus* L. f. 30: 276  
*hastifolius* Lévl. & Van. 30: 272  
*hillebrandii* 30: 272 = *R. hawaiiensis* A. Gray 38: 497  
*hoatiensis* = *R. parvifolius* L. 30: 277  
*holadenus* 30: 273  
*hosseusii* 30: 273  
*ikenoensis* Lévl. & Van. 30: 273  
*illudens* = *R. mesogaeus* Focke 30: 275  
*itoensis* Lévl. & Van. = *R. crataegifolius* Bunge f. *itoensis* (Lévl. & Van.) Koidz. 30: 270  
*jamini* Lévl. & Van. = *R. irenaeus* Focke 30: 274  
*kanayamensis* Lévl. & Van. = *R. sachalinensis* Lévl. var. *concolor* (Kom.) Lauener &  
 Ferguson 30: 278  
*kerrifolius* Lévl. & Van. = *R. corchorifolius* L. f. 30: 269  
*kinashii* Lévl. & Van. = *R. mesogaeus* Focke 30: 275  
*kinashii* Lévl. & Van. var. *coreensis* Lévl. & Van. = *R. adeno-chlamys* (Focke) Focke 30: 268  
*koehnei* 30: 274, 38: 497  
*kuntzeanus* Hemsl. var. *xanthacantha* (Lévl.) Lévl. = *R. innominatus* S. Moore 30: 273  
*labbei* Lévl. & Van. = *R. calycacanthus* 30: 269  
*longistylus* = *R. foliolosus* D. Don 30: 271  
*lyi* 30: 275  
*mairei* (1912) 30: 275  
*mairei* (1913) = *R. foliolosus* D. Don 30: 271  
*makinoensis* Lévl. & Van. = *R. crataegifolius* Bunge f. *makinoensis* (Lévl. & Van.) Koidz.  
 30: 270  
*marmoratus* Lévl. & Van. = *R. yabei* Lévl. & Van. var. *marmoratus* (Lévl. & Van.) Ohwi 30: 281

- matsumuranus* Lévl. & Van. = *R. sachalinensis* 30: 278  
*minimiflorus* = *R. lambertianus* Ser. var. *minimiflorus* (Lévl.) Card. 30: 274  
*minusculus* Lévl. & Van. 30: 276  
*monguilloni* Lévl. & Van. = *R. alceifolius* Poir. 30: 268  
*mouyousensis* = *R. chroosepalus* Focke 30: 269  
*multibracteatus* Lévl. & Van. 30: 276  
*multibracteatus* Lévl. & Van. var. *demangei* = *R. alceifolius* Poir. 30: 268  
*myriadenus* Lévl. & Van. = *R. sumatranus* Miq. 30: 280  
*myriadenus* Lévl. & Van. var. *grandifoliolatus* = *R. sumatranus* Miq. 30: 280  
*ouensenensis* Lévl. & Van. = *R. crataegifolius* Bunge f. *itoensis* (Lévl. & Van.) Koidz. 30: 270  
*papyrus* = *R. ichangensis* Hemsl. & Kintze 30: 273  
*paykouangensis* = *R. lambertianus* Ser. var. *paykouangensis* (Lévl.) Hand.-Mazz. 30: 274  
*perrieri* 30: 277  
*petaloideus* = *R. chroosepalus* Focke 30: 269  
*pinfaensis* Lévl. & Van. = *R. ellipticus* Sm. 30: 271  
*pseudosaxatilis* = *R. coreanus* Miq. 30: 270  
*pseudosaxatilis* var. *kouytchensis* = *R. coreanus* Miq. 30: 270  
*pyi* = *R. niveus* Thunb. 30: 276  
*quelpaertensis* = *R. coreanus* Miq. 30: 270  
*refractus* 30: 278  
*rocheri* 30: 278  
*sachalinensis* 30: 278  
*sandwicensis* 30: 279  
*schizostylus* = *R. parvifolius* L. var. *taquetii* (Lévl.) Lauener & Ferguson 30: 277  
*sinosudrei* 30: 279  
*stephanandria* = *R. hirsutus* Thunb. 30: 272  
*subcrataegifolius* (Lévl. & Van.) Lévl. = *R. microphyllus* L. f. var. *subcrataegifolius* (Lévl. & Van.) Ohwi 30: 276  
*subornatus* Focke var. *fockeii* = *R. subornatus* Focke 30: 279  
*talaikiensis* = *R. hirsutus* Thunb. 30: 272  
*taquetii* = *R. parvifolius* L. var. *taquetii* (Lévl.) Lauener & Ferguson 30: 277  
*tongtchouanensis* 30: 280  
*triflorus* Rich. var. *diversifolius* = *R. pseudojaponicus* Koidz. 30: 277  
*umbellifer* = *Grewia biloba* G. Don var. *parviflora* (Bunge) Hand.-Mazz. 27: 9; 30: 280  
 (miscited as var. *biflora*).  
*vanioti* = *R. corchorifolius* L. f. 30: 269  
*xanthacantha* = *R. innominatus* S. Moore 30: 273  
*yabei* Lévl. & Van. 30: 281  
*Ruellia cavaleriei* = *Pararuellia cavaleriei* (Lévl.) E. Hossain 38: 477  
*esquirolii* = *Pararuellia delavayana* (Baill.) E. Hossain 38: 478  
*lyi* = *Gutzlaffia lyi* (Lévl.) E. Hossain 38: 477  
*repens* L. var. *kouytcheensis* = *Justicia kouytcheensis* (Lévl.) E. Hossain 38: 477  
*Rumex cacaliifolia* = *Rheum kialense* Franch. 40: 203  
*dissecta* = *R. hastatus* D. Don 40: 203  
*esquirolii* = *R. nepalensis* Spreng. 40: 203  
*Sabia cavaleriei* = *Orixa japonica* Thunb. 27: 269, 290  
*dielsii* 27: 291  
*dunnii* = *S. swinhoei* Hemsl. 27: 291  
*edulis* nomen p.p. = *Iodes ovalis* Bl. var. *vitiginea* (Hance) Gagnep. 27: 271, 291  
*edulis* nomen p.p. = *Iodes seguinii* (Lévl.) Rehder 27: 271, 291  
*esquirolii* = *Gardneria multiflora* Makino 27: 291; 38: 454  
*feddei* = *Orixa japonica* Thunb. 27: 269, 291  
*Sageretia bodinieri* = *Rhamnus esquirolii* 27: 279  
*Sagina taquetii* = *S. japonica* (Swartz) Ohwi 26: 345  
*Salix andropogon* 41: 173  
*angiolepis* 41: 173  
*anisandra* Lévl. & Van. = *S. dodecandra* Lévl. & Van. 41: 175  
*argyi* = *S. wilsonii* Seemen 41: 179  
*blinii* 41: 173

- camusii* 41: 174  
*cavaleriei* 41: 174  
*dodecandra* Lévl. & Van. 41: 175  
*dolichostachya* Seemen var. *hirosakensis* = *S. eriocarpa* Franch. & Sav. 41: 176  
*duclouxii* = *S. variegata* Franch. 41: 178  
*duclouxii* var. *kouytchensis* = *S. variegata* Franch. 41: 178  
*erioclada* = *S. camusii* 41: 174  
*feddei* = *S. koreensis* Anders. 41: 177  
*funebri* = *S. disperma* [Roxb. ex] D. Don 41: 175  
*gymnolepis* = *S. gilgiana* Seemen 41: 176  
*hallaisanensis* 41: 176  
*hallaisanensis* var. *nervosa* = *S. hallaisanensis* 41: 176  
*hamatidens* = *S. subfragilis* Anderss. 41: 178  
*ignicoma* = *S. vulpina* Anderss. 41: 178  
*japonica* Thunb. var. *nipponensis* = *S. japonica* Thunb. 41: 176  
*kinashii* Lévl. & Van. = *S. subfragilis* Anderss. 41: 178  
*korsakoviensis* = *S. sachalinensis* Fr. Schmidt 41: 177  
*luctuosa* 41: 177  
*mairei* = *S. disperma* [Roxb. ex] D. Don 41: 175  
*pachyclada* = *S. disperma* [Roxb. ex] D. Don 41: 175  
*pogonandra* = *S. koreensis* Anderss. 41: 177  
*polyandra* = *S. cavaleriei* 41: 175  
*pseudogilgiana* = *S. koreensis* Anderss. 41: 177  
*pseudojessoensis* = *S. koreensis* Anderss. 41: 177  
*pseudolasiogyne* = *S. koreensis* Anderss. 41: 177  
*pyi* = *S. cavaleriei* 41: 175  
*sapporoensis* = *S. miyabeana* Seemen 41: 177  
*shiraii* Seemen var. *vulcaniana* = *S. vulpina* Anderss. 41: 178  
*taquetii* = *S. blinii* 41: 173  
*yunnanensis* = *S. cavaleriei* 41: 175  
*Salomonica cavaleriei* = *S. ciliata* (L.) DC. 26: 344  
*martinii* = *Polygala tatarinowii* Regel 26: 344  
*seguinii* = *Polygala furcata* Royle 26: 343  
*Salvia aerea* = *S. mairei* 40: 118  
*anomala* Van. = *S. miltiorrhiza* Bunge 40: 181  
*betonicoides* = *S. cavaleriei* 40: 180  
*blinii* = *S. brevilibra* Franch. 40: 179  
*bodinieri* Van. = *S. yunnanensis* Wright 40: 183  
*calthaeifolia* = *S. mairei* 40: 181  
*cavaleriei* 40: 180  
*charbonnelii* = *S. miltiorrhiza* Bunge 40: 181  
*delavayi* = *S. cavaleriei* var. *simplicifolia* Stib. 40: 180  
*esquirolii* = *S. yunnanensis* Wright 40: 183  
*fargesii* = *S. maximowicziana* Hemsl. 40: 181  
*feddei* = *S. przewalskii* Maxim. 40: 182  
*kiaometiensis* = *S. hians* [Royle ex] Benth. 40: 180  
*labellifera* = *S. przewalskii* Maxim. 40: 182  
*leclerei* = *S. mairei* 40: 181  
*mairei* (1913) 40: 181  
*mairei* (1914) = *S. hians* [Royle ex] Benth. 40: 180  
*marchandii* = *S. cavaleriei* 40: 180  
*marretii* = *S. tricuspidis* Franch. 40: 182  
*przewalskii* Maxim. var. *feddei* (Lévl.) Lévl. = *S. przewalskii* Maxim. 40: 182  
*souliei* = *S. prattii* Hemsl. 40: 182  
*thibetica* = *S. przewalskii* Maxim. 40: 182  
*tuberifera* = *S. plectranthoides* Griff. 40: 182  
*Sambucus argyi* = *S. javanica* Blume var. *argyi* (Lévl.) Rehder 32: 101  
*Sapindus cavaleriei* = *Euscaphis japonica* (Thunb.) Kanitz 27: 289  
*Sapium rojasii* 40: 484  
*Sarcopyramis bodinieri* Lévl. & Van. = *S. nepalensis* Wall. 31: 400  
*nepalensis* Wall. var. *bodinieri* (Lévl. & Van.) Lévl. = *S. nepalensis* Wall. 31: 400

- Saurauja vanioti* = *Celastrus vaniotii* (Lévl.) Rehder 27: 7, 274  
*Saururus cavaleriei* = *Gymnotheca chinensis* Decne. 40: 346  
*Saussurea affinis* Spreng. var. *conferta* Lévl. & Van. = *Hemistepta lyrata* (Bunge) Bunge 34: 383  
*bicolor* Lévl. & Van. = *S. gracilis* Maxim. 34: 379  
*bodinieri* 34: 376  
*caeruleo-violacea* = *S. lanuginosa* Van. 34: 380  
*cavaleriei* Lévl. & Van. = *S. cordifolia* Hemsl. 34: 378  
*chinnampoensis* Lévl. & Van. 34: 377  
*cirsium* = *S. deltoidea* (DC.) C.B. Cl. 34: 378  
*clarkeana* = *S. subulata* C.B. Cl. 34: 382  
*crispa* Van. = *S. deltoidea* (DC.) C.B. Cl. 34: 378  
*franchetiana* = *S. leucoma* Diels 34: 381  
*kouyichensis* = *S. deltoidea* (DC.) C.B. Cl. 34: 378  
*lanuginosa* Van. 34: 380  
*leclerei* 34: 380  
*leontopodium* Lévl. & Van. = *S. peguensis* C.B. Cl. 34: 382  
*leveilleana* [Maire ex] Lévl. = *S. hieracioides* Hook. f. 34: 379  
*mairei* = *S. yunnanensis* Franch. var. *integrifolia* Franch. 34: 382  
*merinoi* 34: 381  
*oppositicolor* Lévl. & Van. = *S. conyzoides* Hemsl. 34: 377  
*taquetii* Lévl. & Van. = *S. japonica* (Thunb.) DC. 34: 380  
*taquetii* Lévl. & Van. var. *paniculata* Lévl. & Van. = *S. japonica* (Thunb.) DC. 34: 380  
*triceps* Lévl. & Van. = *S. maximowiczii* Hemsl. var. *triceps* (Lévl. & Van.) Kitamura 34: 381  
*vaniotii* (1910) = *Hemistepta lyrata* (Bunge) Bunge 34: 383  
*vaniotii* (1915) = *S. centiloba* Hand.-Mazz. 34: 377  
*Saxifraga blinii* = *S. clavistaminea* Engl. & Irmsch. 30: 287  
*chaffanjonii* = *S. stolonifera* Meerb. var. *immaculata* (Diels) Hand.-Mazz. 30: 289  
*dunniana* = *S. diversifolia* [Wall ex] Ser. var. *diversifolia* f. *foliata* Engl. & Irmsch. 30: 287  
*echinophora* = *S. strigosa* [Wall. ex] Ser. 30: 289  
*gasterosteus* = *S. gemmipara* Franch. 30: 288  
*hastigera* 30: 288  
*iochanensis* 30: 288  
*mairei* = *S. filicaulis* [Wall. ex] Ser 30: 288  
*martini* = *S. stolonifera* Meerb. var. *immaculata* (Diels) Hand.-Mazz. 30: 289  
*potentillaeflora* = *S. hispidula* D. Don var. *doniana* Engl. 30: 288  
*severtiaeflora* = *S. brachyphylla* Franch. 30: 287  
*Scabiosa mairei* = *Myriactis wallichii* Less. 32: 116; 34: 332  
*Scaevola × blinii* = *S. procera* Hillebr. 35: 248; 38: 497  
*chamissoniana* Gaudich. var. *caerulescens* 35: 247 = *S. gaudichaudiana* Cham. 38: 497  
*fauriei* = *S. frutescens* (Miller) Krause 35: 247 = *S. taccada* (Gaertn.) Roxb. var. *fauriei* (Lévl.) Rock 38: 497  
*Schisandra hypoglauca* = *S. henryi* C.B. Cl. 23: 595  
*Scopolia mairei* = *S. stramonifolia* (Wall.) Shrestha 37: 148  
*Scrofularia tsangchanensis* (Franch.) Lévl. = *Pedicularis tsangchanensis* [Franch. ex] Maxim. 38: 460  
*Scutellaria cavaleriei* Lévl. & Van. = *S. barbata* D. Don 40: 183  
*coleifolia* = *S. violacea* Heyne var. *sikkimensis* Benth. 40: 186  
*delavayi* = *S. sessilifolia* Hemsl. var. *delavayi* (Lévl.) Doan 40: 185  
*dentata* = *S. pekinensis* Maxim var. *ussuriensis* (Regel) Hand.-Mazz. 40: 185  
*esquirolii* Lévl. & Van. = *Melampyrum esquirolii* (Lévl. & Van.) Hand.-Mazz. 38: 457; 40: 183  
*fauriei* Lévl. & Van. = *S. pekinensis* Maxim. var. *transitra* (Makino) Hara 40: 184  
*ferrei* = *S. guilielmii* A. Gray 40: 184  
*franchetiana* 40: 184  
*glechomaefolia* Lévl. & Van. = *S. pekinensis* Maxim. var. *transitra* (Makino) Hara 40: 184  
*hypericifolia* = *S. amoena* Wright 40: 183  
*indica* L. var. *stolonifera* Van. = *S. tayloriana* Dunn 40: 185  
*komarovii* Lévl. & Van. = *S. barbata* D. Don 40: 183  
*mairei* 40: 184  
*multibrachiata* Lévl. & Van. = *S. pekinensis* Maxim. var. *transitra* (Makino) Hara 40: 184

- salvia* = *S. discolor* [Wall. ex] Benth. 40: 183  
*scordifolia* [Fisch. ex] Schrank var. *obtusifolia* = *S. strigillosa* Hemsl. 40: 185  
*taquetii* = *S. strigillosa* Hemsl. 40: 185  
*trinervata* Van. = *S. obtusifolia* Hemsl. var. *trinervata* (Van.) C. Y. Wu & H. W. Li 40: 184  
*tuberosa* Van. = *S. amoena* Wright 40: 183  
*veronicifolia* = *S. tenax* W. W. Sm. 40: 186  
*yunnanensis* 40: 186  
*Secamone esquirolii* [Schltr. ex] Lév. nom. nud. p.p. = *S. sinica* Hand.-Mazz. 37: 135  
*esquirolii* [Schltr. ex] Lév. nom. nud. p.p. = *Gongronema nepalense* (Wall.) Decne. 37: 135  
*Sedum bodinieri* Lév. & Van. = *S. drymarioides* Hance var. *stellariifolium* (Franch.) R. Hamet 30: 290  
*caerulans* Lév. & Van. = *S. kirilowii* Regel 30: 291  
*cavaleriei* = *Sinocrassula indica* (Decne.) Berger 30: 293  
*cavaleriense* = *Sinocrassula indica* (Decne.) Berger 30: 293  
*chaneti* = *Orostachys chanetii* (Lév.) Berger 30: 290  
*chrysanthemifolium* = *S. linearifolium* Royle var. *balfourii* (R. Hamet) R. Hamet 30: 291  
*definitum* 30: 290  
*esquirolii* = *S. drymarioides* Hance var. *stellariifolium* (Franch.) R. Hamet 30: 290  
*hametianum* = *S. stevenianum* Ruy & Camus 30: 292  
*kouyangense* Lév. & Van. = *S. sarmentosum* Bunge 30: 292  
*labordei* Lév. & Van. = *S. telephium* L. ssp. *alboroseum* (Baker) Fröd. 30: 292  
*martini* = *Sinocrassula indica* (Decne.) Berger 30: 292  
*pekinense* Lév. & Van. 30: 291  
*phyllanthum* Lév. & Van. 30: 292  
*trifidum* Wall. var. *chrysanthemifolium* (Lév.) Lév. = *S. linearifolium* Royle var. *balfourii* (R. Hamet) R. Hamet 30: 291  
*Senecio aucubiflorus* [Franch. ex] Lév., nom. nud. 34: 361  
*beauverdianus* (Lév.) Lév. = *S. pseudo-mairei* 34: 365  
*blinii* = *S. argunensis* Turcz. 34: 360  
*bodinieri* Van. 34: 361  
*bodinieri* Van. var. *brevior* Van. = *S. bodinieri* Van. 34: 361  
*bodinieri* Van. var. *elatii* Van. = *S. bodinieri* Van. 34: 361  
*bodinieri* Van. var. *parcepilosa* Van. = *S. bodinieri* Van. 34: 361  
*bulbilliferum* Maxim. var. *subglaber* [Franch. ex] Lév., nom. nud. 34: 361  
*bulbosus* [Hook. & Arn. ex] Lév. = *Picris hieracioides* L. ssp. *japonica* (Thunb.) Krylov 34: 387  
*cavaleriei* 34: 361  
*cichoriifolius* = *S. duclouxii* Dunn 34: 362  
*cinarifolius* 34: 362  
*conferviferus* = *S. bodinieri* Van. 34: 361  
*crassipes* Lév. & Van. = *Gynura pseudochina* (L.) DC. 34: 360  
*delphiniphyllus* p.p. = *Cacalia delphiniphylla* (Lév.) Hand.-Mazz. 34: 367  
*delphiniphyllus* p.p. = *Cacalia palmatisecta* (J. F. Jeffrey) Hand.-Mazz. 34: 368  
*delphiniphyllus* p.p. = *Cacalia tripteris* Hand.-Mazz. 34: 368  
*dielsii* = *Cremanthodium arnicoides* R. Good 34: 357  
*esquirolii* = *S. nudicaulis* [Buch.-Ham. ex] D. Don 34: 365  
*fauriei* = *S. integrifolius* (L.) Clair. ssp. *fauriei* (Lév. & Van.) Kitamura 34: 363  
*feddei* = *Cremanthodium hookeri* C.B. Cl. ssp. *polycephalum* R. Good f. *regulare* R. Good 34: 357  
*ficariaefolius* Lév. & Van. = *Cremanthodium hookeri* C.B. Cl. ssp. *polycephalum* R. Good f. *regulare* R. Good 34: 357  
*franchetianus* = *Ligularia franchetiana* (Lév.) Hand.-Mazz. 34: 369  
*ganpinensis* Van. = *S. nemorensis* L. 34: 364  
*gentilianus* Van. = *S. wightii* (DC.) Benth. 34: 367  
*henrici* Van. = *S. asperifolius* Franch. 34: 361  
*iochanense* p.p. = *Ligularia wilsoniana* (Hemsl.) Greenm. 34: 372  
*iochanense* p.p. = *Ligularia lankongensis* (Franch.) Hand.-Mazz. var. *minor* Lauener & Ferguson 34: 369  
*jacsonii* = *Ligularia amplexicaulis* DC. 34: 368  
*kematongensis* Van. = *S. nemorensis* L. 34: 364  
*labordei* Van. = *Ligularia clivorum* Maxim. 34: 369

- lebrunei* = *Senecio asperifolius* Franch. 34: 361  
*leclerei* = *Cacalia koulapensis* (Franch.) Hand.-Mazz. 34: 368  
*leveillei* Van. = *Cremanthodium hookeri* C.B. Cl. ssp. *polycephalum* R. Good f. *regulare* R. Good 34: 357  
*ligularia* Hook. f. var. '*arenosa*' (DC.) Lévl. = *Ligularia sibirica* (L.) Cass. var. *araneosa* DC. 34: 370  
*ligularia* Hook. f. var. *glaberrima* (DC.) Lévl. = *Ligularia sibirica* (L.) Cass. var. *glaberrima* DC. 34: 370  
*lingularia* Hook. f. var. *stenocephalus* (Maxim.) Lévl. = *Senecio stenocephalus* Maxim. 34: 367  
*ligularia* Hook. f. var. *vulgaris* (DC.) Lévl. = *Ligularia sibirica* (L.) Cass. var. *vulgaris* DC. 34: 371  
*longeligulatus* Lévl. & Van. = *S. flammeus* [Turcz. ex] DC. 34: 362  
*mairei* = *S. graciliflorus* DC. 34: 363  
*martinii* Van. = *S. oldhamianus* Maxim. 34: 365  
*milleflorus* = *S. faberi* Hemsl. var. *discoideus* Lauener & Ferguson 34: 362  
*moisoni* = *Ligularia nelumbifolia* (Bur. & Franch.) Hand.-Mazz. 34: 370  
*monbeigii* = *Ligularia tongolensis* (Franch.) Hand.-Mazz. 34: 371  
*nudibasis* Lévl. & Van. = *Gynura nudibasis* (Lévl. & Van.) Lauener & Ferguson 34: 359  
*petasitoides* = *Cacalia farfarifolia* Sieb. & Zucc. 34: 368  
*pirolaeifolia* = *Cremanthodium oblongatum* C.B. Cl. 34: 358  
*primulaefolius* = *Ligularia vellerea* (Franch.) Hand.-Mazz. 34: 372  
*pseudomairei* 34: 365  
*pseudosonchus* Van. 34: 366  
*pseudosonchus* Van. var. *major* Van. = *S. pseudosonchus* Van. 34: 366  
*rosulifer* Lévl. & Van. = *S. nudicaulis* [Buch.-Ham. ex] D. Don 34: 365  
*saccoso-flabellatus* = *Cremanthodium hookeri* C.B. Cl. ssp. *hookeri* f. *hookeri* 34: 357  
*splendens* Lévl. & Van. = *Ligularia splendens* (Lévl. & Van.) Nakai 34: 371  
*taquetii* Lévl. & Van. = *Ligularia mongolica* DC. var. *taquetii* (Lévl. & Van.) Koyama 34: 370  
*tongtchouanensis* = *Ligularia lapathifolia* (Franch.) Hand.-Mazz. 34: 370  
*trichopoda* = *Cremanthodium oblongatum* C.B. Cl. 34: 358  
*vaniotii* 34: 367  
*velutinus* Lévl. & Van. = *Blumea lacera* (Burm. f.) DC. 34: 344  
*Serratula chanetii* 34: 383  
*darrisii* = *Vernonia silhetensis* (DC.) Hand.-Mazz. 34: 329  
*martini* Van. = *S. coronata* L. 34: 384  
*Shutteria cavaleriei* Lévl. nom. nud. 30: 251  
*Sicyos fauriei* = *Momordica charantia* L. 31: 431; 38: 497  
*Sida cavaleriei* = *Alectra indica* Benth. 27: 8 = *A. arvensis* (Benth.) Merrill 38: 455  
*fauriei* = *Malvastrum coromandelianum* (L.) Garcke 27: 8  
*oahuensis* = *Malvastrum coromandelianum* (L.) Garcke 27: 8; 38: 497  
*rojasii* 41: 182  
*sandwicensis* = *S. fallax* Walp. 27: 8  
*Sideritis ciliata* Thunb. var. *mokpoensis* Van. = *Mosla chinensis* Maxim. 40: 172  
*Sideroxylon bodinieri* = *Handeliodendron bodinieri* (Lévl.) Rehder 27: 290  
*Siegesbeckia esquirolii* = *Adenostemma lavenia* (L.) O. Ktze. 34: 330  
*Silene argyi* = *S. fortunei* Vis. 26: 346  
*bodinieri* = *S. viscidula* Franch. 26: 346  
*esquirolii* = *Swertia bimaculata* C.B. Cl. 26: 346; 37: 140  
*fauriei* = *S. repens* Patr. 26: 346  
*mairei* = *S. viscidula* Franch. 26: 346  
*taquetii* = *S. aprica* Turcz. 26: 345  
*Smithia bodinieri* = *S. blanda* Wall. 30: 251  
*cavaleriei* = *S. ciliata* Royle 30: 251  
*Solanum anodontum* Lévl. & Van. = *Tubocapsicum anomalum* (Franch. & Sav.) Makino 37: 151  
*bodinieri* Lévl. & Van. = *S. ciliatum* Lam. 37: 149  
*cavaleriei* Lévl. & Van. = *S. capsicoides* All. 37: 149  
*chenopodiifolium* = *S. alatum* Moench. 37: 149  
*dunnianum* = *S. diflorum* Vell. 37: 150

- fauriei* = *S. nigrum* L. 37: 150; 38: 497  
*ganchouenense* = *S. nigrum* L. 37: 150  
*heudesii* = *S. cornutum* Lam. 37: 149  
*mairei* = *S. suratense* Burm. f. 37: 150  
*Solidago virgaurea* L. var. *taquetii* Lévl. & Van. = *S. virgaurea* L. var. *leiocarpa* (Benth.) A. Gray 34: 330  
*Sonchus cavaleriei* = *S. brachyotus* DC. 34: 397  
*fauriei* Lévl. & Van. = *S. brachyotus* DC. 34: 397  
*mairei* (1913) = *S. oleraceus* L. 34: 398  
*mairei* (1915) = *Launaea procumbens* (Roxb.) Ramayya & Rajagopal 34: 398  
*picris* = *S. wightianus* DC. 34: 398  
*taquetii* = *S. brachyotus* DC. 34: 397  
*Sonerila cavaleriei* = *Oxyspora paniculata* DC. 31: 400  
*esquirolii* (1907) = *Plagiopetalum esquirolii* (Lévl.) Rehder 31: 400  
*esquirolii* (1913) = *Plagiopetalum esquirolii* (Lévl.) Rehder 31: 400  
*Sophora cavaleriei* = *S. velutina* Lindl. ssp. *cavaleriei* (Lévl.) Yakovl. 30: 252  
*mairei* (1915)—non Pamp. (1910) = *Styphnolobium japonicum* (L.) Schott 30: 252  
*Sorbus aria* Crantz var. *mairei* = *S. keissleri* (Schneid.) Rehder 30: 281  
*mairei* (Lévl.) Rehder & Lévl. apud Lévl. = *S. keissleri* (Schneid.) Rehder 30: 281  
*valbrayi* = *S. koehneana* Schneid. 30: 282  
*Spergula coreana* = *Sagina japonica* (Swartz) Ohwi 26: 345  
*Spiraea atemnophylla* = *S. veitchii* Hemsl. 30: 283  
*bodinieri* = *S. japonica* L.f. var. *acuminata* Franch. 30: 282  
*bodinieri* var. *concolor* = *S. japonica* L.f. var. *acuminata* Franch. 30: 282  
*cavaleriei* 30: 282  
*esquirolii* = *S. japonica* L.f. var. *acuminata* Franch. 30: 282  
*fauriei* = *S. media* Schmidt var. *montbetsusensis* (Franch. ex Schneid.) Card. apud Nakai 30: 282  
*holorhodantha* = *Rodgersia pinnata* Franch. 30: 282, 287  
*mairei* 30: 282  
*martinii* 30: 282  
*microphylla* = *S. myrtilloides* Rehder 30: 282  
*ouensanensis* = *S. pubescens* Turcz. 30: 282  
*Stachys affinis* Bunge var. *glabrata* = *S. japonica* Miq. 40: 186  
*chanetii* = *S. chinensis* [Bunge ex] Benth. 40: 186  
*franchetiana* = *S. kouyangensis* (Van.) Dunn var. *franchetiana* (Lévl.) C.Y. W.U. 40: 187  
*mairei* = *Plectranthus sculponeatus* Van. 40: 178  
*martini* Van. = *S. oblongifolia* Benth. 40: 187  
*polygonatum* = *Plectranthus inflexus* (Thunb.) Vahl ex Benth. 40: 176  
*Stachyurus esquirolii* = *S. yunnanensis* Franch. 27: 7  
*Stellera bodinieri* p.p. = *S. chamaejasme* L. 40: 355  
*bodinieri* p.p. = *S. chamaejasme* L. ssp. *angustifolia* (Diels) Kit Tan 40: 355  
*Stemodia bodinieri* Van. = *Lindenbergia philippensis* (Cham.) Benth. 38: 456  
*Stenogyne fauriei* = *Solenostemon scutellarioides* (L.) Codd 38: 497; 40: 186  
*Stephanotis yunnanensis* = *Marsdenia stenantha* Hand.-Mazz. 37: 135  
*Sterculia bodinieri* = *Phyllanthus bodinieri* (Lévl.) Rehder 27: 9; 40: 484  
*malvacea* = *Eriolaena malvacea* (Lévl.) Hand.-Mazz. 27: 8  
*tiliaceae* = *Grewia abutilifolia* Vent. ap. Juss. 27: 9  
*Stranvaesia argyi* = *Photinia serrulata* Lindl. 30: 258  
*Straussia fauriei* = *Psychotria fauriei* (Lévl.) Fosberg 38: 497; 41: 187  
*Striga esquirolii* = *Canscora diffusa* (Vahl) R.Br. 38: 460; 41: 188  
*Strobilanthes blinii* = *Aechmanthera gossypina* (Nees) Nees 38: 474  
*bodinieri* = *Aechmanthera gossypina* (Nees) Nees 38: 474  
*bonatiana* = *Championella japonica* (Thunb.) Brem. 38: 475  
*cavaleriei* p.p. = *Aechmanthera gossypina* (Nees) Nees 38: 474  
*cavaleriei* p.p. = *Gutzlaffia aprica* Hance 38: 477  
*cavaleriei* var. *angustifolia* = *Gutzlaffia aprica* Hance 38: 477  
*chaffanjonii* p.p. = *Goldfussia chaffanjonii* (Lévl.) E. Hossain 38: 475  
*chaffanjonii* p.p. = *Goldfussia pentstemonoides* Nees 38: 476  
*coreanus* = *Championella coreana* (Lévl.) E. Hossain 38: 475  
*darrisii* = *Tarphochlamys darrisii* (Lévl.) E. Hossain 38: 480

- deutziaefolia* = *Abelia graebneriana* Rehder var. *deutziaefolia* (Lévl.) Lauener 32: 98; 38: 478  
*equitans* = *Goldfussia equitans* (Lévl.) E. Hossain 38: 476  
*esquirolii* = *Tetragoga esquirolii* (Lévl.) E. Hossain 38: 480  
*feddei* = *Goldfussia feddei* (Lévl.) E. Hossain 38: 476  
*gentiliana* = *Sesamum indicum* L. 38: 473, 478  
*hypericifolia* = *Abelia myrtilloides* Rehder 32: 98; 38: 478  
*labordei* = *Championella labordei* (Lévl.) E. Hossain 38: 475  
*lactucifolia* 38: 479  
*lofouensis* 38: 479  
*mairei* = *Gutzlaffia aprica* Hance 38: 477  
*'makongensis'* = *Goldfussia mahongensis* (Lévl.) E. Hossain 38: 476  
*marchandii* = *Goldfussia pentstemonoides* Nees 38: 476  
*martinii* 38: 479  
*panpienkaiensis* = *S. forrestii* Diels 38: 478  
*seguinii* 38: 479  
*thirionii* = *Tarphochlamys affinis* (Griff.) Brem. 38: 479  
*yangtsekiangensis* = *Cystacanthus yangtsekiangensis* (Lévl.) Rehder 38: 475  
*Strobilanthis deutziaefolia* = *Abelia graebneriana* Rehder var. *deutziaefolia* (Lévl.) Lauener 32: 98  
*hypericifolius* = *Abelia myrtilloides* Rehder 32: 98  
*Strychnos esquirolii* = *Zizyphus pubinervis* Rehder 27: 281; 38: 455  
*Styrax argyi* 35: 276  
*bodinieri* = *S. japonicus* Sieb. & Zucc. 35: 276  
*cavaleriei* (1907) = *S. grandiflorus* Griff. 35: 276  
*cavaleriei* (1911) = *Pterostyrax psilophyllus* [Diels ex] Perkins var. *leveillei* (Fedde) Hara 35: 276  
*esquirolii* = *Deutzia esquirolii* (Lévl.) Rehder 30: 284, 35: 276  
*leveillei* (Fedde ex) Lévl. = *Pterostyrax psilophyllus* [Diels ex] Perkins var. *leveillei* (Fedde ex) Lévl.) Hara 35: 276  
*touchanensis* = *S. grandiflorus* Griff. 35: 276  
*Suttonia apodocarpa* = *Rapanea sandwicensis* (A.DC.) Degener & Hosaka 35: 274  
*cuneata* Lévl. & Faurie = *Rapanea lessertiana* (A.DC.) Degener & Degener 35: 273; 38: 497  
*fauriei* (Lévl.) Lévl. = *Rapanea lessertiana* (A.DC.) Degener & Hosaka 35: 273; 38: 497  
*flavida* = *Rapanea lessertiana* (A.DC.) Degener & Hosaka 35: 273  
*mauiensis* (Lévl.) Lévl. = *Rapanea sandwicensis* (A.DC.) Degener & Hosaka var. *mauiensis* (Lévl.) Degener & Degener 35: 274; 38: 497  
*meziana* = *Rapanea lessertiana* (A.DC.) Degener & Hosaka 35: 273 = *R. fosbergii* (Hosaka) Degener & Degener 38: 497  
*molokaiensis* (Lévl.) Lévl. = *Planchonella sandwicensis* (A. Gray) Pierre var. *spathulata* (Hillebr.) H.J. Lam 35: 274, 275 = *P. sandwicensis* (A. Gray) Pierre var. *molokaiensis* (Lévl.) Lauener 38: 497  
*pukooensis* = *Rapanea pukooensis* (Lévl.) Degener & Degener 35: 274; 38: 497  
*punctata* (Lévl.) Lévl. = *Rapanea sandwicensis* (A.DC.) Degener & Hosaka 35: 274; 38: 497  
*vaniotii* (Lévl.) Lévl. = *Rapanea sandwicensis* (A.DC.) Degener & Hosaka 35: 274  
*Swertia albobolalea* = *S. cincta* Burkill 37: 141  
*biauriculata* nom. nud. = *S. bimaculata* (Sieb. & Zucc.) Hook. f. & Thoms. ex C.B. Cl. 37: 140  
*cavaleriei* = *S. nervosa* (D. Don) C.B. Cl. 37: 141  
*esquirolii* = *S. angustifolia* [Buch. Ham. ex] D. Don var. *pulchella* Burkill 37: 140  
*mairei* = *S. bimaculata* (Sieb. & Zucc.) Hook. f. & Thoms. ex C.B. Cl. 37: 140  
*scandens* = *S. macrosperma* (C.B. Cl.) C.B. Cl. 37: 141  
*Symplocos argyi* = *S. lucida* (Thunb.) Sieb. & Zucc. 35: 278  
*aurea* = *S. lancifolia* Sieb. & Zucc. 35: 278  
*balfourii* = *S. cochinchinensis* (Lour.) S. Moore ssp. *laurina* (Retz.) Noot. 35: 277  
*bodinieri* = *S. sumuntia* [Buch.-Ham. ex] D. Don 35: 279  
*caerulea* = *S. sumuntia* [Buch.-Ham. ex] D. Don 35: 279  
*cavaleriei* = *S. sumuntia* [Buch.-Ham. ex] D. Don 35: 279  
*coronigera* = *S. lucida* (Thunb.) Sieb. & Zucc. 35: 278  
*courtoisii* = *Ilex chinensis* Sims 27: 272; 35: 277  
*dielsii* = *S. anomala* Brand 35: 277  
*dunniana* = *S. stellaris* Brand 35: 279

- esquirolii* = *S. anomala* Brand 35: 277  
*mairei* = *S. glomerata* [King ex] C. B. Cl. 35: 277  
*martini* = *S. sumuntia* [Buch.-Ham. ex] D. Don 35: 279  
*pinfaensis* = *S. cochinchinensis* (Lour.) S. Moore ssp. *laurina* (Retz.) Noot. 35: 277  
*prainii* = *S. glomerata* [King ex] C. B. Cl. ssp. *glomerata* var. *adenopus* (Hance) Noot. 35: 277  
*seguinii* = *Eriobotrya seguinii* (Lévl.) Card. ex Guillaum. 30: 255; 35: 279  
*splendens* = *S. sumuntia* [Buch.-Ham. ex] D. Don 35: 279  
*stapfiana* = *S. ramosissima* [Wall. ex] G. Don 35: 279  
*vinoso-dentata* = *S. cochinchinensis* (Lour.) S. Moore ssp. *laurina* (Retz.) Noot. 35: 277  
*xanthoxantha* = *S. lucida* (Thunb.) Sieb. & Zucc. 35: 278  
*Syringa fauriei* 37: 129
- Tanacetum mairei* = *T. myrianthum* Franch. 34: 353  
*Tecoma cavaleriei* = *Staphylea holocarpa* Hemsl. 27: 290; 38: 473  
*mairei* = *Incarvillea mairei* (Lévl.) Grierson 38: 473  
*Terminalia kouytchensis* = *Gouania javanica* Miq. 27: 278; 31: 397  
*mairei* = *Combretum wallichii* DC. 31: 397  
*Teucrium esquirolii* = *Plectranthus ternifolius* D. Don 40: 178  
*fulvo-aureum* = *T. quadrifarium* Buch.-Ham. 40: 188  
*kouytchense* = *T. quadrifarium* Buch.-Ham. var. *kouytchense* (Lévl.) McKean 40: 188  
*mairei* = *Plectranthus callicolus* Hand. Mazz. var. *subcalvus* Hand.-Mazz. 40: 175  
*nepetoides* = *T. viscidum* Bl. var. *nepetoides* (Lévl.) C.Y. Wu & Chow 40: 189  
*simplex* Van. 40: 188  
*Thalictrum amplissimum* Lévl. & Van. = *T. minus* L. var. *elatum* Lec. 23: 593  
*anomalous* Lévl. & Van. = *T. aquilegifolium* L. var. *intermedium* Nakai 23: 590  
*argyi* = *T. javanicum* Bl 23: 593  
*cirrhosum* 23: 591  
*clavatum* DC. var. *cavaleriei* = *T. declinatum* Boivin 23: 591  
*coreanum* 23: 591  
*duclouxii* = *T. delavayi* Franch. 23: 592  
*dunnianum* = *T. aquilegifolium* L. var. *sibiricum* Regel & Til. 23: 591  
*esquirolii* Lévl. & Van. 23: 592  
*fauriei* Lévl. & Van. (1906) = *T. sachalinense* Lec. 23: 593  
*fauriei* (1909) = *T. tuberiferum* Maxim. 23: 594  
*grandisepalum* 23: 592  
*ichangense* Lec. race *coreanum* (Lévl.) Lévl. = *T. coreanum* 23: 591  
*kamikawense* Lévl. & Van. = *T. aquilegifolium* L. var. *intermedium* Nakai 23: 590  
*mairei* 23: 593  
*minus* L. var. *amplissimum* (Lévl. & Van.) Lévl. = *T. minus* L. var. *elatum* Lec. 23: 593  
*neo-sachalinense* = *T. sachalinense* Lec. 23: 593  
*nudum* (Lévl. & Van. ex) Hand.-Mazz. = *T. esquirolii* Lévl. & Van. 23: 592  
*punctatum* = *T. tuberiferum* Maxim. 23: 594  
*taquetii* (May 1909) = *T. aquilegifolium* L. var. *sibiricum* Regel & Til. 23: 591  
*taquetii* (Dec. 1909) = *T. aquilegifolium* L. var. *sibiricum* Regel & Til. 23: 591  
*tenii* = *T. trichopus* Franch. 23: 593  
*verticillatum* = *T. virgatum* Hook. f. & Thoms. 23: 594  
*Thea camellia* Hoffmgg. var. *lucidissima* = *Camellia saluenensis* [Stapf ex] Bean 27: 6  
*cavaleriana* = *Camellia pitardii* Cohen Stuart var. *pitardii* f. *cavaleriana* (Lévl.) Sealy 27: 6  
*chinensis* Sims var. *androsantha* = *Camellia synaptica* Sealy 27: 6  
*mairei* = *Camellia mairei* (Lévl.) Melchior 27: 6  
*podogyna* = *Camellia oleifera* Abel 27: 6  
*Thesium chaneti* Lévl. = *Diarthron linifolium* Turcz. 40: 355, 358  
*Thladiantha digitata* = *T. hookeri* C. B. Cl. var. *palatifolia* Chakravarty f. *quinquefoliata* Chakravarty 31: 431  
*Thlaspi arvense* L. var. *sinuatum* = *T. arvense* L. 26: 340  
*Thunbergia bodinieri* = *T. fragrans* Roxb. 38: 480  
*Thymus cavaleriei* = *Micromeria biflora* (Buch.-Ham. ex D. Don) Benth. 40: 171  
*Tiarella bodinieri* nom. nud. = *T. polyphylla* D. Don 30: 289  
*polyphylla* D. Don var. *oligophylla* = *T. polyphylla* D. Don 30: 289

- Tilia kinashii* Lévl. & Van. = *T. miqueliana* Maxim. 27: 10  
*tuan* Szyszyl. var. *cavaleriei* Engler & Lévl. = *T. tuan* Szyszyl 27: 10  
*Torenia radicans* Van. = *T. concolor* Lindl. 38: 460  
*Trachelospermum cavaleriei* = *Cryptolepis buchananii* Roem. 37: 132, 133  
*dunnii* (Lévl.) Lévl. 37: 132  
*esquirolii* = *Melodinus hemsleyanus* Diels 37: 131  
*navillei* = *Aganosma navillei* (Lévl.) Tsiang 37: 129  
*rubrinerve* p.p. = *T. dunnii* (Lévl.) Lévl. 37: 132  
*rubrinerve* p.p. = *T. gracilipes* Hook. f. 37: 132  
*Trapa antennifer* = *Trapella sinensis* Oliv. 31: 429; 38: 473  
*natans* L. var. *incisa* = *T. incisa* Sieb. & Zucc. 31: 429  
*Trema dunniana* = *T. tomentosa* (Roxb.) Hara 40: 503  
*Trichodesma hemsleyana* = *Trichodesma calycosum* Collett & Hemsl. 37: 143  
*Trichosanthes cavaleriei* = *T. ovigera* Bl. 31: 431  
*dunniana* = *T. bracteata* (Lam.) Voigt 31: 431  
*Trifolium polygonum* = *Kummerowia striata* (Thunb.) Schindl. 30: 248  
*Trigonotis bodinieri* (Lévl.) Lévl. = *Mitreola pedicellata* Benth. 37: 143; 38: 455  
*macrophylla* Van. 37: 144  
*peduncularis* Benth. var. *macrophylla* (Van.) Lévl. = *T. macrophylla* Van. 37: 144  
*Triplostegia epilobiifolia* = *Inula* cf. *exsuccata* 32: 116 = *Blumea alata* (D. Don) DC. 34: 343  
*mairei* = *Chrysosplenium macrophyllum* Oliver 30: 284; 32: 116  
*pinifolia* = *Sedum fastigiatum* Hook. f. & Thoms. 30: 290; 32: 116  
*Tripterygium hypoglaucum* (Lévl.) Lévl. ex Hutchinson 27: 277  
*Trollius saniculifolius* = *T. yunnanensis* (Franch.) Ulbrich 23: 594  
*Tylophora argyi* [Schltr. ex] Lévl. nom. nud. p.p. = *Cynanchum mooreanum* Hemsl. 37: 133  
*argyi* [Schltr. ex] Lévl. nom. nud. p.p. = *T. floribunda* Miq. 37: 135  
*cavaleriei* = *Cynanchum auriculatum* Royle ex Wight 37: 133  
*hoyopsis* = *T. dielsii* (Lévl.) H.H. Hu 37: 135  
*leveilleana* [Schltr. ex] Lévl. = *T. kerrii* Craib 37: 136  
*Ulmus cavaleriei* = *Pteroceltis tatarinowii* Maxim. 40: 503  
*Utrica buraei* = *Girardinia diversifolia* (Link) Friis 40: 500  
*mairei* 40: 503  
*pinfaensis* Lévl. & Van. = *U. fissa* Pritz. 40: 503  
*Uvaria cavaleriei* = *Fissistigma cavaleriei* (Lévl.) Rehder 24: 73  
*esquirolii* = *Nogra grahamii* (Wall. ex Benth.) Merrill 30: 250  
*Vaccinium albidens* Lévl. & Van. 35: 253  
*buxifolium* (Lévl. & Van.) Lévl. = *V. triflorum* Rehder 35: 256  
*cavaleriei* Lévl. & Van. = *Schoepfia jasminodora* Sieb. & Zucc. 27: 272; 35: 254  
*fauriei* (1911) 35: 254 = *V. calycinum* Smith 35: 264; 38: 497  
*fauriei* (1913) = *V. koreanum* Nakai 35: 255  
*foetidissimum* Lévl. & Van. 35: 254  
*hamatidens* = *V. penduliflorum* Gaud. 35: 255 = *V. calycinum* Smith 35: 264 = *V. dentatum* Sm. 38: 497  
*mairei* = *Lyonia ovalifolia* (Wall.) Drude 35: 258  
*siccum* Lévl. & Van. = *V. japonicum* Miq. var. *sinicum* (Nakai) Rehder 35: 255  
*taquetii* = *V. bracteatum* Thunb. 35: 253  
*yunnanense* Franch. var. *franchetiana* nom. nud. = *Gaultheria leucocarpa* Blume 35: 257  
*Valeriana briquetiana* 32: 116  
*mairei* = *V. briquetiana* 32: 116  
*Vandellia bodinieri* = *Lindernia crustacea* (L.) F. Muell. 38: 456  
*callitrichifolia* = *Lindernia anagallis* (Brum. f.) Pennell 38: 456  
*cavaleriei* = *Lindernia setulosa* (Maxim.) Tuyama ex Hara 38: 457  
*Vaniotia martini* = *Petrocosmea martinii* (Lévl.) Lévl. 38: 472  
*Verbascum minus* Lévl. & Giraud. nom. nud. = *V. coromandelianum* (Vahl) O. Kuntze ssp. *sinense* (Lévl. & Giraud.) McKean 38: 460  
*sinense* Lévl. & Giraud. = *V. coromandelianum* (Vahl) O. Kuntze ssp. *sinense* (Lévl. & Giraud.) McKean 38: 460  
*Verbena officinalis* L. var. *ramosa* = *V. officinalis* L. 38: 485  
*Vernonia ampla* Van. = *Conyza leucantha* (D. Don) Ludlow & Raven 34: 342  
*arbor* 34: 328

- bodinieri* nom. nud. = *Senecio nagensium* C.B. Cl. 34: 364  
*esquirolii* Van. (1907) = *Senecio hoi* Dunn 34: 363  
*esquirolii* (1912) = *V. volkameriifolia* (Wall.) DC. 34: 329  
*leveillei* [Fedde ex] Lévl. = *V. volkameriifolia* DC. 34: 329  
*mairei* = *Senecio glumaceus* Dunn 34: 362  
*martini* Van. = *V. saligna* DC. 34: 329  
*seguini* Van. = *V. saligna* DC. 34: 329  
*spelaicola* Van. = *Senecio spelaiculus* (Van.) Gagnep. 34: 366  
*subarborea* Van. = *V. extensa* DC. 34: 329  
*vanioti* = *V. arborea* Buch.-Ham. 34: 328  
*vaniotiana* nom. nud. = *V. arborea* Buch.-Ham. 34: 328  
*Veronica hawaiiensis* = *V. arvensis* L. 38: 461, 497  
*martinii* = *Veronicastrum caulopterum* (Hance) Yamazaki 38: 461  
*Viburnum ajugifolium* = *V. foetidum* Wall. var. *ceanothoides* (Wight) Hand.-Mazz. 32: 102  
*barbigerum* = *V. corylifolium* Hook. f. & Thoms. 32: 101  
*bodinieri* = *V. setigerum* Hance 32: 102  
*botryoideum* = *V. erubescens* Wall. 32: 101  
*cavaleriei* 32: 101  
*chaffanjonii* = *V. ternatum* Rehder 32: 103  
*dielsii* = *Callicarpa rubella* Lindl. var. *dielsii* (Lévl.) Li 32: 101; 38: 482  
*dunnianum* = *V. corylifolium* Hook. f. & Thoms. 32: 101  
*komarovi* Lévl. & Van. = *Photinia parvifolia* (Pritz.) Schneid. 30: 258; 32: 102  
*mairei* = *V. congestum* Rehder 32: 101  
*martini* = *V. sympodiale* Graebn. 32: 102  
*pinfaense* p.p. = *V. foetidum* Wall. var. *rectangulatum* (Graebn.) Rehder 32: 102  
*pinfaense* p.p. = *V. sempervirens* C. Koch var. *trichophorum* Hand.-Mazz. 32: 102  
*staphianum* = *V. oliganthum* Batal. 32: 102  
*taquetii* = *V. erosum* Thunb. var. *taquetii* (Lévl.) Rehder 32: 101  
*toucanense* = *V. foetidum* Wall. var. *rectangulatum* (Graebn.) Rehder 32: 102  
*Vicia coreana* = *V. hirsuta* (L.) S. F. Gray 30: 253  
*mairei* 30: 253  
*piscarpa* = *Lens culinaris* Medicus 30: 248  
*taquetii* = *V. hirsuta* (L.) S. F. Gray 30: 253  
*unijuga* A. Braun var. *ciliata* = *V. unijuga* A. Braun 30: 253  
*unijuga* A. Braun var. *integrifolia* = *V. unijuga* A. Braun 30: 253  
*unijuga* A. Braun var. *kaussanensis* = *V. unijuga* A. Braun f. minor Nakai 30: 253  
*unijuga* A. Braun var. *ouensanensis* = *V. unijuga* A. Braun 30: 253  
*vanioti* = *V. amurensis* Oett. 30: 252  
*Viola boissieuvi* Lévl. & Maire = *V. delavayi* Franch. 26: 341  
*impatiens* = *V. delavayi* Franch. 26: 341  
*javanica* 26: 341  
*mairei* 26: 341  
*sandwicensis* = *Cyrtandra sandwicensis* (Lévl.) St. John & Storey 26: 342; 38: 467  
*tuberifera* Franch. var. *pseudopalustris* = *V. bulbosa* Maxim. ssp. *tuberifera* (Franch.) Becker 26: 341  
*Vitex esquirolii* = *Buddleja asiatica* Lour. 38: 453, 485  
*Vitis bodinieri* Lévl. & Van. = *Ampelopsis bodinieri* (Lévl. & Van.) Rehder 27: 282  
*cavaleriei* = *Vitis flexuosa* var. *parvifolia* (Roxb.) Gagnep. 27: 286  
*chaffanjonii* Lévl. & Van. = *Ampelopsis chaffanjonii* (Lévl. & Van.) Rehder 27: 282  
*chrysobotrys* Lévl. & Van. = *Iodes ovalis* Bl. var. *vitiginea* (Hance) Gagnep. 27: 271, 285  
*dichromocarpa* = *Cayratia dichromocarpa* (Lévl.) Rehder 27: 283  
*dunniana* = *Ampelopsis aconitifolia* Bunge var. *palmiloba* (Carr.) Rehder 27: 282  
*esquirolii* Lévl. & Van. = *Tetrastigma hemsleyanum* Diels & Gilg. 27: 284  
*feddei* = *Parthenocissus heterophylla* (Bl.) Merrill 27: 284  
*flexuosa* Thunb. var. *mairei* (1909) = *V. thunbergii* Sieb. & Zucc. var. *mairei* (Lévl.) Lauener 27: 286  
*flexuosa* Thunb. var. *mairei* (Lévl.) Lévl. (1915) = *Tetrastigma serrulatum* (Roxb.) Planch. 27: 285  
*gentiliana* Lévl. & Van. = *Ampelopsis delavayana* Planch. var. *gentiliana* (Lévl. & Van.) Hand.-Mazz. 27: 283  
*heterophylla* Thunb. var. *aconitifolia* Lévl. & Van. = *Ampelopsis aconitifolia* Bunge 27: 281

- labordei* Lévl. & Van. = *Tetrastigma hemsleyanum* Diels & Gilg. 27: 284  
*lyjoannis* = *Ampelopsis bodinieri* (Lévl. & Van.) Rehder var. *cinerea* (Gagnep.) Rehder 27: 282  
*mairei* (1909) p.p. = *Cayratia oligocarpa* (Lévl. & Van.) Gagnep. f. *glabra* Gagnep. 27: 283  
*mairei* (1909) p.p. = *Tetrastigma serrulatum* (Roxb.) Planch. 27: 285  
*mairei* (1912) = *Gynostemma pentaphyllum* (Thunb.) Makino 27: 286; 31: 429  
*marchandii* = *V. wilsoniae* Veitch 27: 286  
*martini* Lévl. & Van. = *Gynostemma pentaphyllum* (Thunb.) Makino 27: 286; 31: 430  
*megaphylla* nom. nud. = *Ampelopsis chaffanjonii* (Lévl.) Rehder 27: 283  
*multijugata* Lévl. & Van. = *Ampelopsis cantoniensis* (Hook. & Arn.) Planch. 27: 282  
*obtecta* Wall. var. *glabra* (Lévl. & Van.) Lévl. = *Tetrastigma obtectum* (Wall.) Planch. var. *glabrum* (Lévl. & Van.) Gagnep. 27: 285  
*obtecta* Wall. var. *potentilla* (Lévl. & Van.) Lévl. = *Tetrastigma obtectum* (Wall.) Planch. var. *potentilla* (Lévl. & Van.) Gagnep. 27: 285  
*obtecta* Wall. var. *potentilla* (Lévl. & Van.) Lévl. f. *glabra* (Lévl. & Van.) Lévl. = *Tetrastigma obtectum* (Wall.) Planch. var. *glabrum* (Lévl. & Van.) Gagnep. 27: 284  
*oligocarpa* Lévl. & Van. = *Cayratia oligocarpa* (Lévl. & Van.) Gagnep. 27: 283  
*potentilla* Lévl. & Van. = *Tetrastigma obtectum* (Wall.) Planch. var. *potentilla* (Lévl. & Van.) Gagnep. 27: 285  
*potentilla* Lévl. & Van. var. *glabra* Lévl. & Van. = *Tetrastigma obtectum* (Wall.) Planch. var. *glabrum* (Lévl. & Van.) Gagnep. 27: 284  
*prunispida* Lévl. & Van. = *V. davidii* (Rom. du Caill.) Foex 27: 286  
*quelpaertensis* = *Gynostemma pentaphyllum* (Thunb.) Makino 27: 286; 31: 430  
*rigida* Lévl. & Van. = *Ampelopsis delavayana* Planch. 27: 283  
*rubrifolia* Lévl. & Van. = *Parthenocissus himalayana* (Royle) Planch. var. *rubrifolia* (Lévl. & Van.) Gagnep. 27: 284  
*seguinii* = *Iodes seguinii* (Lévl.) Rehder 27: 271, 286  
*taquetii* = *Parthenocissus tricuspidata* (Sieb. & Zucc.) Planch. 27: 284  
  
*Wahlenbergia mairei* = *Cyananthus albiflorus* Chamberlain 35: 252  
*Waltheria fauriei* 27: 9  
*Webera cavaleriei* = *Randia wallichii* Hook. f. 32: 114  
*henryi* = *Randia wallichii* Hook. f. 32: 114  
*marchandii* = *Daphniphyllum glaucescens* Bl. ssp. *oldhamii* (Hemsl.) Huang 32: 115 = *D. oldhamii* (Hemsl.) Rosenth. 40: 477  
*Wendlandia cavaleriei* 32: 115  
*dunniana* = *W. uvariifolia* Hance ssp. *dunniana* (Lévl.) Cowan 32: 115  
*feddei* = *W. cavaleriei* 32: 115  
*Wikstroemia bodinieri* (Lévl.) Lévl. = *Alyxia schlechteri* 37: 130; 40: 355  
*fauriei* = *W. sandwicensis* Meisn. 38: 497; 40: 356  
*hemsleyana* = *Alstonia mairei* 37: 130; 40: 355  
*multispicata* [Lévl. ex] Rock, nom. nud. = *W. sandwicensis* Meisn. 40: 356  
*salicina* (Lévl.) Lévl. & Blin 40: 355  
*valbrayi* = *W. indica* (L.) C. A. Meyer 40: 355  
*Wrightia schlechteri* = *W. sikkimensis* Gamble 37: 132  
  
*Xanthoceras enkianthiflora* = *Staphylea holocarpa* Hemsl. 27: 290  
*Xylosma dunnianum* = *Xylosma racemosum* (Sieb. & Zucc.) Miquel var. *kwangtungense* (Metcalfe) Rehder 26: 342  
  
*Zanthoxylum argyi* = *Z. simulans* Hance 27: 270  
*bodinieri* = *Z. dissitum* Hemsl. 27: 270  
*chaffanjonii* 27: 269  
*esquirolii* 27: 270  
*odoratum* (Lévl.) Lévl. = *Z. rhesoides* Drake 27: 270  
*oxyphyllum* Lévl. – non Edgew. = *Z. chaffanjonii* 27: 269  
*Zenobia cerasiflora* = *Enkianthus chinensis* Franch. 35: 257  
*Zizyphus esquirolii* = *Hovenia acerba* Lindl. 27: 278