GENERAL INDEX TO VOLUME 42

Acacia armata R. Br., 579
decipiens (C. Koen.) R. Br.
var. *praemorsa* Graham, 579
littorea Maslin, 579
tristis Graham, 579
Acantholimon longiscapum Bokhari, 563
Achasma metrocheilos Griff., 295
nasutum (K. Schum.) Loesen., 295, 312
Achnatherum P. Beauv., 386
sect. *Aristella* (Trin.) Tzvelev, 397
sect. *Neotrinia* Tzvelev, 386
sect. *Paratrikeraia* Chrtek & Hadač, 397
sect. *Trikeraia* (Bor) Tzvelev, 386
bromoides (L.) Nevski, 401
caragana (Trin.) Nevski, 386
hookeri (Stapf) Keng, 393
longearistatum (Boiss.) Nevski, 399
mongholicum (Turcz. ex Trin.) Ohwi, 405
splendens (Trin.) Nevski, 390
turcomanicum (Roshev.) Tzvelev, 398
Aeginetia capitata Graham, 586
Agropyron Gaertner, 77
attenuatiglume Nevski, 79
caespitosus C. Koch, 80
cristatum (L.) Gaertner
subsp. *incanum* (Náb.) Melderis, 77
var. *incanum* Náb., 77
divaricatum Boiss. & Bal., 79
gentryi Melderis, 82
junceum (L.) P. Beauv.
var. *sartorii* Boiss. & Heldr., 78
košaninii Náb., 79
lazicum Boiss., 79
podpěrae Náb., 78
pulcherrimum Grossh., 78
sinuatum Nevski, 80
sosnowskyi Hackel, 80
tauri Boiss. & Bal., 81
Agrostis bromoides L., 401
hissarica Rozhev., 563
stewartii Bor, 563
Ajuga xylorrhiza Kit Tan, 66
AKHTER, RUBINA & NASIR, YASIN J.
Vascular plant type specimens in the National Herbarium (RAW), Pakistan Agricultural Research Council, Islamabad, 559
Albuca batteniana Hilliard & Burtt, 247
crinifolia Baker, 249
riupestris Hilliard & Burtt, 249
xanthocodon Hilliard & Burtt, 250
Alepidea insculpta Hilliard & Burtt, 258
Allium paradoxicum Fisch. ex Graham, 581
tripterum E. Nasir, 559
Aloe boylei Baker, 251, 252
subsp. *boylei,* 251
subsp. *major* Hilliard & Burtt, 252
Alophia drummondiana Herb., 578
drummondii (Graham) Foster, 578
Alpinia Roxb., 273
angustifolia K. Schum., 286
aquatica (Retz.) Rosc., 275
argentea (Burtt & Smith) R. M. Smith, 282
borneensis Val. ex Gagnep., 278
brachypoda K. Schum., 271, 288
capitellata Jack, 274
cornu-cervi Ridley, 275
crocydocalyx K. Schum., 268, 288
cylindrostachys K. Schum., 288, 304
exostylis K. Schum., 275
flava Ridley, 278
flexistamen K. Schum., 286
fraseriana Oliv., 275
glabra Ridley, 284
var. *reticulata* R. M. Smith, 287
grandiceps Ridley, 274
hansenii R. M. Smith, 281
havilandii K. Schum., 279
hookeriana Val., 283
korthalsii K. Schum., 284
latilabris Ridley, 283
laxiflora Gagnep., 284
ligulata K. Schum., 276
longilora Ridley, 264, 288
martinii R. M. Smith, 281
melanocarpa (Teysm. & Binn.) Ridley, 275
microlophon Ridley, 283
mutica sensu Hook. f., 283
mutica Roxb., 284
var. *laxiflora* (Gagnep.) Gagnep., 284
nieuwenhuizii Val., 278
polycarpa K. Schum., 288, 300
ptychanthera K. Schum., 279
quadriloba Ridley, 275
reticosa Ridley, 276
rosella Ridley, 275
rubella Ridley, 275
sericea Ridley, 283
strobilifera Bak., 271
sumatrana (Miq.) K. Schum., 275
tamacuensis R. M. Smith, 282
sp., 281, 284
Alstroemeria aurantiaca D. Don, The correct name for, 150
Alstroemeria aurantiaca D. Don, 150, 570
aurea Graham, 150, 570
neillii Gillies ex Graham, 570
pallida Graham, 570
spathulata Presl, 570
AL-TAEY, RAFIDA ABDULLA & HOSSAIN, MOSHARRAF
Studies in Gundelia: 1. A new species from Iraq, 39

Amomum Roxb., 295
anomalum R. M. Smith, 300
bicorniculatum K. Schum., 308
burttii R. M. Smith, 301
cerasinum Ridley, 308
coriaceum R. M. Smith, 288, 304
dicotycoleum K. Schum., 308
fimbriobracteatum K. Schum., 312
flavidulum Ridley, 312
flavo-album R. M. Smith, 310
gracilipes K. Schum., 308
gyrolophos R. M. Smith, 305
hansenii R. M. Smith, 303
havilandii K. Schum., 293, 312
hewittii Ridley, 307
lambirense R. M. Smith, 298
laxisquamosum K. Schum., 305
ligulatum R. M. Smith, 298
longipedunculatum R. M. Smith, 309
luteum R. M. Smith, 310
macroglossum K. Schum., 305
nasutum K. Schum., 312
oliganthum K. Schum., 307
paucifolium R. M. Smith, 307
phaeochoana K. Schum., 294, 312
polycarpum (K. Schum.) R. M. Smith, 272, 288, 300
pungens R. M. Smith, 301
pyramidosphaera K. Schum., 312
reticulatum K. Schum., 292, 312
ridleyi R. M. Smith, 311
sarawacense K. Schum., 295, 304
scyphiferum Koenig, 292
stenosiphon K. Schum., 312
stoloniferum K. Schum., 312
surculosum K. Schum., 312
sylvestre Ridley, 311
testaceum Ridley, 311
xanthophlebium Bak., 309
sp. Merrill, 312
sp., 309, 312
Amphoricarpos praedictus Ayaşligil & Grierson, 70
Anadenia manglesii [Hort. ex] Graham, 585
Anatolia, More new taxa from south and east, 61
Anatomy of Dionysia II. Xeromorphic features, 327
Androsace aizoon Duby
subsp. *brirensis* Y. Nasir, 563
blatistanica Y. Nasir, 563
harrissii Duthie, 563
hazarica R. R. Stewart ex Y. Nasir, 563
himalaica (Kunth) Hand.-Mazz.
subsp. *kurramensis* Y. Nasir, 563
linearis Graham, 585
occidentalis Pursh, 585
Anthochlamys rechingeri Aellen, 560
Anthriscus nemorosa (Bieb.) Sprengel
var. *glabriusculus* Nasir, 565
Anthurium coriaceum (Graham) G. Don, 570
harrisii (Graham) G. Don, 571
harrisii (Graham) Kunth
var. *grahamianum* Engler, 571
Arabis bourgovii Rydberg, 576
drummondii Gray, 576
holboelii Hornem.
var *retrofracta* (Graham) Rydberg, 575
patula (Graham) Torrey, 576
retrofracta Graham, 575
Arbutus pilosa Graham, 576
ARGENT, G. C. G., LAMB, A. & PHILLIPPS, A.
New taxa and combinations in Vireya Rhododendrons from Sabah (Borneo), 113
Argyrella incana (E. Meyer ex Hochst.) Naud., 583
Aristella (Trin.) Bertol., 397
bromoides (L.) Bertol., 401
longiflora Regel, 390
Aristolochia guichardii Davis & Khan, 75
Artanema fimbriatum (Hook. ex Graham) D. Don, 558
Arthrostemma nitida Graham, 583
Aster confertifolius Hilliard & Burtt, 228
Astragalus albovillosus Kitamura
var. *nigrescens* Ali, 562
chitralensis Ali, 562
elazigense Ekim, 83
gilgitensis Ali, 562
imitensis Ali, 562
minuto-foliolatus Wendelbo, 562
oihorensis Ali, 562
pseudochlorostachys Ali, 562
punjabicus Sirj., 562
scorpiurus Ali, 562
staintonianus Ali, 562
Asyneuma strictum Wendelbo, 560
Australina acuminata Wedd., 259
caffra (Thunb.) Fourcade, 259
AYASLIGIL, Y.
New taxa and records from SW Turkey, 69

Baccharis alata Graham, 574
Begonia dietrichiana Irmsch., 572
dipetala Graham, 571
diversifolia Graham, 571
fischeri Otto ex Graham, 572
heracleifolia Schldl. & Cham, 572
homonyma Steudal, 572
insignis Graham, 572
papillosa Graham, 572
radiata Graham, 572
sinuata Graham, 572
undulata Graham, 572
Berberis section Wallichianae, A synopsis of, 529

Berberis
sect. *Wallichianae* Schneider, 532, 544
subsect. *Acuminatae* Ahrendt, 540
subsect. *Baranadanae* Schneider, 538
subsect. *Candidulae* Schneider, 535
subsect. *Hookerianae* Ahrendt, 532
subsect. *Insignes* Schneider, 536
subsect. *Pruinosae* Schneider, 550
subsect. *Sanguineae* Schneider, 542
subsect. *Subleves* Ahrendt, 555
subsect. *Triacanthophorae* Schneider, 544
subsect. *Verruculosae* Ahrendt, 535
subsect. *Wallichianae* Schneider, 537
ser. *Acuminatae* (Ahrendt) Chamberlain & Hu, 540
ser. *Baranadanae* (Schneider) Chamberlain & Hu, 538
ser. *Hookerianae*, 532
ser. *Insignes* (Schneider) Chamberlain & Hu, 536
ser. *Leves* (Ahrendt) Chamberlain & Hu, 551
ser. *Pruinosae* (Schneider) Chamberlain & Hu, 550
ser. *Sanguineae* (Schneider) Chamberlain & Hu, 542
ser. *Verruculosae* (Ahrendt) Chamberlain & Hu, 535
ser. *Wallichianae* (Schneider) Chamberlain & Hu, 544
subser. *Replicantae* Ahrendt, 544
subser. *Soulieanae* Ahrendt, 544
acuminata Franchet, 540
alpicola Schneider, 539
amabilis Schneider, 547
arguta (Franchet) Schneider, 541
aristo-serrulata Hayata, 539
asmyana Schneider, 536
atrocarpa Schneider, 555
var. *longipes* Ahrendt, 556
var. *subintegra* Ahrendt, 555
barandana Vidal, 538, 539
bergmanniae Scheider, 546
var. *acanthophylla* Schneider, 546
var. *bergmanniae*, 546
bhutanensis Ahrendt, 547
bicolor Lévl., 539, 540
brevisepala Hayata, 539
× *bristoliensis* Ahrendt, 556
buchananii Schneider, 542
var. *tawangensis* Ahrendt, 533
bullata Ahrendt, 556
calliantha Mulligan, 533
calliantha × *verruculosa*, 556
candidula Schneider, 536
cavaleriei Lévl., 553
centiflora Diels, 550
× *chenaultii* Ahrendt, 556
chingii Cheng, 547,
× *chiternensis* Ahrendt, 556
chrysophaera Mulligan, 534
collettii Schneider, 549
coxii Schneider, 534
dasyclada Ahrendt, 536
davidii Ahrendt, 543
deinacantha Schneider, 548
var. *deinacantha*, 548
var. *valida* Schneider, 548
delavayi Schneider, 542
var. *wachinensis* Ahrendt, 534
densa Schneider, 543
dolichostemon Ahrendt, 553
dumicola Schneider, 551
emelii Schneider, 553
fallaciosa Schneider, 541
fallax Schneider, 542, 543
ferdinardi-coburgii Schneider, 554
var. *vernalis* Schneider, 554
formosana Ahrendt, 539
formosana Li, 540
gagnepainii Schneider, 535
var. *filipes* Ahrendt, 535
var. *gagnepainii*, 535
var. *lanceifolia* Ahrendt, 535
f. *pluriflora* Ahrendt, 535
var. *omeiensis* Schneider, 535
var. *subovata* Schneider, 555
griffithiana Schneider, 547
var. *griffithiana*, 547
var. *pallida* (Hook. f. & Thomson) Chamberlain & Lu, 547
grodtmannia Schneider, 552
var. *flavaramea* Schneider, 552
var. *grodtmannia*, 552
hayata Mizushima, 540
helenae Ahrendt, 556
hibbardiana Ahrendt, 550
holocraspedon Ahrendt, 548
hookeri Lemaire, 533
subsp. *hookeri*, 533
subsp. *longipes* Chamberlain & Hu, 533
var. *hookeri* × *verruculosa*, 556
var. *microcarpa* Ahrendt, 533
var. *platyphylla* Ahrendt, 533
var. *viridis* Scheider, 533
hsuyunensis Hsiao & Sung, 535
× *hybrido-gagnepainii* Suringar, 556
hypokerina Airy-Shaw, 537
impedita Schneider, 541
incrassata Ahrendt, 537
var. *bucahwangensis* Ahrendt, 537
insignis Hook. f. & Thomson, 536
subsp. *incrassata* (Ahrendt) Chamberlain & Hu, 537
subsp. *insignis*, 536
var. *elegantifolia* Ahrendt, 537
var. *gouldii* Ahrendt, 537
var. *shergaonensis* Ahrendt, 537
var. *tongloensis* Schneider, 536
var. *zelaica* Ahrendt, 536

Berberis contd.
insolita Schneider, 544
× *interposita* Ahrendt, 556
julianae Schneider, 553
var. *oblongifolia* Ahrendt, 553
var. *patungensis* Ahrendt, 553
kawakamii Hayata, 539
lempergiana Ahrendt, 547
leptopoda Ahrendt, 548
levis Franchet, 551, 552
var. *brachyphylla* Ahrendt, 552
lijiangensis Chamberlain & Hu, 534
liophylla Schneider, 550
var. *conglobata* Ahrendt, 533
lubrica Schneider, 544
mairei Ahrendt, 551
manipurana Ahrendt, 549
micropetala Schneider, 549
mingetanensis Hayata, 539
nantoensis Schneider, 539
nemorosa Schneider, 553
orthobotrys Bien. ex Aitch.
subsp. *capitata* Jafri, 559
× *oxoniensis* Ahrendt, 556
panlanensis Ahrendt, 543
paraspecta Ahrendt, 543
petrogena Schneider, 543
phanera Schneider, 534
pingshanensis Sung & Hsiao, 541
poluninii Ahrendt, 548
praecipua Schneider, 548
var. *major* Ahrendt, 553
pruinosa Franchet, 550
var. *barresiana* Ahrendt, 556
var. *brevifolia* Ahrendt, 556
var. *brevipes* Ahrendt, 550
var. *centiflora* (Diels) Hand.-Mazz., 550
var. *longifolia* Ahrendt, 556
var. *punctata* Ahrendt, 556
var. *serratifolia* Ahrendt, 556
var. *tenuipes* Ahrendt, 551
var. *viridifolia* Schneider, 551, 553
recurvata Ahrendt, 541
replicata W. W. Smith, 547
var. *dispar* Ahrendt, 548
sanguinea Franchet, 543
sargentiana Schneider, 541
schneideriana Ahrendt, 553
silvicola Schneider, 541
var. *angustata* Ahrendt, 555
simulans Schneider, 541
soulieana Schneider, 546
var. *paucinervata* Ahrendt, 546
stenophylla Hance, 546
stewartiana Jafri, 559
subacuminata Schneider, 543
subcoriacea Ahrendt, 534
sublevis W. W. Smith, 555
var. *exquisita* Ahrendt, 555
var. *gracilipes* Ahrendt, 555
var. *grandiflora* Schenider, 555
subpteroclada Ahrendt, 547
var. *impar* Ahrendt, 547
var. *minoripes* Ahrendt, 548
triacanthophora Fedde, 546
taliensis Schneider, 547
taronensis Ahrendt, 548
var. *trimensis* Ahrendt, 548
valida (Schneider) Schneider, 549
veitchi Schneider, 546
veitchii × ? *verruculosa,* 556
venusta Schneider, 546
vernalis (Schneider) Chamberlain & Hu, 554
verruculosa Hemsley & Wilson, 535, 536
verruculosa × *gagnepainii,* 556
victoriana Chamberlain & Hu, 554
wallichiana sensu Hooker, 533
wallichiana DC., 532, 537, 544, 549
var. *gracilipes* Ahrendt, 554
var. *microcarpa* Hook. f. & Thomson, 555
var. *pallida* Hook. f. & Thomson, 547
var *xanthoxylon* Schneider, 538
f. *arguta* Franchet, 541
f. *parvifolia* Franchet, 543
wangii Schneider, 535
wardii Schneider, 549
× *watlingtonensis* Ahrendt, 556
willieana Schneider, 552
var. *serrulata* Schneider, 552
× *wintonensis* Ahrendt, 556
wisleyensis Ahrendt, 556
wokingensis Ahrendt, 556
xanthoclada Schneider, 549
xanthoxylon Hasskarl, 539
xanthoxylon (Schneider) Schneider, 538
var. *junghuhniana* Ahrendt, 539
var. *sumatranica* Ahrendt, 539
zanlanschianensis Pamp., 556
Berkheya griquana Hilliard & Burtt, 229
Billbergia cruenta (Graham) Hook., 572
Biota orientalis (L.) Endlicher, 595
Bletia patula Graham, 584
Blumenbachia insignis Schrader, 582
Boissiera Hochst. ex Steudel, 492
BOKHARI, M. H. & WENDELBO, P.
Anatomy of Dionysia II. Xeromorphic features, 327
BOOK REVIEWS
British and Irish Herbaria by D. H. Kent & D. E. Allen, 594
Conspectus Florae Orientalis: an annotated catalogue of the flora of the Middle East. Fasc. 2. M. Zohary, C. C. Heyn, D. Heller (eds), 351
The European Garden Flora. Vol. II: Monocotyledons (Part II). S. M. Walters et al. (eds), 350
The genus Trifolium by M. Zohary & D. Heller, 599

BOOK REVIEWS contd.
The Orchids of Nepal Himalaya by M. L. Banerji & P. Pradhan, 353
Bossiaea cinerea R. Br., 579
tenuicaulis Graham, 579
Bouvardia splendens Graham, 586
ternifolia (Cav.) Schldl., 586
triphylla Salisb.
var. *splendens* (Graham) Lindley, 586
Bowlesia asiatica E. Nasir, 565
Brachycome diversifolia (Graham) Fischer & C. Meyer, 575
Brachysiphon fucatus (L.) Gilg., 584
Brachystelma caudatum (Thunb.) N. E. Brown, 571
crispum Graham, 571
Bretschneidera Hemsl., The chromosomes of, 347
Bromelia cruenta Graham, 572
Bromopsis variegata (Bieb.) Holub
subsp. *villosula* (Steudel) Tzvelev, 486
Bromus
sect. *Boissiera* (Hochst. ex Steudel) P. M. Smith, 492
adjaricus Somm. & Levier, 496
arvensis L., 499
cappadocicus Boiss. & Bal.
subsp. *sclerophyllus* (Boiss.) P. M. Smith, 496
hordeaceus L., 498
subsp. *thominii* (Hardouin) Maire & Weiller, 496
madritensis L., 500
psammophilus P. M. Smith, 492
pubescens C. Koch, 496
pumilio (Trin.) P. M. Smith, 491, 492
racemosus L., 499
rubens L., 500
sclerophyllus Boiss., 496
scoparius L., 499
secalinus L., 497
squarrosus L., 499
sterilis L., 500
strictostachys P. M. Smith, 493
tectorum L., 500
thominii Hardouin, 496
variegatus Bieb.
subsp. *villosulus* (Steudel) P. M. Smith, 496
villosulus Steudel, 496
Browallia grandiflora Graham, 588
Bunium stewartianum E. Nasir, 565
Bupleurum aitchisonii (Boiss.) Wolff
f. *astro-violacea* O. E. Schulz, 565
canaliculatum Diels, 565
constancei E. Nasir, 565
kohistanicum E. Nasir, 565
longicaule Wall. ex DC.
var. *hazaricum* E. Nasir, 565
var. *ramosum* E. Nasir, 566
nigrescens E. Nasir, 566
stewartianum E. Nasir, 566
swatianum E. Nasir, 566
Burbidgea Hook f., 262
longilora (Ridley) R. M. Smith, 264, 288
nitida Hook. f., 264
pauciflora Val., 264
pubescens Ridl., 265
schizocheila Hackett, 265
stenantha Ridley, 265
BURTT, B. L. & HILLIARD, O. M.
Notes on some plants of southern Africa chiefly from Natal: XI, 227
A revision of Geranium in Africa south of the Limpopo, 171

Calamintha betulifolia Boiss. & Bal., 75
tauricola P. H. Davis, 75
Calceolaria arachnoidea Graham, 587
connata Hook. ex Graham, 587
purpurea Graham, 587
thyrsiflora Graham, 587
Calochortus barbatus (H. B. K.) Painter, 581
Calyptrostegia nana (Graham) Endl., 590
Campanula antalyensis Ayaşligil & Kit Tan, 71
staintonii Rech. f. & Schiman-Czeika, 560
tenuissima Dunn, 560
Cardamine violacea (D. Don) Hook. f. & Thoms.
subsp. *bhutanica* Grierson, 109
Carex chitralensis Nelmes, 561
Carpinus orientalis Miller
subsp. *orientalis*, 75
Carumbium populifolium (Graham) Benth., 577
Cassia opaca Graham, 579
Castelia cuneato-ovata Cav., 591
Catalogue of the names published by Hector Léveillé: XVIII, 595
Catimbium Lestib., 273
Cattleya intermedia Graham, 584
Cenolophon argenteum Burtt & Smith, 282
Centaurea athoa DC., 75
Cephalaria lycica Matthews, 75
Cephalorrhyncus chitralensis Tuisl, 560
Cerastium pisidicum Ayaşligil & Kit Tan, 70
Cereus napoleonis Graham, 573
Ceropegia bulbosa Roxb., 571
lushii Graham, 571
mansouriana Chaudhary & Lavranos, 317
tihamana Chaudhary & Lavranos, 316
Chaenorhinum minus (L.) Lange
subsp. *anatolicum* Davis, 75
Chaerophyllum reflexum Lindley
var. *occidentale* Hedge & Lamond, 566
CHAMBERLAIN, D. F. & HU, C. M.
A synopsis of Berberis section Wallichianae, 529

CHAUDHARY, SHAUKAT A. & LAVRANOS, JOHN J.
Studies in the Flora of Arabia: XVI. Two new species of Ceropegia from Saudi Arabia, 315
Chelonopsis albiflora Pax ex K. Hoffm.
var. *cashmeriana* Mukerji, 561
Chorizema baxteri Graham, 579
dicksonii Graham, 579
scandens Sm., 579
Chromosomes of Bretschneidera Hemsl., 347
Cistanche lutea Hoffm. & Link, 28
lutea Hoffg., 28
phelypaea (L.) Cout., 28
Cleome heratensis Bunge & Bien. ex Boiss.
subsp. *pakistanica* Jafri, 560
Coccosypselum campanuliflorum (Hook.) Cham. & Schldl., 586
Collinsia bicolor Benth., 587
heterophylla Buist ex Graham, 587
Commelina diffusa Burm. f., 574
formosa Graham, 574
Conobea alata Graham, 588
Conospermum acinacifolium Graham, 585
Corchorus pseudo-olitorius Islam & Zaid, 565
Cordyline baueri Hook. f., 581
obtecta (Graham) Baker, 581
Correct name for Alstroemeria aurantiaca D. Don, 150
Cortia schmidii E. Nasir, 566
Cortus matthioli
subsp. *hazarica* Y. Nasir & Ali, 563
Corydalis adiantifolia
var. *heterocarpa* Jafri, 561
bowes-lyonii Long, 99
calliantha Long, 105
cashmeriana Royle
subsp. *brevicornu* (Prain) Long, 90
subsp. *cashmeriana,* 88
var. *brevicornu* Prain, 90
var. *ecristata* Prain, 91
casimiriana Duthie & Prain, 102
cavei Long, 103
changuensis Long, 102
delicatula Long, 97
dorjii Long, 93
drepanantha Long, 101
ecristata (Prain) Long, 91
var. *ecristata,* 91
var. *longicalcarata* Long, 93
gerdae Fedde
var. *physodes* Long, 87
govaniana Wall.
var. *malukiana* Jafri, 561
iochanensis Léveillé, 98
jigmei Fischer & Kaul, 90
laelia Prain
subsp. *bhutanica* Long, 96
murreeana Jafri, 561
pakistanica Jafri, 561
prainiana Kanodia & Mukerjee, 102
pseudo-crithmiifolia Jafri, 561
stewartii Fedde, 561
triternata? sensu Prain, 93
Cousinia chitralensis Rech. f., 560
Crotalaria dichotoma Graham, 580
pumila Ortega, 580
Crucianella angustifolia L., 75
imbricata Boiss., 75
Cryptomeria fortunei [Hooibrenk ex] Otto & Dietr., 595
japonica (L.) D. Don
var. *sinensis* Miq., 595
mairei (Lévl.) Nakai, 595
Ctenanthe setosa (Roscoe) Eichler, 583
Cubanola daphnoides (Graham) Aiello, 586
Cunninghamia lanceolata (Lamb.) Hook., 596
sinensis R. Br.
var. *prolifera* Lemée & Lévl., 596
Cupressus mairei Lévl., 595
Cuscuta (Convolvulaceae), Hydnoraceae, Orobanchaceae. Some parasitic angiosperms of Sudan, 21
Cuscuta arabica Fres., 32
australis R. Br., 37
brevistyla A. Braun ex A. Rich., 33
campestris Yuncker, 36
chinensis Lam., 37
cordofana (Engelm.) Yuncker, 37
hyalina Roth, 33
kilimanjari Oliv., 35
obtusiflora
var. *cordofana* Engelm., 37
pedicellata Ledeb., 32
planiflora Ten., 33
Cuviera caput-medusae (L.) Koeler
var. *aspera* Simonkai, 81
Cyphella drummondii Graham, 578

Delphinium from Saudi Arabia, A new. Studies in the Flora of Arabia XIII, 17
Delphinium nordhagenii Wendelbo, 563
penicillatum Boiss., 19
sheilae Kit Tan, 17
Desmodium elegans DC.
var. *nutans* (Graham) Ohashi, 580
Dianthus roseoluteus Vel., 75
Didiscus coeruleus (Graham) Hook., 591
Dionysia II. Anatomy of. Xeromorphic features, 327
Diplolophium buchananii (Oliver) Norman
subsp. *swynnertonii* (Baker f.) Cannon, 259
swynnertonii (Baker f.) Norman, 259
Dissotis canescens (E. Meyer ex Graham) Hook. f., 583
incana (E. Meyer ex Hochst.) Triana, 583
Donacodes tomentosus Bl., 290
villosus Teysm. & Binn., 290

Draba aubrietoides Jafri, 560
crassifolia Graham, 576
gracilis Graham, 576
hicksii Grierson, 107
nemorosa L.
var. *leiocarpa* Lindblom, 576
pakistanica Jafri, 560
sherriffii Grierson, 108
Dracaena obtecta Graham, 581
Drimia modesta (Baker) Jessop, 252
Dysophylla pumila (Graham) Benth., 578

Edwardsiana macnabiana Graham, 580
EKIM, T.
Some new taxa and records for Turkey, 83
Elephantopus martii Graham, 574
sericeus Graham, 575
tomentosus L., 574
Elettaria minor Bl., 294
surculosa (K. Schum.) Burtt & Smith, 312
Elettariopsis stenosiphon (K. Schum.) Burtt & Smith, 312
EL-SHEIKH, A. M., MIGAHID, A. M., FREY, W. & KÜRSCHNER, H.
Zonation and photosynthetic pathways of halophytes on the Red Sea coast near Tawwal (Saudi Arabia), 45
Elymus L., 77
caespitosus Sukaczev, 80
cappodocicus Boiss. & Bal., 81
clivorum Melderis, 77
crinitus Schreiber, 81
divaricatus Drobov, 79
elongatus (Host) Runemark
subsp. *salsus* Melderis, 77
subsp. *turcicus* (McGuire) Melderis, 81
erosiglumis Melderis, 78
farctus (Viv.) Runemark ex Melderis
subsp. *bessarabicus* (Savul. & Rayss) Melderis
var. *striatulus* (Runemark) Melderis, 82
subsp. *farctus*
var. *sartorii* (Boiss. & Heldr.) Melderis, 78
gentryi (Melderis) Melderis, 82
hispidus (Opiz) Melderis
subsp. *podpyerae* (Nab.) Melderis, 78
subsp. *pulcherrimus* (Grossh.) Melderis, 78
koshaninii (Nab.) Melderis, 79
lazicus (Boiss.) Melderis, 79
subsp. *attenuatiglumis* (Nevski) Melderis, 79
subsp. *divaricatus* (Boiss. & Bal.) Melderis, 79
subsp. *lomatolepis* Melderis, 79
longearistatus (Boiss.) Tzvelev
subsp. *sintenisii* Melderis, 79
nodosus (Nevski) Melderis
subsp. *caespitosus* (C. Koch) Melderis, 80
subsp. *gypsicolus* Melderis, 80
subsp. *platyphyllus* Melderis, 80
subsp. *sinuatus* (Nevski) Melderis, 80
sosnowskyi (Hackel) Melderis, 80
striatulus Runemark, 82
tauri (Boiss. & Bal.) Melderis, 81
subsp. *pertenuis* (C. A. Meyer) Melderis, 81
Elytrigia caespitosum (C. Koch) Nevski
subsp. *sinuata* (Nevski) Tzvelev, 80
intermedia (Host) Nevski
subsp. *pulcherrima* (Grossh.) Tzvelev, 79
tauri (Boiss. & Bal.) Tzvelev
subsp. *pertenuis* (C. A. Meyer) Tzevelev, 81
turica McGuire, 81
Epacris ceraeflora Graham, 576
impressa Labill., 576
nivalis Loddiges, 576
Epilobium chitralense Raven, 562
royleanum Hausskn.
f. *glabrum* Raven, 562
Eremophila glabra (R. Br.) Ostenf., 583
Eremopyrum (Ledeb.) Jaub. & Spach, 81
bonaepartis (Spengel) Nevski
subsp. *hirsutum* (Bertol.) Melderis, 81
Erica L., 239
albospicata Hilliard & Burtt, 240
anomala Hilliard & Burtt, 242
austroverna Hilliard, 243
caespitosa Hilliard & Burtt, 244
dissimulans Hilliard & Burtt, 245
Erigeron humilis Graham, 575
Eriocycla staintonii Riedl & Kuber, 566
Eriostemon gracile Graham, 586
Erythrocoma triflora (Pursh) E. L. Greene, 586
Euonymus scandens Graham, 574
Euphorbia cruentata Graham, 577
Euphrasia aristulata Pennell, 564
densiflora Pennell, 564
flabellata Pennell, 564
foliosa Pennell, 564
incisa Pennell, 564
laxa Pennell, 564
multiflora Pennell, 564
platyphylla Pennell, 564
remota Pennell, 564
secundiflora Pennel, 564
Eutoca sericea Graham, 577

Ferraria elongata Graham, 578
Ferula stewartiana O. E. Schulz, 566
FREITAG, H.
The genus Stipa (Gramineae) in southwest and south Asia, 355

FREY, W., KÜRSCHNER, H., EL-SHIEKH, A. M. & MIGAHID, A. M.
Zonation and photosynthetic pathways of halophytes on the Red Sea coast near Tawwal (Saudi Arabia), 45
Fritillaria cuprea Graham, 581
leucantha Fischer ex Schult., 581
leucantha Fischer ex Graham, 581
verticillata Willd., 581

Gagea kashmiriensis Turrill, 562
Galium asparagifolium Boiss. & Heldr., 76
setaceum Lam., 76
Gardoquia gilliesii Graham, 578
Gaudiniopsis macra (M. Bieb.) Eig
subsp. *micropyroides* (H. Scholz) Ayaşligil & Kit Tan, 74
micropyroides H. Scholz, 74
Gaultheria humifusa (Graham) Rydberg, 591
myrsinites Hook., 591
Geanthus fimbriobracteatus (K. Schum.) Burtt & Smith, 312
sanguineus (Ridl.) R. M. Smith, 295
Gelasine azurea Herb., 578
Gentiana caespitosa Graham, 577
glauca Pall., 577
Geranium L. from China. New taxa of, 325
Geranium in Africa south of the Limpopo, 171
Geranium
sect. *Incana* Reicha, 180
sect. *Simensia* Knuth, 221
alticola [Schltr. ex] Knuth, 203
amatolicum Hilliard & Burtt, 211
angustipetalum Hilliard & Burtt, 185
arabicum Forssk., 221
baurianum Knuth, 215
brycei N. E. Br., 183
caffrum Ecklon & Zeyher, 199
canescens L'Hérit., 189
contortum Ecklon & Zeyher, 214
costatum Graham, 577
discolor Hilliard & Burtt, 186
dissectum L., 223
drakensbergense Hilliard & Burtt, 190
dregei Hilliard & Burtt, 201
elongatum Salisb., 195
flanaganii [Schltr. ex] Knuth, 218
flexuosum E. Mey., 215
glandulosum [Lehm. ex] Ecklon & Zeyher, 189
grandistipulatum Hilliard & Burtt, 213
harveyi Briq., 187
incanum auct. non Burm. f., 191
incanum Burm. f., 195
subsp. *nyassense* (Knuth) Laundon, 198
var. *β flore rubro* Ecklon & Zeyher, 197
var. *glabrius* Knuth, 191
var. *grandicalyculatum* Knuth, 191
var. *incanum,* 195
var. *multifidum* (Sweet) Hilliard & Burtt, 197
var. *pottiae* Burtt Davy, 180
var. *purpureum* Burtt Davy, 191
knysnaense Knuth, 216
kweichowense Huang, 325
lanuginosum Knuth, 182
magniflorum Knuth, 194
molle L., 223
multifidum Sweet, 197
multisectum N. E. Br., 191
natalense Hilliard & Burtt, 204
nyassense Knuth, 198
ocellatum Camb.
var. *yunnanense* R. Knuth, 326
ornithopodioides Hilliard & Burtt, 220
ornithopodon auct., 218
ornithopodon Eckon & Zeyher, 216
var. *album* Kuntze, 208
var. *lilacinum* Kuntze, 205
pratense L.
subsp. *stewartianum*
var. *schmidii* Y. Nasir, 561
var. *stewartianum* Y. Nasir, 561
pulchrum N. E. Br., 182
purpureum Vill., 224
robustum Kuntze, 180
rotundifolium L., 222
schlechteri Knuth, 205
sericeum Harvey, 187
simense [Hochst. ex] A. Rich., 222
sparsiflorum [Schltr. ex] Knuth, 203
subglabrum Hilliard & Burtt, 202
tapintzense Huang, 326
thodei [Schltr. ex] Knuth, 183
wakkerstroomianum Knuth, 208
Geum triflorum Pursh, 586
Glyceria kashmiriensis Kelso, 563
tonglensis C. B. Clarke, 563
Gnetum cavaleriei Lévl., 595
Gompholobium polymorphum R. Br.
var. *luteum* Graham, 580
Gramineae tribe Triticeae from Turkey. New taxa and combinations in, 77
Grevillea baueri R. Br., 585
glabrata (Lindley) Meisn., 585
pubescens Graham, 585
GRIERSON, A. J. C.
Notes relating to the Flora of Bhutan: X, 107
Gundelia purpurascens Bornm., 43
rosea Hossain & Al-Taey, 41
tournefortii L.
var. *β* L., 41
f. *purpurascens* Bornm., 41
Gypsophila gmelinii Bunge, 64
hakkiarica Kit Tan, 61
koeii Rech. fil., 64
patrinii Ser., 64

Gypsophila contd.
perfoliata L.
var. *araratica* Kit Tan, 63
polyclada Fenzl ex Boiss., 64

Halenia fischeri Graham, 577
Hardenbergia comptoniana Benth., 580
HEDGE, I. C.
A memorial to Prof. Michael Zohary (review), 351
A world monograph of Trifolium (review), 599
Hedyotis campanuliflora Hook., 586
Hedysarum nutans Graham, 580
Helichrysum bracteatum Willd.
var. *albidum* DC., 575
niveum Graham, 575
Helicteres apetala Jacq., 128
Hellenia melanocarpa Teysm. & Binn., 275
Heracleum peshmeniana Ekim, 84
Heritiera aquatica Retz., 275
Heteropteris fulgens Graham, 582
fulgens (Lam.) H. B. K., 582
Heuchera glabra Willd., 587
Hibiscus divaricatus Graham, 582
splendens Fischer ex Graham, 582
HILLIARD, O. M. & BURTT, B. L.
Notes on some plants of southern Africa chiefly from Natal: XI, 227
A revision of Geranium in Africa south of the Limpopo, 171
Homalanthus populifolius Graham, 577
Hordeum hirsutum Bertol., 81
Hornstedtia Retz., 289
affinis Ridley, 294, 312
brachychilus Ridley, 295
havilandii (K. Schum) K. Schum., 293, 312
hewittii Ridley, 295
incana R. M. Smith, 290
licmeres Ridley, 295
longipes Ridley, 293
minor (Bl.) K. Schum., 294
minor (Bl.) Val., 294
phaeochoana (K. Schum.) K. Schum., 294
pininga (Bl.) Val., 293
var. *borneense* R. M. Smith, 293
reticulata (K. Schum.) K. Schum., 292, 312
sanguinea Ridley, 295
sarawacensis (K. Schum.) K. Schum., 295, 304
scyphifera (Koenig) Steud., 292
spathulata Ridley, 295
tomentosa (Bl.) Bakh. f., 290
triloba Ridley, 295
velutina Ridley, 295
villosa (Taysm. & Binn.) Val., 290
winkleri Ridley, 295

HOSSAIN, MOSHARRAF & AL-TAEY, RAFIDA ABDULLA
Studies in Gundelia: 1. A new species from Iraq, 39
HU, C. M. & CHAMBERLAIN, D. F.
A synopsis of Berberis section Wallichianae, 529
HU, CHI-MING & YANG DI-QUING
The chromosomes of Bretschneidera Hemsl., 347
HUANG, CHENG-CHIU
New taxa of Geranium L. from China, 325
Hydnora abyssinica A. Br., 23
johannis Beccari, 23
Hydnoraceae, Orobanchaceae, and Cuscuta (Convolvulaceae). Some parasitic angiosperms of Sudan, 21
Hylocereus napoleonis (Graham) Britton & Rose, 573

Iberis attica Jord., 74
Imperialis leucantha Fischer, 581
Ipheion uniflorum (Graham) Raf., 581
Ivira Aublet, 123
pruriens Aublet, 143

Juncus compressus Jacq.
var. *pseudo-geradii* Jafri, 561
Juniperus formosana Hayata, 596
franchetiana Lévl., 596
lemeeana Lévl. & Blin., 596
mairei Lemée & Lévl., 596
squamata [Buch.-Ham. ex] Lamb., 596
var. *fargesii* Rehder & Wilson, 596

Kennedia comptoniana Link
var. *quinquefolia* Graham, 580
Keteleeria davidiana (Bertr. ex Carr.) Beissn., 596
esquirolii Lévl., 596
Kikxia subsessilis Pennell, 564
KÜRSCHNER, H., EL-SHIEKH, A. M., MIGAHID, A. M. & FREY, W.
Zonation and phtosynthetic pathways of halotypes on the Red Sea coast near Tawwal (Saudi Arabia), 45

LAMB, A., PHILLIPPS, A. & ARGENT, G. C. G.
New taxa and combinations in Vireya Rhododendrons from Sabah (Borneo), 113
Languas Small, 273
angustifolia (K. Schum.) Merr., 286
borneensis (Val.) Merr,, 278
brachypoda (K. Schum.) Merr., 272
capitellata (Jack) Merr., 274
cornu-cervi (Ridley) Merr., 275
crocydocalyx (K. Schum.) Merr., 268

Languas contd.
exostylis (K. Schum.) Merr., 275
flava (Ridley) Merr., 278
flexistamen (K. Schum.) Merr., 286
fraseriana (Oliv.) Merr., 275
glabra (Ridley) Merr., 286
havilandii (K. Schum.) Merr., 279
hookeriana (Val.) Merr., 283
korthalsii (K. Schum.) Merr., 284
laxiflora (Gagnep.) Merr., 284
ligulata (K. Schum.) Merr., 276
longilora (Ridley) Merr., 264
microlophon (Ridley) Merr., 283
mutica (Roxb.) Merr., 284
polycarpa (K. Schum.) Merr., 300
ptychanthera (K. Schum.) Merr., 279
reticosa (Ridley) Merr., 276
rubella Merr., 275
sericea (Ridley) Merr., 283
strobilifera (Bak.) Merr., 272
sumatrana (Miq.) Merr., 275
Lantana hirta Graham, 591
mollis Graham, 591
Lanthraea phelypaea L., 28
Lasiagrostis Link, 386
§ *Lasiagrostis* Trin. & Rupr., 386
§ *Leptanthele* Trin. & Rupr., 404
bromoides (L.) Nevski, 401
caragana (Trin.) Trin. & Rupr., 386
jacquemontii (Jaub. & Spach) Boiss., 394
litwinowiana Smirnow ex Gamajun et al., 398
longearistata (Boiss.) Rosh. & Nevski ex Rosh., 399
mongholica (Turcz. ex Trin) Trin. & Rupr., 405
splendens (Trin.) Knuth, 389
subsessiliflora Rupr., 411
tremula Rupr., 424
Lasiopetalum macrophyllum Graham, 589
LAUENER, L. A.
The correct name for Alstroemeria aurantiaca D. Don, 150
LAUENER, L. A. & PAUL, H.
The type specimens of Robert Graham, 567
Lavandula in Arabia and tropical northeast Africa, The genus, 503
Lavandula
sect. *Pterostoechas* Gingins, 504
sect. *Stoechas* Gingins, 504
sect. *Subnuda* Chaytor, 503
aristibracteata A. G. Miller, 517
atriplicifolia Bentham, 523
bipinnata Kuntze
ε *nimmoi* (Bentham) Kuntze, 514
ζ *setifera* (T. Anderson) Kuntze, 512
δ *subnuda* (Bentham) Kuntze, 506
canescens Deflers, 523
citriodora A. G. Miller, 522
coronopifolia Poiret, 519
dentate L., 525
dhofarensis A. G. Miller, 510
subsp. *ayunensis* A. G. Miller, 512
subsp. *dhofarensis*, 511
galgalloensis A. G. Miller, 515
hasikensis A. G. Miller, 526
macra Baker, 508
nimmoi Bentham, 514
pubescens Decaisne, 521
santoliniaefolia Spach, 525
setifera T. Anderson, 512
somaliensis Chaytor, 518
stricta Delile, 519
subnuda Benth., 503, 506
LAVRANOS, JOHN J. & CHAUDHARY, SHAUKAT, A.
Studies in the Flora of Arabia: XVI. Two new species of Ceropegia from Saudi Arabia, 315
LEBLEBICI, ERKUTER
Two new species from Turkey, 321
Léveillé, Hector Catalogue of the names published by: XVIII, 595
Leucocarpus alatus (Graham) D. Don, 588
Leymus Hochst., 81
cappadocicus (Boiss. & Bal.) Melderis, 81
Libertia crassa Graham, 578
formosa Graham, 578
Liparis walkeriae Graham, 584
Lipostoma capitatum (Graham) D. Don, 586
Loasa incana Graham, 582
patula Graham, 582
pinnata Graham, 582
Lobelia assurgens L.
var. *portoricensis* (A. DC.) Urb., 574
corymbosa Graham
crispa Graham, 573
fenestralis Cav., 573
jasionoides (A. DC.) E. Wimm., 573
kraussii Graham, 573
mollis Graham, 573
odorata Graham, 573
robusta Graham, 573
rugulosa Graham, 574
xalapensis H. B. K., 573
LONG, D. G.
Notes relating to the Flora of Bhutan: IX. Corydalis (Fumariaceae), 87
Lupinus incanus Graham, 580
Lycaste aromatica (Graham) Lindley, 584

Macowania Oliver, 230
deflexa Hilliard & Burtt, 231
Malva creeana Graham, 582
MANDAVILLE, JAMES P.
Studies in the Flora of Arabia XI: Some historical and geographical aspects of a principal floristic frontier, 1
Manglesia glabrata Lindley, 585

Maranta secunda Graham, 583
Mateatia Vell.Conc., 123
curiosa Vell.Conc., 125
Maxillaria aromatica Graham, 584
McKEAN, D. R.
British and Irish Herbaria (review), 594
Catalogue of the names published by Hector Léveillé: XVIII, 595
MELDERIS, A.
New taxa and combinations in Gramineae tribe Triticeae from Turkey, 77
Mentha fistulosa L.
var. *menthifolia* (Graham) Fernald, 579
? *pumila* Graham, 578
MIGAHID, A. M., FREY, W., KÜRSCHNER, H. & EL-SHEIKH, A. M.
Zonation and photosynthetic pathways of halophytes on the Red Sea coast near Tawwal (Saudi Arabia), 45
Milla uniflora Graham, 581
MILLER, A. G.
The genus Lavandula in Arabia and tropical northeast Africa, 503
Mirbelia angustifolia Graham, 580
baxteri Lindley, 579
rubiifolia (Andr.) G. Don, 580
Mitella trifida Graham, 587
Monarda menthaefolia Graham, 578
More new taxa from south and east Anatolia, 61
MUSSELMAN, L. J.
Some parasitic angiosperms of Sudan. Hydnoraceae, Orobanchaceae, and Cuscuta (Convolvulaceae), 21
Myosotis ramossissima Rochel. ex Schultes
subsp. *ramossissima*, 75
silvatica Ehrh. ex Hoffm.
subsp. *cyanea* Vestergren, 75
Myrica esquirolii Lévl., 598
Myricaria germanica (L.) Desv.
subsp. *pakistanica* Qaiser, 565

NASIR, YASIN, J. & AKHTER, RUBINA
Vascular plant type specimens in the National Herbarium (RAW), Pakistan Agricultural Research Council, Islamabad, 559
Neoregelia cruenta (Graham) L. B. Smith, 572
New taxa and combinations in Gramineae tribe Triticeae from Turkey, 77
New taxa and combinations in Vireya Rhododendrons from Sabah (Borneo), 113
New taxa and records from SW Turkey, 69
New taxa of Geranium L. from China, 325
Nicolaia pyramidosphaera (K. Schum.) Burtt & Smith, 312
Nicotiana acuminata (Graham) Hook., 589
glauca Graham, 588
Nierembergia intermedia Graham, 589
linariaefolia Graham, 589
Notes on some plants of southern Africa chiefly from Natal: XI, 227
Notes relating to the Flora of Bhutan: IX. Corydalis (Fumariaceae), 87; X, 107

Observations on Turkish brome-grasses. I. Some new taxa, new combinations and notes on typification 491
Odonites himalaica Pennell, 564
Oenothera perampla Graham, 583
Omalanthus populifolius Graham, 577
Onobrychis ralphii Sirj., 562
stewartii Baker, 562
Orinus arenicola Hitchcock, 563
thoroldii (Stapf. ex Hemsley) Bor, 563
Ormopterum tuberosum E. Nasir, 566
Ornithogalum calcaratum Baker, 252
melanogynum Cullen, 57
Ornithogalum persicum, a little known species from southwest Asia, 57
Ornithogalum persicum Hausskn. ex Bornm., 57
var. *elongatum* Bornm., 57
var. *longeciliatum* Rech. f., 57
Orobanchaceae, and Cuscuta (Convolvulaceae), Hydnoraceae. Some parasitic angiosperms of Sudan, 21
Orobanche aegyptiaca Pers., 75
cernua Loefl., 30
var. *desertorum* Beck, 30
lutea Baumg., 75
minor Sm., 31, 75
ramosa L., 29
Orthoraphium Nees, 403
roylei Nees, 403
Oryzopsis asiatica Mez, 386
longearistata (Boiss.) Rosh., 399
pallescens Westberg, 386
turcomanica Roshev., 398
wendelboi Bor, 563
Osbeckia canescens E. Meyer ex Graham, 583
incana E. Meyer ex Hochst., 583
Osteospermum attenuatum Hilliard & Burtt, 232
Oxalis bipunctata Graham, 577
corymbosa DC., 577
debilis H. B. K.
var. *corymbosa* (DC.) Lourt., 577
Oxylobium scandens (Sm.) Benth., 579
Oxytropis birirensis Ali, 562
chitralensis Ali, 562
gloriosa Ali, 562
immersa (Baker ex Aitch.) Bunge ex B. Fedtsch.
var. *jinaliensis* Ali, 562

Palavia rhombifolia Graham, 583
Papaver stewartianum Jafri & Qaiser, 562
Passiflora alata Dryand.
var. *pedunculata* Graham, 584
PAUL, H. & LAUENER, L. A.
The type specimens of Robert Graham, 567
Pedicularis albida Pennell, 564
brunoniana Wallich ex Pennell
subsp. *ctenodonta* Pennell, 564
subsp. *ornata* Pennell, 564
multiflora Pennell, 564
rhinanthoides Schrenk
subsp. *speciosa* Pennell, 564
stewartii Pennell, 564
Penaea imbricata Graham, 584
Penstemon glaucus Graham, 588
micranthus Nutt., 588
procerus Douglas ex Graham, 588
Pernettya ciliata (Schldl. & Cham.) Small, 577
pilosa (Graham) G. Don, 577
Persoonia acerosa Sieber, 585
pallida Graham, 585
Petunia acuminata Graham, 589
intermedia (Graham) G. Don, 589
linearis (Hook.) Paxton, 589
Phacelia sericea (Graham) A. Gray, 577
Phalangium longifolium Graham, 581
PHILLIPPS, A., ARGENT, G. C. G. & LAMB, A.
New taxa and combinations in Vireya Rhododendrons from Sabah (Borneo), 113
Physianthus auricomus Graham, 571
Physotrichia swynnertonii Baker f., 259
Pimelia hendersonii Graham, 590
imbricata R. Br., 590
intermedia [Hort. ex] Graham, 590
nana Graham, 590
rosea R. Br., 590
var. *hendersonii* (Graham) Meisn., 590
Pimpinella stewartii (Dunn) E. Nasir, 566
Pinus argyi Lemée & Lévl., 597
var. *longevaginans* Lévl., 597
armandii Franch., 597
cavaleriei Lemée & Lévl., 597
densiflora Sieb. & Zucc., 597
komarovii Lévl., 597
lanceolata Lamb., 596
levis Lemée & Lévl., 597
massoniana D. Don, 597
nana Faurie & Lemée, 597
Piptatherum hilariae Pazij., 563
longearistatum Boiss. & Hausskn. ex Boiss., 399
Pipturanthos stewartii Dunn, 566
Pistacia × *saportae* Burnat, 86
Plagiostachys Ridley, 265
albiflora Ridley, 268
borneensis Ridley, 271
brachypoda (K. Schum.) Loesen, 271
bracteolata R. M. Smith, 270
crocydocalyx (K. Schum.) Burtt & Smith, 268, 288
polycarpa (K. Schum.) Loesen., 272, 300
strobilifera (Bak.) Ridley, 271, 288
sp. nov., 271
sp., 272
Plantago balistanica Hartmann, 562
Platycladus orientalis (L.) Franco, 595
Platytaenia multicaule E. Nasir, 566
Podocarpus mairei Lemée & Lévl., 596
neriifolius D. Don, 598
Podolepis gracilis Graham, 575
Podolobium scandens (Sm.) DC., 579
Podotheca gnaphalioides Graham, 575
Polemonium boreale Adams, 584
richardsonii Graham, 584
Polygonum afyonicum Leblebici & Gemici, 321
luzuloides Jaub. & Spach, 323
patulum Bieb.
subsp. *pulchellum* (Lois.) Leblebici, 323
pulchella Lois., 323
rottboellioides Jaub. & Spach, 323
salsugineum Bieb., 323
setosum Jacq.
subsp. *luzuloides* (Jaub. & Spach) Leblebici, 323
Portlandia daphnoides Graham, 586
Potentilla aladaghensis Leblebici, 321
chrysantha Trev.
var. *karakoramensis* Hartmann, 563
Pothos coriacea Graham, 570
harrisii Graham, 571
Pratia angulata (Forst. f.) Hook. f., 574
hederacea (Cham.) G. Don, 573
Pseudotsuga davidiana [Bertr. ex] Carr., 596
Ptilagrostis Griseb., 404
concinna (Hook. f.) Rosh., 404
mongholica (Turcz. ex Trin) Griseb., 405
purpurea (Griseb.) Rosh., 424
subsessiliflora (Rupr.) Rosh., 411
tibetica (Mez) Tzvelev, 405
Pultenaea cordata Graham, 580
juniperina Labill.
var. *latifolia* Benth., 581
Pyrethrum diversifolium Graham, 575

Ranunculus dissectus Bieb.
subsp. *ermenekensis* Kit Tan & Vural, 61
gueneri Ayaşligil & P. H. Davis, 69
hispidus Michx.
var. *marilandicus* (Poir.) L. Benson, 586
schlechtendalii Hook. ex Graham, 585
stewartii Riedb, 563
RENZ, JANY
Nepalese orchids (review), 353

Review of Bornean Zingiberaceae: 1 (Alpineae p.p.), 261
Revision of the Brazilian species of Sterculia L., 121
Revision of Geranium in Africa south of the Limpopo, 171
Rhodiola marginata Grierson, 109
Rhododendron
ser. *Dendrolepidon* Argent, Lamb & Phillipps, 117
baconii Argent, Lamb & Phillipps, 115
borneense (J. J. Smith) Argent, Lamb & Phillipps, 118
subsp. *borneense,* 118
subsp. *villosum* (J. J. Smith) Argent, Lamb & Phillipps, 118
cuneifolium Stapf
var. *microcapum* Argent, Lamp & Phillipps, 118
durionifolium Becc.
subsp. *sabahense* Argent, Lamb & Phillipps, 119
gracile Lindley, 114
javanicum (Bl.) Benn.
subsp. *brookeanum* (Lindley) Argent & Phillipps
var. *kinabaluense* Argent, Lamb & Phillipps, 113
subsp. *cockburnii* Argent, Lamb & Phillipps, 113
subsp. *gracile* (Lindley) Argent, Lamb & Phillipps, 114
× *liewianum* Argent, Lamb & Phillipps, 120
longiflorum Lindley
var. *longipetalum* Argent, Lamb & Phillipps, 114
meijeri Argent, Lamb & Phillipps, 116
quadrasianum Vidal
var. *borneense* J. J. Smith, 118
var. *villosum* J. J. Smith, 118
rugosum Low ex Hook. f.
var. *laeve* Argent, Lamb & Phillipps, 118
stenophyllum Hook. f. ex Stapf, 114
subsp. *angustifolium* (J. J. Smith) Argent, Lamb & Phillipps, 115
var. *angustifolium* J. J. Smith, 115
suaveolens Sleumer
f. *roseum* Argent, Lamb & Phillipps, 117
Rulingia corylifolia Graham, 590
Rumex L.
subgen. *Acetosa* Campd.
sect. *Afroacetosae* Rech. f.
subsect. *Capensis* Rech. f., 253
cordatus Desf., 255
cordatus Poiret, 255
dregeanus Meisn., 255
subsp. *dregeanus,* 256
subsp. *montanus* B. L. Burtt, 256
dregei Meisn., 256
sarcorhizus Link, 255
woodii N. E. Brown, 257

Sabina squamata (Buch.-Ham. ex Lamb.) Ant., 596
Salpiglossis atro-purpurea Graham, 589
linearis Hook., 589
sinuata Ruiz & Pavón, 589
Salvia tiliifolia Vahl, 246
Saponaria pinetorum Hedge
var. *elatior* Ekim & Hedge, 84
Satureia gilliesii (Graham) Briq., 578
Saxifraga brevicaulis H. Smith, 564
ferruginea Graham, 587
flagellaris Willd. ex Sternb.
subsp. *crassiflagellata* Hulten, 564
leucanthemifolia, 587
Scabiosa maslakhensis Y. Nasir, 561
Scaligera chitralica Hiroe, 566
stewartiana (E. Nasir) E. Nasir, 565
Schizanthus hookeri Gillies ex Graham, 589
porrigens Graham, 589
Schubertia graveolens Lindley, 571
Scrophularia libanotica Boiss.
var. *antalyensis* Ayaşligil & R. Mill, 71
nudata Pennell, 564
stewartii Pennell, 565
suffruticosa Pennell, 565
Sedum caroli-henrici Kit Tan, 65
cilicicum Kit Tan & Vural, 65
sorgerae Kit Tan & Chamberlain, 65
Selenium stewartii Hiroe, 566
Senecio dissimulans Hilliard, 233
kalingenwae Hilliard & Burtt, 234
macowanii Hilliard, 235
marginalis Hilliard, 236
parascitus Hilliard, 237
prionites MacOwan
var. *laxus* MacOwan, 235
villifructus Hilliard, 238
Serratula gradifolia Davis, 86
Sieversia rosea Graham, 586
Silene akmaniana Ekim & Çelik, 85
birandiana Ekim, 85
julaensis Grierson, 109
longisepala E. Nasir, 560
lucide Chowd.
subsp. *glandulosa* Ekim, 85
staintonii S. A. Ghazanfar, 560
Siphocampylus reticulatus (Willd.) Klotzsch & Karsten apud Vatke, 574
revolutus Graham, 574
Sisyrinchium macrocephalum Graham, 578
SMITH, P. M.
Observations on Turkish brome-grasses. I. Some new taxa, new combinations and notes on typification, 491

SMITH, R. M.
A review of Bornean Zingiberaceae: 1 (Alpineae p.p.), 261
Some new taxa and records for Turkey, 83
Some parasitic angiosperms of Sudan: Hydnoraceae, Orobanchaceae, and Cuscuta (Convolvulaceae), 21
Sophora alopecurioides L.
var. *alopecurioides*, 75
microphylla Aiton
subsp. *macnabiana* (Graham) Yakovl., 580
Sphaeralcea creeana (Graham) Sprague & Sandwith, 583
munroana (Douglas) Spach
subsp. *subrhomboidea* (Rydberg) Kearney, 582
Stachys antalyensis Ayaşligil & P. H. Davis, 72
byzantina C. Koch, 75
chasmosericea Ayaşligil & P. H. Davis, 72
Stellaria sennii Chiov., 228
Stenochilus viscosus Graham, 583
Sterculia L., 123
albidiflora Ducke, 140
apeibophylla Ducke, 135
apetala (Jacq.) H. Karst, 128
carthaginensis Cav., 128
chicha St Hil., 128
chicha sensu Schumann, 125
curiosa (Vell.Conc.) Taroda, 125
elata Ducke, 128
excelsa Mart., 132
foetida L., 148
frondosa Rich., 137
pendula Ducke, 146
pilosa Ducke, 132
pruriens (Aublet) Schumann, 143
var. *grandiflora* Ducke, 143
var. *parviflora* Ducke, 143
rigidifolia Ducke, 143
roseiflora Ducke, 137
speciosa Schumann, 132
stipulifera Ducke, 137
striata St Hil. & Naudin, 130
Stewartiella baluchistanica E. Nasir, 566
Stipa (Gramineae) in southwest and south Asia, The genus, 355
Stipa L., 381
sect. *Achnatheropsis* Tzvelev, 407
sect. *Aristella* (Trin.) Hackel, 397
sect. *Barbatae* Junge, 456
sect. *Eriostipa* Dumort., 419
sect. *Lasiagrostis* (Link) Hackel, 386
sect. *Leiostipa* Dumort, 452
sect. *Orthoraphium* (Nees) Hackel, 403
sect. *Pseudoptilagrostis* Tzvelev, 411
sect. *Ptilagrostis* (Griseb.) Hackel, 404
sect. *Regelia* Tzvelev, 407
sect. *Smirnovia* Tzvelev, 446
sect. *Stipa* sensu Tzvelev, 419
sect. *Stipella* Tzvelev, 413
ser. *Brevigeniculatae* Rosh., 446
ser. *Capillatae* Rosh., 452
ser. *Inaequiglumes* Bor., 413
ser. *Sibiricae* Rosh., 407
ser. *Tortiles* Rosh., 413
§ *Lasiagrostis* (Link) Steud., 386
§ *Orthoraphium* (Nees) Steudel, 403
a. *Aristella* Trin., 397
aliciae Kanitz, 422
altaica Trin., 390
anisotricha Smirnow, 453
arabica Trin. & Rupr., 457
subsp. *caspia* (K. Koch) Tzvelev, 457
subsp. *prilipkoana* (Grossh.) Tzvelev, 461
var. *arabica*, 459
var. *meyeriana* Trin. & Rupr., 457
var. *pamirica* (Rosh.) Freitag, 461
var. *prilipkoana* (Grossh.) Freitag, 461
var. *szovitsiana* Trin. & Rupr., 457
araxensis Grossh., 441
aristella L., 401
armeniaca Smirnow ex Rosh., 468
assyriaca Hand.-Mazz., 464
atriseta Stapf ex Bor, 464
badachschanica Rosh., 457
subsp. *pamirica* (Rosh.) Tzvelev, 461
barbata Desf., 456
var. *longiaristata* Martinovský, 468
var. *platyphylla* Hackel ex Paulsen, 450
var. *seminuda* Hackel, 464
var. *szovitsiana* (Trin. & Rupr.) Hackel, 457
basiplumosa Munro ex Hook. f., 411
var. *longearistata* Munro ex Hook. f., 420
bella Drobov, 447
brandisii Mez, 407
breviflora Griseb, 422
bromoides (L.) Doerfler, 397, 401
calamagrostis (L.) Wahlenb., 386
canescens Smirnow ex Rosh., 443
capensis Thunb., 413, 416
capillata L., 452, 453
caragana Trin., 386
caspia K. Koch, 457
caucasica Schmalh., 446
subsp. *caucasica*, 447
subsp. *drobovii* Tzvelev, 447
subsp. *glareosa* (Smirnow) Tzvelev, 448
subsp. *iskanderkulica* Tzvelev, 447
subsp. *desertorum* (Rosh.) Tzvelev, 449
f. *desertorum* Rosh., 449
chitralensis Bor, 392
concinna Hook. f., 404
crassiculmis Smirnow, 440
cretacea Smirnow, 440
damascena Boiss., 457

Stipa contd.
duthiei Hook. f., 295
effusa Mez, 396
ehrenbergiana Trin. & Rupr., 468
epilosa Martinovský, 440
eriocaulis
subsp. *lithophila* (Smirnow) Tzvelev, 440
fontanesii Parl., 476
froedinii Meld., 468
gaubae Bor, 471
gigantea Lag., 479
glareosa Smirnow, 449
grafiana Stev., 440
haussknechtii Boiss., 396
himalaica Rosh., 427
hohenackerana Trin. & Rupr., 464
subsp. *grossheimii* Tzvelev, 464
subsp. *nachiczevanica* Tzvelev, 464
var. *ordubadica* Tzvelev, 464
subsp. *ordubadica* Tzvelev, 464
holosericea Trin., 476
subsp. *transcaucasica* (Grossh.) Tzvelev, 476
hookeri Stapf, 386, 393
iranica Freitag, 474
iraquensis Martinovský, 464
jacquemontii Jaub. & Spach, 394
jagnobica Ovcz. & Czukav., 423
joannis Čelak., 437
subsp. *lejophylla* (Smirnow) Tzvelev, 437
kirghisorum Smirnow, 438
koelzii R. R. Stewart, 421
koenigii Woronow, 457
kokonorica Hao, 390
kotschyana Hochst. ex Steudel, 476
kuhitangi Drobov, 423
kurdistanica Bor, 397, 399
lagascae Roemer & Schltes, 479
subsp. *letourneuxii* (Trabut) Battand & Trabut, 479
β pellita Trin. & Rupr., 479
lejophylla Smirnow, 437
lessingiana Trin. & Rupr., 429
letourneuxii Trabut, 479
lingua Junge, 450
lithophila Smirnow ex Roshev., 440
litwinowiana Smirnow ex Pavlov & Lipsch., 398
margelanica Smirnow, 455
meyeriana (Trin. & Rupr.) Grossh., 457
mongholica Turcz. ex Trin., 404, 405
munroana Bor, 390
orientalis Trin., 425
var. *grandiflora* Rupr., 447
var. *trichoglossa* Hackel ex Paulsen, 447, 449
orthoraphium Steudel, 403
ovczinnikovii Rosh., 450
pamirica Rosh., 461
parviflora Desf., 413, 414
pellita (Trin. & Rupr.) Tzvelev, 479
pennata L., 381, 434
subsp. *kirghisorum* (Smirnow) Freitag, 438
subsp. *lithophila* (Smirnow) Martinovský, 440
subsp. *pennata*, 437
subsp. *pulcherrima* (K. Koch) Freitag, 440
var. *araxensis* (Grossh.) Freitag, 441
var. *pulcherrima*, 440
subsp. *zalesskii* (Wilensky) Freitag, 443
var. *minor* Boiss., 464
var. *pulcherrima* (K. Koch) Halascy, 440
var. *stenophylla* Czernj. ex Lindemann, 445
pennatiformis Figari & de Notaris, 457
pilgeriana Hao, 424
platypoda Bor, 450
pontica Smirnow, 443
prilipkoana Grossh., 461
pubescens Lag., 479
pulcherrima K. Koch, 440
subsp. *araxensis* (Grossh.) Tzvelev, 441
subsp. *crassiculmis* (Smirnow) Tzvelev, 440
subsp. *epilosa* (Martinovský) Tzvelev, 440
purpurea Griseb., 424
regeliana Hackel., 407, 410
retorta Cav., 416
richterana Kar. & Kir., 423
subsp. *jagnobica* (Ovcz. & Czukav.) Tzvelev, 423
roborovskyi Rosh., 419
roylei (Nees) Mez, 403
rubens Smirnow, 443
sareptana
subsp. *anisotricha* (Smirnow) Tzvelev, 453
schlagintweitii Mez, 390
schmidtii Woronow ex Grossh., 445
semenowii Krasnov, 424
sibirica (L.) Lam., 407
var. *pallida* Hook. f., 394
splendens Trin., 386, 389
staintonii Bor, 413
stapfii Rosh., 464
stenophylla (Czernj. ex Lindemann) Traubv., 445
subbarbata Keller, 464
subeffusa Ohwi, 407
subsessiliflora (Rupr.) Rosh., 411
szovitsiana Trin., 457
szovitsiana (Trin. & Rupr.) Griseb., 457
tauricola Čelak., 468
tenerrima Bornm. & Gauba, 468
tibetica Mez, 405
tirsa Stev., 445

Stipa contd.
tortilis Desf., 416
transcaucasica Grossh., 476
trichoides Smirnow, 431
turcica Martinovský, 440
turcomanica Smirnow, 443
turkestanica Hackel, 431
woroninii Krasnov, 423
zalesskii Wilensky
subsp. *canescens* (Smirnow) Tzvelev, 443
subsp. *pontica* (Smirnow) Tzvelev, 443
subsp. *turcomanica* (Smirnow) Tzvelev, 443
zuvantica Tavelev, 472
Strobidia sumatrana Miq., 275
Strophanthus divaricatus (Lour.) Hook. & Arn., 570
divergens Graham, 570
Studies in the Flora of Arabia XI: Some historical and geographical aspects of a principal floristic frontier, 1; XIII: A new Delphinium from Saudi Arabia, 17; XVI: Two new species of Ceropegia from Saudi Arabia, 315
Studies in Gundelia: 1. A new species from Iraq, 39
Stylidium bulbiferum Benth.
var. *macrocarpum* Benth., 590
drummondii Graham, 590
recurvum Graham, 590
reduplicatum R. Br., 590
Stylolepis gracilis Lehm., 575
Survey of the work of the Royal Botanic Garden Edinburgh in 1983, 151
Synopsis of Berberis section Wallichianae, 529

Taeniatherum Nevski, 81
asperum (Simonkai) Nevski, 81
caput-medusae (L.) Nevski
subsp. *asper* (Simonkai) Melderis, 81
subsp. *crinitum* (Schreber) Melderis, 81
var. *crinitum* (Schreber) C. J. Humphries, 81
crinitum (Schreber) Nevski, 81
TAN, KIT
More new taxa from south and east Anatolia, 61
Studies in the Flora of Arabia XIII: A new Delphinium from Saudi Arabia, 17
Taraxacum aurorum Van Soest, 561
baltistanicum Van Soest, 560
canum Van Soest, 560
ladakense Van Soest, 560
mellum Van Soest, 560
nasirii Van Soest, 560
pakistanicum Van Soest, 561
rorippa Van Soest, 561
stewartii Van Soest, 561
TARODA, NEUSA
A revision of the Brazilian species of Sterculia L., 121
Taxus chinensis (Pilger) Rehder
var. *mairei* (Lemée & Lévl.) W. C. Cheng & L. K. Fu, 598
mairei (Lemée & Lévl.) S. Y. Hu ex Liu, 598
TAYLOR, GEORGE
The European Garden Flora (review), 350
Thalictrum hazaricum R. R. Stewart ex Qureshi & Chaudhri, 563
secundum
var. *hazaricum* H. Riedl, 563
The genus Lavandula in Arabia and tropical northeast Africa, 503
The Genus Stipa (Gramineae) in southwest and south Asia, 355
Thesium cilicicum Bornm., 75
The type specimens of Robert Graham, 567
Thuja orientalis L., 595
var. *argyi* Lévl. & Lemée, 595
Thunbergia coccinea Wall. ex Graham, 570
Tiarella colorans Graham, 587
Tibouchina nitida (Graham) Cogn., 583
Timouria aurita Hitchc., 393, 563
Torenia fimbriata Hook. ex Graham, 588
scabra Graham, 588
Trachydium depressum Boiss.
subsp. *chitralicum* Rech. f. & Riedl, 566
Trachymene coerulea Graham, 590
Trachyspermum clavatum E. Nasir, 566
Trikeraia Bor, 386
hookeri (Stapf) Bor, 393, 563
Triticum intermedium Host
var. *pertenue* C. A. Meyer, 81
Trixis antimenorrhoea (Schrank) Mart.
var. *auriculata* (Graham) Cabrera, 575
auriculata Graham, 575
divaricata (H.B.K.) Spreng, 575
Tsuga mairei Lemée & Lévl., 598
Turkey. New taxa and records from SW 69
Turkish brome-grasses, Observations on. I. Some new taxa, new combinations and notes on typification, 491
Turritis patula Graham, 576
retrofracta (Graham) Hook., 575
stricta Graham, 576
Two new species from Turkey, 321

Urginea calcarata (Baker) Hilliard & Burtt, 252
modesta Baker, 252
saniensis Hilliard & Burtt, 253
Urtica caffra Thunb., 259

Vaccinium humifusum Graham, 591
Vascular plant type specimens in the National Herbarium (RAW), Pakistan Agricultural Research Council, Islamabad, 559

Verbena barbata Graham, 591
tuberosa Graham, 591
Vernonia flanaganii (E. P. Phillipps) Hilliard, 238
hirsuta (DC.) Sch. Bip. var. *flanaganii* E. P. Phill., 238
Veronica hirta Pennell, 565
koelzii Pennell, 565
lasiocarpum Pennell, 565
leucothrix Pennell, 565
nana Pennell, 565
panormitana Tineo ex Guss. subsp. *baradostensis* (M.A.F.) M. A. Fischer, 74
secunda Pennell, 565
stewartii Pennell, 565

WENDELBO, PER
Ornithogalum persicum, a little known species from southwest Asia, 57
WENDELBO, P. & BOKHARI, M. H.
Anatomy of Dionysia II. Xeromorphic features, 327
Xylosterculia Kosterm., 123

YANG DI-QUING & HU CHI-MING
The chromosomes of Bretschneidera Hemsl., 347

Zerna variegata (Bieb.) Nevski subsp. *villosula* (Steudel) Tzvelev, 496
Zingiberaceae: 1 (Alpineae p.p.) A review of Bornean, 261
Zingiberaceae
subfam. *Costoideae*, 262
subfam. *Zingiberoideae*, 261
Tribe *Alpineae*, 261, 262, 288
Tribe *Globbeae*, 262
Tribe *Hedychieae*, 262
Tribe *Zingibereae*, 262
Zonation and photosynthetic pathways of halophytes on the Red Sea coast near Tawwal (Saudi Arabia), 45