

GENERAL INDEX TO VOLUME 43

- Abies fabri* (Masters) Craib, 272
 subsp. *fabri*, 272
 subsp. *minensis* (Bordères-Rey & Gaussen) Rushforth, 273
fargesii Franchet, 269
 var. *sutchuenensis* Franchet, 269
faxoniana Rehder & E. Wilson, 269, 273
kansouensis Bordères-Rey & Gaussen, 269
minensis Bordères-Rey & Gaussen, 273
squamata Masters, 271
sutchuenensis (Franchet) Rehder & E. Wilson, 269
Abrothallus inquinans (Tul.) Massal., 501
Achasma Griff., 239, 440
araneosum (Bak.) K. Larsen, 243
australasica R. M. Smith, 243
brevilabrum Val., 243, 449
coccineum (Bl.) Val., 249, 252, 447
costatum (Roxb.) Loesen., 253
foetens (Bl.) Val., 245
harmandii (Gagnep.) Loesen., 245
labellosum (K. Schum.) Val., 246
linguiforme (Roxb.) Loesen., 247
loroglossum (Gagnep.) K. Larsen, 247
macrocheilos Griff., 249, 252, 447
megalocheilos Griff., 239, 240, 252, 445
metriocheilos Griff., 247, 445
nasutum (K. Schum.) Loesen., 248, 446
pauciflora (Ridley) Holtt., 248
pavieanum (Pierre ex Gagnep.) Loesen., 248
philippinensis (Ridley) Burt & Smith, 248
puniceum (Roxb.) Loesen., 249
sphaerocephalum (Bak.) Holtt., 247, 252
subterraneum Holtt., 250
triorgyale (Bak.) Holtt., 250, 443
walang (Bl.) Val., 251
xanthoparyphe (K. Schum.) Val., 251
yunnanensis Wu & Senjen, 251
Acidanthera huttonii Baker, 415
tysonii Baker, 410
Adelocaryum Brand, 478
erythraeum Brand, 478
Afrotysonia Rauschert, 468
africana (H. Bolus) Rauschert, 469
glochidiata (R. Mill) R. Mill, 470
pilosicaulis R. Mill, 472
Alchemilla colura Hilliard, 370
Alectra barbata (Hiern) Melchior, 375
basutica (E. Phillips) Melchior, 371
capensis Thunb., 372
sessiliflora (Vahl) O. Kuntze, 372
 var. *sessiliflora*
 forma *barbata* (Hiern) Hilliard & Burt, 375
 forma *sessiliflora*, 375
thyrsoidea Melchior, 376
Alpinia elatior Jack, 244, 442
linguiforme Roxb., 246
punicea Roxb., 249, 447
Alsine L., 286
bocconii Scheele, 291
rubra (L.) Crantz, 290
rupicola (Lebel ex Le Jolis) Hiern, 292
Amaryllis elata Jacq., 190
purpurea Ait., 190
speciosa (Linn. f.) L'Hérit., 190
Amomum
 sect. *Achasma* (Griff.) Bak., 240
 sect. *Geanthus* (Reinw.) Benth., 240
araneosum Bak., 243
bicorniculatum K. Schum., 254
brachypodanthum K. Schum., 251
cevuga Seem., 244
chrysocalyx K. Schum., 250
coccineum (Bl.) K. Schum., 249, 447
costatum (Roxb.) Bak., 253
dictyocoleum K. Schum., 254
fimbriobraceatum K. Schum., 245, 453
fulviceps Thw., 254
fusiforme Ridley, 458
grandiligulatum K. Schum., 245
harmandii Gagnep., 245
heliconiifolium K. Schum., 251
heynianum (Val.) Backer & Bakh. f., 246
labellosum K. Schum., 246
laoticum Gagnep., 254
lepocarpum Ridley, 254
linguiforme (Roxb.) Bak., 246
littorale König, 237, 240, 445
loroglossum Gagnep., 247
macroglossum K. Schum., 254
maingayi Bak., 247
nasutum K. Schum., 248, 446
nemorale (Thw.) Benth., 254
pausodipsus K. Schum., 251
pavieanum Pierre ex Gagnep., 248
polycarpum K. Schum., 251
pubimarginatum Elmer, 251
pungens R. M. Smith, 254
roseum K. Schum., 240, 249
solare (Bl.) K. Schum., 250
sphaerocephalum Bak., 247, 445
stenophyllum K. Schum., 252
stenosiphon K. Schum., 460
stoloniferum K. Schum., 462
surculosum K. Schum., 462
trachycarpum K. Schum., 252
trichanthera Warb., 252
triorgyale Bak., 250, 443
tristachyum Alston, 254
validum K. Schum., 252
vignaii Rech., 244
walang (Bl.) Val., 251

- xanthoparyphe* K. Schum., 251
Amomum sp., 254
 Anthyllis in the British Isles, 277
Anthyllis L., 277
 linnaei Sagorski, 279
 linnaei (Sagorski) Juzepczuk, 279
 maritima
 var. *corbieri* Salmon & Travis, 281
 polyphylla (DC.) Kit. ex G. Don f., 280
 pseudovulneraria Sagorski, 281
 vulneraria L., 279
 subsp. *carpatica* (Pant.) Nyman
 var. *pseudovulneraria* (Sagorski)
 Cullen, 281
 subsp. *corbieri* (Salmon & Travis)
 Cullen, 281
 subsp. *lapponica* (Hylander) J alas, 281
 subsp. *linnaei* (Sagorski) J alas, 279
 subsp. *polyphylla* (DC.) Nyman, 280
 subsp. *vulneraria*, 279
 var. *coccinea* L., 280
 var. *kernerii* Sagorski, 279
 var. *langei* J alas, 280
 var. *lapponica* Hylander, 281
 var. *stenophylla* Lange, 280
 var. *vulneraria*, 279
Antirrhinum *capensis* Thunb., 391
 fruticans Thunb., 393
Arenaria L., 286
 marginata DC., 293
 maritima Allioni, 293
 media L., 293
 rubra L.
 α *campestris* L., 290
 β *marina* L., 295
 ARGENT, G. C. G.
 Vireya rhododendrons in Borneo, 53
 — & HAMLET, E. H.
 Edinburgh's Vireyas—Vireya
 rhododendrons cultivated at the RBG
 Edinburgh, 185
Asclepias oreophila A. Nicholas, 192
 xysmalobioides Hilliard & Burt, 193
Aulaya coccinea Harvey, 378
 scarlatina Benth., 382
Avena purpurea Linn. f., 201
- Barriers to sexual compatibility in
 Rhododendron, 81
 BENNELL, ALAN P.
 Rhododendron rust—taxonomic and
 horticultural implications, 25
Biatorina krempehuberi (Körber) Arnold, 506
Brandella R. Mill, 478
 erythraea (Brand) R. Mill, 478
 BOND, J. D.
 The presentation and maintenance of
 large rhododendron collections, 183
 BOOK REVIEWS
 The Cape Flora by Pauline Bond & Peter
 Goldblatt, 335
- Catalogue of living Plant Collections,
 Part 1. Charophyta, Bryophyta,
 Pteridophyta, Pinophyta, Royal
 Botanic Gardens, Kew, 342
 Flora of Bhutan. Vol. 1, part 2 by A. J.
 C. Grierson & D. G. Long, 339
 Flora Iranica. K. H. Rechinger (ed.), 337
 Flora of Marshidabad District, West
 Bengal, India by D. N. Guha Bakshi, 340
 Flora of New Zealand Lichens by D. J.
 Galloway, 545
 Flora of Turkey and the East Aegean
 Islands, Vol. 8. P. H. Davis (ed.) 337
 The Grasses of Bahia by S. A. Renvoise, 340
 Illustrierte Flora von Mitteleuropa. Band
 I, Teil 1: Pteridophyta. K. U. Kramer
 (ed.), 341
 Index Hepaticarum. Vol. 10. Lembidium
 to Mytilopsis. P. Geissler & H. Bishler
 (eds), 341
 A review of the southern African species
 of Cyrtanthus by C. Reid & R. A.
 Dyer, 336
 A revision of the genus Haemanthus L.
 (Amaryllidaceae) by Deidré Snijman, 336
 Ustilaginales of the British Isles by J. E.
 M. Mordue & G. C. Ainsworth, 342
 The Wood and the Trees: A biography of
 Augustine Henry by Sheila Pim, 343
Buchenroedera biflora Bolus, 210
Buda Adans., 286
 rubra (L.) Dumort., 290
Buellia epicrassa H. Olivier, 503
 supercrassa H. Olivier, 504
Bulbostylis oritrephes (Ridley) C. B. Cl.
 subsp. *australis* B. L. Burt, 353
 scleropus C. B. Cl., 354
 BURBIDGE, R. B.
 Much more than a revision (review), 343
 BURTT, B. L.
 A new species of Helichrysum
 (Compositae) from Malawi, 233
 The Cape Flora (review), 335
 — & HILLIARD, O. M.
 Hesperantha (Iridaceae) in Natal and
 nearby, 407
 Notes on some plants of southern Africa
 chiefly from Natal: XII, 189; XIII, 345
 Studies in the Gesneriaceae of the Old
 World XLIX. Additions and
 amendments to Streptocarpus, 229
 — & SMITH, R. M.
 Etlingera: the inclusive name for
 Achasma, Geanthus and Nicolaia
 (Zingiberaceae), 235
- Catalepis gracilis* Stapf & Stent, 201
Cephalaria galpiniana Szabó
 subsp. *simplicior* B. L. Burt, 366
 CHAMBERLAIN, D. F.
 Flora of Turkey Vol. 8 (review), 337

- & MING, TIAN-LU
The distribution of *Rhododendron*
subgenus *Hymenanthus* with special
reference to Yunnan (W China), 7
- CHATER, A. O.
The Flora of Bhutan (review), 339
Chrysomyxa rhododendri, 27
Cliffortia nitidula (Engl.) Fries & Fries
subsp. *pilosa* Weim., 211
- COPPINS, B. J.
British Smuts (review), 342
New Zealand Lichens (review), 545
Cortinarius bataillei—new to the British list,
303
Cortinarius bataillei (Favre ex Moser)
Høiland, 303
Crinum speciosum Linn. f., 190
- CULLEN, J.
Anthyllis in the British Isles, 277
Cynoglossum alpinum (Brand) B. L. Burtt, 345
alticola Hilliard & Burtt, 346
austroafricanum Hilliard & Burtt, 347
austroafricanum Weim., 347
erythraeum (Brand) H. Riedl, 478
geometricum Baker & Wright, 348
lanceolatum Forsk.
subsp. *geometricum* (Baker & Wright)
Brand, 348
montanum L.
var. *alpinum* Brand, 345
Cyrtanthus brachysiphon Hilliard & Burtt,
189
elatus (Jacq.) Traub, 190
purpureus Herb., 190
speciosus (Linn. f.) Traub, 191
Cytotaxonomic observations on *Mantisia*
wardii (Zingiberaceae), 493
Cyperus compactus Lam.
var. *flavissimus* (Schrader) C. B. Cl.,
356
crinitus Poiret, 358
flavissimus Schrader, 356
niveus Retz.
var. *flavissimus* (Schrader) Lye, 356
obtusiflorus Vahl
var. *flavissimus* (Schrader) Boeckeler,
356
var. *sphaerocephalus* (Vahl) Kükenthal,
356
sphaerocephalus Vahl, 356
var. *sphaerocephalus* Kunth, 356
Cyphostigma diphyllum K. Schum., 460
longituba (Ridley) K. Schum., 462
multiflora (Ridley) K. Schum., 462
stoloniferum (K. Schum.) K. Schum., 462
surculosum (K. Schum.) K. Schum., 462
- Dacampia rufescentis* (Vouaux) D.
Hawks., 497
Danthonia purpurea (Linn. f.) Roemer &
Schultes, 201
- DAVIS, P. H. & TAN, KIT
Two new *Delphiniums* from Anatolia,
267
Delphiniums from Anatolia, Two new, 267
Delphinium cilicicum P. H. Davis & Kit
Tan, 267
munzianum P. H. Davis & Kit Tan, 267
Diascia denticulata Benth., 391
Diclis umbonata Hiern, 399
Didymosphaeria epicallopisma (Weddell)
Sacc., 512
epicrassa (H. Olivier) Vouaux, 503
Distribution of *Rhododendron* subgenus
Hymenanthus with special reference to
Yunnan (W China), 7
Diracodes Bl., 239
javanica Bl., 239
Dolichos junodii (Harms.) Verdcourt, 368
Donacodes roseus Teysm. & Binn., 240, 249
walang Bl., 251
Dracosciadium Hilliard & Burtt, 220
italae Hilliard & Burtt, 223
saniculifolium Hilliard & Burtt, 225
- Elettaria* Maton, 461
sect. *Geanthus* (Reinw.) Bl., 240
?anthodioides Teysm. & Binn., 245
atropurpurea Teysm. & Binn., 246
coccinea Bl., 239, 249, 447
diepenhorstii Teysm. & Binn., 244
foetens Bl., 245
hemisphaerica Bl., 245
longituba (Ridley) Holtt., 462
multiflora (Ridley) R. M. Smith, 462
pallida Bl., 249
rubida R. M. Smith, 461
solaris Bl., 249
speciosa Bl., 244, 442
surculosa (K. Schum.) Burtt & Smith, 463
Elettariopsis Bak., 460
aquatilis Ridley, 462
curtisii Bak., 460
diphyllum (K. Schum.) Loesen., 460
longituba Ridley, 462
multiflora Ridley, 462
stenosiphon (K. Schum.) Burtt & Smith,
460
stolonifera (K. Schum.) Loesen., 463
surculosa (K. Schum.) Loesen., 462
?Elettariopsis sp., 460
Epicladonia stenospora (Harmand) D.
Hawks., 500
Epicymatia thallophila (Cooke) Sacc., 500
Erica woodi Bolus
subsp. *platyura* Hilliard & Burtt, 199
Etlingera Giseke (Zingiberaceae), New
combinations in, 243
Etlingera: the inclusive name for *Achasma*,
Geanthus and *Nicolaia* (Zingiberaceae),
235
Etlingera Giseke, 239, 440

- angustifolia* (Val.) R. M. Smith, 243
araneosa (Bak.) R. M. Smith, 243
australasica (R. M. Smith) R. M. Smith, 243
brachychila (Ridley) R. M. Smith, 243, 452
brevilabris (Val.) R. M. Smith, 243, 449
bromeliopsis (Val.) R. M. Smith, 243
calycina (Val.) R. M. Smith, 244
caudiculata (Ridley) R. M. Smith, 244
cevuga (Seem.) R. M. Smith, 244, 252
dekokkii (Val.) R. M. Smith, 244
densiuscula (Val.) R. M. Smith, 244
diepenhorstii (Teysm. & Binn.) R. M. Smith, 244
elator (Jack) R. M. Smith, 239, 244, 252, 253, 442
fimbriobracteata (K. Schum.) R. M. Smith, 245, 453
foetens (Bl.) R. M. Smith, 245
goliathensis (Val.) R. M. Smith, 245
gracilis (Val.) R. M. Smith, 245
grandiflora (Val.) R. M. Smith, 245
grandiligulata (K. Schum.) R. M. Smith, 245
harmandii (Gagnep.) R. M. Smith, 245
hemisphaerica (Bl.) R. M. Smith, 245, 246, 252, 253
heyneana (Val.) R. M. Smith, 246
labellosa (K. Schum.) R. M. Smith, 246
latifolia (Val.) R. M. Smith, 246
linguiformis (Roxb.) R. M. Smith, 246
littoralis (Konig) Giseke, 239, 240, 252, 445
longipetala (Val.) R. M. Smith, 247
longipetiolata (Burt & Smith) R. M. Smith, 247, 452
loroglossa (Gagnep.) R. M. Smith, 247
lorzingii (Val.) R. M. Smith, 247
maingayi (Bak.) R. M. Smith, 247
metriocheilos (Griff.) R. M. Smith, 247, 252, 445
minor (Ridley) R. M. Smith, 247
moluccana (K. Schum.) R. M. Smith, 248
muluensis R. M. Smith, 455
nasuta (K. Schum.) R. M. Smith, 248, 446
var. *reticulata* R. M. Smith, 446
parva (Val.) R. M. Smith, 248
pauciflora (Ridley) R. M. Smith, 248
pavieana (Pierre ex Gagnep.) R. M. Smith, 248
peekelii (Val.) R. M. Smith, 248
philippinensis (Ridley) R. M. Smith, 248
polyantha (Val.) R. M. Smith, 248
pubescens (Burt & Smith) R. M. Smith, 248, 450
punicea (Roxb.) R. M. Smith, 239, 249, 252, 447
pyramidosphaera (K. Schum.) R. M. Smith, 249, 443
rosea Burt & Smith, 240, 249
sanguinea (Ridley) R. M. Smith, 249, 452
sericea (Ridley) R. M. Smith, 249
sessilanthra R. M. Smith, 240, 449
solaris (Bl.) R. M. Smith, 249, 252, 253
subulcalyx (Val.) R. M. Smith, 250
sulphurea (R. N. Parker) R. M. Smith, 250
subterranea (Holt.) R. M. Smith, 250
triorgyalis (Bak.) R. M. Smith, 250, 443
velutina (Ridley) R. M. Smith, 250, 455
venusta (Ridley) R. M. Smith, 250
versteegii (Val.) R. M. Smith, 250
vestita (Val.) R. M. Smith, 250
walang (Bl.) R. M. Smith, 251
xanthoparyphe (K. Schum.) R. M. Smith, 251
yunnanensis (Wu & Senjen) R. M. Smith, 251
Etlingera sp. nov.?, 452
Etlingera sp., 453
Etlingera Raeuschel, 239, 440
Ficinia acuminata (Nees) Nees, 357
crinita (Poirot) B. L. Burt, 358
dasytachys C. B. Cl., 358
filiculmea B. L. Burt, 358
nana B. L. Burt, 360
oligantha (Steudel) Raynal
var. *crinita* (Poirot) Raynal, 358
undosa B. L. Burt, 360
Gastrocybe in Europe, 307
Gastrocybe lateritia Watling, 307
Galtonia regalis Hilliard & Burt, 369
GAMAL-ELDIN, ELSAYEDA
Studies in the Flora of Arabia XVII:
Further new and interesting taxa of
Pulicaria from Oman, 481
Geanthus Reinw., 239, 440
Geanthus Val., 239, 440
angustifolius Val., 243
bicorniculatus (K. Schum.) Loesen., 254
brachypodanthus (K. Schum.) Loesen., 251
brevilabris (Val.) Loesen., 243, 450
bromeliopsis Val., 243
calycinus Val., 244
cevuga (Seem.) Loesen., 244
coccineus Reinw., 239, 249, 252
dekokkii Val., 244
densiusculus Val., 244
dictyocoleus (K. Schum.) Loesen., 254
echinatus Val., 254
fimbriobracteatus (K. Schum.) Burt & Smith, 245, 453
foetens (Bl.) Bal. ex de Jong, 245
goliathensis Val., 245
grandiflorus Val., 245
heliconiifolius (K. Schum.) Loesen., 251
latifolius Val., 246
lepicaarpus (Ridley) Loesen., 254
longipetalus Val., 247

- longipetiolatus* Burtt & Smith, 247, 452
roseus Loesen., 249
macroglossa (K. Schum.) Loesen., 254
minor Reinw., 254
nemoralis (Thw.) Loesen., 254
pausodipsus (K. Schum.) Loesen., 251
parvus Val., 248
pininga Reinw., 254
polyanthus Val., 248
polycarpus (K. Schum.) Loesen., 251
pubescens Burtt & Smith, 248, 450
pubimarginatus (Elmer) Loesen, 251
roseus Loesen., 240
sanguineus (Ridley) R. M. Smith, 249, 452
speciosus Reinw., 244, 252
stenophyllus (K. Schum.) Loesen., 252
trachycarpus (K. Schum.) Val., 252
trichanthera (Warb.) Val., 252
validus (K. Schum.) Loesen., 252
versteegii Val., 250
vestitus Val., 250
vignai (Rech.) Loesen., 244, 252
Geocharis Ridley, 457
fusiformis (Ridley) R. M. Smith, 458
var. *borneensis* R. M. Smith, 458
rubra Ridley, 457
Geostachys Ridley, 463
penangensis Ridley, 463
Gladiolus loteniensis Hilliard & Burtt, 206
Gnidia renniana Hilliard & Burtt, 218
GRIERSON, A. J. C.
A Gangetic Flora (review), 340
HAMLET, E. H. & ARGENT, G. C. G.
Edinburgh's Vireyas—Vireya
rhododendrons cultivated at the RBG
Edinburgh, 185
Harveya Hooker, 377
coccinea (Harvey) Schltr., 378
crispula Conrath, 382
huttonii Hiern, 379
leucopharynx Hilliard & Burtt, 379
pulchra Hilliard & Burtt, 381
pumila auct., 382
randii Hiern, 381
scarlatina (Benth.) Hiern, 382
silvatica Hilliard & Burtt, 382
speciosa Bernh., 384
HAWKSWORTH, D. L.
Notes on British Lichenicolous Fungi: V,
497
HEDGE, I. C.
Flora Iranica Papilionaceae (review), 337
Helichrysum (Compositae) from Malawi, A
new species of, 233
Helichrysum alticolum auct., 198
alticolum Bolus
var. *montanum* Bolus, 198
evansii Hilliard, 198
polioides B. L. Burtt, 233
Hermannia betonicifolia auct. non Ecklon
& Zeyher, 401
cordata (E. Phillips) De Winter, 401
Hesperantha (Iridaceae) in Natal and
nearby, 407
Hesperantha alborosea Hilliard & Burtt,
421
baurii Baker, 426
subsp. *formosa* Hilliard & Burtt, 430
bifolia Baker, 426
candida Baker, 419
crocopsis Hilliard & Burtt, 435
curvula Hilliard & Burtt, 416
disticha Klatt., 426
galpinii Foster, 410
glareosa Hilliard & Burtt, 424
gracilis Baker, 422
grandiflora Lewis, 410
hutchingsiae Hilliard & Burtt, 414
huttonii (Baker) Hilliard & Burtt, 415
hygrophila Hilliard & Burtt, 433
ingeliensis Hilliard & Burtt, 424
lactea Baker, 431
leucantha Baker, 419
longituba auct., 415
? *modesta* Baker, 426
pubinervia Hilliard & Burtt, 419
pulchra Baker, 413
rubella Baker, 426
schelpeana Hilliard & Burtt, 434
scopulosa Hilliard & Burtt, 417
? *subexserta* Baker, 426
tysonii Baker, 435
vernalis Hilliard & Burtt, 423
woodii Baker, 413
Hibiscus aristivalvis Garcke, 370
palmatus Forsk., 370
HILLIARD, O. M. & BURTT, B. L.
Hesperantha (Iridaceae) in Natal and
nearby, 407
Notes on some plants of southern Africa
chiefly from Natal: XII, 189; XIII, 345
Studies in the Gesneriaceae of the Old
World XLIX. Additions and
amendments to Streptocarpus, 229
Hornstedtia
subgen. *Nicolaia* (Horan.) K. Schum.,
240
sect. *Phaeomeria* Ridley, 240
araneosa (Bak.) K. Schum., 243
brachychila Ridley, 243, 452
fulgens Ridley, 246
hewittii Ridley, 446
licmeres Ridley, 446
linguiforme (Roxb.) K. Schum., 247
loroglossa (Gagnep.) K. Schum., 247
maingayi (Bak.) Ridley, 247
metriocheilos (Griff.) Ridley, 247
minor (Bl.) K. Schum., 254
philippinensis Ridley, 248
pauciflora Ridley, 248

- pininga* (Bl.) Val., 254
punicea (Roxb.) K. Schum., 249, 447
sanguinea Ridley, 249, 452
spathulata Ridley, 445
sphaerocephalum (Bak.) K. Schum., 445
sulphurea R. N. Parker, 250
triorgyalis (Bak.) Ridley, 250, 443
velutina Ridley, 250, 455
venusta Ridley, 250
?winkleri Ridley, 443
Hyobanche rubra N. E. Br., 384
sanguinea auct. non L., 385
Hypericum sect. *Hirtella*, A review of, 255
Hypericum
 subsect. *Platyadenum* N. Robson, 256
 subsect. *Stenadenum* N. Robson, 257
amblysepalum Hochst., 257
antasiaticum Grossh., 260
apricum Kar. & Kir., 258, 260, 264
asperulum Jaub. & Spach, 257
callithyrsum Cosson, 262
capitatum Choisy, 258
 var. *capitatum*, 258
 var. *luteum* N. Robson, 258
davisii N. Robson, 257, 260, 263
elongatum Ledeb., 257
 subsp. *apiculatum* N. Robson, 257, 259, 261
 subsp. *callithyrsum* (Cosson) N. Robson, 257, 259, 262
 subsp. *elongatum*, 257, 259, 260
 subsp. *microcalycinum* (Boiss. & Heldr.) N. Robson, 257, 260, 261
 subsp. *racemosum* (Kuntze) N. Robson, 257, 259, 261
 subsp. *tymphrestum* (Boiss. & Spruner) N. Robson, 257, 260, 262
 var. *caespitosum* Krylov, 260
helianthemoides (Spach) Boiss., 258
hirtellum (Spach) Boiss., 256, 257
 var. *assyriacum* (Boiss.) N. Robson, 257
 var. *hirtellum*, 257
hyssopifolium Vill., 258
hyssopifolium sensu Takhtajan, 260
 subsp. *elongatum* (Ledeb.) Woronow, 260
 var. *microcalycinum* sensu N. Robson, 263, 264
 subsp. *tymphrestum* (Boiss. & Spruner) Hayek, 262
 var. *abbreviatum* sensu Krylov, 260
 var. *callithyrsum* (Cosson) Font Quer & Pau, 262
 var. *candelabrum* Font Quer & Pau, 262
 var. *elongatum* Ledeb., 260
 var. *latifolium* Boiss., 260, 264
 var. *lythrifolium* Boiss., 260
 var. *microcalycinum* (Boiss. & Heldr.) Boiss., 262
 var. *racemosum* Kuntze, 261
 var. *tymphrestum* (Boiss. & Spruner) Boiss., 262
karjaginii Rzazade, 264
libanoticum N. Robson, 258
lydium Boiss., 258
lydium sensu Rzazade, 260
lysimachoides Boiss. & Noé, 256
 var. *lysimachoides*, 256
 var. *spathulatum* N. Robson, 256
microcalycinum Boiss. & Heldr., 261
olivieri (Spach) Boiss., 256
pseudolaeve N. Robson, 258
retusum Aucher, 257
salsolifolium Hand.-Mazz., 258, 260
scabroides Robson & Poulter, 256
scabrum L., 257
sorgerae N. Robson, 258, 260, 264
sparsipunctatum N. Robson, 261
spectabile Jaub. & Spach, 257
thethrobicum Kem.-Nath., 260
thymbrifolium Boiss. & Noé, 258
thymopsis Boiss., 258
tymphrestum Boiss. & Spruner, 262
uniglandulosum Hausskn. & Bornm., 258, 260
vermiculare Boiss. & Hausskn., 259
Hypoxis colchicifolia Baker, 201
costata Baker, 202
hemerocallidea Fischer & Meyer, 202
iridifolia Baker, 204
latifolia Hook., 201
ludwigii Baker, 205
nitida Verdoorn, 204
obtusata Burchell, 204
obtusata Ker Gawler, 205
oligotricha Baker, 202
rooperi T. Moore, 202
Indigofera alpina Ecklon & Zeyher, 207
evansii Schlechter, 207
pseudoevansii Hilliard & Burt, 208
trifolioides Baker f., 209
Isolepis acuminata Nees, 358
angelica B. L. Burt, 362
costata
 var. *macra* (Boeck.) B. L. Burt, 363
pellocolea B. L. Burt, 363
JONG, KWITON & NEWMAN, MARK, F.
 Cytotaxonomic observations on *Mantisia wardii* (Zingiberaceae), 493
Juncus mollifolius Hilliard & Burt, 367
Karroochloa purpurea (Linn. f.) Conert & Türpe, 201
KELLY, J. C.
 Propagation of hardy rhododendrons, 15
Keteleeria fabri Masters, 272
KIDD, C. B. M., WATLING, ROY & TEBBETT, I. R.

- Cortinari^{us} *bataillei*—new to the British list, 303
- KNOX, R. B., WILLIAMS, E. G. & ROUSE, J. L.
Barriers to sexual compatibility in *Rhododendron*, 81
- KORES, PAUL
Observations on the floral ecology of the genus *Rhododendron* section *Vireya* in Papua New Guinea, 183
- LADIZINSKY, G.
A new lens from the Middle-East, 489
- Lecidea inquinans* (Tul.) Nyl., 501
- krempelhuberi* (Körber) Stizenb., 506
- solorinicola* Vainio, 506
- Lens odemensis* Ladizinsky, 489
- Lepigonum* Fries, 286
- campestre* Kindb., 291
- medium* Wahlb., 295
- neglectum* Kindb., 295
- rubrum* (L.) Fries, 290
- LESLIE, A. C.
The registration of *Rhododendron* cultivars, 173
- Lichenostigma maureri* Hafellner, 501
- Limosella* L., 212
- capensis* auct., 213
- grandiflora* Benth., 213
- inflata* Hilliard & Burtt, 213
- vesiculosa* Hilliard & Burtt, 215
- Linaria capensis* Sprengel, 391
- fruticans* (Thunb.) Sprengel, 393
- Lithospermum papillosum* Thunb., 194
- LONG, D. G.
Index of Liverworts and Hornworts (review), 341
- Lotononis biflora* (Bolos) Dümmer, 210
- dichilioides* auct., 210
- wyliei* Wood, 210
- Macrotyloma coddii* Verdcourt, 211
- Mahernia cordata* [E. Meyer ex] E. Phillips, 401
- Malesian *vireya* *rhododendrons*—towards an understanding of their evolution, 63
- MATTHEWS, V. A.
Two bulbous Southern Africans (review), 336
- Melasma barbatum* Hiern, 375
- basutica* E. Phillips, 371
- MILL, R. R.
A new name for *Adelocaryum erythraeum*, 467
- A revision of the genus *Afrotysonia* Rauschert (Boraginaceae), 467
- MING, TIAN-LU & CHAMBERLAIN, D. F.
The distribution of *Rhododendron* subgenus *Hymenanthes* with special reference to Yunnan (W China), 7
- Nectria indigena* (Arnold) Rehm., 501
- ?*verrucariae* Vouaux, 501
- Nemesia* Vent., 385
- albiflora* N. E. Br., 388
- caerulea* Hiern, 390
- capensis* (Sprengel) O. Kuntze, 391
- var. *linearis* (Vent.) Fourcade, 394
- cynanchifolia* Benth., 391
- denticulata* (Benth.) Fourcade, 391
- divergens* Benth., 392
- flanagani* Hiern, 388
- foetens* Vent., 385, 393
- fruticans* (Thunb.) Benth., 393
- var. *linearis* (Vent.) Norlindh, 394
- glabriuscula* Hilliard & Burtt, 393
- linearis* Vent., 394
- var. *latifolia* Benth., 393
- melissifolia* Benth., 394
- natalitia* Sonder, 391
- rupicola* Hilliard, 396
- silvatica* Hilliard, 398
- thunbergii* G. Don, 391
- umbonata* (Hiern) Hilliard & Burtt, 399
- Nemesia* sp. A, 400
- Nesolechia inquinans* (Tul.) Massal., 501
- New combinations in *Etlingera* Giseke (Zingiberaceae), 243
- New infrageneric classification and phylogenetic trends in the genus *Rhododendron*, 185
- New lens from the Middle East, 489
- New name for *Adelocaryum erythraeum*, 477
- NEWMAN, MARK R. & JONG, KWITON
Cytotaxonomic observations on *Mantisia wardii* (Zingiberaceae), 493
- Nicolaia* Horan., 239, 440
- anthodioides* (Teysm. & Binn.) Koord., 252
- ?*anthodioides* (Teysm. & Binn.) Val., 246
- atropurpurea* (Teysm. & Binn.) Val., 246, 252
- diepenhorstii* (Teysm. & Binn.) Val., 244
- elatii* (Jack) Horan., 239, 442
- fulgens* (Ridley) K. Larsen, 246, 252
- gracilis* Val., 245
- grandiligulata* (K. Schum.) Val., 245
- hemisphaerica* (Bl.) Horan., 245
- heyneana* Val., 246
- imperialis* Horan, 244, 252
- intermedia* Val., 252
- ?*intermedia* Val., 244
- lorzingii* Val., 247
- maingayi* (Bak.) K. Larsen, 247
- nova-guineensis* (K. Schum.) Val., 252
- pallida* (Bl.) Horan, 250, 252
- peekelii* Val., 248
- pyramidosphaera* (K. Schum.) Burtt & Smith, 249, 443
- rostrata* Val., 246, 252
- sanguinea* Val., 246, 252

- sericea* Ridley, 249
solaris (Bl.) Horan., 250
speciosa (Bl.) Horan., 244, 442
subulicalyx Val., 250
venusta (Ridley) K. Larsen, 250
Notes on British Lichenicolous Fungi: V., 497
Notes on Chinese silver firs 3, 269
Notes on some plants of southern Africa chiefly from Natal: XII, 189; XIII, 345
- Ovary, ovule and megagametophyte in *Rhododendron*, 133
- PAGE, C. N.
Alive at Kew (review), 342
Central European pteridophytes (review), 341
— & TAN, KIT
A simplified technique for clearing and staining the vascular skeleton of whole plant material, 299
- PALSER, BARBARA F., PHILIPSON, WILLIAM R. & PHILIPSON, MELVA N.
The ovary, ovule and megagametophyte in *Rhododendron*, 133
- Paracynoglossum geometricum* (Baker & Wright) R. Mill, 348
Parietaria debilis auct. non Forst. F., 402
micrantha Ledeb, 402
Phaeomeria [Lindley ex] K. Schum., 239, 440
anthodioides (Teysm. & Binn.) Koord., 246, 252
atropurpurea (Teysm. & Binn.) K. Schum., 246, 252
caudiculata Ridley, 244
chrysocalyx (K. Schum.) K. Schum., 250, 252
ciliata (Bak.) K. Schum., 254
diepenhorstii (Teysm. & Binn.) K. Schum., 244
fulgens (Ridley) K. Schum., 246, 253
fulviceps (Thw.) K. Schum., 254
grandiligulata K. Schum., 245
hemisphaerica (Bl.) K. Schum., 246
heyniana (Val.) Burkill, 246
imperialis Lindley, 244, 253
laotica (Gagnep.) Loesen., 254
magnifica (Rose.) K. Schum., 244, 253
maingayi (Bak.) K. Schum., 247
minor Ridley, 247
moluccana K. Schum., 248
nova-guineensis K. Schum., 252
pallida (Bl.) K. Schum., 250, 253
peekelii (Val.) Loesen., 248
pyramidosphaera K. Schum., 249, 443
rostrata (Val.) Loesen., 246, 253
solaris (Bl.) K. Schum., 250
speciosa (Bl.) Merr., 245, 253
venusta (Ridley) K. Schum., 250
Phaeospora epicallopsis (Weddell) Arnold, 512
hetairizans (Leighton) Arnold, 504
Pharcidia conoides
var. *solorinaria* Vainio, 508
PHILIPSON, M. N.
The *Rhododendron* nectary, 117
—, PALSER, BARBARA F. & PHILIPSON, W. R.
The ovary, ovule and megagametophyte in *Rhododendron*, 133
PHILIPSON, W. R.
Shoot morphology in *Rhododendron*, 161
— PHILIPSON, M. N. & PALSER, BARBARA F.
The ovary, ovule and megagametophyte in *Rhododendron*, 133
Pleiospora rufescentis Vouaux, 497
Polemannia simplicior Hilliard & Burtt, 225
Polycoccum epicrassum (H. Olivier) R. Sant., 503
Presentation and maintenance of large *rhododendron* collections, 183
Propagation of hardy *rhododendrons*, 15
Propagation of *Rhododendron* section *Vireya* from seed, 99
Psilosphaeria thallophila (Cooke) Stevenson, 500
Pulicaria omanensis Gamal-Eldin, 485
subsp. *milleri* Gamal-Eldin, 486
pulvinata Gamal-Eldin, 481
Pyrenidium hetairizans (Leighton) D. Hawksw., 504
- QUADRACCIA, L., TABARÉS, M., ROCABRUNA, A. & WATLING, ROY
Gastrocybe in Europe, 307
- RATTER, J. A.
Fruits of long-term collaboration (review), 340
Spergula and *Sperularia* in the British Isles, 283
Registration of *Rhododendron* cultivars, 173
Review of Bornean Zingiberaceae II (Alpineae, concluded), 439
Review of *Hypericum* sect. *Hirtella*, 255
Revision of the genus *Afrotysonia* Rauschert (Boraginaceae), 467
Rhododendron, Barriers to sexual compatibility in, 81
Rhododendron cultivars, The registration of, 173
Rhododendron nectary, 117
Rhododendron, The ovary, ovule and megagametophyte in, 133
Rhododendron rust—taxonomic and horticultural implications, 25
Rhododendron, Shoot morphology in, 161
Rhododendron section *Vireya* from seed, The propagation of, 99
Rhododendron subgenus *Hymenanthes* with special reference to Yunnan (W China), The distribution of, 7
ROBSON, N. K. B.

- A review of *Hypericum* sect. *Hirtella*, 255
- ROCABRUNA, A., WATLING, R.,
QUADRACCIA, L. & TABARÉS, M.
Gastrocybe in Europe, 307
- ROUSE, J. L.
The propagation of *Rhododendron*
section *Vireya* from seed, 99
—, Knox, R. B. & WILLIAMS, E. G.
Barriers to sexual compatibility in
Rhododendron, 81
- RUSHFORTH, K. D.
Notes on Chinese Silver firs 3, 269
- Schoenoxiphium* Nees, 364
altum Kukkonen, 365
bracteosum Kukkonen, 365
burtii Kukkonen, 365
capense Nees, 364
lanceum (Thunb.) Kukkonen, 364
molle Kukkonen, 366
strictum Kukkonen, 366
- Scirpus acuminatus* Steudel, 358
costatus (A. Rich.) Boeck.
var. *macer* (Beock.) Cherm., 363
macer Boeck., 363
- Scutula krempelhuberi* Körber, 506
solorinaria
var. *solorinicola* (Vainio) P. Karsten,
506
solorinicola (Vainio) Rehm., 506
- Secoliga indigens* Arnold, 501
Selago witbergensis E. Mey., 217
- Senecio flanaganii* E. P. Phillips, 198
gregatus Hilliard, 352
serratuloides
var. *dieterlenii* Thellung, 353
var. *gracilis* Harvey, 352
var. *holubii* Thellung, 353
var. *rehmannii* Thellung, 353
- Shoot morphology in *Rhododendron*, 161
- Simplified technique for clearing and
staining the vascular skeleton of whole
plant material, 299
- SMITH, R. M.
New combinations in *Etlingera* Giseke
(Zingiberaceae), 243
A review of Bornean Zingiberaceae: II
(Alpineae, concluded), 439
— & BURTT, B. L.
Etlingera: the inclusive name for
Achasma, *Geanthus* and *Nicolaia*
(Zingiberaceae), 235
- Spergula* and *Spergularia* in the British
Isles, 288
- Spergula* L., 283
var. *nana* Linton, 285
var. *sativa* (Boenn.) Mert. & Koch, 285
var. *vulgaris* (Boenn.) Mert. & Koch,
285
morisonii Boreau, 286
pentandra auct. non L., 286
sativa Boenn., 284
vernalis auct., 286
vulgaris Boenn., 284
- Spergularia* in the British Isles, *Spergula*
and, 283
- Spergularia* (Pers.) J. & C. Presl., 286
atheniensis (Heldr. & Sart.) Aschers., 291
bocconii (Scheele) Aschers & Graebn., 291
campestries (Kindb.) Willk. & Lange, 291
campestris (L.) Aschers., 290
marginata (DC.) Kittel, 293
marina (L.) Griseb., 295
maritima (Allioni) Chiovenda, 293
media (L.) C. Presl., 293
rubra (L.) J. & C. Presl., 286, 290
β *atheniensis* Heldr. & Start., 291
rupicola Lebel, 292
rupicola [Lebel ex] Le Jolis, 292
salina J. & C. Presl., 295
- SPETHMANN, W.
A new infrageneric classification and
phylogenetic trends in the genus
Rhododendron, 185
- Sphaerella thallophila* (Cooke) Cooke, 500
Sphaeria epicallopisma (Weddell) H.
Olivier, 512
hetairizans (Leighton) M. Olivier, 504
thallophila (Cooke) Stevenson, 500
- STEVENS, P. F.
Malesian *vireya* *rhododendrons*—towards
an understanding of their evolution, 63
- Stigmatium solorinarium* (Vainio) D.
Hawksw., 508
- Streptocarpus arcuatus* Hilliard & Burtt,
229
caulescens auct., 231
caulescens Vatke
var. *pallescens* Engler, 231
f. *pallescens* (Engler) Engler, 232
dolichanthus Hilliard & Burtt, 230
eylesii S. Moore
subsp. *silvicola* Hilliard & Burtt, 231
pallidiflorus C. B. Clarke, 231
- Struthiola angustiloba* Peterson & Hilliard,
219
- Studies in the Flora of Arabia XVII:
Further new and interesting taxa of
Pulicaria from Oman, 481
- Studies in the Gesneriaceae of the Old
World XLIX. Additions and amendments
to *Streptocarpus*, 229
- Survey of the work of the Royal Botanic
Garden Edinburgh in 1984, 313; 1985,
521
- Sutera beverlyana* Hilliard & Burtt, 216
silenioides Hilliard, 216
- TABARÉS, M., ROCABRUNA, A., WATLING,
ROY & QUADRACCIA, L.
Gastrocybe in Europe, 307

- TAN, KIT & DAVIS, P. H.
Two new Delphiniums from Anatolia, 267
— & PAGE, C. N.
A simplified technique for clearing and staining the vascular skeleton of whole plant material, 299
- TEBBETT, I. R., KIDD, C. B. M. & WATLING, ROY
Cortinarius bataillei—new to the British list, 303
- Two new Delphiniums from Anatolia, 267
- Tysonia H. Bolus, 468
africana H. Bolus, 469
africana sensu Brand, 470
glochidiata R. Mill, 470
- Valeriana capensis Thunb., 402
var. capensis, 403
var. lanceolata N. E. Br., 403
var. nana B. L. Burtt, 404
- Vallota elata (Jacq.) M. Roemer, 191
purpurea Herb., 190
speciosa (Linn. f.) Durand & Schinz., 191
- Verrucaria aspicillae Zehetl., 510
aspicillicola R. Sant., 510
epicallopisma Weddell, 512
hetairizans Leighton, 504
- Vigna junodii Harms., 368
- Vireya rhododendrons in Borneo, 53
- Wahlenbergia appressifolia Hilliard & Burtt, 350
cuspidata Brehmer, 195
dentifera Brehmer, 195
doleritica Hilliard & Burtt, 196
furcata Brehmer, 195
pallidiflora Hilliard & Burtt, 351
polytrichifolia Schlechter
subsp. dracomontana Hilliard & Burtt, 197
- Walafrida withergensis (E. Mey.) Rolfe, 217
- WATLING, ROY, QUADRACCIA, L., TABARES, M. & ROCABRUNA, A.
Gastrocybe in Europe, 307
- , TEBBETT, I. R. & KIDD, C. B. M.
Cortinarius bataillei—new to the British list, 303
- Weddellomyces D. Hawksw., 511
epicallopismum (Weddell) D. Hawksw., 512
- WILLIAMS, E. G., ROUSE, J. L. & KNOX, R. B.
Barriers to sexual compatibility in Rhododendron, 81
- Xerophyta longicaulis Hilliard, 405