

GENERAL INDEX TO VOLUME 46

- Abies* Miller (Pinaceae), A classification of, 59
Abies Miller, 68
 sect. *Abies*, 68, 72
 sect. *Amabilis* (Matzenko) Farjon & Rushforth, 69, 74
 sect. *Balsamea* Englem. emend Farjon & Rushforth, 69, 75
 sect. *Bracteata* Englem. emend Sarg., 69, 73
 sect. *Grandis* Englem. emend Farjon & Rushforth, 70, 75
 sect. *Momi* Franco emend Farjon & Rushforth, 69, 74
 sect. *Nobilis* Englem., 70, 76
 sect. *Oiamel* Franco emend Farjon & Rushforth, 70, 76
 sect. *Piceaster* Spach, 69, 73
 sect. *Pseudopicea* Hickel emend Farjon & Rushforth, 69, 74
 subsect. *Delavayianae* Farjon & Rushforth, 69, 70
 subsect. *Firmae* (Franco) Farjon & Rushforth, 69
 subsect. *Hickelianae* Farjon & Rushforth, 70
 subsect. *Holophyllae* Farjon & Rushforth, 69, 70
 subsect. *Homolepides* (Franco) Farjon & Rushforth, 69
 subsect. *Laterales* Patschke emend Farjon & Rushforth, 70
 subsect. *Medianae* Patschke emend Farjon & Rushforth, 70
 subsect. *Religiosae* (Matzenko) Farjon & Rushforth, 70
 subsect. *Squamatae* E. Murray, 69
 ser. *Amabiles* Matzenko, 69
 ser. *Firmae* Franco, 69
 ser. *Homolepides* Franco, 69
 ser. *Religiosae* Matzenko, 70
alba Miller, 68
amabilis Dougl. ex Forbes, 69
balsamea (L.) Miller, 69, 70
beshanzuensis M. H. Wu, 69
 × *borisii-regis* Mattfield emend Liu, 68
bracteata (D. Don) D. Don ex Poit., 69
cephalonica Loud., 68
chengii Rushforth, 69
chensiensis Van Tieghem, 69
 subsp. *salouensis* (Bord.-Rey & Gaussen) Rushforth, 69
 subsp. *yulong-xueshanensis* Rushforth, 69
cilicica (Ant. & Kotschy) Carrière, 68
 subsp. *isaurica* Coode & Cullen, 68
colimensis Rushforth & Navare, 70, 105
concolor (Gordon & Glend.) Lindley & Hildebr., 70
davidiana (Bertr.) Franchet, 88
delavayi Franch., 69
 var. *nukiangensis* (Cheng & Fu) Farjon, 69
densa Griff., 69
durangensis Martinez, 70
 var. *coahuilensis* (I. M. Johnst.) Martinez, 70
fabri (Masters) Craib, 69
 subsp. *minensis* (Bord.-Rey & Gaussen) Rushforth, 69
fanjingshanensis Huang, Tu & Fang, 69
fargesii Franch., 69
 var. *faxoniana* (Rehder & Wilson) Liu, 69
 var. *sutchuenensis* Franchet, 69
firma Sieb. & Zucc., 69
flinckii Rushforth, 70, 101
forrestii C. Coltm. Rogers, 69
 var. *georgei* (Orr) Farjon, 69
fortunei (Andr. Murray) Andr. Murray, 83
fraseri (Pursh) Poir., 70
gamblei Hickel, 69
grandis (Dougl. ex D. Don) Lindley, 70
guatemalensis Rehder, 70
 var. *jaliscana* Martinez, 70, 101
hickelii Flous & Gaussen, 70
 var. *oaxacana* (Martinez) Farjon, 70
holophylla Maxim., 69
homolepis Sieb. & Zucc., 69
 var. *umbellata* (Mayr) Wilson, 69
kawakamii (Hayata) Ito, 70
koreana Wilson, 70
lasiocarpa (Hook.) Nutt., 70
 var. *arizonica* (Merriam) Lemmon, 70
magnifica Andr. Murray, 70
 var. *shastensis* Lemmon, 70
mariesii Masters, 69
mexicana Martinez, 70
nebrodensis (Lojac.) Mattei, 68
nephrolepis (Trautv.) Maxim, 70
nordmanniana (Steven) Spach, 68
 subsp. *equi-trojani* (Boiss.) Coode & Cullen, 68
numidica De Lannoy ex Carrière, 69
pindrow Royle, 69
 var. *brevifolia* Dallim. & Jackson, 69
pinsapo Boiss., 69
 var. *tazaotana* (H. del Vilar) Pourtet, 69
 var. *macrocana* (Trabut) Ceballos & Bolanos, 69
procera Rehder, 70
recurvata Masters, 69
 var. *ernestii* (Rehder) C. T. Kuan, 69
religiosa (H. B. K.) Schlecht. & Cham., 70
 var. *emarginata* Loock & Martinez, 101
sachalinensis (Fr. Schmidt) Masters, 70
 var. *mayriana* Miyabe & Kudo, 70
sacra David ex Franchet, 88
sacra David, 88
sibirica Ledeb., 70
 subsp. *semenovii* (B. A. Fedtschenko) Farjon, 70

- spectabilis* (D. Don) Spach, 69
squamata Masters, 69
veitchii Lindley, 70
 var. *sikokiana* (Nakai) Kusaka, 70
vejarii Martinez, 70
 subsp. *mexicana*, 70
yuanbaoshanensis Lu & Fu, 69
ziyuanensis Fu & Mo, 69
Abietia fortunei (Andr. Murray) A. H. Kent, 83
Abrothallus cladoniae R. Sant. & D. Hawksw., 392
Acanthus caroli-alexandri Hauskkn., 8
 dioscoridis, 10
 var. *perringii*, 10
 hirsutus Boiss., 8
 subsp. *hirsutus*, 11
 subsp. *syriacus* (Boiss.) Brummitt, 8, 11
 forma *roseus*, 7, 10
 mollis, 10
 spinosus, 10
 syriacus Boiss., 8
Aconogonon from Upper Burma and Yunnan.
 A new species of, 361
Aconogonon rhombitepalum S.-P. Hong, 361
Anaphalis to *Chionolena*, Transfer of two species of, 37
Anaphalis aecidiocephala Grierson, 40
 concinnum (A. Gray) Grierson, 40
Anaspis Rech. f., 345, 346
ANDERBERG, ARNE A. & FREIRE, SUSANA, E.
 Transfer of two species of *Anaphalis* to *Chionolena*, 37
ARGENT, G. C. G.
 Diplycosia in Borneo. Two new species and a provisional key to *Diplycosia* and close allies, 17
 — & DRANSFIELD, J.
 Rhododendron alborugosum: a new species of *Vireya rhododendron* from Borneo, 27
Aureoboletus Pouzar, 406
 thibetanus (Pat.) Hongo & Nagasawa, 406
Austroboletus Wolfe, 407
 alveolatus (Heim & Perreau) Horak, 420
 betula (Schw.) Horak, 420
 dictyotus (Boedijn) Wolfe, 407
 fruticicola (Berk.) Horak, 420
Austrocynoglossum M. Popov ex R. R. Mill, 43
 latifolium (R. Br.) R. Mill, 44
Bachmanniomyces unclicicola (Zopf) D. Hawksw., 394
BAUM, B. R.
 Studies in the Flora of Arabia: XXV. *Tamarix* in the Arabian Peninsula, 1
Biatora carniolica Arnold, 382
 umbonata Hepp, 398
Boletellus Murrill, 407
 alveolatus (Heim & Perreau) Singer, 420
 betula (Schw.) Gilbert, 420
 fallax (Corner) Watling, 407
 ivoryi Singer, 420
 longicollis (Ces.) Pegler & Young, 409
Boletes from Sarawak, 405
Boletopsis icterinus Pat. & Baker, 413
Boletus Fries, 409
 subgen. *Punctispora* Corner, 420
 aff. *ascendens* Corner, 416
 betula Schw., 420
 fallax Corner, 407
 flexipes Mass., 406
 fruticicola Berkeley, 420
 morganii Peck, 420
 nugatorius Corner, 417
 peltatus Corner, 409
 punctisporus Corner, 420
 cf. *rectus* Corner, 418
 ridleyi Massee, 410
 sylvestris Petch, 419
BOOK REVIEWS
 The *Moraees* of southern Africa by Peter Goldblatt, 423
 Flora of Turkey and the East Aegean Islands (Supplement), vol. 10. P. H. Davis et al (eds), 424
 The genus *Watsonia* by Peter Goldblatt, 423
BRUMMITT, R. K. & WOOD, D. J.
 Notes on *Acanthus hirsutus* Boiss. with a key to Turkish taxa of *Acanthus*, 7
Buellia physciicola Poelt & Hafellner, 394
BURTT, B. L.
 Some *Iridaceae* of Southern Africa (review), 423
 Studies in the *Gesneriaceae* of the Old World: L. Notes on *Hexatheca*, 53
 Studies in the *Gesneriaceae* of the Old World LII. Index to the series, 323
 — & HILLIARD, O. M.
 Reduction of *Ornithogalum hygrophilum* to *O. baurii*, 343
 Studies in the *Gesneriaceae* of the Old World LI. A new *Streptocarpus* from Mozambique, 321
Capitoclavaria capitata Lloyd, 143
Capronia normandinae R. Sant. & D. Hawksw., 395
Carex acrogyna Lévl. & Vant., 111, 117, 120
 alta Boott
 var. *brevior* Lévl. & Vant., 116
 var. *gymnocarpa* Lévl. & Vant., 125
 alterniflora Franch., 124
 argyi Lévl. & Vant., 111
 argyrostachys Lévl. & Vant., 116
 atrata L.
 subsp. *pullata* (Boott) Kükenth., 111
 var. *pullata* Boott, 111
 augustinowiczii Meinsh., 111
 bakanensis Lévl. & Vant., 119
 blepharicarpa Franch., 112
 blinii Lévl. & Vant., 112
 boottiana Hook. & Arn., 122
 breviculmis R. Br.

- subsp. *royleana* Nees ex Wight, 112
 forma *fibrillosa* (Franch. & Sav.)
 Kükenth. ex Matsum., 112
 forma *wardiana* (Lévl. & Vant.)
 Kükenth., 113
 var. *breviculmis*, 112
 var. *fibrillosa* (Franch. & Sav.) Owhi, 112
brunnea Thung., 113
 var. *sendaica* (Franch.) Kükenth., 119
 var. *husnotiana* (Lévl. & Vant.) Nakai, 119
candolleana Lévl. & Vant., 112
 var. *longibracteata* Lévl. & Vant., 112
 var. *pubescens* Lévl. & Vant., 112
cardiogluchis Lévl. & Vant., 123
caryophyllea Latour
 subsp. *nervata* Franch. & Sav.
 var. *micotricha* Kükenth., 127
 subsp. *nervata* (Franch. & Sav.) Kükenth.,
 122
 var. *micotricha* (Franch.) Kükenth., 113
caulorhiza Lévl. & Vant., 122
cavaleriei Lévl. & Vant., 118
cavaleriensis Lévl. & Vant., 113
cernua Boott, 114
cespitosa L., 113
 var. *rubra* (Lévl. & Vant.) Lévl. & Vant.,
 113
chinensis auct., 127
chorda Lévl. & Vant., 128
chrysolepis Franch. & Sav., 113
 var. *modesta* Lévl. & Vant., 114
cincta Franch., 123
cordouei Lévl. & Vant., 126
coronata Lévl. & Vant., 114
crassibasis Lévl. & Vant., 118
debauxii Lévl. & Vant., 113
diamantina Lévl. & Vant., 116
dimorpholepis Steud., 114
dispalata Boott ex A. Gray, 114
disperma Dewey, 114
distichoidea Lévl. & Vant., 114
doenitzii Bockl., 114
dominii Lévl. & Vant., 114
doniana Spreng., 114
dryophila Turcz., 115
dunniana Lévl. & Vant., 119
egena Lévl. & Vant., 115
engleriana Lévl. & Vant., 112
eriandrolepis Lévl. & Vant., 126
erythrobasis Lévl. & Vant., 123
esquiroliana Lévl. & Vant., 115
esquirolii Lévl. & Vant., 115
fedia Nees ex Wight, 115
fernaldiana Lévl. & Vant., 126
fibrillosa Franch. & Sav., 112
filipes Franch. & Sav.
 subsp. *oligostachys* (Meinsh. ex Maxim.)
 T. Koyama, 115
 var. *oligostachys* (Meinsh. ex Maxim.)
 Kükenth., 115
 var. *vaniotii* (Lévl. & Vant.) Kükenth., 118
flabellata Lévl. & Vant., 125
foliosa D. Don, 115
forficula Franch. & Sav.
 var. *scabrida* Kükenth., 115
formosensis Lévl. & Vant., 120
franchetiana Lévl. & Vant., 119
gendreii Lévl. & Vant., 127
gentiliana Lévl. & Vant., 121
gibba Wahl., 116
gifuensis Franch., 116
giraudiasii Lévl. & Vant., 111
glareosa Wahl.
 subsp. *soriofkensis* (Lévl. & Vant.)
 McKean, 116
 var. *soriofkensis* (Lévl. & Vant.) Lévl. &
 Vant., 116
globularis L., 116
 var. *mitsuriokensis* (Lévl. & Vant.) Lévl. &
 Vant., 116
guffroyana Lévl. & Vant., 118
haematostachys Lévl. & Vant., 117
hakodatensis Lévl. & Vant., 124
hakonensis Franch. & Sav., 116
hallaisanensis Lévl. & Vant., 123
hangtongensis Lévl. & Vant., 128
hayatae Lévl. & Vant., 112
hebecarpa C. A. Mey.
 subsp. *ligulata* (Nees) T. Koyama, 119
 var. *ligulata* (Nees) Kükenth., 119
heleochariformis Lévl. & Vant., 117
heribaudiana Lévl. & Vant., 112, 113, 127
heterolepis Bunge, 117
heterostachya Bunge
 forma *minor* (Boott) Kükenth., 117
heudesii Lévl. & Vant., 128
hoatiensis Lévl. & Vant., 112
hololasius Lévl. & Vant., 124
hongnoensis Lévl. & Vant., 119
humilis Leyss.
 var. *nana* (Lévl. & Vant.) Ohwi, 117
husnotiana Lévl. & Vant., 119
idzuroei Franch. & Sav., 117
indistinctum Lévl. & Vant., 124
ischnostachya Steud., 117
jackiana Boott
 subsp. *jackiana*
 forma *oxyphylla* (Franch.) Kükenth.,
 118
 subsp. *parciflora* (Boott) Kükenth.
 var. *vaniotii* (Lévl. & Vant.) T. Koyama,
 118
jaluensis Kom., 118
japonica Thunb.
 var. *chlorostachys* (Don) Kükenth., 114
 forma *naipiangensis* (Lévl. & Vant.) Lévl.
 & Vant., 121
 var. *naipiangensis* Lévl. & Vant., 120
jizokatakensis Lévl. & Vant., 118
kinashii Lévl. & Vant., 118
kingiana Lévl. & Vant., 122, 126
kiotensis Franch. & Sav., 118

- korsakoviensis* Lévl. & Vant., 125
lanceolata Boott, 118
 var. *nana* Lévl. & Vant., 117
laticeps C. B. Cl. ex Franch., 118
latinervia Lévl, 117
latitans Lévl. & Vant., 120
lebrunei Lévl., 115
ledebouriana C. A. Mey. ex Trev.
 subsp. *tenuiformis* (Lévl. & Vant.)
 Egorova, 119
legendrei Lévl. & Vant., 127
lenta D. Don
 var. *sendaica* (Franch.) T. Koyama, 119
lepidoprists Lévl. & Vant., 123
leucochlora Bunge, 112
ligata Boott
 subsp. *formosensis* (Lévl. & Vant.) T.
 Koyama, 120
 var. *formosensis* (Lévl. & Vant.) Kükenth.,
 120
ligulata Nees, 119
lyi Lévl. & Vant., 118
mackenziei Krecz., 120
macrandrolepis Lévl. & Vant., 120
maculata Boott, 120
magellanica Lam., 121
malacocarpa Lévl. & Vant., 120
malinvaldi Lévl. & Vant., 126
martinii Lévl. & Vant., 121
matsumurae Franch., 121
maximowiczii Miq., 121
meiocarpa Lévl. & Vant., 121
metallica Lévl. & Vant., 122
micotricha Franch., 113
middendorffii F. Schmidt
 var. *kirigaminensis* (Ohwi) Ohwi, 122
mitrata Franch., 122
mitsuriokensis Lévl. & Vant., 116
mollicula Boott
 var. *naipiangensis* (Lévl. & Vant.) T.
 Koyama, 120
montana L.
 var. *oxyandra* Franch. & Sav., 123
multifiliculmis Lévl. & Vant., 122, 126
multipes Lévl. & Vant., 122
nakaii Lévl. & Vant., 114
nanella auct., 117
neokukenthaliana Lévl. & Vant., 118
nervata Franch. & Sav., 122
nubigena D. Don ex Tilloch & Taylor, 122
oahuensis C. A. Mey., 122
 var. *bootiana* (Hook. & Arn.) Kükenth.,
 123
odontostoma Kükenth.
 var. *variegata* Kükenth., 113
oligostachys Meinsh. ex Maxim., 115
oliveri Lévl. & Vant., 123
onoei Franch. & Sav.
 var. *krameri* (Franch. & Sav.) Kükenth. ex
 Matsum., 116
ontakensis Lévl. & Vant., 121
ophipogon Lévl., 122
otaruensis Franch., 123
oxyandra (Franch. & Sav.) Kudo, 123
paniculacea Lévl. & Vant., 123
parciflora Boott
 var. *vaniotii* (Lévl. & Vant.) Ohwi, 118
paucimascula Lévl. & Vant., 118
paupercula Michx., 121
pediformis C. A. Mey., 123
pedunculata Muehl.
 var. *erythrobasis* (Lévl. & Vant.) T.
 Koyama, 123
phacota Spreng., 123
picea Franch.
 var. *asensis* Lévl. & Vant., 113
pilosa Scop., 124
pisiformis Boott
 var. *alterniflora* (Franch.) T. Koyama, 124
 var. *koreana* (Nak.) T. Koyama, 124
 var. *sachalinensis* (F. Schm.) Kükenth. ex
 Matsum., 124
 forma *polyschoena* (Lévl. & Vant.)
 Kükenth., 124
pisiformis Franch. & Sav., 124
planiculmis Kom., 120
pleiorhiza Lévl. & Vant., 127
polyschoena Lévl. & Vant., 124
prescottiana Boott
 var. *flabellata* (Lévl. & Vant.) Ohwi, 125
pseudo-chinensis Lévl. & Vant., 125
pseudospachiana Lévl. & Vant., 125
pseudostrigosa Lévl. & Vant., 124, 128
pseudovesicaria Lévl. & Vant., 117
puberula Boott, 112
reichenbachiana Lévl. & Vant., 125
remota L.
 subsp. *rochebrunei* (Franch. & Sav.)
 Kükenth., 125
riishirensis Franch., 127
rochebrunii Franch. & Sav., 125
rubra Lévl. & Vant., 113
rubro-brunnea C. B. Cl.
 var. *taliensis* (Franch.) Kükenth., 125
rugata Ohwi, 126
sabynensis Less. ex Kunth, 126
 var. *micotricha* (Franch.) Ohwi, 113
sachalinensis Fr. Schm., 124
 subsp. *fernaldiana* (Lévl. & Vant.) T.
 Koyama, 126
sadae Lévl. & Vant., 112, 126
scabrifolia Steud., 126
schistorhyncha Lévl. & Vant., 127
schkuriana Lévl. & Vant., 114
schmidtii Meinsh., 126
scita Maxim.
 var. *riishirensis* (Franch.) Kükenth., 127
sendaica Franch., 119
shimidzensis Franch., 127
simulans C. B. Cl., 127
sino-mairei Lévl. & Vant., 115
sociata Boott, 127

- songorica* Kar. & Kir.
 var. *minor* Boott, 117
sorachensis Lévl. & Vant., 127
sorjofkensis Lévl. & Vant., 116, 120
stolonifera Lévl. & Vant., 123
stupenda Lévl. & Vant., 123
subumbellata Meinsh.
 var. *verecunda* Ohwi, 127
taliensis Franch., 125
taquetii Lévl., 121
tenella Schkuhr
 var. *dominii* (Lévl. & Vant.) Lévl. & Vant., 114
 var. *nakaii* (Lévl. & Vant.) Lévl. & Vant., 114
tenuiformis Lévl. & Vant., 119
tenuinervis Ohwi, 127
tenuissima Boott
 var. *duvaliana* (Franch. & Sav.) Kükenth., 124
tibetica Franch., 128
tricarinata Lévl. & Vant., 115
turczaninowiana Meinsh.
 var. *beaurepairei* Lévl. & Vant., 115
umbrosa Host.
 var. *koreana* Nak., 124
umbrosa L.
 subsp. *sabynensis* (Less.) Kükenth., 126
umbrosiformis Lévl. & Vant., 112
vaniotii Lévl. & Vant., 118
vladimiroviensis Lévl. & Vant., 127
wardiana Lévl. & Vant., 113
wrightii Franch., 123
yabei Lévl. & Vant., 126
 Catalogue of the names published by Hector Léveillé: XXI, 111
Cercidospora lichenicola (Zopf) Hafellner, 397
Ceratomyces betula (Schw.) Murrill, 420
Chionolena. Transfer of two species of *Anaphalis* to, 37
Chionolena aecidioccephala (Grierson) Anderb. & Freire, 40
 concinna (A. Gray) Anderb. & Friere, 40
 Classification of *Abies* Miller (Pinaceae), 59
Clavaria australiana Cleland, 157
 capitata Lloyd, 143
 lorithamnus Berkeley, 148
 sinapicolor Cleland, 148
Costus and *Renealmia*, Some new species of. Notes on New World Zingiberaceae: IV, 307
Costus
 sect. *Costus*, 314
 sect. *Ornithophilus*, 314
acreanus, 314
amazonicus, 315
arabicus, 314
asteranthus Maas & Maas, 307, 315
beckii Maas & Maas, 309, 315
erythrocorone, 315
erythrothyrus, 315
geothyrus, 315
laevis, 315
longibracteolatus, 314
plowmanii, 315
stenophyllus, 314
vargasii Maas & Maas, 311, 315
zamoranus, 315
 Culture of cereal leaf rusts for physiological and taxonomical studies, 131
Cynoglossum L.
 subgen. *Paracynoglossum* (M. Popov) H. Reidl
 sect. *Axillaria* H. Reidl, 43
 latifolium R. Br., 44
Dactylospora frigida Hafellner, 398
Daphne ludlowii Long & Rae, 13
Dendrobium section *Oxyglossum* (Orchidaceae), A revision of, 161
Dendrobium sensu Cribb, Reeve & Woods, 255
Dendrobium
 sect. *Cuthbertsonia* Schltr, 178
 sect. *Oxyglossum* Schltr, 178
adolphi Schltr, 227
agathodaemonis J. J. Smith, 275
albiviride P. van Royen, 257
 var. *minor* P. van Royen, 257
allioides J. J. Smith, 235
asperifolium J. J. Smith, 276
atromarginatum J. J. Smith, 276
aurantinosum P. van Royen, 185
begoniicarpum J. J. Smith, 212
begoniifolium J. J. Smith
 var. *parviflorum* J. J. Smith, 212
bilamellatum R. S. Rogers, 254
brachyacron Schltr, 235
brachyphyta Schltr, 254
brassii T. M. Reeve & P. Woods, 238
brevicaule sensu Ridley, 253
brevicaule Rolfe, 182
 subsp. *brevicaule*, 182
 subsp. *calcarium* (J. J. Smith) T. M. Reeve & P. Woods, 184
 subsp. *pentagonum* (Kränzlin) T. M. Reeve & P. Woods, 186
caenosicallainum P. van Royen, 251
caespitificum Ridley, 193
calcarium J. J. Smith, 184
carstenziense J. J. Smith, 276
cedricola P. van Royen, 188
cellulosum J. J. Smith, 202
cerasinum Ridley, 226
chlorinum Ridley, 196
chrysornis Ridley, 188
coccinellum Ridley, 276
coerulescens Schltr, 220
cuthbertsonii F. von Mueller, 275
cyananthum Williams, 240
cyanocentrum Schltr, 207
cyatheicola P. van Royen, 182
cyperifolium Schltr, 236
dekockii J. J. Smith, 188

- delicatumum* Kränzlin, 222
 subsp. *delicatumum*, 224
 subsp. *huliorum* T. M. Reeve & P. Woods, 226
 subsp. *parvulum* (Rolfe) T. M. Reeve & P. Woods, 225
delicatumum sensu Schltr, 214
discrepans J. J. Smith, 226
dryadum Schltr, 235
erythrocarpum J. J. Smith, 188
euphues Ridley, 276
flavispiculum J. J. Smith, 207
frigidum Schltr, 193
fulgidum Ridley, 276
 var. *purpureum* Ridley, 276
gaudens P. van Royen, 188
geluanum Schltr., 240
geminiflorum Schltr, 235
gemma Schltr, 195
habbamense P. van Royen, 265
hellwigianum Kränzlin, 240
igneoviolaceum J. J. Smith, 236
juncoidum P. van Royen, 282
junzaingense J. J. Smith, 212
kerewense P. van Royen, 188
keysseri Schltr, 245
laetum Schltr, 276
laevifolium Stapf, 271
lancilabium J. J. Smith, 263
lapeyrouseoides Schltr, 207
laterifolium Ridley, 226
lichenicola J. J. Smith, 276
maboroense Schltr, 261
masarangense Schltr, 191
 subsp. *masarangense*, 192
 subsp. *theionanthum* (Schltr) T. M. Reeve & P. Woods, 193
 var. *chlorinum* (Ridley) T. M. Reeve & P. Woods, 196
 var. *theionanthum*, 193
microblepharum Schltr, 255
minutum Schltr, 224
monogrammoides J. J. Smith, 195
montigenum Ridley, 188
montistellare P. van Royen
 forma *montistellare*, 184
murkelense J. J. Smith, 245
nanarauticola Fukuyama, 224
nardoides Schltr, 203
nebularum Schltr, 245
occultum Ames, 272
oligoblepharum Schltr, 203
oreocharis Schltr, 212
pachythrix T. M. Reeve & P. Woods, 215
palustre L. O. Williams, 245
parvulum Rolfe, 225
pentagonum Kränzlin, 186
pentagonum sensu J. J. Smith, 251
pentapterum Schltr, 243
petiolatum Schltr, 259
pityphyllum Schltr, 235
prasinum Lindley, 268
pseudofrigidum J. J. Smith, 195
pumilio Schltr, 192
puniceum Ridley, 226
putnamii Hawkes & Heller, 220
quinquecostatum Schltr, 235
quinquecristatum P. van Royen, 185
retroflexum J. J. Smith, 251
rhaphiotes Schltr, 240
rupestre J. J. Smith, 218
saruwagedicum Schltr, 186
scarlatinum Schltr, 226
scotiferum J. J. Smith, 236
semeion van Royen, 250
seranicum J. J. Smith, 229
sophronites Schltr, 276
spathulatilabratum P. van Royen, 267
subacaule [Reinwart ex] Lindley, 212
subacaule sensu Kränzlin, 227
subuliferum J. J. Smith, 205
 var. *gautierense* J. J. Smith, 205
sulphureum Schltr, 196
 var. *cellulosum* (J. J. Smith) T. M. Reeve & P. Woods, 202
 var. *rigidifolium* T. M. Reeve & P. Woods, 200
 var. *sulphureum*, 199
teligerum P. van Royen, 186
tenens J. J. Smith, 254
tenuicalcar J. J. Smith, 235
theionanthum Schltr, 193
trachyphyllum Schltr, 276
trialatum Schltr, 254
tricostatum Schltr, 212
trifolium J. J. Smith, 254
tumidulum Schltr, 245
uncinatum Schltr, 253
undatlatum Schltr, 261
unifoliatum Schltr, 259
vexillarius J. J. Smith, 247
 var. *albiviride* (P. van Royen) T. M. Reeve & P. Woods, 257
 var. *albiviride* 'Queen Elizabeth', 258
 var. *elworthyi* T. M. Reeve & P. Woods, 258
 var. *microblepharum* (Schltr) T. M. Reeve & P. Woods, 255
 var. *retroflexum* (J. J. Smith) T. M. Reeve & P. Woods, 251
 var. *uncinatum* (Schltr) T. M. Reeve & P. Woods, 253
 var. *vexillarius*, 250
violaceominiatum Schltr, 210
violaceum Kränzlin, 233
 subsp. *cyperifolium* (Schltr) T. M. Reeve & P. Woods, 236
 subsp. *violaceum*, 235
xiphophorum P. van Royen, 254
zaranense P. van Royen, 186
 Dimorphanthera from Seram. A new species of, 33

- Dimorphanthera seramica* Argent & Warwick, 33
- Diplycosia in Borneo. Two new species and a provisional key to Diplycosia and close allies, 17
- Diplycosia abscondita*, 22
- acuminata*, 23
- aurea*, 22
- barbigera*, 22
- carrii*, 22
- caudatifolia*, 24
- chrysothrix*, 22
- ciliolata*, 23
- cinnamomifolia*, 25
- clementinum*, 25
- commutata*, 25
- consobrina*, 24
- crenulata*, 23
- elliptica*, 23
- ensifolia*, 25
- fimbriata*, 23
- heterophylla*, 25
- var. *latifolia*, 25
- hirtiflora* Argent, 17, 22
- kalmifolia*, 23
- kemulensis*, 24
- kinabaluensis*, 23, 24
- kostermansii*, 24
- lavendulifolia*, 23
- lotungensis* Argent, 19, 22
- memecycloides*, 24
- microphylla*, 24
- microsalicifolia*, 25
- myrtillus*, 23, 24
- orophila*, 23
- penduliflora*, 23, 25
- piceifolia*, 23
- pinifolia*, 23
- pittosporifolia*
- var. *pittosporifolia*, 24
- var. *punctiloba*, 23
- pseudorufescens*, 23, 24
- punctulata*, 25
- rosmarinifolia*, 24
- rufa*, 22
- salicifolia*, 25
- sanguinolenta*, 24
- saurauoides*, 22
- scabrida*, 23
- sphenophylla*, 24
- urceolata*, 25
- viridiflora*, 25
- DRANSFIELD, J. & ARGENT, G. C. G.
- Rhododendron albugosum*: a new species of *Vireya* rhododendron from Borneo, 27
- EDMONDSON, J. R.
- Supplement to the Flora of Turkey (review), 424
- Eleutheromyces geoglossi* (J. B. Ellis & Everhart) Seaver, 377
- FARJON, A.
- A second revision of the genus *Keteleeria* Carrière, 81
- & RUSHFORTH, K. D.
- A classification of *Abies* Miller (Pinaceae), 59
- FREIRE, SUSANA E. & ANDERBERG, ARNE A.
- Transfer of two species of *Anaphalis* to *Chionolena*, 37
- Gaultheria borneensis*, 22
- Gelatinopsis, Geltingia and Phaeopyxis: three helotialean genera with lichenicolous species, 375
- Gelatinopsis* Rambold & Triebel, 375
- ericetorum* (Körber) Rambold & Triebel, 376, 387
- geoglossi* (J. B. Ellis & Everhart) Rambold & Triebel, 377
- Geltingia, Phaeopyxis and Gelatinopsis: three helotialean genera with lichenicolous species, 375
- Geltingia* Alstrup & D. Hawksw., 378
- associata* (Th. Fr.) Alstrup & D. Hawksw., 379, 387
- Gnaphalium aecidiocephalum* (Grierson) L. Williams, 40
- concinnum* A. Gray, 40
- Harlanlewisia* Epling, 346
- HAWKSWORTH, D. L.
- Notes on British lichenicolous fungi: VI, 391
- Heimiella* Boedjii, 410
- subgen. *Punctispora* (Corner) Watling, 420
- alveolata* (Heim & Perreau) Watling, 420
- betula* (Schw.) Watling, 420
- fruticicola* (Berk.) Watling, 420
- ivoryi* (Singer) Watling, 420
- punctispora* (Corner) Watling, 420
- retispora* (Pat. & Bak.) Boedjii, 410
- HELPER, S.
- The culture of cereal leaf rusts for physiological and taxonomical studies, 131
- & WARWICK, M.
- A scanning electron microscope survey of *Vireya* rhododendrons. I: Preparation techniques, 365
- Hexatheca, Notes on. Studies in the Gesneriaceae of the Old World: L, 53
- Hexatheca dolichopoda* B. L. Burtt, 54
- fulva* C. B. Clarke, 56
- subsp. *beamanii* B. L. Burtt, 56
- subsp. *fulva*, 56
- johannis-winkleri* Kraenzl., 56
- minor* Kraenzl., 57
- HILLIARD, O. M.
- More new names and combinations in Scrophulariaceae-Manuleae, 337
- New names in Manulea (Scrophulariaceae), 49
- & BURTT, B. L.

- Reduction of *Ornithogalum hygrophilum* to *O. baurii*, 343
- Studies in the Gesneriaceae of the Old World
LI. A new *Streptocarpus* from Mozambique, 321
- HOLLANDS, RUTH & WATLING, ROY
Boletes from Sarawak, 405
- HONG, SUK-PYO
A new species of *Aconogonon* from Upper Burma and Yunnan, 361
- Hypomyces geoglossi* J. B. Ellis & Everhart, 377
- Katherinea parvula* (Rolfe) A. D. Hawkes, 225
- Keteleeria* Carrière, 83
 calcareae Cheng & Fu, 88
 chien-peii Flous, 88
 cyclolepis Flous, 84
 davidiana auct., 92
 davidiana (Bertr.) Beissner, 88
 var. *chien-peii* (Flous) Cheng & Fu, 88
 var. *formosana* (Hayata) Hayata, 88
 var. *sacra* (Franchet) Beissner & Fitschen, 88
 delavayi Van Tieghem, 92
 dopiana Flous, 92
 esquirolii auct., 84
 esquirolii Lévillé, 88
 evelyniana Masters, 92
 var. *pendula* Hsueh, 92
 formosana Hayata, 88
 fortunei (Andr. Murray) Carrière, 83
 hainanensis Chun & Tsiang, 92
 jezoensis (Lindley) Flous, 84
 oblonga Cheng & Fu, 84
 pubescens Cheng & Fu, 88
 roulettii Flous, 92
 sacra (Franchet) Beissner, 88
 xerophila Hsueh & Hao, 88
- Lecidea associata* Th. Fr., 379
 carniolica (Arnold) Zahlbr., 382
 cladoniaria Nyl., 384
 cladonioica Nyl., 384
 ericetorum (Körber) H. Olivier, 376
 leptostigma Nyl., 380
 punctum (Massal.) Jatta, 384
 umbonata (Hepp) Mudd, 398
- Leciographa associata* (Th. Fr.) Zopf, 379
- Leptosphaeria lichenicola* Zopf, 397
- Leptosphaerulina peltigerae* (Fuckel) Riedl, 398
- Lichenopuccinia poeltii* D. Hawksw. & Hafellner, 399
- Lichenostigma rugosa* Thor, 399
- Lithographa andrewii* Stirton, 380
- LONG, D. G. & RAE, S. J.
Notes relating to the Flora of Bhutan: XIV.
 Daphne ludlowii, a new species from Bhutan, 13
- MAAS, H. & MAAS, P. J. M.
Notes on New World Zingiberaceae: IV.
- Some new species of *Costus* and *Renealmia*, 307
- Manulea acutiloba* Hilliard, 337
 adenocalyx Hilliard, 337
 adenodes Hilliard, 337
 altissima L. f.
 subsp. *glabricaulis* (Hiern) Hilliard, 49
 subsp. *longifolia* (Benth.) Hilliard, 49
 var. *glabricaulis* Hiern, 49
 var. *longifolia* (Benth.) Hiern, 49
 annua (Hiern) Hilliard, 49
 aridicola Hilliard, 338
 augei (Hiern) Hilliard, 49
 calciphila Hilliard, 50
 caledonica Hilliard, 338
 capillaris L.f., 341
 chrysantha Hilliard, 338
 cinerea Hilliard, 50
 crassifolia Benth.
 subsp. *thodeana* (Diels) Hilliard, 50
 decipiens Hilliard, 338
 deserticola Hilliard, 338
 diandra Hilliard, 339
 exigua Hilliard, 339
 flanagani Hilliard, 339
 gariesiana Hilliard, 340
 karooica Hilliard, 50
 latiloba Hilliard, 50
 limonioides Conrath, 51
 linearifolia Hilliard, 340
 longifolia Benth., 49
 minuscula Hilliard, 340
 montana Hilliard, 50
 multispicata Hilliard, 51
 namibensis Hilliard, 340
 ovatifolia Hilliard, 51
 parviflora
 var. *limonioides* (Conrath) Hilliard, 51
 paucibarbata Hilliard, 51
 pillansii Hilliard, 51
 plurirosulata Hilliard, 52
 praeterita Hilliard, 340
 psilostoma Hilliard, 341
 ramulosa Hilliard, 52
 rhodantha Hilliard, 52
 subsp. *aurantiaca* Hilliard, 52
 tenella Hilliard, 341
 thodeana Diels, 50
- McKEAN, D. R.
Catalogue of the names published by Hector Lévillé: XXI, 111
- Metasphaeria lichenicola* (Zopf) Vouaux, 397
- Micropyxis* Seeler, 375
 geoglossi (J. B. Ellis & Everhart) Seeler, 378
- MILL, R. R.
The taxonomic status of *Cynoglossum latifolium* (Boraginaceae), 43
- More new names and combinations in Scrophulariaceae-Manuleae, 337
- Nectria tenacis* (Vouaux) Vouaux, 399

- Nectriella anisospora* Lowen, 399
tenacis (Vouaux) Weese, 399
Nesolechia associata (Th. Fr.) Sacc., 380
ericetorum Körber, 376
leptostigma (Nyl.) Sacc. & D. Sacc., 380
punctum Massal., 384
New names in *Manulea* (Scrophulariaceae), 49
New or interesting *Ramaria* taxa from Australia, 141
New species of *Aconogonon* from Upper Burma and Yunnan, 361
New species of *Dimorphanthera* from Seram, 33
Notes on *Acanthus hirsutus* Boiss. with a key to Turkish Taxa of *Acanthus*, 7
Notes on British lichenicolous fungi: VI, 391
Notes on New World Zingiberaceae: IV. Some new species of *Costus* and *Renalmia*, 307
Notes relating to the Flora of Bhutan: XIV. *Daphne ludlowii*, a new species from Bhutan, 13

Ornithogalum baurii Baker, 343
hygrophilum Hilliard & Burt, 343
Oxyglossum (Orchidaceae). A revision of *Dendrobium* section, 161

PATON, ALAN
The phytogeography of *Scutellaria* L., 345
Peckiaellageoglossi (J. B. Ellis & Everhart) Sacc., 377
Pedilonum Blume
 sect. *Cuthbertsonia* (Schltr) Brieg., 178
 sect. *Oxyglossum* (Schltr) Brieg., 178
adolphi (Schltr) Rauschert, 227
asperifolium (J. J. Smith) Brieger, 276
begoniicarpum (J. J. Smith) Rauschert, 212
brachyacron (Schltr) Rauschert, 235
brachyphyta (Schltr) Rauschert, 254
brevicaule (Rolfe) Rauschert, 182
caespitifolium (Ridley) Rauschert, 195
calcarium (J. J. Sm.) Rauschert, 185
cerasinum (Ridley) Rauschert, 227
chlorinum (Ridley) Rauschert, 196
chrysornis (Ridley) Rauschert, 188
coccinellum (Ridley) Rauschert, 276
cuthbertsonii (F. von Mueller) Brieger, 276
cyanocentrum (Schltr) Rauschert, 208
cyperifolium (Schltr) Rauschert, 236
decockii (J. J. Smith) Rauschert, 188
delicatulum (Kränzlin) Rauschert, 224
discrepans (J. J. Smith) Rauschert, 227
dryadum (Schltr) Rauschert, 235
euphus (Ridley) Rauschert, 276
flavispiculum (J. J. Smith) Rauschert, 208
frigidum (Schltr) Rauschert, 195
geminiflorum (Schltr) Rauschert, 235
gemma (Schltr) Rauschert, 195
junzaingense (J. J. Smith) Rauschert, 212
keysseri (Schltr) Rauschert, 245
lancilabium (J. J. Smith) Rauschert, 263

laperouseoides (Schltr) Rauschert, 208
laterifolium (Ridley) Rauschert, 227
maboroense (Schltr) Rauschert, 261
microblepharum (Schltr) Rauschert, 255
minutum (Schltr) Rauschert, 224
montigenum (Ridley) Rauschert, 188
murkelense (J. J. Smith) Rauschert, 245
nardoides (Schltr) Rauschert, 203
occultum (Ames) Rauschert, 272
oligoblepharum (Schltr) Rauschert, 203
oreocharis (Schltr) Rauschert, 212
pentagonum (Kränzlin) Rauschert, 186
petiolatum (Schltr) Rauschert, 259
pityphyllum (Schltr) Rauschert, 235
punicum (Ridley) Brieger, 227
putnamii (Hawkes & Heller) Rauschert, 220
quinquecostatum (Schltr) Brieger, 235
retroflexum (J. J. Smith) Rauschert, 251
saruwagedicum (Schltr) Rauschert, 186
scarlatinum (Schltr) Rauschert, 227
scotiferum (J. J. Smith) Rauschert, 236
seranicum (J. J. Smith) Rauschert, 229
sophonites (Schltr) Rauschert, 276
subacaule (Reinw. ex Lindley) Rauschert, 212
subuliferum (J. J. Smith) Rauschert, 205
sulphureum (Schltr) Rauschert, 199
tenuicalcar (J. J. Smith) Rauschert, 235
theionanthum (Schltr) Rauschert, 195
trialatum (Schltr) Rauschert, 254
tricostatum (Schltr) Brieger, 212
tumidulum (Schltr) Rauschert, 245
uncinatum (Schltr) Rauschert, 254
undatialeatum (Schltr) Rauschert, 261
vexillarius (J. J. Smith) Rauschert, 250
Perilomia Kunth, 345, 346
 sect. *Aprosphylla* Briq., 346
 sect. *Euperilomia* Briq., 346
 sect. *Holocraspeda* Briq., 346
Pernettyopsis megabracteata, 22
PETERSEN, R. H. & WATLING, R.
New or interesting *Ramaria* taxa from Australia, 141
Pezizella epithallina (Phill. & Plowr.) Sacc., 386
Phaeopsis ericetorum (Körber) Vouaux, 376
Phaeopyxis, *Gelatinopsis* and *Geltingia*: three helotialean genera with lichenicolous species, 375
Phaeopyxis Rambold & Triebel, 380
australis Rambold & Triebel, 381, 387
carniolica (Arnold) Rambold & Triebel, 382
punctum (Massal.) Rambold, Triebel & Coppins, 384, 387
varia Coppins, Rambold & Triebel, 385, 387
Phaeosporobolus usneae D. Hawksw. & Hafellner, 39
Pharcidia mammillula
 forma *tenacis* Vouaux, 399
Phyllopodium augei Hiern, 49
 baurii Hiern, 341
 capillare Hilliard, 341

- cordatum* (Thunb.) Hilliard, 341
 Phytogeography of *Scutellaria* L., 345
Picea fortunei Andr. Murray, 83
Pinus fortunei (Andr. Murray) Parl., 83
sacra (Franchet) Voss, 88
Pleospora peltigerae Fuckel, 398
Podocarpus sutchuenensis Franchet, 88
Polycarena augei (Hiern) Levyns, 49
baurii (Hiern) Levyns, 341
capillaris (L.f.) Benth., 341
parvula Schltr, 341
Porphyrellus alveolatus Heim & Perreau, 420
Pseudotsuga davidiana Bertr., 88
jezoensis (Carrière) Bertr., 83
Pulveroboletus Murrill, 413
icterinus (Pat. & Baker) Watling, 413
Pyrenopeziza lettaui Grummann, 387
- RAE, S. J. & LONG, D. G.
 Notes relating to the Flora of Bhutan: XIV.
Daphne ludlowii, a new species from Bhutan, 13
Ramaria taxa from Australia. New or interesting, 141
Ramaria anziana Petersen, 142
australiana (Cleb.) Petersen, 157
capitata (Lloyd) Corner, 143
gelatinosa (Coker) Corner
 var. *oregonensis* Marr & Stuntz, 147
lorithamnus (Berkeley) Petersen, 148
pyrispora Petersen, 149
sinapicolor (Cleb.) Corner, 148
stunzii Marr
 var. *gelatinosa* Petersen & Watling, 150
subtilis (Coker) Schild
 var. *microspora* Petersen & Watling, 151
versatilis (Quélet) Petersen
 var. *latispora* Petersen, 153
watlingii Petersen, 154
xanthosperma (Peck) Corner
 var. *australiana* Petersen & Watling, 156
Ramariopsis lorithamnus (Berk.) Corner, 148
- RAMBOLD, G. & TRIEBEL, D.
 Gelatinopsis, Geltingia and Phaeopyxis:
 three helotialean genera with lichenicolous species, 375
 Reduction of *Ornithogalum hygrophilum* to *O. baurii*, 343
- REEVE, T. M. & WOODS, P. J. B.
 A revision of *Dendrobium* section *Oxyglossum* (Orchidaceae), 161
Reinealmia and *Costus*, Some new species of.
 Notes on New World Zingiberaceae: IV, 307
Reinealmia microcalyx Maas & Maas, 315
occidentalis (Swartz) Sweet
 var. *pacifica* Maas, 318
pacifica (Maas) Maas & Maas, 318
 Revision of *Dendrobium* section *Oxyglossum* (Orchidaceae), 161
Rhododendron alborugosum: a new species of *Vireya* *rhododendron* from Borneo, 27
- Rhododendron alborugosum* Argent & Dransfield, 27
Rubinoboletus Pilát & Dermek, 413
 RUSHFORTH, K. D.
 Two new species of *Abies* (Pinaceae) from western Mexico, 101
 — & FARJON, A.
 A classification of *Abies* Miller (Pinaceae), 59
- Salazaria* Torrey, 345, 346
mexicana Torrey, 346
Sarcopodium parvulum (Rolfe) Kränzlin, 225
prasinum (Lindley) Kränzlin, 268
 Scanning electron microscope survey of *Vireya* *rhododendrons*. I: Preparation techniques, 365
 Scrophulariaceae-Manuleae. More new names and combinations in, 337
Scutellaria L., 345
 subgen. *Anaspis* (Rech. f.) Juz., 346
 subgen. *Apeltanthus* (Nevski ex Juz.) Juz., 346
 subgen. *Apeltanthus* (Nevski ex Juz.) Juz. emend Paton, 346
 subgen. *Cystaspis* (Juz.) Juz., 347
 subgen. *Euscutellaria* Briq., 345
 subgen. *Scutellaria*, 345
 subgen. *Scutellariopsis* Briq., 345
 sect. *Anaspis* (Rech. f.) Paton, 346
 sect. *Apeltanthus* Nevski ex Juz., 346
 sect. *Cystaspis* Juz., 347
 sect. *Galericulata* A. Hamilton, 345
 sect. *Lupulinaria* A. Hamilton, 346
 sect. *Nevskithe* Juz., 347
 sect. *Perilomia* (Kunth) Epling, 346
 sect. *Perilomia* (Kunth) Epling emend Paton, 346
 sect. *Perilomioideae* (Benth.) Epling, 346
 sect. *Salazaria* (Torrey) Paton, 346
 sect. *Salvifoliae* (Boiss.) Edmondson, 346
 sect. *Scutellaria*, 345
 sect. *Stachymacris* A. Hamilton, 345
 sect. *Theresa* (Clos) Epling, 346
 sect. *Vulgares* Benth., 345
 subsect. *Cystaspis* (Juz.) Paton, 347
 subsect. *Lupulinaria*, 347
 subsect. *Salvifoliae* Boiss., 346
 mexicana (Torrey) Paton, 346
 Second revision of the genus *Keteleeria* Carrière, 81
Selago baurii (Hiern) Hilliard, 341
cordata Thunb., 341
Setogyroporus Heinemann & Rammeloo, 414
Skytella mulleri (Willey) D. Hawksw. & R. Sant., 386
Skyttea refractiva Coppins, 386
Spolverinia punctum Massal., 384
Streptocarpus montis-bingae Hilliard & Burt, 321
Strobilomyces Berkeley, 416

- velutipes* Cooke & Massee, 416
 Studies in the Flora of Arabia: XXV. Tamarix in the Arabian Peninsula, 1
 Studies in the Gesneriaceae of the Old World: L. Notes on Hexatheca, 53; LI. A new Streptocarpus from Mozambique, 321; LII. Index to the series, 323
Sutera annua Hiern, 49
 var. *laxa* Hiern, 51
- Taeniolella punctata* M. S. Christ. & D. Hawksw., 400
Tamarix amplexicaulis Ehrenb., 6
 aphylla (L.) Karsten, 4
 arabica Bge., 2
 articulata Vahl, 4
 aucheriana (Decne.) Baum, 5
 florida Bge., 6
 macrocarpa (Ehrenb.) Bge., 5
 mannifera (Ehrenb.) Bge., 6
 mascataensis Bge., 2
 nilotica (Ehrenb.) Bge., 6
 orientalis Forsk., 4
 passerinoides Del. ex Desv., 5
 pyncocarpa DC., 5
 ramosissima Ledeb., 6
 stricta Boiss., 5
 szovitsiana Bge., 5
 Taxonomic status of *Cynoglossum latifolium* (Boraginaceae), 43
 Transfer of two species of *Anaphalis* to *Chionolena*, 37
 TRIEBEL, D. & RAMBOLD, G.
 Gelatinopsis, Geltingia and Phacopyxis: three helotialean genera with lichenicolous species, 375
 Two new species of *Abies* (Pinaceae) from western Mexico, 101
Tylophilus Karsten, 416
- Unguiculariopsis lettaui* (Grumann) Coppins, 387
 refractiva (Coppins) Coppins, 386
 thallophila (Karsten) Zhuang, 387
- Verrucaria punctum* (Massal.) H. Olivier, 384
 Vireya rhododendrons. A scanning electron microscope survey of. I: Preparation techniques, 365
 WARWICK, M. & HELFER, S.
 A scanning electron microscope survey of Vireya rhododendrons. I: Preparation techniques, 365
 WATLING, R. & PETERSEN, R. H.
 New or interesting Ramaria taxa from Australia, 141
 — & HOLLANDS, RUTH
 Boletes from Sarawak, 405
Weddellomyces macrospora D. Hawksw., Renobales & Coppins, 400
 WOOD, D. J. & BRUMMITT, R. K.
 Notes on *Acanthus hirsutus* Boiss. with a key to Turkish taxa of *Acanthus*, 7
 WOODS, P. J. B. & REEVE, T. M.
 A revision of *Dendrobium* section *Oxyglossum* (Orchidaceae), 161
- Xerocomus* Quél., 417
Xylographa andrewii (Stirton) Redinger, 380